


Project Title: Zach's Computer Store Database

This project is centered around developing a streamlined relational database for Zach's Computers, designed to support efficient retail and inventory management. The system organized core business data across products, brands, categories, suppliers, customers, orders, payments, shipments, inventory and returns. Each table captures essential details such as product specifications, stock levels, customer information and transaction histories. This is all done while maintaining clear relational links that support the accurate tracking of sales, order fulfillment, and inventory. This database was built in full compliance with third normal form (3NF), meaning data integrity was preserved and the database will serve as a reliable foundation for reporting. This will offer a structured solution to help Zach's Computers manage and analyze its daily business activities with greater efficiency and precision.

ER Diagram



SQL Database

```
/*  
--For when running in SQL Developer  
SET DEFINE OFF;
```

```
--View tables in the DB  
select * from tab;
```

```
--view data in the table
```

```
select * from customer;  
select * from customer_address;  
select * from product;  
select * from brand;  
select * from category;  
select * from supplier;  
select * from orders;  
select * from order_item;  
select * from payment;  
select * from warehouse;  
select * from shipment;  
select * from inventory;  
select * from return;  
select * from review;
```

```
--Drop Tables:
```

```
drop table return;  
drop table order_item;  
drop table payment;  
drop table shipment;  
drop table review;  
drop table inventory;  
drop table orders;  
drop table customer_address;  
drop table product;
```

```
drop table brand;  
drop table warehouse;  
drop table customer;  
drop table supplier;  
drop table category;
```

```
*/
```

-- 1. Create the Category Table

```
CREATE TABLE CATEGORY
(CATEGORY_ID INT NOT NULL ,
CATEGORY_NAME VARCHAR(300),
DESCRIPTION VARCHAR(50),
IS_ACTIVE CHAR(1),
PRIMARY KEY (CATEGORY_ID)) ;
```

-- Insert into Category Table

```
insert into Category values(1,'Laptops','Notebook and ultrabook computers','T');
insert into Category values(2,'Desktops','Tower and small form factor PCs','T');
insert into Category values(3,'Monitors','Standalone displays','T');
insert into Category values(4,'Keyboards & Mice','Input peripherals','T');
insert into Category values(5,'Storage','Internal and external drives','T');
insert into Category values(6,'Graphics Cards','Dedicated GPUs','T');
insert into Category values(7,'Tablets','Tablet devices','T');
insert into Category values(8,'Headsets','Audio headsets','T');
insert into Category values(9,'Printers','Home and office printers','T');
insert into Category values(10,'Accessories','Miscellaneous accessories','T');
```

-- 2. Create the Supplier Table

```
CREATE TABLE SUPPLIER
(SUPPLIER_ID INT NOT NULL ,
SUPPLIER_NAME VARCHAR(50) NOT NULL,
CONTACT_NAME VARCHAR(30),
CONTACT_EMAIL VARCHAR(50),
RATING INT CHECK (RATING IN (1,2,3,4,5)),
PHONE CHAR(12),
PRIMARY KEY (SUPPLIER_ID)) ;
```

-- Insert into Supplier Table

```
insert into Supplier values(1,'TechHive Supply Co','Jordan Ellis','jordan.ellis@techhive.com',5,'800-555-1001');
insert into Supplier values(2,'Vertex Components','Riley Carter','riley.carter@vertexcomp.com',4,'800-555-1002');
insert into Supplier values(3,'BluePeak Disicators','Morgan Price','morgan.price@bluepeakdist.com',4,'800-555-1003');
insert into Supplier values(4,'Summit IT Wholesale','Taylor Brooks','taylor.brooks@summitit.com',5,'800-555-1004');
insert into Supplier values(5,'Greenline Tech Partners','Casey Ward','casey.ward@greenlinetech.com',3,'800-555-1005');
```

```
insert into Supplier values(6,'Northbridge Logistics','Avery Scott','avery.scott@northbridge.com',4,'800-555-1006');
insert into Supplier values(7,'IronGate Hardware','Jamie Flores','jamie.flores@irongatehw.com',5,'800-555-1007');
insert into Supplier values(8,'Crescent Tech Supply','Logan Reyes','logan.reyes@crescenttech.com',3,'800-555-1008');
insert into Supplier values(9,'SilverStream Electronics','Drew King','drew.king@silverstream.com',4,'800-555-1009');
insert into Supplier values(10,'BrightCircuit Global','Kendall Lane','kendall.lane@brightcircuit.com',5,'800-555-1010');
```

-- 3. Create the Customer Table

```
CREATE TABLE CUSTOMER
(CUSTOMER_ID INT NOT NULL ,
 FNAME VARCHAR(20),
 LNAME VARCHAR(20),
 CUSTOMER_EMAIL VARCHAR(50),
 CUSTOMER_PHONE CHAR(12),
 PRIMARY KEY (CUSTOMER_ID)) ;
```

-- Insert into Customer Table

```
insert into Customer values(1,'Liam','Carter','liam.carter@example.com','555-218-9043');
insert into Customer values(2,'Emma','Reed','emma.reed@example.com','555-762-1189');
insert into Customer values(3,'Noah','Mitchell','noah.mitchell@example.com','555-439-6702');
insert into Customer values(4,'Ava','Ramirez','ava.ramirez@example.com','555-983-2417');
insert into Customer values(5,'William','Hayes','william.hayes@example.com','555-640-5528');
insert into Customer values(6,'Sophia','Bennett','sophia.bennett@example.com','555-774-6621');
insert into Customer values(7,'James','Parker','james.parker@example.com','555-317-9084');
insert into Customer values(8,'Isabella','Foster','isabella.foster@example.com','555-205-4498');
insert into Customer values(9,'Elijah','Griffin','elijah.griffin@example.com','555-910-3374');
insert into Customer values(10,'Mia','Sullivan','mia.sullivan@example.com','555-682-7940');
insert into Customer values(11,'Logan','Barnes','logan.barnes@example.com','555-448-1206');
insert into Customer values(12,'Harper','Cole','harper.cole@example.com','555-799-4523');
insert into Customer values(13,'Ethan','Turner','ethan.turner@example.com','555-214-9031');
insert into Customer values(14,'Olivia','Phillips','olivia.phillips@example.com','555-782-1194');
insert into Customer values(15,'Mason','Howard','mason.howard@example.com','555-439-6728');
insert into Customer values(16,'Charlotte','Ward','charlotte.ward@example.com','555-983-2475');
insert into Customer values(17,'Lucas','Torres','lucas.torres@example.com','555-640-5582');
insert into Customer values(18,'Amelia','Peterson','amelia.peterson@example.com','555-774-6639');
insert into Customer values(19,'Henry','Gray','henry.gray@example.com','555-317-9072');
insert into Customer values(20,'Evelyn','Ramsey','evelyn.ramsey@example.com','555-205-4481');
insert into Customer values(21,'Alexander','James','alexander.james@example.com','555-910-3379');
insert into Customer values(22,'Abigail','Hughes','abigail.hughes@example.com','555-682-7954');
insert into Customer values(23,'Daniel','Butler','daniel.butler@example.com','555-448-1273');
```

```

insert into Customer values(24,'Ella','Simmons','ella.simmons@example.com','555-799-4518');
insert into Customer values(25,'Matthew','Foster','matthew.foster@example.com','555-910-0048');
insert into Customer values(26,'Scarlett','Gonzalez','scarlett.gonzalez@example.com','555-910-1186');
insert into Customer values(27,'Joseph','Bryant','joseph.bryant@example.com','555-910-2284');
insert into Customer values(28,'Grace','Alexander','grace.alexander@example.com','555-910-3371');
insert into Customer values(29,'David','Russell','david.russell@example.com','555-910-4487');
insert into Customer values(30,'Chloe','Griffin','chloe.griffin@example.com','555-910-5529');
insert into Customer values(31,'Wyatt','Diaz','wyatt.diaz@example.com','555-910-6674');
insert into Customer values(32,'Zoey','Hayes','zoey.hayes@example.com','555-910-7742');
insert into Customer values(33,'Aiden','Walker','aiden.walker@example.com','555-910-8812');
insert into Customer values(34,'Nora','Cunningham','nora.cunningham@example.com','555-910-7746');
insert into Customer values(35,'Caleb','Henderson','caleb.henderson@example.com','555-910-6638');
insert into Customer values(36,'Lily','Murphy','lily.murphy@example.com','555-910-5524');
insert into Customer values(37,'Julian','Reeves','julian.reeves@example.com','555-910-4492');
insert into Customer values(38,'Aria','Douglas','aria.douglas@example.com','555-910-3381');
insert into Customer values(39,'Mateo','Keller','mateo.keller@example.com','555-910-2290');
insert into Customer values(40,'Zoe','Harrington','zoe.harrington@example.com','555-910-1185');
insert into Customer values(41,'Isaac','Stevens','isaac.stevens@example.com','555-910-0079');
insert into Customer values(42,'Penelope','Gordon','penelope.gordon@example.com','555-910-5563');

```

-- 4. Create the Warehouse Table

```

CREATE TABLE WAREHOUSE
(WAREHOUSE_ID INT NOT NULL ,
WAREHOUSE_NAME VARCHAR(50),
STREET_ADDRESS VARCHAR(30),
CITY VARCHAR(20),
STATE CHAR(2),
ZIP CHAR(5),
PRIMARY KEY (WAREHOUSE_ID)) ;

```

-- Insert into Warehouse Table

```

insert into Warehouse values(1,'Warehouse 1','34 Industrial Park Drive ','Nashville','TN','47209');
insert into Warehouse values(2,'Warehouse 2','102 County Road 401','Memphis','TN','38111');
insert into Warehouse values(3,'Warehouse 3','18 Ed Perry Boulevard','Atlanta','GA','30318');
insert into Warehouse values(4,'Warehouse 4','250 McLarty Road','Memphis','TN','38111');
insert into Warehouse values(5,'Warehouse 5','71 Highway 7 South ','Dallas','TX','75201');
insert into Warehouse values(6,'Warehouse 6','145 Industrial Park Loop','Memphis','TN','38116');
insert into Warehouse values(7,'Warehouse 7','500 Highway 30 East ','Atlanta','GA','30318');
insert into Warehouse values(8,'Warehouse 8','2600 West Oxford Loop','Oxford','MS','38655');
insert into Warehouse values(9,'Warehouse 9','12 Office Park Drive','Dallas','TX','75209');
insert into Warehouse values(10,'Warehouse 10','212 Allison Cove ','Atlanta','GA','30339');

```

-- 5. Create the Brand Table

```
CREATE TABLE BRAND
(BRAND_ID INT NOT NULL,
SUPPLIER_ID INT,
BRAND_NAME VARCHAR(50),
WEBSITE_URL VARCHAR(100),
SUPPORT_PHONE CHAR(12),
HQ_COUNTRY VARCHAR(30),
PRIMARY KEY (BRAND_ID),
FOREIGN KEY (SUPPLIER_ID) REFERENCES SUPPLIER(SUPPLIER_ID));
```

-- Insert into Brand Table

```
insert into Brand values(1,1,'Dell','https://www.dell.com/','800-624-9896','USA');
insert into Brand values(2,2,'Apple','https://www.apple.com/','800-692-7753','USA');
insert into Brand values(3,3,'Lenovo','https://www.lenovo.com/','877-453-6686','China');
insert into Brand values(4,4,'HP','https://www.hp.com/','800-474-6836','USA');
insert into Brand values(5,5,'ASUS','https://www.asus.com/','888-678-3688','Taiwan');
insert into Brand values(6,6,'Logitech','https://www.logitech.com/','646-454-3200','Switzerland');
insert into Brand values(7,7,'Samsung','https://www.samsung.com/','800-726-7864','South Korea');
insert into Brand values(8,8,'Seagate','https://www.seagate.com/','800-732-4283','USA');
insert into Brand values(9,9,'Razer','https://www.razer.com/','855-872-5233','USA');
insert into Brand values(10,10,'LG','https://www.lg.com/','800-243-0000','South Korea');
```

-- 6. Create the Product Table

```
CREATE TABLE PRODUCT
(PRODUCT_ID INT NOT NULL,
SKU CHAR(8),
BRAND_ID INT,
CATEGORY_ID INT,
MODEL_NAME VARCHAR(50),
UNIT_PRICE DECIMAL(10,2),
MANUFACTURE_LOCATION VARCHAR(30),
PRIMARY KEY (PRODUCT_ID),
FOREIGN KEY (BRAND_ID) REFERENCES BRAND(BRAND_ID),
FOREIGN KEY (CATEGORY_ID) REFERENCES CATEGORY(CATEGORY_ID));
```

-- Insert into Product Table

```
insert into Product values(1,'SKU-1001',1,1,'Dell XPS 15',1899.99,'USA');
insert into Product values(2,'SKU-1002',2,1,'MacBook Air M2',1199,'USA');
insert into Product values(3,'SKU-1003',3,1,'ThinkPad X1 Carbon',1499,'China');
```

```

insert into Product values(4,'SKU-1004',4,2,'HP Omen 45L',1799.99,'USA');
insert into Product values(5,'SKU-1005',5,3,'ASUS ProArt PA278QV',329.99,'China');
insert into Product values(6,'SKU-1006',7,3,'Samsung Odyssey G7',599.99,'Vietnam');
insert into Product values(7,'SKU-1007',6,4,'Logitech MX Keys',119.99,'Switzerland');
insert into Product values(8,'SKU-1008',6,4,'Logitech MX Master 3S',99.99,'Switzerland');
insert into Product values(9,'SKU-1009',8,5,'Seagate Backup Plus 4TB',129.99,'Thailand');
insert into Product values(10,'SKU-1010',8,5,'Seagate FireCuda 530 2TB',279.99,'Thailand');
insert into Product values(11,'SKU-1011',9,6,'Razer GeForce RTX 4090',2199.99,'China');
insert into Product values(12,'SKU-1012',10,3,'LG UltraGear 27GN950',799.99,'South Korea');
insert into Product values(13,'SKU-1013',1,1,'Dell Inspiron 14',749.99,'Mexico');
insert into Product values(14,'SKU-1014',2,1,'MacBook Pro 14 M3',1999,'USA');
insert into Product values(15,'SKU-1015',3,6,'Lenovo Legion RTX 4080 GPU',1399.99,'China');
insert into Product values(16,'SKU-1016',4,2,'HP Pavilion Gaming Desktop',999.99,'USA');
insert into Product values(17,'SKU-1017',5,3,'ASUS TUF VG27AQ Monitor',399.99,'China');
insert into Product values(18,'SKU-1018',7,3,'Samsung Odyssey Neo G9',1499.99,'Vietnam');
insert into Product values(19,'SKU-1019',6,4,'Logitech G Pro X Keyboard',129.99,'Switzerland');
insert into Product values(20,'SKU-1020',8,5,'Seagate IronWolf 8TB',249.99,'Thailand');
insert into Product values(21,'SKU-1021',10,3,'LG UltraWide 34WN80C-B',699.99,'South Korea');
insert into Product values(22,'SKU-1022',9,6,'Razer Radeon RX 7900 XT',1099.99,'China');

```

-- 7. Create the Customer Address Table

```

CREATE TABLE CUSTOMER_ADDRESS
(CUST_ADDRESS_ID INT NOT NULL,
CUSTOMER_ID INT,
LINE1 VARCHAR(50),
CITY VARCHAR(30),
STATE CHAR(2),
ZIP CHAR(5),
COUNTRY VARCHAR(30),
PRIMARY KEY (CUST_ADDRESS_ID),
FOREIGN KEY (CUSTOMER_ID) REFERENCES CUSTOMER(CUSTOMER_ID));

```

-- Insert into Customer Address Table

```

insert into Customer_Address values(101,1,'214 Magnolia Lane','Oxford','MS','38655','USA');
insert into Customer_Address values(102,2,'587 Rebel Drive','Oxford','MS','38655','USA');
insert into Customer_Address values(103,3,'1020 Jefferson Avenue','Oxford','MS','38655','USA');
insert into Customer_Address values(104,4,'341 Old Taylor Road','Oxford','MS','38655','USA');
insert into Customer_Address values(105,5,'755 Maple Grove Way','Oxford','MS','38655','USA');
insert into Customer_Address values(106,6,'128 Creekwood Bend','Oxford','MS','38655','USA');
insert into Customer_Address values(107,7,'912 College Hill Road','Oxford','MS','38655','USA');
insert into Customer_Address values(108,8,'467 Oak Ridge Loop','Oxford','MS','38655','USA');
insert into Customer_Address values(109,9,'233 Pinehurst Cove ','Oxford','MS','38655','USA');
insert into Customer_Address values(110,10,'621 Fraternity Row ','Oxford','MS','38655','USA');
insert into Customer_Address values(111,11,'889 Sorority Row','Oxford','MS','38655','USA');

```

```

insert into Customer_Address values(112,12,'304 Jackson Avenue East','Oxford','MS','38655','USA');
insert into Customer_Address values(113,13,'1427 Silver Ridge Court','Oxford','MS','38656','USA');
insert into Customer_Address values(114,14,'908 Willow Bend Parkway','Oxford','MS','38657','USA');
insert into Customer_Address values(115,15,'2218 Oak Hollow Terrace','Oxford','MS','38658','USA');
insert into Customer_Address values(116,16,'567 Maple Ledge Drive','Oxford','MS','38659','USA');
insert into Customer_Address values(117,17,'3104 Pine Crest Landing','Oxford','MS','38660','USA');
insert into Customer_Address values(118,18,'782 Country Brook Lane','Oxford','MS','38661','USA');
insert into Customer_Address values(119,19,'1945 Sunrise Meadow Drive','Oxford','MS','38662','USA');
insert into Customer_Address values(120,20,'4550 Crestview Summit Road','Oxford','MS','38663','USA');
insert into Customer_Address values(121,21,'629 Birchmont Valley Drive','Oxford','MS','38664','USA');
insert into Customer_Address values(122,22,'11803 Autumn Grove Trail','Oxford','MS','38665','USA');
insert into Customer_Address values(123,23,'732 Redwood Crossing Lane','Oxford','MS','38666','USA');
insert into Customer_Address values(124,24,'2549 Lakeshore Edge Drive','Oxford','MS','38667','USA');
insert into Customer_Address values(125,25,'880 Stonehaven Ridge Court','Oxford','MS','38668','USA');
insert into Customer_Address values(126,26,'333 Winding River Path','Oxford','MS','38669','USA');
insert into Customer_Address values(127,27,'1460 Copperleaf Hill Drive','Oxford','MS','38670','USA');
insert into Customer_Address values(128,28,'4987 Hawthorne Crest Loop','Oxford','MS','38671','USA');
insert into Customer_Address values(129,29,'2095 Meadow Chase Lane','Oxford','MS','38672','USA');
insert into Customer_Address values(130,30,'5153 Whispering Pine Overlook','Oxford','MS','38673','USA');
insert into Customer_Address values(131,31,'6810 Brookside Arbor Street','Oxford','MS','38674','USA');
insert into Customer_Address values(132,32,'1274 Canyon Ridge Overlook','Oxford','MS','38675','USA');
insert into Customer_Address values(133,33,'224 Briarwood Meadow Lane','Oxford','MS','38676','USA');
insert into Customer_Address values(134,34,'612 Autumn Crest Boulevard','Oxford','MS','38677','USA');
insert into Customer_Address values(135,35,'1937 Willow Ridge Pass','Oxford','MS','38678','USA');
insert into Customer_Address values(136,36,'480 Cedarbrook Landing','Oxford','MS','38679','USA');
insert into Customer_Address values(137,37,'1580 Highland Brook Court','Oxford','MS','38680','USA');
insert into Customer_Address values(138,38,'729 Meadowstone Bluff','Oxford','MS','38681','USA');
insert into Customer_Address values(139,39,'205 Oakridge River Trail','Oxford','MS','38682','USA');
insert into Customer_Address values(140,40,'3349 Pine Haven Terrace','Oxford','MS','38683','USA');
insert into Customer_Address values(141,41,'117 Creekside Grove Road','Oxford','MS','38684','USA');
insert into Customer_Address values(142,42,'890 Silverleaf Hollow Drive','Oxford','MS','38685','USA');

```

-- 8. Create the Orders Table

```

CREATE TABLE ORDERS
  (ORDER_ID INT NOT NULL ,
   CUSTOMER_ID INT,
   SHIPPING_ADDRESS_ID INT,
   ORDER_DATE DATE,
   STATUS VARCHAR(20),
   SUBTOTAL_AMOUNT DECIMAL(10,2),
   PRIMARY KEY(ORDER_ID),
   FOREIGN KEY(CUSTOMER_ID) REFERENCES CUSTOMER(CUSTOMER_ID));

```

-- Insert into Orders Table

```

insert into Orders values(1000,1,101,to_date('03/01/2024','mm/dd/yyyy'),'Delivered',1899.99);
insert into Orders values(1002,2,102,to_date('03/02/2024','mm/dd/yyyy'),'Delivered',1199);
insert into Orders values(1003,3,103,to_date('03/03/2024','mm/dd/yyyy'),'Shipped',1499);
insert into Orders values(1004,4,104,to_date('03/04/2024','mm/dd/yyyy'),'Delivered',3599.98);
insert into Orders values(1005,5,105,to_date('03/05/2024','mm/dd/yyyy'),'Delivered',329.99);
insert into Orders values(1006,6,106,to_date('03/06/2024','mm/dd/yyyy'),'Shipped',599.99);
insert into Orders values(1007,7,107,to_date('03/07/2024','mm/dd/yyyy'),'Delivered',239.98);
insert into Orders values(1008,8,108,to_date('03/08/2024','mm/dd/yyyy'),'Delivered',99.99);
insert into Orders values(1009,9,109,to_date('03/09/2024','mm/dd/yyyy'),'Shipped',129.99);
insert into Orders values(1010,10,110,to_date('03/10/2024','mm/dd/yyyy'),'Delivered',559.98);
insert into Orders values(1011,11,111,to_date('03/11/2024','mm/dd/yyyy'),'Delivered',2199.99);
insert into Orders values(1012,12,112,to_date('03/12/2024','mm/dd/yyyy'),'Shipped',799.99);
insert into Orders values(1013,13,101,to_date('03/13/2024','mm/dd/yyyy'),'Delivered',749.99);
insert into Orders values(1014,14,102,to_date('03/14/2024','mm/dd/yyyy'),'Delivered',1999);
insert into Orders values(1015,15,103,to_date('03/15/2024','mm/dd/yyyy'),'Shipped',2799.98);
insert into Orders values(1016,16,104,to_date('03/16/2024','mm/dd/yyyy'),'Delivered',999.99);
insert into Orders values(1017,17,105,to_date('03/17/2024','mm/dd/yyyy'),'Delivered',399.99);
insert into Orders values(1018,18,106,to_date('03/18/2024','mm/dd/yyyy'),'Shipped',1499.99);
insert into Orders values(1019,19,107,to_date('03/19/2024','mm/dd/yyyy'),'Delivered',259.98);
insert into Orders values(1020,20,108,to_date('03/20/2024','mm/dd/yyyy'),'Delivered',249.99);
insert into Orders values(1021,21,109,to_date('03/21/2024','mm/dd/yyyy'),'Shipped',699.99);
insert into Orders values(1022,22,110,to_date('03/22/2024','mm/dd/yyyy'),'Delivered',2199.98);
insert into Orders values(1023,23,113,to_date('03/23/2024','mm/dd/yyyy'),'Delivered',1899.99);
insert into Orders values(1024,24,114,to_date('03/24/2024','mm/dd/yyyy'),'Shipped',2398);
insert into Orders values(1025,25,115,to_date('03/25/2024','mm/dd/yyyy'),'Delivered',1499);
insert into Orders values(1026,26,116,to_date('03/26/2024','mm/dd/yyyy'),'Delivered',1799.99);
insert into Orders values(1027,27,117,to_date('03/27/2024','mm/dd/yyyy'),'Shipped',659.98);
insert into Orders values(1028,28,118,to_date('03/28/2024','mm/dd/yyyy'),'Delivered',1199.98);
insert into Orders values(1029,29,119,to_date('03/29/2024','mm/dd/yyyy'),'Delivered',119.99);
insert into Orders values(1030,30,120,to_date('03/30/2024','mm/dd/yyyy'),'Shipped',199.98);
insert into Orders values(1031,31,121,to_date('03/31/2024','mm/dd/yyyy'),'Delivered',129.99);
insert into Orders values(1032,32,122,to_date('04/01/2024','mm/dd/yyyy'),'Delivered',559.98);
insert into Orders values(1033,33,123,to_date('04/02/2024','mm/dd/yyyy'),'Shipped',2199.99);
insert into Orders values(1034,34,124,to_date('04/03/2024','mm/dd/yyyy'),'Delivered',1599.98);
insert into Orders values(1035,35,125,to_date('04/04/2024','mm/dd/yyyy'),'Delivered',1499.98);
insert into Orders values(1036,36,126,to_date('04/05/2024','mm/dd/yyyy'),'Shipped',1999);
insert into Orders values(1037,37,127,to_date('04/06/2024','mm/dd/yyyy'),'Delivered',2998);
insert into Orders values(1038,38,128,to_date('04/07/2024','mm/dd/yyyy'),'Delivered',999.99);
insert into Orders values(1039,39,129,to_date('04/08/2024','mm/dd/yyyy'),'Shipped',1999);
insert into Orders values(1040,40,130,to_date('04/09/2024','mm/dd/yyyy'),'Delivered',4399.98);
insert into Orders values(1041,41,131,to_date('04/10/2024','mm/dd/yyyy'),'Delivered',749.97);
insert into Orders values(1042,42,132,to_date('04/11/2024','mm/dd/yyyy'),'Shipped',2999.96);

```

-- 9. Create the Order Item Table

```
CREATE TABLE ORDER_ITEM
```

```
(ORDER_ITEM_ID INT NOT NULL ,  
ORDER_ID INT,  
PRODUCT_ID INT,  
QUANTITY INT,  
UNIT_PRICE DECIMAL(10,2),  
LINE_TOTAL DECIMAL(10,2),  
PRIMARY KEY(ORDER_ITEM_ID),  
FOREIGN KEY(PRODUCT_ID) REFERENCES PRODUCT(PRODUCT_ID),  
FOREIGN KEY(ORDER_ID) REFERENCES ORDERS(ORDER_ID));
```

-- Insert into Order Item Table

```
insert into Order_Item values(1,1000,1,1,1899.99,1899.99);  
insert into Order_Item values(2,1002,2,1,1199,1199);  
insert into Order_Item values(3,1003,3,1,1499,1499);  
insert into Order_Item values(4,1004,4,2,1799.99,3599.98);  
insert into Order_Item values(5,1005,5,1,329.99,329.99);  
insert into Order_Item values(6,1006,6,1,599.99,599.99);  
insert into Order_Item values(7,1007,7,2,119.99,239.98);  
insert into Order_Item values(8,1008,8,1,99.99,99.99);  
insert into Order_Item values(9,1009,9,1,129.99,129.99);  
insert into Order_Item values(10,1010,10,2,279.99,559.98);  
insert into Order_Item values(11,1011,11,1,2199.99,2199.99);  
insert into Order_Item values(12,1012,12,1,799.99,799.99);  
insert into Order_Item values(13,1013,1,1,1899.99,1899.99);  
insert into Order_Item values(14,1014,2,1,1199,1199);  
insert into Order_Item values(15,1015,3,1,1499,1499);  
insert into Order_Item values(16,1016,4,2,1799.99,3599.98);  
insert into Order_Item values(17,1017,5,1,329.99,329.99);  
insert into Order_Item values(18,1018,6,1,599.99,599.99);  
insert into Order_Item values(19,1019,7,2,119.99,239.98);  
insert into Order_Item values(20,1020,8,1,99.99,99.99);  
insert into Order_Item values(21,1021,19,1,129.99,129.99);  
insert into Order_Item values(22,1022,10,2,279.99,559.98);  
insert into Order_Item values(23,1023,11,1,2199.99,2199.99);  
insert into Order_Item values(24,1024,12,1,799.99,799.99);  
insert into Order_Item values(25,1025,13,1,749.99,749.99);  
insert into Order_Item values(26,1026,14,1,1999,1999);  
insert into Order_Item values(27,1027,15,2,1399.99,2799.98);  
insert into Order_Item values(28,1028,16,1,999.99,999.99);  
insert into Order_Item values(29,1029,17,1,399.99,399.99);  
insert into Order_Item values(30,1030,18,1,1499.99,1499.99);  
insert into Order_Item values(31,1031,19,2,129.99,259.98);  
insert into Order_Item values(32,1032,20,1,249.99,249.99);  
insert into Order_Item values(33,1033,21,1,699.99,699.99);  
insert into Order_Item values(34,1034,22,2,1099.99,2199.98);  
insert into Order_Item values(35,1035,1,1,1899.99,1899.99);  
insert into Order_Item values(36,1036,2,2,1199,2398);
```

```
insert into Order_Item values(37,1037,3,2,1499,2998);
insert into Order_Item values(38,1038,16,1,999.99,999.99);
insert into Order_Item values(39,1039,7,1,1999,1999);
insert into Order_Item values(40,1040,11,2,2199.99,4399.98);
insert into Order_Item values(41,1041,20,3,249.99,749.97);
insert into Order_Item values(42,1042,13,4,749.99,2999.96);
```

-- 10. Create the Payment Table

```
CREATE TABLE PAYMENT
(PAYMENT_ID INT NOT NULL,
ORDER_ID INT,
PAYMENT_METHOD VARCHAR(30),
AMOUNT DECIMAL(10,2),
PAYMENT_DATE DATE,
STATUS VARCHAR(30),
TRANSACTION_REF VARCHAR(30),
PRIMARY KEY(PAYMENT_ID),
FOREIGN KEY(ORDER_ID) REFERENCES ORDERS(ORDER_ID));
```

-- Insert into Payment Table

```
insert into Payment values(1,1000,'Debit Card',1899.99,to_date('03/01/2024','mm/dd/yyyy'),'Completed','TXN-1001');
insert into Payment values(2,1002,'Credit Card',1199,to_date('03/02/2024','mm/dd/yyyy'),'Completed','TXN-1002');
insert into Payment values(3,1003,'Debit Card',1499,to_date('03/03/2024','mm/dd/yyyy'),'Completed','TXN-1003');
insert into Payment values(4,1004,'Credit Card',3599.98,to_date('03/04/2024','mm/dd/yyyy'),'Completed','TXN-1004');
insert into Payment values(5,1005,'Debit Card',329.99,to_date('03/05/2024','mm/dd/yyyy'),'Completed','TXN-1005');
insert into Payment values(6,1006,'Credit Card',599.99,to_date('03/06/2024','mm/dd/yyyy'),'Completed','TXN-1006');
insert into Payment values(7,1007,'Debit Card',239.98,to_date('03/07/2024','mm/dd/yyyy'),'Completed','TXN-1007');
insert into Payment values(8,1008,'Credit Card',99.99,to_date('03/08/2024','mm/dd/yyyy'),'Completed','TXN-1008');
insert into Payment values(9,1009,'Debit Card',129.99,to_date('03/09/2024','mm/dd/yyyy'),'Completed','TXN-1009');
insert into Payment values(10,1010,'Credit Card',559.98,to_date('03/10/2024','mm/dd/yyyy'),'Completed','TXN-1010');
insert into Payment values(11,1011,'Debit Card',2199.99,to_date('03/11/2024','mm/dd/yyyy'),'Completed','TXN-1011');
```

insert into Payment values(12,1012,'Credit Card',799.99,to_date('03/12/2024','mm/dd/yyyy'),'Completed','TXN-1012');

insert into Payment values(13,1013,'Credit Card',749.99,to_date('03/13/2024','mm/dd/yyyy'),'Completed','TXN-1013');

insert into Payment values(14,1014,'Credit Card',1999,to_date('03/14/2024','mm/dd/yyyy'),'Completed','TXN-1014');

insert into Payment values(15,1015,'Credit Card',2799.98,to_date('03/15/2024','mm/dd/yyyy'),'Completed','TXN-1015');

insert into Payment values(16,1016,'Credit Card',999.99,to_date('03/16/2024','mm/dd/yyyy'),'Completed','TXN-1016');

insert into Payment values(17,1017,'Credit Card',399.99,to_date('03/17/2024','mm/dd/yyyy'),'Completed','TXN-1017');

insert into Payment values(18,1018,'Credit Card',1499.99,to_date('03/18/2024','mm/dd/yyyy'),'Completed','TXN-1018');

insert into Payment values(19,1019,'Credit Card',259.98,to_date('03/19/2024','mm/dd/yyyy'),'Completed','TXN-1019');

insert into Payment values(20,1020,'Credit Card',249.99,to_date('03/20/2024','mm/dd/yyyy'),'Completed','TXN-1020');

insert into Payment values(21,1021,'Credit Card',699.99,to_date('03/21/2024','mm/dd/yyyy'),'Completed','TXN-1021');

insert into Payment values(22,1022,'Credit Card',2199.98,to_date('03/22/2024','mm/dd/yyyy'),'Completed','TXN-1022');

insert into Payment values(23,1023,'Credit Card',1899.99,to_date('03/23/2024','mm/dd/yyyy'),'Completed','TXN-1023');

insert into Payment values(24,1024,'Credit Card',2398,to_date('03/24/2024','mm/dd/yyyy'),'Completed','TXN-1024');

insert into Payment values(25,1025,'Credit Card',1499,to_date('03/25/2024','mm/dd/yyyy'),'Completed','TXN-1025');

insert into Payment values(26,1026,'Credit Card',1799.99,to_date('03/26/2024','mm/dd/yyyy'),'Completed','TXN-1026');

insert into Payment values(27,1027,'Credit Card',659.98,to_date('03/27/2024','mm/dd/yyyy'),'Completed','TXN-1027');

insert into Payment values(28,1028,'Credit Card',1199.98,to_date('03/28/2024','mm/dd/yyyy'),'Completed','TXN-1028');

insert into Payment values(29,1029,'Credit Card',119.99,to_date('03/29/2024','mm/dd/yyyy'),'Completed','TXN-1029');

insert into Payment values(30,1030,'Credit Card',199.98,to_date('03/30/2024','mm/dd/yyyy'),'Completed','TXN-1030');

insert into Payment values(31,1031,'Credit Card',129.99,to_date('03/31/2024','mm/dd/yyyy'),'Completed','TXN-1031');

insert into Payment values(32,1032,'Credit Card',559.98,to_date('04/01/2024','mm/dd/yyyy'),'Completed','TXN-1032');

insert into Payment values(33,1033,'Credit Card',2199.99,to_date('04/02/2024','mm/dd/yyyy'),'Completed','TXN-1033');

insert into Payment values(34,1034,'Credit Card',1599.98,to_date('04/03/2024','mm/dd/yyyy'),'Completed','TXN-1034');

insert into Payment values(35,1035,'Credit Card',1499.98,to_date('04/04/2024','mm/dd/yyyy'),'Completed','TXN-1035');

```

insert into Payment values(36,1036,'Credit Card',1999,to_date('04/05/2024','mm/dd/yyyy'),'Completed','TXN-1036');
insert into Payment values(37,1037,'Credit Card',2799.98,to_date('04/06/2024','mm/dd/yyyy'),'Completed','TXN-1037');
insert into Payment values(38,1038,'Credit Card',999.99,to_date('04/07/2024','mm/dd/yyyy'),'Completed','TXN-1038');
insert into Payment values(39,1039,'Credit Card',1199.97,to_date('04/08/2024','mm/dd/yyyy'),'Completed','TXN-1039');
insert into Payment values(40,1040,'Credit Card',2999.98,to_date('04/09/2024','mm/dd/yyyy'),'Completed','TXN-1040');
insert into Payment values(41,1041,'Credit Card',259.98,to_date('04/10/2024','mm/dd/yyyy'),'Completed','TXN-1041');
insert into Payment values(42,1042,'Credit Card',749.97,to_date('04/11/2024','mm/dd/yyyy'),'Completed','TXN-1042');

```

-- 11. Create the Shipment Table

```

CREATE TABLE SHIPMENT
(SHIPMENT_ID INT NOT NULL ,
ORDER_ID INT,
WAREHOUSE_ID INT,
CARRIER VARCHAR(30),
TRACKING_NUMBER CHAR(8),
SHIP_DATE DATE,
DELIVERY_DATE DATE,
STATUS VARCHAR(30),
PRIMARY KEY(SHIPMENT_ID),
FOREIGN KEY(WAREHOUSE_ID) REFERENCES WAREHOUSE(WAREHOUSE_ID),
FOREIGN KEY(ORDER_ID) REFERENCES ORDERS(ORDER_ID));

```

-- Insert into Shipment Table

```

insert into Shipment
values(1,1000,1,'FedEx','TRK00001',to_date('03/01/2024','mm/dd/yyyy'),to_date('03/03/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(2,1002,2,'UPS','TRK00002',to_date('03/02/2024','mm/dd/yyyy'),to_date('03/04/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(3,1003,3,'FedEx','TRK00003',to_date('03/03/2024','mm/dd/yyyy'),to_date('03/05/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(4,1004,4,'UPS','TRK00004',to_date('03/04/2024','mm/dd/yyyy'),to_date('03/06/2024','mm/dd/yyyy'),'Delivered');

```

```
insert into Shipment
values(5,1005,5,'FedEx','TRK00005',to_date('03/05/2024','mm/dd/yyyy'),to_date('03/07/2024','mm/dd/yyyy'),'D
elivered');
insert into Shipment
values(6,1006,6,'UPS','TRK00006',to_date('03/06/2024','mm/dd/yyyy'),to_date('03/08/2024','mm/dd/yyyy'),'Deli
vered');
insert into Shipment
values(7,1007,7,'FedEx','TRK00007',to_date('03/07/2024','mm/dd/yyyy'),to_date('03/09/2024','mm/dd/yyyy'),'D
elivered');
insert into Shipment
values(8,1008,8,'UPS','TRK00008',to_date('03/08/2024','mm/dd/yyyy'),to_date('03/10/2024','mm/dd/yyyy'),'Deli
vered');
insert into Shipment
values(9,1009,9,'FedEx','TRK00009',to_date('03/09/2024','mm/dd/yyyy'),to_date('03/11/2024','mm/dd/yyyy'),'D
elivered');
insert into Shipment
values(10,1010,10,'UPS','TRK00010',to_date('03/10/2024','mm/dd/yyyy'),to_date('03/12/2024','mm/dd/yyyy'),'D
elivered');
insert into Shipment
values(11,1011,1,'FedEx','TRK00011',to_date('03/11/2024','mm/dd/yyyy'),to_date('03/13/2024','mm/dd/yyyy'),'
Delivered');
insert into Shipment
values(12,1012,2,'UPS','TRK00012',to_date('03/12/2024','mm/dd/yyyy'),to_date('03/14/2024','mm/dd/yyyy'),'De
livered');
insert into Shipment
values(13,1013,4,'FedEx','TRK00013',to_date('03/13/2024','mm/dd/yyyy'),to_date('03/15/2024','mm/dd/yyyy'),'
Delivered');
insert into Shipment
values(14,1014,5,'UPS','TRK00014',to_date('03/14/2024','mm/dd/yyyy'),to_date('03/16/2024','mm/dd/yyyy'),'De
livered');
insert into Shipment
values(15,1015,6,'FedEx','TRK00015',to_date('03/15/2024','mm/dd/yyyy'),to_date('03/17/2024','mm/dd/yyyy'),'
Delivered');
insert into Shipment
values(16,1016,7,'UPS','TRK00016',to_date('03/16/2024','mm/dd/yyyy'),to_date('03/18/2024','mm/dd/yyyy'),'De
livered');
insert into Shipment
values(17,1017,8,'FedEx','TRK00017',to_date('03/17/2024','mm/dd/yyyy'),to_date('03/19/2024','mm/dd/yyyy'),'
Delivered');
insert into Shipment
values(18,1018,9,'UPS','TRK00018',to_date('03/18/2024','mm/dd/yyyy'),to_date('03/20/2024','mm/dd/yyyy'),'De
livered');
insert into Shipment
values(19,1019,10,'FedEx','TRK00019',to_date('03/19/2024','mm/dd/yyyy'),to_date('03/21/2024','mm/dd/yyyy'),'
Delivered');
insert into Shipment
values(20,1020,1,'UPS','TRK00020',to_date('03/20/2024','mm/dd/yyyy'),to_date('03/22/2024','mm/dd/yyyy'),'De
livered');
```

```
insert into Shipment
values(21,1021,2,'FedEx','TRK00021',to_date('03/21/2024','mm/dd/yyyy'),to_date('03/23/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(22,1022,3,'UPS','TRK00022',to_date('03/22/2024','mm/dd/yyyy'),to_date('03/24/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(23,1023,4,'FedEx','TRK00023',to_date('03/23/2024','mm/dd/yyyy'),to_date('03/25/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(24,1024,5,'UPS','TRK00024',to_date('03/24/2024','mm/dd/yyyy'),to_date('03/26/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(25,1025,6,'FedEx','TRK00025',to_date('03/25/2024','mm/dd/yyyy'),to_date('03/27/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(26,1026,7,'UPS','TRK00026',to_date('03/26/2024','mm/dd/yyyy'),to_date('03/28/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(27,1027,8,'FedEx','TRK00027',to_date('03/27/2024','mm/dd/yyyy'),to_date('03/29/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(28,1028,9,'UPS','TRK00028',to_date('03/28/2024','mm/dd/yyyy'),to_date('03/30/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(29,1029,10,'FedEx','TRK00029',to_date('03/29/2024','mm/dd/yyyy'),to_date('03/31/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(30,1030,1,'UPS','TRK00030',to_date('03/30/2024','mm/dd/yyyy'),to_date('04/01/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(31,1031,2,'FedEx','TRK00031',to_date('03/31/2024','mm/dd/yyyy'),to_date('04/02/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(32,1032,3,'UPS','TRK00032',to_date('04/01/2024','mm/dd/yyyy'),to_date('04/03/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(33,1033,4,'FedEx','TRK00033',to_date('04/02/2024','mm/dd/yyyy'),to_date('04/04/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(34,1034,5,'UPS','TRK00034',to_date('04/03/2024','mm/dd/yyyy'),to_date('04/05/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(35,1035,6,'FedEx','TRK00035',to_date('04/04/2024','mm/dd/yyyy'),to_date('04/06/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(36,1036,7,'UPS','TRK00036',to_date('04/05/2024','mm/dd/yyyy'),to_date('04/07/2024','mm/dd/yyyy'),'Delivered');
```

```

insert into Shipment
values(37,1037,8,'FedEx','TRK00037',to_date('04/06/2024','mm/dd/yyyy'),to_date('04/08/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(38,1038,9,'UPS','TRK00038',to_date('04/07/2024','mm/dd/yyyy'),to_date('04/09/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(39,1039,10,'FedEx','TRK00039',to_date('04/08/2024','mm/dd/yyyy'),to_date('04/10/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(40,1040,1,'UPS','TRK00040',to_date('04/09/2024','mm/dd/yyyy'),to_date('04/11/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(41,1041,2,'FedEx','TRK00041',to_date('04/10/2024','mm/dd/yyyy'),to_date('04/12/2024','mm/dd/yyyy'),'Delivered');
insert into Shipment
values(42,1042,3,'UPS','TRK00042',to_date('04/11/2024','mm/dd/yyyy'),to_date('04/13/2024','mm/dd/yyyy'),'Delivered');

```

-- 12. Create the Inventory Table

```

CREATE TABLE INVENTORY
(INVENTORY_ID INT NOT NULL ,
PRODUCT_ID INT,
WAREHOUSE_ID INT,
QUANTITY_ON_HAND INT,
REORDER_POINT INT,
SAFETY_STOCK INT,
PRIMARY KEY(INVENTORY_ID),
FOREIGN KEY(WAREHOUSE_ID) REFERENCES WAREHOUSE(WAREHOUSE_ID),
FOREIGN KEY(PRODUCT_ID) REFERENCES PRODUCT(PRODUCT_ID));

```

-- Insert into Inventory Table

```

insert into Inventory values(1,1,1,30,10,5);
insert into Inventory values(2,2,2,23,10,5);
insert into Inventory values(3,3,3,14,10,5);
insert into Inventory values(4,4,4,43,10,5);
insert into Inventory values(5,5,5,20,10,5);
insert into Inventory values(6,6,6,22,10,5);
insert into Inventory values(7,7,7,24,10,5);
insert into Inventory values(8,8,8,26,10,5);
insert into Inventory values(9,9,9,28,10,5);
insert into Inventory values(10,10,10,31,10,5);

```

```
insert into Inventory values(11,11,1,32,10,5);
insert into Inventory values(12,12,2,34,10,5);
insert into Inventory values(13,13,1,59,10,5);
insert into Inventory values(14,14,2,18,10,5);
insert into Inventory values(15,15,3,73,10,5);
insert into Inventory values(16,16,4,57,10,5);
insert into Inventory values(17,17,5,44,10,5);
insert into Inventory values(18,18,6,20,10,5);
insert into Inventory values(19,19,7,19,10,5);
insert into Inventory values(20,20,8,11,10,5);
insert into Inventory values(21,21,9,53,10,5);
insert into Inventory values(22,22,10,71,10,5);
```

-- 13. Create the Return Table

```
CREATE TABLE RETURN
  (RETURN_ID INT,
   ORDER_ID INT,
   CUSTOMER_ID INT,
   STATUS VARCHAR(30),
   REFUND_AMOUNT DECIMAL(10,2),
   REASON_CODE VARCHAR(30),
   PRIMARY KEY(RETURN_ID),
   FOREIGN KEY(ORDER_ID) REFERENCES ORDERS(ORDER_ID),
   FOREIGN KEY(CUSTOMER_ID) REFERENCES CUSTOMER(CUSTOMER_ID));
```

-- Insert into Return Table

```
insert into Return values(1,1000,1,'Pending',1899.99,'OTHER');
insert into Return values(2,1002,2,'Pending',1199,'DAMAGED');
insert into Return values(3,1003,3,'Approved',1499,'OTHER');
insert into Return values(4,1004,4,'Approved',1799.99,'WRONG_ITEM');
insert into Return values(5,1005,5,'Approved',329.99,'DEFECTIVE');
insert into Return values(6,1007,7,'Pending',119.99,'OTHER');
insert into Return values(7,1008,8,'Approved',99.99,'DAMAGED');
insert into Return values(8,1010,10,'Approved',279.99,'DEFECTIVE');
insert into Return values(9,1011,11,'Pending',2199.99,'OTHER');
insert into Return values(10,1013,13,'Approved',749.99,'OTHER');
insert into Return values(11,1014,14,'Pending',1999,'DAMAGED');
insert into Return values(12,1017,17,'Pending',399.99,'OTHER');
insert into Return values(13,1018,18,'Approved',1499.99,'OTHER');
```

-- 14. Create the Review Table

```
CREATE TABLE REVIEW
(
    REVIEW_ID INT,
    PRODUCT_ID INT,
    CUSTOMER_ID INT,
    RATING INT CHECK (RATING IN (1,2,3,4,5)),
    REVIEW_TEXT VARCHAR(500),
    REVIEW_DATE DATE,
    PRIMARY KEY(REVIEW_ID),
    FOREIGN KEY(PRODUCT_ID) REFERENCES PRODUCT(PRODUCT_ID),
    FOREIGN KEY(CUSTOMER_ID) REFERENCES CUSTOMER(CUSTOMER_ID));
```

-- Insert into Review Table

```
insert into Review values(1,1,1,2,'Product arrived quickly and works great. The build quality feels premium',to_date('05/01/2024','mm/dd/yyyy'));
insert into Review values(2,2,2,3,'Good performance, but the battery life could be better. Still a strong value overall',to_date('05/02/2024','mm/dd/yyyy'));
insert into Review values(3,3,3,4,'Exceeded expectations. I use this every day for work and have not run into a single issue',to_date('05/03/2024','mm/dd/yyyy'));
insert into Review values(5,5,5,1,'It is okay, but not as durable as I hoped. Might be better for light or casual use',to_date('05/05/2024','mm/dd/yyyy'));
insert into Review values(6,6,6,2,'Loving the smooth setup and fast speeds. Great pick for anyone needing solid performance',to_date('05/06/2024','mm/dd/yyyy'));
insert into Review values(8,8,8,4,'Decent features, but the price feels a little high. Customer support was helpful though',to_date('05/08/2024','mm/dd/yyyy'));
insert into Review values(10,10,10,1,'Amazing device. Crisp display, fast response, and very comfortable to use daily',to_date('05/10/2024','mm/dd/yyyy'));
insert into Review values(11,4,4,5,'Really impressed with the performance so far. Runs fast and handles everything I throw at it',to_date('05/11/2024','mm/dd/yyyy'));
insert into Review values(12,7,7,3,'Comfortable to use, but I wish the keys felt a bit more solid for long typing sessions',to_date('05/12/2024','mm/dd/yyyy'));
insert into Review values(13,9,9,4,'Reliable storage and easy to set up. Great for backups and extra game installs',to_date('05/13/2024','mm/dd/yyyy'));
insert into Review values(14,11,11,5,'Incredible graphics performance. Games run smoother than I expected even at max settings',to_date('05/14/2024','mm/dd/yyyy'));
insert into Review values(15,12,12,3,'Display quality is sharp, but I have noticed some minor backlight bleed in darker scenes',to_date('05/15/2024','mm/dd/yyyy'));
insert into Review values(16,13,1,4,'Lightweight and portable, perfect for classes and coffee shops. Battery life has been solid',to_date('05/16/2024','mm/dd/yyyy'));
insert into Review values(17,14,2,5,'Handles video editing and multitasking with no lag. Definitely worth the upgrade price',to_date('05/17/2024','mm/dd/yyyy'));
insert into Review values(18,18,6,4,'The ultrawide screen makes productivity and gaming much more immersive and efficient',to_date('05/18/2024','mm/dd/yyyy'));
insert into Review values(19,21,9,5,'Colors look fantastic and it is super smooth for both work and streaming content',to_date('05/19/2024','mm/dd/yyyy'));
```

```
insert into Review values(20,20,8,2,'Good overall, but it runs a little warmer and louder than I expected under heavy use',to_date('05/20/2024','mm/dd/yyyy'));
```

```
Commit;
```

Tables

select * from customer;

CUSTGOMER_ID	FNAME	LNAME	CUSTOMER_EMAIL	CUSTOMER_PHONE
1	Liam	Carter	liam.carter@example.com	555-218-9043
2	Emma	Reed	emma.reed@example.com	555-762-1189
3	Noah	Mitchell	noah.mitchell@example.com	555-439-6702
4	Ava	Ramirez	ava.ramirez@example.com	555-983-2417
5	William	Hayes	william.hayes@example.com	555-640-5528
6	Sophia	Bennett	sophia.bennett@example.com	555-774-6621
7	James	Parker	james.parker@example.com	555-317-9084
8	Isabella	Foster	isabella.foster@example.com	555-205-4498
9	Elijah	Griffin	elijah.griffin@example.com	555-910-3374
10	Mia	Sullivan	mia.sullivan@example.com	555-682-7940
11	Logan	Barnes	logan.barnes@example.com	555-448-1206
12	Harper	Cole	harper.cole@example.com	555-799-4523
13	Ethan	Turner	ethan.turner@example.com	555-214-9031
14	Olivia	Phillips	olivia.phillips@example.com	555-782-1194
15	Mason	Howard	mason.howard@example.com	555-439-6728
16	Charlotte	Ward	charlotte.ward@example.com	555-983-2475
17	Lucas	Torres	lucas.torres@example.com	555-640-5582
18	Amelia	Peterson	amelia.peterson@example.com	555-774-6639
19	Henry	Gray	henry.gray@example.com	555-317-9072
20	Evelyn	Ramsey	evelyn.ramsey@example.com	555-205-4481
21	Alexander	James	alexander.james@example.com	555-910-3379
22	Abigail	Hughes	abigail.hughes@example.com	555-682-7954
23	Daniel	Butler	daniel.butler@example.com	555-448-1273
24	Ella	Simmons	ella.simmons@example.com	555-799-4518
25	Matthew	Foster	matthew.foster@example.com	555-910-0048
26	Scarlett	Gonzalez	scarlett.gonzalez@example.com	555-910-1186
27	Joseph	Bryant	joseph.bryant@example.com	555-910-2284
28	Grace	Alexander	grace.alexander@example.com	555-910-3371
29	David	Russell	david.russell@example.com	555-910-4487
30	Chloe	Griffin	chloe.griffin@example.com	555-910-5529
31	Wyatt	Diaz	wyatt.diaz@example.com	555-910-6674
32	Zoey	Hayes	zoey.hayes@example.com	555-910-7742
33	Aiden	Walker	aiden.walker@example.com	555-910-8812
34	Nora	Cunningham	nora.cunningham@example.com	555-910-7746
35	Caleb	Henderson	caleb.henderson@example.com	555-910-6638
36	Lily	Murphy	lily.murphy@example.com	555-910-5524
37	Julian	Reeves	julian.reeves@example.com	555-910-4492
38	Aria	Douglas	aria.douglas@example.com	555-910-3381

39	Mateo	Keller	mateo.keller@example.com	555-910-2290
40	Zoe	Harrington	zoe.harrington@example.com	555-910-1185
41	Isaac	Stevens	isaac.stevens@example.com	555-910-0079
42	Penelope	Gordon	penelope.gordon@example.com	555-910-5563

select * from customer_address;

CUST_ADDRESS_ID	CUSTOMER_ID	LINE1	CITY	STATE	ZIP	COUNTRY
101	1	214 Magnolia Lane	Oxford	MS	38655	USA
102	2	587 Rebel Drive	Oxford	MS	38655	USA
103	3	1020 Jefferson Avenue	Oxford	MS	38655	USA
104	4	341 Old Taylor Road	Oxford	MS	38655	USA
105	5	755 Maple Grove Way	Oxford	MS	38655	USA
106	6	128 Creekwood Bend	Oxford	MS	38655	USA
107	7	912 College Hill Road	Oxford	MS	38655	USA
108	8	467 Oak Ridge Loop	Oxford	MS	38655	USA
109	9	233 Pinehurst Cove	Oxford	MS	38655	USA
110	10	621 Fraternity Row	Oxford	MS	38655	USA
111	11	889 Sorority Row	Oxford	MS	38655	USA
112	12	304 Jackson Avenue East	Oxford	MS	38655	USA
113	13	1427 Silver Ridge Court	Oxford	MS	38656	USA
114	14	908 Willow Bend Parkway	Oxford	MS	38657	USA
115	15	2218 Oak Hollow Terrace	Oxford	MS	38658	USA
116	16	567 Maple Ledge Drive	Oxford	MS	38659	USA
117	17	3104 Pine Crest Landing	Oxford	MS	38660	USA
118	18	782 Country Brook Lane	Oxford	MS	38661	USA
119	19	1945 Sunrise Meadow Drive	Oxford	MS	38662	USA
120	20	4550 Crestview Summit Road	Oxford	MS	38663	USA
121	21	629 Birchmont Valley Drive	Oxford	MS	38664	USA
122	22	11803 Autumn Grove Trail	Oxford	MS	38665	USA
123	23	732 Redwood Crossing Lane	Oxford	MS	38666	USA
124	24	2549 Lakeshore Edge Drive	Oxford	MS	38667	USA
125	25	880 Stonehaven Ridge Court	Oxford	MS	38668	USA
126	26	333 Winding River Path	Oxford	MS	38669	USA
127	27	1460 Copperleaf Hill Drive	Oxford	MS	38670	USA
128	28	4987 Hawthorne Crest Loop	Oxford	MS	38671	USA
129	29	2095 Meadow Chase Lane	Oxford	MS	38672	USA
130	30	5153 Whispering Pine Overlook,	Oxford	MS	38673	USA
131	31	6810 Brookside Arbor Street	Oxford	MS	38674	USA
132	32	1274 Canyon Ridge Overlook	Oxford	MS	38675	USA
133	33	224 Briarwood Meadow Lane	Oxford	MS	38676	USA

134	34	612 Autumn Crest Boulevard	Oxford	MS	38677	USA
135	35	1937 Willow Ridge Pass	Oxford	MS	38678	USA
136	36	480 Cedarbrook Landing	Oxford	MS	38679	USA
137	37	1580 Highland Brook Court	Oxford	MS	38680	USA
138	38	729 Meadowstone Bluff	Oxford	MS	38681	USA
139	39	205 Oakridge River Trail	Oxford	MS	38682	USA
140	40	3349 Pine Haven Terrace	Oxford	MS	38683	USA
141	41	117 Creekside Grove Road	Oxford	MS	38684	USA
142	42	890 Silverleaf Hollow Drive	Oxford	MS	38685	USA

select * from product;

PRODUCT_ID	SKU	BRAND_ID	CATEGORY_ID	MODEL_NAME	UNIT_PRICE	MANUFACTURE_LOCATION
1	SKU-1001	1	1	Dell XPS 15	1899.99	USA
2	SKU-1002	2	1	MacBook Air M2	1199	USA
3	SKU-1003	3	1	ThinkPad X1 Carbon	1499	China
4	SKU-1004	4	2	HP Omen 45L	1799.99	USA
5	SKU-1005	5	3	ASUS ProArt PA278QV	329.99	China
6	SKU-1006	7	3	Samsung Odyssey G7	599.99	Vietnam
7	SKU-1007	6	4	Logitech MX Keys	119.99	Switzerland
8	SKU-1008	6	4	Logitech MX Master 3S	99.99	Switzerland
9	SKU-1009	8	5	Seagate Backup Plus 4TB	129.99	Thailand
10	SKU-1010	8	5	Seagate FireCuda 530 2TB	279.99	Thailand
11	SKU-1011	9	6	Razer GeForce RTX 4090	2199.99	China
12	SKU-1012	10	3	LG UltraGear 27GN950	799.99	South Korea
13	SKU-1013	1	1	Dell Inspiron 14	749.99	Mexico

14	SKU-1014	2	1	MacBook Pro 14 M3	1999	USA
15	SKU-1015	3	6	Lenovo Legion RTX 4080 GPU	1399.99	China
16	SKU-1016	4	2	HP Pavilion Gaming Desktop	999.99	USA
17	SKU-1017	5	3	ASUS TUF VG27AQ Monitor	399.99	China
18	SKU-1018	7	3	Samsung Odyssey Neo G9	1499.99	Vietnam
19	SKU-1019	6	4	Logitech G Pro X Keyboard	129.99	Switzerland
20	SKU-1020	8	5	Seagate IronWolf 8TB	249.99	Thailand
21	SKU-1021	10	3	LG UltraWide 34WN80C-B	699.99	South Korea
22	SKU-1022	9	6	Razer Radeon RX 7900 XT	1099.99	China

select * from brand;

BRAND_ID	SUPPLIER_ID	BRAND_NAME	WEBSITE_URL	SUPPORT_PHONE	HQ_COUNTRY
1	1	Dell	https://www.dell.com/	800-624-9896	USA
2	2	Apple	https://www.apple.com/	800-692-7753	USA
3	3	Lenovo	https://www.lenovo.com/	877-453-6686	China
4	4	HP	https://www.hp.com/	800-474-6836	USA
5	5	ASUS	https://www.asus.com/	888-678-3688	Taiwan
6	6	Logitech	https://www.logitech.com/	646-454-3200	Switzerland
7	7	Samsung	https://www.samsung.com/	800-726-7864	South Korea
8	8	Seagate	https://www.seagate.com/	800-732-4283	USA
9	9	Razer	https://www.razer.com/	855-872-5233	USA
10	10	LG	https://www.lg.com/	800-243-0000	South Korea

select * from category;

CATEGORY_ID	CATEGORY_NAME	DESCRIPTION	IS_ACTIVE
1	Laptops	Notebook and ultrabook computers	T
2	Desktops	Tower and small form factor PCs	T
3	Monitors	Standalone displays	T
4	Keyboards & Mice	Input peripherals	T
5	Storage	Internal and external drives	T

6	Graphics Cards	Dedicated GPUs	T
7	Tablets	Tablet devices	T
8	Headsets	Audio headsets	T
9	Printers	Home and office printers	T
10	Accessories	Miscellaneous accessories	T

select * from orders;

ORDER_ID	CUSTOMER_ID	SHIPPING_ADDRESS_ID	ORDER_DATE	STATUS	SUBTOTAL_AMOUNT
1000	1	101	1-Mar-24	Delivered	1899.99
1002	2	102	2-Mar-24	Delivered	1199
1003	3	103	3-Mar-24	Shipped	1499
1004	4	104	4-Mar-24	Delivered	3599.98
1005	5	105	5-Mar-24	Delivered	329.99
1006	6	106	6-Mar-24	Shipped	599.99
1007	7	107	7-Mar-24	Delivered	239.98
1008	8	108	8-Mar-24	Delivered	99.99
1009	9	109	9-Mar-24	Shipped	129.99
1010	10	110	10-Mar-24	Delivered	559.98
1011	11	111	11-Mar-24	Delivered	2199.99
1012	12	112	12-Mar-24	Shipped	799.99
1013	13	101	13-Mar-24	Delivered	749.99
1014	14	102	14-Mar-24	Delivered	1999
1015	15	103	15-Mar-24	Shipped	2799.98
1016	16	104	16-Mar-24	Delivered	999.99
1017	17	105	17-Mar-24	Delivered	399.99
1018	18	106	18-Mar-24	Shipped	1499.99
1019	19	107	19-Mar-24	Delivered	259.98
1020	20	108	20-Mar-24	Delivered	249.99
1021	21	109	21-Mar-24	Shipped	699.99
1022	22	110	22-Mar-24	Delivered	2199.98
1023	23	113	23-Mar-24	Delivered	1899.99
1024	24	114	24-Mar-24	Shipped	2398
1025	25	115	25-Mar-24	Delivered	1499
1026	26	116	26-Mar-24	Delivered	1799.99
1027	27	117	27-Mar-24	Shipped	659.98
1028	28	118	28-Mar-24	Delivered	1199.98
1029	29	119	29-Mar-24	Delivered	119.99
1030	30	120	30-Mar-24	Shipped	199.98
1031	31	121	31-Mar-24	Delivered	129.99

1032	32	122	1-Apr-24	Delivered	559.98
1033	33	123	2-Apr-24	Shipped	2199.99
1034	34	124	3-Apr-24	Delivered	1599.98
1035	35	125	4-Apr-24	Delivered	1499.98
1036	36	126	5-Apr-24	Shipped	1999
1037	37	127	6-Apr-24	Delivered	2998
1038	38	128	7-Apr-24	Delivered	999.99
1039	39	129	8-Apr-24	Shipped	1999
1040	40	130	9-Apr-24	Delivered	4399.98
1041	41	131	10-Apr-24	Delivered	749.97
1042	42	132	11-Apr-24	Shipped	2999.96

select * from order_item;

ORDER_ITEM_ID	ORDER_ID	PRODUCT_ID	QUANTITY	UNIT_PRICE	LINE_TOTAL
1	1000	1	1	1899.99	1899.99
2	1002	2	1	1199	1199
3	1003	3	1	1499	1499
4	1004	4	2	1799.99	3599.98
5	1005	5	1	329.99	329.99
6	1006	6	1	599.99	599.99
7	1007	7	2	119.99	239.98
8	1008	8	1	99.99	99.99
9	1009	9	1	129.99	129.99
10	1010	10	2	279.99	559.98
11	1011	11	1	2199.99	2199.99
12	1012	12	1	799.99	799.99
13	1013	1	1	1899.99	1899.99
14	1014	2	1	1199	1199
15	1015	3	1	1499	1499
16	1016	4	2	1799.99	3599.98
17	1017	5	1	329.99	329.99
18	1018	6	1	599.99	599.99
19	1019	7	2	119.99	239.98
20	1020	8	1	99.99	99.99
21	1021	19	1	129.99	129.99
22	1022	10	2	279.99	559.98
23	1023	11	1	2199.99	2199.99
24	1024	12	1	799.99	799.99
25	1025	13	1	749.99	749.99
26	1026	14	1	1999	1999

27	1027	15	2	1399.99	2799.98
28	1028	16	1	999.99	999.99
29	1029	17	1	399.99	399.99
30	1030	18	1	1499.99	1499.99
31	1031	19	2	129.99	259.98
32	1032	20	1	249.99	249.99
33	1033	21	1	699.99	699.99
34	1034	22	2	1099.99	2199.98
35	1035	1	1	1899.99	1899.99
36	1036	2	2	1199	2398
37	1037	3	2	1499	2998
38	1038	16	1	999.99	999.99
39	1039	7	1	1999	1999
40	1040	11	2	2199.99	4399.98
41	1041	20	3	249.99	749.97
42	1042	13	4	749.99	2999.96

select * from payment;

PAYMENT_I D	ORDER_I D	PAYMENT_METHO D	AMOUN T	PAYMENT_DAT E	STATUS	TRANSACTION_RE F
1	1000	Debit Card	1899.99	1-Mar-24	Complete d	TXN-1001
2	1002	Credit Card	1199	2-Mar-24	Complete d	TXN-1002
3	1003	Debit Card	1499	3-Mar-24	Complete d	TXN-1003
4	1004	Credit Card	3599.98	4-Mar-24	Complete d	TXN-1004
5	1005	Debit Card	329.99	5-Mar-24	Complete d	TXN-1005
6	1006	Credit Card	599.99	6-Mar-24	Complete d	TXN-1006
7	1007	Debit Card	239.98	7-Mar-24	Complete d	TXN-1007
8	1008	Credit Card	99.99	8-Mar-24	Complete d	TXN-1008
9	1009	Debit Card	129.99	9-Mar-24	Complete d	TXN-1009

10	1010	Credit Card	559.98	10-Mar-24	Completed	TXN-1010
11	1011	Debit Card	2199.99	11-Mar-24	Completed	TXN-1011
12	1012	Credit Card	799.99	12-Mar-24	Completed	TXN-1012
13	1013	Credit Card	749.99	13-Mar-24	Completed	TXN-1013
14	1014	Credit Card	1999	14-Mar-24	Completed	TXN-1014
15	1015	Credit Card	2799.98	15-Mar-24	Completed	TXN-1015
16	1016	Credit Card	999.99	16-Mar-24	Completed	TXN-1016
17	1017	Credit Card	399.99	17-Mar-24	Completed	TXN-1017
18	1018	Credit Card	1499.99	18-Mar-24	Completed	TXN-1018
19	1019	Credit Card	259.98	19-Mar-24	Completed	TXN-1019
20	1020	Credit Card	249.99	20-Mar-24	Completed	TXN-1020
21	1021	Credit Card	699.99	21-Mar-24	Completed	TXN-1021
22	1022	Credit Card	2199.98	22-Mar-24	Completed	TXN-1022
23	1023	Credit Card	1899.99	23-Mar-24	Completed	TXN-1023
24	1024	Credit Card	2398	24-Mar-24	Completed	TXN-1024
25	1025	Credit Card	1499	25-Mar-24	Completed	TXN-1025
26	1026	Credit Card	1799.99	26-Mar-24	Completed	TXN-1026
27	1027	Credit Card	659.98	27-Mar-24	Completed	TXN-1027
28	1028	Credit Card	1199.98	28-Mar-24	Completed	TXN-1028
29	1029	Credit Card	119.99	29-Mar-24	Completed	TXN-1029
30	1030	Credit Card	199.98	30-Mar-24	Completed	TXN-1030

31	1031	Credit Card	129.99	31-Mar-24	Completed	TXN-1031
32	1032	Credit Card	559.98	1-Apr-24	Completed	TXN-1032
33	1033	Credit Card	2199.99	2-Apr-24	Completed	TXN-1033
34	1034	Credit Card	1599.98	3-Apr-24	Completed	TXN-1034
35	1035	Credit Card	1499.98	4-Apr-24	Completed	TXN-1035
36	1036	Credit Card	1999	5-Apr-24	Completed	TXN-1036
37	1037	Credit Card	2799.98	6-Apr-24	Completed	TXN-1037
38	1038	Credit Card	999.99	7-Apr-24	Completed	TXN-1038
39	1039	Credit Card	1199.97	8-Apr-24	Completed	TXN-1039
40	1040	Credit Card	2999.98	9-Apr-24	Completed	TXN-1040
41	1041	Credit Card	259.98	10-Apr-24	Completed	TXN-1041
42	1042	Credit Card	749.97	11-Apr-24	Completed	TXN-1042

select * from warehouse;

WAREHOUSE_ID	WAREHOUSE_NAME	STREET_ADDRESS	CITY	STATE	ZIP
1	Warehouse 1	34 Industrial Park Drive	Nashville	TN	47209
2	Warehouse 2	102 County Road 401	Memphis	TN	38111
3	Warehouse 3	18 Ed Perry Boulevard	Atlanta	GA	30318
4	Warehouse 4	250 McLarty Road	Memphis	TN	38111
5	Warehouse 5	71 Highway 7 South	Dallas	TX	75201
6	Warehouse 6	145 Industrial Park Loop	Memphis	TN	38116
7	Warehouse 7	500 Highway 30 East	Atlanta	GA	30318
8	Warehouse 8	2600 West Oxford Loop	Oxford	MS	38655
9	Warehouse 9	12 Office Park Drive	Dallas	TX	75209
10	Warehouse 10	212 Allison Cove	Atlanta	GA	30339

select * from shipment;

SHIPMENT_ID	ORDER_ID	WAREHOUSE_ID	CARRIER	TRACKING_NUMBER	SHIP_DATE	DELIVERY_DATE	STATUS
1	1000	1	FedEx	TRK00001	1-Mar-24	3-Mar-24	Delivered
2	1002	2	UPS	TRK00002	2-Mar-24	4-Mar-24	Delivered
3	1003	3	FedEx	TRK00003	3-Mar-24	5-Mar-24	Delivered
4	1004	4	UPS	TRK00004	4-Mar-24	6-Mar-24	Delivered
5	1005	5	FedEx	TRK00005	5-Mar-24	7-Mar-24	Delivered
6	1006	6	UPS	TRK00006	6-Mar-24	8-Mar-24	Delivered
7	1007	7	FedEx	TRK00007	7-Mar-24	9-Mar-24	Delivered
8	1008	8	UPS	TRK00008	8-Mar-24	10-Mar-24	Delivered
9	1009	9	FedEx	TRK00009	9-Mar-24	11-Mar-24	Delivered
10	1010	10	UPS	TRK00010	10-Mar-24	12-Mar-24	Delivered
11	1011	1	FedEx	TRK00011	11-Mar-24	13-Mar-24	Delivered
12	1012	2	UPS	TRK00012	12-Mar-24	14-Mar-24	Delivered
13	1013	4	FedEx	TRK00013	13-Mar-24	15-Mar-24	Delivered
14	1014	5	UPS	TRK00014	14-Mar-24	16-Mar-24	Delivered
15	1015	6	FedEx	TRK00015	15-Mar-24	17-Mar-24	Delivered
16	1016	7	UPS	TRK00016	16-Mar-24	18-Mar-24	Delivered
17	1017	8	FedEx	TRK00017	17-Mar-24	19-Mar-24	Delivered
18	1018	9	UPS	TRK00018	18-Mar-24	20-Mar-24	Delivered
19	1019	10	FedEx	TRK00019	19-Mar-24	21-Mar-24	Delivered
20	1020	1	UPS	TRK00020	20-Mar-24	22-Mar-24	Delivered

21	1021	2	FedEx	TRK00021	21-Mar-24	23-Mar-24	Delivered
22	1022	3	UPS	TRK00022	22-Mar-24	24-Mar-24	Delivered
23	1023	4	FedEx	TRK00023	23-Mar-24	25-Mar-24	Delivered
24	1024	5	UPS	TRK00024	24-Mar-24	26-Mar-24	Delivered
25	1025	6	FedEx	TRK00025	25-Mar-24	27-Mar-24	Delivered
26	1026	7	UPS	TRK00026	26-Mar-24	28-Mar-24	Delivered
27	1027	8	FedEx	TRK00027	27-Mar-24	29-Mar-24	Delivered
28	1028	9	UPS	TRK00028	28-Mar-24	30-Mar-24	Delivered
29	1029	10	FedEx	TRK00029	29-Mar-24	31-Mar-24	Delivered
30	1030	1	UPS	TRK00030	30-Mar-24	1-Apr-24	Delivered
31	1031	2	FedEx	TRK00031	31-Mar-24	2-Apr-24	Delivered
32	1032	3	UPS	TRK00032	1-Apr-24	3-Apr-24	Delivered
33	1033	4	FedEx	TRK00033	2-Apr-24	4-Apr-24	Delivered
34	1034	5	UPS	TRK00034	3-Apr-24	5-Apr-24	Delivered
35	1035	6	FedEx	TRK00035	4-Apr-24	6-Apr-24	Delivered
36	1036	7	UPS	TRK00036	5-Apr-24	7-Apr-24	Delivered
37	1037	8	FedEx	TRK00037	6-Apr-24	8-Apr-24	Delivered
38	1038	9	UPS	TRK00038	7-Apr-24	9-Apr-24	Delivered
39	1039	10	FedEx	TRK00039	8-Apr-24	10-Apr-24	Delivered
40	1040	1	UPS	TRK00040	9-Apr-24	11-Apr-24	Delivered
41	1041	2	FedEx	TRK00041	10-Apr-24	12-Apr-24	Delivered

42	1042	3	UPS	TRK00042	11-Apr-24	13-Apr-24	Delivered
----	------	---	-----	----------	-----------	-----------	-----------

select * from inventory;

INVENTORY_ID	PRODUCT_ID	WAREHOUSE_ID	QUANTITY_ON_HAND	REORDER_POINT	SAFETY_STOCK
1	1	1	30	10	5
2	2	2	23	10	5
3	3	3	14	10	5
4	4	4	43	10	5
5	5	5	20	10	5
6	6	6	22	10	5
7	7	7	24	10	5
8	8	8	26	10	5
9	9	9	28	10	5
10	10	10	31	10	5
11	11	1	32	10	5
12	12	2	34	10	5
13	13	1	59	10	5
14	14	2	18	10	5
15	15	3	73	10	5
16	16	4	57	10	5
17	17	5	44	10	5
18	18	6	20	10	5
19	19	7	19	10	5
20	20	8	11	10	5
21	21	9	53	10	5
22	22	10	71	10	5

select * from return;

RETURN_ID	ORDER_ID	CUSTOMER_ID	STATUS	REFUND_AMOUNT	REASON_CODE
1	1000	1	Pending	1899.99	OTHER
2	1002	2	Pending	1199	DAMAGED
3	1003	3	Approved	1499	OTHER
4	1004	4	Approved	1799.99	WRONG_ITEM
5	1005	5	Approved	329.99	DEFECTIVE
6	1007	7	Pending	119.99	OTHER
7	1008	8	Approved	99.99	DAMAGED
8	1010	10	Approved	279.99	DEFECTIVE
9	1011	11	Pending	2199.99	OTHER

10	1013	13	Approved	749.99	OTHER
11	1014	14	Pending	1999	DAMAGED
12	1017	17	Pending	399.99	OTHER
13	1018	18	Approved	1499.99	OTHER

select * from review;

REVIEW_ID	PRODUCT_ID	CUSTOMER_ID	RATING	REVIEW_TEXT
1	1	1	2	Product arrived quickly and works great. The build quality feels premium
2	2	2	3	Good performance, but the battery life could be better. Still a strong value overall
3	3	3	4	Exceeded expectations. I use this every day for work and have not run into a single issue
5	5	5	1	It is okay, but not as durable as I hoped. Might be better for light or casual use
6	6	6	2	Loving the smooth setup and fast speeds. Great pick for anyone needing solid performance
8	8	8	4	Decent features, but the price feels a little high. Customer support was helpful though
10	10	10	1	Amazing device. Crisp display, fast response, and very comfortable to use daily
11	4	4	5	Really impressed with the performance so far. Runs fast and handles everything I throw at it
12	7	7	3	Comfortable to use, but I wish the keys felt a bit more solid for long typing sessions
13	9	9	4	Reliable storage and easy to set up. Great for backups and extra game installs
14	11	11	5	Incredible graphics performance. Games run smoother than I expected even at max settings
15	12	12	3	Display quality is sharp, but I have noticed some minor backlight bleed in darker scenes
16	13	1	4	Lightweight and portable, perfect for classes and coffee shops. Battery life has been solid
17	14	2	5	Handles video editing and multitasking with no lag. Definitely worth the upgrade price
18	18	6	4	The ultrawide screen makes productivity and gaming much more immersive and efficient
19	21	9	5	Colors look fantastic and it is super smooth for both work and streaming content

20	20	8	2	Good overall, but it runs a little warmer and louder than I expected under heavy use
----	----	---	---	--

Queries

1. Which customers have all their orders fully paid and delivered? Show the shipping status and carrier for only orders that are fully paid and delivered..

Output: customer_id, first_name, last_name, total_orders, total_spent

```
select c.customer_id, c.fname first_name, c.lname last_name,
       (select count(o2.order_id)
        from orders o2
        where o2.customer_id = c.customer_id) total_orders,
       (select sum(o2.subtotal_amount)
        from orders o2
        where o2.customer_id = c.customer_id) total_spent
from customer c
where c.customer_id in (
    select o.customer_id
    from orders o
minus
    select o2.customer_id
    from orders o2, payment p, shipment s
    where o2.order_id = p.order_id
    and o2.order_id = s.order_id
    and not (p.status = 'Completed' and s.status = 'Delivered')
)
order by total_spent desc;
```

	CUSTOMER_ID	FIRST_NAME	LAST_NAME	TOTAL_ORDERS	TOTAL_...	
1	40	Zoe	Harrington	1	4399.98	
2	4	Ava	Ramirez	1	3599.98	
3	42	Penelope	Gordon	1	2999.96	
4	37	Julian	Reeves	1	2998	
5	15	Mason	Howard	1	2799.98	
6	24	Ella	Simmons	1	2398	
7	11	Logan	Barnes	1	2199.99	
8	33	Aiden	Walker	1	2199.99	
9	22	Abigail	Hughes	1	2199.98	
10	36	Lily	Murphy	1	1999	
11	39	Mateo	Keller	1	1999	
12	14	Olivia	Phillips	1	1999	
13	23	Daniel	Butler	1	1899.99	
14	1	Liam	Carter	1	1899.99	
15	26	Scarlett	Gonzalez	1	1799.99	
16	34	Nora	Cunningham	1	1599.98	
17	18	Amelia	Peterson	1	1499.99	
18	35	Caleb	Henderson	1	1499.98	
19	3	Noah	Mitchell	1	1499	
20	25	Matthew	Foster	1	1499	
21	28	Grace	Alexander	1	1199.98	
22	2	Emma	Reed	1	1199	
23	38	Aria	Douglas	1	999.99	
24	16	Charlotte	Ward	1	999.99	
25	12	Harper	Cole	1	799.99	
26	13	Ethan	Turner	1	749.99	
27	41	Isaac	Stevens	1	749.97	
28	21	Alexander	James	1	699.99	
29	27	Joseph	Bryant	1	659.98	
30	6	Sophia	Bennett	1	599.99	
31	10	Mia	Sullivan	1	559.98	
32	32	Zoey	Hayes	1	559.98	
33	17	Lucas	Torres	1	399.99	
34	5	William	Hayes	1	329.99	
35	19	Henry	Gray	1	259.98	
36	20	Evelyn	Ramsey	1	249.99	
37	7	James	Parker	1	239.98	
38	30	Chloe	Griffin	1	199.98	
39	31	Wyatt	Diaz	1	129.99	
40	9	Elijah	Griffin	1	129.99	
41	29	David	Russell	1	119.99	
42	8	Isabella	Foster	1	99.99	

- Which products have received reviews with an average rating above 3.5 and have no pending returns?
Show product details, category, brand and the review statistics.

Output: product_id, model_id, brand_name, category_name, avg_rating

```

select p.product_id, p.model_name, b.brand_name, ct.category_name,
       (select avg(r.rating)
        from review r
         where r.product_id = p.product_id) avg_rating
from product p, brand b, category ct
where p.brand_id = b.brand_id
and p.category_id = ct.category_id
and (select avg(r2.rating)
     from review r2
      where r2.product_id = p.product_id) > 3.5
and p.product_id in (
  select p2.product_id
  from product p2
  minus
  select oi.product_id
  from return rt, orders o, order_item oi
   where rt.order_id = o.order_id
   and o.order_id = oi.order_id
   and rt.status = 'Pending'
)
order by avg_rating desc

```

	PRODUCT_ID	MODEL_NAME	BRAND_NAME	CATEGORY_NAME	AVG_RATING
1	21	LG UltraWide 34WN80C-B	LG	Monitors	5
2	14	MacBook Pro 14 M3	Apple	Laptops	5
3	4	HP Omen 45L	HP	Desktops	5
4	18	Samsung Odyssey Neo G9	Samsung	Monitors	4
5	13	Dell Inspiron 14	Dell	Laptops	4
6	8	Logitech MX Master 3S	Logitech	Keyboards & Mice	4
7	3	ThinkPad X1 Carbon	Lenovo	Laptops	4
8	9	Seagate Backup Plus 4TB	Seagate	Storage	4

3. Which warehouses have products where the quantity on hand is less than 150% of the reorder point? Display the inventory levels and calculate the percentage above the reorder point.

Output: warehouse_id, warehouse_name, product_id, model_name, quantity_on_hand, reorder_point, percent_above_reorder

```

select w.warehouse_id, w.warehouse_name, p.product_id, p.model_name, i.quantity_on_hand,
       i.reorder_point,
       ((i.quantity_on_hand - i.reorder_point) / i.reorder_point) * 100 percent_above_reorder
from warehouse w, inventory i, product p
where w.warehouse_id = i.warehouse_id
and i.quantity_on_hand = p.product_id
and i.quantity_on_hand < (i.reorder_point * 2)

```

order by percent_above_reorder asc;

WAREHOUSE_ID	WAREHOUSE_NAME	PRODUCT_ID	MODEL_NAME	QUANTITY_ON_HAND	REORDER_POINT	PERCENT_ABOVE_REORDER
1	8 Warehouse 8	11	Razer GeForce RTX 4090	11	10	10
2	3 Warehouse 3	14	MacBook Pro 14 M3	14	10	40
3	2 Warehouse 2	18	Samsung Odyssey Neo G9	18	10	80
4	7 Warehouse 7	19	Logitech G Pro X Keyboard	19	10	90

4. What products have been ordered at least twice and received a review? How many times was the product ordered and how many reviews did it receive?

Output: product_id, model_name, sku, times_ordered, review_count

```
select p.product_id, p.model_name, p.sku,
       (select count(oi.order_item_id)
        from order_item oi
        where oi.product_id = p.product_id) times_ordered,
       (select count(r.review_id)
        from review r
        where r.product_id = p.product_id) review_count
from product p
where
  (select count(oi.order_item_id)
   from order_item oi
   where oi.product_id = p.product_id) >= 2
and not exists (
  select p2.product_id
  from product p2
  where p2.product_id = p.product_id
  minus
  select r.product_id
  from review r
  where r.product_id = p.product_id
);
```

	PRODUCT_ID	MODEL_NAME	SKU	TIMES_ORDERED	REVIEW_COUNT
1	1	Dell XPS 15	SKU-1001	3	1
2	2	MacBook Air M2	SKU-1002	3	1
3	3	ThinkPad X1 Carbon	SKU-1003	3	1
4	4	HP Omen 45L	SKU-1004	2	1
5	5	ASUS ProArt PA278QV	SKU-1005	2	1
6	6	Samsung Odyssey G7	SKU-1006	2	1
7	7	Logitech MX Keys	SKU-1007	3	1
8	8	Logitech MX Master 3S	SKU-1008	2	1
9	10	Seagate FireCuda 530 2TB	SKU-1010	2	1
10	11	Razer GeForce RTX 4090	SKU-1011	3	1
11	12	LG UltraGear 27GN950	SKU-1012	2	1
12	13	Dell Inspiron 14	SKU-1013	2	1
13	20	Seagate IronWolf 8TB	SKU-1020	2	1

5. Which brands have products that have been reviewed and have an average rating of 4 or more.

Output: brand_id, brand name, supplier_name, supplier_rating, total_units_sold, avg_product_rating

```

select distinct b.brand_id, b.brand_name, s.supplier_name, s.rating supplier_rating,
(select sum(oi.quantity)
from order_item oi, product p4
where oi.product_id = p4.product_id
and p4.brand_id = b.brand_id) total_units_sold,
(select avg(r.rating)
from review r, product p2
where r.product_id = p2.product_id
and p2.brand_id = b.brand_id) avg_product_rating
from brand b, supplier s, product p
where b.supplier_id = s.supplier_id
and p.brand_id = b.brand_id
and (select avg(r2.rating)
from review r2, product p3
where r2.product_id = p3.product_id
and p3.brand_id = b.brand_id) >= 4
order by avg_product_rating desc;

```

	BRAND_ID	BRAND_NAME	SUPPLIER_NAME	SUPPLIER_RATING	TOTAL_UNITS_SOLD	AVG_PRODUCT_RATING
1	4	HP	Summit IT Wholesale	5	6	5
2	9	Razer	SilverStream Electronics	4	6	5
3	2	Apple	Vertex Components	4	5	4
4	10	LG	BrightCircuit Global	5	3	4
5	3	Lenovo	BluePeak Disicators	4	6	4

6. Which customers have made returns? Categorize customers with refund amounts over \$1000 as 'High Refund' and those with less as 'Low Refund'.

Output: customer_id, first name, last_name, total_refund, refund_category

```
select c.customer_id, c.fname first_name, c.lname last_name,
       (select sum(rt.refund_amount)
        from return rt
        where rt.customer_id = c.customer_id
          and rt.refund_amount > 1000)total_refund, 'High Refund' refund_category
from customer c, return r
where c.customer_id = r.customer_id
and r.refund_amount > 1000
union
select c.customer_id, c.fname first_name, c.lname last_name,
       (select sum(rt.refund_amount)
        from return rt
        where rt.customer_id = c.customer_id
          and rt.refund_amount <= 1000)total_refund, 'Low Refund' refund_category
from customer c, return r2
where c.customer_id = r2.customer_id
and r2.refund_amount <= 1000
order by customer_id asc;
```

	⚡ CUSTOMER_ID	⚡ FIRST_NAME	⚡ LAST_NAME	⚡ TOTAL_REFUND	⚡ REFUND_CATEGORY
1	1	Liam	Carter	1899.99	High Refund
2	2	Emma	Reed	1199	High Refund
3	3	Noah	Mitchell	1499	High Refund
4	4	Ava	Ramirez	1799.99	High Refund
5	5	William	Hayes	329.99	Low Refund
6	7	James	Parker	119.99	Low Refund
7	8	Isabella	Foster	99.99	Low Refund
8	10	Mia	Sullivan	279.99	Low Refund
9	11	Logan	Barnes	2199.99	High Refund
10	13	Ethan	Turner	749.99	Low Refund
11	14	Olivia	Phillips	1999	High Refund
12	17	Lucas	Torres	399.99	Low Refund
13	18	Amelia	Peterson	1499.99	High Refund

7. List all customers who have purchased products from the 'Laptops' category and left a product review.

Output: customer_id, fname first_name, lname last_name, customer_email, total_reviews, laptops_purchased

```
select c.customer_id, c.fname, c.lname, c.customer_email,
       (select count(r.review_id)
        from review r
        where r.customer_id = c.customer_id) total_reviews,
```

```

(select count(ct.category_name)
from orders o, order_item oi, product p, category ct
where o.order_id = oi.order_id
and oi.product_id = p.product_id
and p.category_id = ct.category_id
and ct.category_name = 'Laptops'
and o.customer_id = c.customer_id) laptop_purchases
from customer c, orders o, order_item oi, product p, category ct
where c.customer_id = o.customer_id
and o.order_id = oi.order_id
and oi.product_id = p.product_id
and p.category_id = ct.category_id
and ct.category_name = 'Laptops'
and not exists (
select customer_id
from customer c2
where c2.customer_id = c.customer_id
minus
select r.customer_id
from review r
where r.customer_id = c.customer_id
);

```

	CUSTOMER_ID	FNAME	LNAME	CUSTOMER_EMAIL	TOTAL_REVIEWS	LAPTOP_PURCHASES
1	1	Liam	Carter	liam.carter@example.com	2	1
2	2	Emma	Reed	emma.reed@example.com	2	1
3	3	Noah	Mitchell	noah.mitchell@example.com	1	1

8. List products that are available in all warehouses

Output: product_id, model_name, warehouse_id, warehouse_name, price

```

select p.product_id, p.model_name, w.warehouse_id, w.warehouse_name, p.unit_price price
from product p, inventory i, warehouse w
where p.product_id = i.product_id
and i.warehouse_id = w.warehouse_id
and i.warehouse_id in (1,2,3,4,5)
and p.unit_price > 1000
order by p.product_id, w.warehouse_id;

```

	PRODUCT_ID	MODEL_NAME	WAREHOUSE_ID	WAREHOUSE_NAME	PRICE
1	1	Dell XPS 15	1	Warehouse 1	1899.99
2	2	MacBook Air M2	2	Warehouse 2	1199
3	3	ThinkPad X1 Carbon	3	Warehouse 3	1499
4	4	HP Omen 45L	4	Warehouse 4	1799.99
5	11	Razer GeForce RTX 4090	1	Warehouse 1	2199.99
6	14	MacBook Pro 14 M3	2	Warehouse 2	1999
7	15	Lenovo Legion RTX 4080 GPU	3	Warehouse 3	1399.99

9. Show customers who have either made purchases over \$2000 OR have written reviews with a rating of 5, but not both.

Output: customer_id, fname, lname, customer_type

```

select c.fname first_name, c.lname last_name, c.customer_id,
       (select sum(o2.subtotal_amount)
        from orders o2
        where o2.customer_id = c.customer_id) total_amount_spent
from customer c, orders o
where c.customer_id = o.customer_id
and o.subtotal_amount > 1500
minus
select c.fname, c.lname, c.customer_id,
       (select sum(o2.subtotal_amount)
        from orders o2
        where o2.customer_id = c.customer_id) total_amount_spent
from customer c, review r
where c.customer_id = r.customer_id
and r.rating = 5
union
select c.fname, c.lname, c.customer_id,
       (select sum(o2.subtotal_amount)
        from orders o2
        where o2.customer_id = c.customer_id) total_amount_spent
from customer c, review r
where c.customer_id = r.customer_id
and r.rating = 5
minus
select c.fname, c.lname, c.customer_id,
       (select sum(o2.subtotal_amount)
        from orders o2
        where o2.customer_id = c.customer_id) total_amount_spent
from customer c, orders o
where c.customer_id = o.customer_id
and o.subtotal_amount > 1500
order by customer_id;

```

	FIRST_NAME	LAST_NAME	CUSTOMER_ID	TOTAL_AMOUNT_SPENT
1	Emma	Reed	2	1199
2	Elijah	Griffin	9	129.99

10. Find suppliers whose average product price is above the overall average, display products from those suppliers.


Output: supplier_id, supplier_name, brand_name, avg_price, product_count,

```
select distinct s.supplier_id, s.supplier_name, b.brand_name,
(select avg(p2.unit_price)
from product p2, brand b2
where p2.brand_id = b2.brand_id
and b2.supplier_id = s.supplier_id) avg_price,
(select count(p3.product_id)
from product p3, brand b3
where p3.brand_id = b3.brand_id
and b3.supplier_id = s.supplier_id) product_count
from supplier s, brand b, product p
where s.supplier_id = b.supplier_id
and b.brand_id = p.brand_id
and (select avg(p4.unit_price)
from product p4, brand b4
where p4.brand_id = b4.brand_id
and b4.supplier_id = s.supplier_id) > (select avg(unit_price) from product)
order by avg_price desc;
```


	SUPPLIER_ID	SUPPLIER_NAME	BRAND_NAME	AVG_PRICE	PRODUCT_COUNT
1	9	SilverStream Electronics	Razer	1649.99	2
2	2	Vertex Components	Apple	1599	2
3	3	BluePeak Disicators	Lenovo	1449.495	2
4	4	Summit IT Wholesale	HP	1399.99	2
5	1	TechHive Supply Co	Dell	1324.99	2
6	7	IronGate Hardware	Samsung	1049.99	2

Query Trees


Query 1:



Query 2:



Query 6:



[illegible]