

Tesztelési jegyzőkönyv

Budapest belső hálózat

Management laptop → Windows szerver

```
Pinging 10.0.2.249 with 32 bytes of data:

Reply from 10.0.2.249: bytes=32 time=27ms TTL=127
Reply from 10.0.2.249: bytes=32 time=22ms TTL=127
Reply from 10.0.2.249: bytes=32 time=11ms TTL=127
Reply from 10.0.2.249: bytes=32 time=27ms TTL=127

Ping statistics for 10.0.2.249:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 11ms, Maximum = 27ms, Average = 21ms
```

Admin tablet → Staff PC

```
Pinging 10.0.2.1 with 32 bytes of data:

Reply from 10.0.2.1: bytes=32 time=47ms TTL=127
Reply from 10.0.2.1: bytes=32 time=128ms TTL=127
Reply from 10.0.2.1: bytes=32 time=6ms TTL=127
Reply from 10.0.2.1: bytes=32 time=44ms TTL=127

Ping statistics for 10.0.2.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 6ms, Maximum = 128ms, Average = 56ms
```

Guest telefon → IT PC

```
Pinging 10.0.2.129 with 32 bytes of data:

Reply from 10.0.2.129: bytes=32 time=41ms TTL=127
Reply from 10.0.2.129: bytes=32 time=7ms TTL=127
Reply from 10.0.2.129: bytes=32 time=21ms TTL=127
Reply from 10.0.2.129: bytes=32 time=9ms TTL=127

Ping statistics for 10.0.2.129:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 7ms, Maximum = 41ms, Average = 19ms
```

IT PC → Management telefon

```
Pinging 10.0.2.162 with 32 bytes of data:

Reply from 10.0.2.162: bytes=32 time=3ms TTL=127
Reply from 10.0.2.162: bytes=32 time=20ms TTL=127
Reply from 10.0.2.162: bytes=32 time=2ms TTL=127
Reply from 10.0.2.162: bytes=32 time=42ms TTL=127

Ping statistics for 10.0.2.162:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 2ms, Maximum = 42ms, Average = 16ms
```

Sales tablet → IT Laptop

```
Pinging 10.0.2.131 with 32 bytes of data:

Reply from 10.0.2.131: bytes=32 time=14ms TTL=127
Reply from 10.0.2.131: bytes=32 time=41ms TTL=127
Reply from 10.0.2.131: bytes=32 time=50ms TTL=127
Reply from 10.0.2.131: bytes=32 time=21ms TTL=127

Ping statistics for 10.0.2.131:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 14ms, Maximum = 50ms, Average = 31ms
```

Grafikai PC → Kreatív PC

```
Pinging 10.0.2.209 with 32 bytes of data:

Reply from 10.0.2.209: bytes=32 time<1ms TTL=127
Reply from 10.0.2.209: bytes=32 time=1ms TTL=127
Reply from 10.0.2.209: bytes=32 time<1ms TTL=127
Reply from 10.0.2.209: bytes=32 time<1ms TTL=127

Ping statistics for 10.0.2.209:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

Kreatív PC → Staff nyomtató (ACL)

```
Pinging 10.0.2.2 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 10.0.2.2:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
```

Grafikai laptop → Linux Szerver (ACL)

```
Pinging 10.0.2.250 with 32 bytes of data:

Reply from 10.0.2.206: Destination host unreachable.
Reply from 10.0.2.206: Destination host unreachable.
Reply from 10.0.2.206: Destination host unreachable.
Reply from 10.0.2.206: Destination host unreachable.

Ping statistics for 10.0.2.250:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
```

Staff telefon → Admin telefon

```
Pinging 10.0.2.227 with 32 bytes of data:

Reply from 10.0.2.227: bytes=32 time=14ms TTL=127
Reply from 10.0.2.227: bytes=32 time=55ms TTL=127
Reply from 10.0.2.227: bytes=32 time=30ms TTL=127
Reply from 10.0.2.227: bytes=32 time=47ms TTL=127

Ping statistics for 10.0.2.227:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 14ms, Maximum = 55ms, Average = 36ms
```

Guest telefon → Admin telefon (ACL)

```
Pinging 10.0.2.249 with 32 bytes of data:
Reply from 10.0.2.94: Destination host unreachable.
Reply from 10.0.2.94: Destination host unreachable.
Reply from 10.0.2.94: Destination host unreachable.
Reply from 10.0.2.94: Destination host unreachable.

Ping statistics for 10.0.2.249:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
```

Admin laptop→R1

```
Pinging 10.0.3.1 with 32 bytes of data:
Reply from 10.0.3.1: bytes=32 time=26ms TTL=255
Reply from 10.0.3.1: bytes=32 time=20ms TTL=255
Reply from 10.0.3.1: bytes=32 time=18ms TTL=255
Reply from 10.0.3.1: bytes=32 time=9ms TTL=255

Ping statistics for 10.0.3.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 9ms, Maximum = 26ms, Average = 18ms
```

IT PC →ISP1

```
Pinging 10.0.3.41 with 32 bytes of data:
Reply from 10.0.3.41: bytes=32 time<1ms TTL=253
Reply from 10.0.3.41: bytes=32 time=13ms TTL=253
Reply from 10.0.3.41: bytes=32 time<1ms TTL=253
Reply from 10.0.3.41: bytes=32 time=11ms TTL=253

Ping statistics for 10.0.3.41:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 13ms, Average = 6ms
```

Vecsés belső hálózat

TF_PC → Windows szerver

```
Pinging 10.0.4.97 with 32 bytes of data:
Reply from 10.0.4.97: bytes=32 time<1ms TTL=127
Reply from 10.0.4.97: bytes=32 time=21ms TTL=127
Reply from 10.0.4.97: bytes=32 time<1ms TTL=127
Reply from 10.0.4.97: bytes=32 time<1ms TTL=127

Ping statistics for 10.0.4.97:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 21ms, Average = 5ms
```

E_SP → EF_PC

```
Pinging 10.0.4.33 with 32 bytes of data:

Reply from 10.0.4.33: bytes=32 time=18ms TTL=127
Reply from 10.0.4.33: bytes=32 time=9ms TTL=127
Reply from 10.0.4.33: bytes=32 time=8ms TTL=127
Reply from 10.0.4.33: bytes=32 time=6ms TTL=127

Ping statistics for 10.0.4.33:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 6ms, Maximum = 18ms, Average = 10ms
```

AT_PC→IR_PC

```
Pinging 10.0.4.65 with 32 bytes of data:

Reply from 10.0.4.65: bytes=32 time=10ms TTL=127
Reply from 10.0.4.65: bytes=32 time=10ms TTL=127
Reply from 10.0.4.65: bytes=32 time=10ms TTL=127
Reply from 10.0.4.65: bytes=32 time=1ms TTL=127

Ping statistics for 10.0.4.65:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 10ms, Average = 7ms
```

AT_SP→Linux szerver

```
Pinging 10.0.4.98 with 32 bytes of data:

Reply from 10.0.4.98: bytes=32 time=26ms TTL=127
Reply from 10.0.4.98: bytes=32 time=13ms TTL=127
Reply from 10.0.4.98: bytes=32 time=20ms TTL=127
Reply from 10.0.4.98: bytes=32 time=28ms TTL=127

Ping statistics for 10.0.4.98:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 13ms, Maximum = 28ms, Average = 21ms
```

AT TAB→AT PC

```
Pinging 10.0.4.51 with 32 bytes of data:

Reply from 10.0.4.51: bytes=32 time=41ms TTL=128
Reply from 10.0.4.51: bytes=32 time=20ms TTL=128
Reply from 10.0.4.51: bytes=32 time=25ms TTL=128
Reply from 10.0.4.51: bytes=32 time=34ms TTL=128

Ping statistics for 10.0.4.51:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 20ms, Maximum = 41ms, Average = 30ms
```

Windows szerver →Linux szerver

```
Pinging 10.0.4.98 with 32 bytes of data:

Reply from 10.0.4.98: bytes=32 time=1ms TTL=128
Reply from 10.0.4.98: bytes=32 time<1ms TTL=128
Reply from 10.0.4.98: bytes=32 time<1ms TTL=128
Reply from 10.0.4.98: bytes=32 time=2ms TTL=128

Ping statistics for 10.0.4.98:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 2ms, Average = 0ms
```

EF_PC→V_R1

```
Pinging 10.0.5.1 with 32 bytes of data:

Reply from 10.0.5.1: bytes=32 time<1ms TTL=255
Reply from 10.0.5.1: bytes=32 time<1ms TTL=255
Reply from 10.0.5.1: bytes=32 time<1ms TTL=255
Reply from 10.0.5.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.0.5.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

Admin→AT_LT

```
Pinging 10.0.4.50 with 32 bytes of data:

Reply from 10.0.4.50: bytes=32 time=10ms TTL=127
Reply from 10.0.4.50: bytes=32 time=7ms TTL=127
Reply from 10.0.4.50: bytes=32 time=2ms TTL=127
Reply from 10.0.4.50: bytes=32 time=2ms TTL=127

Ping statistics for 10.0.4.50:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 10ms, Average = 5ms
```

AT_SP→V_R2

```
Pinging 10.0.5.2 with 32 bytes of data:

Reply from 10.0.5.2: bytes=32 time=15ms TTL=255
Reply from 10.0.5.2: bytes=32 time=7ms TTL=255
Reply from 10.0.5.2: bytes=32 time=10ms TTL=255
Reply from 10.0.5.2: bytes=32 time=15ms TTL=255

Ping statistics for 10.0.5.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 7ms, Maximum = 15ms, Average = 11ms
```

Admin→ISP1

```
Pinging 91.234.16.1 with 32 bytes of data:

Reply from 91.234.16.1: bytes=32 time=83ms TTL=254
Reply from 91.234.16.1: bytes=32 time<1ms TTL=254
Reply from 91.234.16.1: bytes=32 time<1ms TTL=254
Reply from 91.234.16.1: bytes=32 time<1ms TTL=254

Ping statistics for 91.234.16.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 83ms, Average = 20ms
```

IR_PC→V_R2

```
Pinging 194.87.23.1 with 32 bytes of data:

Reply from 194.87.23.1: bytes=32 time=2ms TTL=254
Reply from 194.87.23.1: bytes=32 time=11ms TTL=254
Reply from 194.87.23.1: bytes=32 time=1ms TTL=254
Reply from 194.87.23.1: bytes=32 time=1ms TTL=254

Ping statistics for 194.87.23.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 11ms, Average = 3ms
```

Gyál belső hálózat

IT_01→Iroda_01

```
Pinging 10.0.8.99 with 32 bytes of data:

Reply from 10.0.8.99: bytes=32 time<1ms TTL=127
Reply from 10.0.8.99: bytes=32 time=11ms TTL=127
Reply from 10.0.8.99: bytes=32 time<1ms TTL=127
Reply from 10.0.8.99: bytes=32 time=16ms TTL=127

Ping statistics for 10.0.8.99:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 16ms, Average = 6ms
```

GUEST04→IRODA_02

```
Pinging 10.0.8.101 with 32 bytes of data:

Reply from 10.0.8.101: bytes=32 time=18ms TTL=127
Reply from 10.0.8.101: bytes=32 time=31ms TTL=127
Reply from 10.0.8.101: bytes=32 time=36ms TTL=127
Reply from 10.0.8.101: bytes=32 time=33ms TTL=127

Ping statistics for 10.0.8.101:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 18ms, Maximum = 36ms, Average = 29ms
```

Guest01→Server0 (ACL)


```
Pinging 10.0.8.157 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 10.0.8.157:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
```

IRODA_02→ISP1

```
Pinging 10.0.8.162 with 32 bytes of data:

Reply from 10.0.8.162: bytes=32 time=2ms TTL=254
Reply from 10.0.8.162: bytes=32 time=2ms TTL=254
Reply from 10.0.8.162: bytes=32 time=2ms TTL=254
Reply from 10.0.8.162: bytes=32 time=2ms TTL=254

Ping statistics for 10.0.8.162:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 2ms, Average = 2ms
```

Guest01→Sserver_Router

```
Pinging 10.0.8.169 with 32 bytes of data:

Reply from 10.0.8.169: bytes=32 time=12ms TTL=252
Reply from 10.0.8.169: bytes=32 time=9ms TTL=252
Reply from 10.0.8.169: bytes=32 time=50ms TTL=252
Reply from 10.0.8.169: bytes=32 time=20ms TTL=252

Ping statistics for 10.0.8.169:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 9ms, Maximum = 50ms, Average = 22ms
```

Server0→ISP1

```
Pinging 10.0.8.166 with 32 bytes of data:

Reply from 10.0.8.166: bytes=32 time=21ms TTL=253
Reply from 10.0.8.166: bytes=32 time=29ms TTL=253
Reply from 10.0.8.166: bytes=32 time=3ms TTL=253
Reply from 10.0.8.166: bytes=32 time=3ms TTL=253

Ping statistics for 10.0.8.166:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 29ms, Average = 14ms
```

Guest→IT_01

```
Pinging 10.0.8.119 with 32 bytes of data:

Reply from 10.0.8.119: bytes=32 time=8ms TTL=127
Reply from 10.0.8.119: bytes=32 time=23ms TTL=127
Reply from 10.0.8.119: bytes=32 time=19ms TTL=127
Reply from 10.0.8.119: bytes=32 time=10ms TTL=127

Ping statistics for 10.0.8.119:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 8ms, Maximum = 23ms, Average = 15ms
```

GYARTAS01→IRODA_01

```
Pinging 10.0.8.99 with 32 bytes of data:

Reply from 10.0.8.99: bytes=32 time=1ms TTL=127
Reply from 10.0.8.99: bytes=32 time=16ms TTL=127
Reply from 10.0.8.99: bytes=32 time=1ms TTL=127
Reply from 10.0.8.99: bytes=32 time=1ms TTL=127

Ping statistics for 10.0.8.99:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 16ms, Average = 4ms
```

GYARTAS01→IT_03

```
Pinging 10.0.8.120 with 32 bytes of data:

Reply from 10.0.8.120: bytes=32 time<1ms TTL=127
Reply from 10.0.8.120: bytes=32 time<1ms TTL=127
Reply from 10.0.8.120: bytes=32 time<1ms TTL=127
Reply from 10.0.8.120: bytes=32 time<1ms TTL=127

Ping statistics for 10.0.8.120:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

Budapest-Vecsés

Staff_PC→AT_LT

```
Pinging 10.0.4.50 with 32 bytes of data:

Reply from 10.0.4.50: bytes=32 time=52ms TTL=123
Reply from 10.0.4.50: bytes=32 time=45ms TTL=123
Reply from 10.0.4.50: bytes=32 time=6ms TTL=123
Reply from 10.0.4.50: bytes=32 time=30ms TTL=123

Ping statistics for 10.0.4.50:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 6ms, Maximum = 52ms, Average = 33ms
```

Managenent laptop→EF_PC


```
Pinging 10.0.4.33 with 32 bytes of data:

Reply from 10.0.4.33: bytes=32 time=26ms TTL=123
Reply from 10.0.4.33: bytes=32 time=40ms TTL=123
Reply from 10.0.4.33: bytes=32 time=25ms TTL=123
Reply from 10.0.4.33: bytes=32 time=45ms TTL=123

Ping statistics for 10.0.4.33:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 25ms, Maximum = 45ms, Average = 34ms
```

Sales_laptop→V_ISP

```
Pinging 175.0.0.2 with 32 bytes of data:

Reply from 175.0.0.2: bytes=32 time=24ms TTL=252
Reply from 175.0.0.2: bytes=32 time=8ms TTL=252
Reply from 175.0.0.2: bytes=32 time=10ms TTL=252
Reply from 175.0.0.2: bytes=32 time=25ms TTL=252

Ping statistics for 175.0.0.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 8ms, Maximum = 25ms, Average = 16ms
```

IT_PC→E_SP

```
Pinging 10.0.4.3 with 32 bytes of data:

Reply from 10.0.4.3: bytes=32 time=10ms TTL=123
Reply from 10.0.4.3: bytes=32 time=10ms TTL=123
Reply from 10.0.4.3: bytes=32 time=38ms TTL=123
Reply from 10.0.4.3: bytes=32 time=36ms TTL=123

Ping statistics for 10.0.4.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 10ms, Maximum = 38ms, Average = 23ms
```

AT_TAB→Admin_tablet

```
Pinging 10.0.2.227 with 32 bytes of data:

Reply from 10.0.2.227: bytes=32 time=23ms TTL=122
Reply from 10.0.2.227: bytes=32 time=26ms TTL=122
Reply from 10.0.2.227: bytes=32 time=37ms TTL=122
Reply from 10.0.2.227: bytes=32 time=66ms TTL=122

Ping statistics for 10.0.2.227:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 23ms, Maximum = 66ms, Average = 38ms
```

AT_PC→IT_PC

```
Pinging 10.0.2.129 with 32 bytes of data:

Reply from 10.0.2.129: bytes=32 time=2ms TTL=122
Reply from 10.0.2.129: bytes=32 time=30ms TTL=122
Reply from 10.0.2.129: bytes=32 time=20ms TTL=122
Reply from 10.0.2.129: bytes=32 time=10ms TTL=122

Ping statistics for 10.0.2.129:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 30ms, Average = 15ms
```

ADMIN→Admin laptop

```
Pinging 10.0.2.226 with 32 bytes of data:

Reply from 10.0.2.226: bytes=32 time=21ms TTL=122
Reply from 10.0.2.226: bytes=32 time=11ms TTL=122
Reply from 10.0.2.226: bytes=32 time=20ms TTL=122
Reply from 10.0.2.226: bytes=32 time=25ms TTL=122

Ping statistics for 10.0.2.226:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 11ms, Maximum = 25ms, Average = 19ms
```

Vecsés-Gyál

AT_PC→IRODA_01

```
Pinging 10.0.8.99 with 32 bytes of data:

Reply from 10.0.8.161: bytes=32 time=3ms TTL=123
Reply from 10.0.8.161: bytes=32 time=20ms TTL=123
Reply from 10.0.8.161: bytes=32 time=10ms TTL=123
Reply from 10.0.8.161: bytes=32 time=10ms TTL=123

Ping statistics for 10.0.8.99:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 20ms, Average = 10ms
```

AT_SP→IT_01

```
Pinging 10.0.8.119 with 32 bytes of data:

Reply from 10.0.8.161: bytes=32 time=8ms TTL=123
Reply from 10.0.8.161: bytes=32 time=31ms TTL=123
Reply from 10.0.8.161: bytes=32 time=13ms TTL=123
Reply from 10.0.8.161: bytes=32 time=6ms TTL=123

Ping statistics for 10.0.8.119:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 6ms, Maximum = 31ms, Average = 14ms
```

EF_PC→Gyartas01

```
Pinging 10.0.8.12 with 32 bytes of data:

Reply from 10.0.8.161: bytes=32 time=11ms TTL=123
Reply from 10.0.8.161: bytes=32 time=15ms TTL=123
Reply from 10.0.8.161: bytes=32 time=15ms TTL=123
Reply from 10.0.8.161: bytes=32 time=21ms TTL=123

Ping statistics for 10.0.8.12:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 11ms, Maximum = 21ms, Average = 15ms
```

ADMIN→GUEST01

```
Pinging 10.0.8.80 with 32 bytes of data:

Reply from 10.0.8.161: bytes=32 time=19ms TTL=123
Reply from 10.0.8.161: bytes=32 time=5ms TTL=123
Reply from 10.0.8.161: bytes=32 time=9ms TTL=123
Reply from 10.0.8.161: bytes=32 time=13ms TTL=123

Ping statistics for 10.0.8.80:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 5ms, Maximum = 19ms, Average = 11ms
```

Iroda01→Windows

```
Pinging 10.0.4.97 with 32 bytes of data:

Reply from 10.0.4.97: bytes=32 time=52ms TTL=123
Reply from 10.0.4.97: bytes=32 time=10ms TTL=124
Reply from 10.0.4.97: bytes=32 time=12ms TTL=123
Reply from 10.0.4.97: bytes=32 time=10ms TTL=124

Ping statistics for 10.0.4.97:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 10ms, Maximum = 52ms, Average = 21ms
```

Gyartas01→AT_PC

```
Pinging 10.0.4.49 with 32 bytes of data:

Reply from 10.0.4.49: bytes=32 time=10ms TTL=123
Reply from 10.0.4.49: bytes=32 time=1ms TTL=124
Reply from 10.0.4.49: bytes=32 time=11ms TTL=123
Reply from 10.0.4.49: bytes=32 time=32ms TTL=124

Ping statistics for 10.0.4.49:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 32ms, Average = 13ms
```

Iroda02→E_tab

```
Pinging 10.0.4.4 with 32 bytes of data:

Reply from 10.0.4.4: bytes=32 time=27ms TTL=124
Reply from 10.0.4.4: bytes=32 time=35ms TTL=123
Reply from 10.0.4.4: bytes=32 time=2ms TTL=124
Reply from 10.0.4.4: bytes=32 time=24ms TTL=123

Ping statistics for 10.0.4.4:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 2ms, Maximum = 35ms, Average = 22ms
```

GUEST05→AT_PT

```
Pinging 10.0.4.51 with 32 bytes of data:

Reply from 10.0.4.51: bytes=32 time=29ms TTL=124
Reply from 10.0.4.51: bytes=32 time=20ms TTL=123
Reply from 10.0.4.51: bytes=32 time=8ms TTL=124
Reply from 10.0.4.51: bytes=32 time=44ms TTL=123

Ping statistics for 10.0.4.51:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 8ms, Maximum = 44ms, Average = 25ms
```

Budapest-Gyál

Sales_laptop→Iroda_01

```
Pinging 10.0.8.99 with 32 bytes of data:

Reply from 10.0.8.161: bytes=32 time=31ms TTL=122
Reply from 10.0.8.161: bytes=32 time=36ms TTL=122
Reply from 10.0.8.161: bytes=32 time=16ms TTL=122
Reply from 10.0.8.161: bytes=32 time=25ms TTL=122

Ping statistics for 10.0.8.99:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 16ms, Maximum = 36ms, Average = 27ms
```

Staff_PC→GYARTAS01

```
Pinging 10.0.8.12 with 32 bytes of data:

Reply from 10.0.8.161: bytes=32 time=10ms TTL=122
Reply from 10.0.8.161: bytes=32 time=10ms TTL=122
Reply from 10.0.8.161: bytes=32 time=11ms TTL=122
Reply from 10.0.8.161: bytes=32 time=10ms TTL=122

Ping statistics for 10.0.8.12:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 10ms, Maximum = 11ms, Average = 10ms
```

Guest telefon → GUEST01

```
Pinging 10.0.8.80 with 32 bytes of data:

Reply from 10.0.8.161: bytes=32 time=32ms TTL=122
Reply from 10.0.8.161: bytes=32 time=49ms TTL=122
Reply from 10.0.8.161: bytes=32 time=18ms TTL=122
Reply from 10.0.8.161: bytes=32 time=19ms TTL=122

Ping statistics for 10.0.8.80:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 18ms, Maximum = 49ms, Average = 29ms
```

GYARTAS01→Staff_PC

```
Pinging 10.0.2.1 with 32 bytes of data:

Reply from 10.0.2.1: bytes=32 time=22ms TTL=122
Reply from 10.0.2.1: bytes=32 time=3ms TTL=122
Reply from 10.0.2.1: bytes=32 time=11ms TTL=122
Reply from 10.0.2.1: bytes=32 time=26ms TTL=122

Ping statistics for 10.0.2.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 26ms, Average = 15ms
```

IT01→IT_TELEFON

```
Pinging 10.0.2.131 with 32 bytes of data:

Reply from 10.0.2.131: bytes=32 time=35ms TTL=122
Reply from 10.0.2.131: bytes=32 time=52ms TTL=122
Reply from 10.0.2.131: bytes=32 time=23ms TTL=122
Reply from 10.0.2.131: bytes=32 time=10ms TTL=122

Ping statistics for 10.0.2.131:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 10ms, Maximum = 52ms, Average = 30ms
```

IRODA_01→BP_Router2

```
Pinging 10.0.3.5 with 32 bytes of data:

Reply from 10.0.3.5: bytes=32 time=3ms TTL=251
Reply from 10.0.3.5: bytes=32 time=5ms TTL=251
Reply from 10.0.3.5: bytes=32 time=22ms TTL=251
Reply from 10.0.3.5: bytes=32 time=6ms TTL=251

Ping statistics for 10.0.3.5:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 22ms, Average = 9ms
```

Server1→Sales_telefon

Pinging 10.0.2.100 with 32 bytes of data:

Reply from 10.0.2.100: bytes=32 time=17ms TTL=121

Reply from 10.0.2.100: bytes=32 time=27ms TTL=121

Reply from 10.0.2.100: bytes=32 time=31ms TTL=121

Reply from 10.0.2.100: bytes=32 time=42ms TTL=121

Ping statistics for 10.0.2.100:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 17ms, Maximum = 42ms, Average = 29ms