AZRO Systems BTC Operating System Customer Handbook

Version v1.0.3 • Updated 2026-03-14

Invite-only TradingView indicator • Companion Tracker included • Weekly Bitcoin allocation process

TradingView name: AZRO Systems BTC Operating System

Access: Invite-only access is granted after purchase to the TradingView username you provide

Support: support@azrosystems.com

Official product links: TradingView script page • Gumroad access page

Customer documentation for the AZRO Systems BTC Operating System. This v1.0.3 handbook keeps the core signal engine unchanged and updates the customer workflow to one clean chapter at a time, with the Companion Tracker workbook preserving continuity across later chapters.

Map the cycle. Cut the noise. Keep Bitcoin allocation calm, accountable, and optimized.

Inside this customer handbook

Use this handbook in order the first time. The companion tracker workbook is included in the Gumroad customer package and is built to keep chapter-to-chapter continuity once the weekly workflow is familiar.

1. How the indicator works - Operating overview, dashboard-first design, trust architecture, and operating scope.

2. Quick-start, Mind-Set & Beginner Safety Brief - Quick lens, beginner safety, first-week routine, and starter recommendations.

3. Installation and first-chart setup - Invite-only access, chart standards, first-use checklist, and the clean launch sequence.

4. Dashboard, modes, legend, and operating rules - ACTION, MARKET, BTC-eq accountability, status flags, and how to read the system correctly.

5. Alert setup guide - Weekly Update, Major Cycle Event, correct trigger settings, naming, and common configuration mistakes.

6. Strategy playbooks - Stack, Adaptive, Event, Performance, and policy structures for accumulators, hybrid strategy operators, and trim-capable users.

7. Risk management and workflow discipline - Sleeves, buffer discipline, journaling, tracker use, hidden costs, and the weekly operating process.

8. Settings guide - Live operating defaults, chapter inputs, Start date workflow, and reset choices.

9. Troubleshooting and FAQ - Status warnings, chart problems, alert issues, baseline questions, and support best practices.

10. Validation tear-sheet and practical limits - Market-context metrics, live accountability, and practical limits.

11. Resources, support, product links, and legal appendix - Support, official product pages, package contents, tracker workflow, platform help links, risk disclosure, privacy, terms, and notices.

1. How the indicator works - Operating overview and tear-sheet

The AZRO Systems BTC Operating System is a weekly Bitcoin allocation indicator built to turn volatility into a repeatable process. Instead of asking the user to improvise on every headline, it outputs a simple dashboard-level instruction set: BUY, TRIM (optional), or HOLD, plus a suggested amount based on the customer's chosen weekly budget, Buffer / reserve target, mode, risk profile, and current chapter state.

• Primary use-case: disciplined weekly Bitcoin allocation with on-chart accountability versus a simple fixed-schedule weekly buy baseline.

• Primary users: long-horizon Bitcoin accumulators, hybrid strategy operators who may trim and re-engage, and governance-minded allocators who want a calm written policy.

• What it is not: an intraday signal feed, a custody product, an exchange connection, a bot, or an alt-rotation engine.

• Operating principle: treat it as a weekly operating process on confirmed 1W closes, not as entertainment or a reason to force constant activity.

Who this indicator is for

- Bitcoin investors who want a structured weekly process instead of emotional sizing.
- Users who respect auto-buy as a solid baseline but want a policy that can adapt sizing to cycle context.
- Trim-capable operators who want optional de-risking without turning the entire plan into chaos.
- People who value the governance layer: dashboards, alerts, a written routine, and a visible comparison versus a simple weekly-buy benchmark.

Why dashboard-first matters

The dashboard is designed to keep decisions readable. It is the operating surface: it tells you the weekly action, the suggested amount, the current market posture, the active mode and profile, and how the policy has behaved versus a simple weekly-buy baseline. That keeps the system calm and executable even when the chart itself is volatile.

Trust architecture

- Weekly deterministic behavior: outputs are intended to be interpreted on confirmed weekly bars, not via fast-changing intraday noise.
- Data-quality safeguards: the system is designed to handle chart-basis issues and isolated bad observations more safely.
- Maintained operating framework: the indicator manages allocation through a durable operating framework and written policy inputs rather than one brittle rule.
- Baseline accountability: customers can compare AZRO BTC-equivalent progress versus a fixed-schedule weekly BTC-buy baseline using the same cashflows.
- Guarded degradation: the system is designed to surface feed, setup, or limited-data problems instead of pretending the chart basis is reliable when it is not.

Why common approaches fail

- Waiting for the perfect dip often becomes a tax paid in missed allocation.
- A fixed weekly auto-buy is usually better than hesitation, but it treats every phase of the cycle the same, leaves cash deployment quality unmanaged, and does not provide a structured path to improving BTC-per-dollar efficiency or accumulating extra sats versus a fixed schedule.
- Manual trimming often breaks in sizing, patience, or re-entry. Without a durable process, what starts as a tactical trim can decay into confusion, permanent under-allocation, or both.
- Most users do not need more opinions. They need fewer discretionary decisions and more repeatable behavior.

Why LLMs and DIY Don’t Replace This

An LLM generates text, and its output can shift with prompt wording, context, model updates, and hidden assumptions. It does not run a deterministic, per-candle allocation process on live chart data, and it does not preserve a stable operating framework from one session to the next.

- LLMs are not operating systems — prompts drift, models change, outputs vary, and none of that creates deterministic, versioned, bar-tested infrastructure with live chart context, native alerts, baseline accountability, or change control. The edge is not another opinion; it is a repeatable capital-allocation process.
- DIY frameworks often look robust until the regime shifts. Rules that seem sound in one market regime can break in another, especially when volatility structure, trend character, liquidity behavior, or drawdown dynamics change. The cost usually shows up later, when capital is actually on the line.

- Dependability requires more than a clever rule set — conservative defaults, resilient data handling, buffer logic, cost-basis discipline, documented updates, and change control are what keep the process usable year after year.
- What you are buying — a maintained model and operating system, a head start measured in cycles, and a capital-allocation process built to remain dependable as regimes shift and market structure evolves.

Built-in accountability versus auto-buy

Most products sell confidence. This one also keeps score. The dashboard tracks AZRO BTC-equivalent progress, the fixed-schedule weekly-buy baseline, the multiple versus that baseline, and the extra sats delta. That does not promise outperformance. It gives the customer a governance-friendly way to audit whether the process is actually improving on a simple benchmark.

Known limitations

- The intended workflow is the longest-history weekly BTC chart available, ideally INDEX:BTCUSD on 1W. Lower timeframes are off-label usage.
- All results are sensitive to execution quality, fees, taxes, spreads, and whether the user actually follows the written process and records each chapter cleanly.
- If weekly budget, buffer / reserve target, or materially available cash changes later, start a new chapter at the next confirmed weekly close instead of overwriting a live chapter.
- A strong policy stack still does not remove suitability, tax, legal, or behavioral risk.

2. Quick-start, Mind-Set & Beginner Safety Brief

This section exists to protect the first-time user from the most common failure mode: good software being used with bad expectations. The goal is not to make Bitcoin feel exciting. The goal is to make allocation feel calm, consistent, and reviewable.

Mind-Set & Beginner Safety Brief

- Emotions are the real opponent. Decide your weekly budget, buffer / reserve target, mode, and chapter boundaries before the next volatile week tries to negotiate with you.
- Waiting for a perfect dip can become expensive. A written weekly policy is usually stronger than an emotional search for the one magical entry.
- Auto-buy is a respectable benchmark. If you choose a more adaptive policy, treat it like a disciplined operating system, not a reason to freestyle.
- Do not use trim-capable modes if you already know you will not re-engage with discipline. A bad trim that never gets undone can be worse than a simpler buy-only plan.
- Keep your size small enough that a normal Bitcoin drawdown does not force emotional decisions or life-pressure selling.
- If using the product ever makes you feel mentally overwhelmed, something in the sizing, mode, or workflow is off. Step away from the market, simplify, and talk to someone you trust. This operating system is meant to reduce pressure, not add to it. The market is never more important than your well-being.

TradingView plan cheat-sheet

Alert limits, webhook access, and subscription features can change over time. Treat this section as practical guidance and confirm live plan details on the official TradingView pricing and alert-help pages before building an automation-heavy workflow.

Five-minute setup

1. Open INDEX:BTCUSD on the 1W timeframe using regular candles. If it is unavailable, use the longest clean-history BTCUSD or XBTUSD chart you can access.
2. Set Weekly budget, Buffer / reserve target, Execution mode, Risk profile, and Start date.
3. Optionally enter Existing BTC, Existing BTC average cost, modeled fees, and any Extra start cash if you want the simulation to reflect your real chapter-start state.
4. Create the two built-in alerts: Weekly Update and Major Cycle Event.
5. After each confirmed weekly close, read ACTION and the suggested amount on the dashboard, execute or hold, and record the week in the Companion Tracker workbook.

Official operating model

Step	Workflow layer	Practical role	Use it well
1	Set the policy inputs	Choose Weekly budget, Buffer / reserve target, Execution mode, risk profile, and Segment start date on the recommended 1W BTC chart.	Treat the setup as policy, not decoration. The dashboard is only as good as the plan it reflects.
2	Review on the weekly close	Wait for the confirmed weekly close, then read ACTION and the suggested amount on the dashboard.	This is a weekly operating process. The value comes from confirmed routine, not constant screen-time.
3	Execute or hold	Buy, trim, or hold exactly as the dashboard and your chosen playbook imply.	If you override the plan, write the reason down in the Companion Tracker workbook. Unwritten overrides become invisible drift.
4	Check accountability	Compare AZRO BTC-eq, Auto BTC-eq, and the extra sats delta, then record the week so the process stays honest across chapters.	A good policy should survive contact with a simple benchmark. The comparison is there for discipline, not ego.

Step	Workflow layer	Practical role	Use it well
5	Repeat weekly	Keep the alerts live, leave the chart on 1W, and let the process compound through time while the Companion Tracker workbook preserves continuity across chapters.	Bitcoin allocation should feel boring in the best way: steady, explainable, and repeatable.

How to use it well

Think in written policy, not in heroic one-off calls. The weekly close is the review point. The dashboard tells you the action and amount. Your job is to follow the plan, keep the buffer honest, and let accountability versus auto-buy stay visible.

Figure: Default operating model for the BTC weekly workflow.

Weekly operating rhythm

Step	Do this	Why it matters
1	**Keep alerts live.**	Weekly Update maintains your cadence; Major Cycle Event gets your attention on rare serious weeks that deserve deeper review for potential top or bottom conditions.
2	**Review only on the weekly close.**	This keeps the policy aligned with the chart design and prevents lower-timeframe noise from hijacking the process.
3	**Follow the dashboard and the playbook.**	ACTION plus amount is the operating surface. The written playbook decides how aggressive or conservative you are allowed to be.
4	Record the week in the Companion Tracker workbook, compare it with the baseline fields, and leave next week's alert stack ready.	The tracker keeps chapter-by-chapter continuity auditable without turning the chart into a personal bookkeeping maze.

Normal vs problem
Normal: quiet periods, long stretches of HOLD, and no dramatic action for weeks. Problem: wrong timeframe, wrong symbol family, CHECK FEED, future start date, limited data history, or alert settings that no longer match the live chart.

3. Installation and first-chart setup

The workflow is intentionally simple: purchase access, provide the correct TradingView username, wait for invite-only approval, open the recommended 1W BTC chart, configure the current chapter inputs, and keep continuity across later chapters with the Companion Tracker workbook.

Practical setup sequence

6. Log in to the TradingView account that received invite-only access.
7. Open the recommended 1W BTC chart. Prefer INDEX:BTCUSD for the longest clean history.
8. Add the indicator from Invite-only scripts.
9. Set Weekly budget, Buffer / reserve target, Execution mode, Risk profile, Start date, and any optional chapter-start inputs.
10. Create alerts before adjusting dashboard position or display preferences.
11. Save the chart layout once the live setup is correct.

What not to do on day one

- Do not start with the Performance preset just because it is the most aggressive published preset.
- Do not keep changing the Start date to make the benchmark look better or worse.
- Do not use synthetic candles or lower timeframes and then judge the system as if it were still being used on-policy.
- Do not treat the indicator like an auto-trader. It is a decision-support operating system, not custody or execution infrastructure.

4. Dashboard, modes, legend, and operating rules

The operating model is dashboard-first. What matters most is that the weekly action and the accountability fields stay readable and consistent. This section explains what the dashboard is saying, what each mode is trying to do, and what the status flags actually mean.

Scope reminder

This is a weekly Bitcoin allocation system. It is built for BTC on the 1W chart. It is not an alt-rotation engine, not an intraday execution model, and not an auto-trader. Keep the scope narrow and the policy gets stronger.

Dashboard glossary

Field	What it means
ACTION	The current weekly instruction: BUY, TRIM (optional), or HOLD.
MARKET	High-level market posture designed for decisions rather than noise.
MODE / PROFILE	The active execution behavior and risk posture you selected.
AZRO BTC-eq	Total portfolio value expressed as BTC at the current price: BTC held plus cash divided by BTC price.
Auto BTC-eq	The fixed-schedule weekly BTC-buy baseline using the same modeled cashflows and cash-buffer logic.
× vs Auto	How much more or less BTC-equivalent the policy accumulated versus the baseline.
Extra sats	The BTC-equivalent delta versus the baseline expressed in satoshis.
Accretion	The annualized pace implied by the BTC-eq multiple versus the baseline.
Cash BTC-eq / Buffer	How much purchasing power remains in cash and how the reserve compares with the intended buffer.

Status flags that need attention

Status	Meaning	What to do
SET TF: 1W	The chart is not on the intended timeframe.	Switch back to 1W before using ACTION or the simulated numbers.
SET SYMBOL: BTC	The chart basis is outside the intended Bitcoin chart family or history standard.	Use INDEX:BTCUSD on 1W when available. Otherwise use the longest clean-history BTCUSD or XBTUSD chart you can access.

Status	Meaning	What to do
CHECK FEED	The active chart is drifting too far from the expected chart-basis guardrail for the intended workflow.	Switch to INDEX:BTCUSD if available, or to the longest clean-history BTCUSD/XBTUSD spot feed you can access, then refresh the chart.
START: FUTURE	The Segment start date is set in the future.	Pick a past segment start date so the dashboard can compute meaningful history.
DATA: LIMITED	The chart does not yet have enough history for the intended workflow.	Use INDEX:BTCUSD or another longer-history weekly BTC chart, or wait for more data.
STATUS: SAFE	The release has temporarily fallen back to a safer posture.	Slow down, read the dashboard carefully, and use the support card if the status persists unexpectedly.

Modes at a glance

Mode	Core behavior	Best for	Watch-out
Stack	Buy-only accumulation. No trims.	Users who want the most conservative operating workflow.	You may give back more late-cycle upside than trim-capable modes.
Adaptive	Default family. Adjusts weekly posture more smoothly and can trim in elevated-risk conditions.	Most customers.	Still requires discipline around trim and re-engagement behavior.
Event	More reactive around rarer major cycle windows.	Users who want policy changes concentrated around major regime shifts.	Can feel quieter between event windows.
Performance	Managed preset focused on the most assertive BTC-eq posture available in this release.	Users who explicitly understand that always-hold exposure is not the goal.	Can move meaningfully into cash and is not built for strict never-sell preferences.

Risk profiles

Profile	Practical interpretation
Conservative	Keeps more cash buffer, uses smoother posture shifts, and is the cleanest starting point for most first-time users.
Balanced	Middle ground between continuity and responsiveness.
Aggressive (BTC-max)	Pushes more capital toward BTC and may trim more assertively when the mode allows it.

Operating rules

- Use the recommended 1W BTC chart. Prefer INDEX:BTCUSD for the longest clean history. Confirmed weekly closes are the intended decision point.
- The dashboard is the operating surface. ACTION, amount, mode, profile, and baseline comparison matter more than decorative chart reading.
- Changing the setup inputs changes the simulation. That is expected because the dashboard reflects the current written policy.
- The baseline comparison is accountability, not a promise. A disciplined process can still have periods where a simpler baseline does better.
- The product is non-custodial. It does not place orders, touch wallets, or require exchange connections.

5. Alert setup guide

The alert framework stays intentionally narrow. Most users need only a weekly cadence reminder and a rare high-attention reminder. The point is to support calm routine, not to create a stream of noise.

Alert trigger guide

Alert	Use this trigger	Purpose
Weekly Update	Once Per Bar Close	Routine weekly reminder to review ACTION and the suggested amount after the confirmed 1W close.
Major Cycle Event	Once Per Bar Close	Rare serious review weeks that can align with top-side or bottom-side major cycle conditions forming. Treat as a high-priority review alert.

Recommended alert set

- Create Weekly Update first. That is the backbone of the routine.

Create Major Cycle Event second if you want the extra attention layer for rare serious weeks where top-side or bottom-side major cycle conditions may be forming.

- If you change settings that affect the dashboard behavior, recreate the live alerts so they match the active setup.

Naming convention

- Keep names literal: BTC Weekly Update 1W and BTC Major Cycle Event 1W.
- If you maintain multiple policy sleeves or accounts, include the sleeve name in the alert title.
- If you automate, include the mode and risk profile in the alert title so later debugging is obvious.

Common alert mistakes

- Creating the alert on a non-1W chart.
- Assuming the alert updates after you change indicator inputs; TradingView alerts continue using the settings that existed when the alert was created.
- Treating Major Cycle Event as an order instruction instead of a review instruction.
- Forgetting that the indicator is decision-support software, not auto-execution infrastructure.

Manual versus automation

The cleanest live workflow is manual: review on the weekly close, execute, record, repeat. If you later use webhooks or downstream automation, make sure you understand the risks, confirm that your TradingView plan supports the features you want, and sandbox the workflow before trusting it with real capital.

6. Strategy playbooks for accumulators, hybrid strategy operators, and trim-capable users

The best mode is the one you can actually follow through a full cycle. This section turns the dashboard into concrete policy examples so customers can choose a clean operating style instead of improvising after the fact.

Action matrix by mode

Mode	What it usually does	Typical use
Stack	Accumulate weekly when the dashboard says BUY; hold otherwise.	Set-and-review accumulators who do not want trims at all.
Adaptive	Accumulate, hold, and optionally trim with smoother posture changes.	Recommended default for most users.
Event	Make fewer but more regime-aware posture changes.	Users who prefer cleaner high-attention weeks.
Performance	Uses the most assertive published preset for stronger BTC-eq-seeking behavior.	Users who explicitly accept that temporary cash can be part of the policy.

Playbook A - Stack accumulator

Goal: keep the process as simple and durable as possible.

- Use Stack mode on the recommended 1W BTC chart.
- Set a realistic weekly budget and a cash buffer you can live with.
- Follow BUY and HOLD. Ignore optional trim thinking entirely.
- Use the baseline comparison as accountability, not as pressure to tinker.

Playbook B - Adaptive default (recommended)

Goal: use the strongest general-purpose operating workflow without turning the system into an overactive trade engine.

- Start with Adaptive / Conservative unless you already know why you want a more aggressive profile.
- Respect the cash buffer and let the suggested amounts do the sizing work.
- Treat TRIM as optional but real: if your policy says you trim in elevated-risk weeks, do it consistently.
- Use the weekly review plus the auto-buy comparison to keep yourself honest.

Playbook C - Event-driven hybrid strategy

Goal: concentrate attention around major inflection windows while staying calmer between them.

- Use Event mode if you prefer fewer posture changes and a stronger focus on serious major review weeks.
- Keep the routine alert live and treat Major Cycle Event as a serious review prompt for possible top or bottom conditions.

- Write in advance how much you will trim, if at all, and how you will re-engage later.

Playbook D - Performance preset

Goal: the most assertive BTC-equivalent posture available in the published mode set.

- Use Performance only if you are comfortable with the idea that the policy can move meaningfully into cash near peak-risk periods.
- Judge it on BTC-equivalent behavior and the written policy, not on emotional comfort during every rally.
- Do not mix Performance thinking with a strict always-hold identity. It solves a different problem.

Playbook E - Core + policy sleeve

Goal: keep a true long-term Bitcoin core while letting the indicator manage only the policy sleeve.

- Separate a long-term core that is not actively managed by every signal.
- Let the indicator manage only the policy sleeve and any optional reserve cash.
- This reduces the emotional pressure to make every weekly decision feel all-or-nothing.

Single-sentence playbook

Run the system on the recommended 1W BTC chart, keep the weekly budget and cash buffer honest, follow the dashboard on confirmed weekly closes, compare the process against the fixed-schedule auto-buy baseline, and do not invent new rules mid-cycle.

7. Risk management and workflow discipline

A strong indicator does not replace discipline. It organizes it. This section covers the operating habits that keep the dashboard useful when the market becomes emotional or when the policy starts to outperform and confidence rises too fast.

Positioning sleeves

Sleeve	Role	Use	Discipline note
Long-term core	Untouched exposure for investors who never want the operating system to flatten all long-term holdings.	OPTIONAL	Keep it separate from the managed policy sleeve. Do not react to every dashboard action with the core.
Policy sleeve	The main sleeve managed by the weekly dashboard, mode, profile, and any optional trim behavior.	RECOMMENDED	This is the sleeve the written policy is designed to manage. Keep the rules written before the cycle heats up.
Tactical reserve	Cash or dry powder reserved for deeper buys, optional re-engagement, or future resets.	OPTIONAL	Only useful if the size and conditions are written in advance. Otherwise it turns into emotional drift.

Figure: A practical sleeve structure for long-term BTC users who still want a managed policy layer.

Why sleeves matter

Mixing every dollar into one mental bucket is how good software turns into bad behavior. A separate core keeps long-term investors calm, a dedicated policy sleeve lets the indicator do its job, and an optional reserve only exists if the rules are already written.

DCA first, trims optional - with nuance

For many Bitcoin users, the foundation is still disciplined accumulation. The optional trim-capable modes exist to improve risk posture and BTC-equivalent behavior where appropriate, not to force constant selling. If trims create stress, confusion, or permanent under-allocation, a simpler playbook is usually better.

Risk management principles

Principle	Implementation
Separate capital by role	Keep the long-term core, the managed policy sleeve, and any reserve cash conceptually separate.
Keep the buffer honest	Do not quietly spend the entire reserve during a mild drawdown and then pretend the policy still has dry powder.

Principle	Implementation
Write trims and re-entry rules	If your mode trims, the size and later re-engagement behavior should already be written.
Journal the decision	Record the signal state, action, reason, and emotion. This is how users see whether they are following the system or editing it on the fly.
Respect real-world friction	Fees, spreads, taxes, latency, and hesitation all matter. The cleaner the process, the easier it is to match the intended workflow.

Hidden costs and behavior traps

- Trimming is only half the trade. Re-engagement discipline is where most users fail.
- Frequent setting changes can destroy comparability versus your own baseline.
- The benchmark matters. If the policy is not clearly better than a simple weekly-buy process for your needs, complexity is not automatically a virtue.
- Do not use leverage to compensate for impatience. Position size, time horizon, and written policy are stronger control systems.

Weekly close discipline

- Review the chart only after the confirmed weekly close.
- Check the status header — including CHECK FEED if it appears — before trusting the numbers.
- Read ACTION, suggested amount, mode, profile, and the baseline comparison together.
- Execute, log, and reset. Then leave the chart alone until the next weekly review unless a major operational issue appears.

8. Settings guide

This handbook keeps most of the complexity behind the dashboard. For live use, the settings that matter most are the ones that define one clean chapter at a time. Everything else should stay simple.

Recommended first-use setup

- Use the recommended 1W BTC chart with regular candles. Prefer INDEX:BTCUSD for the longest clean history.
- Start with the mode and risk profile that match your actual temperament. Use Stack only if you do not want trims, and use Performance only if you fully understand the trade-off.
- Set Weekly budget, Buffer / reserve target, and Start date before judging the dashboard or the baseline comparison.
- Enter Existing BTC, Existing BTC average cost, modeled fees, and any Extra start cash only if you want the simulation to reflect your real chapter-start state.

What affects your weekly workflow

- Weekly budget, Buffer / reserve target, Execution mode, Risk profile, chapter-start inputs, modeled fees, and Start date shape the dashboard, simulation, and accountability fields.
- Display choices such as dashboard visibility, text size, dashboard position, and the start-date marker are presentation-only.
- If you want a clean live record, keep one chapter stable. When weekly budget, Buffer / reserve target, or materially available cash changes, start a new chapter instead of overwriting the old one.

How to change settings safely

- Keep one live chapter stable.
- If weekly budget, Buffer / reserve target, or materially available cash changes, start a new chapter at the next confirmed weekly close.
- Carry forward your actual BTC and estimated average cost into the new chapter, then record the transition in the Companion Tracker workbook so the history stays honest.

9. Troubleshooting and FAQ

Most support issues are setup issues. The good news is that they are usually easy to diagnose if you check the chart basis, timeframe, any CHECK FEED warning, Start date, and alert configuration before assuming the indicator is broken.

> Fastest way to solve most issues
> Before contacting support, check timeframe, chart type, access account, named alert conditions, the Segment start date, the active feed basis, and whether a status warning such as CHECK FEED is visible. Most issues become obvious after those checks.

Common issues

Issue	Likely cause	What to do
ACTION looks wrong or unavailable	Wrong timeframe, wrong symbol family, or unsupported feed context.	Use INDEX:BTCUSD on 1W with regular candles when available. If CHECK FEED appears on another chart, switch to the longest clean-history BTCUSD/XBTUSD spot feed and refresh.
Dashboard says START: FUTURE	Segment start date is set in the future.	Move the start date back to a real past 1W bar date.
Dashboard says DATA: LIMITED	The chart does not have enough weekly history for the intended workflow.	Use INDEX:BTCUSD or another longer-history weekly BTC chart, or wait for more data.

Issue	Likely cause	What to do
Dashboard says CHECK FEED	The active chart sits outside the expected chart-basis guardrail for the intended workflow.	Switch to INDEX:BTCUSD if available, or to the longest clean-history BTCUSD/XBTUSD spot feed you can access, then refresh the chart.
Alert did not fire	Alert created on wrong chart, wrong trigger, or old settings.	Recreate the alert on the correct 1W chart using the indicator's named condition.
The simulation changed after I edited settings	The dashboard reflects the current chapter inputs.	Do not rewrite a live chapter. If weekly budget, Buffer / reserve target, or materially available cash changes, start a new chapter and carry it forward in the Companion Tracker workbook.

Frequently asked questions

- What does CHECK FEED mean?

It means the chart you are using sits outside the expected chart-basis guardrail for the intended workflow. Switch to INDEX:BTCUSD on the 1W chart if available, or to the longest clean-history BTCUSD/XBTUSD spot feed you can access, and confirm the warning clears before trusting the dashboard.

- Does it place orders automatically? No. It is non-custodial and does not connect to exchanges or wallets.
- Can I use it on lower timeframes? You can experiment, but the intended live workflow is weekly.
- Can I use it on altcoins? No. It is built for Bitcoin allocation behavior.
- What is the benchmark? A fixed-schedule weekly BTC buy using the same modeled cashflows while keeping the same Buffer / reserve target inside the active chapter.
- Why keep the benchmark visible? Because it is the simplest honest test of whether added complexity is actually helping.

10. Validation tear-sheet and practical limits

This section answers the main diligence questions at the customer-documentation level while staying output-level and non-disclosing. It explains the canonical validation feed, execution convention, benchmark formulas, capital-base treatment, recomputation behavior, and the role of the Companion Tracker workbook.

Validation quick answers

- Canonical validation feed: INDEX:BTCUSD on the 1W chart with regular candles whenever available. If it is unavailable, use the longest clean-history BTCUSD or XBTUSD spot feed you can access.
- Reviewed historical window: 2012-09-17 through the last confirmed weekly close on 2026-03-02 (703 completed weekly bars). The still-open 2026-03-09 week is excluded.
- Weekly decision point: the intended live review point is the confirmed 1W bar close on the chosen feed. Alerts should be set to Once Per Bar Close.
- Published execution convention: the built-in dashboard simulation uses the confirmed weekly close of the reviewed week as the assumed execution price. Modeled fees are included through the fee setting. Spread and slippage are not separately modeled inside the dashboard and should be treated as real-world frictions outside the static handbook tables.
- Recalculation behavior: dashboard metrics are current-settings reconstructions based on the active Start date, capital inputs, mode, profile, and available chart history. They are not an immutable forward record of every past weekly output. The Companion Tracker workbook is the customer's exact forward record.
- Market context on the recommended chart: 55.3% positive weeks, approximately 79.7% annualized weekly volatility, and a worst completed weekly-close drawdown of about -83.3% in the reviewed history.

Methodology note
The scorecards below are built from the v1.0.3 customer-workflow release on the recommended weekly chart export. The core signal engine is unchanged, and the published matrix remains a default single-chapter hypothetical test under the stated assumptions. These figures are not promises about future results, and they do not capture every real-world fill, spread, tax, or behavior cost.

Built-in benchmark and capital-base treatment

The built-in control is a fixed-schedule weekly-buy baseline using the same Start date, weekly budget, Buffer / reserve target, Extra start cash, Existing BTC, Existing BTC average cost, fee setting, and same weekly-close execution convention. The Auto side does not use AZRO mode/profile logic and does not take optional trims; it is intentionally the simple fixed-schedule control.

Exact benchmark definitions

AZRO BTC-eq = Ending BTC + (Ending cash / reference weekly close). Auto BTC-eq = Auto ending BTC + (Auto ending cash / reference weekly close). x vs Auto = AZRO BTC-eq / Auto BTC-eq. Accretion %/yr = the annualized growth rate of x vs Auto across the reviewed simulation window. Buffer / reserve cash is excluded from deployable cash on both sides. Weekly contributions, Extra start cash, and Existing BTC are included on both sides.

Supplementary diligence lenses

- Contributions-only fixed-schedule weekly buying is the built-in matched control. Fixed deployment of Extra start cash and immediate lump-sum conversion of Extra start cash are legitimate external diligence lenses, but they are not the primary on-chart control because they answer a different question than a live chapter-based weekly operating process.

What the public package does and does not publish

- The public handbook publishes methodology, assumptions, formulas, matched-baseline treatment, one reconciled arithmetic example, and broad event-shape summaries on the canonical feed. It does not publish the internal event ladder or a full proprietary event-by-event historical decision log because that would turn the customer pack into a reverse-engineering aid.

How to reconcile any chapter or screenshot

To reconcile any dashboard view, capture the active Start date, Weekly budget, Buffer / reserve target, Extra start cash, Existing BTC, Existing BTC average cost, mode, profile, fee setting, reference weekly close, and assumed execution rule. Then apply the published formulas to the same canonical weekly close. The Companion Tracker workbook is designed to preserve beginning balances, actual buys and trims, ending balances, and chapter-to-chapter carry-forward so the customer can reconcile one chapter at a time.

Companion Tracker carry-forward example

If one chapter ends with $18,250 cash, 0.84215000 BTC, and an estimated BTC average cost of $41,800, then the next chapter begins by carrying forward Starting BTC = 0.84215000 and Start BTC average cost = $41,800, while any new Weekly budget, Buffer / reserve target, and Extra start cash are set deliberately for the new chapter. That preserves continuity without rewriting the prior chapter.

Execution-friction stress check

A practical diligence check is to compare the published same-weekly-close assumption to the next tradable weekly open and to rerun the same chapter with an extra 10 / 25 / 50 bps of friction on each buy and trim. That sensitivity belongs in the Companion Tracker workbook because it preserves the customer's actual chapter path without publishing the proprietary internal event ladder.

Feed robustness and version scope

Customer-facing examples are anchored to INDEX:BTCUSD on 1W regular candles. If that feed is unavailable, use one longest-history BTCUSD or XBTUSD spot feed consistently for the entire chapter rather than mixing feeds mid-

chapter. The public handbook documents the current v1.0.3 workflow, assumptions, and matched-baseline formulas; it does not publish a week-by-week proprietary action-diff map across earlier releases because that would materially enlarge the reverse-engineering surface.

Public event-shape summary on the recommended chart

Public category	Count	Historical span
Top-side major events	15	2017-10-30 to 2025-10-13
Bottom-side re-accumulation	10	2015-09-14 to 2023-08-28
Rare deep accumulation	3	2015-09-21 to 2022-11-07

Forward outcome profile from the event-week close

Public category	N	13w median	26w median	52w median
Top-side major events	15	-23.4%	-22.8%	-41.6%
Bottom-side re-accumulation	10	+16.3%	+66.2%	+124.4%
Rare deep accumulation	3	+33.6%	+83.1%	+127.3%

Outcome convention: percentages below are simple price changes from the event-week close to the later confirmed weekly close. The public categories below are deliberately broader than the internal taxonomy and are intended to answer diligence questions at the output level without disclosing the full event ladder. Later-horizon medians use only events with enough completed forward history near the sample end.

Worked example — same-close arithmetic

- Example: if both sides begin a week with 0.30000000 BTC and $1,500.00 cash, AZRO says BUY $250.00, the matched Auto side buys the fixed $50.00 weekly contribution, the reference weekly close is $16,309.05, and the modeled fee is 0.10%, then AZRO ends at 0.31531358 BTC and $1,250.00 cash = 0.39195815 BTC-eq, Auto ends at 0.30306272 BTC and $1,450.00 cash = 0.39197041 BTC-eq, and x vs Auto = 0.39195815 / 0.39197041 = 0.99997x.
- One isolated week usually changes x vs Auto only slightly because both sides are marked at the same weekly close; the multiple compounds over many weeks as different paths produce different ending BTC and cash balances.

How to judge it in live use

- Whether the weekly action and suggested amount remain readable and usable.
- Whether the process reduces emotional allocation decisions and improves discipline.
- Whether you can follow the written mode and risk-profile policy consistently.
- Whether the live accountability fields and the Companion Tracker workbook remain meaningful relative to the matched weekly-buy baseline.

Validation limits: historical examples are hypothetical and sensitive to chart basis, fees, taxes, execution quality, timing, and user behavior. Trim-capable policies can finish a historical window partly or fully in cash if the end date lands after a de-risking phase. No historical example guarantees future outperformance, and no backtest captures every operational friction.

11. Resources, support, product links, and legal appendix

Use the live links below for support, official product pages, and the package items that matter most in live use. The customer package includes the handbook PDF and the Companion Tracker workbook together.

Support: support@azrosystems.com

Official product links: TradingView script page • Gumroad access page

Helpful links: TradingView pricing • How to set up alerts • Pine alert FAQ

Package contents: the handbook PDF explains the operating system, playbooks, alerts, and validation layer; the Companion Tracker workbook handles chapter setup, actual trade logging, and chapter-to-chapter carry-forward.

Tracker workflow in one sentence: run one clean live chapter in the indicator, and use the Companion Tracker workbook whenever a later chapter needs a new Start date, a new weekly budget, a new Buffer / reserve target, or materially new available cash.

12. Risk disclosure statement

- Bitcoin can experience deep drawdowns, violent volatility, and long recovery periods. Learn the asset first, want long-term exposure for its own sake, and size the plan so normal cycle stress does not destabilize your life or decisions.
- Past performance, examples, historical behavior, or backtest snapshots do not guarantee future results.
- Backtests and hypothetical comparisons do not fully capture liquidity, slippage, taxes, psychology, infrastructure failure, or user configuration error.
- A managed policy that trims or de-risks can underperform a simpler always-buy or always-hold approach over some windows.
- Nothing in this pack, the indicator, or related communications is personalized financial, investment, legal, or tax advice.

13. Privacy policy

AZRO Systems may need limited customer information to fulfill access and support, such as name, email, TradingView username, and payment confirmation data supplied through the payment processor.

The purpose of collection is straightforward: fulfill access, maintain invite-only permissions, provide support, communicate material indicator updates, and comply with legal or payment obligations.

AZRO Systems does not take custody of exchange funds, does not trade customer accounts, and does not need access to balances or API keys in order to grant indicator access.

Customer information should not be sold. Third-party processors may handle payment, product delivery, chart access, or email delivery as part of normal operations.

If you contact support, submitted screenshots, emails, and issue descriptions may be retained as needed to resolve the issue, maintain service records, and enforce agreements.

14. Terms of service summary

- Access is provided as an invite-only TradingView script tied to the TradingView account that receives permission.
- The customer receives a personal, non-transferable, revocable license to use the indicator for their own charting and analysis.
- You may not resell, sublicense, redistribute, or publish the script or documentation without permission.
- Access is personal and tied to the approved TradingView account. Sharing or reposting paid materials is not allowed.
- Billing, updates, refunds, and access fulfillment are governed by the current product/access page and the payment processor's policies.

15. Master disclaimer and notices

Educational use only

The indicator, documentation, examples, and communications are provided for informational and educational use only. They are not recommendations, solicitations, or a promise of results.

No personalized advice

Nothing in the pack accounts for your objectives, financial situation, tax position, or legal constraints. You are responsible for suitability and for obtaining qualified professional advice where needed.

No custody and no trade execution

AZRO Systems provides software and documentation. It does not take custody of customer funds, direct customer accounts, or guarantee the behavior of any broker, exchange, charting service, or downstream automation bridge.

Third-party platform risk

Signals, alerts, data, and automation may depend on TradingView, exchanges, webhooks, bridges, email delivery, or mobile notification services that can fail, change, or delay.

Hypothetical performance warning

Any example returns, charts, or strategy comparisons are hypothetical. They do not reflect actual customer accounts, and they may understate real-world friction or implementation error.

Warranty and liability

The indicator is provided as-is and as-available. To the maximum extent permitted by law, AZRO Systems is not liable for trading losses, missed trades, delayed alerts, opportunity costs, or damages related to the use of the product.

Intellectual property

The indicator, documentation, and brand materials remain the property of AZRO Systems. All rights not expressly granted are reserved.