AZRO SYSTEMS

Invite-Only TradingView Indicator

XRP Top/Bottom Indicator Documentation Pack

Version v1.1.1 • Updated 2026-03-12

Includes: Methodology and signal handbook • Quick-start and alert setup • Strategy playbooks • Risk management • Troubleshooting • Validation notes • Legal appendix
Companion sheets in the customer kit: Start Here • Quick Reference • Alert Setup Card • Strategy Playbook Card • Weekly Close Checklist

Indicator page: AZRO Systems — XRP Top/Bottom Indicator (Invite-Only)

Product / access page: AZRO Systems Gumroad

Support: support@azrosystems.com

Customer documentation for the AZRO Systems XRP Top/Bottom Indicator. This v1.1.1 handbook preserves the current operating workflow while keeping the pack clear, disciplined, and ready for live use.

Inside this documentation pack

Use this pack in order the first time. The companion sheets are built for faster day-to-day execution once the full workflow is familiar.

1. How the indicator works - Operating overview, trust architecture, and workflow scope.
2. Quick-start, Mind-Set & Beginner Safety Brief - Quick lens, beginner safety, first setup, and first-week workflow.
3. Installation and first-chart setup - Invite-only access flow, TradingView setup, first-use checklist, and chart standards.
4. Signal scope, legend, and operating rules - Exactly what can print, where it prints, and how to interpret each output.
5. Alert setup guide - Correct named conditions, trigger selection, optional automation, and common mistakes.
6. Playbooks - investors, active traders, and hybrid strategies.
7. Risk management and workflow discipline - Layered positioning, DCA/stops discussion, hidden costs, and weekly process.
8. Settings guide - Recommended defaults and workflow choices.
9. Troubleshooting and FAQ - Common user issues, platform banners, invite-only access, updates, refunds, and support.
10. Validation, reliability, and practical limits - Validation principles and practical limits.
11. Resources, support, and legal appendix - Support links, platform resources, risk disclosure, privacy, terms, and the master disclaimer.

Read this first

This guide is built for real weekly use on the 1W chart. It shows how to set up the indicator, understand each output, configure the correct alerts, run the main investor / active-trader / hybrid-strategy playbooks, and manage risk with a calm weekly process.

Use the companion sheets for faster execution:

- Start Here - first 10 minutes, first week, and what normal use looks like.
- Quick Reference - desk-side summary of the signal ladder, triggers, defaults, and common mistakes.
- Alert Setup Card - exact named conditions, triggers, and the support-ticket mistakes to avoid.
- Strategy Playbook Card - sanctioned investor / hybrid-strategy / defensive workflows and signal-to-action rules.
- Weekly Close Checklist - the repeatable weekly ritual for calm execution and review.

1. How the indicator works - Operating overview and tear-sheet

The AZRO Systems XRP Top/Bottom Indicator is a weekly-cycle indicator for XRP. It is built to help users organize major bottoming, topping, and de-risking decisions on the 1-week chart without relying on constant lower-timeframe monitoring. It is meant to be used through its labels, alerts, and written playbooks rather than through internal interpretation.

- Primary use-case: timing major XRP cycle bottoms, tops, and de-risking windows on the weekly chart.
- Primary users: long-term investors, swing traders, users running hybrid strategies that keep a core while actively trimming and adding around cycle extremes, and lower-timeframe traders who want a higher-timeframe directional filter.
- What it is not: an intraday signal generator or a substitute for position sizing, execution discipline, taxes, or personal risk planning.
- Operating principle: the pack explains how to use the indicator clearly and consistently on live weekly charts, with written playbooks and defined alert discipline.

Who this indicator is for

Approach	Practical profile	Trade-off
Buy and hold	Maximum simplicity; zero timing workload.	Can tolerate very deep drawdowns and long underwater periods.
Pure discretionary cycle trading	Depends entirely on personal judgment.	Easy to overfit, overreact to news, and change rules mid-cycle.
AZRO MAJOR-Only	Simple ruleset with a clear weekly decision cadence.	Still gives back more near tops than an active trim ladder.
AZRO Core + Trim Ladder	Adds structured de-risking while preserving the weekly framework.	Requires written trim sizes and better execution discipline.
AZRO Weekly-Bias + own execution	Powerful for advanced users with a separate method.	Only as good as the lower-timeframe execution system attached to it.

Output stack

Output	Where	Timing	How to think about it
MAJOR TOP / MAJOR BOTTOM	XRP only	Weekly close	Core weekly decision labels and highest-priority anchors.
RADAR TOP / RADAR BOTTOM	XRP only	Weekly close	Important companion track. Keep RADAR TOP active for top calls; use RADAR BOTTOM only if your written plan allows it.

Output	Where	Timing	How to think about it
EARLY TOP / EARLY BOTTOM	XRP only	Intra-week / can disappear by close	Heads-up staging layer. Useful for advanced users who intentionally want earlier but less stable information.
LIGHT TOP / LIGHT BOTTOM	XRP only	Weekly close	Optional weekly context cues only. Not required for core playbooks and OFF by default.
RISK / HIGH RISK triangles	XRP and optional on non-XRP	Weekly close	Serious top-side caution and active-management layer. In some conditions it can mark the actual top or sit very near it. Treat every print with full respect.
Risk-colored XRP price line	XRP 1W only	Weekly close context	Optional visual regime overlay for the XRP price line. No labels and no alerts; purely visual context.
Health banner / 1W reminder	Visual-only	Live view	Operational aids. They do not create signals; they warn about timeframe mistakes, chart-basis problems, or degraded data states.

Trust architecture

Why users trust the workflow	What that means operationally
Weekly-close architecture	The system is intentionally designed around weekly closes so users make fewer, higher-quality decisions and are less exposed to intrabar noise.
Core and optional layers	The handbook keeps core decision labels separate from optional planning layers so most users can stay consistent without turning every visual cue into a trade.
Data-health awareness	The script surfaces a live health banner when weekly use should pause or be treated with extra caution because chart conditions are degraded.
Invite-only distribution	Customers receive a locked, invite-only TradingView script. This keeps customer operation simple and the distribution controlled: use the outputs, not hidden knobs.

Why users trust the workflow	What that means operationally
Alertable workflow	The outputs can be set up as named TradingView alerts so users do not need to watch the chart constantly.

Tear-sheet summary	
Operating pillar	Customer takeaway
Weekly-close model	Use the indicator on the 1W chart and make confirmation decisions on the weekly close.
Top-side stack	Keep MAJOR TOP and RADAR TOP active together. Treat either confirmed print as a serious top-side event and follow the written exit ladder.
Bottom-side stack	MAJOR BOTTOM is the clean anchor. RADAR BOTTOM is optional if your plan allows tactical adds or secondary confirmation.
Risk stack	On XRP, RISK / HIGH RISK deserve full respect. They can mark the actual top or sit very near it, so treat them as active de-risk events.
Non-XRP scope	Optional non-XRP RISK triangles are macro context only. They are not XRP-style buy/sell confirmations.

Why LLMs and manual cycle interpretation don't replace this

An LLM generates text, and its output can shift with prompt wording, context, model updates, and hidden assumptions. It does not run a deterministic, chart-native cycle process on live market data, and it does not preserve a stable execution framework from one session to the next.

• LLMs are not chart-native operating systems — prompts drift, models change, outputs vary, and none of that produces a deterministic, versioned, bar-tested system that lives on the chart, reads live market and chart data, and triggers native alerts when conditions are met. The edge is not another interpretation; it is repeatable cycle execution.

• Manual approaches often look convincing until the regime changes. Thresholds that seem effective in one cycle can fail in the next as volatility, participation, data quality, and trend behavior evolve. Without hardened safeguards, execution quality usually slips at the exact moments where timing matters most.

• Dependability requires maintenance — hardened data handling, stable defaults, documented updates, and change control are what keep a cycle-timing process usable as conditions evolve.

• What you are buying — a maintained model and operating system, clearer execution at the turn, and a cycle-execution process built to remain dependable as regimes shift and market structure evolves.

Known limitations

- All confirmation logic is designed for the 1-week chart. Lower timeframes are off-label usage.
- A weekly-close model is not designed to catch the exact top tick or bottom tick. Its job is to identify high-value cycle windows with less noise and less emotional churn.
- TradingView data, reference series, and alert infrastructure are third-party dependencies. Delays, gaps, or feed changes can affect what the user sees.
- Changing workflow-related settings can change what you see historically. Review history using the same setup you intend to use live.
- Any performance snapshot must be treated as hypothetical and implementation-sensitive. Fees, delayed execution, venue choice, and user behavior matter.
- Even a strong indicator is still not financial advice. Risk management, taxes, jurisdiction, and suitability remain the user's responsibility.

2. Quick-start, Mind-Set & Beginner Safety Brief

Quick lens
• This indicator is built for weekly cycle decisions, not fast trading noise.
• Most users should start with confirmed MAJOR and RADAR outputs, not EARLY or LIGHT.
• For tops, keep XRP RISK, MAJOR TOP, and RADAR TOP alerts active together. Treat all three with equal respect. Different cycles can emphasize different prints, and XRP RISK can mark the actual top or sit very near it.
• For bottoms, MAJOR BOTTOM is the cleanest anchor. RADAR BOTTOM can be used tactically as an optional add or secondary confirmation path.
• Non-XRP charts are context-only. Use optional non-XRP RISK triangles as broad market caution, not as asset-specific top/bottom calls.

Mind-Set & Beginner Safety Brief

- Emotions are the real opponent. Decide your size, risk, and exit ladder before clicking Buy. If a normal loss would disrupt your sleep, finances, or relationships, the position is too large or the plan is wrong.
- News is not an edge. By the time a headline feels obvious, the market often already priced in most of the move.
- Most first-year traders underestimate drawdowns, overestimate their emotional control, and trade too large. The result is usually unnecessary stress and avoidable damage.
- Avoid building your financial future around influencer calls, guru channels, or chat-room conviction. Sustainable edge comes from your own written process, not borrowed confidence.
- Do not treat trading as a rescue plan for today's bills. Education, savings, and low-stress compounding usually create much better long-run outcomes than pressure trading.
- Strategy overload is a hidden risk. Too many systems, too many symbols, and too many opinions create fatigue and mistakes. Master one ruleset before layering more complexity.
- If markets ever leave you feeling trapped, hopeless, or mentally overwhelmed, step away immediately and talk to someone you trust or a qualified professional. Money can be rebuilt; you cannot.
- Everything in trading is a building block. Past mistakes are tuition only if you stop repeating them.

Beginner lane: the cleanest way to start

- Use BITSTAMP:XRPUSD on the 1W chart.
- Leave defaults alone for at least one full learning cycle.
- Create the essential alerts first: XRP RISK, MAJOR TOP, RADAR TOP, and MAJOR BOTTOM.
- Treat RADAR BOTTOM, EARLY, LIGHT, and non-XRP RISK as optional until you understand the base workflow.
- Write your trim ladder and re-entry rules before the next signal arrives.

TradingView plan cheat-sheet

Question	Practical answer
Can every TradingView user load the script?	Invite-only access is granted by the author, not by the TradingView plan itself. Any account with permission can load the script on chart.
When do higher plans matter?	Higher plans matter mainly if you want more active alerts, longer-running alerts, or automation/webhook-heavy workflows.
When do webhooks matter?	If you want automated order-routing through a bridge or execution stack, confirm that your current TradingView plan supports the webhook workflow you intend to use.
Best advice	Choose the smallest TradingView plan that supports your actual alert workload. Do not over-buy a subscription before your workflow is stable.

Plan names, alert limits, and webhook availability can change over time. Treat this section as practical guidance and confirm current TradingView plan details before buying a subscription solely for automation.

Five-minute setup

1. Purchase access on the access page, provide the correct TradingView username, and wait for invite-only access to be granted.
2. Open TradingView and confirm that the script appears under Invite-only scripts on the account that received access.
3. Load BITSTAMP:XRPUSD on the 1W chart whenever possible. It is the recommended operating standard because of its long, clean history. If you must use another venue, prioritize the longest clean XRP history you can verify.
4. Use regular candles. Avoid Heikin-Ashi, Renko, or synthetic chart types for signal interpretation.
5. Turn on log scale if you prefer multi-year visual compression. The indicator logic itself is not changed by the visual scale.
6. Add the indicator, keep defaults, and create the alerts that match your chosen playbook.

Official operating model

This is the default operating workflow on BITSTAMP:XRPUSD on the 1W chart and the cleanest starting point for most users: build from confirmed bottoms, manage risk as the cycle matures, and complete the managed exit only after the top-side sequence has fully played out.

1. MAJOR BOTTOM	2. RADAR BOTTOM *(optional)*	3. RISK / HIGH RISK	4. RADAR TOP	5. MAJOR TOP
Core entry or full cycle-sleeve build.	Add only if cash was reserved and the written playbook allows it.	Serious top-side warning; in some conditions this can mark the actual top or sit very near it.	Confirmed top-side de-risk event; treat with full respect inside the exit ladder.	Complete the managed exit; reset for the next bottom regime.
Build on MAJOR BOTTOM, optionally add on RADAR BOTTOM, manage on RISK / HIGH RISK, distribute on RADAR TOP, and finish on MAJOR TOP.				

Figure: Default operating model for the managed cycle sleeve.

Weekly operating rhythm

A calm weekly rhythm is one of the biggest practical edges customers gain from the indicator. Keep the alerts live, review only on the weekly close, follow the written ladder, then log the action and reset for the next week.

1. Keep alerts live	2. Review on the weekly close	3. Follow the written ladder	4. Log and reset
XRP RISK, MAJOR TOP, RADAR TOP, and MAJOR BOTTOM are the non-negotiable core. Add RADAR BOTTOM only if your playbook uses it.	Open BITSTAMP:XRPUSD on 1W, confirm the signal type, confirm your settings, and ignore lower-timeframe noise that conflicts with the weekly regime.	Build, hold, trim, or exit exactly as the playbook says. No improvising because price feels scary or exciting.	Screenshot the chart, record the action, update remaining size, and reset the alert stack for the next regime change.

Normal vs. problem

Normal: long quiet periods, no new labels for weeks, EARLY changing intra-bar, and optional layers staying silent.

Problem: wrong timeframe, wrong alert trigger, synthetic candles, missing invite access, or a live health-banner warning of degraded data.

Figure: The intended weekly operating rhythm for day-to-day weekly use.

First-day checklist

- Do I understand that the indicator is weekly by design?
- Do I know which outputs are confirmations and which are only context?
- Do I have my top-side alerts live before the next cycle high arrives?
- Do I have a written exposure ladder for trims, adds, and exits?
- Am I using spot-size risk that I can tolerate emotionally and financially?

3. Installation and first-chart setup

Invite-only indicators are access-controlled. In practice, the workflow is simple: purchase access, provide the correct TradingView username, wait for access to be granted, then load the script from the Invite-only scripts section on the same account. For first setup, the best chart is BITSTAMP:XRPUSD on the 1W timeframe.

Recommended chart standard

- Symbol: BITSTAMP:XRPUSD (canonical XRP signal host).
- Timeframe: 1W.
- Chart type: regular candles.
- Scale: log scale is recommended for long-cycle visual inspection, but the indicator's outputs remain tied to the signal logic rather than the visual axis.

Practical setup sequence

1. Log in to the TradingView account that received invite-only access.
2. Open BITSTAMP:XRPUSD and switch to 1W.
3. Add the indicator from Invite-only scripts.
4. **Leave the defaults intact unless you already know why you want a different behavior.**
5. Create alerts before you worry about visual tuning. The alerts matter more than the colors.
6. Save the chart layout once everything is live.

What good first-time behavior looks like

A good first-time customer setup is boring in the best way: 1W chart, default settings, core alerts live, and a written playbook for what to do when those alerts arrive.

The point is not to touch every setting. The point is to be ready before the next major cycle event.

What not to do on day one

- Do not start by optimizing a dozen settings against history.
- Do not expect the indicator to become a lower-timeframe scalp system by changing visuals.
- Do not turn every optional output on and then treat them all as equally important.
- Do not wait until a euphoric move to set the top alerts.

4. Signal scope, legend, and operating rules

Start with scope. This section explains the outputs at an operating level so alerts, actions, and expectations stay aligned without requiring any knowledge of the internal model.

Signal / output	Scope	Timing	Typical use
MAJOR TOP	XRP only	Weekly close	Core top-side decision label and primary exit anchor.
RADAR TOP	XRP only	Weekly close	Important top-side companion label. Keep it ON alongside MAJOR TOP and follow the written top-side ladder.
MAJOR BOTTOM	XRP only	Weekly close	Core bottom-side decision label and cleanest long-side anchor.
RADAR BOTTOM	XRP only	Weekly close	Optional bottom-side companion label. Use only if your written plan allows secondary adds or earlier re-risking.
EARLY TOP / BOTTOM	XRP only	Intra-week	Temporary heads-up layer for advanced users. It can resolve into a final confirmation or disappear at close.
LIGHT TOP / BOTTOM	XRP only	Weekly close	Optional context cue around local exhaustion or base-building; not a core decision label.
RISK / HIGH RISK (XRP)	XRP only	Weekly close	Serious top-side event for trims, tighter rules, and risk reduction. In some conditions it can align with the actual top.
RISK / HIGH RISK (non-XRP)	Optional on non-XRP crypto charts	Weekly close	Educational macro caution overlay only. Not a standalone trading strategy and not an asset-specific top/bottom model.
Risk-colored XRP price line	XRP 1W only	Weekly close	Visual regime context between labels; does not generate signals or alerts.

Scope reminder
XRP is the only chart type that prints the full top/bottom workflow. Non-XRP charts are context-only via optional RISK / HIGH RISK triangles.
Treat non-XRP RISK as broad market caution, not as an asset-specific top/bottom engine.

Operating rules

- Timeframe: 1W. Use confirmed weekly closes for decisions.
- EARLY labels are provisional heads-ups. Historical charts retain final weekly outputs, not every temporary intrabar stage.
- LIGHT is a context layer. On XRP, treat RISK / HIGH RISK, RADAR TOP, and MAJOR TOP with equal respect inside the top-side ladder. Different cycles can emphasize different prints.
- Visual settings such as palette, tint, label distance, and line width do not change signals.
- Changing workflow-related toggles can change what you see historically. Review history using the same setup you intend to use live.
- The health banner and 1W reminder are operational aids that can flag timeframe, chart-basis, or degraded-data issues.
- On non-XRP charts, the workflow is context-only: optional RISK triangles, no XRP-style top/bottom confirmations.

Signals at a glance - default use order

Layer	Priority	Customer role	Best fit
MAJOR	Highest	Core weekly anchor	Investors and confirmation-first users.
RADAR	High	Companion label	Users running the full ladder.
EARLY	Optional	Heads-up only	Advanced users who want earlier notice.
LIGHT	Optional	Context only	Users who want extra weekly nuance.
RISK / HIGH RISK	High	Active de-risk layer	Users who pre-map trims or tighter risk.

5. Alert setup guide

Must-read alert rule

Create alerts on the 1W chart and use the script's named conditions. The signal type determines the correct trigger frequency.

Alert trigger guide

Condition	Use this trigger	Why
MAJOR TOP	Once Per Bar Close	Confirmed weekly close signal.
RADAR TOP	Once Per Bar Close	Confirmed weekly close signal. Keep active alongside MAJOR TOP.
MAJOR BOTTOM	Once Per Bar Close	Confirmed weekly close signal.
RADAR BOTTOM	Once Per Bar Close	Confirmed weekly close signal.
EARLY TOP / EARLY BOTTOM	Once Per Bar	For heads-up behavior during the week. Once Per Minute is optional only if you want repeated pings.
LIGHT TOP / LIGHT BOTTOM	Once Per Bar Close	Weekly-close context cue.
RISK (XRP) / RISK (non-XRP)	Once Per Bar Close	Weekly-close XRP top-side risk layer; non-XRP macro caution layer.

Recommended alert set by default

- Set alerts on the 1W chart. This is the single most important setup rule.
- Create the full top-side stack together: XRP RISK, MAJOR TOP, and RADAR TOP. Treat all three with equal respect at the weekly close; different cycles can emphasize different prints.
- Create MAJOR BOTTOM as the bottom-side anchor. Add RADAR BOTTOM only if your playbook includes optional adds or earlier tactical re-risking.
- Use EARLY only if you deliberately want a faster, less-stable heads-up layer. Beginners do not need it.
- Use LIGHT only if you want extra context around local exhaustion or base formation. It is OFF by default for a cleaner base workflow.
- Use non-XRP RISK only as macro context when scanning other crypto charts. Do not treat it like a standalone entry/exit system.

Alert naming convention

- Keep names literal and consistent: XRP MAJOR TOP 1W, XRP RADAR TOP 1W, XRP MAJOR BOTTOM 1W, XRP RISK 1W.
- If you automate, include symbol and timeframe in every alert name.

- If you run multiple playbooks, add the sleeve or strategy name to the alert name.

Common alert mistakes

- Wrong timeframe: if the chart is not 1W, the workflow is off-label.
- Expecting XRP-style tops or bottoms on non-XRP charts.
- Using synthetic candles that distort structure and wick behavior.
- Changing multiple settings and then judging historical output without realizing you changed signal eligibility.
- Forgetting that EARLY can disappear at close by design.
- Ignoring the health banner when degraded data conditions are flagged.
- Ignoring or downplaying XRP RISK. On XRP it can mark the actual top or sit very near it, so de-risk first and follow the written ladder. Do not treat a RISK triangle as market top now; de-risk, tighten, and wait for confirmation discipline.

Manual versus automation

Execution path	Pros	Trade-offs
Manual execution	Maximum discretion, no external bridge risk, simplest for beginners.	Requires attention, slower response, and more emotional discipline.
Webhook bridge / auto-routing	Fast and repeatable once mapped correctly. Useful for users managing many alerts or wanting 24/7 routing.	Requires testing, fail-safes, and careful handling of third-party bridge risk, latency, and mapping errors.

Webhook safety

- Paper trade or sandbox the full route before sending live orders.
- Use explicit max-exposure limits, order-size caps, and a manual kill switch.
- Do not place passwords, logins, or other sensitive credentials inside alert messages or URLs.
- Monitor for duplicate, delayed, or failed bridge events. Automation lowers emotion but adds operational risk.

Practical note: keep XRP RISK, MAJOR TOP, and RADAR TOP active together. For most users, that top-side stack is the most important alert group in the entire workflow.

6. Playbooks for investors, active traders, and hybrid strategies

Most mistakes happen after a signal appears: the label is visible, but the action is undefined. This section turns each important output into a written exposure decision so the indicator can be used consistently instead of improvised.

Playbook	Best for	Core rule	Typical trade-off
MAJOR-Only Cycle Investor	Lowest-maintenance long-term users	MAJOR BOTTOM in, MAJOR TOP out; keep RADAR / RISK visible as serious awareness.	Simplest workflow, but more give-back near tops.
Core + Trim Ladder (recommended default)	Most customers	MAJOR BOTTOM anchor; optional RADAR BOTTOM adds; de-risk with RISK, distribute with RADAR TOP, finish at MAJOR TOP.	Best balance of participation and downside control; requires a written trim ladder.
Confirmation-First Hybrid	Users who want adds but still dislike EARLY noise	MAJOR BOTTOM anchor plus selective RADAR BOTTOM adds if still under-allocated; keep MAJOR and RADAR TOP active together.	More decisions than MAJOR-Only, but still strongly confirmation-led.
Profit-Protection / Defensive Trader	Users who care most about drawdown and preserving gains	Use RISK as the earliest trim layer and treat RADAR TOP as a strong exit cue even if MAJOR TOP has not printed yet.	May leave upside on the table if the market extends after a trim.
Weekly-Bias Trader	Lower-timeframe traders who want a macro filter	Use weekly MAJOR / RADAR / RISK as directional bias, then execute separately on your lower timeframe in the same direction.	Best for advanced users who already have an execution method.

Action matrix by signal type

Signal	Investor	Hybrid strategy	Trader / defensive
MAJOR BOTTOM	Build or restore full planned cycle allocation.	Build or restore core / swing allocation.	Bias flips risk-on; larger swing entries allowed.
RADAR BOTTOM	Usually ignore or treat as optional add only if under-allocated.	Optional add or tactical re-risk if the base plan allows it.	Can be used as tactical add or earlier confirmation inside a broader long bias.
RISK / HIGH RISK	Serious top-side warning; note it or take the small trim your plan allows.	Trim a defined portion, tighten rules, reduce leverage to zero, stop oversizing new adds.	Active de-risk layer. Cut size faster and refuse low-quality fresh longs.

Signal	Investor	Hybrid strategy	Trader / defensive
RADAR TOP	Reduce give-back if desired; otherwise treat it as serious confirmation and wait for MAJOR TOP.	Primary trim zone. Many users cut to a partial position here.	Often a practical exit signal, especially in defensive or tactical workflows.
MAJOR TOP	Primary full exit for the cycle sleeve.	Finish distribution or reduce to only the intentionally untouched long-term core.	Hard confirmation that the weekly cycle sleeve should be de-risked or flat.
EARLY / LIGHT	Not needed for the base investor workflow.	Optional planning aids only.	Useful only if the user already knows how to handle earlier, less final information.

Playbook A - MAJOR-Only Cycle Investor

Goal: Lowest maintenance and lowest decision count.

- Use BITSTAMP:XRPUSD on the 1W chart.
- On MAJOR BOTTOM: build to your full planned cycle allocation.
- Ignore RADAR BOTTOM unless you consciously decide to use it later as an optional add path.
- Hold through normal noise.
- On MAJOR TOP: exit the cycle allocation in full, or reduce back to only a separately designated long-term core.

Best for: Investors who want a clean long-term process and do not care about squeezing every last percentage point.

Watch-out: You will usually give back more near tops than users who actively use RISK and RADAR TOP.

Playbook B - Core + Trim Ladder (recommended)

Goal: Best overall balance for most customers.

- Define a cycle sleeve that this playbook will manage. Keep any true long-term untouched core separate if desired.
- On MAJOR BOTTOM: build or restore the cycle sleeve to full planned size.
- If RADAR BOTTOM prints later and you are still under-allocated, add only the amount you already pre-approved.
- On the first RISK or HIGH RISK print: trim a prewritten portion, such as 10% to 25% of the cycle sleeve.
- On RADAR TOP: distribute a larger portion, such as cutting to 25% to 50% of the cycle sleeve.
- On MAJOR TOP: complete the cycle exit for the managed sleeve.

Best for: Most users, because it protects gains earlier without abandoning the structure of the weekly confirmation system.

Watch-out: The ladder must be written in advance. Without preset trim sizes, RISK and RADAR TOP become emotional decisions.

Playbook C - Confirmation-First Hybrid

Goal: Let confirmed bottoms do the heavy lifting while still using the extra bottom path when it genuinely helps.

- Use MAJOR BOTTOM as the main buy anchor.
- Turn RADAR BOTTOM ON and use it only when you intentionally missed size, still have cash allocated to the cycle sleeve, or want an additional confirmation path for a developing bottom.
- Keep RISK, RADAR TOP, and MAJOR TOP active for the distribution ladder.
- Ignore EARLY and LIGHT unless you are already comfortable with the base system.

Best for: Users who want confirmed bottoms to do most of the heavy lifting while keeping RADAR BOTTOM available as an intentional add path.

Watch-out: Do not turn RADAR BOTTOM into an excuse for over-trading every wobble.

Playbook D - Profit Protection / Defensive Trader

Goal: Prioritize drawdown control and preservation of large cycle gains.

- Use MAJOR BOTTOM or MAJOR BOTTOM plus selective RADAR BOTTOM adds for entries.
- Treat the first RISK / HIGH RISK print as an active management event, not background decoration.
- Trim sooner and more aggressively than the balanced playbook.
- Treat RADAR TOP as a strong exit cue rather than just a partial trim if your style values downside control over full upside capture.
- Use MAJOR TOP as the final confirmation if you still hold any tactical size.

Best for: Users who care more about keeping large gains than about catching every final extension.

Watch-out: This profile can underperform in runaway blow-off phases because it sells earlier by design.

Playbook E - Weekly-Bias Trader

Goal: Use the indicator as a higher-timeframe filter rather than as the exact execution method.

- Use MAJOR BOTTOM, RADAR BOTTOM, RISK, RADAR TOP, and MAJOR TOP to define the weekly bias.
- Only take lower-timeframe trades that agree with that weekly bias.
- After a confirmed top-side signal, stop forcing aggressive long continuation trades until the weekly structure resets.
- Keep execution separate: the indicator defines direction and regime, not your micro-entry mechanics.

Best for: Experienced traders who already have an entry / exit process and need a macro filter.

Watch-out: This is an advanced path. It does not reduce the need for a separate execution system.

What is the best overall strategy for most users?
• For most users, the Core + Trim Ladder is the best default: disciplined enough for investors, active enough for hybrid strategies, and easier to follow than a discretionary cycle process.
• For pure long-term investors who want the fewest decisions, MAJOR-Only is the cleanest operating model.
• If you hate large give-back after massive rallies, the defensive profile that treats XRP RISK and RADAR TOP more aggressively is the better fit. Keep RADAR BOTTOM optional and use it only when a written plan allows it.

Positioning sleeves

The cleanest way to reduce emotional over-trading is to separate capital by role. A true long-term core can stay untouched, the cycle sleeve follows the indicator's playbooks, and any tactical reserve should only exist if its add rules are already written down.

Long-term core Optional bucket	Cycle sleeve Recommended default	Tactical reserve Optional reserve
Untouched investment sleeve for investors who never want to fully flatten long-term exposure.	The main sleeve managed by MAJOR BOTTOM, RISK / HIGH RISK, RADAR TOP, and MAJOR TOP.	Cash or dry powder reserved for RADAR BOTTOM adds, defensive re-entry, or future cycle resets.
Not managed by every signal. Keep it psychologically separate from the tactical cycle sleeve.	This is the sleeve the written playbooks are designed to manage.	Useful only if the amount and conditions were written in advance.
Keep the sleeves psychologically separate: the long-term core stays untouched, the cycle sleeve follows the written playbook, and any tactical reserve exists only if its add rules were decided in advance.		

Figure: A simple sleeve structure that keeps long-term holdings, the managed cycle sleeve, and any optional reserve from bleeding into one another.

Quick tweaks

Situation	Suggested change
I want fewer moving parts	Ignore EARLY and LIGHT. Use MAJOR BOTTOM, RADAR TOP, and MAJOR TOP only.
I want more downside protection	Use RISK as an active trim layer and treat RADAR TOP as a stronger de-risking event.
I missed the MAJOR BOTTOM	Do not chase blindly. Use a smaller staged plan or wait for a preapproved RADAR BOTTOM add if your workflow includes it.
I want earlier information	Use EARLY intentionally, knowing it can disappear by close. This is an advanced choice, not a default necessity.
I want cleaner charts	Keep LIGHT OFF and avoid turning on optional layers you do not actively use.

Single-sentence playbook

Build at MAJOR BOTTOM, optionally add at RADAR BOTTOM if still under-allocated, reduce on RISK / HIGH RISK, distribute on RADAR TOP, and finish the cycle sleeve on MAJOR TOP - all on the weekly close.

7. Risk management and workflow discipline

The signal engine provides structure. Risk management determines whether that structure translates into durable results. This section turns the weekly workflow into a practical operating process: layered positioning, staged accumulation, cost awareness, and a routine that helps users stay disciplined when markets become emotional.

Layered positioning

Bucket	Role
Long-term core	Optional bucket that is intentionally not managed by every tactical signal. Use this only if you consciously want permanent exposure.
Cycle sleeve	The main allocation managed by this documentation's playbooks. This is where MAJOR BOTTOM, RADAR BOTTOM, RISK, RADAR TOP, and MAJOR TOP do their work.
Active / trader sleeve	Optional smaller bucket for users who already run a separate execution strategy and only want the indicator as a macro filter.

DCA first, stops optional - with nuance

Weekly-cycle trading often benefits more from staged spot positioning than from extremely tight hard stops. XRP can produce violent wicks that eject tight stops even when the higher-timeframe regime is unchanged. That does not mean stops are wrong. It means the stop logic must match the timeframe, size, and purpose of the trade. For many users, a well-defined position size, staged adds, and a written trim ladder matter more than ultra-tight mechanical stops inside a weekly-cycle system.

Risk management principles

Principle	Implementation
Segregate capital	Separate a true long-term core from the cycle sleeve if you want to keep both. Do not blur them in the heat of the moment.
Pre-map adds and trims	Write your bottom-side add sizes and top-side trim sizes before signals arrive.
Journal the decision	Record the signal, size, reason, and emotion. This is how users learn whether they are following the system or improvising around it.
Cap emotional risk	If the position is large enough to distort your thinking, the position is too large.
Reduce complexity	Use spot before leverage, one process before ten, and repeatable rules before hot takes.

Pre-trade checklist

☐ Am I on the 1W timeframe, and is the signal type being used correctly?

☐ Do I understand whether this is a confirmation, a heads-up, or a context-only marker?

☐ Is the size inside my pre-set exposure cap for this sleeve?

☐ Do I already know what I will do if price extends, stalls, or reverses?

☐ Have I accounted for fees, slippage, taxes, and venue differences?

☐ Is my stress level low enough that I can follow the written plan without improvising?

High-risk trading to avoid

Behavior	Why it hurts	Safer path
High leverage / margin	Magnifies both timing errors and emotional errors. Late-cycle volatility can erase an account faster than a good signal can save it.	Spot positions sized for realistic weekly drawdowns.
Shorting blow-off crypto conditions	Losses are theoretically unlimited and squeezes are vicious.	Use top-side confirmations to distribute or go flat rather than trying to short every spike.
Options or exotic derivatives before mastering the base system	Time decay, hidden leverage, and complex Greeks can overwhelm the signal edge.	Master the spot workflow first.
Strategy overload	Too many systems lead to fatigue, contradiction, and poor execution.	Run one primary playbook well.
Revenge sizing after a big win or loss	Emotion contaminates position size faster than it contaminates chart reading.	Keep fixed risk buckets and preapproved ladders.

Hidden costs and the spot-first discipline

- Commissions, spreads, and slippage.
- Funding, margin interest, and liquidation penalties if you use derivatives.
- Withdrawal, transfer, and FX friction between venues.
- Taxes and record-keeping burden.
- Opportunity cost from impulsive chasing after missing a signal.

For many users, a spot-first workflow is the cleanest way to let a weekly edge matter. Hidden carrying costs can ruin good timing.

Directional-filter workflow

1. Identify the current weekly regime on XRP: bottom-side confirmed, top-side caution, or top-side confirmed.
2. Set the macro stance for the cycle sleeve: build, hold, trim, or stand aside.
3. If you also trade lower timeframes, only take trades that agree with that weekly stance.
4. If non-XRP RISK is elevated, reduce the size and aggressiveness of fresh alt exposure.
5. Return to the written ladder. The weekly signal defines the bias; your process defines the exact implementation.

Weekly operating rhythm

- Weekly review: check whether any new MAJOR, RADAR, RISK, or LIGHT event confirmed at the close.
- Bias log: write the current weekly stance in one sentence.
- Plan update: confirm your next add, trim, and exit levels before the next week begins.
- Session planning: if you also trade lower timeframes, map only the setups that agree with the weekly bias.
- Execution: only change exposure for reasons that already exist in the written playbook.
- Post-action note: capture screenshots and the reason for every size change.

8. Settings guide - Recommended setup and defaults

The indicator is designed to be usable with defaults. The safest first-use approach is to keep the base workflow simple, turn on only the outputs your written playbook uses, and judge the indicator on confirmed weekly closes.

Recommended first-use defaults

- Use BITSTAMP:XRPUSD on the 1W chart with regular candles.
- Keep the default core workflow intact on first use.
- Keep the core top-side alert pair active, and add optional bottom or heads-up layers only if your written playbook calls for them.
- Leave purely visual settings for later. Alerts and workflow matter more than cosmetics.

What affects your weekly workflow

- Workflow-related toggles and optional layers can affect what appears on the chart and which alerts are relevant to your playbook.
- Visual settings change presentation, not the underlying weekly operating model.
- If you review history under a different setup than the one you plan to use live, expect the chart view to differ.

How to change settings safely

- Change one thing at a time.
- Judge changes over multiple weekly closes, not one emotional week.
- If you materially change the workflow, recreate the relevant alerts so the live setup matches the current playbook.

9. Troubleshooting and FAQ

Fast troubleshooting

- If alerts are not firing, confirm that you created the alert on BITSTAMP:XRPUSD on the 1W chart, using the indicator's named condition and the correct trigger frequency for that signal type.
- If the Invite-only scripts tab is missing, confirm that access has been granted to the exact TradingView username you are using.
- If labels look odd, confirm BITSTAMP:XRPUSD, regular candles, and the intended settings.
- If you see the health banner, treat it as an operational pause or caution state, not as a hidden signal.
- If a signal class appears missing from history, confirm that its toggle is enabled and that your current settings match the settings you think you are reviewing.

Platform banners and expected behavior

- The generic TradingView caution banners around log scale or repainting are platform notices, not proof that the confirmed weekly outputs are broken.
- EARLY is allowed to change until the weekly close by design. Confirmed weekly-close outputs are the stable record.
- TradingView alerts are server-side. That means they can continue working even when your browser or app is not open, provided the alert is live on their servers.

Frequently asked questions

I only day-trade. Why should I care about a weekly signal?

Because the weekly signal defines the tide. It helps you avoid fighting the larger cycle, reduces over-trading, and can improve selectivity even if your actual entries happen on lower timeframes.

Does the indicator repaint?

Confirmed weekly-close labels are anchored to the weekly close. EARLY is the exception by design: it is a heads-up layer that can disappear if weekly conditions do not confirm.

Do I need anything beyond the labels, alerts, and written playbook?

No. For most customers, the indicator is meant to be used through its labels, alerts, and weekly playbook rather than a complicated workflow.

Can I use it on lower timeframes?

No. The indicator is designed around the 1-week chart, and canonical XRP signals should be run on BITSTAMP:XRPUSD. Lower-timeframe use is off-label and other XRP venues are not the canonical signal host.

What if I miss a MAJOR BOTTOM?

Do not turn one missed entry into emotional chasing. Either use a smaller staged plan, wait for a valid optional RADAR BOTTOM add if your playbook includes it, or accept the miss and wait for the next high-quality cycle opportunity.

What is the difference between MAJOR and RADAR?

Both are close-confirmed weekly labels used in the written workflow. Keep both top-side alerts active, use MAJOR BOTTOM as the clean bottom anchor, and use RADAR BOTTOM only if your plan includes it.

Should trading with this indicator feel stressful?

No. If it does, your size is probably too large, your plan is unclear, or you are using the wrong playbook for your temperament.

Will I keep paying AZRO after purchase?

Review the access page for the billing, update, fulfillment, and refund terms that apply to your purchase.

How long does access usually take?

Invite-only access is manually granted to the TradingView account that receives permission. If access takes materially longer than expected, contact support with the exact TradingView username used for purchase.

Can I share the script?

No. Access is personal, invite-only, and tied to the TradingView account that received permission.

Where do I get help?

Email support@azrosystems.com and include your TradingView username, chart symbol, timeframe, settings screenshot, and a description of the issue.

10. Validation, reliability, and practical limits

This handbook intentionally keeps validation at the operating level. It is designed to help you judge repeatability, discipline, and practical usefulness without overloading the guide with internal implementation detail.

What validation is meant to show

- Whether the weekly workflow behaves consistently enough to support written playbooks.
- Whether the indicator improves clarity at major cycle turns and risk-management windows.
- Whether the workflow remains usable across different historical conditions without depending on perfect execution.

How to judge it as a customer

- Whether the labels and alerts remain clear on the weekly chart.
- Whether the workflow reduces emotional decisions at tops, bottoms, and de-risking points.
- Whether the signals are usable inside a written exposure plan, not just interesting in hindsight.
- Whether the indicator remains practical when market behavior becomes noisy or extreme.

Validation limits

- All historical examples are hypothetical and sensitive to execution quality, fees, slippage, venue choice, and user behavior.
- Weekly-close systems are designed to improve process quality, not to call the exact tick.
- Past performance, examples, or historical behavior do not guarantee future results.

Validated test frame and customer tear-sheet

This tear-sheet is built to answer what a serious user should know before trusting the workflow: what printed, what followed, how the main long-only cycle models behaved, how weekly label dates map to executable dates, and whether optional RADAR-bottom adds improved or diluted results. The tables stay intentionally output-level. They show observable chart behavior without exposing internal scoring, thresholds, or logic design.

Item	Value
Canonical host and timeframe	BITSTAMP:XRPUSD on the 1W chart.
Chart coverage used in this cut	2013-07-29 to 2026-03-02 (last confirmed weekly close in this cut).
Stable signal window used for summary counts	2016-07-18 to 2026-03-02, once the full weekly history needed for stable confirmations is available on the canonical host.
Common closed workflow window used for the main backtests	2016-12-12 next open to 2025-07-21 next open.
Dating convention used in the trade tables	Signal week = the date stamped on the labeled weekly bar. Execution week = the next weekly open after a close-confirmed signal.
Defaults represented here	Soft-confirm ON, RADAR Top ON, RADAR Bottom ON, LIGHT OFF, XRP Risk active, weekly-close workflow.
What is measured	Output coverage, forward close outcomes, 26-week excursion behavior, closed-cycle workflow models, top-side sequencing, and simple reserve-capital add studies.
What is not measured	Leverage, derivatives, taxes, fees, slippage, discretionary overrides, or unpublished internal design logic.

Signal-week dating vs next-open execution

Weekly labels are stamped on the weekly bar's opening date, but confirmation occurs at that week's close. The trade tables therefore show two dates whenever execution matters: the signal week that appears on the chart and the next-open execution week that a customer could actually trade. Example: the 2025 RADAR TOP is labeled on the 2025-07-14 weekly bar and becomes executable at the 2025-07-21 weekly open.

Historical output coverage (default operating setup)

Coverage below uses the canonical weekly host only. LIGHT remains outside the primary trust-sheet because it is OFF by default and designed as a local timing/context aid, not the core confirmation family.

Output family	Count	First print	Most recent print
Any confirmed bottom	14	2016-12-05	2026-02-16
MAJOR BOTTOM	4	2016-12-05	2026-02-02
RADAR BOTTOM	10	2017-01-02	2026-02-16
Any confirmed top	3	2018-01-01	2025-07-14
MAJOR TOP	2	2018-01-01	2021-05-03
RADAR TOP	1	2025-07-14	2025-07-14
XRP RISK	4	2017-12-18	2025-07-14

Forward outcome profile (default operating setup)

Forward outcomes are measured from the signal-week close to future weekly closes. Medians are used instead of simple averages because XRP is fat-tailed and a few explosive regimes can dominate means. Hit rates are direction-aware: for bottoms the expected direction is up; for tops and XRP RISK the expected direction is down.

Signal family	Signals	Median 4W	Median 13W	Median 26W	Median 52W	26W / 52W hit
Any confirmed bottom	14	+13.3%	+37.2%	+404.1%	+249.8%	92% / 91%
MAJOR BOTTOM	4	+0.8%	+3.6%	+66.9%	+249.8%	100% / 100%
RADAR BOTTOM	10	+24.4%	+81.7%	+471.7%	+318.8%	89% / 88%
Signal family	**Signals**	**Median 4W**	**Median 13W**	**Median 26W**	**Median 52W**	**26W / 52W hit**
Any confirmed top	3	-38.3%	-49.2%	-42.4%	-74.9%	100% / 100%
MAJOR TOP	2	-54.3%	-65.6%	-51.6%	-74.9%	100% / 100%
RADAR TOP	1	-10.6%	-30.8%	-42.4%	—	100% / —
XRP RISK	4	+2.9%	-34.2%	-29.2%	-44.1%	100% / 100%

26-week excursion profile

Excursion statistics answer a different question than forward returns: not just whether the signal was directionally useful, but how much room XRP still had to move against the signal before the larger move developed. That is the practical reality customers need for sizing, patience, and expectations.

Signal family	Signals	Median best 26W move	Median 26W move against signal	Worst 26W move against signal
Any confirmed bottom	14	+575.6%	-10.6%	-55.5%
MAJOR BOTTOM	4	+92.8%	-13.7%	-55.5%
RADAR BOTTOM	10	+593.5%	-9.4%	-50.0%
Any confirmed top	3	+201.3%	+5.6%	+11.0%
XRP RISK	4	+124.7%	+38.1%	+226.8%

Main workflow backtests (default operating setup)

The primary long-only workflows below use the canonical weekly host, signal-week dating, and next-open execution. No leverage, no fees, no taxes, and no slippage are assumed. The base models deploy at MAJOR BOTTOM only. Separate reserve-capital add studies are shown later because “all-in at MAJOR BOTTOM” and “add more on RADAR BOTTOM” are different capital plans.

Model	Gross multiple	CAGR	Max drawdown	Exposure	Closed swings	Win rate	Median swing multiple
All-in MAJOR BOTTOM -> first confirmed top	42,859.5x	+245.4%	-63.8%	61.5%	3	100.0%	10.4x
All-in MAJOR BOTTOM -> first serious top-side alert	10,445.5x	+193.1%	-63.8%	53.0%	3	100.0%	9.2x
All-in MAJOR BOTTOM -> trim 25% at first RISK, exit balance at first confirmed top	32,841.3x	+234.9%	-63.8%	61.5%	3	100.0%	10.1x

Model	Gross multiple	CAGR	Max drawdown	Exposure	Closed swings	Win rate	Median swing multiple
Buy & hold benchmark (same closed window)	512.1x	+106.5%	-94.6%	100.0%	—	—	—

In this historical cut, the strongest closed-window gross-return and CAGR result came from the cleanest workflow: all-in at MAJOR BOTTOM and full exit at the first confirmed top-side label (MAJOR TOP or RADAR TOP). The serious-alert model exited earlier and held more cash, while a modest 25% RISK trim preserved most of the capture but still trailed the no-trim confirmed-top model.

Closed-cycle trade ledger for the main capture model

The ledger below is for the main capture model because it is the cleanest reference study and it resolves the dating question directly: signal weeks are the labeled bars; execution weeks are the next weekly opens.

Entry signal week	Entry next open	First RISK signal → next open	Final top signal → next open	Exit trigger	Gross return	Weeks	Max interim DD
2016-12-05	2016-12-12	2017-12-18 → 2017-12-25	2018-01-01 → 2018-01-08	MAJOR TOP	+40798.7%	55w	-55.5%
2020-03-16	2020-03-23	2021-04-05 → 2021-04-12	2021-05-03 → 2021-05-10	MAJOR TOP	+941.9%	59w	-1.7%
2022-06-06	2022-06-13	2024-12-02 → 2024-12-09	2025-07-14 → 2025-07-21	RADAR TOP	+905.8%	162w	-16.4%

Top-side sequencing: how early RISK appeared before the final confirmed top

RISK deserves full respect as a serious top-side alert, but the historical spacing between the first RISK week and the final confirmed top varied materially across cycles. That is why the handbook treats RISK as a serious action prompt without pretending it always lands on the exact final weekly high.

Cycle start	First RISK week	Final top week	Weeks between	Move from RISK open to final-top open
2016-12-05	2017-12-18	2018-01-01	2w	+171.9%
2020-03-16	2021-04-05	2021-05-03	4w	+13.7%
2022-06-06	2024-12-02	2025-07-14	32w	+32.7%

Optional RADAR-bottom add study (separate reserve capital)

Because the main workflow is all-in at MAJOR BOTTOM, any RADAR-bottom add study requires separate reserve capital. The table below tests simple reserve overlays on the same closed window. In this historical cut, reserve adds modestly improved drawdown control but did not beat the no-add baseline on total-capital gross multiple or CAGR. That is exactly why RADAR BOTTOM should remain optional rather than mandatory.

Reserve-add model	Reserve kept aside	Gross multiple	CAGR	Max drawdown	Exposure	Avg adds used
No reserve add baseline	0%	42,859.5x	+245.4%	-63.8%	61.5%	0.0
+25% reserve, max 1 RADAR add	25.0%	36,867.4x	+239.4%	-61.4%	61.5%	1.0
+25% reserve, max 2 RADAR adds	50.0%	30,413.3x	+231.9%	-58.1%	61.5%	1.7

How to read the tear-sheet correctly

- Signal week and next-open execution week are intentionally shown separately. The 2025 RADAR TOP example is labeled on the 2025-07-14 weekly bar and becomes executable at the 2025-07-21 weekly open.

- The primary comparison focuses on closed cycles through the 2025 RADAR TOP exit. A new MAJOR BOTTOM printed on 2026-02-02; next-open entry 2026-02-09; mark-to-cut through the 2026-03-02 confirmed weekly close was -6.3% with -11.1% worst interim drawdown to date.
- The “MAJOR BOTTOM -> MAJOR TOP only” model is not the primary trust anchor because the latest completed cycle resolved on RADAR TOP rather than MAJOR TOP.
- RISK can be the actual top week, but historically it also appeared before the final confirmed top and should be understood as a serious action prompt rather than a promise of the exact final tick.
- Optional RADAR-bottom adds were mixed on deployed-capital efficiency; the MAJOR BOTTOM entry remained the primary performance engine in this cut.
- This section intentionally stays output-level so customers can judge behavior and discipline without being given internal thresholds or logic design.

11. Resources, support, and TradingView help

Use the live links below for access, support, and TradingView help articles that matter most to real customers.

Resource	Link
Indicator page	https://www.tradingview.com/script/4M3OWBpz-AZRO-Systems-XRP-Top-Bottom-Indicator-Invite-Only/
Product / access page	https://azrosystems.gumroad.com/l/kuvbu
TradingView alerts overview	https://www.tradingview.com/support/solutions/43000520149-introduction-to-tradingview-alerts/
How to set up alerts	https://www.tradingview.com/support/solutions/43000595315-how-to-set-up-alerts/
Webhook alerts	https://www.tradingview.com/support/solutions/43000529348-how-to-configure-webhook-alerts/
Private invite-only scripts	https://www.tradingview.com/support/solutions/43000615189-private-invite-only-scripts/
Will alerts work if TradingView is closed?	https://www.tradingview.com/support/solutions/43000548327-will-alerts-work-if-tradingview-is-not-open-on-the-computer/

Support request checklist

- Your TradingView username.
- The exact symbol and timeframe.
- A screenshot of the chart and settings.
- The name of the alert condition that did or did not fire.
- A short description of what you expected to happen.

12. Risk disclosure statement

- Digital-asset markets are volatile and can move with extreme speed. You can lose all or substantially all of your capital.
- Past performance, examples, historical behavior, or backtest snapshots do not guarantee future results.
- Backtests and hypothetical comparisons do not fully capture liquidity, slippage, taxes, psychology, infrastructure failure, or user configuration error.
- Leverage and derivatives can magnify losses. Many users are better served by spot-only implementation while learning.
- Trading rules, data sources, and platform behavior can be affected by outages, exchange disruptions, regulatory actions, or structural market shifts.
- Nothing in this pack, the indicator, or related communications is personalized financial, investment, legal, or tax advice.

13. Privacy policy

AZRO Systems may need limited customer information to fulfill access and support, such as name, email, TradingView username, and payment confirmation data supplied through the payment processor.

The purpose of collection is straightforward: fulfill access, maintain invite-only permissions, provide support, communicate material indicator updates, and comply with legal or payment obligations.

AZRO Systems does not take custody of exchange funds, does not trade customer accounts, and does not need access to balances or API keys in order to grant indicator access.

Customer information should not be sold. Third-party processors may handle payment, product delivery, chart access, or email delivery as part of normal operations.

If you contact support, the submitted screenshots, emails, and issue descriptions may be retained as needed to resolve the issue, maintain service records, and enforce agreements.

Customers should review the current product page and payment processor terms for the latest billing and privacy details.

Privacy contact

For privacy questions or customer-support issues, contact support@azrosystems.com.

14. Terms of service summary

- Access is provided as an invite-only TradingView script tied to the TradingView account that receives permission.
- The customer receives a personal, non-transferable, revocable license to use the indicator for their own charting and analysis.
- You may not resell, sublicense, redistribute, or publish the script or documentation without permission.
- Access is personal and tied to the approved TradingView account. Sharing or reposting paid materials is not allowed.
- Billing, updates, refunds, and access fulfillment are governed by the current product/access page and the payment processor's policies. Review them carefully before purchase.
- Violation of the license terms can result in access revocation.

Practical note

The live product/access page and payment processor remain the right place to confirm the current billing, updates, refund, and fulfillment terms before purchase.

15. Master disclaimer and notices

Educational use only

The indicator, documentation, examples, and communications are provided for informational and educational use only. They are not recommendations, solicitations, or a promise of results.

No personalized advice

Nothing in the pack accounts for your objectives, financial situation, tax position, or legal constraints. You are responsible for suitability and for obtaining qualified professional advice where needed.

No custody and no trade execution

AZRO Systems provides software and documentation. It does not take custody of customer funds, direct customer accounts, or guarantee the behavior of any third-party bridge, broker, exchange, or charting platform.

Third-party platform risk

Signals, alerts, data, and automation may depend on TradingView, exchanges, webhooks, bridges, email delivery, mobile notification services, or other external services that can fail, change, or delay.

Hypothetical performance warning

Any example returns, charts, or strategy comparisons are hypothetical. They do not reflect actual customer accounts, and they may understate real-world friction or implementation error.

Warranty and liability

The indicator is provided as-is and as-available. To the maximum extent permitted by law, AZRO Systems is not liable for trading losses, missed trades, delayed alerts, opportunity costs, or damages resulting from platform issues, data issues, user configuration, or market events.

Intellectual property

The indicator, documentation, and brand materials remain the property of AZRO Systems. All rights not expressly granted are reserved.

End of pack.