

SSM整合

鸣谢：黑马程序员



黑马程序员SSM框架教程_Spring+SpringMVC+Maven高级+SpringBo...

UP 黑马程序员 · 2022-4-20

一、SSM整合流程

1. 创建工程

2. SSM整合


- Spring: `SpringConfig`
- SpringMVC:
 - `ServletConfig`
 - `SpringMvcConfig`
- MyBatis:
 - `MyBatisConfig`
 - `JdbcConfig`
 - `jdbc.properties`

3. 功能模块

- 表与实体类
- dao (接口+自动代理)
- service (接口+实现类)：业务层接口测试 (整合 `JUnit`)

- controller: 表现层接口测试 (Postman)

二、config包——配置类



1. jdbc.properties + JdbcConfig

- jdbc.properties:

```
1 jdbc.driver=com.mysql.cj.jdbc.Driver  
2 jdbc.url=jdbc:mysql://localhost:3306/ssm_db  
3 jdbc.username=root  
4 jdbc.password=123456
```

- JdbcConfig:

```

1 package com.zsh.config;
2
3 import com.alibaba.druid.pool.DruidDataSource;
4 import org.springframework.beans.factory.annotation.Value;
5 import org.springframework.context.annotation.Bean;
6
7 import javax.sql.DataSource;
8
9 public class JdbcConfig {
10
11     @Value("${jdbc.driver}")
12     private String driver;
13     @Value("${jdbc.url}")
14     private String url;
15     @Value("${jdbc.username}")
16     private String username;
17     @Value("${jdbc.password}")
18     private String password;
19
20     @Bean
21     public DataSource dataSource(){
22         DruidDataSource dataSource=new DruidDataSource();
23         dataSource.setDriverClassName(driver);
24         dataSource.setUrl(url);
25         dataSource.setUsername(username);
26         dataSource.setPassword(password);
27         return dataSource;
28     }
29 }

```

2. MyBatisConfig

```

1 package com.zsh.config;
2
3 import org.mybatis.spring.SqlSessionFactoryBean;
4 import org.mybatis.spring.mapper.MapperScannerConfigurer;
5 import org.springframework.context.annotation.Bean;
6
7 import javax.sql.DataSource;
8

```

```

9 public class MyBatisConfig {
10
11     @Bean
12     public SqlSessionFactoryBean sqlSessionFactoryBean(DataSource
dataSource){
13         SqlSessionFactoryBean factoryBean=new SqlSessionFactoryBean();
14         factoryBean.setDataSource(dataSource);
15         factoryBean.setTypeAliasesPackage("com.zsh.domain");
16         return factoryBean;
17     }
18
19     @Bean
20     public MapperScannerConfigurer mapperScannerConfigurer(){
21         MapperScannerConfigurer msc=new MapperScannerConfigurer();
22         msc.setBasePackage("com.zsh.dao");
23         return msc;
24     }
25 }

```

3. SpringConfig

```

1 package com.zsh.config;
2
3 import org.springframework.context.annotation.ComponentScan;
4 import org.springframework.context.annotation.Configuration;
5 import org.springframework.context.annotation.Import;
6 import org.springframework.context.annotation.PropertySource;
7
8 @Configuration
9 @ComponentScan({"com.zsh.service"})
10 @PropertySource("jdbc.properties")
11 @Import({MyBatisConfig.class, JdbcConfig.class})
12 public class SpringConfig {
13 }

```

4. SpringMvcConfig

```
1 package com.zsh.config;
2
3 import org.springframework.context.annotation.ComponentScan;
4 import org.springframework.context.annotation.Configuration;
5 import org.springframework.web.servlet.config.annotation.EnableWebMvc;
6
7 @Configuration
8 @ComponentScan("com.zsh.controller")
9 @EnableWebMvc
10 public class SpringMvcConfig {
11 }
```

5. ServletConfig

```
1 package com.zsh.config;
2
3 import org.springframework.web.filter.CharacterEncodingFilter;
4 import
5     org.springframework.web.servlet.support.AbstractAnnotationConfigDispatche
6     herServletInitializer;
7
8 import javax.servlet.Filter;
9
10 public class ServletConfig extends
11     AbstractAnnotationConfigDispatcherServletInitializer {
12
13     @Override
14     protected Class<?>[] getRootConfigClasses() {
15         return new Class[]{SpringConfig.class};
16     }
17
18     @Override
19     protected Class<?>[] getServletConfigClasses() {
20         return new Class[]{SpringMvcConfig.class};
21     }
22
23     @Override
24     protected String[] getServletMappings() {
```

```
21         return new String[]{"/*"};
22     }
23
24     // POST请求中文乱码处理：设置过滤器
25     @Override
26     protected Filter[] getServletFilters() {
27         CharacterEncodingFilter filter=new CharacterEncodingFilter();
28         filter.setEncoding("UTF-8");
29         return new Filter[]{filter};
30     }
31 }
```
