

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	12-08-2025 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	12-08-2025 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Chandigarh
विभाग का नाम/Department Name	Education Department Chandigarh
संगठन का नाम/Organisation Name	Government Medical College And Hospital
कार्यालय का नाम/Office Name	Sector 32, Chandigarh
कुल मात्रा/Total Quantity	37305
वस्तु श्रेणी /Item Category	Managed Layer 3 10 Gig 48 Ports with 4X40G slash 100G uplink Ports 2x hot swappable load sharing power supplies , Managed Layer 3, 24 Port 1 Slash 10G SFP Plus Ports, 4x 100G uplinks Ports , Managed Layer 2 24x1G Copper Ports with 4 x 10G SFP Plus Ports , 10G Multimode Transceiver , 10G Singlemode Transceiver , 1G copper transceiver , 6 Core Multimode Optical Fiber Cable , 96 Fiber Rack Mount LIU Loaded with LC Adapter and LC Pigtails Multimode , 6 Fiber Rack Mount LIU Loaded with LC Adapter and LC Pigtails Multimode , LC-LC Multimode Fiber Patch Cord - 3 Meter , 6 Core Singlemode OS2 Optical Fiber Cable , 48 Fiber Rack Mount LIU Loaded with LC Adapter and LC Pigtails Singlemode , 6 Fiber Rack Mount LIU Loaded with LC Adapter and LC Pigtails Singlemode , LC-LC Singlemode Fiber Patch Cord - 3 Meter , Cat6 UTP Cable 305 Meter Box , Cat6 24 Port Patch Panel - unloaded , Cat6 Information Outlet - Jack for Patch Panel , Cat6 Information Outlet - Jack for End User , Face Plate , Surface Mount Box , Cat 6 UTP Patch Cord - 1 meter , Cat 6 UTP Patch Cord - 3 meter , 42U Floor Standing Rack 800 x 1000 mm with Accessories , 15U Wall Mount Rack 600mm depth with Accessories , PLB HDPE Pipe 40 x 33mm , 1.5inch PVC Conduit ISI - LMS , Laying of PVC Conduit 1.5inch , Laying of Fiber , Laying of HDPE Pipe 40 x 33mm , Treanchless digging though HDD machine , Splicing of Pigtail , Fixing and Termination of Patch Panel Cat6 , Fixing of Rack , Laying of UTP Cable , Termination of I Slash O , Termination of Patch Panel , Penta Scanning of UTP Nodes , OTDR of Fiber, Per Core , Installation and Configuration of Switches , 3 years CAMC of active components and modules

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	<p>Managed Layer-3, 10 Gig 48 Ports, Managed Layer-3, 24 Port 1/10G, Managed Layer-2 24x1G Copper Ports, 10G Multimode Transceiver, 10G Singlemode Transceiver, 1G copper transceiver, 6 Core Multimode Optical Fiber Cable, 96 Fiber Rack Mount, 6 Fiber Rack Mount LIU Loaded, LC-LC Multimode Fiber Patch Cord, 6 Core Singlemode OS2 Optical Fiber Cable, 48 Fiber Rack Mount LIU Loaded, 6 Fiber Rack Mount LIU Loaded, LC-LC Singlemode Fiber Patch Cord - 3 Meter, Cat6 UTP Cable 305 Meter Box, Cat6 24 Port Patch Panel - unloaded , Cat6 Information Outlet - Jack for End User, Face Plate, Surface Mount Box, Cat 6 UTP Patch Cord - 1 meter, Cat 6 UTP Patch Cord - 3 meter, 42U Floor Standing Rack (800 x 1000 mm) with Accessories, 15U Wall Mount Rack 600mm depth with Accessories , PLB HDPE Pipe 40 x 33mm, 1.5" PVC Conduit (ISI) - LMS, Laying of PVC Conduit 1.5", Laying of Fiber, Laying of HDPE Pipe (40 x 33mm), Treanchless digging though HDD machine, Splicing of Pigtail, Fixing &amp; Termination of Patch Panel Cat6, Fixing of Rack, Laying of UTP Cable, Termination of I/O, Termination of Patch Panel, Penta Scanning of UTP Nodes, OTDR of Fiber, Per Core, Installation &amp; Configuration of Switches, 3 years CAMC of active components and modules</p>
	<p><b>Searched String:</b> Managed Layer-3, 10 Gig 48 Ports</p> <p>Layer 3 - Access Switch, Layer 2 Access Switch (V2), Layer - 3 Distribution Switch</p> <p><b>Searched String:</b> Managed Layer-3, 24 Port 1/10G</p> <p>Layer 3 - Access Switch, Layer 2 Access Switch (V2), Fluorescent Lamps (Fluorescent Tubular Lamps) as per IS 2418 (Part 1, 2, 3 and 4), Layer - 3 Distribution Switch, Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, Line Interactive UPS with AVR (V2), Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, Cat 6 Patch cord, shoes school pvc boys girls, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694</p> <p><b>Searched String:</b> Managed Layer-2 24x1G Copper Ports</p> <p>Layer 2 Access Switch (V2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Layer 3 - Access Switch, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Layer - 3 Distribution Switch, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Database Management System Software (V2), Port Fast Ethernet PoE Switch with 2 Gigabit Uplink</p> <p><b>Searched String:</b> 10G Multimode Transceiver</p> <p>Analog Transceiver - Handheld, Desktop Computers, Analog Transceiver - Mobile, Small Form - Factor Pluggable Transceiver, water baths, Very high frequency marine transceiver, Foot Operated Pedal Bin or Bucket for Bio -</p>

बिड विवरण/Bid Details	Medical Waste Collection, VHF Handheld Air Band Transceiver, Waste Containers and Accessories - Domestic (V2), Topramezone 10g/l + Atrazine 300g/l SC (Suspension Concentrate)
	<p><b>Searched String:</b> 10G Singlemode Transceiver</p> <p>Analog Transceiver - Handheld, Desktop Computers, Analog Transceiver - Mobile, Small Form - Factor Pluggable Transceiver, water baths, Very high frequency marine transceiver, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, VHF Handheld Air Band Transceiver, Waste Containers and Accessories - Domestic (V2), Topramezone 10g/l + Atrazine 300g/l SC (Suspension Concentrate)</p> <p><b>Searched String:</b> 1G copper transceiver</p> <p>Analog Transceiver - Handheld, Nitrile Coated/Nitrile Hand Gloves (V2), Analog Transceiver - Mobile, Small Form - Factor Pluggable Transceiver, BOD Incubator, Very high frequency marine transceiver, Multipara Monitor - Low End, VHF Handheld Air Band Transceiver, Nitrile Coated Hand Gloves, Digital Handheld Transceiver Set (HANDHELD RADIO)</p> <p><b>Searched String:</b> 6 Core Multimode Optical Fiber Cable</p> <p>ADSS Optical Fiber Cable (Defence), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Splice Closure for Optical Fiber Cables, Fiber Optics Trainer Kit For Educational Purpose, Splice Closure for Optical Fiber Cables (V2) (Suitable For Non-Ribbon Fibre Splicing) As Per TEC Specification, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cables suitable for CCTV System (Accessories), PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1)</p> <p><b>Searched String:</b> 96 Fiber Rack Mount</p> <p>Fiber Optic Patch Panels, Rack Mountable, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), IP Based KVM Switch</p> <p><b>Searched String:</b> 6 Fiber Rack Mount LIU Loaded</p> <p>Fiber Optic Patch Panels, Rack Mountable, Fibre Patch Panel (LIU)</p> <p><b>Searched String:</b> LC-LC Multimode Fiber Patch Cord</p> <p>Fiber Optic Patch Cord, Optical Fiber Patch Cord (PGCIL), Fiber Optic Patch Panels, Rack Mountable</p> <p><b>Searched String:</b> 6 Core Singlemode OS2 Optical Fiber Cable</p> <p>ADSS Optical Fiber Cable (Defence), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Splice Closure for Optical Fiber Cables, Splice Closure for Optical Fiber Cables (V2) (Suitable For Non-Ribbon Fibre Splicing) As Per TEC Specification, PVC Insulated Copper</p>

बिड विवरण / Bid Details	Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cables suitable for CCTV System (Accessories), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Flat Cable, Aluminium Conductor with PVC Insulation and Sheath as per IS 694, Multicore Cable as per IS 694
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p><b>Searched String:</b> 48 Fiber Rack Mount LIU Loaded</p> <p>Fiber Optic Patch Panels, Rack Mountable, Fibre Patch Panel (LIU)</p> <p><b>Searched String:</b> 6 Fiber Rack Mount LIU Loaded</p> <p>Fiber Optic Patch Panels, Rack Mountable, Fibre Patch Panel (LIU)</p> <p><b>Searched String:</b> LC-LC Singlemode Fiber Patch Cord - 3 Meter</p> <p>Fiber Optic Patch Cord, Fiber Optic Patch Panels, Rack Mountable</p> <p><b>Searched String:</b> Cat6 UTP Cable 305 Meter Box</p> <p>Electrical Box Extension (V3), Cat 6 Cable for Indoor Use, Cables suitable for CCTV System (Accessories), Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL)</p> <p><b>Searched String:</b> Cat6 24 Port Patch Panel - unloaded</p> <p>Fiber Optic Patch Panels, Rack Mountable, Fibre Patch Panel (LIU), Cat 6 Patch Panel (V2)</p> <p><b>Searched String:</b> Cat6 Information Outlet - Jack for Patch Panel</p> <p>CAT 6 Information outlet, Cat 6 Patch Panel (V2), Modular Toilet, Fiber Optic Patch Panels, Rack Mountable</p> <p><b>Searched String:</b> Cat6 Information Outlet - Jack for End User</p> <p>CAT 6 Information outlet, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Modular Toilet</p> <p><b>Searched String:</b> Face Plate</p> <p>Face Wash, Sofa Set (Steel Tube), Face Shield, Surgical isolation Faceshield, Face Masks-Handicraft, Rubberized Weight Plates, Face Shield Cover, Reusable / Washable Cloth Face Mask, Anatomical Face Mask, Laboratory Hot plate</p> <p><b>Searched String:</b> Surface Mount Box</p> <p>Catheter Mount, Electrical Box Extension (V2), Wall Mount Thermometer, Stainless Steel Benches (RDSO Specification), Industrial Tempura Mount Socket, Surface Resistivity Meter, Digital water level recorder, Surface Profile Gauge, Box File, Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555</p> <p><b>Searched String:</b> Cat 6 UTP Patch Cord - 1 meter</p>

बिड विवरण / Bid Details	Cat 6 Patch cord, Cat 6 Patch Panel (V2), D and C Set, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), Cat 6 Cable for Indoor Use, Cables suitable for CCTV System (Accessories), Cellophane paper, Sofa Sets - Handcrafted, CAT 6 Cable for Outdoor, Electrical Box Extension (V3)
	<p><b>Searched String:</b> Cat 6 UTP Patch Cord - 3 meter</p> <p>Cat 6 Patch cord, Cat 6 Patch Panel (V2), D and C Set, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), Cat 6 Cable for Indoor Use, Cables suitable for CCTV System (Accessories), Cellophane paper, Fiber Optic Patch Cord, Sofa Sets - Handcrafted, CAT 6 Cable for Outdoor</p> <p><b>Searched String:</b> 42U Floor Standing Rack (800 x 1000 mm) with Accessories</p> <p>Drawing Trussels / Drawing Board Stand</p> <p><b>Searched String:</b> 15U Wall Mount Rack 600mm depth with Accessories</p> <p>taps or valves of nonferrous metals, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Bathroom Water Shower (V2)</p> <p><b>Searched String:</b> PLB HDPE Pipe 40 x 33mm</p> <p>Polyethylene Pipes for Water Supply, Parallel Bar - Outdoor Gym Equipment, Prelaminated MDF Board, Modular Toilet, Commercial CPVC Pipe Fittings, Waste Pipe, Commercial PPR Pipes Fittings as per IS 15801, Theft Proof Rifle Racks, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Equipment Camouflage Nets (Jute)</p> <p><b>Searched String:</b> 1.5" PVC Conduit (ISI) - LMS</p> <p>PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, shoes school pvc boys girls, VGA Cable, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)</p> <p><b>Searched String:</b> Laying of PVC Conduit 1.5"</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Laying of Fiber</p> <p>Cluster Outsourcing for Maintenance of Landline and Broadband network – OFC Network, Dark Fiber Lease Service - Kilometer Based, Dark Fiber Lease Service - Point to Point Based, Electric Cabling Service, Hiring of POS (point-of-sale) Devices, Hiring of Boats, Hiring of Vessels, Selection of Laboratories for Testing of Products/Material, Mine Development and Operation Service- Lumpsum Based, Mine Development &amp; Operations Service(MDO)</p>

बिड विवरण/Bid Details	<b>Searched String:</b> Laying of HDPE Pipe (40 x 33mm)
	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Treanchless digging though HDD machine</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Splicing of Pigtail</p> <p>Hiring of POS (point-of-sale) Devices, Hiring of Boats, Hiring of Vessels, Selection of Laboratories for Testing of Products/Material, Mine Development and Operation Service- Lumpsum Based, Mine Development &amp; Operations Service(MDO), Hiring of custom Broker - Per Bill of Entry based, Hiring of Helicopter Service, Hiring of Chartered Aircrafts, Leasing In of Assets</p> <p><b>Searched String:</b> Fixing &amp; Termination of Patch Panel Cat6</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Fixing of Rack</p> <p>Hiring of POS (point-of-sale) Devices, Hiring of Boats, Hiring of Vessels, Selection of Laboratories for Testing of Products/Material, Mine Development and Operation Service- Lumpsum Based, Mine Development &amp; Operations Service(MDO), Hiring of custom Broker - Per Bill of Entry based, Hiring of Helicopter Service, Hiring of Chartered Aircrafts, Leasing In of Assets</p> <p><b>Searched String:</b> Laying of UTP Cable</p> <p>Electric Cabling Service, Cluster Outsourcing for Maintenance of Landline and Broadband network – OFC Network, Cluster Outsourcing for Maintenance of Landline and Broadband network Copper wire</p> <p><b>Searched String:</b> Termination of I/O</p> <p>Operation &amp; Maintenance of Data Centre Assets, NIC Empaneled MSP For O&amp;M of IT Infrastructure, Operation And Maintenance Of Substation, Operation And Maintenance Of Lifts (Elevators), Operation and Maintenance Services of Power Generator(DG-Set)</p> <p><b>Searched String:</b> Termination of Patch Panel</p> <p>Design, Supply, Installation, Commissioning and Maintenance of Grid Connected Ground Mounted Solar Power Plant Service</p> <p><b>Searched String:</b> Penta Scanning of UTP Nodes</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> OTDR of Fiber, Per Core</p> <p>Cluster Outsourcing for Maintenance of Landline and Broadband network – OFC Network, Goods Transport Service – Per MT per KM Based Service, Goods Transport Services - Per MT, Hiring of custom Broker - Per Bill of Entry</p>

बिड विवरण / Bid Details	based, Hiring of Consultants - Per Person Per Month Based, Hiring of custom broker - Per Container based, Energy Audit Service - Per Resource Per Month Based, Hiring, operation and management of ATM - per transaction based, Hiring of Earth Moving Equipments, Material Handling Equipments and Cranes (per Hour basis), Hiring of Special Purpose Mining Machines (per hour Basis)
	<p><b>Searched String:</b> Installation &amp; Configuration of Switches</p> <p>NIC Empaneled MSP For O&amp;M of IT Infrastructure, Design Installation and Maintenance of Educational Lab, Repair, Maintenance and Installation of Plant/ Systems/Equipments, Plantation Service, Hiring of Vehicle Tracking Services, Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2), Design, Supply, Installation, Commissioning and Maintenance of Grid Connected Roof Top Solar Power Plant Service, Design, Supply, Installation, Commissioning and Maintenance of Grid Connected Ground Mounted Solar Power Plant Service, Supply, Installation and Commissioning of Liquid Medical Oxygen (LMO) Storage Tank and Supply of Liquid Medical Oxygen (LMO), Office Productivity Suite</p> <p><b>Searched String:</b> 3 years CAMC of active components and modules</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• Cat 6 Patch cord</li> <li>• Fiber Optic Patch Panels, Rack Mountable</li> <li>• Layer 3 - Access Switch</li> </ul>
बीओक्यू शीर्षक / <b>BOQ Title</b>	Networking Active and Passive Components with installation
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / <b>Minimum Average Annual Turnover of the bidder (For 3 Years)</b>	298 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ <b>Years of Past Experience Required for same/similar service</b>	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ <b>MSE Exemption for Years of Experience and Turnover</b>	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Exemption for Years of Experience and Turnover</b>	No
विक्रेता से मांगे गए दस्तावेज़/ <b>Document required from seller</b>	Experience Criteria,Bidder Turnover,OEM Authorization Certificate,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ <b>Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	7
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Managed Layer 3 10 Gig 48 Ports with 4X40G slash 100G uplink Ports 2x hot swappable load sharing power supplies
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	1192333

#### ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	62

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this



Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

Director Principal  
Government Medical College and Hospital, Sector 32, Chandigarh  
(Prof. A K Attri)

**विभाजन/Splitting**

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	Yes
--	-----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM\\_No.1\\_4\\_2021\\_PPD\\_dated\\_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned

Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25 % percentage of total quantity. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

### **Managed Layer 3 10 Gig 48 Ports With 4X40G Slash 100G Uplink Ports 2x Hot Swappable Load Sharing Power Supplies**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### **तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### **परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031, Government Medical College & Hospital Sector 32, Chandigarh, 160031	2	120

### **Managed Layer 3, 24 Port 1 Slash 10G SFP Plus Ports, 4x 100G Uplinks Ports**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

## तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	18	120

### Managed Layer 2 24x1G Copper Ports With 4 X 10G SFP Plus Ports

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

## तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	66	120

### 10G Multimode Transceiver

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

**Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)****तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	276	120

**10G Singlemode Transceiver**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	36	120

**1G Copper Transceiver**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	24	120

#### 6 Core Multimode Optical Fiber Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	5500	120

## 96 Fiber Rack Mount LIU Loaded With LC Adapter And LC Pigtails Multimode

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	8	120

## 6 Fiber Rack Mount LIU Loaded With LC Adapter And LC Pigtails Multimode

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	54	120

### LC-LC Multimode Fiber Patch Cord - 3 Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	264	120

### 6 Core Singlemode OS2 Optical Fiber Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	3000	120

**48 Fiber Rack Mount LIU Loaded With LC Adapter And LC Pigtails Singlemode**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	1	120

**6 Fiber Rack Mount LIU Loaded With LC Adapter And LC Pigtails Singlemode**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.



**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	8	120

**LC-LC Singlemode Fiber Patch Cord - 3 Meter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	34	120

**Cat6 UTP Cable 305 Meter Box**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	6	120

**Cat6 24 Port Patch Panel - Unloaded**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	50	120

**Cat6 Information Outlet - Jack For Patch Panel**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	1200	120

**Cat6 Information Outlet - Jack For End User**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	40	120

**Face Plate**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	40	120

**Surface Mount Box**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	40	120

**Cat 6 UTP Patch Cord - 1 Meter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	1040	120

**Cat 6 UTP Patch Cord - 3 Meter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	40	120

**42U Floor Standing Rack 800 X 1000 Mm With Accessories**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	1	120

**15U Wall Mount Rack 600mm Depth With Accessories**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	62	120

**PLB HDPE Pipe 40 X 33mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	1500	120

**1.5inch PVC Conduit ISI - LMS**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	4200	120

**Laying Of PVC Conduit 1.5inch**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	4200	120

**Laying Of Fiber**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	8500	120

**Laying Of HDPE Pipe 40 X 33mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)



## तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	1500	120

## Trenchless Digging Though HDD Machine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

## तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	850	120

## Splicing Of Pigtail

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

**Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)****तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	1074	120

**Fixing And Termination Of Patch Panel Cat6**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	68	120

**Fixing Of Rack**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	62	120

#### Laying Of UTP Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	1830	120

## Termination Of I Slash O

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	40	120

## Termination Of Patch Panel

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	68	120

### Penta Scanning Of UTP Nodes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	40	120

### OTDR Of Fiber, Per Core

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	1476	120

**Installation And Configuration Of Switches**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031,Government Medical College & Hospital Sector 32, Chandigarh, 160031	86	120

**3 Years CAMC Of Active Components And Modules**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushil Kumar Yadav	160031, Government Medical College & Hospital Sector 32, Chandigarh, 160031	1	120

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions****1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**3. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

**4. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

- All the bidders are required to submit Bid Specific Authorization only.
- All the bidders are required to submit affidavit regarding non-blacklisting as per below mentioned Annexure I

ANNEXURE - I

AFFIDAVIT

I/We \_\_\_\_\_, (Name) contractor/partner/sole proprietor (strike out word which is not applicable) of (Firm) \_\_\_\_\_ do hereby declare and solemnly affirm to the fact that the individual firm/companies are not black listed by the Union or State Government or any partner or shareholder there of are not directly connected with or has any subsisting interests in business of my/our firm. DEPONENT Address: \_\_\_\_\_  
 I/we do hereby solemnly declare and affirm that the above declaration true and correct to the best of my knowledge and beliefs. No part of it is false and nothing has been concealed. Dated : \_\_\_\_\_ DEPONENT

(Note:- To be furnished on non-judicial stamp paper duly attested by the Oath Commissioner).

#### 5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

### अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976,**



**The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा। In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**