INSTALLARE E CONFIGURARE L'AMBIENTE IA PER IL PROGETTO GETUP

INSTALLAZIONE OLLAMA E IL MODELLO LINGUISTICO (GEMMA3:4B)

Per l'installazione in ambiente Windows 11:

```
C:\> irm https://ollama.com/install.ps1 | iex
```

Completata l'installazione di ollama e quindi recupera il modello linguistico:

```
c:\> ollama pull gemma3:4b
```

INSTALLAZIONE EMBEDDER

Sempre utilizzando ollama:

```
c:\> ollama pull mxbai-embed-large
```

A questo punto procediamo con l'installazione di Docker desktop se non è già installato:



L'installazione richiede alcuni aggiornamenti di windows in particolare l'aggiornamento di Windows Subsystem for Linux.

Per verificare il funzionamento di Docker:

```
c:\> docker run hello-world
```

AVVIO DEL SERVER CHESHIRE CAT AI

Per avviare il server:

Creiamo una cartella per il progetto:

```
c:\> mkdir getup
```

Quindi un file Docker compose con visual studio: **compose.yml**

Il contenuto del file è il seguente:

```
services:
  cheshire-cat-core:
    image: ghcr.io/cheshire-cat-ai/core:latest
    container_name: cheshire_cat_core
    ports:
      - 1865:80
      - 5678:5678
    volumes:
      - ./static:/app/cat/static
      - ./plugins:/app/cat/plugins
      - ./data:/app/cat/data
```

Per avviare il servizio:

```
C:\getup> docker compose up
```

Completato il download dell'immagine docker (solo la prima volta si avvia il server:

```
Windows PowerShell
cheshire_cat_core |            .#################  ##############    +###############
cheshire_cat_core |            .################    ###########.      .##############
cheshire_cat_core |           -##############       .############  .#############+##
cheshire_cat_core |            .#################  .############### -############ ###
cheshire_cat_core |             ################# ################+###########+ -###
cheshire_cat_core |             ####.############# ########  ################   ###
cheshire_cat_core |        ##     #### .#####################################     ###-
cheshire_cat_core |      ######    ####   #################-   .+####+-        -###.
cheshire_cat_core |        #-       -###+     -#######+.                     ####
cheshire_cat_core |                  ####-                                -####.
cheshire_cat_core |                    -####                            +#####
cheshire_cat_core |                       +#####.                  +#######          #+
cheshire_cat_core |                           -#######################             ###
cheshire_cat_core |                                   .------..                .#########
cheshire_cat_core |                                                              -###-
cheshire_cat_core |                                                               ##
cheshire_cat_core |
cheshire_cat_core |
cheshire_cat_core |
cheshire_cat_core |                 Cat REST API:   http://localhost:1865/docs
cheshire_cat_core |                 Cat ADMIN:      http://localhost:1865/admin
cheshire_cat_core |
cheshire_cat_core |
cheshire_cat_core | INFO:     Application startup complete.
cheshire_cat_core | INFO:     172.18.0.1:51118 - "GET /admin HTTP/1.1" 307 Temporary Redirect
cheshire_cat_core | INFO:     172.18.0.1:51118 - "GET /admin/ HTTP/1.1" 307 Temporary Redirect
cheshire_cat_core | INFO:     172.18.0.1:51118 - "GET /auth/login?referer=%2Fadmin%2F HTTP/1.1" 200 OK
cheshire_cat_core | INFO:     172.18.0.1:51118 - "GET /core-static/core.css HTTP/1.1" 200 OK
cheshire_cat_core | INFO:     172.18.0.1:51128 - "GET /core-static/auth/auth.css HTTP/1.1" 200 OK
cheshire_cat_core | INFO:     172.18.0.1:51138 - "GET /core-static/img/logo.svg HTTP/1.1" 200 OK
cheshire_cat_core | INFO:     172.18.0.1:51128 - "GET /favicon.ico HTTP/1.1" 404 Not Found

v View in Docker Desktop   o View Config   w Enable Watch   d Detach
```

Il client è disponibile all'indirizzo:

http://localhost:1865/admin

Login e password: admin:admin oppure, con privilegi ridotti: user:user


Login
localhost:1865/auth/login?referer=%2Fadmin%2F
Riepiloga
Chat
Cheshire Cat AI
Username
Password
Login
Default users included out of the box:
admin:admin
user:user
Change their passwords after initial login as admin.