

dhruv@kali: ~/Documents/Test/token

```
File Actions Edit View Help
your configuration file:
git config --global --edit

After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author

1 file changed, 2 insertions(+)

dhruv@kali:~/Documents/Test/token]$ echo "Line 4">>Devops.txt

dhruv@kali:~/Documents/Test/token]$ git commit -am "Recommit line 4"
[master 53543fb] Recommit line 4
Committer: Dhruv Sapra <dhruv@Kali.Kali>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author

1 file changed, 1 insertion(+)

dhruv@kali:~/Documents/Test/token]$
```

dhruv@kali: ~/Documents/Test/token

```
File Actions Edit View Help
Some Data
Line 2
Line 2
Line 3
Line 4

dhruv@kali:~/Documents/Test/token]$ cat Devops.txt
$ git rest --hard<commit-hash>
zsh: parse error near `\'n'

dhruv@kali:~/Documents/Test/token]$ git reset --hard<commit-hash>
zsh: parse error near `\'n'

dhruv@kali:~/Documents/Test/token]$ git reset --hard<53543fb>
zsh: parse error near `\'n'

dhruv@kali:~/Documents/Test/token]$ git reset --hard 53543fb
HEAD is now at 53543fb Recommit line 4

dhruv@kali:~/Documents/Test/token]$ git log --oneline
53543fb (HEAD -> master) Recommit line 4
bb204b7 Recommit line2 and line3
7c4a8bd Add line2

dhruv@kali:~/Documents/Test/token]$
```

```
(dhruv@kali)-[~/Documents/Test/token]
$ git rest --hard<commit-hash>
zsh: parse error near `\\n'

(dhruv@kali)-[~/Documents/Test/token]
$ git reset --hard<commit-hash>
zsh: parse error near `\\n'

(dhruv@kali)-[~/Documents/Test/token]
$ git reset --hard<53543fb>
zsh: parse error near `\\n'

(dhruv@kali)-[~/Documents/Test/token]
$ git reset --hard 53543fb
HEAD is now at 53543fb Recommit line 4

(dhruv@kali)-[~/Documents/Test/token]
$ git log --oneline
53543fb (HEAD -> master) Recommit line 4
bb204b7 Recommit line2 and line3
7c4a8bd Add line2

(dhruv@kali)-[~/Documents/Test/token]
$ git reset --hard 7c4a8bd
HEAD is now at 7c4a8bd Add line2

(dhruv@kali)-[~/Documents/Test/token]
$ git log --oneline
7c4a8bd (HEAD -> master) Add line2

(dhruv@kali)-[~/Documents/Test/token]
$
```

```
(dhruv@kali)-[~/Documents/Test/token]
$ git reset --hard<commit-hash>
zsh: parse error near `\\n'

(dhruv@kali)-[~/Documents/Test/token]
$ git reset --hard<53543fb>
zsh: parse error near `\\n'

(dhruv@kali)-[~/Documents/Test/token]
$ git reset --hard 53543fb
HEAD is now at 53543fb Recommit line 4

(dhruv@kali)-[~/Documents/Test/token]
$ git log --oneline
53543fb (HEAD -> master) Recommit line 4
bb204b7 Recommit line2 and line3
7c4a8bd Add line2

(dhruv@kali)-[~/Documents/Test/token]
$ git reset --hard 7c4a8bd
HEAD is now at 7c4a8bd Add line2


(dhruv@kali)-[~/Documents/Test/token]
$ git log --oneline
7c4a8bd (HEAD -> master) Add line2

(dhruv@kali)-[~/Documents/Test/token]
$ cat Devops.txt
Some Data
Line 2

(dhruv@kali)-[~/Documents/Test/token]
$
```

```
dhruv@kali: ~/Documents/Test/token
File Actions Edit View Help
└── (dhruv@kali) - [~/Documents/Test/token]
    └── $ git reset --hard<commit-hash>
        zsh: parse error near `\'n'
    └── (dhruv@kali) - [~/Documents/Test/token]
        └── $ git reset --hard<53543fb>
        zsh: parse error near `\'n'
    └── (dhruv@kali) - [~/Documents/Test/token]
        └── $ git reset --hard 53543fb
        HEAD is now at 53543fb Recomit line 4
    └── (dhruv@kali) - [~/Documents/Test/token]
        └── $ git log --oneline
        53543fb (HEAD → master) Recomit line 4
        bb204b7 Recomit line2 and line3
        7c4a8bd Add line2
    └── (dhruv@kali) - [~/Documents/Test/token]
        └── $ git reset --hard 7c4a8bd
        HEAD is now at 7c4a8bd Add line2
    └── (dhruv@kali) - [~/Documents/Test/token]
        └── $ git log --oneline
        7c4a8bd (HEAD → master) Add line2
    └── (dhruv@kali) - [~/Documents/Test/token]
        └── $ cat Devops.txt
        Some Data
        Line 2
    └── (dhruv@kali) - [~/Documents/Test/token]
        └── $
```

```
dhruv@kali: ~/Documents/Test/token
File Actions Edit View Help
└── (dhruv@kali) - [~/Documents/Test/token]
    └── $ git add Devops.txt
    └── (dhruv@kali) - [~/Documents/Test/token]
        └── $ echo "Line 2">>Devops.txt
    └── (dhruv@kali) - [~/Documents/Test/token]
        └── $ git commit -am "Add line2"
        [master (root-commit) 7c4a8bd] Add line2
        Committer: Dhruv Sapra <dhruv@kali.Kali>
        Your name and email address were configured automatically based
        on your username and hostname. Please check that they are accurate.
        You can suppress this message by setting them explicitly. Run the
        following command and follow the instructions in your editor to edit
        your configuration file:
        git config --global --edit
        After doing this, you may fix the identity used for this commit with:
        git commit --amend --reset-author
        1 file changed, 2 insertions(+)
        create mode 100644 Devops.txt
    └── (dhruv@kali) - [~/Documents/Test/token]
        └── $ echo "Line 3">>Devops.txt
    └── (dhruv@kali) - [~/Documents/Test/token]
        └── $
```




A screenshot of a Kali Linux desktop environment. The desktop has a purple and black keyboard-themed background. On the left, there's a dock with icons for Trash, File System, Home, and new. A terminal window titled "dhruv@kali: ~/Documents/Test/token" is open, showing the following command history:

```
(dhruv@kali)-[~/Documents/Test/token]
$ git add Devops.txt
(dhruv@kali)-[~/Documents/Test/token]
$ echo "Line 2">>>Devops.txt
(dhruv@kali)-[~/Documents/Test/token]
$ git commit -am "Add line2"
[master (root-commit) 7c4a8bd] Add line2
Committer: Dhruv Sapra <dhruv@kali.Kali>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 2 insertions(+)
create mode 100644 Devops.txt

(dhruv@kali)-[~/Documents/Test/token]
$ echo "Line 3">>>Devops.txt
(dhruv@kali)-[~/Documents/Test/token]
$
```



A screenshot of a Kali Linux desktop environment. The desktop has a purple and black keyboard-themed background. On the left, there's a dock with icons for Trash, File System, Home, and new. A terminal window titled "dhruv@kali: ~/Documents/Test/token" is open, showing the following command history:

```
git commit --amend --reset-author
1 file changed, 2 insertions(+)
create mode 100644 Devops.txt


(dhruv@kali)-[~/Documents/Test/token]
$ echo "Line 3">>>Devops.txt
(dhruv@kali)-[~/Documents/Test/token]
$ git commit -am "Add line3"
[master 1fc7c14] Add line3
Committer: Dhruv Sapra <dhruv@kali.Kali>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 1 insertion(+)

(dhruv@kali)-[~/Documents/Test/token]
$ git log --oneline
1fc7c14 (HEAD -> master) Add line3
7c4a8bd Add line2

(dhruv@kali)-[~/Documents/Test/token]
$
```



A screenshot of a Kali Linux desktop environment. The desktop has a purple and blue keyboard-themed background. A terminal window titled "dhruv@kali: ~/Documents/Test/token" is open, showing the following command history:

```
(dhruv@kali)-[~/Documents/Test/token]
$ git commit -am "Add line3"
[master 1fc7c14] Add line3
Committer: Dhruv Sapra <dhruv@kali.Kali>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author


1 file changed, 1 insertion(+)

(dhruv@kali)-[~/Documents/Test/token]
$ git log --oneline
1fc7c14 (HEAD -> master) Add line3
7c4a8bd Add line2

(dhruv@kali)-[~/Documents/Test/token]
$ git reset --soft HEAD~1

(dhruv@kali)-[~/Documents/Test/token]
$ git log --oneline
7c4a8bd (HEAD -> master) Add line2

(dhruv@kali)-[~/Documents/Test/token]
$
```



A screenshot of a Kali Linux desktop environment. The desktop has a purple and blue keyboard-themed background. A terminal window titled "dhruv@kali: ~/Documents/Test/token" is open, showing the following command history:

```
1fc7c14 (HEAD -> master) Add line3
7c4a8bd Add line2

(dhruv@kali)-[~/Documents/Test/token]
$ git reset --soft HEAD~1

(dhruv@kali)-[~/Documents/Test/token]
$ git log --oneline
7c4a8bd (HEAD -> master) Add line2


(dhruv@kali)-[~/Documents/Test/token]
$ git sta
git: 'sta' is not a git command. See 'git --help'.

The most similar commands are
    status
    stage
    stash

(dhruv@kali)-[~/Documents/Test/token]
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    modified:  Devops.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Token.txt

(dhruv@kali)-[~/Documents/Test/token]
$
```



A screenshot of a Kali Linux desktop environment. The desktop has a purple keyboard background. On the left, there's a dock with icons for File System, Home, and new. A terminal window titled "dhruv@kali: ~/Documents/Test/token" is open, showing the following command history:

```
(dhruv@kali)-[~/Documents/Test/token]
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    modified:   Devops.txt


Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Token.txt

(dhruv@kali)-[~/Documents/Test/token]
$ git commit -m "Recommit line3"
[master c2b95bd] Recommit line3
Committer: Dhruv Sapra <dhruv@kali.Kali>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:
  git commit --amend --reset-author
  1 file changed, 1 insertion(+)

(dhruv@kali)-[~/Documents/Test/token]
$
```



A screenshot of a Kali Linux desktop environment. The desktop has a purple keyboard background. On the left, there's a dock with icons for File System, Home, and new. A terminal window titled "dhruv@kali: ~/Documents/Test/token" is open, showing the following command history:

```
(use "git add <file>..." to include in what will be committed)
Token.txt

(dhruv@kali)-[~/Documents/Test/token]
$ git commit -m "Recommit line3"
[master c2b95bd] Recommit line3
Committer: Dhruv Sapra <dhruv@kali.Kali>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:
  git commit --amend --reset-author
  1 file changed, 1 insertion(+)

(dhruv@kali)-[~/Documents/Test/token]
$ git reset --mixed HEAD-1
Unstaged changes after reset:
M   Devops.txt

(dhruv@kali)-[~/Documents/Test/token]
$ git log --oneline
7c4a8bd (HEAD → master) Add line2

(dhruv@kali)-[~/Documents/Test/token]
$
```

```
dhruv@kali: ~/Documents/Test/token
File Actions Edit View Help
git config --global --edit
After doing this, you may fix the identity used for this commit with:
  git commit --amend --reset-author
  1 file changed, 1 insertion(+)

[dhruv@kali:~/Documents/Test/token]
$ git reset --mixed HEAD~1
Unstaged changes after reset:
M       Devops.txt

[dhruv@kali:~/Documents/Test/token]
$ git log --oneline
7c4a8bd (HEAD → master) Add line2

[dhruv@kali:~/Documents/Test/token]
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
    (use "git restore <file>..." to discard changes in working directory)
      modified:   Devops.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Token.txt

no changes added to commit (use "git add" and/or "git commit -a")

[dhruv@kali:~/Documents/Test/token]
$
```

```
dhruv@kali: ~/Documents/Test/token
File Actions Edit View Help
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
  modified:   Devops.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Token.txt


no changes added to commit (use "git add" and/or "git commit -a")

[dhruv@kali:~/Documents/Test/token]
$ git add Devops.txt

[dhruv@kali:~/Documents/Test/token]
$ git commit -m "Recommit line2 and line3"
[master bb5de38] Recommit line2 and line3
Committer: Dhruv Sapra <dhruv@kali.Kali>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
  git config --global --edit


After doing this, you may fix the identity used for this commit with:
  git commit --amend --reset-author
  1 file changed, 1 insertion(+)

[dhruv@kali:~/Documents/Test/token]
$
```



A screenshot of a Kali Linux desktop environment. The desktop has a purple keyboard background. On the left, there's a dock with icons for Trash, File System, Home, and new. A terminal window is open in the center, showing a git session:

```
dhruv@kali: ~/Documents/Test/token
File Actions Edit View Help
no changes added to commit (use "git add" and/or "git commit -a")
[dhruv@kali]-(~/Documents/Test/token)
$ git add Devops.txt
[dhruv@kali]-(~/Documents/Test/token)
$ git commit -m "Recommit line2 and line3"
[master bb5de38] Recommit line2 and line3
Committer: Dhruv Sapra <dhruv@kali.Kali>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 1 insertion(+)
[dhruv@kali]-(~/Documents/Test/token)
$ git reset --hard HEAD-1
HEAD is now at 7c4a8bd Add line2
[dhruv@kali]-(~/Documents/Test/token)
$ git log --oneline
7c4a8bd (HEAD → master) Add line2
[dhruv@kali]-(~/Documents/Test/token)
$
```



A screenshot of a Kali Linux desktop environment. The desktop has a purple keyboard background. On the left, there's a dock with icons for Trash, File System, Home, and new. A terminal window is open in the center, showing a git session and file operations:

```
dhruv@kali: ~/Documents/Test/token
File Actions Edit View Help
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 1 insertion(+)
[dhruv@kali]-(~/Documents/Test/token)
$ git reset --hard HEAD-1
HEAD is now at 7c4a8bd Add line2
[dhruv@kali]-(~/Documents/Test/token)
$ git log --oneline
7c4a8bd (HEAD → master) Add line2
[dhruv@kali]-(~/Documents/Test/token)
$ cat LAB.txt
cat: LAB.txt: No such file or directory
[dhruv@kali]-(~/Documents/Test/token)
$ ls
Devops.txt Token.txt
[dhruv@kali]-(~/Documents/Test/token)
$ cat Devops.txt
Some Data
Line 2
[dhruv@kali]-(~/Documents/Test/token)
$
```

