### CS 325 HW 6

You may solve Problems 1 to 3 using your choice of software, state which software package/language(s) you used and provide the code or spreadsheet.

**Note**: There is no submission to TEACH this week.

# 1. Shortest Paths using LP: (7 points)

Shortest paths can be cast as an LP using distances dv from the source s to a particular vertex v as variables.

We can compute the shortest path from s to t in a weighted directed graph by solving.


max dt subject to 
$$ds = 0$$
 
$$dv - du \le w(u,v) \text{ for all } (u,v) \in E$$

We can compute the single-source by changing the objective function to

$$\max \sum_{v \in V} dv$$

Use linear programming to answer the questions below. State the objective function and constraints for each problem and include a copy of the LP code and output.

- a) Find the distance of the shortest path from A to G in the graph below.
- b) Find the distances of the shortest paths from A to all other vertices.



### CS 325 HW 6

## 2. Product Mix: (7 points)

Acme Industries produces four types of men's ties using three types of material. Your job is to determine how many of each type of tie to make each month. The goal is to maximize profit, profit per tie = selling price - labor cost – material cost. Labor cost is \$0.75 per tie for all four types of ties. The material requirements and costs are given below.

Material	Cost per yard	Yards available per month		
Silk	\$20	1,000		
Polyester	\$6	2,050		
Cotton	\$12	1,250		

	Type of Tie			
Product Information	Silk = s	Poly = p	Blend1 = b	Blend2 = c
Selling Price per tie	\$6.75	\$3.50	\$4.31	\$4.81
Monthly Minimum units	6,000	10,000	14,000	6,000
Monthly Maximum units	7,000	14,000	16,000	8,500

Material	Type of Tie				
Information in yards	Silk	Polyester	Blend 1 (50/50)	Blend 2 (30/70)	
Silk	0.125	0	0	0	
Polyester	0	0.08	0.05	0.03	
Cotton	0	0	0.05	0.07	

Formulate the problem as a linear program with an objective function and all constraints. Determine the optimal solution for the linear program using any software you want. Include a copy of the code and output. What are the optimal numbers of ties of each type to maximize profit?

#### CS 325 HW 6

# 3. Making Change (6 points)

Given coins of denominations (value)  $1 = v_1 < v_2 < ... < v_n$ , we wish to make change for an amount A using as few coins as possible. Assume that  $v_i$ 's and A are integers. Since  $v_1$ = 1 there will always be a solution. Solve the coin change using integer programming. For each of the following denomination sets and amounts, formulate the problem as an integer program with an objective function and constraints. Determine the optimal solution. What is the minimum number of coins used in each case and how many of each coin is used? Include a copy of your code.

- a) V = [1, 5, 10, 25] and A = 202.
- b) V = [1, 3, 7, 12, 27] and A = 293
- 4. Consider the following linear program.
  - a) Write the following linear program in slack form. (4 points)
  - b) Please state what are the basic and non-basic variables in your slack form. (1 points)

Maximize 
$$2x_1 - 6x_3$$

Subject to

$$x_1 + x_2 - x_3 \le 14$$

$$6x_1 - x_2 \ge 8$$

$$-x_1 + 2x_2 + 2x_3 \ge 0$$

$$x_1 \ge 0$$

$$x_2 \ge 0$$

$$x_3 \ge 0$$