



Dummy Resource

Product Specifications Document

Version 2.0

Table of Contents:

Confidentiality	4
Document Properties	4
Review & Distribution List	4
Revision History	5
1.1 Purpose	5
1.2 Scope	5
1.3 Audience	5
1.4 Functional Assumptions	5
	6
Problem Statement	6
Solution Overview	6
Summary	7
Dummy Resource Management	7
Mocks	8
	21
Important points	23
	24
Integrations:	24
	24
App User	24
Persona Farm Operations Manager – Web App	25
	25
Persona Supervisor – Mobile App	25
	25
Farm Operations Manager User Journey	25
	26
Field Supervisor User Journey	26
	26
Validation Rules	2
	27
Business Cases:	27
Data Dictionary	28

Confidentiality

The information contained in this document is confidential and proprietary to Folio3. Folio3 submits this document with the understanding that it will be held in strict confidence and will not be disclosed, duplicated, or used, in whole or in part, for any purpose other than the evaluation of Folio3 qualifications, without the prior written consent of Folio3.

For Freedom of Information legislation, Folio3 classifies this document as “Commercial-in-Confidence” and is governed as per the terms specified in the NDA between Folio3.

Disclaimer

Folio3 shall not be liable for any losses, damages, costs, or expenses arising out of errors in the preparation of this document, due to the provision to it of false, misleading, or incomplete information or documentation or due to any acts or omissions of any other person. The Client indemnifies Folio3 from any liability it may have to the Client or any third party because of any information supplied to Folio3 by the Client or any of its agents, where such information and documentation is false, misleading, or incomplete in any material respect.

Document Properties

Item	Name
Document Title	Dummy Resources
Author	Folio3
Created By	Wania Aslam
Date	Sep 16, 2026

Review & Distribution List

Organization	Name	Designation
Folio3	Muhammad Fahad	Head of ERP/CRM Practice
Folio3	Raza Rabbani	Software Architect
Folio3	Muzzamil Zahid	Solution Architect
Folio3	Owais Shakeel	Senior Project Manager
Folio3	Hassan Ur Rehman	Senior Product Manager
Folio3	Wania Aslam	Product team member

Revision History

Date	Release by Name	Version	Revision Items
Sep 16, 2026	Wania Aslam	2.0	Updated the Dummy Resource design from a work-order-level flow in Version 1.0 to a shift-based flow in Version 2.0, including headcount-based hours, Start/Resume Job, asset binding

1.1 Purpose

The purpose of this document is to provide an end-to-end process flow and requirement for the Dummy Resource functionality from the Farm App (Web), the Farm App (Mobile), and ERP. This document should be used as guidance during detailed design, build, and other project-related activities. This document aims to provide a solution baseline and to lock the baseline solution approach from the process flow perspective.

1.2 Scope

This document is the primary part of the Farm Web & Mobile App design for contract (dummy) labour on work orders. It covers dummy resource selection, the number of resources, dummy and actual machine/implement attachment, shift-based hour logging, and the binding of an actual machine to the resource holding it. It should be read in conjunction with the Work Order and Hour Log Adjustment documents for the full understanding of the hour posting solution designed for ERP integration.

1.3 Audience

The primary audiences for this document are Folio3 project executives, management, and wider implementation teams (development, QA, functional, and design).

1.4 Functional Assumptions

- These workflows will be used as a primary design artifact to confirm existing (delivered) work order functionality.

Executive Summary

This document is created to fill the gap between teams in the understanding of the dummy resource flow, its functionality, and the stages the data goes through during the entire Farm App processing — from selecting a dummy resource on a work order to posting its hours and its machine hours against the ERP project.

Problem Statement

A large part of field work is carried out by contract labour —contract crews, labour-supply gangs, and machine crews that are not maintained as individual employees in the system. Work orders, however, are built around named resources, so today these crews are recorded outside the system or against one placeholder employee.

These inefficiencies result in:

- Hours that cannot be attributed to the field or operation they were spent on
- Manual, after-the-fact adjustment of crew hours in the back office
- Machine hours that do not match the labour hours they were worked with
- Double-linking of a single physical machine across two crews in the same time window

Without dummy resources and a controlled machine binding, the business cannot post accurate labour and machine hours for contract crews, and cannot rely on work order hours for cost reporting.

Solution Overview

The proposed Dummy Resource solution in AgriERP allows a work order to carry contract labour as a dummy resource with a headcount instead of a person, on both the AgriERP Web and Mobile Apps.

On the web app, resources are added to the work order from Select Resources. The “+” icon opens a dropdown with two options — Add Resource and Add Dummy Resource — and the selected option decides which register the selection page is filled from. The previous Dummy Resource Yes/No toggle on the selection page has been removed, so a selection can no longer be switched between registers halfway through.

On the mobile app, a dummy resource can start and resume jobs. Each start creates a shift against the plot, with its start time, the resources it covers, their headcount, and the machines or implements attached to them. Hours logged for a dummy resource are $\text{No. of Resources} \times \text{Standard Hours}$, and a machine or implement attached to a resource logs the same hours as that resource. Both dummy and named resources can work with either an actual or a dummy machine.

Because an actual machine is a single physical asset, it is bound to the resource holding it for the whole window of the shift. A shift that starts at 02:00 PM with two standard hours posts its entry up to 04:00 PM, and for that window the machine is not available to anyone else; the selection list shows it as Bound, with the resource and time it is bound for. When the headcount of an existing shift is raised, the window is extended and the system re-validates the machine over the extra time: if the same machine was used by an actual resource on that work order during the extra time, the update is refused.

Hours logged against a dummy resource, and the machine and implement hours that follow them, post against the ERP project of the work order in the same way as the hours of a named resource, and remain adjustable from the Spent Hours screen on the web app until the work order is completed.

Summary

The Dummy Resource solution digitizes the recording of contract labour across the AgriERP Web and Mobile Apps. It allows dummy resources to be selected on a work order from a dedicated dropdown option, to be given a headcount, to be attached to dummy or actual machines and implements, and to start, resume, update, and delete shifts from the field.

Dummy Resource Management

Dummy resources are maintained as master data in Resource Management on the AgriERP Web App and are flagged as dummy records. They are selected onto work orders exactly like named resources, but differ in three ways:

- They carry a No. of Resources (headcount) instead of representing one person.
- Their hours are system-generated from the headcount and the standard hours, not entered by the person working.
- They are never blocked by another running job, because they represent a headcount and not a person; a named resource already working on a running job cannot be selected again until that job is paused or stopped.

Dummy resources follow the existing Work Order process. Hours they log are visible on the work order resource list on the web app, on the Spent Hours screen, and in the work order logs, with the source (Web or Mobile), the device, and the user who logged them.

Mocks

AgriERP Web App (Work Order – Resources):

The web interface is used by Farm Operations Managers to plan the work order and to select the resources that will work on it.

Create New Work Order Planned Save As Submit X

Select Plots

Select	Plot	Customer Name	Plot Area	Operational Area
☒	342 (PRJ_000128) ...	Al Homaizi Factory For...	33.63 ac	2.00 ac

1 Total Plots

Select Materials +

Material	Rate	Usage Unit	Action
No materials found			

Select Resources +

☒ By Resource

Resource Name	Resource Type	Company Name
Advanced Operator DUMMY RESOURCE	Machine Operator	
Irrigator DUMMY RESOURCE	Machine Operator	

Add Resource
Add Dummy Resource

⚠ Dummy resources stand in for unnamed labour and carry a headcount instead of a person. A crew member can start their job from the mobile app, and the hours they log post against this work order.

Select Assets +

Summary

- General
- Plots
- Resources
- Assets

Web Mobile

Figure 1: Select Resources — “+” dropdown. The “+” icon on the Select Resources header opens a dropdown with **Add Resource** and **Add Dummy Resource**, following the standard AgriERP menu style. Resources already on the work order show the yellow Dummy Resource chip.

Add Dummy Resource

Save

✕

Resource Group

Search by Resource Name

Search by Company Name

All

Search by Resource Name

Search by Company Name

Reset

Apply

Select	Resource Name	Resource Type	Company Name
☐	Advanced Operator (DM004) DUMMY RESOURCE	Machine Operator	
☐	Irrigator (DM002) DUMMY RESOURCE	Machine Operator	
☐	Irrigator 02 (DM003) DUMMY RESOURCE	Farm Hand	
☐	Standard Operator (DM001) DUMMY RESOURCE	Farm Hand	

Page Size 50

Page 1 of 1 - Showing 1 - 4 of 4 records

Web

Mobile

Figure 2: Add Dummy Resource — selection page. The page title states the mode it was opened in and the list is filtered to the dummy register. Resource Group, Resource Name, and Company Name filters work the same way in both modes. The Dummy Resource Yes/No toggle has been removed from this page.

AgriERP Mob (Dummy Resources on the job)

The mobile interface is used by Supervisors and Machine Operators in the field. On the Work Order Detail screen each plot card carries two swipe menus: swipe **left** for the job actions (Start Job, Edit, Resume, Pause) and swipe **right** for **Add / Update Dummy Resource** and **Add Resources**.




Figure 3: Work Order Detail. One card per plot with its status and, once a job has run, the hours logged and the number of shifts.




Figure 4: Swipe right. Add / Update Dummy Resource and Add Resources. Available on every plot, whether or not a shift has run.



Figure 5: Dummy Resources — empty state. A plot with no dummy resource logs yet. “+” starts the add flow.




Figure 6: Dummy Resources — one shift. Each shift shows its start time, the window its machines are bound for, the headcount and hours per resource, the attached machine, and the plot total split into resource and machine hours. Pencil edits the shift, bin deletes it.




Figure 7: Add Dummy Resource. The dummy resource list of the operation. Named app users are not shown here.




Figure 8: Multi-select. More than one dummy resource can be selected in one pass; Done becomes active once a row is ticked.

4:29

Work Order Detail

Cancel No Of Resources

Enter how many resources each dummy resource stands in for.

Advanced Operator Group

Enter Number Of Resources

2

Standard Operator

Enter Number Of Resources

2

Figure 9: No Of Resources. One mandatory field per selected dummy resource. The headcount drives the hours logged and the machine binding window.




Figure 10: Select Asset. One row per resource. The row is opened to attach a machine or an implement to that resource.




Figure 11: Add Machine / Add Dummy Machine. Shown when the register holds dummy assets of that kind. Where it holds none — as for implements today — the selection page opens directly.



Figure 12: Select Machine. The chosen machine is listed against the resource; it is ticked and confirmed with Done.

4:29

Work Order Detail

Cancel Summary

Start Job

WO-1198 _ Dummy Resource UseCase
342 (PRJ_000128)

Estimated Hours: 19.65

Select Plot Comments

Plot Assets

* 342 (PRJ_000128) * 1997 JD 7800

Materials Tractor

Resource

AG Advanced Operator Group (2)

SD Standard Operator (1)

Additional Comments

Figure 13: Summary. Plot, dummy resources with headcount, and the attached assets. Estimated hours are derived from the headcount.




Figure 14: In Progress. Start Job creates the shift and writes the machine bindings. The plot stays In Progress until Pause or Stop.

Machine Binding & Shift Window

An actual machine is a single physical asset, so it is bound to the resource holding it for the whole window of the shift. The system derives the window from the shift start time and the planned hours of the resource:

Input	Value in the example
Shift start time	02:00 PM — captured when Start Job is tapped
Standard Hours	2 hours per resource
No. of Resources	1
Hours logged	$1 \times 2 = 2$ hours
Machine binding window	02:00 PM – 04:00 PM

A shift that starts at 02:00 PM with two standard hours therefore posts an entry up to 04:00 PM, and the actual machine attached to that dummy resource is unavailable for those two hours.




Figure 15: Bound machines. The page states the window of the shift being planned. A machine already bound for any part of that window is greyed out with a **Bound** tag and the resource and time it is bound for.




Figure 16: Blocked selection. “<Machine> is already bound to <resource> from <start> to <end>.”

Raising **No. of Resources** on an existing shift extends the hours logged and therefore the end of the binding window. Before the change is saved, the system re-checks the machine over the **extra** time the change would claim. If the same machine was used by an **actual resource** on that work order during the extra time, the change is blocked and Save stays disabled until the headcount is reduced or the machine is freed.

Important points

Important Point – Resume Job and Shifts

Resume Job runs the same Start Job flow and appends a new shift to the plot. Once the job is started, the plot remains In Progress. Hours from each new shift are added to the plot total and do not replace the earlier shift, so a plot can have multiple shifts during the day, each with its own resources, headcount, machines, and time window.

Important Point – Correcting and Deleting a Shift

A logged shift is corrected from Add / Update Dummy Resource. The pencil opens No Of Resources for that shift, where the headcount is changed — recalculating the hours and the binding window —

and a resource can be taken off the shift with Remove. The bin deletes the whole shift and removes its hours and its machine bindings from the plot total. Deleting the last resource of a shift deletes the shift.

Dummy Resource Audit Trail Logs

Every shift and every correction records the user, the timestamp, the source (Web or Mobile), and the device, and is viewable inside notifications and the view all logs screen.

Integrations:

Integration with ERP

Hours logged against a dummy resource, and the machine and implement hours that follow them, are posted against the ERP project of the work order in the same way as the hours of a named resource. Where the work order or its plot is not associated with an ERP project, posting is restricted until the linkage is completed. Corrections made before the work order is completed are re-posted; after completion the hours become read-only.

Integration with Hour Log Adjustment

System-generated dummy resource logs are visible on the Hour Log Adjustment screen with their headcount, standard hours.

App User

App Access	Roles	Description
Farm Web App	Admin / Manager	The Farm Manager (back office user) can select dummy resources on a work order, set the number of resources, attach machines and implements, review the hours logged by dummy resources, adjust them from Spent Hours, and post them to F&O.
Farm Mobile App	Supervisors	The supervisor can add dummy resources to an open work order, start and resume jobs with them, attach dummy or actual machines and implements, update the headcount of a logged shift,

App Access	Roles	Description
		and delete a shift or a resource from it.

Persona | Farm Operations Manager – Web App

Name: David Luke · **Role:** Farm Operations Manager · **Platform:** Farm App Web

Operational Responsibilities

- Create the work order and select the resources that will work on it.
- Add contract labour as dummy resources and set the number of resources against each.
- Attach machines and implements, and review the hours logged from the field.
- Adjust headcounts and hours from Spent Hours before posting to D365/F&O.

Challenges

- contract crews cannot be represented by an employee record, so their hours arrive through manual communication.
- Machine hours recorded separately from labour hours do not reconcile at cost reporting.

Business Goals

- Record contract labour against the work order in a structured and controlled process.
- Keep labour and machine hours aligned and ready for posting.
- Prevent one physical machine from being claimed by two crews in the same window.

Persona | Supervisor – Mobile App

Name: John · **Role:** Field Supervisor / Machine Operator Supervisor · **Platform:** Farm App Mobile

Operational Responsibilities

- Open the assigned work order and start the job on a plot.
- Add dummy resources to the plot, enter the number of resources, and attach the machine or implement each crew works with.
- Resume the job for a second shift, and correct or delete a shift when the crew size changes.

Challenges

- Crew sizes change during the day and have to be corrected on the spot.
- The same machine is often passed between crews, so the operator needs to know when it is free.

Business Goals

- Capture crew and machine hours in real time at the point of activity.
- Avoid claiming a machine that is already working with another crew.
- Reduce paper-based tracking of contract labour.

Farm Operations Manager User Journey

User: David Luke · **Role:** Farm Operations Manager · **Platform:** Farm App Web

Dummy Resource End to End Web Flow

1. David logs in to the Farm App Web with his credentials.
2. He goes to the work order management page and creates or opens a work order.
3. On Select Resources he clicks the “+” icon and the dropdown opens with Add Resource and Add Dummy Resource.
4. He selects **Add Dummy Resource**; the selection page opens filtered to the dummy register with no dummy toggle.
5. He filters by Resource Group, Resource Name, or Company Name, ticks the dummy resources required, and saves.
6. He goes to the mob app
7. He started the work order
8. He enters the number of resources against each dummy resource, and attaches machines and implements where required.
9. Once the crew has worked, he reviews the hours logged per shift and the machine hours that follow them.
10. He adjusts the headcount or hours from Spent Hours if required.
11. He posts the hours against the ERP project and completes the work order.

Field Supervisor User Journey

User: John · **Role:** Field Supervisor / Machine Operator Supervisor · **Platform:** Farm App Mobile

Dummy Resource End to End Mob Flow

12. John logs in to the Farm App Mobile with his credentials.
13. He opens the work order and swipes the plot right, then taps **Add / Update Dummy Resource**.
14. He taps “+” and selects one or more dummy resources from the operation list, then taps Done.
15. He enters the number of resources against each one.
16. On Select Asset he opens a resource, chooses Machine or Implement, and taps “+”.
17. Where dummy assets exist he chooses **Add Machine** or **Add Dummy Machine**; otherwise the selection page opens directly.
18. He selects a machine. A machine already bound for the shift window is greyed out with a Bound tag and cannot be selected.
19. He confirms the assets, reviews the summary, and taps **Start Job**. The shift is created and the machine bindings are written.
20. Later he taps **Resume Job** and repeats the flow for a second shift; the plot stays In Progress and the hours are added.
21. When the crew size changes he opens the shift with the pencil and updates the number of resources; the hours and the binding window are recalculated, and the change is refused if it claims a machine already used by an actual resource.
22. He deletes a shift, or a resource from a shift, where it was logged in error.

23. He pauses or stops the job on the plot.

Validation Rules

Mandatory Fields Validation

The system should not allow the user to save a dummy resource on a work order, or start a job with it, unless the **No. of Resources** is filled and is greater than zero. Machine and implement attachment is optional.

Machine Binding Validation

An actual machine is bound to the resource holding it for the whole window of the shift. A machine already bound for any part of the window of the shift being planned cannot be selected: the row is greyed out.

Headcount Update Validation

Raising the No. of Resources of a logged shift extends its hours and its machine binding window. The system re-validates the machine over the extra time the change claims. Where the same machine was used by an actual resource on that work order during the extra time, the update is blocked and show validation

Named Resource Availability Validation

A named resource already working on a running job cannot be selected for another shift. The row shows “Already working on <plot>” and tapping it raises an error. Dummy resources are not restricted, as they represent a headcount and not a person.

Dummy Asset Register Validation

The Add Machine / Add Dummy Machine option is shown only where the register holds at least one dummy asset of that kind. Where it holds none, the selection page opens directly without the intermediate sheet. Both dummy and named resources may select from either register.

Shift Deletion Validation

Deleting a shift removes its hours and its machine bindings from the plot total. Removing the last resource of a shift deletes the shift. Deletion is not allowed once the hours have been posted and the work order is completed.

Hour Calculation Validation

Hours logged for a dummy resource are $\text{No. of Resources} \times \text{Standard Hours}$ and are read-only in the field; a machine or implement attached to a resource logs the same hours as that resource, and the plot total is the sum of the resource hours and the machine / implement hours.

Business Cases:

- Contract labour can be recorded against a work order with a headcount, so contract crews and labour-supply gangs no longer have to be tracked outside the system.

- The user chooses the register before the selection page opens, so a work order selection is unambiguous and can be validated.
- Dummy resources can be added from the web app during planning, or from the mobile app in the field, so the crew that actually turned up is what gets recorded.
- A dummy resource can start and resume jobs, so a plot worked in two shifts carries two records with their own crew size, machines, and hours instead of one merged entry.
- Both dummy and named resources can work with either an actual or a dummy machine, so a crew can be recorded even when the machine register is incomplete.
- An actual machine is bound to the resource holding it for the shift window, so a single physical machine cannot be claimed by two crews at the same time.
- Raising a crew size is re-validated against the other linkings of the machine, so the business cannot create machine hours that overlap another resource's use of the same machine.
- Machine and implement hours follow the hours of the resource they are attached to, so labour and machine costs reconcile on the ERP project.
- A shift, or a single resource on a shift, can be corrected or deleted from the field, so errors are fixed at the point of activity instead of through back-office adjustment.
- Every shift and correction is logged with the user, time, source, and device, so the business has a traceable record of how the hours of an contract crew were built.

Data Dictionary

Field Name	Description	Source	Data Type
No. of Resources	Headcount the dummy resource stands in for. Mandatory, greater than zero. Drives hours logged and the machine binding window.	Farm Web App / Farm Mobile App	Integer
Standard Hours	Standard hours per resource, configured against the resource/operation.	Setup	Decimal
Hours Logged	No. of Resources × Standard Hours. Read-only in the field.	System Generated	Decimal
Shift	One Start Job or Resume Job against a plot, holding its resources, headcount, machines, and window.	System Generated	Object

Shift Start Time	Time the shift was started, captured on Start Job.	System Generated	DateTime
Machine Binding Window	Shift start time to shift start time plus the hours logged. The window the machine is unavailable to anyone else.	System Generated	DateTime range
Machine / Implement	Asset attached to a resource on the shift. Either register (actual or dummy) may be selected.	Asset register	String
Machine Hours	Hours logged by the machine or implement — the same hours as the resource it is attached to.	System Generated	Decimal
Updated By	User who last updated the shift or the headcount.	System Generated	String
Updated Date/Time	Date and time the shift was last changed.	System Generated	DateTime