

Working with Data

Table of contents

0.1	Quarto	1
0.2	Running Code	1
1	library	2
2	Load Data	2
3	Freq Table	4
4	Data Management	6

0.1 Quarto

Quarto enables you to weave together content and executable code into a finished document. To learn more about Quarto see <https://quarto.org>.

0.2 Running Code

When you click the **Render** button a document will be generated that includes both content and the output of embedded code. You can embed code like this:

```
1 + 1
```

[1] 2

You can add options to executable code like this

```
[1] 4
```

1 library

```
library(tidyverse)
```

```
-- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
v dplyr      1.1.4      v readr      2.1.5
v forcats    1.0.0      v stringr    1.5.1
v ggplot2    3.5.1      v tibble     3.2.1
v lubridate  1.9.4      v tidyr      1.3.1
v purrr      1.0.4
-- Conflicts ----- tidyverse_conflicts() --
x dplyr::filter() masks stats::filter()
x dplyr::lag()     masks stats::lag()
i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become
```

```
library(descr)
library(knitr)
library(dplyr)
library(readr)
```

2 Load Data

```
file.path <- "/cloud/project/Data/Dataset.csv"
Dataset.csv <- read.csv(file.path)
head(Dataset.csv)
```

S.NoSort.column	Case.Identification.Number	CONTROL..COMPLETES.1.PHONE.2....
1	NA	CASEIDSort column
2	1	1
3	2	2
4	3	3
5	4	4

MODESort column

(2) Mail

(9) Web

(9) Web

(9) Web

6	5	5	(1) Phone
	CENSUS.STATE.FIPS.CODES.LABE....	Added..Census.Region	Added..Census.Division
1	STFIPSSort column	REGIONSort column	DIVISIONSort column
2	(51) VIRGINIA	(3) South	(5) South Atlantic
3	(6) CALIFORNIA	(4) West	(9) Pacific
4	(28) MISSISSIPPI	(3) South	(6) East South Central
5	(36) NEW YORK	(1) Northeast	(2) Mid-Atlantic
6	(18) INDIANA	(2) Midwest	(3) East North Central
	OFFERED.INTAKE.ASS.MNT.REFER....	Offered.Detox.3.31.03	Offered.SA.Tx.3.31.03
1	OTHNONTXSort column	DETOXSort column	TREATMTSort column
2	(1) Yes	(0) No	(1) Yes
3	(1) Yes	(0) No	(1) Yes
4	(1) Yes	(1) Yes	(1) Yes
5	(0) No	(0) No	(1) Yes
6	(1) Yes	(0) No	(1) Yes
	Setting..Halfway.House	OFFERED.OTHER.SA.SERVICES.SU....	
1	LOC5Sort column	ADMINSort column	
2	(1) Yes	(1) Yes	
3	(1) Yes	(1) Yes	
4	(0) No	(0) No	
5	(0) No	(0) No	
6	(0) No	(0) No	
	PRIMARY.FOCUS.SA.TX.MH.MIX.G....		
1	FOCUSSort column		
2	(1) Substance abuse treatment services		
3	(1) Substance abuse treatment services		
4	(3) Mix of mental health and substance abuse		
5	(1) Substance abuse treatment services		
6	(3) Mix of mental health and substance abuse		
	Ownership	Federal.Government.Agency	
1	OWNERSHPSort column	FEDOWNSort column	
2	(2) Private non-profit organization		<NA>
3	(2) Private non-profit organization		<NA>
4	(1) Private for-profit organization		<NA>
5	(4) Local, county, or community government		<NA>
6	(2) Private non-profit organization		<NA>
	Solo.practice	AFFILIATED.W..RELIGIOUS.ORG....	
1	LOC15Sort column	RELIGSort column	
2	(0) No	(0) No	
3	(0) No	(0) No	
4	(0) No	(0) No	
5	<NA>	<NA>	
6	(0) No	(0) No	

LOCATED.IN.OPERATED.BY.HOSPI....		Hospital.Type	Hotline...yes.no
1	HOSPITALSort column	LOCSSort column	HOTYNSort column
2	(0) No	<NA>	(0) No
3	(0) No	<NA>	(0) No
4	(1) Yes (2) Psychiatric hospital		(1) Yes
5	(0) No	<NA>	(0) No
6	(0) No	<NA>	(0) No

Assessment.comprehensive.SA		Assessment.mental.health
1	SRVC1Sort column	SRVC2Sort column
2	(0) No	(0) No
3	(1) Yes	<NA>
4	(1) Yes	(1) Yes
5	(1) Yes	<NA>
6	(1) Yes	(1) Yes

Therapy.family.counseling		Therapy.group
1	SRVC4Sort column	SRVC5Sort column
2	(0) No	(1) Yes
3	(1) Yes	(1) Yes
4	(1) Yes	(1) Yes
5	<NA>	(1) Yes
6	(1) Yes	(1) Yes

```
Dataset.csv <- Dataset.csv[-c(1,2), ]
#View(Dataset.csv)
```

3 Freq Table

```
colnames(Dataset.csv)
```

```
[1] "S.NoSort.column" "Case.Identification.Number"
[3] "CONTROL..COMPLETES.1.PHONE.2...." "CENSUS.STATE.FIPS.CODES.LABE...."
[5] "Added..Census.Region" "Added..Census.Division"
[7] "OFFERED.INTAKE.ASS.MNT.REFER...." "Offered.Detox.3.31.03"
[9] "Offered.SA.Tx.3.31.03" "Setting..Halfway.House"
[11] "OFFERED.OTHER.SA.SERVICES.SU...." "PRIMARY.FOCUS.SA.TX.MH.MIX.G...."
[13] "Ownership" "Federal.Government.Agency"
[15] "Solo.practice" "AFFILIATED.W..RELIGIOUS.ORG...."
[17] "LOCATED.IN.OPERATED.BY.HOSPI...." "Hospital.Type"
[19] "Hotline...yes.no" "Assessment.comprehensive.SA"
```

```
[21] "Assessment.mental.health"      "Therapy.family.counseling"
[23] "Therapy.group"
```

I choose this variable of Ownership, because I think it will be important to understand what kind of facilities are available for treatment, to different communities such as low income and wealthy communities.

```
freq(as.ordered(Dataset.csv$Ownership), plot = FALSE)
```

```
as.ordered(Dataset.csv$Ownership)
```

	Frequency	Percent	Cum Percent
(1) Private for-profit organization	5	20.833	20.83
(2) Private non-profit organization	15	62.500	83.33
(3) State government	1	4.167	87.50
(4) Local, county, or community government	3	12.500	100.00
Total	24	100.000	

```
#What type of facilities are available for substance abuse disorder?
```

This variable will also play an important role, because addicts who are in recovery need the support of family and society, so is important to know about the services that facilities will provide not only to the patient but to his or her love one in order to support the sobriety.

```
freq(as.ordered(Dataset.csv$Therapy.family.counseling), plot= FALSE)
```

```
as.ordered(Dataset.csv$Therapy.family.counseling)
```

	Frequency	Percent	Valid Percent	Cum Percent
(0) No	7	29.167	31.82	31.82
(1) Yes	15	62.500	68.18	100.00
NA's	2	8.333		
Total	24	100.000	100.00	

This variable took my attention because there is many places that only might take patients with substance disorder only by reference but is this a barrier for treatment. Also is there more people reaching for help by them selves or because they were referred? I think this will be very interesting to explore

```
freq(as.ordered(Dataset.csv$OFFERED.INTAKE.ASS.MNT.REFER...), plot = FALSE)
```

```
as.ordered(Dataset.csv$OFFERED.INTAKE.ASS.MNT.REFER....)
```

	Frequency	Percent	Cum Percent
(0) No	3	12.5	12.5
(1) Yes	21	87.5	100.0
Total	24	100.0	

```
freq(as.ordered(Dataset.csv$Therapy.family.counseling), plot = FALSE)
```

```
as.ordered(Dataset.csv$Therapy.family.counseling)
```

	Frequency	Percent	Valid Percent	Cum Percent
(0) No	7	29.167	31.82	31.82
(1) Yes	15	62.500	68.18	100.00
NA's	2	8.333		
Total	24	100.000	100.00	

4 Data Management

Won't be using this but it was created as an example for the assignment required on pdf

```
Dataset.csv$THERAPY <-factor(ifelse((Dataset.csv$Therapy.family.counseling ==1 | Dataset.csv$
summary(Dataset.csv$THERAPY)
```

No	NA's
22	2