



NAMA : Sasmita Rachmawati
NIM : 2141762141
Kelas : SIB-4C
Matkul : Keamanan Sistem Informasi

Checkpoint Exam: Incident Response

Scroll to begin

Question 1

What is a chain of custody?

the disciplinary measures an organization may perform if an incident is caused by an employee

a plan ensuring that each party involved in an incident response understands how to collect evidence



the documentation surrounding the preservation of evidence related to an incident

a list of all of the stakeholders that were exploited by an attacker

Question 2

What is specified in the plan element of the NIST incident response plan?



metrics for measuring the incident response capability and effectiveness

priority and severity ratings of incidents

incident handling based on the mission of the organization

organizational structure and the definition of roles, responsibilities, and levels of authority



NAMA : Sasmita Rachmawati
NIM : 2141762141
Kelas : SIB-4C
Matkul : Keamanan Sistem Informasi

Question 3

Keeping data backups offsite is an example of which type of disaster recovery control?

corrective



preventive

management

detective

Question 4

Which activity is typically performed by a threat actor in the installation phase of the Cyber Kill Chain?

Harvest email addresses of user accounts.

Obtain an automated tool to deliver the malware payload.

Open a two-way communication channel to the CnC infrastructure.



Install a web shell on the target web server for persistent access.

Question 5

In which step of the NIST incident response process does the CSIRT perform an analysis to determine which networks, systems, or applications are affected; who or what originated the incident; and how the incident is occurring?



scoping

incident notification

detection

attacker identification



NAMA : Sasmita Rachmawati
NIM : 2141762141
Kelas : SIB-4C
Matkul : Keamanan Sistem Informasi

Question 6

What type of exercise interrupts services to verify that all aspects of a business continuity plan are able to respond to a certain type of incident?

Tabletop exercise

Functional test



Operational exercise

Question 7

According to NIST, which step in the digital forensics process involves identifying potential sources of forensic data, its acquisition, handling, and storage?

reporting

examination

analysis



collection

Question 8

Which type of evidence supports an assertion based on previously obtained evidence?

direct evidence



corroborating evidence

indirect evidence

best evidence



NAMA : Sasmita Rachmawati
NIM : 2141762141
Kelas : SIB-4C
Matkul : Keamanan Sistem Informasi

Question 9

Which NIST-defined incident response stakeholder is responsible for coordinating incident response with other stakeholders and minimizing the damage of an incident?

IT support



management

human resources

the legal department

Question 10

According to the Cyber Kill Chain model, after a weapon is delivered to a targeted system, what is the next step that a threat actor would take?

weaponization

installation

action on objectives



exploitation

Question 11

Match the intrusion event defined in the Diamond Model of intrusion to the description.

Categories:

the target of the attack

a tool or technique used to attack the victim

network path used to establish and maintain command and control

the parties responsible for the intrusion

A

B

C

D

Options:



infrastructure



capability



victim



adversary





NAMA : Sasmita Rachmawati
NIM : 2141762141
Kelas : SIB-4C
Matkul : Keamanan Sistem Informasi

Question 12

What will a threat actor do to create a back door on a compromised target according to the Cyber Kill Chain model?

Open a two-way communications channel to the CnC infrastructure.

Obtain an automated tool to deliver the malware payload.

Collect and exfiltrate data.



Add services and autorun keys.

Question 13

Match the NIST incident response stakeholder with the role.

Categories:

designs the budget

develops firewall rules

preserves attack evidence

performs disciplinary measures

reviews policies for local or federal guideline violations

A

B

C

D

E

Options:



IT support



management



legal department



information assurance



human resources

Question 14

Which type of data would be considered an example of volatile data?



memory registers

web browser cache

temp files

log files



NAMA : Sasmita Rachmawati
NIM : 2141762141
Kelas : SIB-4C
Matkul : Keamanan Sistem Informasi

Question 15

Which type of controls restore the system after a disaster or an event?

Preventive controls

Detective controls



Corrective controls

Question 16

What is the objective the threat actor in establishing a two-way communication channel between the target system and a CnC infrastructure?

to launch a buffer overflow attack

to steal network bandwidth from the network where the target is located



to allow the threat actor to issue commands to the software that is installed on the target

to send user data stored on the target to the threat actor

Question 17

A company is applying the NIST.SP800-61 r2 incident handling process to security events. What are two examples of incidents that are in the category of precursor? (Choose two.)

an IDS alert message being sent

a host that has been verified as infected with malware

multiple failed logins from an unknown source



log entries that show a response to a port scan



a newly-discovered vulnerability in Apache web servers



NAMA : Sasmita Rachmawati
NIM : 2141762141
Kelas : SIB-4C
Matkul : Keamanan Sistem Informasi

Question 18

A cybersecurity analyst has been called to a crime scene that contains several technology items including a computer. Which technique will be used so that the information found on the computer can be used in court?



unaltered disk image

rootki

Tor

log collection

Question 19

Which task describes threat attribution?

obtaining the most volatile evidence

evaluating the server alert data

reporting the incident to the proper authorities



determining who is responsible for the attack

Question 20

Place the seven steps defined in the Cyber Kill Chain in the correct order.

Categories:

Options:

step 1

A

E



installation

step 2

B

D



exploitation

step 3

C

F



command and control

step 4

D

B



weaponization

step 5

E

C



delivery

step 6

F

A



reconnaissance

step 7

G

G



action on objectives