

Lab - Attack Analysis

Objectives

Part 1: Investigate IOCs

Part 2: Investigate the Malicious Activity

Part 3: Investigate the More Malicious Activity

Introduction

Once an alert has been reported and validated, the digital forensics and incident response analysis must be completed. In a large organization, members of the incident response team (i.e., CSIRT) are responsible for this process. The response team typically consists of veteran threat hunters and select cybersecurity analysts and technicians. To help the incident response team, various tools and resources are available.

In this lab, you will use the ANY.RUN online interactive malware hunting service and the Mitre ATT&CK Matrix to investigate potential malicious activity.

ANY.RUN offers a free service in which community users can upload suspected malware files for analysis. It provides a very rich set of analyses features that lets you safely investigate the behavior of malware. The ANY.RUN sandbox can dynamically run the malware and display details of what the malware does in safe and secure analysis interface.

Note: You will use the free version of ANY.RUN which has limited features and can only run malware samples on a 32-bit Windows 7 virtual machine. Two more advanced versions are available for a monthly subscription. The Searcher and Hunter versions provide access advanced features and other operating systems (e.g., Windows 10).

Scenario

You are working a cyber technician and you have been selected to work with the incident response team at XYZ, Inc. A cybersecurity analyst has asked you to evaluate hash values from security alerts that have been generated by the Intrusion Prevention System (IPS). The IPS has flagged a series of events as potentially malicious.

You will use the ANY.RUN online tool and Mitre ATT&CK Matrix to perform forensic analysis based on the provided hash values.

Required Resources

- A device with internet access

Instructions

Part 1: Investigate IOCs

In this part, you will use the ANY.RUN website to categorize identified hash values to see if they are malicious, suspicious, or benign.

Step 1: Explore the ANY.RUN site

- Open a web browser and navigate to the **ANY.RUN** webpage.
- At the top of webpage are available links starting with "WHY US". Click **SERVICE** from the horizontal menu to move to the sandbox service interface.
- Click one of the countries in the map to show the list of public submissions from that country. Community users can view a detailed analysis for each submission.
- Explore and become familiar with this dashboard. The ANY.RUN tool has many options available that will be of great value to a cybersecurity analyst. Use this opportunity to learn more about the tool.

NAMA : IK-RARS'JATI PRAMESTI
NIM : 2141762003
KELAS : SIB-4C

Step 2: Validate Suspicious Hashes

In this step, you will investigate some MD5 hash of files that the cybersecurity analyst has identified in the table below. You will verify if they are potentially malicious, suspicious, or benign.

- a. To search hash values, click **Public Tasks** in the menu on the left.

This opens the **Public submissions** page which displays a list of public tasks arranged by the most recent submission. Notice that each task is labelled with the analysis verdict identifying the submission as no threat detected (i.e., benign), suspicious activity, or malicious activity.

- b. The Cybersecurity analyst has asked you to validate several hash values. Complete the following table by copying and pasting the identified MD5 hash value in the search box in the upper right of the window and press **Enter**.

IOCs MD5 Hash Values	Malicious / Suspicious / Benign	Associated Filename
2fd03624e271ec70349ce56fb30f563b	Malicious	wireframe.exe
c419df63e0121d72411285780c2fc6cc	Suspicious	Updreg.EXE
3acf52e5a62d50bdcedcb89174bf5492	Benign	BACs_Payment2847.html
766b774626947000e67e0b318f558e94	Malicious	gh2st.exe
422a6ca28a7e4d8e5e498523c6f049f4	Malicious	file1.exe
b497845beb135740e6caed03a2020036	Suspicious	winlogon.exe

Click Link. No additional information.

Note: These malicious hash values will also be used in Part 2 and 3.

Part 2: Investigate the Malicious Activity


In this part, you will use the ANY.RUN website to investigate the malicious activity identified in the previous part. From the ANY.RUN tool, you will pivot to different tools to examine the malicious activity. Finally, you will use the Mitre ATT&K Matrix to identify the tactics and techniques used by the threat actors.

Step 1: Investigate the first malicious hash process tree.

- a. From the ANY.RUN Public submissions page, search for the first identified malicious hash value in Part 1, Step 2b.
- b. Click the resulting entry to open it in the ANY.RUN sandbox. The ANY.RUN analysis interface provides insights to many aspects of the malware behavior.

Note: If more than one submission is displayed, then click the submission with the **wireframe.exe** filename.

NAMA : IK-RARS'JATI PRAMESTI
NIM : 2141762003
KELAS : SIB-4C



- c. On the right-hand side of the screen, you will see the process tree which displays a group of horizontal blue bars in a nested tree-like structure. It shows all the software processes that were used in the exploit. Some of them are windows software components, and others are part of the malware.

What are the names of the processes used in this activity?

wireframe.exe, cmd.exe, timeout.exe, and NvidiaGPU.exe.

Step 2: Investigate the malicious activity text report.

Above the process tree are three text boxes labelled “Text report”, “Processes graph”, and ATT&CK matrix.

- Click the **Text report** to open a report in a new web browser window.
- Scroll through the document to see the generated report.

General Info

Add for printing

File name:

wireframe.exe

Full analysis:

<https://app.any.run/tasks/c9e2ee7c-751c-46e7-a046-4decdd7ed1b9c>

Verdict:

Malicious activity

Threats:

AsynerAT Remote Access Trojan

AsynerAT is a RAT that can monitor and remotely control infected systems. This malware was introduced on Github as a legitimate open-source remote administration software, but hackers use it for its many powerful malicious functions.

Analysis date:

October 01, 2024 at 10:11:15

OS:

Windows 7 Professional Service Pack 1 (build: 7601, 32 bit)

Tags:

asynrat tal

Indicators:

MIME:

application/x-dosexec

File info:

PE32 executable (GUI) Intel 80386 Mono/.Net assembly, for MS Windows

MD5:

2FD0362AEZ71EC70349CE56FB30F563B

SHA1:

7ED2E38DEC8996A7F695BF7B80EC012F4D001F10

SHA256:

9C83A89EA5605AF9AA37D2DADEB20B2412DB8C9694A1312BEA173A73557487

SDDEEP:

1536.DCWYHwZU0V1v/bzdHUp2oOGBLPH73bT3XsAgLnI3Rimmx:DCWYHwZU0Y1tHl8b73bTFBoX

Malware Trends Tracker

>>>

ANY.RUN

is an interactive service which provides full access to the guest system. Information in this report could be distorted by user actions and is provided for user acknowledgement as it is. ANY.RUN does not guarantee maliciousness or safety of the content.


What is the SHA256 value associated with this activity?

9C83A89EA0E56D5AF9AA37D2DABED20B2412DB8C9694A13128EA173A73557487

Step 3: Investigate the malicious activity processes graph.

- a. Return to the analysis webpage and click the **Processes graph**.

NAMA : IK-RARS'JATI PRAMESTI
NIM : 2141762003
KELAS : SIB-4C



Which process was executed first?

wireframe.exe

What is the process name in the red highlighted box?

nvidia_gpu.exe

- b. Click the red highlighted box.


Question:

What is the identified danger?

ASYNCRAT was detected

Step 4: Investigate the malicious activity in the ATT&CK matrix

- a. Return to the analysis webpage and click the **ATT&CK matrix** to open the Mitre ATT&CK Matrix page.



How many Tactics, Techniques, and Events are there related to this malicious activity?

4 tactics, 6 techniques, and 22 events.

What are the tactics that were used by the threat actors?

Execution, Persistence, Privilege escalation, and Discovery

NAMA : IK-RARS' JATI PRAMESTI
NIM : 2141762003
KELAS : SIB-4C

- b. Click the various techniques that were used.

Question:

Which technique is identified as a Danger?

Boot or Logon Autostart Execution

Part 3: Investigate the More Malicious Activity

In this part, you will repeat the steps in Part 2 to examine the other two malicious entries discovered in Part 1.

Step 1: Investigate the second malicious hash process tree.

- a. Return to the ANY.RUN Public submissions page, and search for the second identified malicious hash value discovered in Part 1, Step 2b.
- b. Click the resulting entry to open it in the ANY.RUN sandbox.

Question:

What is the name in the process tree of the process used in this activity?

gh2st.exe

- c. Open the Text report.

General Info

☒ Add for printing

File name: gh2st.exe

Full analysis: <https://app.any.run/tasks/86ad0eaf-4b2e-4381-bae4-be17e60076d>

Verdict: **Malicious activity**

Threats: **Remote Access Trojan** RedLine Stealer Trojan

Remote access trojans (RATs) are a type of malware that enables attackers to establish complete to partial control over infected computers. Such malicious programs often have a modular design, offering a wide range of functionalities for conducting illicit activities on compromised systems. Some of the most common features of RATs include access to the users' data, webcam, and keystrokes. This malware is often distributed through phishing emails and links.

Analysis date: September 22, 2021 at 08:46:47

OS: Windows 7 Professional Service Pack 1 (build: 7601, 32 bit)

Tags: **trojan** **rat** **redline** **stealer**

Indicators:

MIME: application/x-dosexec

File info: PE32 executable (console) Intel 80386, for MS Windows

MDS: 766b774626947000e67e0b318f558e94

SHA1: E1C3E74F121CE9FC54338B66AFA396BC68DB147

SHA256: 88DD2037D0C43ABACEBAD866DF3F8CCD2EE7D64B01405AA6756A3A1C2FAC28FA

SSDEEP: 98304:dzdll0go3vmwqgSSpnm4H0jydeOFbHCupicF1StrJQ2gVCil3+w8RpumKH0jyde4bHJicFIS/+

ANY.RUN is an interactive service which provides full access to the guest system. Information in this report could be distorted by user actions and is provided for user acknowledgement as it is. ANY.RUN does not guarantee maliciousness or safety of the content.

What is the SHA256 value associated with this activity?

88DD2037D0C43ABACEBAD866DF3F8CCD2EE7D64B01405AA6756A3A1C2FAC28FA

- d. Return to the analysis webpage and open the **Processes graph**.

The screenshot shows the ANY.RUN sandbox interface. On the left, a process tree is visible with 'gh2st.exe' highlighted in a red box. On the right, a 'Process details' window for 'gh2st.exe' (ID 2388, Malicious) is open. The details window lists several indicators of compromise:


- Steals credentials from Web Browsers**
- T1552.001** Credentials In Files (2)
 - Steals credentials from Web Browsers**
 - Actions looks like stealing of personal data**
- T1114.001** Local Email Collection (1)
 - Stealing of credential data**
- T1518** Software Discovery (1)
 - Actions looks like stealing of personal data**
- Connects to CnC server**
- REDLINE was detected**

What are the identified dangers?

Steals credentials from Web Browsers, Stealing of credential data, Actions looks like stealing of personal data, Connects to CnC server, and REDLINE was detected.

NAMA : IK-RARS'JATI PRAMESTI
NIM : 2141762003
KELAS : SIB-4C

e. Return to the analysis webpage open the **ATT&CK matrix**.



How many Tactics, Techniques, and Events are there related to this malicious activity?

3 tactics, 7 techniques, and 245 events.

What are the tactics that were used by the threat actors?

Credential access, Discovery, and Collection

c. Click the various techniques that were used.

d. Which techniques are identified as a Danger?

Credential from Password Stores, Unsecured Credentials, Software Discovery, and Email Collection

Step 2: Investigate the third malicious hash process tree

- Return to the ANY.RUN Public submissions page, and search for the third identified malicious hash value discovered in Part 1, Step 2b.
- Click the resulting entry to open it in the ANY.RUN sandbox.

What is the name in the process tree of the process used in this activity?

file1.exe

c. Open the **Text report**.

General Info ☒ Add for printing

File name: file1.exe
Full analysis: <https://app.any.run/tasks/43102cf7-f600-4318-8714-9972d3442ab5>
Verdict: **Malicious activity**
Threats: **Remote Access Trojan** RedLine Stealer Trojan

Analysis date: September 22, 2021 at 02:56:02
OS: Windows 7 Professional Service Pack 1 (build: 7601, 32 bit)
Tags: **trojan** **rat** **redline** **stealer**
Indicators:
MIME: application/x-dosexec
File info: PE32 executable (console) Intel 80386, for MS Windows
MD5: 422A6CA28A7E4D8E5E498523C6F049F4
SHA1: 22F3610B4FF0537D6ECA10321C5F762FA27085FD
SHA256: F7B1639B6C4CA677BA2796945A94C5F6D7E6C4C89FD39CD8BE882A8A7C0FCFAA
SSDEEP: 24576/N9sZ0odms0l6ezElexb4E72ZV9TBqAUoumsuRC9f1w+miDCqM7ntxfVJLuTxZQ:F9orR5oZb4ux3h4HSv7sF

Malware Trends Tracker >>>

What is the SHA256 value associated with this activity?

NAMA : IK-RARS'JATI PRAMESTI
NIM : 2141762003
KELAS : SIB-4C

F7B1639B6C4CA677BA279B945A94C5F6D67E6C4C89FD39CD8BE882A8A7CDFCAA


- d. Return to the analysis webpage and open the **Processes** graph.



What Dangers does it display?

Steals credentials from Web Browsers, Stealing of credential data, Actions looks like stealing of personal data, Connects to CnC server, REDLINE was detected.

- e. Return to the analysis webpage open the **ATT&CK** matrix.



How many Tactics, Techniques, and Events are there related to this malicious activity?

3 tactics, 7 techniques, and 1525 events.

What are the tactics that were used by the threat actors?

Credential Access, Discovery, and Collection

Reflection Questions

1. Explain how forensic analysis and incident response is very much like law enforcement trying to solve a criminal case.

Like a police detective, you must validate that a crime has happened, collect all of the possible evidence, and analyze the result.

2. Two of our malicious activities referred to Redline. What is Redline?

RedLine Stealer is a malicious program that collects users' confidential data from browsers, systems, and installed software. It also infects operating systems with other malware.