



DETAILED PAINT SPECIFICATION

Detailed Paint Specification

This specification has been prepared following inspection of the project and outlines the recommended preparation procedures, coating systems and estimated material requirements for the surfaces included within this quotation. All recommendations are based on the recorded site conditions at the time of inspection.

PROJECT

CUSTOMER

x

REFERENCE

PSP-Q-000013

PREPARED BY

tmpu2

DATE

06 September 2026

SECTIONS

1

Project Overview

A professional specification for quality, durability and long-lasting results.

PROJECT

CUSTOMER

x

QUOTATION REFERENCE

PSP-Q-000013

PREPARED BY

tmpu2

DATE

06 September 2026

SPECIFICATION SECTIONS

1

Purpose

The purpose of this specification is to provide a structured coating recommendation for each inspected surface included within this quotation. The document should be used together with the official quotation and manufacturer product data sheets.

General Application Notes

- Ensure all surfaces are clean, dry and free from contaminants before coating.
- Moisture levels should fall within manufacturer recommendations before application.
- All preparation work should be completed before primers or finish coats are applied.
- Observe all manufacturer drying and recoat times. Application should only be carried out under suitable environmental conditions.

1

ITEM 1 : Sec
A

INTERIOR · INTERIOR_WALLS

Preparation Requirements

Inspect existing coating.

Application Requirements

Apply 1 coat of Surface Test Paint.

Coating System

Coating System	Technical Data Sheet	Spread Rate (m²/L)	DFT (µm)	Application Methods
Coat 1: Surface Test Paint	—	8.00	—	Brush / Roller / Spray

Surface / Product

Item No.	Surface Type	Substrate	Product	Coverage per 20L	Coverage (m²/L)	Colour	Pack Size	Unit Price (excl. VAT)	Paint cost per m² (excl. VAT)
1	Sec A	Interior	Surface Test Paint	160.00	8.00	White	20L	R 120.00	R 12.00

Project Pricing Summary

Subtotal (excl. VAT)	R 0.00
VAT	R 0.00
Grand Total	R 0.00

Important Notes

Material quantities are estimates based on the recorded surface areas and selected coating systems. Actual consumption may vary depending on substrate porosity, application method and site conditions.

This specification should be read together with the official quotation and any manufacturer technical data sheets supplied with the selected coating products.

PREPARED BY

tmpu2

COMPANY DETAILS

ProStar Paints

QUOTATION

PSP-Q-000013

Generated 06 September 2026