

C++

Test

Q1: C++ was developed by _

- (A) Thomas Kushz
- (B) John Kemney
- (C) Bjarne Stroutstrup
- (D) James Goling

Q2: Which one of the following is a keyword?

- (A) Size
- (B) Key
- (C) Jump
- (D) Switch

Q3: _is the smallest individual unit in a program.

- (A) Variable
- (B) Control
- (C) Character
- (D) Token

Q4: What is a constant that contains a single character enclosed within single quotes?

- (A) Character
- (B) Numeric
- (C) Fixed
- (D) Floating point

Q5: The modulus operator uses ____ character.

- (A) +
- (B) *
- (C) /
- (D) %

Q6: _operators have lower precedence to relational and arithmetic operators.

- (A) Conditional
- (B) Boolean
- (C) Logical
- (D) Relational

Q7: How many C++ data types are broadly classified?

- (A) 2
- (B) 3
- (C) 4
- (D) 5

Q8 : Float and double are related to__data type.

- (A) Void
- (B) Floating
- (C) Fixed
- (D) Integral

Q9:Variable names must begin with ____

- (A) #
- (B) \$
- (C) Number
- (D) Letter

Q10: Integer values are stored in __bit format in binary form.

- (A) 8
- (B) 16
- (C) 32
- (D) 64

Q11: Every variable should be separated by __separator.

- (A) Dot
- (B) Colon
- (C) Comma
- (D) Semicolon

Q12: Auto, static, extern and register are called as ____

- (A) Static
- (B) Register
- (C) Auto
- (D) Storage specifier

Q13:How many storage specifies are there in a C++?

- (A) 2
- (B) 3
- (C) 4
- (D) 5

Q14: Signed, unsigned, long and short are some of the ____

- (A) Void
- (B) Data
- (C) Derived data
- (D) Modifiers

Q15: Logical AND (&&) and Logical OR (||) are__operators.

- (A) Logical
- (B) Equality
- (C) Class member
- (D) Comma

