Inference for SRL

Armin Halilovic & Thierry Deruyttere (r
0660485)

 $March\ 24,\ 2018$

Chapter 1

Probabilistic Inference Using Weighted Model Counting

1.1

1.1.1 ENC 1

Indicator clauses:

```
 \begin{array}{l} \left( \neg \ \lambda_{PollutionLow} \lor \neg \ \lambda_{PollutionHigh} \right) \land \left( \lambda_{PollutionLow} \lor \lambda_{PollutionHigh} \right) \land \left( \neg \ \lambda_{SmokerTrue} \lor \neg \ \lambda_{SmokerFalse} \right) \land \left( \lambda_{SmokerTrue} \lor \lambda_{SmokerFalse} \right) \land \left( \neg \ \lambda_{CancerTrue} \lor \neg \ \lambda_{CancerFalse} \right) \land \left( \neg \ \lambda_{XrayPositive} \lor \neg \ \lambda_{XrayNegative} \right) \land \left( \lambda_{XrayPositive} \lor \lambda_{XrayNegative} \right) \land \left( \neg \ \lambda_{DyspnoeaTrue} \lor \neg \ \lambda_{DyspnoeaFalse} \right) \land \left( \lambda_{DyspnoeaTrue} \lor \lambda_{DyspnoeaFalse} \right) \end{aligned}
```

Parameter clauses:

```
(\neg \lambda_{PollutionLow} \lor \theta_{PollutionLow}) \land (\lambda_{PollutionLow} \lor \neg \theta_{PollutionLow}) \land (\neg
   \lambda_{PollutionHigh} \vee \theta_{PollutionHigh}) \wedge (\lambda_{PollutionHigh} \vee \neg \theta_{PollutionHigh}) \wedge (\neg \theta_{PollutionHigh})
        \lambda_{SmokerTrue} \vee \theta_{SmokerTrue}) \wedge (\lambda_{SmokerTrue} \vee \neg \theta_{SmokerTrue}) \wedge (\neg
      \lambda_{SmokerFalse} \lor \theta_{SmokerFalse}) \land (\lambda_{SmokerFalse} \lor \neg \theta_{SmokerFalse}) \land (\neg \theta_{SmokerFalse}) \land (\neg \theta_{SmokerFalse})
                       \lambda_{PollutionLow} \vee \neg \lambda_{SmokerTrue} \vee \neg \lambda_{CancerTrue} \vee 
                 \theta_{CancerTrue|PollutionLow,SmokerTrue}) \wedge (\lambda_{PollutionLow} \vee \neg
                 \theta_{CancerTrue|PollutionLow,SmokerTrue}) \land (\lambda_{SmokerTrue} \lor \lnot
                  \theta_{CancerTrue|PollutionLow,SmokerTrue}) \land (\lambda_{CancerTrue} \lor \neg
\theta_{CancerTrue|PollutionLow,SmokerTrue}) \land (\neg \lambda_{PollutionLow} \lor \neg \lambda_{SmokerTrue} \lor \neg
    \lambda_{CancerFalse} \lor \theta_{CancerFalse|PollutionLow,SmokerTrue}) \land (\lambda_{PollutionLow} \lor \neg)
                 \theta_{CancerFalse|PollutionLow,SmokerTrue}) \land (\lambda_{SmokerTrue} \lor \neg
                 \theta_{CancerFalse|PollutionLow,SmokerTrue}) \land (\lambda_{CancerFalse} \lor \neg
\theta_{CancerFalse|PollutionLow,SmokerTrue}) \land (\neg \lambda_{PollutionLow} \lor \neg \lambda_{SmokerFalse} \lor \neg
    \lambda_{CancerTrue} \lor \theta_{CancerTrue|PollutionLow,SmokerFalse}) \land (\lambda_{PollutionLow} \lor \neg)
                \theta_{CancerTrue|PollutionLow,SmokerFalse}) \land (\lambda_{SmokerFalse} \lor \neg
                 \theta_{CancerTrue|PollutionLow,SmokerFalse}) \land (\lambda_{CancerTrue} \lor \lnot)
\theta_{CancerTrue|PollutionLow,SmokerFalse}) \land (\neg \lambda_{PollutionLow} \lor \neg \lambda_{SmokerFalse} \lor \neg
```

```
\lambda_{CancerFalse} \vee \theta_{CancerFalse|PollutionLow,SmokerFalse}) \wedge (\lambda_{PollutionLow} \vee \neg
                                                           \theta_{CancerFalse|PollutionLow,SmokerFalse}) \land (\lambda_{SmokerFalse} \lor \neg
                                                            \theta_{CancerFalse|PollutionLow,SmokerFalse}) \land (\lambda_{CancerFalse} \lor \neg
\theta_{CancerFalse|PollutionLow,SmokerFalse}) \land (\neg \lambda_{PollutionHigh} \lor \neg \lambda_{SmokerTrue} \lor \neg
              \lambda_{CancerTrue} \vee \theta_{CancerTrue|PollutionHigh,SmokerTrue}) \wedge (\lambda_{PollutionHigh} \vee \neg
                                                             \theta_{CancerTrue|PollutionHigh.SmokerTrue}) \wedge (\lambda_{SmokerTrue} \vee \neg
                                                              \theta_{CancerTrue|PollutionHigh,SmokerTrue}) \wedge (\lambda_{CancerTrue} \vee \neg
\theta_{CancerTrue|PollutionHigh,SmokerTrue}) \wedge (\neg \lambda_{PollutionHigh} \vee \neg \lambda_{SmokerTrue} \vee \neg )
            \lambda_{CancerFalse} \lor \theta_{CancerFalse|PollutionHigh,SmokerTrue}) \land (\lambda_{PollutionHigh} \lor \neg)
                                                           \theta_{CancerFalse|PollutionHigh,SmokerTrue}) \land (\lambda_{SmokerTrue} \lor \lnot)
                                                           \theta_{CancerFalse|PollutionHigh,SmokerTrue}) \land (\lambda_{CancerFalse} \lor \neg)
    \theta_{CancerFalse|PollutionHigh,SmokerTrue}) \land (\neg \lambda_{PollutionHigh} \lor \neg \lambda_{SmokerFalse} \lor 
        \neg \lambda_{CancerTrue} \lor \theta_{CancerTrue|PollutionHigh,SmokerFalse}) \land (\lambda_{PollutionHigh} \lor \neg )
                                                          \theta_{CancerTrue|PollutionHigh,SmokerFalse}) \land (\lambda_{SmokerFalse} \lor \neg
                                                             \theta_{CancerTrue|PollutionHigh,SmokerFalse}) \land (\lambda_{CancerTrue} \lor \neg
    \theta_{CancerTrue|PollutionHigh,SmokerFalse}) \land (\neg \lambda_{PollutionHigh} \lor \neg \lambda_{SmokerFalse} \lor 
     \neg \lambda_{CancerFalse} \lor \theta_{CancerFalse|PollutionHigh,SmokerFalse}) \land (\lambda_{PollutionHigh} \lor \neg )
                                                         \theta_{CancerFalse|PollutionHigh,SmokerFalse}) \land (\lambda_{SmokerFalse} \lor \neg
                                                         \theta_{CancerFalse|PollutionHigh,SmokerFalse}) \land (\lambda_{CancerFalse} \lor \neg
       \theta_{CancerFalse|PollutionHigh,SmokerFalse}) \land (\neg \lambda_{CancerTrue} \lor \neg \lambda_{XrayPositive} \lor 
                 \theta_{XrayPositive|CancerTrue}) \wedge (\lambda_{CancerTrue} \vee \neg \theta_{XrayPositive|CancerTrue}) \wedge (\lambda_{CancerTrue} \vee \neg \theta_{XrayPositive|CancerTrue}) \wedge (\lambda_{CancerTrue}) \wedge (\lambda_{CancerT
                                   (\lambda_{XrayPositive} \lor \neg \theta_{XrayPositive|CancerTrue}) \land (\neg \lambda_{CancerTrue} \lor \neg
                                               \lambda_{XrayNegative} \lor \theta_{XrayNegative|CancerTrue}) \land (\lambda_{CancerTrue} \lor \lnot)
\theta_{XrayNegative|CancerTrue}) \wedge (\lambda_{XrayNegative} \vee \neg \theta_{XrayNegative|CancerTrue}) \wedge (\neg \theta_{XrayNegative|CancerTrue}) \wedge (\neg \theta_{XrayNegative|CancerTrue})
\lambda_{CancerFalse} \lor \lnot \lambda_{XrayPositive} \lor \theta_{XrayPositive|CancerFalse}) \land (\lambda_{CancerFalse} \lor \lnot
 \theta_{XrayPositive|CancerFalse}) \land (\lambda_{XrayPositive} \lor \neg \theta_{XrayPositive|CancerFalse}) \land (\neg \theta_{XrayPositive})
\lambda_{CancerFalse} \lor \neg \lambda_{XrayNegative} \lor \theta_{XrayNegative|CancerFalse}) \land (\lambda_{CancerFalse} \lor \neg \lambda_{XrayNegative} \lor \neg
 \neg \theta_{XrayNegative|CancerFalse}) \land (\lambda_{XrayNegative} \lor \neg \theta_{XrayNegative|CancerFalse}) \land (\lambda_{XrayNegative} \lor \neg \theta_{XrayNegative|CancerFalse}) \land (\lambda_{XrayNegative} \lor \neg \theta_{XrayNegative}) \land (\lambda_{XrayNega
 (\neg \lambda_{CancerTrue} \lor \neg \lambda_{DyspnoeaTrue} \lor \theta_{DyspnoeaTrue} | CancerTrue) \land (\lambda_{CancerTrue})
 \vee \neg \theta_{DyspnoeaTrue|CancerTrue}) \wedge (\lambda_{DyspnoeaTrue} \vee \neg \theta_{DyspnoeaTrue|CancerTrue})
                              \wedge (\neg \lambda_{CancerTrue} \lor \neg \lambda_{DyspnoeaFalse} \lor \theta_{DyspnoeaFalse|CancerTrue}) \land 
                                 (\lambda_{CancerTrue} \lor \neg \theta_{DyspnoeaFalse} | CancerTrue) \land (\lambda_{DyspnoeaFalse} \lor \neg
                                    \theta_{DyspnoeaFalse|CancerTrue}) \wedge (\neg \lambda_{CancerFalse} \lor \neg \lambda_{DyspnoeaTrue} \lor 
       \theta_{DyspnoeaTrue|CancerFalse}) \wedge (\lambda_{CancerFalse} \vee \neg \theta_{DyspnoeaTrue|CancerFalse}) \wedge (\lambda_{CancerFalse}) \wedge
                           (\lambda_{DyspnoeaTrue} \lor \neg \theta_{DyspnoeaTrue|CancerFalse}) \land (\neg \lambda_{CancerFalse} \lor \neg
                                      \lambda_{DyspnoeaFalse} \vee \theta_{DyspnoeaFalse|CancerFalse}) \wedge (\lambda_{CancerFalse} \vee \neg
     \theta_{DyspnoeaFalse|CancerFalse}) \wedge (\lambda_{DyspnoeaFalse} \vee \neg \theta_{DyspnoeaFalse|CancerFalse})
Weights:
W(\lambda_{PollutionLow}) = 1.00
W(\neg \lambda_{PollutionLow}) = 1.00
W(\lambda_{PollutionHigh}) = 1.00
W(\neg \lambda_{PollutionHigh}) = 1.00
W(\lambda_{SmokerTrue}) = 1.00
W(\neg \lambda_{SmokerTrue}) = 1.00
W(\lambda_{SmokerFalse}) = 1.00
W(\neg \lambda_{SmokerFalse}) = 1.00
W(\lambda_{CancerTrue}) = 1.00
W(\neg \lambda_{CancerTrue}) = 1.00
W(\lambda_{CancerFalse}) = 1.00
```

```
W(\neg \lambda_{CancerFalse}) = 1.00
W(\lambda_{XrayPositive}) = 1.00
W(\neg \lambda_{XrayPositive}) = 1.00
W(\lambda_{XrayNegative}) = 1.00
W(\neg \lambda_{XrayNegative}) = 1.00
W(\lambda_{DuspnoeaTrue}) = 1.00
W(\neg \lambda_{DyspnoeaTrue}) = 1.00
W(\lambda_{DyspnoeaFalse}) = 1.00
W(\neg \lambda_{DyspnoeaFalse}) = 1.00
W(\theta_{PollutionLow}) = 0.90
W(\neg \theta_{PollutionLow}) = 1.00
W(\theta_{PollutionHigh}) = 0.10
W(\neg \theta_{PollutionHigh}) = 1.00
W(\theta_{SmokerTrue}) = 0.30
W(\neg \theta_{SmokerTrue}) = 1.00
W(\theta_{SmokerFalse}) = 0.70
W(\neg \theta_{SmokerFalse}) = 1.00
W(\theta_{CancerTrue|PollutionLow,SmokerTrue}) = 0.03
W(\neg \theta_{CancerTrue|PollutionLow,SmokerTrue}) = 1.00
W(\theta_{CancerFalse|PollutionLow,SmokerTrue}) = 0.97
W(\neg \theta_{CancerFalse|PollutionLow,SmokerTrue}) = 1.00
W(\theta_{CancerTrue|PollutionLow,SmokerFalse}) = 0.00
W(\neg \theta_{CancerTrue|PollutionLow,SmokerFalse}) = 1.00
W(\theta_{CancerFalse|PollutionLow,SmokerFalse}) = 1.00
W(\neg \theta_{CancerFalse|PollutionLow,SmokerFalse}) = 1.00
W(\theta_{CancerTrue|PollutionHigh,SmokerTrue}) = 0.05
W(\neg \theta_{CancerTrue|PollutionHigh,SmokerTrue}) = 1.00
W(\theta_{CancerFalse|PollutionHigh,SmokerTrue}) = 0.95
W(\neg \theta_{CancerFalse|PollutionHigh,SmokerTrue}) = 1.00
W(\theta_{CancerTrue|PollutionHigh,SmokerFalse}) = 0.02
W(\neg \theta_{CancerTrue|PollutionHigh,SmokerFalse}) = 1.00
W(\theta_{CancerFalse|PollutionHigh,SmokerFalse}) = 0.98
W(\neg \theta_{CancerFalse|PollutionHigh,SmokerFalse}) = 1.00
W(\theta_{XrayPositive|CancerTrue}) = 0.90
W(\neg \theta_{XrayPositive|CancerTrue}) = 1.00
W(\theta_{XrayNegative|CancerTrue}) = 0.10
W(\neg \theta_{XrayNegative|CancerTrue}) = 1.00
W(\theta_{XrayPositive|CancerFalse}) = 0.20
W(\neg \theta_{XrayPositive|CancerFalse}) = 1.00
W(\theta_{XrayNegative|CancerFalse}) = 0.80
W(\neg \theta_{XrayNegative|CancerFalse}) = 1.00
W(\theta_{DyspnoeaTrue|CancerTrue}) = 0.65
W(\neg \theta_{DyspnoeaTrue|CancerTrue}) = 1.00
W(\theta_{DyspnoeaFalse|CancerTrue}) = 0.35
W(\neg \theta_{DyspnoeaFalse|CancerTrue}) = 1.00
W(\theta_{DyspnoeaTrue|CancerFalse}) = 0.30
W(\neg \theta_{DyspnoeaTrue|CancerFalse}) = 1.00
W(\theta_{DuspnoeaFalse|CancerFalse}) = 0.70
W(\neg \theta_{DyspnoeaFalse|CancerFalse}) = 1.00
```

1.1.2 ENC 2

Indicator clauses

```
 \begin{array}{l} \left( \neg \ \lambda_{PollutionLow} \lor \neg \ \lambda_{PollutionHigh} \right) \land \left( \lambda_{PollutionLow} \lor \lambda_{PollutionHigh} \right) \land \left( \neg \ \lambda_{SmokerTrue} \lor \neg \ \lambda_{SmokerFalse} \right) \land \left( \lambda_{SmokerTrue} \lor \lambda_{SmokerFalse} \right) \land \left( \neg \ \lambda_{CancerTrue} \lor \neg \ \lambda_{CancerFalse} \right) \land \left( \neg \ \lambda_{XrayPositive} \lor \neg \ \lambda_{XrayNegative} \right) \land \left( \lambda_{XrayPositive} \lor \lambda_{XrayNegative} \right) \land \left( \neg \ \lambda_{DyspnoeaTrue} \lor \neg \ \lambda_{DyspnoeaFalse} \right) \land \left( \lambda_{DyspnoeaTrue} \lor \lambda_{DyspnoeaFalse} \right) \end{aligned}
```

Parameter clauses

```
(\neg \rho_{PollutionLow} \lor \lambda_{PollutionLow}) \land (\rho_{PollutionLow} \lor \lambda_{PollutionHigh}) \land (\neg
                   \rho_{SmokerTrue} \lor \lambda_{SmokerTrue}) \land (\rho_{SmokerTrue} \lor \lambda_{SmokerFalse}) \land (\neg
      \lambda_{PollutionLow} \vee \neg \lambda_{SmokerTrue} \vee \neg \rho_{CancerTrue|PollutionLow,SmokerTrue} \vee 
                                               \lambda_{CancerTrue}) \wedge (\neg \lambda_{PollutionLow} \vee \neg \lambda_{SmokerTrue} \vee \neg \lambda_{SmokerTrue})
  \rho_{CancerTrue|PollutionLow,SmokerTrue} \lor \lambda_{CancerFalse}) \land (\lnot \lambda_{PollutionLow} \lor \lnot
   \lambda_{SmokerFalse} \lor \neg \rho_{CancerTrue|PollutionLow,SmokerFalse} \lor \lambda_{CancerTrue}) \land (\neg
        \lambda_{PollutionLow} \vee \neg \lambda_{SmokerFalse} \vee \rho_{CancerTrue|PollutionLow,SmokerFalse} \vee 
                                         \lambda_{CancerFalse}) \wedge (\neg \lambda_{PollutionHigh} \vee \neg \lambda_{SmokerTrue} \vee \neg
\rho_{CancerTrue|PollutionHigh,SmokerTrue} \ \lor \ \lambda_{CancerTrue}) \land (\lnot \ \lambda_{PollutionHigh} \ \lor \ \lnot
       \lambda_{SmokerTrue} \lor \rho_{CancerTrue|PollutionHigh,SmokerTrue} \lor \lambda_{CancerFalse}) \land (\lnot
  \lambda_{PollutionHigh} \lor \neg \lambda_{SmokerFalse} \lor \neg \rho_{CancerTrue|PollutionHigh,SmokerFalse} \lor
                                             \lambda_{CancerTrue}) \wedge (\neg \lambda_{PollutionHigh} \vee \neg \lambda_{SmokerFalse} \vee \neg \lambda
  \rho_{CancerTrue|PollutionHigh,SmokerFalse} \lor \lambda_{CancerFalse}) \land (\lnot \lambda_{CancerTrue} \lor \lnot
                             \rho_{XrayPositive|CancerTrue} \lor \lambda_{XrayPositive}) \land (\lnot \lambda_{CancerTrue} \lor )
                       \rho_{XrayPositive|CancerTrue} \lor \lambda_{XrayNegative}) \land (\lnot \lambda_{CancerFalse} \lor \lnot
                           \rho_{XrayPositive|CancerFalse} \vee \lambda_{XrayPositive}) \wedge (\neg \lambda_{CancerFalse} \vee 
                       \rho_{XrayPositive|CancerFalse} \lor \lambda_{XrayNegative}) \land (\lnot \lambda_{CancerTrue} \lor \lnot
                         \rho_{DyspnoeaTrue|CancerTrue} \lor \lambda_{DyspnoeaTrue}) \land (\lnot \lambda_{CancerTrue} \lor )
                    \rho_{DyspnoeaTrue|CancerTrue} \lor \lambda_{DyspnoeaFalse}) \land (\lnot \lambda_{CancerFalse} \lor \lnot
                        \rho_{DyspnoeaTrue|CancerFalse} \lor \lambda_{DyspnoeaTrue}) \land (\neg \lambda_{CancerFalse} \lor )
                                                               \rho_{DyspnoeaTrue|CancerFalse} \lor \lambda_{DyspnoeaFalse})
```

Weights

```
W(\lambda_{PollutionLow}) = 1.00
W(\neg \lambda_{PollutionLow}) = 1.00
W(\lambda_{PollutionHigh}) = 1.00
W(\neg \lambda_{PollutionHigh}) = 1.00
W(\lambda_{SmokerTrue}) = 1.00
W(\neg \lambda_{SmokerTrue}) = 1.00
W(\lambda_{SmokerFalse}) = 1.00
W(\neg \lambda_{SmokerFalse}) = 1.00
W(\lambda_{CancerTrue}) = 1.00
W(\neg \lambda_{CancerTrue}) = 1.00
W(\lambda_{CancerFalse}) = 1.00
W(\neg \lambda_{CancerFalse}) = 1.00
W(\lambda_{XrayPositive}) = 1.00
W(\neg \lambda_{XrayPositive}) = 1.00
W(\lambda_{XrayNegative}) = 1.00
W(\neg \lambda_{XrayNegative}) = 1.00
```

```
W(\lambda_{DyspnoeaTrue}) = 1.00
W(\neg \lambda_{DyspnoeaTrue}) = 1.00
W(\lambda_{DyspnoeaFalse}) = 1.00
W(\neg \lambda_{DyspnoeaFalse}) = 1.00
W(\rho_{PollutionLow}) = 0.90
W(\neg \rho_{PollutionLow}) = 0.10
W(\rho_{SmokerTrue}) = 0.30
W(\neg \rho_{SmokerTrue}) = 0.70
W(\rho_{CancerTrue|PollutionLow,SmokerTrue}) = 0.03
W(\neg \rho_{CancerTrue|PollutionLow,SmokerTrue}) = 0.97
W(\rho_{CancerTrue|PollutionLow,SmokerFalse}) = 0.00
W(\neg \rho_{CancerTrue|PollutionLow,SmokerFalse}) = 1.00
W(\rho_{CancerTrue|PollutionHigh,SmokerTrue}) = 0.05
W(\neg \rho_{CancerTrue|PollutionHigh,SmokerTrue}) = 0.95
W(\rho_{CancerTrue|PollutionHigh,SmokerFalse}) = 0.02
W(\neg \rho_{CancerTrue|PollutionHigh,SmokerFalse}) = 0.98
W(\rho_{XrayPositive|CancerTrue}) = 0.90
W(\neg \rho_{XrayPositive|CancerTrue}) = 0.10
W(\rho_{XrayPositive|CancerFalse}) = 0.20
W(\neg \rho_{XrayPositive|CancerFalse}) = 0.80
W(\rho_{DyspnoeaTrue|CancerTrue}) = 0.65
W(\neg \rho_{DyspnoeaTrue|CancerTrue}) = 0.35
W(\rho_{DyspnoeaTrue|CancerFalse}) = 0.30
W(\neg \rho_{DyspnoeaTrue|CancerFalse}) = 0.70
```

1.2

The CNF of the monty hall problem is given in image 1 TODO WEIGHTS

```
CNF:
select_door(1)

A win_keep v -prize(1)

A -win_keep v prize(1)

A open_door(2) v prize(2)

A -open_door(2) v -prize(2)

A -open_door(3) v -prize(3)

A open_door(3) v -prize(3)

A -open_door(3) v -prize(3)

A -open_door(3) v -prize(2)

A win_switch v -prize(2) v open_door(2)

A win_switch v -prize(2) v open_door(3)

A -win_switch v -prize(2) v prize(3)

A -win_switch v -prize(2) v -open_door(3)

A -win_switch v -open_door(2) v -prize(3)

A -win_switch v -open_door(2) v -open_door(3)

A -win_switch v -open_door(2) v -open_door(3)

Queries:

query(prize(1))
query(prize(1))
query(prize(3))
query(select_door(1))
query(win_keep)
query(win_switch)
```

Figure 1.1: Grounded problog cnf

1.3

1.3.1

We will use mini2CD and Cachet as WMC counters.

mini2CD

• ENC1:

Figure 1.2: Grounded problog cnf

• ENC2:

Figure 1.3: Grounded problog cnf

• Prolog first:

Cachet

- ENC1:
- ENC2:
- Prolog first:

2. Difference between WMC's

The three WMC we will compare are C2D, Cachet and SharpSAT.

C2D Vs Cachet

The biggest difference between C2D and Cachet is that C2D keeps a track of the operation it has performed. This means that Cachet is not a compiler but C2D is. In [1] they note that Cachet could easily be transformed into a compiler. There are some other minor differences like they have a different way to implement decompositions but they also do variable splitting and caching in a different way.

SharpSAT vs Cachet

SharpSAT has an efficient way to cache components. This cache has a limited size and removes old entries using an utility function. It also uses implicit boolean constraint propagation (BCP). This results in a smaller search space and reduces the cache size further. SharpSAT also inherits different techniques from conventional SAT solvers. It inherits a clause learning and a fast BCP algorithm. It also has some things in common with Cachet: For selecting the branch variables, SharpSAT applies the VSADS algorithm from Cachet. Cachet uses a string representation for components while SharpSAT uses a smart coding to store its components in a cache. [2].

C2D vs SharpSAT

The biggest difference between these two is that C2D is a compiler. A point they have in common is that they both use things from the literature. C2D creates a tree while SharpSAT doesn't.

3 Overview of computational requirements

NOG DOEN.

Bibliography

- [1] Mark Chavira and Adnan Darwiche. On probabilistic inference by weighted model counting. *Artificial Intelligence*, 172(6):772 799, 2008.
- [2] Marc Thurley. sharpsat counting models with advanced component caching and implicit bcp. Proceedings of the 9th International Conference on Theory and Applications of Satisfiability Testing (SAT 2006), pages 424–429, 2006.