
1. Aliases

Program Name: Aliases.java

Input File: aliases.dat

Judges Input File

8

Dirk, Evan, George, Harry, Larry, Mo, George

Ann, Beth, Joe Don, Lester, Joe Don

Ben, Carol, Elizabeth, Frank, Gene, Henry, Ted, Zach, Zach

Liz, Mary, Nancy, Opal, Rosemary, Sue, Troy, Zoey, Rosemary

Charles, Charles

Rob, Ron, Sue, Ted, Will, Rob

Alex, Ben, Cindy, Deborah, Ernie, Felice, Gen, Hal, Richard, Richard

Fred, George, Linda, Michael, Noel, Princess, Quin, Ross, Sam, Tom, Trudy,

Van, Quin

(All the names in the last data set are actually on the same line.)

Judges Output to Screen

45

58

80

89

50

10

130

65

2. All Tied Up

Program Name: All.java

Input File: all.dat

Judges Input File

```
7
4
Armadillos Donkeys
Anesthesiologists Armadillos
Armadillos Donkeys
Cattle Anesthesiologists
Anesthesiologists Armadillos
3
Armadillos Bratwursts
Anesthesiologists Armadillos
Armadillos Apples
Anesthesiologists Armadillos
3
Coconuts Bananas
Bananas Bratwursts
Dopplegangers Donuts
Banditos Bananas
2
Chefs Bananas
Donkeys Donuts
Chefs Donkeys
1
Cattle Banditos
Banditos Apples
3
Apples Armadillos
Armadillos Apples
Armadillos Apples
Apples Bratwursts
6
Armadillos Anesthesiologists
Apples Armadillos
Armadillos Coconuts
Armadillos Chefs
Cattle Chefs
Cattle Donuts
Cattle Armadillos
```

Judges Output to Screen

```
Armadillos
Anesthesiologists
Bananas
Donkeys
Apples
Bratwursts
Cattle
```

3. Bling

Input File: bling.dat

Judges Input File

25
3
7
13
35
1

Judges Output to Screen

[illegible]

3. Bling (cont.)

*

*

*

*

4. Closet OCD

Program Name: Closet.java

Input File: closet.dat

Judges Input File

```
8
9 1 2 3 4 5 6 7 8 10
10 9 8 7 6 5 4 3 2 1
10 2 3 4 5 6 7 8 9 1
6 7 8 9 10 1 2 3 4 5
1 6 2 7 3 8 4 9 5 10
1 2 3 4 5 6 7 8 9 10
1 2 3 4 6 5 7 8 9 10
1 9 8 7 6 5 4 3 2 10
```

Judges Output to Screen

```
1
9
2
5
4
0
1
7
```

5. Door Man

Program Name: Door.java

Input File: door.dat

Judges Input File

```
8
5 5
#####
#...#
#.S.#
#...#
##d##
7 19
#####
#.....d
##.#####
#...###.....
#.S.d.d.....
#...###.....
#####
3 3
#d#
dSd
#d#
5 5
.....
.#d#.
.dSd.
.#d#.
.....
3 50
#####
#Sd#####
#####
10 20
.....
..#.....#..
..#d#####d#..
..#...#...#...#..
..#...#...#...#..
..#...##d##d##...#..
..#...d.....d...#..
..#####d#####..
.....#...S.#.....
.....#####.....
9 9
#####
#Sd.d.d.#
#d#d#d#d#
#.d.d.d.d.#
#d#d#d#d#
#.d.d.d.d.#
#d#d#d#d#
#.d.d.d.d.d
#####
9 9
#####
#Sd.d.d.#
```

5. Door Man (cont.)

```
#d#d###d#  
#.#.d.d.#  
#d#d#d###  
#.d.#.d.#  
#d#d#d#d#  
#.d.d.#.d  
#####
```

Judges Output to Screen

```
1 door(s)  
1 door(s)  
1 door(s)  
1 door(s)  
48 door(s)  
3 door(s)  
7 door(s)  
7 door(s)
```

6. More Boxes

Program Name: More.java

Input File: more.dat

Judges Input File

```
19
2
1x2x3 2x3x4
2
2x3x4 1x2x3
2
2x3x4 2x3x4
2
4x3x2 2x3x4
4
1x2x3 2x3x4 1x2x3 2x3x4
3
2x4x3 9x9x9 1x2x3
2
3x4x2 1x2x3
2
3x4x2 1x3x2
2
3x4x2 3x1x2
2
9x9x9 9x9x9
2
3x4x2 2x2x3
2
3x4x2 2x3x2
2
3x4x2 3x2x2
10
20x20x20 20x20x20 20x20x20 20x20x20 20x20x20 20x20x20 20x20x20 20x20x20
20x20x20 20x20x20
10
1x2x3 2x3x4 3x4x5 4x5x6 5x6x7 6x7x8 7x8x9 8x9x10 9x10x11 10x11x12
10
10x11x12 9x10x11 8x9x10 7x8x9 6x7x8 5x6x7 4x5x6 3x4x5 2x3x4 1x2x3
6
3x4x5 3x5x4 4x3x5 4x5x3 5x3x4 5x4x3
10
1x1x1 2x2x2 1x1x1 3x3x2 1x1x1 4x4x2 1x1x1 5x5x2 1x1x1 6x6x2
10
6x5x4 1x2x3 4x3x2 3x4x5 1x1x1 4x4x4 3x3x3 5x5x5 2x2x2 5x6x7
```

(All the ten 20x20x20 boxes in the 14th data set are actually on the same line.)

Judges Output to Screen (see next page)

6. More Boxes (cont.)

Judges Output to Screen

1
1
2
2
2
1
1
1
1
1
2
2
2
2
2
10
1
1
6
5
2

7. Number Systems

Program Name: Numbers.java

Input File: numbers.dat

Judges Input File

```
7
0 2 6 7
1 7 4 8
3 4 8
7 6 7
1 2 9
3 4 5 2 6
2 1 7 8 0 12
```

Judges Output to Screen

```
2060
1174
443
767
1112
2543
12870
```

8. Quilt

Program Name: Quilt.java Input File: quilt.dat

Judges Input File

4

RRRRRRRRRR
RRRRBBRRRR
RRRRBBRRRR
RRYYYYYYRR
RRRRLRRRR
RRYYYYYYRR
RRRRXARRRR
RRSSDDSSRR
RRUUUUUURR
RRRRRRRRRR

2

ZZZZZZZZZZ
ZZZZBBZZZZ
ZZZZBBZZZZ
ZZRRRRRRZZ
ZZZZLLZZZZ
ZZRRRRRRZZ
ZZZZXCZZZZ
ZZSSDDSSZZ
ZZ000000ZZ
ZZZZZZZZZZ
AAAAAAAAAA
AAAABBAAAA
AAAABBAAAA
AAQQQQQAA
AAAALLAAAA
AAQQQQQAA
AAAACAAAA
AASSDDSSAA
AA000000AA
AAAAAAAAAA
XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX

1

XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX
XXXX0XXXXX
XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX
XXXXXXXXXX

8. Quilt (cont.)

AAAAAAAAAA
AASSSSSBB
AASSAAAAA
AASSSSSSAA
BBAAAASSAA
BBAAAASSAA
AAAAAASSAA
AASSSSSSAA
AASSSSSSAA
AAAAAAAAAA

2

CCCCCCCCC
CC000000XX
CC00CCCCC
CC000000CC
XXCCCC00CC
XXCCCC00CC
CCCCC00CC
CC000000CC
CC000000CC
CCCCCCCCC
VVVVVVVVV
VFFFFFFFB
VFFVWVVV
VFFFFFFFV
BBVVVFFV
BBVVVFFV
VVVVVFFV
VFFFFFFFV
VFFFFFFFV
VVVVVVVVV
ABCDEFGHIJ
KLMNOPQRST
UVWXYZABCD
EFGHIJKLMN
OPQRSTUVWXYZ
YZABCDEFGH
IJKLMNOPQR
STUVWXYZAB
CDEFGHIJKL
MNOPQRSTUV

2

ABFFFFGHIJ
KLMNOPQRST
UVWXYZBFF
FFGHIJKLMN
OPQRSTUVWXYZ
YZABFFFGH

8. Quilt (cont.)

IJKLMNOPQR
STUVWXYZAB
FFFFGHIJKL
MNOPQRSTUV
ABCDEFGHIJ
KLMNOPQRST
UVWXYZABCD
EFGHIJKLMN
OPQRSTUVWXYZ
YZABCDEFGH
IJKLMNOPQR
STUVWXYZAB
CDEFGHIJKL
MNOPQRSTUV

Judges Output to Screen

SAME
SAME
NOT SAME
SAME
SAME
NOT SAME
SAME

9. Short Walk on El Camino Big Num

Program Name: Shortwalk.java

Input File: shortwalk.dat

Judges Input File

```
8
El Camino Real
5
1000
750
10000
2000
1
El Camino Big Num
4
9000000000
10000000000
10000000009
1
Sweet Cherry Lane
5
1000
900
1100
9000
9100
Vanilla Avenue
7
489
265
143
135
236
52
247
Huge Blvd.
14
9999999999995
99999999999988
99999999999999
99999999999982
99999999999979
1
100000000000000
99999999999985
99999999999991
200000000000000
100
1000
4
103
Big Street
2
1
99999999999999
Park Place
9
1000
```

9. Short Walk on El Camino Big Num (cont.)

10000000
10000003
1001
10000001
10000002
1002
10000004
1010
J Random Avenue
6
214368
394818
620969
668315
615289
81497

Judges Output to Screen

El Camino Real
min distance: 250
number of pairs: 1
El Camino Big Num
min distance: 9
number of pairs: 1
Sweet Cherry Lane
min distance: 100
number of pairs: 3
Vanilla Avenue
min distance: 8
number of pairs: 1
Huge Blvd.
min distance: 3
number of pairs: 6
Big Street
min distance: 999999999999998
number of pairs: 1
Park Place
min distance: 1
number of pairs: 6
J Random Avenue
min distance: 5680
number of pairs: 1

10. Snooze

Program Name: Snooze.java

Input File: snooze.dat

Judges Input File

6

```
| * _ | _ |
| * _ |   |
```

1

```
| _ | * _ | _ |
| | _ * _ |   |
```

3

```
_ | * _ |   |
_ | * _ |   |
```

1

```
| _ | * _ |   |
| | _ * _ |   |
```

1

```
| _ | * _ | _ |
| | _ * _ | _ |
```

80

```
| _ | * _ | _ |
| | _ * _ | _ |
```

100

Judges Output to Screen

```
| * _ | _ |
| * _ |   |
```

```
| * _ |   |
| * _ |   |
```

```
| _ | * _ | _ |
| _ | * _ | _ |
```

```
| * _ | _ |
| * _ | _ |
```

```
| _ | * _ | _ |
| _ | * _ | _ |
```

```
_ | * _ | _ |
_ | * _ | _ |
```

11. Walk the Line

Program Name: Walkline.java

Input File: walkline.dat

Judges Input File

```
11
5 5 6 6 -3 -3 7 7
3 0 1 1 -5 0 2 0
0 0 5 5 0 5 5 0
5 5 10 5 100 5 -954 5
1000 0 1000 -100 1000 950 1000 -17
1000 0 1000 -100 1000 950 1000 1000
5 10 0 0 -5 -10 -10 -20
2 5 6 25 1 0 -2 -15
4 5 10 10 17 -100 300 100
-4 -10 3 2 10 -3 -8 -12
1 4 2 2 11 -16 0 0
```

Judges Output to Screen

```
1
4
6
1
1
1
1
1
1
6
4
4
```

12. Yahtzee

Program Name: Yahtzee.java

Input File: yahtzee.dat

Judges Input File

```
10
MARY 5 5 5 5 5
JOAN 4 4 4 4 4
ART 3 3 3 3 3
RON 1 1 1 1 1
ALEX 1 1 1 1 1
CHEZ 1 1 1 1 2
AMY 6 6 3 6 6
REX 6 4 6 6 6
RICK 6 2 6 6 6
GEORGE 4 4 4 4 4
JOHN 4 4 4 4 4
JIM 4 4 4 4 4
ANN 3 3 3 3 3
NAN 3 3 3 3 1
JAN 6 6 6 6 6
JERRY 1 1 1 1 1
MARY 2 2 2 2 2
LARRY 3 3 3 3 3
ANN 3 2 3 2 3
ALICE 4 6 6 4 4
AL 4 6 6 6 4
JOE 4 3 2 5 4
JOHN 2 2 2 2 2
JILL 1 2 5 4 3
NED 3 3 3 3 3
TED 4 4 4 4 4
FRED 3 3 3 3 3
LISA 6 6 6 6 6
DENISE 4 4 4 4 4
ALI 6 6 6 6 6
```

Judges Output to Screen

```
MARY
TIE ALEX RON
NO WINNER
TIE GEORGE JIM JOHN
JAN
LARRY
NO WINNER
JOHN
TED
TIE ALI LISA
```