

Data Mining 資料探勘

FP-Growth Example

FP-Growth Example

TI D	Items
1	Milk, Bread, Beer
2	Bread, Coffee
3	Bread, Egg
4	Milk, Bread, Coffee
5	Milk, Egg
6	Bread, Egg
7	Milk, Egg
8	Milk, Bread, Egg, Beer
9	Milk, Bread, Egg

Find each item with its corresponding frequency

Sort the list in decreasing order!

Milk : 6

Bread:

Beer: 2

Coffee:

Egg:6







Create the root of the tree, labeled with "null"

Sort the items of each transaction


TID	Items
1	Bread, Milk, Beer
2	Bread, Coffee
3	Bread, Egg
4	Bread, Milk, Coffee
5	Milk, Egg
6	Bread, Egg
7	Milk, Egg
8	Bread, Milk, Egg, Beer
9	Bread, Milk, Egg





















































14



minsup = 2

Bread:

Milk: 6

Egg: 6

Coffee :

Beer: 2

Start from frequent pattern with the lowest frequency in the list

For each item *i* in the list:

Extract prefix patterns of paths to the item *i*

Construct its Conditional Pattern Base

The pattern growth is achieved by the concatenation of the suffix pattern

with the frequent patterns generated from a Conditional Pattern Base
















Combination of prefix patterns









All possible combination of Conditional Pattern Base with the frequent item






































Frequent Patterns

```
(Bread, Milk, Beer): 2
(Bread, Beer): 2
 (Milk, Beer): 2
 (Bread, Coffee): 2
 (Milk, Egg): 4
 (Bread, Egg): 4
 (Bread, Milk, Egg): 2
 (Bread, Milk): 4
 (Beer): 2
 (Coffee): 2
 (Egg): 6
 (Milk): 6
 (Bread): 7
```

