

# Contents

<b>Security Policy</b>	<b>1</b>
Supported Versions . . . . .	1
Reporting a Vulnerability . . . . .	1
How to Report . . . . .	1
What to Expect . . . . .	1
Severity Levels . . . . .	2
Security Best Practices . . . . .	2
For Contributors . . . . .	2
For Operators . . . . .	2
Security Features . . . . .	3
Authentication . . . . .	3
Authorization . . . . .	3
Data Protection . . . . .	3
Monitoring . . . . .	3
Compliance . . . . .	3
Disclosure Policy . . . . .	3
Bug Bounty . . . . .	3
Security Updates . . . . .	4

## Security Policy

### Supported Versions

Version	Supported
4.17.x	:white_check_mark:
< 4.0	:x:

### Reporting a Vulnerability

We take security vulnerabilities seriously. If you discover a security issue, please report it responsibly.

#### How to Report

**DO NOT** open a public GitHub issue for security vulnerabilities.

Instead, please email: **security@radiant.example.com**

Include: - Description of the vulnerability - Steps to reproduce - Potential impact - Suggested fix (if any)

#### What to Expect

1. **Acknowledgment:** Within 24 hours
2. **Initial Assessment:** Within 72 hours
3. **Status Updates:** Every 7 days
4. **Resolution:** Varies by severity

## Severity Levels

Level	Response Time	Examples
Critical	24 hours	RCE, authentication bypass
High	72 hours	SQL injection, privilege escalation
Medium	1 week	XSS, CSRF
Low	2 weeks	Information disclosure

## Security Best Practices

### For Contributors

#### 1. Never commit secrets

- Use environment variables
- Use AWS Secrets Manager
- Check for secrets in pre-commit hooks

#### 2. Always use parameterized queries

```
// Good
executeStatement('SELECT * FROM users WHERE id = :id', [
  { name: 'id', value: { stringValue: userId } }
]);

// Bad
executeStatement(`SELECT * FROM users WHERE id = '${userId}'`);
```

#### 3. Validate all input

- Use Zod or similar for validation
- Sanitize user input
- Validate on both client and server

#### 4. Use RLS for tenant isolation

```
-- Always set tenant context
SET app.current_tenant_id = 'tenant-id';
```

#### 5. Follow least privilege

- Minimal IAM permissions
- Role-based access control
- Regular permission audits

### For Operators

1. **Enable MFA** for all admin accounts
2. **Rotate credentials** regularly
3. **Monitor audit logs** for suspicious activity
4. **Keep dependencies updated**
5. **Use WAF** in production

## 6. **Enable encryption** at rest and in transit

### **Security Features**

#### **Authentication**

- AWS Cognito with MFA support
- JWT tokens with short expiration
- Secure session management

#### **Authorization**

- Role-based access control (RBAC)
- Tenant-level isolation (RLS)
- API key scoping

#### **Data Protection**

- TLS 1.3 for transit encryption
- AES-256 for data at rest
- Field-level encryption for PII

#### **Monitoring**

- CloudWatch for logging
- GuardDuty for threat detection
- Config for compliance

#### **Compliance**

- HIPAA-ready (Tier 3+)
- SOC 2 controls
- GDPR data handling

### **Disclosure Policy**

We follow responsible disclosure:

1. Reporter contacts us privately
2. We verify and assess impact
3. We develop and test fix
4. We release patch
5. We credit reporter (if desired)
6. We publish advisory

### **Bug Bounty**

We currently do not have a formal bug bounty program. However, we appreciate all security reports and will acknowledge contributors in our security advisories.

## Security Updates

Subscribe to security updates: - Watch this repository - Follow our [security advisories](#)