

# Contents

<b>RADIANT Swift Deployer User Guide</b>	<b>3</b>
Table of Contents . . . . .	3
1. Overview . . . . .	4
Architecture . . . . .	4
RADIANT Applications . . . . .	4
2. System Requirements . . . . .	4
Minimum Requirements . . . . .	4
Required Software . . . . .	5
AWS Account Requirements . . . . .	5
3. Installation . . . . .	5
Download . . . . .	5
First Launch . . . . .	5
Verify Installation . . . . .	6
4. First Launch & Setup . . . . .	6
1Password Setup . . . . .	6
AWS Credentials Setup . . . . .	6
Initial Configuration Checklist . . . . .	6
5. Main Interface . . . . .	7
Window Layout . . . . .	7
Sidebar Sections . . . . .	7
Environment Selector . . . . .	7
6. Dashboard . . . . .	8
Status Cards . . . . .	8
Quick Actions . . . . .	8
Recent Activity . . . . .	8
7. Applications Management . . . . .	8
Viewing Applications . . . . .	8
Per-App Actions . . . . .	9
8. Deployment . . . . .	9
Deployment Modes . . . . .	9
Deployment Process . . . . .	9
Tier Levels . . . . .	9
Deployment Log . . . . .	10
9. Domain URL Configuration . . . . .	10
Overview . . . . .	10
Routing Strategies . . . . .	10
Configuration Steps . . . . .	10
DNS Records . . . . .	11
SSL Certificates . . . . .	11
10. Feature Flags . . . . .	11
Overview . . . . .	11
Core Features . . . . .	11
Think Tank Features . . . . .	12
Optional Applications . . . . .	12
Infrastructure Features . . . . .	12
Accessing Feature Flags . . . . .	12

11.	AI Registry	12
	Providers Tab	12
	Adding Provider Keys	13
	Models Tab	13
	Model Categories	13
12.	Self-Hosted Models	13
	Overview	13
	Supported Models	14
	Deployment Steps	14
	Thermal States	14
	Auto-Scaling	14
13.	Multi-Region Deployment	14
	Overview	14
	Supported Regions	14
	Configuration	15
	Failover	15
14.	Security & Compliance	15
	Security Tab	15
	Compliance Tab	15
	Compliance Reports	15
15.	Cost Management	16
	Costs Tab	16
	Cost Optimization	16
	Budget Alerts	16
16.	Monitoring	17
	Monitoring Tab	17
	Health Checks	17
	Alerts	17
17.	Snapshots & Rollbacks	18
	Snapshots Tab	18
	Creating Snapshots	18
	Rollback Process	18
18.	Package Management	18
	Packages Tab	18
	Release Channels	19
	Package Operations	19
19.	Settings	19
	General Settings	19
	Credentials Settings	19
	Features Settings	19
	AI Assistant Settings	19
	Timeout Settings	20
	Storage Settings	20
	Advanced Settings	20
20.	AI Assistant	20
	Overview	20
	Activation	20
	Example Queries	20

Voice Commands	21
21. Troubleshooting	21
Common Issues	21
Getting Help	21
22. Keyboard Shortcuts	22
Global	22
Navigation	22
Deployment	22
23. Glossary	22
Document Information	23

# RADIANT Swift Deployer User Guide

**Version:** 5.52.17

**Platform:** macOS 13.0+ (Ventura and later)

**Last Updated:** January 24, 2026

---

## Table of Contents


1. Overview
  2. System Requirements
  3. Installation
  4. First Launch & Setup
  5. Main Interface
  6. Dashboard
  7. Applications Management
  8. Deployment
  9. Domain URL Configuration
  10. Feature Flags
  11. AI Registry
  12. Self-Hosted Models
  13. Multi-Region Deployment
  14. Security & Compliance
  15. Cost Management
  16. Monitoring
  17. Snapshots & Rollbacks
  18. Package Management
  19. Settings
  20. AI Assistant
  21. Troubleshooting
  22. Keyboard Shortcuts
  23. Glossary
-

## 1. Overview

The RADIANT Swift Deployer is a native macOS application for deploying and managing RADIANT AI platform infrastructure on AWS. It provides a visual interface for:

- **Infrastructure Deployment:** Deploy complete RADIANT stacks to AWS
- **Domain Configuration:** Configure URLs for all platform applications
- **AI Model Management:** Configure external and self-hosted AI models
- **Monitoring:** Real-time health checks and cost tracking
- **Compliance:** HIPAA, SOC2, and GDPR compliance tools

## Architecture



## RADIANT Applications

The deployer manages five core applications:

Application	Description	Required
<b>RADIANT Admin</b>	Platform administration dashboard	Yes
<b>Think Tank Admin</b>	Think Tank configuration and management	No
<b>Curator</b>	Knowledge graph curation and fact verification	No
<b>Think Tank</b>	Consumer AI chat interface	Yes
<b>External API</b>	REST/GraphQL API for integrations	Yes

## 2. System Requirements

### Minimum Requirements

Component	Requirement
<b>macOS</b>	13.0 (Ventura) or later
<b>Processor</b>	Apple Silicon (M1/M2/M3) or Intel
<b>Memory</b>	8 GB RAM
<b>Storage</b>	2 GB available space
<b>Network</b>	Stable internet connection

## Required Software

Software	Purpose	Installation
<b>1Password</b>	Credential management	<a href="https://1password.com">1password.com</a>
<b>AWS CLI v2</b>	AWS operations	<code>brew install awscli</code>
<b>Node.js 18+</b>	CDK runtime	<code>brew install node@18</code>
<b>AWS CDK</b>	Infrastructure deployment	<code>npm install -g aws-cdk</code>

## AWS Account Requirements

- AWS account with administrator access
- IAM user or role with deployment permissions
- Sufficient service quotas for:
  - Aurora PostgreSQL clusters
  - Lambda functions (100+)
  - S3 buckets
  - CloudFront distributions
  - SageMaker endpoints (for self-hosted models)

---

## 3. Installation

### Download

1. Download `Radiant Deployer.app` from the releases page
2. Move to `/Applications` folder
3. Right-click → Open (first launch only, to bypass Gatekeeper)

### First Launch

On first launch, macOS may show a security warning:

1. Click **Cancel** on the warning dialog
2. Open **System Preferences** → **Privacy & Security**
3. Click **Open Anyway** next to “Radiant Deployer was blocked”
4. Click **Open** in the confirmation dialog

## Verify Installation

After launching, verify the version in the window header:

RADIANT Deployer v5.52.17

---

## 4. First Launch & Setup

### 1Password Setup

The deployer requires 1Password for secure credential management.

**Step 1:** Install 1Password CLI

```
brew install 1password-cli
```

**Step 2:** Enable CLI integration 1. Open 1Password app 2. Go to **Settings** → **Developer** 3. Enable **Integrate with 1Password CLI**

**Step 3:** Sign in to 1Password

```
op signin
```

**Step 4:** Verify in Deployer - The deployer will show a green checkmark when 1Password is configured - If not configured, you'll see the 1Password Setup screen

### AWS Credentials Setup

**Option A:** Store in 1Password (Recommended)

1. Create a new item in 1Password with:
  - **Title:** RADIANT AWS Credentials
  - **AWS Access Key ID:** Your access key
  - **AWS Secret Access Key:** Your secret key
  - **Region:** e.g., us-east-1
2. Tag the item with **radiant** for easy discovery

**Option B:** Use AWS CLI profiles


```
aws configure --profile radiant-deploy
```

### Initial Configuration Checklist

- 1Password installed and CLI enabled
  - AWS credentials stored securely
  - AWS CDK bootstrapped in target region
  - Domain purchased and DNS access available
  - SSL certificate requested (or will use ACM)
-

## 5. Main Interface

### Window Layout



### Sidebar Sections

Section	Tabs	Purpose
<b>MAIN</b>	Dashboard, Apps, Deploy	Core operations
<b>OPERATIONS</b>	Instances, Snapshots, Packages, History	Management
<b>AI REGISTRY</b>	Providers, Models, Self-Hosted	AI configuration
<b>CONFIGURATION</b>	Domain URLs, Email, Curator	Platform config
<b>ADVANCED</b>	Multi-Region, A/B Testing, Cortex Memory	Advanced features
<b>SECURITY</b>	Security, Compliance	Security settings
<b>SYSTEM</b>	Costs, Monitoring, Settings	System management

### Environment Selector

At the top of the sidebar, select the target environment:

Environment	Purpose	Color
<b>Development</b>	Testing and development	Blue
<b>Staging</b>	Pre-production testing	Orange
<b>Production</b>	Live production	Green

---

## 6. Dashboard

The Dashboard provides an at-a-glance view of your RADIANT deployment.

### Status Cards

Card	Information
<b>Version</b>	Current deployed version with update indicator
<b>Health</b>	Overall system health (Healthy/Degraded/Unhealthy)
<b>Costs</b>	Month-to-date AWS costs
<b>Active Users</b>	Current active user count

### Quick Actions

- **Deploy** → Jump to deployment view
- **View Logs** → Open CloudWatch logs
- **Health Check** → Run comprehensive health check
- **Refresh** → Refresh all status indicators

### Recent Activity

Shows the last 10 deployment and configuration changes.

---

## 7. Applications Management

### Viewing Applications

The **Apps** tab shows all RADIANT applications:

#### RADIANT Applications

RADIANT Admin	Enabled	<a href="https://acme.com/admin">https://acme.com/admin</a>
Platform administration		
Think Tank Admin	Enabled	<a href="https://acme.com/tt-admin">https://acme.com/tt-admin</a>
Think Tank configuration		

Curator	Enabled	<a href="https://acme.com/curator">https://acme.com/curator</a>
Knowledge graph curation		
Think Tank	Enabled	<a href="https://acme.com/">https://acme.com/</a>
Consumer AI interface		
External API	Enabled	<a href="https://acme.com/api">https://acme.com/api</a>
REST/GraphQL API		

## Per-App Actions

Click on any application to: - View health status - Open in browser - View CloudWatch logs - Restart (Lambda functions) - Scale (if applicable)

---

## 8. Deployment

### Deployment Modes

Mode	When Used	Description
<b>Fresh Install</b>	No existing deployment	Full infrastructure creation
<b>Update</b>	Existing deployment, newer version	Incremental update
<b>Rollback</b>	After failed update	Restore from snapshot

### Deployment Process

**Step 1: Select Application** - Choose the RADIANT platform instance to deploy

**Step 2: Select Environment** - Development, Staging, or Production

**Step 3: Configure Parameters**

Parameter	Description	Default
<b>Tier</b>	Infrastructure size	Based on use case
<b>Region</b>	AWS region	us-east-1
<b>Multi-AZ</b>	High availability	Growth+ tiers
<b>Self-Hosted Models</b>	SageMaker endpoints	Growth+ tiers

**Step 4: Review & Deploy** - Review all settings - Click **Deploy** to begin - Monitor progress in the deployment log

### Tier Levels

Tier	Monthly Cost	Use Case	Features
<b>SEED</b>	\$50-150	Development	Minimal resources
<b>STARTER</b>	\$200-400	Small production	WAF, GuardDuty
<b>GROWTH</b>	\$1,000-2,500	Medium production	Self-hosted models
<b>SCALE</b>	\$4,000-8,000	Large production	Multi-region
<b>ENTERPRISE</b>	\$15,000-35,000	Global deployment	Full features

## Deployment Log

The deployment log shows real-time progress:

```
[12:00:01] Starting deployment v5.52.17...
[12:00:02] Credentials validated
[12:00:05] Package downloaded (45.2 MB)
[12:00:10] → Deploying NetworkStack...
[12:02:30] NetworkStack deployed
[12:02:31] → Deploying DatabaseStack...
[12:05:45] DatabaseStack deployed
...
[12:15:00] Deployment complete!
```

---

## 9. Domain URL Configuration

### Overview

Configure how users access each RADIANT application.

### Routing Strategies

#### Subdomain-Based:

admin.acme.radiant.ai	→ RADIANT Admin
thinktank-admin.acme.radiant.ai	→ Think Tank Admin
curator.acme.radiant.ai	→ Curator
app.acme.radiant.ai	→ Think Tank
api.acme.radiant.ai	→ External API

#### Path-Based (Default):

acme.radiant.ai/admin	→ RADIANT Admin
acme.radiant.ai/thinktank-admin	→ Think Tank Admin
acme.radiant.ai/curator	→ Curator
acme.radiant.ai/	→ Think Tank
acme.radiant.ai/api	→ External API

### Configuration Steps

**Step 1: Enter Base Domain** - Enter your domain without protocol: acme.radiant.ai

**Step 2: Choose Routing Strategy** - Subdomain: Each app on its own subdomain - Path-Based: All apps under one domain with paths

**Step 3: Configure Per-App Settings** - Enable/disable optional apps - Customize subdomains or paths - Set cache policies

**Step 4: Validate DNS** - Click **Validate** to check DNS configuration - Green checkmarks indicate proper setup

## DNS Records

For **subdomain-based** routing, create these DNS records:

Type	Name	Value
CNAME	admin	d123456.cloudfront.net
CNAME	app	d123456.cloudfront.net
CNAME	api	d123456.cloudfront.net
CNAME	curator	d123456.cloudfront.net
CNAME	thinktank-admin	d123456.cloudfront.net

For **path-based** routing:

Type	Name	Value
A (ALIAS)	@	d123456.cloudfront.net

## SSL Certificates

The deployer automatically provisions SSL certificates via AWS ACM:

1. ACM requests certificate for your domain
2. Validation records are displayed
3. Add CNAME records to your DNS
4. Wait for validation (usually 5-30 minutes)
5. Certificate is automatically attached to CloudFront

---

## 10. Feature Flags

### Overview

Control which platform features are enabled for deployment.

### Core Features

Feature	Default	Description
<b>Cortex Memory</b>	On	Three-tier memory system (Hot/Warm/Cold)
<b>Ego System</b>	On	Zero-cost persistent AI identity

Feature	Default	Description
<b>Compliance Export</b>	On	HIPAA, SOC2, GDPR-formatted exports

## Think Tank Features

Feature	Default	Description
<b>Time Machine</b>	On	Fork conversations, create checkpoints
<b>Collaboration</b>	On	Real-time multi-user sessions

## Optional Applications

Feature	Default	Minimum Tier
<b>Curator</b>	On	Growth

## Infrastructure Features

Feature	Default	Minimum Tier
<b>Self-Hosted Models</b>	Off	Growth
<b>Multi-Region</b>	Off	Scale

## Accessing Feature Flags

1. Go to **Settings** → **Features** tab
2. Toggle features on/off
3. Click **Apply** to save
4. Redeploy to activate changes

---

## 11. AI Registry

### Providers Tab

View and configure AI providers:

Provider	Models	Status
<b>OpenAI</b>	GPT-4o, GPT-4-turbo, etc.	Active
<b>Anthropic</b>	Claude 3.5 Sonnet, etc.	Active
<b>Google</b>	Gemini 1.5 Pro, etc.	Active
<b>Amazon Bedrock</b>	Claude, Titan, etc.	Active
<b>Self-Hosted</b>	Custom models	Configure

## Adding Provider Keys

1. Click **Add Provider**
2. Select provider from dropdown
3. Enter API key
4. Click **Validate** to test connection
5. Click **Save**

Keys are securely stored in AWS Secrets Manager.

## Models Tab

View all available AI models:

AI Models	Filter: All	
GPT-4o Context: 128K	OpenAI Speed: Fast	\$2.50/1M tokens Quality: Excellent
Claude 3.5 Sonnet Context: 200K	Anthropic Speed: Fast	\$3.00/1M tokens Quality: Excellent
Gemini 1.5 Pro Context: 1M	Google Speed: Medium	\$1.25/1M tokens Quality: Very Good

## Model Categories

Models are organized by capability:

Category	Use Case
<b>Reasoning</b>	Complex analysis, decision-making
<b>Creative</b>	Writing, brainstorming
<b>Code</b>	Programming, debugging
<b>Fast</b>	Quick responses, low latency
<b>Vision</b>	Image analysis
<b>Embedding</b>	Vector search

## 12. Self-Hosted Models

### Overview

Deploy AI models on your own AWS infrastructure for:

- Data sovereignty
- Reduced latency
- Cost optimization at scale
- Custom fine-tuned models

## Supported Models

Model	Size	Instance Type	Monthly Cost
Llama 3.1 8B	8B	ml.g5.xlarge	~\$150
Llama 3.1 70B	70B	ml.g5.12xlarge	~\$1,200
Mixtral 8x7B	46.7B	ml.g5.4xlarge	~\$400
CodeLlama 34B	34B	ml.g5.2xlarge	~\$300

## Deployment Steps

1. Go to **Self-Hosted** tab
2. Click **Add Model**
3. Select model from catalog
4. Choose instance type
5. Set scaling parameters
6. Click **Deploy**

## Thermal States

Self-hosted models have thermal states to optimize costs:

State	Description	Response Time
<b>HOT</b>	Running, ready	Immediate
<b>WARM</b>	Scaled down, quick start	30-60 seconds
<b>COLD</b>	Stopped	3-5 minutes
<b>OFF</b>	Deleted	Full deploy

## Auto-Scaling

Configure auto-scaling based on: - Request count - Queue depth - Time of day (scheduled)

---

## 13. Multi-Region Deployment

### Overview

Deploy RADIANT across multiple AWS regions for: - Geographic redundancy - Reduced latency for global users - Disaster recovery

### Supported Regions

Region	Location	Latency Zone
us-east-1	N. Virginia	Americas
us-west-2	Oregon	Americas
eu-west-1	Ireland	Europe
eu-central-1	Frankfurt	Europe

Region	Location	Latency Zone
ap-southeast-1	Singapore	Asia
ap-northeast-1	Tokyo	Asia

## Configuration

1. Go to **Multi-Region** tab
2. Select primary region
3. Add secondary regions
4. Configure replication:
  - **Database:** Aurora Global Database
  - **Storage:** S3 Cross-Region Replication
  - **API:** Route53 latency-based routing

## Failover

Automatic failover when: - Primary region health check fails - Manual failover triggered - Scheduled maintenance

---

## 14. Security & Compliance

### Security Tab

Configure security features:

Feature	Description	Default
<b>WAF</b>	Web Application Firewall	On (Starter+)
<b>GuardDuty</b>	Threat detection	On (Starter+)
<b>Shield</b>	DDoS protection	Standard
<b>VPC Flow Logs</b>	Network monitoring	On

### Compliance Tab

**HIPAA Compliance** Enable for healthcare data: - PHI encryption at rest and in transit - Audit logging for all data access - BAA documentation - Access controls

**SOC2 Compliance** Enable for enterprise: - Comprehensive audit trails - Access reviews - Incident response procedures - Vendor management

**GDPR Compliance** Enable for EU data: - Data subject access requests - Right to erasure - Data portability - Consent management

### Compliance Reports

Generate compliance reports:

1. Go to **Compliance** tab
  2. Select report type
  3. Choose date range
  4. Click **Generate**
  5. Download PDF or JSON
- 

## 15. Cost Management

### Costs Tab

View and manage AWS costs:

#### Cost Overview

January 2026

Month-to-Date: \$1,234.56

Projected: \$2,100.00

Budget: \$2,500.00 84%

#### Cost Breakdown

Aurora PostgreSQL	\$450.00	36%
Lambda	\$280.00	23%
SageMaker	\$200.00	16%
S3 Storage	\$120.00	10%
CloudFront	\$100.00	8%
Other	\$84.56	7%

### Cost Optimization

The deployer includes automatic cost optimization:

Feature	Savings	Description
Thermal Management	30-70%	Scale down idle models
Semantic Cache	20-40%	Cache repeated queries
Model Routing	40-60%	Route to cheaper models when appropriate
Reserved Capacity	30-50%	Pre-purchase compute capacity

### Budget Alerts


Set up budget alerts:

1. Go to **Costs** tab
  2. Click **Set Budget**
  3. Enter monthly budget amount
  4. Configure alert thresholds (50%, 75%, 90%, 100%)
  5. Add notification emails
- 

## 16. Monitoring

### Monitoring Tab

Real-time monitoring dashboard:



### Health Checks

Automatic health checks run every 60 seconds:

Check	Description	Threshold
API Gateway	Endpoint availability	99.9%
Lambda	Function execution	<5s p99
Database	Connection pool	<90% utilized
Storage	S3 availability	99.99%

### Alerts

Configure alerts for: - Error rate spikes - Latency increases - Resource exhaustion - Security events

---

## 17. Snapshots & Rollbacks

### Snapshots Tab

View and manage deployment snapshots:

#### Deployment Snapshots

**snap-2026-01-24-pre-update**

Created: Jan 24, 2026 6:00 AM Size: 2.3 GB  
Version: 5.52.16 Reason: Pre-update backup  
[Restore] [Download] [Delete]

**snap-2026-01-20-manual**

Created: Jan 20, 2026 3:00 PM Size: 2.1 GB  
Version: 5.45.0 Reason: Manual backup  
[Restore] [Download] [Delete]

### Creating Snapshots

Snapshots are created automatically: - Before every update deployment - Before rollbacks - On a scheduled basis (configurable)

Manual snapshots: 1. Click **Create Snapshot** 2. Enter description 3. Choose components to include 4. Click **Create**

### Rollback Process

1. Go to **Snapshots** tab
  2. Select snapshot to restore
  3. Click **Restore**
  4. Confirm the rollback
  5. Monitor restoration progress
- 

## 18. Package Management

### Packages Tab

Manage deployment packages:

#### Deployment Packages

**radiant-5.52.17-stable.tar.gz** Current  
Channel: Stable Size: 45.2 MB Downloaded: Jan 24

`radiant-5.52.16-stable.tar.gz`  
Channel: Stable Size: 44.8 MB Downloaded: Jan 20

`radiant-5.53.0-beta.tar.gz`  
Channel: Beta Size: 46.1 MB Downloaded: Jan 23

## Release Channels

Channel	Description	Stability
<b>Stable</b>	Production-ready releases	Highest
<b>Beta</b>	Pre-release testing	Medium
<b>Canary</b>	Experimental features	Low

## Package Operations

- **Download:** Get latest package from channel
  - **Verify:** Check package integrity
  - **Inspect:** View package contents
  - **Delete:** Remove old packages
- 

## 19. Settings

### General Settings

Setting	Description	Default
<b>Theme</b>	Light/Dark/System	System
<b>Notifications</b>	Desktop notifications	On
<b>Auto-Update</b>	Check for updates	On
<b>Telemetry</b>	Anonymous usage data	Off

### Credentials Settings

Manage 1Password integration and AWS credentials.

### Features Settings

Configure feature flags (see Section 10).

### AI Assistant Settings

Setting	Description	Default
<b>Enabled</b>	Use AI for assistance	On
<b>Model</b>	AI model to use	GPT-4o
<b>Voice Input</b>	Enable voice commands	Off

## Timeout Settings

Operation	Default	Range
<b>Deployment</b>	30 min	10-60 min
<b>Health Check</b>	30 sec	10-120 sec
<b>API Calls</b>	60 sec	10-300 sec

## Storage Settings

Setting	Description	Default
<b>Cache Location</b>	Package cache	~/Library/Caches/RadiantDeployer
<b>Max Cache Size</b>	Maximum cache	5 GB
<b>Log Retention</b>	Keep logs for	30 days

## Advanced Settings

Setting	Description	Default
<b>Debug Mode</b>	Verbose logging	Off
<b>Dry Run</b>	Simulate deployments	Off
<b>Parallel Stacks</b>	Concurrent deployments	3

## 20. AI Assistant

### Overview

The built-in AI Assistant helps with:

- Deployment planning
- Troubleshooting
- Cost optimization
- Configuration recommendations

### Activation

Press **Shift + A** or click the sparkles icon in the toolbar.

### Example Queries

```
"What's the best tier for 500 users?"
"Why is my deployment failing?"
"How can I reduce costs?"
"Explain the Cortex memory system"
"Generate a compliance report for SOC2"
```

## Voice Commands

Enable voice input in Settings → AI Assistant:

1. Click the microphone icon
  2. Speak your command
  3. Review and confirm
- 

## 21. Troubleshooting

### Common Issues

**1Password Not Detected** **Symptom:** “1Password CLI not found” error

**Solution:**

```
# Install CLI
brew install 1password-cli

# Enable integration in 1Password app
# Settings → Developer → Integrate with 1Password CLI

# Test
op signin
```

**Deployment Stuck** **Symptom:** Deployment hangs at a specific stack

**Solution:** 1. Check CloudFormation console for detailed error 2. Review deployment logs in the app 3. Check AWS service quotas 4. Ensure IAM permissions are correct

**DNS Validation Failing** **Symptom:** SSL certificate stuck in “Pending Validation”

**Solution:** 1. Verify CNAME records are correct 2. Wait up to 30 minutes for DNS propagation 3. Use dig to verify records: `bash dig _acme-challenge.yourdomain.com CNAME`

**Health Check Failures** **Symptom:** Applications showing “Unhealthy”

**Solution:** 1. Check CloudWatch logs for errors 2. Verify Lambda functions are not timing out 3. Check database connectivity 4. Review security group rules

### Getting Help

1. **Documentation:** Press `+ ?` for contextual help
  2. **AI Assistant:** Ask the built-in assistant
  3. **Logs:** Export logs from Settings → Storage → Export Logs
  4. **Support:** Contact support@radiantr.ai
-

## 22. Keyboard Shortcuts

### Global

Shortcut	Action
+ ,	Open Settings
+ R	Refresh
+ N	New Deployment
+ Shift + A	AI Assistant
+ ?	Help
+ Q	Quit

### Navigation

Shortcut	Action
+ 1	Dashboard
+ 2	Apps
+ 3	Deploy
+ 4	Instances
+ 5	Settings

### Deployment

Shortcut	Action
+ D	Start Deployment
+ .	Cancel Deployment
+ L	View Logs

---

## 23. Glossary

Term	Definition
<b>Aurora</b>	AWS managed PostgreSQL database service
<b>CDK</b>	AWS Cloud Development Kit for infrastructure as code
<b>CloudFront</b>	AWS content delivery network (CDN)
<b>Cortex</b>	RADIANT's three-tier memory system
<b>Curator</b>	Knowledge graph curation application
<b>Ego System</b>	Zero-cost persistent AI identity system
<b>Lambda</b>	AWS serverless compute service
<b>Multi-AZ</b>	Multiple availability zones for high availability
<b>SageMaker</b>	AWS machine learning service for self-hosted models
<b>Think Tank</b>	RADIANT's consumer AI chat application
<b>Thermal State</b>	Model readiness level (HOT/WARM/COLD/OFF)

---

Term	Definition
<b>Tier</b>	Infrastructure size level (SEED to ENTERPRISE)
<b>WAF</b>	Web Application Firewall

---

## Document Information

---

Field	Value
<b>Version</b>	5.52.17
<b>Last Updated</b>	January 24, 2026
<b>Author</b>	RADIANT Team
<b>Status</b>	Published

---

*For additional support, contact support@radian.ai or visit docs.radian.ai*