

Contents

Cato Infrastructure Tier Transitions Runbook	1
Overview	1
1. Tier Overview	2
2. Changing Tiers via Admin UI	2
Step-by-Step	2
Transition Times	2
3. Changing Tiers via API	2
Request Tier Change	2
Response Codes	2
Confirm Tier Change (for PRODUCTION)	3
4. Bypassing Cooldown (Emergency Only)	3
Requirements	3
Command	3
5. Monitoring Transition Progress	3
Via Admin UI	3
Via API	3
Via Step Functions Console	4
6. Troubleshooting Failed Transitions	4
Symptoms	4
Diagnosis	4
Resolution	4
7. Rollback Procedures	5
Automatic Rollback	5
Manual Rollback	5
8. Editing Tier Configurations	5
Via Admin UI	6
Via API	6
Editable Fields	6
9. Cost Verification	6
Check Estimated Cost	6
Check Actual AWS Costs	6
10. Emergency Procedures	7
Runaway Costs	7
Production Traffic Spike	7
11. Audit and Compliance	7
View Change History	7
Database Audit Table	7
12. Contacts	8
Appendix: Step Functions Workflow States	8

Cato Infrastructure Tier Transitions Runbook

Overview

This runbook covers procedures for managing infrastructure tier transitions between DEV, STAGING, and PRODUCTION tiers.

1. Tier Overview

Tier	Monthly Cost	SageMaker Instances	OpenSearch	Use Case
DEV	~\$350	0-1 (scale-to-zero)	t3.small (provisioned)	Development, testing
STAGING	~\$35K	2-20	r6g.large (provisioned)	Load testing, pre-prod
PRODUCT	~\$750K	50-300	Serverless (50-500 OCUs)	10MM+ users

2. Changing Tiers via Admin UI

Step-by-Step

1. Navigate to **System → Infrastructure Tier** in the admin dashboard
2. Review current tier status and costs
3. Enter a reason for the change (minimum 10 characters)
4. Click the target tier card
5. If PRODUCTION tier, confirm the cost warning
6. Wait for transition to complete (5-15 minutes)

Transition Times

Direction	Estimated Time
Scale Up	10-15 minutes
Scale Down	5-10 minutes

3. Changing Tiers via API

Request Tier Change

```
curl -X POST https://api.example.com/api/admin/infrastructure/tier/change \
-H "Authorization: Bearer $ADMIN_TOKEN" \
-H "Content-Type: application/json" \
-d '{
    "targetTier": "STAGING",
    "reason": "Load testing for Q1 release"
}'
```

Response Codes

Code	Status	Action
200	INITIATED	Transition started
200	REQUIRES_CONFIRMATION	Call confirm endpoint
400	REJECTED	Check errors in response

Confirm Tier Change (for PRODUCTION)

```
curl -X POST https://api.example.com/api/admin/infrastructure/tier/confirm \
-H "Authorization: Bearer $ADMIN_TOKEN" \
-H "Content-Type: application/json" \
-d '{
    "confirmationToken": "<token from previous response>"
}'
```

4. Bypassing Cooldown (Emergency Only)

A 24-hour cooldown period is enforced between tier changes. Super admins can bypass this for emergencies.

Requirements

- Super admin role
- Valid emergency reason

Command

```
curl -X POST https://api.example.com/api/admin/infrastructure/tier/bypass-cooldown \
-H "Authorization: Bearer $SUPER_ADMIN_TOKEN" \
-H "Content-Type: application/json" \
-d '{
    "targetTier": "PRODUCTION",
    "reason": "[EMERGENCY] Traffic spike from viral event"
}'
```

5. Monitoring Transition Progress

Via Admin UI

The Infrastructure Tier page shows:

- Progress bar during transition
- Current step in workflow
- Estimated time remaining

Via API

```
curl https://api.example.com/api/admin/infrastructure/tier/transition-status \
-H "Authorization: Bearer $ADMIN_TOKEN"
```

Via Step Functions Console

1. Go to AWS Step Functions in the console
 2. Find state machine: `cato-tier-transition-{environment}`
 3. View execution details and current step
-

6. Troubleshooting Failed Transitions

Symptoms

- Transition stuck in “SCALING_UP” or “SCALING_DOWN”
- Error notification received
- Resources partially provisioned

Diagnosis

1. Check Step Functions execution

```
aws stepfunctions describe-execution \
  --execution-arn <arn from tier status>
```

2. Check Lambda logs

```
aws logs filter-log-events \
  --log-group-name /aws/lambda/cato-provision-sagemaker-dev \
  --start-time $(date -d '1 hour ago' +%s000)
```

3. Check resource status

```
# SageMaker
aws sagemaker describe-endpoint --endpoint-name cato-shadow-self-<prefix>
```

```
# OpenSearch
aws opensearch describe-domain --domain-name cato-vectors-<prefix>
```

```
# ElastiCache
aws elasticache describe-replication-groups --replication-group-id cato-cache-<prefix>
```

Resolution

Option 1: Retry Transition Wait for automatic rollback, then retry via admin UI.

Option 2: Manual Reset

```
-- Reset tier state in database
UPDATE cato_infrastructure_tier
SET
  transition_status = 'STABLE',
  target_tier = NULL,
  transition_execution_arn = NULL
WHERE tenant_id = '<tenant-id>';
```

Option 3: Manual Resource Cleanup If resources are partially provisioned:

```
# Delete stuck SageMaker endpoint
aws sagemaker delete-endpoint --endpoint-name cato-shadow-self-<prefix>

# Delete stuck ElastiCache cluster
aws elasticache delete-replication-group \
--replication-group-id cato-cache-<prefix> \
--final-snapshot-identifier cato-cache-manual-backup
```

7. Rollback Procedures

Automatic Rollback

The Step Functions workflow automatically rolls back on provisioning failure: 1. Detects error during provisioning 2. Calls `rollback-provisioning` Lambda 3. Deletes partially created resources 4. Updates tier state to FAILED 5. Sends alert notification

Manual Rollback

If automatic rollback fails:

1. Identify partially created resources

```
aws resourcegroupstaggingapi get-resources \
--tag-filters Key=TenantId,Values=<tenant-id>
```

2. Delete resources in reverse order

- Kinesis streams
- Neptune instances → clusters
- ElastiCache clusters
- OpenSearch domains/collections
- SageMaker endpoints → configs

3. Reset database state

```
UPDATE cato_infrastructure_tier
SET
    current_tier = '<previous-tier>',
    transition_status = 'STABLE',
    target_tier = NULL
WHERE tenant_id = '<tenant-id>;'
```

8. Editing Tier Configurations

All tier configurations are admin-editable via the UI.

Via Admin UI

1. Go to **System → Infrastructure Tier**
2. Click “Configure Tiers” tab
3. Click “Edit Configuration” on any tier
4. Modify settings
5. Click “Save Configuration”

Via API

```
curl -X PUT https://api.example.com/api/admin/infrastructure/tier/configs/DEV \
-H "Authorization: Bearer $ADMIN_TOKEN" \
-H "Content-Type: application/json" \
-d '{
    "sagemakerShadowSelfMinInstances": 1,
    "sagemakerShadowSelfMaxInstances": 2,
    "budgetMonthlyCuriosityLimit": 200
}'
```

Editable Fields

Field	Description	Valid Range
sagemakerShadowSelfMinInstances	SageMaker shadow self type	ml.g5.*
sagemakerShadowSelfMaxInstances	SageMaker shadow self instances	0-500
sagemakerShadowSelfMaxInstances	SageMaker shadow self instances	1-500
sagemakerShadowSelfEnabled	SageMaker shadow self enable	true/false
opensearchInstanceType	OpenSearch instance type	t3/r6g.*
opensearchInstanceNumber	Number of nodes	1-10
budgetMonthlyCuriosityLimit	Budget monthly curiosity limit	0-10000 1000000 `budgetDailyExplorationCap` DailyBudget()

9. Cost Verification

After tier transition, verify costs:

Check Estimated Cost

```
curl https://api.example.com/api/admin/infrastructure/tier \
-H "Authorization: Bearer $ADMIN_TOKEN" | jq '.estimatedMonthlyCost'
```

Check Actual AWS Costs

```
aws ce get-cost-and-usage \
--time-period Start=$(date -d '-7 days' +%Y-%m-%d),End=$(date +%Y-%m-%d) \
--granularity DAILY \
--metrics "BlendedCost" \
--filter '{'
```

```
        "Tags": {  
            "Key": "Project",  
            "Values": ["RADIANT"]  
        }  
    }'
```

10. Emergency Procedures

Runaway Costs

If costs are escalating unexpectedly:

1. **Immediate:** Scale to DEV tier

```
curl -X POST .../tier/bypass-cooldown \  
-d '{"targetTier": "DEV", "reason": "[EMERGENCY] Cost runaway"}'
```

2. **Verify:** Check for orphaned resources

```
aws ce get-cost-and-usage-with-resources \  
--time-period Start=$(date +%Y-%m-%d),End=$(date -d '+1 day' +%Y-%m-%d) \  
--granularity DAILY \  
--metrics "BlendedCost" \  
--group-by Type=dimension,Key=RESOURCE_ID
```

3. **Cleanup:** Delete any orphaned resources

Production Traffic Spike

If traffic exceeds capacity:

1. **Immediate:** Scale to PRODUCTION tier (bypass cooldown if needed)
 2. **Monitor:** Watch SageMaker scaling metrics
 3. **Follow-up:** Adjust tier configuration for higher max instances
-

11. Audit and Compliance

View Change History

```
curl https://api.example.com/api/admin/infrastructure/tier/change-history?limit=50 \  
-H "Authorization: Bearer $ADMIN_TOKEN"
```

Database Audit Table

```
SELECT  
    from_tier,  
    to_tier,  
    direction,  
    status,  
    changed_by,
```

```

reason,
started_at,
completed_at,
duration_seconds
FROM cato_tier_change_log
WHERE tenant_id = '<tenant-id>'
ORDER BY created_at DESC
LIMIT 20;

```

12. Contacts

Role	Contact	Escalation
On-call Engineer	PagerDuty	Tier changes failed
Platform Team	#platform-support	Configuration questions
Finance	finance@example.com	Cost approvals for PRODUCTION

Appendix: Step Functions Workflow States

ValidateTransition

```

SCALING_UP    ProvisionResources (parallel)
               ProvisionSageMaker
               ProvisionOpenSearch
               ProvisionElastiCache
               ProvisionNeptune
               ProvisionKinesis

               WaitForProvisioning

               VerifyProvisioning (with retry)

               UpdateAppConfig

               TransitionComplete

SCALING_DOWN   DrainConnections

               WaitForDrain

               UpdateAppConfig

               CleanupResources (parallel)
               CleanupSageMaker
               CleanupOpenSearch

```

`CleanupElastiCache`
`CleanupNeptune`

`TransitionComplete`