

THE EYE

VOLUME 8

Product Requirements Document

The controlled product behavior, human authority, user outcome, operating-state, deployment-parity, and acceptance baseline for The Eye

OBSERVE / UNDERSTAND / PREDICT / SIMULATE / DECIDE / LEARN

CONTROLLED PRODUCT REQUIREMENTS BASELINE / V1.0

Inherited from Volume 0 - Product Constitution, Volume 3 - Technical Architecture, Volume 4 - Engineering Specification, Volume 5 - AI Architecture, Volume 6 - Infrastructure Architecture, and Volume 7 - Data Platform

2 August 2026

Document Control

Volume 8 is the controlled Product Requirements Document for The Eye. It governs what the frozen Strategic Intelligence Operating System must enable people and organizations to accomplish, what product state it preserves, where human authority applies, how it behaves under failure, and what evidence is required for acceptance.

CONTROL	VALUE
Product	The Eye
Tagline	The Operating System for Strategic Intelligence
Controlled document	Volume 8 - Product Requirements Document
Edition	1.0
Issue date	2 August 2026
Status	Controlled Product Requirements Baseline
Binding sources	Volume 0 - Product Constitution v1.0; Volume 3 - Technical Architecture v1.0; Volume 4 - Engineering Specification v1.0; Volume 5 - AI Architecture v1.0; Volume 6 - Infrastructure Architecture v1.0; Volume 7 - Data Platform v1.0
Primary audience	Board and executive product authorities, CPO, CTO, CIO, CDO, CISO, CAIO, chief strategy and intelligence officers, product and design leadership, principal architects, engineering, data and AI governance, security, privacy, operations, commercial leadership, implementation partners, assurance, and customer authorities
Normative scope	Product authority; customer contexts; personas; workspaces; observation; knowledge; memory; foresight; warnings; risk; opportunity; Digital Twins; scenarios; simulation; decisions; Executive Operating System; agents; trust; administration; operations; delivery; packaging; acceptance; governance
Downstream inheritance	Volume 9 - UI/UX Design System; Volume 10 - Investor Package where product claims are used; product domain specifications; design specifications; roadmaps; release plans; acceptance plans; operating procedures; customer implementation and validation artifacts

Normative language

SHALL, MUST, SHALL NOT, and MUST NOT are binding. MAY permits an implementation choice inside a frozen user outcome, product-state, human-authority, semantic-parity, failure, and evidence boundary. Requirements carry stable PR-CC-NNN identities. Conformance is scoped to exact capability, journey, role, tenant or domain, deployment profile, entitlement, product release, data and model versions, configuration, consequence class, test period, and accepting authorities.

CONTROLLING RULE

Volume 0 controls constitutional meaning. Volume 3 controls product architecture. Volume 4 controls engineering realization. Volume 5 controls AI architecture. Volume 6 controls infrastructure. Volume 7 controls the Data Platform. Volume 8 controls user-visible product behavior and acceptance within those authorities. Volume 9 will control the visual and interaction design system without changing this product contract.

CONSTITUTIONAL INHERITANCE / C-003 · C-004 · C-008 · C-035 · C-042 · C-051 · C-052

Product Requirements Charter

The Eye is specified as an operating system for strategic intelligence: a persistent system of work, state, authority, evidence, foresight, decisions, commitments, outcomes, and learning. Chat, dashboards, reports, and copilots may exist as interaction forms; none defines the product boundary.

PRODUCT COMMITMENT	BINDING PRODUCT CONSEQUENCE
Observe everything authorized	External and internal sources are governed through rights, purpose, coverage, freshness, quality, custody, and withdrawal contracts.
Understand before predicting	Evidence, identity, time, truth state, contradiction, the Knowledge Graph, and Enterprise Memory remain explicit before foresight is decision-active.
Explain every recommendation	Evidence, assumptions, method, alternatives, uncertainty, dissent, provenance, and expected effect are available at the point of use.
Humans decide	AI recommends, forecasts, simulates, reasons, and explains; only eligible authenticated humans approve consequential decisions and commitments.
Learn continuously	Decision Replay and outcome evidence create governed change proposals; prior state is never rewritten and no AI component silently self-modifies.
Remember permanently and lawfully	Enterprise Memory preserves institutional continuity under permission, purpose, retention, correction, export, and deletion controls.
Protect by design	Identity, policy, privacy, sovereignty, security, audit, resilience, accessibility, and customer control are product behavior, not operational add-ons.
Enterprise first	The same semantic product operates across roles, customers, consequence classes, SaaS, Private Cloud, On-Premise, disconnected, and air-gapped profiles.

Definition of product complete

- Every material user outcome resolves to a stable capability, workspace, canonical work object, accountable owner, human-authority rule, lifecycle, failure state, success metric, and acceptance unit.
- Every strategic product preserves exact evidence, versions, time, truth state, provenance, policy, uncertainty, correction, dissent, explanation, deployment, entitlement, and current quality state.
- Every consequential transition presents the eligible human with the exact decision digest, alternatives, explanation, limitations, intended effect, and durable non-repudiable record.
- Every accepted journey demonstrates accessibility, localization integrity, identity and tenant isolation, privacy, security, performance, degraded behavior, recovery, export, replay, support, and deployment parity.
- No successful screen, query, workflow, agent run, forecast, simulation, report, or API response is represented as decision-grade when authority, evidence, context, policy, quality, or reconciliation is incomplete.

CONSTITUTIONAL INHERITANCE / C-001 · C-002 · C-004 · C-005 · C-006 · C-035 · C-047 · C-049 · C-052

Contents

Native Word heading styles provide navigation. Chapter, requirement, capability, persona, workspace, journey, object-action, notification, human-authority, accessibility, parity, entitlement, metric, failure-state, and product-decision identifiers are stable references for product, design, engineering, assurance, operations, customers, and downstream volumes.

PART I - PRODUCT AUTHORITY AND OPERATING MODEL

Authority, principles, customers, roles, workspaces, product state, accessibility, and system conformance.

- 1 Product Authority, Scope, and Decision Rights
- 2 Product Principles and User Value Contract
- 3 Customers, Tenants, and Operating Contexts
- 4 Roles, Personas, and Human Authority Model
- 5 Information Architecture and Workspace System
- 6 Product State, Lifecycle, and Work Object Model
- 7 Accessibility, Localization, and Global Readiness
- 8 Product System Context and Cross-Volume Conformance

PART II - OBSERVE AND COLLECT

Source registration, observation operations, discovery, media, live data, enterprise systems, collection plans, and governed intake.

- 9 Source Registry and Collection Workspace
- 10 Observation Operations and Source Coverage
- 11 Search, Discovery, and Research Workspace
- 12 Document and Media Intelligence
- 13 Live Event, Stream, IoT, and Telemetry Experience
- 14 Enterprise Systems and Internal Data Experience
- 15 Collection Plans, Watchlists, and Priorities
- 16 Intake Validation, Quarantine, and Evidence Review

PART III - UNDERSTAND AND REMEMBER

Evidence, entities, the Knowledge Graph, Enterprise Memory, epistemic state, provenance, analyst workflows, and correction.

- 17 Intelligence Object and Evidence Experience
- 18 Entity, Identity, and Relationship Workbench
- 19 Knowledge Graph Exploration and Curation
- 20 Enterprise Memory and Strategic Record
- 21 Claims, Contradictions, Confidence, and Uncertainty
- 22 Timelines, Provenance, and Decision-Grade Traceability

CONTENTS CONTINUED

- 23 Classification, Summaries, and Analyst Workflows
- 24 Corrections, Withdrawals, Reconciliation, and Replay

PART IV - PREDICT, DETECT, AND WARN

Weak signals, warnings, risk, opportunity, competitor, supply-chain, domain intelligence, and canonical prediction horizons.

- 25 Weak Signal Detection
- 26 Early Warning System
- 27 Risk Intelligence
- 28 Opportunity Intelligence
- 29 Competitor Intelligence
- 30 Supply Chain Intelligence
- 31 Geopolitical, Technology, Cyber, and Financial Intelligence
- 32 Forecasting and Prediction Horizons

PART V - SCENARIO, SIMULATION, AND DECISION INTELLIGENCE

Scenarios, marketplace packages, simulations, Digital Twins, strategy, recommendations, human decisions, and replay.

- 33 Scenario Intelligence Workspace
- 34 Scenario Marketplace
- 35 Simulation Design and Run Control
- 36 Digital Twin Portfolio and State
- 37 Strategy Graph and Objective-Capability Alignment
- 38 Decision Intelligence and Recommendation Review
- 39 Human Approval, Commitment, and Decision Record
- 40 Decision Replay, Outcome Attribution, and Learning

PART VI - EXECUTIVE OPERATING SYSTEM AND COLLABORATION

Executive operations, briefings, strategic health, proactive priorities, planning, collaboration, publishing, and field use.

- 41 Executive Operating System
- 42 Strategic Briefings and Command Views
- 43 Strategic Health Score
- 44 Proactive Intelligence and Priority Queue

CONTENTS CONTINUED

- 45 Strategic Planning and Initiative Governance
- 46 Collaboration, Tasks, and Workflow Orchestration
- 47 Reporting, Publishing, and Distribution
- 48 Mobile, Field, Offline, and Disconnected Operation

PART VII - AGENTS AND AUTOMATION

Agent operating model, specialist families, orchestration, explainability, escalation, and human override.

- 49 Agent Operating Model and Marketplace
- 50 Observation, Search, and Collection Agents
- 51 Cleaning, Classification, NER, and Relationship Agents
- 52 Knowledge Graph, Memory, and Reasoning Agents
- 53 Prediction, Scenario, Simulation, and Decision Agents
- 54 Domain Intelligence Agents
- 55 Planner, Supervisor, Workflow, and Briefing Agents
- 56 Agent Controls, Explainability, Escalation, and Human Override

PART VIII - TRUST, GOVERNANCE, ADMINISTRATION, AND OPERATIONS

Provenance, identity, policy, security, governance, audit, resilience, integration, and extensibility.

- 57 Trust and Provenance Experience
- 58 Identity, Access, and Tenant Administration
- 59 Policy, Privacy, Residency, and Consent
- 60 Security, Cyber, and Incident Experience
- 61 Model, Agent, and Data Governance Console
- 62 Audit, Evidence, Compliance, and Investigation
- 63 Reliability, Degraded Modes, and Recovery Experience
- 64 Integrations, APIs, Exports, and Extensibility

PART IX - COMMERCIALIZATION, DELIVERY, AND ACCEPTANCE

Deployment parity, packaging, onboarding, implementation, service, analytics, readiness, and controlled baseline closure.

- 65 SaaS, Private Cloud, and On-Premise Product Parity
- 66 Packaging, Entitlements, and Licensing

CONTENTS CONTINUED

- 67 Onboarding, Configuration, and Data Migration
- 68 Implementation, Adoption, and Change Management
- 69 Service Management, Support, and Customer Success
- 70 Product Analytics, Quality, and Unit Economics
- 71 Product Acceptance and Operational Readiness
- 72 Product Governance and Baseline Closure

PART APP - PRODUCT REQUIREMENTS REFERENCE APPENDICES

Normative capability, persona, workspace, journey, requirement, acceptance, object, notification, authority, global-readiness, parity, entitlement, metric, traceability, decision, and terminology catalogs.

- A Product Domain and Capability Catalog
- B Persona, Role, and Authority Matrix
- C Workspace and Navigation Catalog
- D Canonical User Journey Catalog
- E Product Requirement Master Index
- F Acceptance Test and Evidence Matrix
- G Information Architecture and Object Action Catalog
- H Notification, Alert, and Escalation Catalog
- I Explainability and Human Authority UI Contract
- J Accessibility, Localization, and Global Readiness Matrix
- K Deployment Parity and Offline Behavior Matrix
- L Entitlement, Packaging, and Marketplace Contract
- M Product Analytics and Success Metric Catalog
- N Cross-Volume Traceability Matrix
- O Product Decision Baseline
- P Product Glossary

Executive Product Statement

Volume 8 converts the frozen architecture into a complete product contract: who The Eye serves, what each person must accomplish, what strategic state the product governs, how AI remains subordinate to human authority, how the system behaves under uncertainty and failure, and what evidence allows a capability to enter operation.

The product is organized around persistent workspaces and canonical work objects rather than chat sessions or dashboard pages. Observation creates governed evidence. Understanding resolves identity, relationships, time, truth state, contradiction, the Knowledge Graph, and Enterprise Memory. Foresight creates weak signals, warnings, probabilistic forecasts, scenarios, and reproducible simulations. Decision Intelligence assembles alternatives and explanation for a human authority. The Executive Operating System turns the result into commitments, operating cadence, outcomes, and Decision Replay. Agents perform bounded work through the same identities, policies, tools, evidence, review, and lifecycle controls as people and services. The product is complete only when this loop survives correction, attack, disconnection, provider substitution, deployment change, accessibility needs, and recovery without losing strategic meaning or accountability.




Figure 1. The Eye product operating model. SaaS, Private Cloud, and On-Premise deliver the same Observe, Understand, Predict, Simulate, Decide, and Learn product semantics. The Knowledge Graph, Enterprise Memory, Digital Twins, evidence, temporal truth, provenance, and Decision Replay support the loop. AI recommends, forecasts, simulates, reasons, and explains; humans decide.

MISSION STAGE	PRIMARY PRODUCT WORK	DECISION-GRADE OUTCOME
Observe	Sources, collection plans, research, documents, live events, enterprise systems, intake, coverage	Authorized evidence with custody, time, quality, rights, provenance, and known blind spots
Understand	Intelligence objects, identity, relationships, Knowledge Graph, Enterprise Memory, claims, timelines, analysis, correction	Connected temporal meaning with explicit truth state, contradiction, uncertainty, and correction
Predict	Weak signals, warnings, risk, opportunity, domain intelligence, forecasts across six horizons	Probabilistic foresight with method, evidence, calibration, alternatives, and accountable ownership
Simulate	Scenarios, Scenario Marketplace, simulation runs, Digital Twins, sensitivity, Strategy Graph	Plural reproducible future states and option consequences with validated limits
Decide	Decision cases, recommendations, dissent, authority gates, decisions, commitments	Explainable non-repudiable human decision against an exact digest
Learn	Decision Replay, outcome linkage, cautious attribution, lessons, governed change	Improved operating policy and capability without rewritten history or silent self-modification

PRODUCT THESIS

The Eye is not a destination for answers. It is the governed operating environment in which organizations build strategic understanding, maintain institutional state, examine multiple futures, make accountable decisions, execute commitments, and learn from outcomes while retaining control of their data and authority.

CONSTITUTIONAL INHERITANCE / C-001 · C-002 · C-004 · C-005 · C-009 · C-015 · C-024 · C-027 · C-035 · C-042 · C-047

PART I

Product Authority and Operating Model

Authority, principles, customers, roles, workspaces, product state, accessibility, and system conformance.

THE EYE / THE OPERATING SYSTEM FOR STRATEGIC INTELLIGENCE

1 Product Authority, Scope, and Decision Rights

Product Authority, Scope, and Decision Rights establishes the governed product capability to establish the controlled product baseline, assign singular decision rights, and resolve scope or authority conflicts before implementation. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 2. Product Authority, Scope, and Decision Rights. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Establish the controlled product baseline, assign singular decision rights, and resolve scope or authority conflicts before implementation.
Primary actors	Board, executive product authority, architecture authority, product leadership, engineering leadership, assurance, and customer technical authorities.
Controlled product state	Baseline identity, capability scope, accountable owner, authority class, controlling volume, decision record, exception, effective time, and supersession.
Human authority	AI and automation may prepare evidence and proposals; only the recorded human authority may approve product meaning, consequential scope, or institutional commitment.
Primary failure condition	A capability, requirement, owner, or decision cannot resolve to an approved authority.
Continuity contract	Hold admission or release, preserve the disputed state, expose affected scope, and route the conflict through the recorded authority chain.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-01-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can establish the controlled product baseline, assign singular decision rights, and resolve scope or authority conflicts before implementation.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-01-002	The product SHALL persist, expose, version, and reconcile baseline identity, capability scope, accountable owner, authority class, controlling volume, decision record, exception, effective time, and supersession; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-01-003	The product SHALL enforce this human-authority boundary: AI and automation may prepare evidence and proposals; only the recorded human authority may approve product meaning, consequential scope, or institutional commitment.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-01-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-01-005	When a capability, requirement, owner, or decision cannot resolve to an approved authority, the product SHALL hold admission or release, preserve the disputed state, expose affected scope, and route the conflict through the recorded authority chain; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-01-006	Acceptance SHALL demonstrate a complete capability inventory, authority matrix, signed baseline decision record, conflict tests, and release evidence for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A capability, requirement, owner, or decision cannot resolve to an approved authority.	Hold admission or release, preserve the disputed state, expose affected scope, and route the conflict through the recorded authority chain.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates a complete capability inventory, authority matrix, signed baseline decision record, conflict tests, and release evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a capability, requirement, owner, or decision cannot resolve to an approved authority, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Product Authority, Scope, and Decision Rights is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 1, Ch. 2; V5: Ch. 1, Ch. 2; V6: Ch. 1, Ch. 2; V7: Ch. 1, Ch. 2. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-001 · C-003 · C-004 · C-008 · C-051 · C-052

2 Product Principles and User Value Contract

Product Principles and User Value Contract establishes the governed product capability to operate the closed strategic loop from observation through learning without collapsing The Eye into a chatbot, dashboard, BI platform, copilot, or reporting tool. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 3. Product Principles and User Value Contract. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Operate the closed strategic loop from observation through learning without collapsing The Eye into a chatbot, dashboard, BI platform, copilot, or reporting tool.
Primary actors	Executives, intelligence leaders, analysts, operators, product owners, governance authorities, and customer sponsors.
Controlled product state	Mission stage, user objective, work object, evidence state, uncertainty, recommendation, human decision, outcome, and learning disposition.
Human authority	The product shall improve human understanding and decision quality while preserving uncertainty, dissent, accountability, and the user's final authority.
Primary failure condition	A workflow optimizes engagement, speed, or automation at the expense of truth, explanation, control, or strategic completeness.
Continuity contract	Constrain the workflow, expose the violated principle, preserve user work, and require accountable product adjudication.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-02-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can operate the closed strategic loop from observation through learning without collapsing The Eye into a chatbot, dashboard, BI platform, copilot, or reporting tool.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-02-002	The product SHALL persist, expose, version, and reconcile mission stage, user objective, work object, evidence state, uncertainty, recommendation, human decision, outcome, and learning disposition; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-02-003	The product SHALL enforce this human-authority boundary: the product shall improve human understanding and decision quality while preserving uncertainty, dissent, accountability, and the user's final authority.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-02-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-02-005	When a workflow optimizes engagement, speed, or automation at the expense of truth, explanation, control, or strategic completeness, the product SHALL constrain the workflow, expose the violated principle, preserve user work, and require accountable product adjudication; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-02-006	Acceptance SHALL demonstrate journey tests across all six mission stages, user-value evidence, principle conformance review, and customer authority acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A workflow optimizes engagement, speed, or automation at the expense of truth, explanation, control, or strategic completeness.	Constrain the workflow, expose the violated principle, preserve user work, and require accountable product adjudication.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates journey tests across all six mission stages, user-value evidence, principle conformance review, and customer authority acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a workflow optimizes engagement, speed, or automation at the expense of truth, explanation, control, or strategic completeness, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Product Principles and User Value Contract is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 1, Ch. 2; V5: Ch. 1, Ch. 2; V6: Ch. 1, Ch. 2; V7: Ch. 1, Ch. 2. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-001 · C-002 · C-004 · C-005 · C-006 · C-047

3 Customers, Tenants, and Operating Contexts

Customers, Tenants, and Operating Contexts establishes the governed product capability to configure governed customer domains and operating contexts without forking the universal product core or leaking state across tenants. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 4. Customers, Tenants, and Operating Contexts. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Configure governed customer domains and operating contexts without forking the universal product core or leaking state across tenants.
Primary actors	Government, defence, Fortune 500, banking, healthcare, manufacturing, energy, logistics, telecom, retail, consulting, SME, partner, and platform administrators.
Controlled product state	Customer, tenant, domain, organization, jurisdiction, deployment, data authority, operating context, specialization package, policy set, and lifecycle.
Human authority	Each customer controls its data and authorized operating context; platform operators cannot silently assume customer business authority or broaden purpose.
Primary failure condition	Tenant, domain, jurisdiction, ownership, or purpose is ambiguous or conflicts with an active context.
Continuity contract	Deny cross-boundary use, retain the last valid context, make scope visibly indeterminate, and require customer-authority resolution.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-03-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can configure governed customer domains and operating contexts without forking the universal product core or leaking state across tenants.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-03-002	The product SHALL persist, expose, version, and reconcile customer, tenant, domain, organization, jurisdiction, deployment, data authority, operating context, specialization package, policy set, and lifecycle; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-03-003	The product SHALL enforce this human-authority boundary: each customer controls its data and authorized operating context; platform operators cannot silently assume customer business authority or broaden purpose.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-03-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-03-005	When tenant, domain, jurisdiction, ownership, or purpose is ambiguous or conflicts with an active context, the product SHALL deny cross-boundary use, retain the last valid context, make scope visibly indeterminate, and require customer-authority resolution; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-03-006	Acceptance SHALL demonstrate tenant-isolation tests, domain fixtures, jurisdiction and purpose checks, specialization compatibility tests, and customer acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Tenant, domain, jurisdiction, ownership, or purpose is ambiguous or conflicts with an active context.	Deny cross-boundary use, retain the last valid context, make scope visibly indeterminate, and require customer-authority resolution.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates tenant-isolation tests, domain fixtures, jurisdiction and purpose checks, specialization compatibility tests, and customer acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when tenant, domain, jurisdiction, ownership, or purpose is ambiguous or conflicts with an active context, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Customers, Tenants, and Operating Contexts is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 1, Ch. 2; V5: Ch. 1, Ch. 2; V6: Ch. 1, Ch. 2; V7: Ch. 1, Ch. 2. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-006 · C-007 · C-037 · C-040 · C-041 · C-042

4 Roles, Personas, and Human Authority Model

Roles, Personas, and Human Authority Model establishes the governed product capability to receive role-appropriate information, actions, explanations, and escalation paths while separation of duties and human decision sovereignty remain enforceable. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 5. Roles, Personas, and Human Authority Model. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Receive role-appropriate information, actions, explanations, and escalation paths while separation of duties and human decision sovereignty remain enforceable.
Primary actors	Executives, decision authorities, intelligence leaders, analysts, investigators, planners, operators, reviewers, auditors, administrators, data stewards, model governors, and external collaborators.
Controlled product state	Persona, role, authority grant, purpose, scope, task, approval class, delegation, recusal, session, and audit attribution.
Human authority	Roles may shape access and workflow but may not transfer or infer consequential authority; approvals require an authenticated eligible person and exact decision digest.
Primary failure condition	A user is ineligible, conflicted, unavailable, delegated outside policy, or cannot understand the decision package.
Continuity contract	Block the consequential transition, preserve draft work, expose the missing authority, and escalate without substituting automation.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-04-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can receive role-appropriate information, actions, explanations, and escalation paths while separation of duties and human decision sovereignty remain enforceable.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-04-002	The product SHALL persist, expose, version, and reconcile persona, role, authority grant, purpose, scope, task, approval class, delegation, recusal, session, and audit attribution; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-04-003	The product SHALL enforce this human-authority boundary: roles may shape access and workflow but may not transfer or infer consequential authority; approvals require an authenticated eligible person and exact decision digest.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-04-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-04-005	When a user is ineligible, conflicted, unavailable, delegated outside policy, or cannot understand the decision package, the product SHALL block the consequential transition, preserve draft work, expose the missing authority, and escalate without substituting automation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-04-006	Acceptance SHALL demonstrate role and separation-of-duty tests, delegated-authority expiry, recusal scenarios, approval digest verification, and accessibility evidence for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A user is ineligible, conflicted, unavailable, delegated outside policy, or cannot understand the decision package.	Block the consequential transition, preserve draft work, expose the missing authority, and escalate without substituting automation.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates role and separation-of-duty tests, delegated-authority expiry, recusal scenarios, approval digest verification, and accessibility evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a user is ineligible, conflicted, unavailable, delegated outside policy, or cannot understand the decision package, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Roles, Personas, and Human Authority Model is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 1, Ch. 2; V5: Ch. 1, Ch. 2; V6: Ch. 1, Ch. 2; V7: Ch. 1, Ch. 2. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-028 · C-029 · C-036 · C-048 · C-050

5 Information Architecture and Workspace System

Information Architecture and Workspace System establishes the governed product capability to move through a coherent system of workspaces, work objects, queues, investigations, strategic packages, and actions without losing context or authority. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 6. Information Architecture and Workspace System. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Move through a coherent system of workspaces, work objects, queues, investigations, strategic packages, and actions without losing context or authority.
Primary actors	All authorized users, workspace owners, product administrators, and customer domain administrators.
Controlled product state	Workspace identity, purpose, audience, navigation position, active context, object selection, query, filter, view, draft, task, and return path.
Human authority	Navigation may change presentation and focus but may not change canonical state, permission, decision meaning, or the identity of the active work object.
Primary failure condition	Workspace context, object identity, permission, or navigation history becomes inconsistent or stale.
Continuity contract	Restore the last verified context, mark stale projections, preserve unsaved work, and prevent action against an unintended object.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-05-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can move through a coherent system of workspaces, work objects, queues, investigations, strategic packages, and actions without losing context or authority.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-05-002	The product SHALL persist, expose, version, and reconcile workspace identity, purpose, audience, navigation position, active context, object selection, query, filter, view, draft, task, and return path; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-05-003	The product SHALL enforce this human-authority boundary: navigation may change presentation and focus but may not change canonical state, permission, decision meaning, or the identity of the active work object.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-05-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-05-005	When workspace context, object identity, permission, or navigation history becomes inconsistent or stale, the product SHALL restore the last verified context, mark stale projections, preserve unsaved work, and prevent action against an unintended object; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-05-006	Acceptance SHALL demonstrate cross-workspace journey tests, deep-link and back-stack tests, object identity checks, role-based navigation evidence, and state restoration for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Workspace context, object identity, permission, or navigation history becomes inconsistent or stale.	Restore the last verified context, mark stale projections, preserve unsaved work, and prevent action against an unintended object.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates cross-workspace journey tests, deep-link and back-stack tests, object identity checks, role-based navigation evidence, and state restoration.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when workspace context, object identity, permission, or navigation history becomes inconsistent or stale, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Information Architecture and Workspace System is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 1, Ch. 2; V5: Ch. 1, Ch. 2; V6: Ch. 1, Ch. 2; V7: Ch. 1, Ch. 2. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-006 · C-008 · C-047 · C-048 · C-049 · C-052

6 Product State, Lifecycle, and Work Object Model

Product State, Lifecycle, and Work Object Model establishes the governed product capability to create, review, approve, publish, supersede, withdraw, archive, export, replay, and retire every material work object through explicit lifecycle states. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 7. Product State, Lifecycle, and Work Object Model. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Create, review, approve, publish, supersede, withdraw, archive, export, replay, and retire every material work object through explicit lifecycle states.
Primary actors	Product teams, workflow owners, users, administrators, auditors, support, and downstream integrators.
Controlled product state	Object identity, type, owner, version, status, truth state, policy, task state, approval state, publication state, dependencies, timestamps, and lifecycle events.
Human authority	Only the canonical owner may commit an authoritative transition; views, agents, models, imports, and projections submit proposals or commands through the owning contract.
Primary failure condition	An object transition is invalid, duplicated, out of order, stale, partially committed, or cannot identify its owner.
Continuity contract	Reject or compensate the transition, preserve the last authoritative version and attempted action, and expose the unresolved lifecycle.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-06-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can create, review, approve, publish, supersede, withdraw, archive, export, replay, and retire every material work object through explicit lifecycle states.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-06-002	The product SHALL persist, expose, version, and reconcile object identity, type, owner, version, status, truth state, policy, task state, approval state, publication state, dependencies, timestamps, and lifecycle events; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-06-003	The product SHALL enforce this human-authority boundary: only the canonical owner may commit an authoritative transition; views, agents, models, imports, and projections submit proposals or commands through the owning contract.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-06-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-06-005	When an object transition is invalid, duplicated, out of order, stale, partially committed, or cannot identify its owner, the product SHALL reject or compensate the transition, preserve the last authoritative version and attempted action, and expose the unresolved lifecycle; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-06-006	Acceptance SHALL demonstrate state-machine fixtures, idempotency and ordering tests, stale-write denial, lifecycle replay, correction propagation, and export/re-import evidence for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
An object transition is invalid, duplicated, out of order, stale, partially committed, or cannot identify its owner.	Reject or compensate the transition, preserve the last authoritative version and attempted action, and expose the unresolved lifecycle.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates state-machine fixtures, idempotency and ordering tests, stale-write denial, lifecycle replay, correction propagation, and export/re-import evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when an object transition is invalid, duplicated, out of order, stale, partially committed, or cannot identify its owner, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Product State, Lifecycle, and Work Object Model is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 1, Ch. 2; V5: Ch. 1, Ch. 2; V6: Ch. 1, Ch. 2; V7: Ch. 1, Ch. 2. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-003 · C-010 · C-011 · C-012 · C-036 · C-049

7 Accessibility, Localization, and Global Readiness

Accessibility, Localization, and Global Readiness establishes the governed product capability to complete every material journey and understand evidence, uncertainty, alerts, recommendations, approvals, and product state without dependence on a single sensory, language, or interaction mode. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 8. Accessibility, Localization, and Global Readiness. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Complete every material journey and understand evidence, uncertainty, alerts, recommendations, approvals, and product state without dependence on a single sensory, language, or interaction mode.
Primary actors	Users with diverse visual, auditory, motor, cognitive, language, literacy, device, network, and assistive-technology needs.
Controlled product state	Locale, language, script, direction, timezone, units, number format, reading level, assistive preference, contrast mode, keyboard state, and translation provenance.
Human authority	Localization and accommodation may adapt presentation but may not alter strategic meaning, legal effect, risk severity, confidence, temporal truth, or approval wording.
Primary failure condition	Content, control, alert, explanation, or approval cannot be perceived, operated, understood, translated, or verified.
Continuity contract	Provide an equivalent accessible path, identify any limitation before consequential use, preserve user progress, and prevent inaccessible approval.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-07-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can complete every material journey and understand evidence, uncertainty, alerts, recommendations, approvals, and product state without dependence on a single sensory, language, or interaction mode.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-07-002	The product SHALL persist, expose, version, and reconcile locale, language, script, direction, timezone, units, number format, reading level, assistive preference, contrast mode, keyboard state, and translation provenance; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-07-003	The product SHALL enforce this human-authority boundary: localization and accommodation may adapt presentation but may not alter strategic meaning, legal effect, risk severity, confidence, temporal truth, or approval wording.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-07-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-07-005	When content, control, alert, explanation, or approval cannot be perceived, operated, understood, translated, or verified, the product SHALL provide an equivalent accessible path, identify any limitation before consequential use, preserve user progress, and prevent inaccessible approval; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-07-006	Acceptance SHALL demonstrate WCAG 2.2 AA journey evidence, assistive-technology tests, keyboard and focus tests, bidirectional-language fixtures, translation review, and user acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Content, control, alert, explanation, or approval cannot be perceived, operated, understood, translated, or verified.	Provide an equivalent accessible path, identify any limitation before consequential use, preserve user progress, and prevent inaccessible approval.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates WCAG 2.2 AA journey evidence, assistive-technology tests, keyboard and focus tests, bidirectional-language fixtures, translation review, and user acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when content, control, alert, explanation, or approval cannot be perceived, operated, understood, translated, or verified, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Accessibility, Localization, and Global Readiness is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 1, Ch. 2; V5: Ch. 1, Ch. 2; V6: Ch. 1, Ch. 2; V7: Ch. 1, Ch. 2. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-005 · C-047 · C-048 · C-049 · C-050

8 Product System Context and Cross-Volume Conformance

Product System Context and Cross-Volume Conformance establishes the governed product capability to trace each product capability from user outcome through canonical layer, service, AI method, infrastructure, data contract, release, deployment, and acceptance evidence. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 9. Product System Context and Cross-Volume Conformance. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Trace each product capability from user outcome through canonical layer, service, AI method, infrastructure, data contract, release, deployment, and acceptance evidence.
Primary actors	Enterprise architects, product leaders, principal engineers, AI and data architects, security, operations, assurance, and customer authorities.
Controlled product state	Capability, journey, requirement, architecture anchor, component, agent or model, infrastructure service, data product, release, deployment, test, evidence, exception, and retirement.
Human authority	Volume 8 controls product behavior and acceptance but may not redefine constitutional, architecture, engineering, AI, infrastructure, data, or future visual-system authority.
Primary failure condition	A product requirement has incomplete, conflicting, circular, stale, or unverifiable inheritance.
Continuity contract	Hold capability acceptance, expose affected journeys and releases, select the highest controlling authority, and close the evidence chain.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-08-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can trace each product capability from user outcome through canonical layer, service, AI method, infrastructure, data contract, release, deployment, and acceptance evidence.	Cross-deployment conformance	Common golden journey and semantic diff across SaaS, Private Cloud, and On-Premise deployment profiles.
PR-08-002	The product SHALL persist, expose, version, and reconcile capability, journey, requirement, architecture anchor, component, agent or model, infrastructure service, data product, release, deployment, test, evidence, exception, and retirement; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-08-003	The product SHALL enforce this human-authority boundary: Volume 8 controls product behavior and acceptance but may not redefine constitutional, architecture, engineering, AI, infrastructure, data, or future visual-system authority.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-08-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-08-005	When a product requirement has incomplete, conflicting, circular, stale, or unverifiable inheritance, the product SHALL hold capability acceptance, expose affected journeys and releases, select the highest controlling authority, and close the evidence chain; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-08-006	Acceptance SHALL demonstrate bidirectional trace queries, orphan detection, cross-volume conformance review, release closure, runtime evidence, and customer acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A product requirement has incomplete, conflicting, circular, stale, or unverifiable inheritance.	Hold capability acceptance, expose affected journeys and releases, select the highest controlling authority, and close the evidence chain.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates bidirectional trace queries, orphan detection, cross-volume conformance review, release closure, runtime evidence, and customer acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a product requirement has incomplete, conflicting, circular, stale, or unverifiable inheritance, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Product System Context and Cross-Volume Conformance is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 1, Ch. 2; V5: Ch. 1, Ch. 2; V6: Ch. 1, Ch. 2; V7: Ch. 1, Ch. 2. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-003 · C-008 · C-035 · C-042 · C-051 · C-052

PART II

Observe and Collect

Source registration, observation operations, discovery, media, live data, enterprise systems, collection plans, and governed intake.

THE EYE / THE OPERATING SYSTEM FOR STRATEGIC INTELLIGENCE

9 Source Registry and Collection Workspace

Source Registry and Collection Workspace establishes the governed product capability to register, evaluate, approve, configure, monitor, suspend, and retire every external, internal, physical, scientific, commercial, and custom source. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 10. Source Registry and Collection Workspace. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Register, evaluate, approve, configure, monitor, suspend, and retire every external, internal, physical, scientific, commercial, and custom source.
Primary actors	Collection managers, source owners, analysts, legal and rights reviewers, data stewards, administrators, and customer authorities.
Controlled product state	Source identity, owner, authority, rights, purpose, endpoint, credentials reference, coverage, schedule, freshness, cost, health, approval, and withdrawal.
Human authority	Connectivity or public availability does not establish collection authority; a human source authority approves purpose, rights, scope, and customer obligations.
Primary failure condition	A source lacks valid authority, rights, ownership, purpose, coverage, or withdrawal handling.
Continuity contract	Block activation or suspend collection, preserve the last valid checkpoint, expose consumer impact, and route remediation.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-09-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can register, evaluate, approve, configure, monitor, suspend, and retire every external, internal, physical, scientific, commercial, and custom source.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-09-002	The product SHALL persist, expose, version, and reconcile source identity, owner, authority, rights, purpose, endpoint, credentials reference, coverage, schedule, freshness, cost, health, approval, and withdrawal; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-09-003	The product SHALL enforce this human-authority boundary: connectivity or public availability does not establish collection authority; a human source authority approves purpose, rights, scope, and customer obligations.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-09-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-09-005	When a source lacks valid authority, rights, ownership, purpose, coverage, or withdrawal handling, the product SHALL block activation or suspend collection, preserve the last valid checkpoint, expose consumer impact, and route remediation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-09-006	Acceptance SHALL demonstrate source registration journeys, rights and purpose evidence, approval and revocation tests, coverage validation, and downstream impact review for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A source lacks valid authority, rights, ownership, purpose, coverage, or withdrawal handling.	Block activation or suspend collection, preserve the last valid checkpoint, expose consumer impact, and route remediation.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates source registration journeys, rights and purpose evidence, approval and revocation tests, coverage validation, and downstream impact review.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a source lacks valid authority, rights, ownership, purpose, coverage, or withdrawal handling, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Source Registry and Collection Workspace is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 7, Ch. 8; V5: Ch. 7, Ch. 8; V6: Ch. 7, Ch. 13; V7: Ch. 9, Ch. 10. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-012 · C-013 · C-014 · C-035 · C-037 · C-040

10 Observation Operations and Source Coverage

Observation Operations and Source Coverage establishes the governed product capability to operate continuous observation against explicit priorities, coverage targets, freshness contracts, legal constraints, and source health. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.

OBSERVATION OPERATIONS AND SOURCE COVERAGE

Observation Operations and Source Coverage establishes the governed product capability to operate continuous...




Figure 11. Observation Operations and Source Coverage. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Operate continuous observation against explicit priorities, coverage targets, freshness contracts, legal constraints, and source health.
Primary actors	Observation operators, collection managers, intelligence leaders, domain analysts, data operations, and customer supervisors.
Controlled product state	Observation plan, source set, collection run, coverage dimension, expected versus observed arrival, blind spot, freshness, quality, incident, and operator action.
Human authority	Automation may schedule and recover collection inside approved contracts; humans set priorities, accept material blind spots, and authorize source substitution.
Primary failure condition	Coverage falls below target, sources conflict or disappear, freshness expires, or collection is constrained by law, cost, capacity, or security.
Continuity contract	Declare the blind spot and affected products, apply approved fallback sources, preserve evidence, and escalate consequence-specific decisions.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-10-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can operate continuous observation against explicit priorities, coverage targets, freshness contracts, legal constraints, and source health.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-10-002	The product SHALL persist, expose, version, and reconcile observation plan, source set, collection run, coverage dimension, expected versus observed arrival, blind spot, freshness, quality, incident, and operator action; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-10-003	The product SHALL enforce this human-authority boundary: automation may schedule and recover collection inside approved contracts; humans set priorities, accept material blind spots, and authorize source substitution.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-10-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-10-005	When coverage falls below target, sources conflict or disappear, freshness expires, or collection is constrained by law, cost, capacity, or security, the product SHALL declare the blind spot and affected products, apply approved fallback sources, preserve evidence, and escalate consequence-specific decisions; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-10-006	Acceptance SHALL demonstrate coverage dashboards reconciled to source evidence, blind-spot drills, freshness SLOs, fallback tests, and operator acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Coverage falls below target, sources conflict or disappear, freshness expires, or collection is constrained by law, cost, capacity, or security.	Declare the blind spot and affected products, apply approved fallback sources, preserve evidence, and escalate consequence-specific decisions.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates coverage dashboards reconciled to source evidence, blind-spot drills, freshness SLOs, fallback tests, and operator acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when coverage falls below target, sources conflict or disappear, freshness expires, or collection is constrained by law, cost, capacity, or security, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Observation Operations and Source Coverage is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 7, Ch. 8; V5: Ch. 7, Ch. 8; V6: Ch. 7, Ch. 13; V7: Ch. 9, Ch. 10. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-013 · C-014 · C-032 · C-033 · C-043 · C-049

11 Search, Discovery, and Research Workspace

Search, Discovery, and Research Workspace establishes the governed product capability to formulate structured and natural-language research intents, discover relevant internal and external evidence, refine scope, save research state, and reproduce results. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.



Figure 12. Search, Discovery, and Research Workspace. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Formulate structured and natural-language research intents, discover relevant internal and external evidence, refine scope, save research state, and reproduce results.
Primary actors	Analysts, researchers, investigators, executives, planners, and authorized collaborators.
Controlled product state	Research intent, query, scope, filters, source set, result rank, evidence item, citation, saved search, alert subscription, and retrieval snapshot.
Human authority	Search may rank and summarize evidence but may not represent relevance as truth or conceal policy, coverage, recency, uncertainty, or omitted-source limits.
Primary failure condition	Retrieval is incomplete, stale, policy-filtered, contradictory, unavailable, or cannot reproduce the cited result set.
Continuity contract	Label limitations and coverage, preserve the query snapshot, offer safe refinement, and prevent unsupported conclusion or citation.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-11-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can formulate structured and natural-language research intents, discover relevant internal and external evidence, refine scope, save research state, and reproduce results.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-11-002	The product SHALL persist, expose, version, and reconcile research intent, query, scope, filters, source set, result rank, evidence item, citation, saved search, alert subscription, and retrieval snapshot; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-11-003	The product SHALL enforce this human-authority boundary: search may rank and summarize evidence but may not represent relevance as truth or conceal policy, coverage, recency, uncertainty, or omitted-source limits.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-11-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-11-005	When retrieval is incomplete, stale, policy-filtered, contradictory, unavailable, or cannot reproduce the cited result set, the product SHALL label limitations and coverage, preserve the query snapshot, offer safe refinement, and prevent unsupported conclusion or citation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-11-006	Acceptance SHALL demonstrate golden-query relevance tests, permission trimming, temporal replay, citation resolution, omitted-source disclosure, and analyst acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Retrieval is incomplete, stale, policy-filtered, contradictory, unavailable, or cannot reproduce the cited result set.	Label limitations and coverage, preserve the query snapshot, offer safe refinement, and prevent unsupported conclusion or citation.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates golden-query relevance tests, permission trimming, temporal replay, citation resolution, omitted-source disclosure, and analyst acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when retrieval is incomplete, stale, policy-filtered, contradictory, unavailable, or cannot reproduce the cited result set, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Search, Discovery, and Research Workspace is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 7, Ch. 8; V5: Ch. 7, Ch. 8; V6: Ch. 7, Ch. 13; V7: Ch. 9, Ch. 10. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-010 · C-011 · C-012 · C-014 · C-047

12 Document and Media Intelligence

Document and Media Intelligence establishes the governed product capability to inspect original documents, images, audio, video, geospatial products, and scientific artifacts beside aligned extracted, translated, summarized, and enriched derivatives. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 13. Document and Media Intelligence. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Inspect original documents, images, audio, video, geospatial products, and scientific artifacts beside aligned extracted, translated, summarized, and enriched derivatives.
Primary actors	Analysts, investigators, researchers, records teams, reviewers, and domain specialists.
Controlled product state	Original object, page or segment, timestamp, region, derivative, extraction method, model version, language, alignment, quality, annotation, and citation.
Human authority	Machine derivatives remain clearly separated from original evidence; humans may correct or approve interpretations without overwriting the source.
Primary failure condition	Content is malicious, corrupt, unsupported, partially extracted, mistranslated, misaligned, or missing accessible alternatives.
Continuity contract	Quarantine unsafe content, show derivative limitations, preserve the original and user annotations, and route controlled reprocessing or review.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-12-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can inspect original documents, images, audio, video, geospatial products, and scientific artifacts beside aligned extracted, translated, summarized, and enriched derivatives.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-12-002	The product SHALL persist, expose, version, and reconcile original object, page or segment, timestamp, region, derivative, extraction method, model version, language, alignment, quality, annotation, and citation; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-12-003	The product SHALL enforce this human-authority boundary: machine derivatives remain clearly separated from original evidence; humans may correct or approve interpretations without overwriting the source.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-12-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-12-005	When content is malicious, corrupt, unsupported, partially extracted, mistranslated, misaligned, or missing accessible alternatives, the product SHALL quarantine unsafe content, show derivative limitations, preserve the original and user annotations, and route controlled reprocessing or review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-12-006	Acceptance SHALL demonstrate format corpus tests, malware handling, OCR and transcription evaluation, alignment and citation checks, translation review, and accessibility evidence for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Content is malicious, corrupt, unsupported, partially extracted, mistranslated, misaligned, or missing accessible alternatives.	Quarantine unsafe content, show derivative limitations, preserve the original and user annotations, and route controlled reprocessing or review.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates format corpus tests, malware handling, OCR and transcription evaluation, alignment and citation checks, translation review, and accessibility evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when content is malicious, corrupt, unsupported, partially extracted, mistranslated, misaligned, or missing accessible alternatives, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Document and Media Intelligence is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 7, Ch. 8; V5: Ch. 7, Ch. 8; V6: Ch. 7, Ch. 13; V7: Ch. 9, Ch. 10. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-010 · C-012 · C-014 · C-016 · C-045

13 Live Event, Stream, IoT, and Telemetry Experience

Live Event, Stream, IoT, and Telemetry Experience establishes the governed product capability to observe live events and telemetry with explicit time, sequence, location, source trust, quality, latency, gaps, and correlation into strategic context. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 14. Live Event, Stream, IoT, and Telemetry Experience. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Observe live events and telemetry with explicit time, sequence, location, source trust, quality, latency, gaps, and correlation into strategic context.
Primary actors	Operations centers, field teams, intelligence analysts, cyber analysts, supply-chain teams, engineers, and incident commanders.
Controlled product state	Stream, producer or device, observation, event time, receipt time, sequence, watermark, quality, trust, gap, correlation, alert, and replay position.
Human authority	Operators may acknowledge, annotate, suppress under policy, and escalate signals; the interface cannot infer completeness or trusted device state from transport success.
Primary failure condition	Streams overrun, reorder, duplicate, lose time quality, develop gaps, or originate from an untrusted producer.
Continuity contract	Show the degraded interval and data loss, apply bounded backpressure or approved shedding, preserve checkpoints, and constrain downstream use.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-13-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can observe live events and telemetry with explicit time, sequence, location, source trust, quality, latency, gaps, and correlation into strategic context.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-13-002	The product SHALL persist, expose, version, and reconcile stream, producer or device, observation, event time, receipt time, sequence, watermark, quality, trust, gap, correlation, alert, and replay position; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-13-003	The product SHALL enforce this human-authority boundary: operators may acknowledge, annotate, suppress under policy, and escalate signals; the interface cannot infer completeness or trusted device state from transport success.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-13-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-13-005	When streams overrun, reorder, duplicate, lose time quality, develop gaps, or originate from an untrusted producer, the product SHALL show the degraded interval and data loss, apply bounded backpressure or approved shedding, preserve checkpoints, and constrain downstream use; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-13-006	Acceptance SHALL demonstrate burst and latency tests, duplicate and ordering fixtures, device revocation, gap visualization, replay, and operator decision exercises for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Streams overrun, reorder, duplicate, lose time quality, develop gaps, or originate from an untrusted producer.	Show the degraded interval and data loss, apply bounded backpressure or approved shedding, preserve checkpoints, and constrain downstream use.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates burst and latency tests, duplicate and ordering fixtures, device revocation, gap visualization, replay, and operator decision exercises.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when streams overrun, reorder, duplicate, lose time quality, develop gaps, or originate from an untrusted producer, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Live Event, Stream, IoT, and Telemetry Experience is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 7, Ch. 8; V5: Ch. 7, Ch. 8; V6: Ch. 7, Ch. 13; V7: Ch. 9, Ch. 10. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-011 · C-012 · C-014 · C-033 · C-039 · C-043

14 Enterprise Systems and Internal Data Experience

Enterprise Systems and Internal Data Experience establishes the governed product capability to connect ERP, CRM, databases, internal documents, collaboration systems, APIs, files, and operational platforms with visible ownership, scope, reconciliation, and customer control. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 15. Enterprise Systems and Internal Data Experience. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Connect ERP, CRM, databases, internal documents, collaboration systems, APIs, files, and operational platforms with visible ownership, scope, reconciliation, and customer control.
Primary actors	Customer administrators, data owners, integration engineers, business-system owners, analysts, privacy, and support.
Controlled product state	Connection, source system, credential reference, object scope, extraction mode, schema, watermark, permission, reconciliation, owner, incident, and deletion behavior.
Human authority	Customer source systems retain business authority; The Eye does not broaden access, reinterpret deletion, or claim transactional completeness outside the integration contract.
Primary failure condition	Permissions, schemas, business keys, transactions, watermarks, or reconciliation totals become invalid.
Continuity contract	Stop the affected path, retain the last consistent watermark, expose incomplete scope, and reconcile with the customer source owner.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-14-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can connect ERP, CRM, databases, internal documents, collaboration systems, APIs, files, and operational platforms with visible ownership, scope, reconciliation, and customer control.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-14-002	The product SHALL persist, expose, version, and reconcile connection, source system, credential reference, object scope, extraction mode, schema, watermark, permission, reconciliation, owner, incident, and deletion behavior; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-14-003	The product SHALL enforce this human-authority boundary: customer source systems retain business authority; The Eye does not broaden access, reinterpret deletion, or claim transactional completeness outside the integration contract.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-14-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-14-005	When permissions, schemas, business keys, transactions, watermarks, or reconciliation totals become invalid, the product SHALL stop the affected path, retain the last consistent watermark, expose incomplete scope, and reconcile with the customer source owner; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-14-006	Acceptance SHALL demonstrate connector certification, least-privilege tests, schema-change handling, transaction and deletion fixtures, reconciliation totals, and customer sign-off for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Permissions, schemas, business keys, transactions, watermarks, or reconciliation totals become invalid.	Stop the affected path, retain the last consistent watermark, expose incomplete scope, and reconcile with the customer source owner.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates connector certification, least-privilege tests, schema-change handling, transaction and deletion fixtures, reconciliation totals, and customer sign-off.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when permissions, schemas, business keys, transactions, watermarks, or reconciliation totals become invalid, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Enterprise Systems and Internal Data Experience is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 7, Ch. 8; V5: Ch. 7, Ch. 8; V6: Ch. 7, Ch. 13; V7: Ch. 9, Ch. 10. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-011 · C-012 · C-014 · C-037 · C-038 · C-040

15 Collection Plans, Watchlists, and Priorities

Collection Plans, Watchlists, and Priorities establishes the governed product capability to translate objectives, risks, hypotheses, entities, geographies, markets, competitors, and time horizons into governed collection plans and watchlists. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 16. Collection Plans, Watchlists, and Priorities. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Translate objectives, risks, hypotheses, entities, geographies, markets, competitors, and time horizons into governed collection plans and watchlists.
Primary actors	Executives, intelligence leaders, collection managers, analysts, planners, domain teams, and authorized customer sponsors.
Controlled product state	Plan identity, sponsor, objective, priority, scope, source set, query, cadence, budget, trigger, owner, review, expiry, and outcome linkage.
Human authority	AI may recommend collection gaps and priorities; humans approve purpose, budget, sensitive targets, escalation thresholds, and material scope changes.
Primary failure condition	A plan becomes stale, duplicative, unauthorized, over budget, unbounded, or disconnected from an active objective.
Continuity contract	Pause or narrow execution, preserve prior results, expose the planning defect, and require sponsor review before continuation.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-15-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can translate objectives, risks, hypotheses, entities, geographies, markets, competitors, and time horizons into governed collection plans and watchlists.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-15-002	The product SHALL persist, expose, version, and reconcile plan identity, sponsor, objective, priority, scope, source set, query, cadence, budget, trigger, owner, review, expiry, and outcome linkage; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-15-003	The product SHALL enforce this human-authority boundary: AI may recommend collection gaps and priorities; humans approve purpose, budget, sensitive targets, escalation thresholds, and material scope changes.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-15-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-15-005	When a plan becomes stale, duplicative, unauthorized, over budget, unbounded, or disconnected from an active objective, the product SHALL pause or narrow execution, preserve prior results, expose the planning defect, and require sponsor review before continuation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-15-006	Acceptance SHALL demonstrate plan-to-objective traceability, budget and rights tests, duplicate detection, expiry exercises, coverage outcomes, and sponsor acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A plan becomes stale, duplicative, unauthorized, over budget, unbounded, or disconnected from an active objective.	Pause or narrow execution, preserve prior results, expose the planning defect, and require sponsor review before continuation.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates plan-to-objective traceability, budget and rights tests, duplicate detection, expiry exercises, coverage outcomes, and sponsor acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a plan becomes stale, duplicative, unauthorized, over budget, unbounded, or disconnected from an active objective, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Collection Plans, Watchlists, and Priorities is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 7, Ch. 8; V5: Ch. 7, Ch. 8; V6: Ch. 7, Ch. 13; V7: Ch. 9, Ch. 10. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-013 · C-014 · C-017 · C-026 · C-032 · C-040

16 Intake Validation, Quarantine, and Evidence Review

Intake Validation, Quarantine, and Evidence Review establishes the governed product capability to review integrity, rights, schema, classification, provenance, quality, duplication, and safety before observed material becomes decision-active evidence. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 17. Intake Validation, Quarantine, and Evidence Review. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Review integrity, rights, schema, classification, provenance, quality, duplication, and safety before observed material becomes decision-active evidence.
Primary actors	Collection operators, data stewards, security, legal, analysts, reviewers, and customer authorities.
Controlled product state	Intake item, original bytes, digest, source contract, validation result, quarantine reason, review task, disposition, custody, correction, and admission receipt.
Human authority	Automated checks may admit only low-risk items within an approved rule set; uncertain, sensitive, or consequential cases require an eligible human reviewer.
Primary failure condition	Content is unsafe, unauthorized, corrupt, ambiguous, duplicated, policy-conflicting, or cannot preserve chain of custody.
Continuity contract	Isolate it, prevent downstream use, retain immutable evidence and reason, and support controlled release, rejection, or reinspection.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-16-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can review integrity, rights, schema, classification, provenance, quality, duplication, and safety before observed material becomes decision-active evidence.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-16-002	The product SHALL persist, expose, version, and reconcile intake item, original bytes, digest, source contract, validation result, quarantine reason, review task, disposition, custody, correction, and admission receipt; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-16-003	The product SHALL enforce this human-authority boundary: automated checks may admit only low-risk items within an approved rule set; uncertain, sensitive, or consequential cases require an eligible human reviewer.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-16-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-16-005	When content is unsafe, unauthorized, corrupt, ambiguous, duplicated, policy-conflicting, or cannot preserve chain of custody, the product SHALL isolate it, prevent downstream use, retain immutable evidence and reason, and support controlled release, rejection, or reinspection; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-16-006	Acceptance SHALL demonstrate positive and adversarial intake fixtures, quarantine escape tests, reviewer separation of duty, custody verification, and downstream non-use evidence for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Content is unsafe, unauthorized, corrupt, ambiguous, duplicated, policy-conflicting, or cannot preserve chain of custody.	Isolate it, prevent downstream use, retain immutable evidence and reason, and support controlled release, rejection, or reinspection.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates positive and adversarial intake fixtures, quarantine escape tests, reviewer separation of duty, custody verification, and downstream non-use evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when content is unsafe, unauthorized, corrupt, ambiguous, duplicated, policy-conflicting, or cannot preserve chain of custody, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Intake Validation, Quarantine, and Evidence Review is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 7, Ch. 8; V5: Ch. 7, Ch. 8; V6: Ch. 7, Ch. 13; V7: Ch. 9, Ch. 10. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-010 · C-012 · C-014 · C-035 · C-039 · C-040

PART III

Understand and Remember

Evidence, entities, the Knowledge Graph, Enterprise Memory, epistemic state, provenance, analyst workflows, and correction.

THE EYE / THE OPERATING SYSTEM FOR STRATEGIC INTELLIGENCE

17 Intelligence Object and Evidence Experience

Intelligence Object and Evidence Experience establishes the governed product capability to inspect and act on canonical intelligence objects while retaining identity, version, time, truth state, provenance, policy, quality, correction, and lifecycle context. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 18. Intelligence Object and Evidence Experience. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Inspect and act on canonical intelligence objects while retaining identity, version, time, truth state, provenance, policy, quality, correction, and lifecycle context.
Primary actors	Analysts, investigators, researchers, executives, reviewers, auditors, agents, and integrators.
Controlled product state	Object identity, type, version, tenant, event and record time, truth state, confidence, provenance, classification, quality, owner, correction, and status.
Human authority	Interpretation, annotation, assessment, and recommendation remain distinct objects linked to evidence; no user or model may overwrite historical evidence.
Primary failure condition	An object is malformed, conflicting, missing required semantics, stale, withdrawn, or cannot resolve to evidence.
Continuity contract	Block decision-active use, show the invalid or degraded state, preserve history, and route correction or stewardship.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-17-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can inspect and act on canonical intelligence objects while retaining identity, version, time, truth state, provenance, policy, quality, correction, and lifecycle context.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-17-002	The product SHALL persist, expose, version, and reconcile object identity, type, version, tenant, event and record time, truth state, confidence, provenance, classification, quality, owner, correction, and status; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-17-003	The product SHALL enforce this human-authority boundary: interpretation, annotation, assessment, and recommendation remain distinct objects linked to evidence; no user or model may overwrite historical evidence.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-17-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-17-005	When an object is malformed, conflicting, missing required semantics, stale, withdrawn, or cannot resolve to evidence, the product SHALL block decision-active use, show the invalid or degraded state, preserve history, and route correction or stewardship; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-17-006	Acceptance SHALL demonstrate object-profile fixtures, version and temporal replay, provenance resolution, truth-state rendering, correction tests, and user comprehension evidence for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
An object is malformed, conflicting, missing required semantics, stale, withdrawn, or cannot resolve to evidence.	Block decision-active use, show the invalid or degraded state, preserve history, and route correction or stewardship.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates object-profile fixtures, version and temporal replay, provenance resolution, truth-state rendering, correction tests, and user comprehension evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when an object is malformed, conflicting, missing required semantics, stale, withdrawn, or cannot resolve to evidence, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Intelligence Object and Evidence Experience is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 12, Ch. 15; V5: Ch. 13, Ch. 19; V6: Ch. 31, Ch. 32; V7: Ch. 17, Ch. 18. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-007 · C-010 · C-011 · C-012 · C-035 · C-047

18 Entity, Identity, and Relationship Workbench

Entity, Identity, and Relationship Workbench establishes the governed product capability to resolve entities, aliases, duplicates, merges, splits, and relationships through evidence-backed proposals and accountable stewardship. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 19. Entity, Identity, and Relationship Workbench. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Resolve entities, aliases, duplicates, merges, splits, and relationships through evidence-backed proposals and accountable stewardship.
Primary actors	Knowledge engineers, analysts, investigators, data stewards, domain experts, reviewers, and auditors.
Controlled product state	Entity, namespace, identifier, alias, candidate match, relationship, evidence, score, conflict, merge or split case, reviewer, and revision.
Human authority	AI may propose identity and relationship changes with reasons; only authorized stewardship can commit material canonical merges, splits, or relationship adjudications.
Primary failure condition	Identity is ambiguous, evidence conflicts, a merge would cross tenant or policy boundaries, or a committed resolution proves wrong.
Continuity contract	Retain candidates separately, prevent unsafe propagation, expose uncertainty, and support non-destructive reversal and impact review.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-18-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can resolve entities, aliases, duplicates, merges, splits, and relationships through evidence-backed proposals and accountable stewardship.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-18-002	The product SHALL persist, expose, version, and reconcile entity, namespace, identifier, alias, candidate match, relationship, evidence, score, conflict, merge or split case, reviewer, and revision; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-18-003	The product SHALL enforce this human-authority boundary: AI may propose identity and relationship changes with reasons; only authorized stewardship can commit material canonical merges, splits, or relationship adjudications.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-18-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-18-005	When identity is ambiguous, evidence conflicts, a merge would cross tenant or policy boundaries, or a committed resolution proves wrong, the product SHALL retain candidates separately, prevent unsafe propagation, expose uncertainty, and support non-destructive reversal and impact review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-18-006	Acceptance SHALL demonstrate golden identity corpus, cross-tenant negative tests, merge/split replay, relationship provenance, steward review, and impact reconciliation for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Identity is ambiguous, evidence conflicts, a merge would cross tenant or policy boundaries, or a committed resolution proves wrong.	Retain candidates separately, prevent unsafe propagation, expose uncertainty, and support non-destructive reversal and impact review.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates golden identity corpus, cross-tenant negative tests, merge/split replay, relationship provenance, steward review, and impact reconciliation.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when identity is ambiguous, evidence conflicts, a merge would cross tenant or policy boundaries, or a committed resolution proves wrong, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Entity, Identity, and Relationship Workbench is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 12, Ch. 15; V5: Ch. 13, Ch. 19; V6: Ch. 31, Ch. 32; V7: Ch. 17, Ch. 18. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-009 · C-010 · C-012 · C-016 · C-035 · C-036

19 Knowledge Graph Exploration and Curation

Knowledge Graph Exploration and Curation establishes the governed product capability to explore connected entities, events, claims, risks, objectives, capabilities, technologies, regulations, markets, and supply chains with temporal and provenance-aware graph operations. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 20. Knowledge Graph Exploration and Curation. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Explore connected entities, events, claims, risks, objectives, capabilities, technologies, regulations, markets, and supply chains with temporal and provenance-aware graph operations.
Primary actors	Analysts, knowledge engineers, investigators, executives, domain experts, agents, and auditors.
Controlled product state	Graph query, node, edge, path, subgraph, ontology version, temporal slice, provenance, confidence, curation proposal, revision, and projection watermark.
Human authority	Graph exploration may reveal associations but cannot present connectivity as causality or truth; canonical graph mutation requires governed evidence and stewardship.
Primary failure condition	A path is stale, policy-filtered, cyclically derived, unsupported, temporally invalid, or inconsistent with the canonical revision.
Continuity contract	Label the limitation, preserve the query and revision, deny unsafe mutation, and route the issue to graph stewardship.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-19-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can explore connected entities, events, claims, risks, objectives, capabilities, technologies, regulations, markets, and supply chains with temporal and provenance-aware graph operations.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-19-002	The product SHALL persist, expose, version, and reconcile graph query, node, edge, path, subgraph, ontology version, temporal slice, provenance, confidence, curation proposal, revision, and projection watermark; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-19-003	The product SHALL enforce this human-authority boundary: graph exploration may reveal associations but cannot present connectivity as causality or truth; canonical graph mutation requires governed evidence and stewardship.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-19-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-19-005	When a path is stale, policy-filtered, cyclically derived, unsupported, temporally invalid, or inconsistent with the canonical revision, the product SHALL label the limitation, preserve the query and revision, deny unsafe mutation, and route the issue to graph stewardship; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-19-006	Acceptance SHALL demonstrate path and temporal query fixtures, policy trimming, provenance closure, ontology migration, projection rebuild, and analyst comprehension tests for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A path is stale, policy-filtered, cyclically derived, unsupported, temporally invalid, or inconsistent with the canonical revision.	Label the limitation, preserve the query and revision, deny unsafe mutation, and route the issue to graph stewardship.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates path and temporal query fixtures, policy trimming, provenance closure, ontology migration, projection rebuild, and analyst comprehension tests.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a path is stale, policy-filtered, cyclically derived, unsupported, temporally invalid, or inconsistent with the canonical revision, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Knowledge Graph Exploration and Curation is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 12, Ch. 15; V5: Ch. 13, Ch. 19; V6: Ch. 31, Ch. 32; V7: Ch. 17, Ch. 18. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-009 · C-010 · C-011 · C-012 · C-035 · C-047

20 Enterprise Memory and Strategic Record

Enterprise Memory and Strategic Record establishes the governed product capability to capture, retrieve, connect, correct, retain, and govern institutional facts, decisions, rationales, commitments, outcomes, lessons, and context across time. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 21. Enterprise Memory and Strategic Record. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Capture, retrieve, connect, correct, retain, and govern institutional facts, decisions, rationales, commitments, outcomes, lessons, and context across time.
Primary actors	Executives, analysts, planners, knowledge managers, records authorities, auditors, agents, and customer administrators.
Controlled product state	Memory item, source, owner, audience, validity, record time, truth state, policy, retention, related objective or decision, correction, access history, and lifecycle.
Human authority	Memory assists continuity but cannot silently convert prior text, model output, or organizational belief into verified truth; humans govern strategic and sensitive records.
Primary failure condition	Memory is stale, contradictory, inaccessible, over-retained, missing provenance, or exposed outside purpose.
Continuity contract	Mark or restrict it, preserve historical context, prevent unsupported reuse, and route correction, access, or lifecycle review.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-20-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can capture, retrieve, connect, correct, retain, and govern institutional facts, decisions, rationales, commitments, outcomes, lessons, and context across time.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-20-002	The product SHALL persist, expose, version, and reconcile memory item, source, owner, audience, validity, record time, truth state, policy, retention, related objective or decision, correction, access history, and lifecycle; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-20-003	The product SHALL enforce this human-authority boundary: memory assists continuity but cannot silently convert prior text, model output, or organizational belief into verified truth; humans govern strategic and sensitive records.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-20-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-20-005	When memory is stale, contradictory, inaccessible, over-retained, missing provenance, or exposed outside purpose, the product SHALL mark or restrict it, preserve historical context, prevent unsupported reuse, and route correction, access, or lifecycle review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-20-006	Acceptance SHALL demonstrate memory retrieval and temporal replay, permission inheritance, contradiction handling, retention and deletion tests, and records-authority acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Memory is stale, contradictory, inaccessible, over-retained, missing provenance, or exposed outside purpose.	Mark or restrict it, preserve historical context, prevent unsupported reuse, and route correction, access, or lifecycle review.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates memory retrieval and temporal replay, permission inheritance, contradiction handling, retention and deletion tests, and records-authority acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when memory is stale, contradictory, inaccessible, over-retained, missing provenance, or exposed outside purpose, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Enterprise Memory and Strategic Record is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 12, Ch. 15; V5: Ch. 13, Ch. 19; V6: Ch. 31, Ch. 32; V7: Ch. 17, Ch. 18. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-010 · C-011 · C-012 · C-015 · C-016 · C-037

21 Claims, Contradictions, Confidence, and Uncertainty

Claims, Contradictions, Confidence, and Uncertainty establishes the governed product capability to distinguish evidence, claims, inferences, assessments, hypotheses, synthetic outputs, recommendations, decisions, and corrections while preserving disagreement. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 22. Claims, Contradictions, Confidence, and Uncertainty. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Distinguish evidence, claims, inferences, assessments, hypotheses, synthetic outputs, recommendations, decisions, and corrections while preserving disagreement.
Primary actors	Analysts, reviewers, executives, domain experts, forecasters, auditors, agents, and decision authorities.
Controlled product state	Claim identity, proposition, truth state, evidence, source independence, confidence form, uncertainty, contradiction set, assessment, dissent, review, and status.
Human authority	Models and analysts may assess claims but cannot erase dissent, fabricate precision, or promote an inference to fact without governed evidence and authority.
Primary failure condition	Claims conflict, confidence is uncalibrated, sources are dependent, evidence is insufficient, or a prior assessment is withdrawn.
Continuity contract	Show the unresolved state and competing claims, constrain downstream use, preserve all versions, and require review or abstention.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-21-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can distinguish evidence, claims, inferences, assessments, hypotheses, synthetic outputs, recommendations, decisions, and corrections while preserving disagreement.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-21-002	The product SHALL persist, expose, version, and reconcile claim identity, proposition, truth state, evidence, source independence, confidence form, uncertainty, contradiction set, assessment, dissent, review, and status; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-21-003	The product SHALL enforce this human-authority boundary: models and analysts may assess claims but cannot erase dissent, fabricate precision, or promote an inference to fact without governed evidence and authority.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-21-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-21-005	When claims conflict, confidence is uncalibrated, sources are dependent, evidence is insufficient, or a prior assessment is withdrawn, the product SHALL show the unresolved state and competing claims, constrain downstream use, preserve all versions, and require review or abstention; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-21-006	Acceptance SHALL demonstrate truth-state fixtures, contradiction and source-dependence tests, calibration evidence, dissent preservation, correction replay, and user comprehension for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Claims conflict, confidence is uncalibrated, sources are dependent, evidence is insufficient, or a prior assessment is withdrawn.	Show the unresolved state and competing claims, constrain downstream use, preserve all versions, and require review or abstention.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates truth-state fixtures, contradiction and source-dependence tests, calibration evidence, dissent preservation, correction replay, and user comprehension.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when claims conflict, confidence is uncalibrated, sources are dependent, evidence is insufficient, or a prior assessment is withdrawn, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Claims, Contradictions, Confidence, and Uncertainty is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 12, Ch. 15; V5: Ch. 13, Ch. 19; V6: Ch. 31, Ch. 32; V7: Ch. 17, Ch. 18. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-010 · C-011 · C-012 · C-021 · C-035

22 Timelines, Provenance, and Decision-Grade Traceability

Timelines, Provenance, and Decision-Grade Traceability establishes the governed product capability to reconstruct what happened, what was known, what was believed, what changed, and which evidence, methods, people, and versions produced each strategic output. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 23. Timelines, Provenance, and Decision-Grade Traceability. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Reconstruct what happened, what was known, what was believed, what changed, and which evidence, methods, people, and versions produced each strategic output.
Primary actors	Analysts, investigators, executives, reviewers, auditors, legal, governance, agents, and integrators.
Controlled product state	Event, observation, validity interval, record time, revision, source, actor, method, model, policy, lineage edge, citation, decision-time snapshot, and custody.
Human authority	Time and provenance views support interpretation but may not rewrite history or conceal later corrections, missing intervals, source limitations, or policy filtering.
Primary failure condition	Time semantics conflict, lineage breaks, evidence is unavailable, clocks diverge, or a cited version no longer resolves.
Continuity contract	Mark the trace incomplete, prevent false chronology or completeness, preserve the unresolved edge, and route reconciliation.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-22-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can reconstruct what happened, what was known, what was believed, what changed, and which evidence, methods, people, and versions produced each strategic output.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-22-002	The product SHALL persist, expose, version, and reconcile event, observation, validity interval, record time, revision, source, actor, method, model, policy, lineage edge, citation, decision-time snapshot, and custody; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-22-003	The product SHALL enforce this human-authority boundary: time and provenance views support interpretation but may not rewrite history or conceal later corrections, missing intervals, source limitations, or policy filtering.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-22-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-22-005	When time semantics conflict, lineage breaks, evidence is unavailable, clocks diverge, or a cited version no longer resolves, the product SHALL mark the trace incomplete, prevent false chronology or completeness, preserve the unresolved edge, and route reconciliation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-22-006	Acceptance SHALL demonstrate bitemporal replay, citation and digest resolution, lineage closure, clock-skew fixtures, decision snapshot reconstruction, and audit acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Time semantics conflict, lineage breaks, evidence is unavailable, clocks diverge, or a cited version no longer resolves.	Mark the trace incomplete, prevent false chronology or completeness, preserve the unresolved edge, and route reconciliation.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates bitemporal replay, citation and digest resolution, lineage closure, clock-skew fixtures, decision snapshot reconstruction, and audit acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when time semantics conflict, lineage breaks, evidence is unavailable, clocks diverge, or a cited version no longer resolves, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Timelines, Provenance, and Decision-Grade Traceability is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 12, Ch. 15; V5: Ch. 13, Ch. 19; V6: Ch. 31, Ch. 32; V7: Ch. 17, Ch. 18. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-011 · C-012 · C-025 · C-035 · C-036

23 Classification, Summaries, and Analyst Workflows

Classification, Summaries, and Analyst Workflows establishes the governed product capability to triage, classify, summarize, annotate, compare, assign, review, and publish intelligence through durable analyst workflows. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 24. Classification, Summaries, and Analyst Workflows. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Triage, classify, summarize, annotate, compare, assign, review, and publish intelligence through durable analyst workflows.
Primary actors	Analysts, reviewers, investigators, intelligence managers, domain specialists, executives, and authorized agents.
Controlled product state	Case, queue, item, classification, summary, annotation, task, reviewer, deadline, evidence set, quality state, publication, and audit trail.
Human authority	AI may draft and prioritize; analysts remain accountable for accepted assessments, publication, sensitive handling, and consequential escalation.
Primary failure condition	Classification is wrong, summary loses material nuance, assignments conflict, work becomes stale, or review is bypassed.
Continuity contract	Retain source context and draft history, flag the defect, prevent publication, and route rework or independent review.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-23-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can triage, classify, summarize, annotate, compare, assign, review, and publish intelligence through durable analyst workflows.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-23-002	The product SHALL persist, expose, version, and reconcile case, queue, item, classification, summary, annotation, task, reviewer, deadline, evidence set, quality state, publication, and audit trail; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-23-003	The product SHALL enforce this human-authority boundary: AI may draft and prioritize; analysts remain accountable for accepted assessments, publication, sensitive handling, and consequential escalation.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-23-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-23-005	When classification is wrong, summary loses material nuance, assignments conflict, work becomes stale, or review is bypassed, the product SHALL retain source context and draft history, flag the defect, prevent publication, and route rework or independent review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-23-006	Acceptance SHALL demonstrate golden classification and summarization sets, omission and hallucination tests, workflow recovery, reviewer separation, and analyst acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Classification is wrong, summary loses material nuance, assignments conflict, work becomes stale, or review is bypassed.	Retain source context and draft history, flag the defect, prevent publication, and route rework or independent review.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates golden classification and summarization sets, omission and hallucination tests, workflow recovery, reviewer separation, and analyst acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when classification is wrong, summary loses material nuance, assignments conflict, work becomes stale, or review is bypassed, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Classification, Summaries, and Analyst Workflows is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 12, Ch. 15; V5: Ch. 13, Ch. 19; V6: Ch. 31, Ch. 32; V7: Ch. 17, Ch. 18. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-010 · C-012 · C-028 · C-029 · C-045

24 Corrections, Withdrawals, Reconciliation, and Replay

Corrections, Withdrawals, Reconciliation, and Replay establishes the governed product capability to correct or withdraw evidence and derived intelligence without erasing prior state, then identify, constrain, rebuild, and reconcile every affected product. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 25. Corrections, Withdrawals, Reconciliation, and Replay. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Correct or withdraw evidence and derived intelligence without erasing prior state, then identify, constrain, rebuild, and reconcile every affected product.
Primary actors	Source owners, analysts, data stewards, knowledge engineers, product owners, governance, auditors, and affected decision authorities.
Controlled product state	Correction case, authority, target version, reason, replacement, affected lineage, consumer, projection, warning, recommendation, decision, acknowledgment, and closure.
Human authority	Correction authority may change decision-active state but cannot alter what was historically available; affected humans determine whether prior decisions require review.
Primary failure condition	A target is unresolved, propagation is incomplete, projections diverge, consumers fail to acknowledge, or replay cannot reconstruct prior state.
Continuity contract	Keep the case open, visibly constrain affected products, preserve historical versions, and escalate unresolved decision impact.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-24-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can correct or withdraw evidence and derived intelligence without erasing prior state, then identify, constrain, rebuild, and reconcile every affected product.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-24-002	The product SHALL persist, expose, version, and reconcile correction case, authority, target version, reason, replacement, affected lineage, consumer, projection, warning, recommendation, decision, acknowledgment, and closure; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-24-003	The product SHALL enforce this human-authority boundary: correction authority may change decision-active state but cannot alter what was historically available; affected humans determine whether prior decisions require review.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-24-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-24-005	When a target is unresolved, propagation is incomplete, projections diverge, consumers fail to acknowledge, or replay cannot reconstruct prior state, the product SHALL keep the case open, visibly constrain affected products, preserve historical versions, and escalate unresolved decision impact; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-24-006	Acceptance SHALL demonstrate end-to-end correction fixtures, impact analysis, projection rebuild, consumer acknowledgment, Decision Replay, and governance closure for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A target is unresolved, propagation is incomplete, projections diverge, consumers fail to acknowledge, or replay cannot reconstruct prior state.	Keep the case open, visibly constrain affected products, preserve historical versions, and escalate unresolved decision impact.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates end-to-end correction fixtures, impact analysis, projection rebuild, consumer acknowledgment, Decision Replay, and governance closure.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a target is unresolved, propagation is incomplete, projections diverge, consumers fail to acknowledge, or replay cannot reconstruct prior state, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Corrections, Withdrawals, Reconciliation, and Replay is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 12, Ch. 15; V5: Ch. 13, Ch. 19; V6: Ch. 31, Ch. 32; V7: Ch. 17, Ch. 18. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-011 · C-012 · C-016 · C-025 · C-036 · C-043

PART IV

Predict, Detect, and Warn

Weak signals, warnings, risk, opportunity, competitor, supply-chain, domain intelligence, and canonical prediction horizons.

THE EYE / THE OPERATING SYSTEM FOR STRATEGIC INTELLIGENCE

25 Weak Signal Detection

Weak Signal Detection establishes the governed product capability to discover low-frequency, low-confidence, cross-domain, or emerging patterns before they become obvious while preserving evidence and uncertainty. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 26. Weak Signal Detection. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Discover low-frequency, low-confidence, cross-domain, or emerging patterns before they become obvious while preserving evidence and uncertainty.
Primary actors	Intelligence analysts, domain specialists, executives, risk and opportunity teams, forecasters, and authorized agents.
Controlled product state	Signal, hypothesis, feature set, baseline, deviation, source diversity, confidence, novelty, persistence, relevance, analyst disposition, and outcome.
Human authority	AI may nominate and rank weak signals; humans decide strategic relevance, escalation, collection changes, and incorporation into assessments.
Primary failure condition	Signals are driven by source artifacts, correlated feeds, model drift, seasonal noise, or insufficient evidence.
Continuity contract	Label the signal as tentative or invalid, expose contributing evidence and blind spots, suppress unsafe escalation, and retain evaluation history.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-25-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can discover low-frequency, low-confidence, cross-domain, or emerging patterns before they become obvious while preserving evidence and uncertainty.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-25-002	The product SHALL persist, expose, version, and reconcile signal, hypothesis, feature set, baseline, deviation, source diversity, confidence, novelty, persistence, relevance, analyst disposition, and outcome; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-25-003	The product SHALL enforce this human-authority boundary: AI may nominate and rank weak signals; humans decide strategic relevance, escalation, collection changes, and incorporation into assessments.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-25-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-25-005	When signals are driven by source artifacts, correlated feeds, model drift, seasonal noise, or insufficient evidence, the product SHALL label the signal as tentative or invalid, expose contributing evidence and blind spots, suppress unsafe escalation, and retain evaluation history; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-25-006	Acceptance SHALL demonstrate seeded-signal and null tests, source-independence checks, drift controls, analyst disposition evidence, false-positive analysis, and replay for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Signals are driven by source artifacts, correlated feeds, model drift, seasonal noise, or insufficient evidence.	Label the signal as tentative or invalid, expose contributing evidence and blind spots, suppress unsafe escalation, and retain evaluation history.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates seeded-signal and null tests, source-independence checks, drift controls, analyst disposition evidence, false-positive analysis, and replay.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when signals are driven by source artifacts, correlated feeds, model drift, seasonal noise, or insufficient evidence, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Weak Signal Detection is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 19; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-010 · C-013 · C-021 · C-032 · C-045

26 Early Warning System

Early Warning System establishes the governed product capability to convert governed indicators and weak signals into timely, severity-appropriate, explainable warnings with explicit owner, acknowledgment, action, expiry, and outcome. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 27. Early Warning System. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Convert governed indicators and weak signals into timely, severity-appropriate, explainable warnings with explicit owner, acknowledgment, action, expiry, and outcome.
Primary actors	Executives, watch officers, intelligence leaders, operations centers, risk owners, planners, and escalation authorities.
Controlled product state	Warning, trigger, threshold, severity, confidence, evidence, affected objective, owner, recipients, acknowledgment, escalation, suppression, action, and closure.
Human authority	AI may detect and recommend; humans approve material warning policies, consequence-specific escalation, suppression exceptions, and institutional action.
Primary failure condition	A trigger is late, noisy, duplicated, policy-filtered, unowned, unacknowledged, or unsupported by current evidence.
Continuity contract	Declare warning quality, deduplicate, escalate by policy, preserve non-delivery evidence, and prevent unsupported severity or closure.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-26-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can convert governed indicators and weak signals into timely, severity-appropriate, explainable warnings with explicit owner, acknowledgment, action, expiry, and outcome.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-26-002	The product SHALL persist, expose, version, and reconcile warning, trigger, threshold, severity, confidence, evidence, affected objective, owner, recipients, acknowledgment, escalation, suppression, action, and closure; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-26-003	The product SHALL enforce this human-authority boundary: AI may detect and recommend; humans approve material warning policies, consequence-specific escalation, suppression exceptions, and institutional action.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-26-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-26-005	When a trigger is late, noisy, duplicated, policy-filtered, unowned, unacknowledged, or unsupported by current evidence, the product SHALL declare warning quality, deduplicate, escalate by policy, preserve non-delivery evidence, and prevent unsupported severity or closure; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-26-006	Acceptance SHALL demonstrate trigger and latency tests, escalation drills, delivery receipts, suppression controls, false-positive and missed-event analysis, and owner acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A trigger is late, noisy, duplicated, policy-filtered, unowned, unacknowledged, or unsupported by current evidence.	Declare warning quality, deduplicate, escalate by policy, preserve non-delivery evidence, and prevent unsupported severity or closure.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates trigger and latency tests, escalation drills, delivery receipts, suppression controls, false-positive and missed-event analysis, and owner acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a trigger is late, noisy, duplicated, policy-filtered, unowned, unacknowledged, or unsupported by current evidence, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Early Warning System is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 19; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-005 · C-032 · C-033 · C-036 · C-049

27 Risk Intelligence

Risk Intelligence establishes the governed product capability to identify, assess, connect, prioritize, monitor, mitigate, and learn from strategic risks against objectives, capabilities, dependencies, and risk appetite. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 28. Risk Intelligence. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Identify, assess, connect, prioritize, monitor, mitigate, and learn from strategic risks against objectives, capabilities, dependencies, and risk appetite.
Primary actors	Enterprise risk, executives, business owners, compliance, security, finance, operations, analysts, and auditors.
Controlled product state	Risk, category, cause, event, consequence, likelihood distribution, exposure, velocity, owner, appetite, control, mitigation, indicator, residual risk, and review.
Human authority	AI may estimate and recommend; accountable human risk owners accept assessments, appetite decisions, mitigation commitments, and residual risk.
Primary failure condition	Risk is unowned, double-counted, stale, based on invalid dependencies, outside appetite, or expressed with false precision.
Continuity contract	Show uncertainty and ownership gaps, constrain aggregate scores, escalate breaches, and preserve competing assessments.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-27-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can identify, assess, connect, prioritize, monitor, mitigate, and learn from strategic risks against objectives, capabilities, dependencies, and risk appetite.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-27-002	The product SHALL persist, expose, version, and reconcile risk, category, cause, event, consequence, likelihood distribution, exposure, velocity, owner, appetite, control, mitigation, indicator, residual risk, and review; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-27-003	The product SHALL enforce this human-authority boundary: AI may estimate and recommend; accountable human risk owners accept assessments, appetite decisions, mitigation commitments, and residual risk.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-27-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-27-005	When risk is unowned, double-counted, stale, based on invalid dependencies, outside appetite, or expressed with false precision, the product SHALL show uncertainty and ownership gaps, constrain aggregate scores, escalate breaches, and preserve competing assessments; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-27-006	Acceptance SHALL demonstrate risk taxonomy fixtures, aggregation and dependency tests, appetite breach workflow, calibration, mitigation tracking, and risk-owner acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Risk is unowned, double-counted, stale, based on invalid dependencies, outside appetite, or expressed with false precision.	Show uncertainty and ownership gaps, constrain aggregate scores, escalate breaches, and preserve competing assessments.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates risk taxonomy fixtures, aggregation and dependency tests, appetite breach workflow, calibration, mitigation tracking, and risk-owner acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when risk is unowned, double-counted, stale, based on invalid dependencies, outside appetite, or expressed with false precision, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Risk Intelligence is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 19; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-005 · C-021 · C-024 · C-026 · C-036

28 Opportunity Intelligence

Opportunity Intelligence establishes the governed product capability to discover, assess, compare, sponsor, monitor, and learn from strategic opportunities aligned to objectives and capabilities. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 29. Opportunity Intelligence. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Discover, assess, compare, sponsor, monitor, and learn from strategic opportunities aligned to objectives and capabilities.
Primary actors	Executives, strategy, innovation, growth, investment, product, market, technology, and domain teams.
Controlled product state	Opportunity, evidence, hypothesis, market or technology, value range, timing, dependencies, required capabilities, risks, sponsor, option, stage, decision, and outcome.
Human authority	AI may surface and model opportunities; humans choose sponsorship, capital, risk acceptance, commitments, and strategic direction.
Primary failure condition	An opportunity is duplicative, speculative, misaligned, unowned, time-expired, or based on insufficient or biased evidence.
Continuity contract	Retain it as a hypothesis or close it with reason, expose uncertainty and gaps, and prevent unsupported value claims.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-28-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can discover, assess, compare, sponsor, monitor, and learn from strategic opportunities aligned to objectives and capabilities.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-28-002	The product SHALL persist, expose, version, and reconcile opportunity, evidence, hypothesis, market or technology, value range, timing, dependencies, required capabilities, risks, sponsor, option, stage, decision, and outcome; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-28-003	The product SHALL enforce this human-authority boundary: AI may surface and model opportunities; humans choose sponsorship, capital, risk acceptance, commitments, and strategic direction.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-28-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-28-005	When an opportunity is duplicative, speculative, misaligned, unowned, time-expired, or based on insufficient or biased evidence, the product SHALL retain it as a hypothesis or close it with reason, expose uncertainty and gaps, and prevent unsupported value claims; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-28-006	Acceptance SHALL demonstrate opportunity discovery tests, objective and capability linkage, option comparison, evidence challenge, sponsor workflow, and outcome attribution for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
An opportunity is duplicative, speculative, misaligned, unowned, time-expired, or based on insufficient or biased evidence.	Retain it as a hypothesis or close it with reason, expose uncertainty and gaps, and prevent unsupported value claims.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates opportunity discovery tests, objective and capability linkage, option comparison, evidence challenge, sponsor workflow, and outcome attribution.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when an opportunity is duplicative, speculative, misaligned, unowned, time-expired, or based on insufficient or biased evidence, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Opportunity Intelligence is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 19; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-005 · C-017 · C-021 · C-026 · C-032

29 Competitor Intelligence

Competitor Intelligence establishes the governed product capability to maintain evidence-backed competitor profiles, strategies, products, capabilities, movements, dependencies, and comparative assessments across time. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 30. Competitor Intelligence. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Maintain evidence-backed competitor profiles, strategies, products, capabilities, movements, dependencies, and comparative assessments across time.
Primary actors	Executives, strategy, product, commercial, market, research, finance, and intelligence teams.
Controlled product state	Competitor, entity identity, product, market, capability, objective, action, event, claim, comparison basis, confidence, timeline, alert, and assessment.
Human authority	AI may collect, resolve, compare, and propose interpretations; analysts approve material assessments and executives decide response.
Primary failure condition	Identity is mistaken, sources are correlated or manipulated, comparisons use incompatible definitions, or coverage becomes stale.
Continuity contract	Mark the assessment limited, preserve conflicting evidence, suspend invalid comparisons, and route revalidation.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-29-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can maintain evidence-backed competitor profiles, strategies, products, capabilities, movements, dependencies, and comparative assessments across time.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-29-002	The product SHALL persist, expose, version, and reconcile competitor, entity identity, product, market, capability, objective, action, event, claim, comparison basis, confidence, timeline, alert, and assessment; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-29-003	The product SHALL enforce this human-authority boundary: AI may collect, resolve, compare, and propose interpretations; analysts approve material assessments and executives decide response.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-29-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-29-005	When identity is mistaken, sources are correlated or manipulated, comparisons use incompatible definitions, or coverage becomes stale, the product SHALL mark the assessment limited, preserve conflicting evidence, suspend invalid comparisons, and route revalidation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-29-006	Acceptance SHALL demonstrate entity-resolution corpus, source-diversity tests, comparable-basis controls, temporal replay, analyst challenge, and decision-use evidence for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Identity is mistaken, sources are correlated or manipulated, comparisons use incompatible definitions, or coverage becomes stale.	Mark the assessment limited, preserve conflicting evidence, suspend invalid comparisons, and route revalidation.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates entity-resolution corpus, source-diversity tests, comparable-basis controls, temporal replay, analyst challenge, and decision-use evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when identity is mistaken, sources are correlated or manipulated, comparisons use incompatible definitions, or coverage becomes stale, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Competitor Intelligence is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 19; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-009 · C-010 · C-011 · C-012 · C-032

30 Supply Chain Intelligence

Supply Chain Intelligence establishes the governed product capability to map multi-tier supply networks, materials, products, facilities, routes, inventories, obligations, exposures, disruptions, and response options. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 31. Supply Chain Intelligence. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Map multi-tier supply networks, materials, products, facilities, routes, inventories, obligations, exposures, disruptions, and response options.
Primary actors	Supply-chain leaders, procurement, manufacturing, logistics, risk, operations, finance, executives, and analysts.
Controlled product state	Supplier, facility, part, product, shipment, route, inventory, capacity, dependency, event, risk, alternative, constraint, confidence, and temporal state.
Human authority	AI may infer hidden dependencies and forecast disruption; humans validate sensitive relationships and decide supplier, inventory, routing, and contractual actions.
Primary failure condition	Network coverage is incomplete, identities conflict, telemetry is late, inferred tiers are uncertain, or alternatives are infeasible.
Continuity contract	Show coverage and confidence, isolate invalid dependencies, constrain recommendations, and preserve scenario branches for review.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-30-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can map multi-tier supply networks, materials, products, facilities, routes, inventories, obligations, exposures, disruptions, and response options.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-30-002	The product SHALL persist, expose, version, and reconcile supplier, facility, part, product, shipment, route, inventory, capacity, dependency, event, risk, alternative, constraint, confidence, and temporal state; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-30-003	The product SHALL enforce this human-authority boundary: AI may infer hidden dependencies and forecast disruption; humans validate sensitive relationships and decide supplier, inventory, routing, and contractual actions.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-30-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-30-005	When network coverage is incomplete, identities conflict, telemetry is late, inferred tiers are uncertain, or alternatives are infeasible, the product SHALL show coverage and confidence, isolate invalid dependencies, constrain recommendations, and preserve scenario branches for review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-30-006	Acceptance SHALL demonstrate network and identity fixtures, tier-coverage measures, disruption replay, alternative feasibility checks, source reconciliation, and operator acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Network coverage is incomplete, identities conflict, telemetry is late, inferred tiers are uncertain, or alternatives are infeasible.	Show coverage and confidence, isolate invalid dependencies, constrain recommendations, and preserve scenario branches for review.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates network and identity fixtures, tier-coverage measures, disruption replay, alternative feasibility checks, source reconciliation, and operator acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when network coverage is incomplete, identities conflict, telemetry is late, inferred tiers are uncertain, or alternatives are infeasible, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Supply Chain Intelligence is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 19; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-009 · C-010 · C-011 · C-018 · C-021 · C-032

31 Geopolitical, Technology, Cyber, and Financial Intelligence

Geopolitical, Technology, Cyber, and Financial Intelligence establishes the governed product capability to operate governed domain intelligence workspaces that extend the universal core without fragmenting evidence, graph, memory, forecast, scenario, or decision semantics. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 32. Geopolitical, Technology, Cyber, and Financial Intelligence. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Operate governed domain intelligence workspaces that extend the universal core without fragmenting evidence, graph, memory, forecast, scenario, or decision semantics.
Primary actors	Government, defence, enterprise strategy, security, technology, finance, risk, market, and domain intelligence teams.
Controlled product state	Domain package, ontology extension, source set, indicator, model, assessment, watchlist, risk, opportunity, forecast, scenario, control, owner, and release.
Human authority	Domain specialists approve ontology, methodology, assessment, escalation, and use boundaries; agents and models remain bounded by the common trust and evidence contracts.
Primary failure condition	A domain package conflicts with canonical semantics, uses unapproved sources or models, exceeds purpose, or creates incompatible risk meaning.
Continuity contract	Disable the incompatible function, preserve accessible state, expose the conflict, and route package governance and migration.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-31-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can operate governed domain intelligence workspaces that extend the universal core without fragmenting evidence, graph, memory, forecast, scenario, or decision semantics.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-31-002	The product SHALL persist, expose, version, and reconcile domain package, ontology extension, source set, indicator, model, assessment, watchlist, risk, opportunity, forecast, scenario, control, owner, and release; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-31-003	The product SHALL enforce this human-authority boundary: domain specialists approve ontology, methodology, assessment, escalation, and use boundaries; agents and models remain bounded by the common trust and evidence contracts.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-31-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-31-005	When a domain package conflicts with canonical semantics, uses unapproved sources or models, exceeds purpose, or creates incompatible risk meaning, the product SHALL disable the incompatible function, preserve accessible state, expose the conflict, and route package governance and migration; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-31-006	Acceptance SHALL demonstrate domain conformance suites, ontology and contract compatibility, source and model approval, cross-domain journey tests, and authority acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A domain package conflicts with canonical semantics, uses unapproved sources or models, exceeds purpose, or creates incompatible risk meaning.	Disable the incompatible function, preserve accessible state, expose the conflict, and route package governance and migration.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates domain conformance suites, ontology and contract compatibility, source and model approval, cross-domain journey tests, and authority acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a domain package conflicts with canonical semantics, uses unapproved sources or models, exceeds purpose, or creates incompatible risk meaning, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Geopolitical, Technology, Cyber, and Financial Intelligence is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 19; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-006 · C-007 · C-009 · C-030 · C-035 · C-050

32 Forecasting and Prediction Horizons

Forecasting and Prediction Horizons establishes the governed product capability to create, compare, monitor, calibrate, supersede, and consume probabilistic forecasts at 30-day, 90-day, 180-day, 1-year, 3-year, and 5-year horizons. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 33. Forecasting and Prediction Horizons. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Create, compare, monitor, calibrate, supersede, and consume probabilistic forecasts at 30-day, 90-day, 180-day, 1-year, 3-year, and 5-year horizons.
Primary actors	Executives, forecasters, analysts, planners, risk and opportunity owners, model governors, and decision authorities.
Controlled product state	Forecast, target, horizon, cutoff, evidence snapshot, method, model, assumptions, distribution, intervals, scenarios, calibration class, owner, review, and outcome.
Human authority	AI and statistical methods produce forecasts; humans approve decision-active use, material assumptions, overrides, and actions derived from them.
Primary failure condition	A horizon is unsupported, inputs are stale, calibration fails, assumptions change, models disagree materially, or outcomes cannot be scored.
Continuity contract	Abstain or mark the forecast degraded, expose method disagreement and sensitivity, preserve the prior version, and require review.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-32-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can create, compare, monitor, calibrate, supersede, and consume probabilistic forecasts at 30-day, 90-day, 180-day, 1-year, 3-year, and 5-year horizons.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-32-002	The product SHALL persist, expose, version, and reconcile forecast, target, horizon, cutoff, evidence snapshot, method, model, assumptions, distribution, intervals, scenarios, calibration class, owner, review, and outcome; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-32-003	The product SHALL enforce this human-authority boundary: AI and statistical methods produce forecasts; humans approve decision-active use, material assumptions, overrides, and actions derived from them.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-32-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-32-005	When a horizon is unsupported, inputs are stale, calibration fails, assumptions change, models disagree materially, or outcomes cannot be scored, the product SHALL abstain or mark the forecast degraded, expose method disagreement and sensitivity, preserve the prior version, and require review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-32-006	Acceptance SHALL demonstrate backtests by horizon, leakage controls, calibration and sharpness, model comparison, assumption sensitivity, outcome scoring, and forecaster acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A horizon is unsupported, inputs are stale, calibration fails, assumptions change, models disagree materially, or outcomes cannot be scored.	Abstain or mark the forecast degraded, expose method disagreement and sensitivity, preserve the prior version, and require review.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates backtests by horizon, leakage controls, calibration and sharpness, model comparison, assumption sensitivity, outcome scoring, and forecaster acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a horizon is unsupported, inputs are stale, calibration fails, assumptions change, models disagree materially, or outcomes cannot be scored, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Forecasting and Prediction Horizons is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 19; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-010 · C-011 · C-020 · C-021 · C-045

PART V

Scenario, Simulation, and Decision Intelligence

Scenarios, marketplace packages, simulations, Digital Twins, strategy, recommendations, human decisions, and replay.

THE EYE / THE OPERATING SYSTEM FOR STRATEGIC INTELLIGENCE

33 Scenario Intelligence Workspace

Scenario Intelligence Workspace establishes the governed product capability to construct multiple plausible futures with explicit drivers, uncertainties, assumptions, branch points, indicators, implications, and strategic options. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 34. Scenario Intelligence Workspace. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Construct multiple plausible futures with explicit drivers, uncertainties, assumptions, branch points, indicators, implications, and strategic options.
Primary actors	Executives, strategists, planners, analysts, risk owners, opportunity owners, facilitators, and decision authorities.
Controlled product state	Scenario set, scenario, driver, assumption, uncertainty, branch, narrative, quantitative state, indicator, implication, option, owner, version, and status.
Human authority	AI may propose and elaborate scenarios; humans approve framing, plurality, assumptions, decision relevance, and use in strategic deliberation.
Primary failure condition	Scenarios collapse to one forecast, omit material uncertainty, duplicate each other, contain inconsistent assumptions, or lose evidence links.
Continuity contract	Keep scenarios distinct, expose the defect, prevent decision-active publication, and route reframing or review.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-33-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can construct multiple plausible futures with explicit drivers, uncertainties, assumptions, branch points, indicators, implications, and strategic options.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-33-002	The product SHALL persist, expose, version, and reconcile scenario set, scenario, driver, assumption, uncertainty, branch, narrative, quantitative state, indicator, implication, option, owner, version, and status; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-33-003	The product SHALL enforce this human-authority boundary: AI may propose and elaborate scenarios; humans approve framing, plurality, assumptions, decision relevance, and use in strategic deliberation.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-33-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-33-005	When scenarios collapse to one forecast, omit material uncertainty, duplicate each other, contain inconsistent assumptions, or lose evidence links, the product SHALL keep scenarios distinct, expose the defect, prevent decision-active publication, and route reframing or review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-33-006	Acceptance SHALL demonstrate plurality and distinctness tests, assumption consistency, evidence traceability, facilitated challenge, temporal replay, and sponsor acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Scenarios collapse to one forecast, omit material uncertainty, duplicate each other, contain inconsistent assumptions, or lose evidence links.	Keep scenarios distinct, expose the defect, prevent decision-active publication, and route reframing or review.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates plurality and distinctness tests, assumption consistency, evidence traceability, facilitated challenge, temporal replay, and sponsor acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when scenarios collapse to one forecast, omit material uncertainty, duplicate each other, contain inconsistent assumptions, or lose evidence links, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Scenario Intelligence Workspace is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 23; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-005 · C-022 · C-024 · C-026 · C-047

34 Scenario Marketplace

Scenario Marketplace establishes the governed product capability to publish, discover, evaluate, license, install, configure, execute, update, and retire governed scenario packages. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 35. Scenario Marketplace. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Publish, discover, evaluate, license, install, configure, execute, update, and retire governed scenario packages.
Primary actors	Scenario authors, domain experts, customer administrators, marketplace governors, reviewers, strategists, and buyers.
Controlled product state	Package identity, publisher, version, domain, ontology, inputs, assumptions, methods, dependencies, rights, price, evaluation, compatibility, signature, installation, and lifecycle.
Human authority	Installation never grants decision authority or bypasses customer governance; customers approve package trust, data access, configuration, and decision-active use.
Primary failure condition	A package is unsigned, incompatible, vulnerable, expired, misleading, unlicensed, or requests excessive data or capabilities.
Continuity contract	Deny installation or execution, preserve installed-state evidence, notify affected users, and support rollback or removal.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-34-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can publish, discover, evaluate, license, install, configure, execute, update, and retire governed scenario packages.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-34-002	The product SHALL persist, expose, version, and reconcile package identity, publisher, version, domain, ontology, inputs, assumptions, methods, dependencies, rights, price, evaluation, compatibility, signature, installation, and lifecycle; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-34-003	The product SHALL enforce this human-authority boundary: installation never grants decision authority or bypasses customer governance; customers approve package trust, data access, configuration, and decision-active use.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-34-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-34-005	When a package is unsigned, incompatible, vulnerable, expired, misleading, unlicensed, or requests excessive data or capabilities, the product SHALL deny installation or execution, preserve installed-state evidence, notify affected users, and support rollback or removal; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-34-006	Acceptance SHALL demonstrate publisher verification, signature and supply-chain tests, compatibility fixtures, sandbox evaluation, entitlement enforcement, and customer approval for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A package is unsigned, incompatible, vulnerable, expired, misleading, unlicensed, or requests excessive data or capabilities.	Deny installation or execution, preserve installed-state evidence, notify affected users, and support rollback or removal.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates publisher verification, signature and supply-chain tests, compatibility fixtures, sandbox evaluation, entitlement enforcement, and customer approval.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a package is unsigned, incompatible, vulnerable, expired, misleading, unlicensed, or requests excessive data or capabilities, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Scenario Marketplace is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 23; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-007 · C-035 · C-038 · C-039 · C-046 · C-050

35 Simulation Design and Run Control

Simulation Design and Run Control establishes the governed product capability to define, validate, execute, compare, pause, reproduce, and retire simulations against exact scenarios, Digital Twin states, methods, constraints, and seeds. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 36. Simulation Design and Run Control. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Define, validate, execute, compare, pause, reproduce, and retire simulations against exact scenarios, Digital Twin states, methods, constraints, and seeds.
Primary actors	Simulation specialists, strategists, analysts, engineers, planners, model governors, reviewers, and decision authorities.
Controlled product state	Simulation definition, scenario, twin snapshot, model, parameter, distribution, constraint, seed, run, checkpoint, output, sensitivity, validity, cost, and evidence.
Human authority	AI and simulation engines execute bounded methods; humans approve model suitability, material assumptions, run budgets, validity, interpretation, and decision use.
Primary failure condition	Inputs are incompatible, constraints fail, runs diverge, resources exhaust, outputs cannot reproduce, or model validity is indeterminate.
Continuity contract	Stop or quarantine the run, preserve checkpoints and partial outputs as non-decision-active, expose limits, and require review.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-35-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can define, validate, execute, compare, pause, reproduce, and retire simulations against exact scenarios, Digital Twin states, methods, constraints, and seeds.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-35-002	The product SHALL persist, expose, version, and reconcile simulation definition, scenario, twin snapshot, model, parameter, distribution, constraint, seed, run, checkpoint, output, sensitivity, validity, cost, and evidence; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-35-003	The product SHALL enforce this human-authority boundary: AI and simulation engines execute bounded methods; humans approve model suitability, material assumptions, run budgets, validity, interpretation, and decision use.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-35-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-35-005	When inputs are incompatible, constraints fail, runs diverge, resources exhaust, outputs cannot reproduce, or model validity is indeterminate, the product SHALL stop or quarantine the run, preserve checkpoints and partial outputs as non-decision-active, expose limits, and require review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-35-006	Acceptance SHALL demonstrate reproducibility, seed and sensitivity tests, model validation, resource-boundary tests, checkpoint recovery, and specialist acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Inputs are incompatible, constraints fail, runs diverge, resources exhaust, outputs cannot reproduce, or model validity is indeterminate.	Stop or quarantine the run, preserve checkpoints and partial outputs as non-decision-active, expose limits, and require review.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates reproducibility, seed and sensitivity tests, model validation, resource-boundary tests, checkpoint recovery, and specialist acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when inputs are incompatible, constraints fail, runs diverge, resources exhaust, outputs cannot reproduce, or model validity is indeterminate, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Simulation Design and Run Control is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 23; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-018 · C-019 · C-022 · C-023 · C-045

36 Digital Twin Portfolio and State

Digital Twin Portfolio and State establishes the governed product capability to manage living Digital Twins for company, competitors, supply chain, products, markets, regulations, infrastructure, processes, and organization. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 37. Digital Twin Portfolio and State. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Manage living Digital Twins for company, competitors, supply chain, products, markets, regulations, infrastructure, processes, and organization.
Primary actors	Executives, operators, planners, engineers, analysts, domain owners, twin modelers, and decision authorities.
Controlled product state	Twin identity, type, owner, scope, observed snapshot, synthetic branch, model, assumptions, synchronization, quality, validation, scenario use, version, and retirement.
Human authority	Observed state and synthetic branches remain visibly separate; humans approve twin scope, validity, strategic use, and any action based on simulated state.
Primary failure condition	A twin drifts, loses synchronization, mixes observed and synthetic state, exceeds validated scope, or cannot reproduce a prior branch.
Continuity contract	Mark the twin degraded, prohibit unsupported decision use, preserve versions, and route resynchronization or revalidation.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-36-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can manage living Digital Twins for company, competitors, supply chain, products, markets, regulations, infrastructure, processes, and organization.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-36-002	The product SHALL persist, expose, version, and reconcile twin identity, type, owner, scope, observed snapshot, synthetic branch, model, assumptions, synchronization, quality, validation, scenario use, version, and retirement; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-36-003	The product SHALL enforce this human-authority boundary: observed state and synthetic branches remain visibly separate; humans approve twin scope, validity, strategic use, and any action based on simulated state.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-36-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-36-005	When a twin drifts, loses synchronization, mixes observed and synthetic state, exceeds validated scope, or cannot reproduce a prior branch, the product SHALL mark the twin degraded, prohibit unsupported decision use, preserve versions, and route resynchronization or revalidation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-36-006	Acceptance SHALL demonstrate state synchronization, branch isolation, time travel, model validation, drift monitoring, replay, and owner acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A twin drifts, loses synchronization, mixes observed and synthetic state, exceeds validated scope, or cannot reproduce a prior branch.	Mark the twin degraded, prohibit unsupported decision use, preserve versions, and route resynchronization or revalidation.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates state synchronization, branch isolation, time travel, model validation, drift monitoring, replay, and owner acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a twin drifts, loses synchronization, mixes observed and synthetic state, exceeds validated scope, or cannot reproduce a prior branch, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Digital Twin Portfolio and State is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 23; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-010 · C-011 · C-018 · C-019 · C-023

37 Strategy Graph and Objective-Capability Alignment

Strategy Graph and Objective-Capability Alignment establishes the governed product capability to connect objectives, outcomes, measures, initiatives, capabilities, resources, dependencies, risks, opportunities, scenarios, decisions, commitments, and results. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 38. Strategy Graph and Objective-Capability Alignment. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Connect objectives, outcomes, measures, initiatives, capabilities, resources, dependencies, risks, opportunities, scenarios, decisions, commitments, and results.
Primary actors	Boards, executives, strategy offices, portfolio leaders, planners, capability owners, finance, risk, and analysts.
Controlled product state	Objective, outcome, measure, target, capability, initiative, resource, dependency, risk, opportunity, option, decision, commitment, outcome, and relationship evidence.
Human authority	AI may detect misalignment and recommend options; human authorities set objectives, approve measures and trade-offs, allocate resources, and commit the organization.
Primary failure condition	Objectives conflict, measures are gamed or stale, capability evidence is weak, dependencies are cyclic, or ownership is missing.
Continuity contract	Show the misalignment and uncertainty, prevent unsupported health claims, preserve alternatives, and route accountable planning review.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-37-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can connect objectives, outcomes, measures, initiatives, capabilities, resources, dependencies, risks, opportunities, scenarios, decisions, commitments, and results.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-37-002	The product SHALL persist, expose, version, and reconcile objective, outcome, measure, target, capability, initiative, resource, dependency, risk, opportunity, option, decision, commitment, outcome, and relationship evidence; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-37-003	The product SHALL enforce this human-authority boundary: AI may detect misalignment and recommend options; human authorities set objectives, approve measures and trade-offs, allocate resources, and commit the organization.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-37-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-37-005	When objectives conflict, measures are gamed or stale, capability evidence is weak, dependencies are cyclic, or ownership is missing, the product SHALL show the misalignment and uncertainty, prevent unsupported health claims, preserve alternatives, and route accountable planning review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-37-006	Acceptance SHALL demonstrate graph integrity and temporal tests, objective-to-capability coverage, metric validation, conflict and dependency analysis, and executive acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Objectives conflict, measures are gamed or stale, capability evidence is weak, dependencies are cyclic, or ownership is missing.	Show the misalignment and uncertainty, prevent unsupported health claims, preserve alternatives, and route accountable planning review.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates graph integrity and temporal tests, objective-to-capability coverage, metric validation, conflict and dependency analysis, and executive acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when objectives conflict, measures are gamed or stale, capability evidence is weak, dependencies are cyclic, or ownership is missing, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Strategy Graph and Objective-Capability Alignment is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 23; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-009 · C-017 · C-024 · C-026 · C-034

38 Decision Intelligence and Recommendation Review

Decision Intelligence and Recommendation Review establishes the governed product capability to assemble and compare decision options with objectives, evidence, assumptions, forecasts, scenarios, simulations, risks, opportunities, trade-offs, dissent, confidence, and recommended actions. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 39. Decision Intelligence and Recommendation Review. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Assemble and compare decision options with objectives, evidence, assumptions, forecasts, scenarios, simulations, risks, opportunities, trade-offs, dissent, confidence, and recommended actions.
Primary actors	Executives, decision authorities, analysts, strategists, risk owners, opportunity owners, reviewers, and governance.
Controlled product state	Decision case, question, options, objectives, constraints, evidence snapshot, assumptions, forecast, scenario, simulation, risk, opportunity, recommendation, explanation, dissent, and review.
Human authority	AI recommends and explains but cannot approve, commit, or conceal alternatives; the eligible human decision authority owns the final choice.
Primary failure condition	The package is incomplete, evidence is stale, explanation is unsupported, alternatives are missing, conflicts are undisclosed, or the recommendation exceeds authorized scope.
Continuity contract	Block decision-ready status, expose the gap, preserve drafts and dissent, and require remediation or explicit human deferral.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-38-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can assemble and compare decision options with objectives, evidence, assumptions, forecasts, scenarios, simulations, risks, opportunities, trade-offs, dissent, confidence, and recommended actions.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-38-002	The product SHALL persist, expose, version, and reconcile decision case, question, options, objectives, constraints, evidence snapshot, assumptions, forecast, scenario, simulation, risk, opportunity, recommendation, explanation, dissent, and review; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-38-003	The product SHALL enforce this human-authority boundary: AI recommends and explains but cannot approve, commit, or conceal alternatives; the eligible human decision authority owns the final choice.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-38-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-38-005	When the package is incomplete, evidence is stale, explanation is unsupported, alternatives are missing, conflicts are undisclosed, or the recommendation exceeds authorized scope, the product SHALL block decision-ready status, expose the gap, preserve drafts and dissent, and require remediation or explicit human deferral; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-38-006	Acceptance SHALL demonstrate decision-completeness fixtures, evidence and citation checks, alternative and dissent tests, recommendation evaluation, accessibility, and authority acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
The package is incomplete, evidence is stale, explanation is unsupported, alternatives are missing, conflicts are undisclosed, or the recommendation exceeds authorized scope.	Block decision-ready status, expose the gap, preserve drafts and dissent, and require remediation or explicit human deferral.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates decision-completeness fixtures, evidence and citation checks, alternative and dissent tests, recommendation evaluation, accessibility, and authority acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when the package is incomplete, evidence is stale, explanation is unsupported, alternatives are missing, conflicts are undisclosed, or the recommendation exceeds authorized scope, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Decision Intelligence and Recommendation Review is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 23; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-005 · C-021 · C-022 · C-023 · C-024

39 Human Approval, Commitment, and Decision Record

Human Approval, Commitment, and Decision Record establishes the governed product capability to review the exact decision digest, approve or reject options, record rationale and conditions, create commitments, and preserve non-repudiable institutional accountability. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 40. Human Approval, Commitment, and Decision Record. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Review the exact decision digest, approve or reject options, record rationale and conditions, create commitments, and preserve non-repudiable institutional accountability.
Primary actors	Authenticated decision authorities, delegated approvers, secretariats, legal, finance, risk, governance, auditors, and commitment owners.
Controlled product state	Decision identity, authority, digest, option, rationale, dissent, conditions, approval, signature, effective time, commitment, owner, deadline, audit, and supersession.
Human authority	Only an eligible authenticated human can decide; AI, workflow, administrators, delegated services, and marketplace packages cannot synthesize or proxy approval.
Primary failure condition	Authority is stale or conflicted, digest changes, required reviewers are absent, approval is ambiguous, or commitment creation partially fails.
Continuity contract	Invalidate or hold the transition, preserve the attempted decision and evidence, require re-review, and reconcile commitments before closure.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-39-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can review the exact decision digest, approve or reject options, record rationale and conditions, create commitments, and preserve non-repudiable institutional accountability.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-39-002	The product SHALL persist, expose, version, and reconcile decision identity, authority, digest, option, rationale, dissent, conditions, approval, signature, effective time, commitment, owner, deadline, audit, and supersession; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-39-003	The product SHALL enforce this human-authority boundary: only an eligible authenticated human can decide; AI, workflow, administrators, delegated services, and marketplace packages cannot synthesize or proxy approval.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-39-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-39-005	When authority is stale or conflicted, digest changes, required reviewers are absent, approval is ambiguous, or commitment creation partially fails, the product SHALL invalidate or hold the transition, preserve the attempted decision and evidence, require re-review, and reconcile commitments before closure; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-39-006	Acceptance SHALL demonstrate authority and separation tests, digest binding, signature verification, approval replay, partial-commitment recovery, and audit acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Authority is stale or conflicted, digest changes, required reviewers are absent, approval is ambiguous, or commitment creation partially fails.	Invalidate or hold the transition, preserve the attempted decision and evidence, require re-review, and reconcile commitments before closure.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates authority and separation tests, digest binding, signature verification, approval replay, partial-commitment recovery, and audit acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when authority is stale or conflicted, digest changes, required reviewers are absent, approval is ambiguous, or commitment creation partially fails, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Human Approval, Commitment, and Decision Record is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 23; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-024 · C-025 · C-028 · C-036 · C-050

40 Decision Replay, Outcome Attribution, and Learning

Decision Replay, Outcome Attribution, and Learning establishes the governed product capability to reconstruct decision-time knowledge, compare expected and actual outcomes, attribute contributions cautiously, record lessons, and govern changes without rewriting history. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 41. Decision Replay, Outcome Attribution, and Learning. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Reconstruct decision-time knowledge, compare expected and actual outcomes, attribute contributions cautiously, record lessons, and govern changes without rewriting history.
Primary actors	Decision authorities, executives, analysts, governance, auditors, model owners, product owners, and organizational learning teams.
Controlled product state	Decision snapshot, evidence and model versions, recommendation, human rationale, commitment, intervention, outcome, counterfactual, attribution, lesson, change proposal, approval, and replay.
Human authority	Learning may recommend product, policy, process, or model changes; authorized humans approve each change and prior decisions remain immutable.
Primary failure condition	Decision-time state cannot reconstruct, outcomes are missing or confounded, attribution is overstated, or learning would cause silent self-modification.
Continuity contract	Mark the replay incomplete, separate observation from inference, prevent automatic change, and route evidence collection or governance review.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-40-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can reconstruct decision-time knowledge, compare expected and actual outcomes, attribute contributions cautiously, record lessons, and govern changes without rewriting history.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-40-002	The product SHALL persist, expose, version, and reconcile decision snapshot, evidence and model versions, recommendation, human rationale, commitment, intervention, outcome, counterfactual, attribution, lesson, change proposal, approval, and replay; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-40-003	The product SHALL enforce this human-authority boundary: learning may recommend product, policy, process, or model changes; authorized humans approve each change and prior decisions remain immutable.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-40-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-40-005	When decision-time state cannot reconstruct, outcomes are missing or confounded, attribution is overstated, or learning would cause silent self-modification, the product SHALL mark the replay incomplete, separate observation from inference, prevent automatic change, and route evidence collection or governance review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-40-006	Acceptance SHALL demonstrate historical reconstruction, version pinning, outcome linkage, confounding and attribution tests, governed-change workflow, and auditor acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Decision-time state cannot reconstruct, outcomes are missing or confounded, attribution is overstated, or learning would cause silent self-modification.	Mark the replay incomplete, separate observation from inference, prevent automatic change, and route evidence collection or governance review.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates historical reconstruction, version pinning, outcome linkage, confounding and attribution tests, governed-change workflow, and auditor acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when decision-time state cannot reconstruct, outcomes are missing or confounded, attribution is overstated, or learning would cause silent self-modification, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Decision Replay, Outcome Attribution, and Learning is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 24, Ch. 26; V5: Ch. 13, Ch. 23; V6: Ch. 17, Ch. 18; V7: Ch. 21, Ch. 22. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-011 · C-012 · C-025 · C-031 · C-044

PART VI

Executive Operating System and Collaboration

Executive operations, briefings, strategic health, proactive priorities, planning, collaboration, publishing, and field use.

THE EYE / THE OPERATING SYSTEM FOR STRATEGIC INTELLIGENCE

41 Executive Operating System

Executive Operating System establishes the governed product capability to operate strategy as a continuous system of objectives, intelligence, foresight, decisions, commitments, outcomes, and learning rather than a collection of dashboards. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 42. Executive Operating System. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Operate strategy as a continuous system of objectives, intelligence, foresight, decisions, commitments, outcomes, and learning rather than a collection of dashboards.
Primary actors	Boards, ministers, commanders, C-suite executives, chiefs of staff, strategy leaders, decision authorities, and executive support teams.
Controlled product state	Executive context, objective, priority, warning, assessment, scenario, decision, commitment, initiative, outcome, exception, cadence, and institutional record.
Human authority	AI may prioritize, brief, forecast, simulate, and recommend; executives decide priorities, strategy, commitments, risk acceptance, and organizational action.
Primary failure condition	Executive state is incomplete, stale, policy-filtered, contradictory, overloaded, or detached from accountable owners and evidence.
Continuity contract	Show strategic limitations and provenance, preserve last verified state, prioritize consequence, and prevent false executive completeness.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-41-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can operate strategy as a continuous system of objectives, intelligence, foresight, decisions, commitments, outcomes, and learning rather than a collection of dashboards.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-41-002	The product SHALL persist, expose, version, and reconcile executive context, objective, priority, warning, assessment, scenario, decision, commitment, initiative, outcome, exception, cadence, and institutional record; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-41-003	The product SHALL enforce this human-authority boundary: AI may prioritize, brief, forecast, simulate, and recommend; executives decide priorities, strategy, commitments, risk acceptance, and organizational action.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-41-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-41-005	When executive state is incomplete, stale, policy-filtered, contradictory, overloaded, or detached from accountable owners and evidence, the product SHALL show strategic limitations and provenance, preserve last verified state, prioritize consequence, and prevent false executive completeness; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-41-006	Acceptance SHALL demonstrate executive cadence journeys, strategic-loop closure, authority and delegation tests, stale-state handling, accessibility, and executive acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Executive state is incomplete, stale, policy-filtered, contradictory, overloaded, or detached from accountable owners and evidence.	Show strategic limitations and provenance, preserve last verified state, prioritize consequence, and prevent false executive completeness.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates executive cadence journeys, strategic-loop closure, authority and delegation tests, stale-state handling, accessibility, and executive acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when executive state is incomplete, stale, policy-filtered, contradictory, overloaded, or detached from accountable owners and evidence, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Executive Operating System is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 8, Ch. 9; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 19; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-002 · C-004 · C-005 · C-026 · C-027 · C-047

42 Strategic Briefings and Command Views

Strategic Briefings and Command Views establishes the governed product capability to assemble, review, approve, deliver, acknowledge, update, and archive evidence-backed strategic briefings and command views tailored to role and moment. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 43. Strategic Briefings and Command Views. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Assemble, review, approve, deliver, acknowledge, update, and archive evidence-backed strategic briefings and command views tailored to role and moment.
Primary actors	Boards, executives, commanders, chiefs of staff, intelligence leaders, analysts, briefing authors, and authorized recipients.
Controlled product state	Briefing, audience, purpose, cutoff, evidence snapshot, claims, visuals, recommendations, dissent, classification, reviewer, approval, delivery, receipt, update, and archive.
Human authority	AI may draft and adapt briefings; authorized humans approve decision-active content, classification, audience, recommendation, and publication.
Primary failure condition	A briefing is stale, unsupported, misclassified, sent to the wrong audience, inaccessible, or altered after approval.
Continuity contract	Block or withdraw delivery, preserve the approved digest and receipts, notify recipients of material correction, and route reapproval.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-42-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can assemble, review, approve, deliver, acknowledge, update, and archive evidence-backed strategic briefings and command views tailored to role and moment.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-42-002	The product SHALL persist, expose, version, and reconcile briefing, audience, purpose, cutoff, evidence snapshot, claims, visuals, recommendations, dissent, classification, reviewer, approval, delivery, receipt, update, and archive; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-42-003	The product SHALL enforce this human-authority boundary: AI may draft and adapt briefings; authorized humans approve decision-active content, classification, audience, recommendation, and publication.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-42-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-42-005	When a briefing is stale, unsupported, misclassified, sent to the wrong audience, inaccessible, or altered after approval, the product SHALL block or withdraw delivery, preserve the approved digest and receipts, notify recipients of material correction, and route reapproval; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-42-006	Acceptance SHALL demonstrate briefing generation and citation tests, cutoff replay, audience and classification controls, approval digest, delivery receipts, correction drills, and recipient comprehension for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A briefing is stale, unsupported, misclassified, sent to the wrong audience, inaccessible, or altered after approval.	Block or withdraw delivery, preserve the approved digest and receipts, notify recipients of material correction, and route reapproval.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates briefing generation and citation tests, cutoff replay, audience and classification controls, approval digest, delivery receipts, correction drills, and recipient comprehension.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a briefing is stale, unsupported, misclassified, sent to the wrong audience, inaccessible, or altered after approval, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Strategic Briefings and Command Views is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 8, Ch. 9; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 19; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-005 · C-012 · C-027 · C-036 · C-047

43 Strategic Health Score

Strategic Health Score establishes the governed product capability to understand decomposable strategic health across objectives, capabilities, risks, opportunities, execution, resilience, and learning without hiding uncertainty in a single score. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.



Figure 44. Strategic Health Score. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Understand decomposable strategic health across objectives, capabilities, risks, opportunities, execution, resilience, and learning without hiding uncertainty in a single score.
Primary actors	Boards, executives, strategy, portfolio, risk, finance, operations, capability owners, analysts, and auditors.
Controlled product state	Score, dimension, indicator, measure, source, formula, weight, threshold, confidence, coverage, trend, decomposition, owner, exception, and version.
Human authority	AI may compute and explain; humans approve dimensions, measures, weights, thresholds, exceptions, and any decisions based on the score.
Primary failure condition	Inputs are stale or missing, weights are disputed, metrics are gamed, confidence is low, or aggregation masks a critical failure.
Continuity contract	Mark the score partial or indeterminate, expose decomposition and coverage, prevent misleading comparison, and route measure governance.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-43-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can understand decomposable strategic health across objectives, capabilities, risks, opportunities, execution, resilience, and learning without hiding uncertainty in a single score.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-43-002	The product SHALL persist, expose, version, and reconcile score, dimension, indicator, measure, source, formula, weight, threshold, confidence, coverage, trend, decomposition, owner, exception, and version; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-43-003	The product SHALL enforce this human-authority boundary: AI may compute and explain; humans approve dimensions, measures, weights, thresholds, exceptions, and any decisions based on the score.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-43-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-43-005	When inputs are stale or missing, weights are disputed, metrics are gamed, confidence is low, or aggregation masks a critical failure, the product SHALL mark the score partial or indeterminate, expose decomposition and coverage, prevent misleading comparison, and route measure governance; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-43-006	Acceptance SHALL demonstrate formula and lineage tests, sensitivity and missing-data analysis, anti-gaming review, temporal replay, decomposition accessibility, and executive acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Inputs are stale or missing, weights are disputed, metrics are gamed, confidence is low, or aggregation masks a critical failure.	Mark the score partial or indeterminate, expose decomposition and coverage, prevent misleading comparison, and route measure governance.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates formula and lineage tests, sensitivity and missing-data analysis, anti-gaming review, temporal replay, decomposition accessibility, and executive acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when inputs are stale or missing, weights are disputed, metrics are gamed, confidence is low, or aggregation masks a critical failure, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Strategic Health Score is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 8, Ch. 9; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 19; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-010 · C-012 · C-026 · C-034 · C-045

44 Proactive Intelligence and Priority Queue

Proactive Intelligence and Priority Queue establishes the governed product capability to receive a governed queue of material warnings, decisions, reviews, opportunities, collection gaps, commitments, and exceptions before manual inquiry. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 45. Proactive Intelligence and Priority Queue. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Receive a governed queue of material warnings, decisions, reviews, opportunities, collection gaps, commitments, and exceptions before manual inquiry.
Primary actors	Executives, chiefs of staff, intelligence leaders, risk and opportunity owners, analysts, operators, and authorized agents.
Controlled product state	Queue item, type, trigger, evidence, relevance, severity, urgency, confidence, owner, audience, rank, due time, action, acknowledgment, suppression, and outcome.
Human authority	AI may nominate and rank; humans set policy, accept priority, suppress with reason, assign ownership, and decide consequential action.
Primary failure condition	The queue becomes noisy, biased, duplicated, stale, unowned, overloaded, or hides a severe lower-ranked item.
Continuity contract	Declare queue quality, deduplicate and rebalance by policy, expose ranking reasons, escalate unowned items, and preserve suppressed history.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-44-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can receive a governed queue of material warnings, decisions, reviews, opportunities, collection gaps, commitments, and exceptions before manual inquiry.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-44-002	The product SHALL persist, expose, version, and reconcile queue item, type, trigger, evidence, relevance, severity, urgency, confidence, owner, audience, rank, due time, action, acknowledgment, suppression, and outcome; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-44-003	The product SHALL enforce this human-authority boundary: AI may nominate and rank; humans set policy, accept priority, suppress with reason, assign ownership, and decide consequential action.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-44-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-44-005	When the queue becomes noisy, biased, duplicated, stale, unowned, overloaded, or hides a severe lower-ranked item, the product SHALL declare queue quality, deduplicate and rebalance by policy, expose ranking reasons, escalate unowned items, and preserve suppressed history; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-44-006	Acceptance SHALL demonstrate precision and recall by class, ranking fairness and stability, overload drills, escalation latency, suppression audits, and user acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
The queue becomes noisy, biased, duplicated, stale, unowned, overloaded, or hides a severe lower-ranked item.	Declare queue quality, deduplicate and rebalance by policy, expose ranking reasons, escalate unowned items, and preserve suppressed history.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates precision and recall by class, ranking fairness and stability, overload drills, escalation latency, suppression audits, and user acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when the queue becomes noisy, biased, duplicated, stale, unowned, overloaded, or hides a severe lower-ranked item, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Proactive Intelligence and Priority Queue is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 8, Ch. 9; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 19; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-005 · C-032 · C-033 · C-036 · C-047

45 Strategic Planning and Initiative Governance

Strategic Planning and Initiative Governance establishes the governed product capability to translate objectives and decisions into governed initiatives, resources, milestones, dependencies, measures, commitments, reviews, changes, and outcomes. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.

STRATEGIC PLANNING AND INITIATIVE GOVERNANCE

Strategic Planning and Initiative Governance establishes the governed product capability to translate objectives and...




Figure 46. Strategic Planning and Initiative Governance. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Translate objectives and decisions into governed initiatives, resources, milestones, dependencies, measures, commitments, reviews, changes, and outcomes.
Primary actors	Boards, executives, strategy offices, portfolio leaders, finance, risk, capability owners, initiative owners, and planners.
Controlled product state	Plan, objective, initiative, business case, option, resource, dependency, risk, owner, milestone, commitment, measure, forecast, review, change, and outcome.
Human authority	AI may propose plans and detect variance; humans approve priorities, resources, commitments, changes, risk acceptance, and termination.
Primary failure condition	A plan loses objective linkage, becomes infeasible, exceeds authority or budget, has conflicting dependencies, or drifts without review.
Continuity contract	Show the breach and forecast impact, hold unauthorized commitment, preserve baseline and changes, and route accountable review.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-45-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can translate objectives and decisions into governed initiatives, resources, milestones, dependencies, measures, commitments, reviews, changes, and outcomes.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-45-002	The product SHALL persist, expose, version, and reconcile plan, objective, initiative, business case, option, resource, dependency, risk, owner, milestone, commitment, measure, forecast, review, change, and outcome; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-45-003	The product SHALL enforce this human-authority boundary: AI may propose plans and detect variance; humans approve priorities, resources, commitments, changes, risk acceptance, and termination.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-45-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-45-005	When a plan loses objective linkage, becomes infeasible, exceeds authority or budget, has conflicting dependencies, or drifts without review, the product SHALL show the breach and forecast impact, hold unauthorized commitment, preserve baseline and changes, and route accountable review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-45-006	Acceptance SHALL demonstrate objective alignment, dependency and budget tests, approval workflow, baseline/change replay, forecast variance, and sponsor acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A plan loses objective linkage, becomes infeasible, exceeds authority or budget, has conflicting dependencies, or drifts without review.	Show the breach and forecast impact, hold unauthorized commitment, preserve baseline and changes, and route accountable review.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates objective alignment, dependency and budget tests, approval workflow, baseline/change replay, forecast variance, and sponsor acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a plan loses objective linkage, becomes infeasible, exceeds authority or budget, has conflicting dependencies, or drifts without review, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Strategic Planning and Initiative Governance is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 8, Ch. 9; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 19; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-017 · C-024 · C-026 · C-027 · C-036

46 Collaboration, Tasks, and Workflow Orchestration

Collaboration, Tasks, and Workflow Orchestration establishes the governed product capability to coordinate durable human and machine work with assignments, discussions, evidence, deadlines, approvals, escalations, handoffs, and accountable completion. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 47. Collaboration, Tasks, and Workflow Orchestration. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Coordinate durable human and machine work with assignments, discussions, evidence, deadlines, approvals, escalations, handoffs, and accountable completion.
Primary actors	Executives, analysts, planners, reviewers, operators, administrators, external collaborators, and agents.
Controlled product state	Workspace, participant, role, thread, task, dependency, artifact, mention, deadline, approval, escalation, handoff, completion evidence, and audit.
Human authority	Collaboration cannot broaden access or decision rights; machine work remains attributable, side effects remain gated, and eligible humans own approvals.
Primary failure condition	Participants lose access, tasks duplicate or stall, handoffs lose context, messages cross domains, or workflows partially complete.
Continuity contract	Constrain access, preserve committed work and evidence, expose stalled or residual state, and route reassignment or recovery.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-46-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can coordinate durable human and machine work with assignments, discussions, evidence, deadlines, approvals, escalations, handoffs, and accountable completion.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-46-002	The product SHALL persist, expose, version, and reconcile workspace, participant, role, thread, task, dependency, artifact, mention, deadline, approval, escalation, handoff, completion evidence, and audit; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-46-003	The product SHALL enforce this human-authority boundary: collaboration cannot broaden access or decision rights; machine work remains attributable, side effects remain gated, and eligible humans own approvals.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-46-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-46-005	When participants lose access, tasks duplicate or stall, handoffs lose context, messages cross domains, or workflows partially complete, the product SHALL constrain access, preserve committed work and evidence, expose stalled or residual state, and route reassignment or recovery; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-46-006	Acceptance SHALL demonstrate role and external-sharing tests, workflow crash recovery, duplicate-task handling, handoff context, approval gating, and collaboration accessibility for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Participants lose access, tasks duplicate or stall, handoffs lose context, messages cross domains, or workflows partially complete.	Constrain access, preserve committed work and evidence, expose stalled or residual state, and route reassignment or recovery.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates role and external-sharing tests, workflow crash recovery, duplicate-task handling, handoff context, approval gating, and collaboration accessibility.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when participants lose access, tasks duplicate or stall, handoffs lose context, messages cross domains, or workflows partially complete, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Collaboration, Tasks, and Workflow Orchestration is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 8, Ch. 9; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 19; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-028 · C-029 · C-036 · C-043 · C-048

47 Reporting, Publishing, and Distribution

Reporting, Publishing, and Distribution establishes the governed product capability to create governed reports and intelligence products from canonical state, approve exact content, publish to authorized channels, track receipts, correct, withdraw, and archive. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 48. Reporting, Publishing, and Distribution. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Create governed reports and intelligence products from canonical state, approve exact content, publish to authorized channels, track receipts, correct, withdraw, and archive.
Primary actors	Analysts, briefing authors, executives, operations, compliance, external-affairs teams, administrators, and recipients.
Controlled product state	Publication, template, source snapshot, content, audience, classification, format, accessibility, approval digest, channel, schedule, receipt, correction, withdrawal, and archive.
Human authority	Reporting is an output of the operating system, not its product boundary; humans approve material publication, audience, and classification.
Primary failure condition	Content is stale or unsupported, formatting changes meaning, delivery exceeds audience, export loses controls, or corrections fail to propagate.
Continuity contract	Block or withdraw distribution, preserve approved bytes and receipts, notify affected recipients, and require controlled republishing.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-47-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can create governed reports and intelligence products from canonical state, approve exact content, publish to authorized channels, track receipts, correct, withdraw, and archive.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-47-002	The product SHALL persist, expose, version, and reconcile publication, template, source snapshot, content, audience, classification, format, accessibility, approval digest, channel, schedule, receipt, correction, withdrawal, and archive; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-47-003	The product SHALL enforce this human-authority boundary: reporting is an output of the operating system, not its product boundary; humans approve material publication, audience, and classification.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-47-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-47-005	When content is stale or unsupported, formatting changes meaning, delivery exceeds audience, export loses controls, or corrections fail to propagate, the product SHALL block or withdraw distribution, preserve approved bytes and receipts, notify affected recipients, and require controlled republishing; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-47-006	Acceptance SHALL demonstrate source-to-publication lineage, multi-format visual QA, classification and audience tests, accessibility, receipt tracking, correction and withdrawal drills for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Content is stale or unsupported, formatting changes meaning, delivery exceeds audience, export loses controls, or corrections fail to propagate.	Block or withdraw distribution, preserve approved bytes and receipts, notify affected recipients, and require controlled republishing.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates source-to-publication lineage, multi-format visual QA, classification and audience tests, accessibility, receipt tracking, correction and withdrawal drills.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when content is stale or unsupported, formatting changes meaning, delivery exceeds audience, export loses controls, or corrections fail to propagate, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Reporting, Publishing, and Distribution is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 8, Ch. 9; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 19; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-003 · C-005 · C-012 · C-036 · C-038 · C-047

48 Mobile, Field, Offline, and Disconnected Operation

Mobile, Field, Offline, and Disconnected Operation establishes the governed product capability to continue authorized strategic work on constrained devices and networks with explicit freshness, local protection, queued effects, synchronization, and conflict resolution. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 49. Mobile, Field, Offline, and Disconnected Operation. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Continue authorized strategic work on constrained devices and networks with explicit freshness, local protection, queued effects, synchronization, and conflict resolution.
Primary actors	Executives, commanders, field analysts, investigators, inspectors, operators, responders, remote teams, and administrators.
Controlled product state	Device, user, local scope, cached object, watermark, offline package, queued command, conflict, synchronization, receipt, remote wipe, and expiry.
Human authority	Offline access and effects are limited by pre-authorized scope; consequential decisions and queued commands retain human attribution and may require online revalidation.
Primary failure condition	Connectivity is absent, local data expires, devices are lost or compromised, queues conflict, synchronization is partial, or remote authority changes.
Continuity contract	Enter the declared offline mode, protect and expire local state, preserve queued work, prevent unsafe effects, and reconcile on reconnect.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-48-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can continue authorized strategic work on constrained devices and networks with explicit freshness, local protection, queued effects, synchronization, and conflict resolution.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-48-002	The product SHALL persist, expose, version, and reconcile device, user, local scope, cached object, watermark, offline package, queued command, conflict, synchronization, receipt, remote wipe, and expiry; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-48-003	The product SHALL enforce this human-authority boundary: offline access and effects are limited by pre-authorized scope; consequential decisions and queued commands retain human attribution and may require online revalidation.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-48-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-48-005	When connectivity is absent, local data expires, devices are lost or compromised, queues conflict, synchronization is partial, or remote authority changes, the product SHALL enter the declared offline mode, protect and expire local state, preserve queued work, prevent unsafe effects, and reconcile on reconnect; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-48-006	Acceptance SHALL demonstrate network-loss journeys, local encryption and expiry, conflict fixtures, queued-command idempotency, remote revocation, resynchronization, and field acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Connectivity is absent, local data expires, devices are lost or compromised, queues conflict, synchronization is partial, or remote authority changes.	Enter the declared offline mode, protect and expire local state, preserve queued work, prevent unsafe effects, and reconcile on reconnect.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates network-loss journeys, local encryption and expiry, conflict fixtures, queued-command idempotency, remote revocation, resynchronization, and field acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when connectivity is absent, local data expires, devices are lost or compromised, queues conflict, synchronization is partial, or remote authority changes, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Mobile, Field, Offline, and Disconnected Operation is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 2, Ch. 3; V4: Ch. 8, Ch. 9; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 19; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-037 · C-039 · C-041 · C-042 · C-043

PART VII

Agents and Automation

Agent operating model, specialist families, orchestration, explainability, escalation, and human override.

THE EYE / THE OPERATING SYSTEM FOR STRATEGIC INTELLIGENCE

49 Agent Operating Model and Marketplace

Agent Operating Model and Marketplace establishes the governed product capability to discover, evaluate, approve, install, configure, invoke, monitor, update, suspend, and retire governed agents as bounded product capabilities. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 50. Agent Operating Model and Marketplace. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Discover, evaluate, approve, install, configure, invoke, monitor, update, suspend, and retire governed agents as bounded product capabilities.
Primary actors	Agent governors, product owners, administrators, developers, security, model risk, domain owners, marketplace publishers, and users.
Controlled product state	Agent identity, role, package, publisher, version, tools, data scopes, model policy, permissions, budgets, evaluation, approval, installation, run, incident, and lifecycle.
Human authority	Agents never acquire human decision authority; customer and platform authorities approve packages, permissions, deployment, use cases, and consequential side-effect classes.
Primary failure condition	An agent is untrusted, incompatible, over-privileged, unevaluated, compromised, expired, drifting, or requests undeclared capabilities.
Continuity contract	Deny installation or execution, isolate active runs, preserve evidence, notify affected users, and support rollback or retirement.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-49-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can discover, evaluate, approve, install, configure, invoke, monitor, update, suspend, and retire governed agents as bounded product capabilities.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-49-002	The product SHALL persist, expose, version, and reconcile agent identity, role, package, publisher, version, tools, data scopes, model policy, permissions, budgets, evaluation, approval, installation, run, incident, and lifecycle; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-49-003	The product SHALL enforce this human-authority boundary: agents never acquire human decision authority; customer and platform authorities approve packages, permissions, deployment, use cases, and consequential side-effect classes.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-49-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-49-005	When an agent is untrusted, incompatible, over-privileged, unevaluated, compromised, expired, drifting, or requests undeclared capabilities, the product SHALL deny installation or execution, isolate active runs, preserve evidence, notify affected users, and support rollback or retirement; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-49-006	Acceptance SHALL demonstrate package signature and provenance, sandbox tests, permission minimization, evaluation thresholds, lifecycle and rollback drills, and governor acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
An agent is untrusted, incompatible, over-privileged, unevaluated, compromised, expired, drifting, or requests undeclared capabilities.	Deny installation or execution, isolate active runs, preserve evidence, notify affected users, and support rollback or retirement.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates package signature and provenance, sandbox tests, permission minimization, evaluation thresholds, lifecycle and rollback drills, and governor acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when an agent is untrusted, incompatible, over-privileged, unevaluated, compromised, expired, drifting, or requests undeclared capabilities, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Agent Operating Model and Marketplace is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 9, Ch. 10; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 18; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-028 · C-029 · C-035 · C-046 · C-050

50 Observation, Search, and Collection Agents

Observation, Search, and Collection Agents establishes the governed product capability to delegate bounded source observation, crawling, search, collection, and coverage work while retaining purpose, rights, provenance, budgets, review, and human escalation. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 51. Observation, Search, and Collection Agents. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Delegate bounded source observation, crawling, search, collection, and coverage work while retaining purpose, rights, provenance, budgets, review, and human escalation.
Primary actors	Collection managers, analysts, researchers, source owners, agent supervisors, security, and governance.
Controlled product state	Agent run, plan, source contract, query, target, cursor, budget, retrieved evidence, coverage, refusal, escalation, checkpoint, and outcome.
Human authority	Agents may act only inside approved collection contracts and tool scopes; humans approve sensitive targets, rights, source substitution, and consequential collection changes.
Primary failure condition	Agents encounter prohibited content, robots or legal constraints, credential loss, source manipulation, loops, budget exhaustion, or coverage ambiguity.
Continuity contract	Stop or narrow work, preserve checkpoints and custody, expose coverage loss, and escalate without bypassing controls.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-50-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can delegate bounded source observation, crawling, search, collection, and coverage work while retaining purpose, rights, provenance, budgets, review, and human escalation.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-50-002	The product SHALL persist, expose, version, and reconcile agent run, plan, source contract, query, target, cursor, budget, retrieved evidence, coverage, refusal, escalation, checkpoint, and outcome; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-50-003	The product SHALL enforce this human-authority boundary: agents may act only inside approved collection contracts and tool scopes; humans approve sensitive targets, rights, source substitution, and consequential collection changes.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-50-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-50-005	When agents encounter prohibited content, robots or legal constraints, credential loss, source manipulation, loops, budget exhaustion, or coverage ambiguity, the product SHALL stop or narrow work, preserve checkpoints and custody, expose coverage loss, and escalate without bypassing controls; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-50-006	Acceptance SHALL demonstrate source and rights fixtures, crawl-boundary tests, budget and loop controls, tool-denial tests, provenance closure, and supervisor acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Agents encounter prohibited content, robots or legal constraints, credential loss, source manipulation, loops, budget exhaustion, or coverage ambiguity.	Stop or narrow work, preserve checkpoints and custody, expose coverage loss, and escalate without bypassing controls.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates source and rights fixtures, crawl-boundary tests, budget and loop controls, tool-denial tests, provenance closure, and supervisor acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when agents encounter prohibited content, robots or legal constraints, credential loss, source manipulation, loops, budget exhaustion, or coverage ambiguity, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Observation, Search, and Collection Agents is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 9, Ch. 10; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 18; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-012 · C-013 · C-028 · C-029 · C-039 · C-040

51 Cleaning, Classification, NER, and Relationship Agents

Cleaning, Classification, NER, and Relationship Agents establishes the governed product capability to propose cleaned records, classifications, named entities, identity resolutions, and relationships with confidence, provenance, reversible changes, and review queues. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 52. Cleaning, Classification, NER, and Relationship Agents. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Propose cleaned records, classifications, named entities, identity resolutions, and relationships with confidence, provenance, reversible changes, and review queues.
Primary actors	Analysts, data stewards, knowledge engineers, reviewers, agent supervisors, model governors, and domain experts.
Controlled product state	Input object, transformation, model, candidate entity, class, relationship, score, explanation, evidence, review rule, proposal, decision, correction, and evaluation.
Human authority	Agents create proposals unless an explicitly approved low-consequence rule permits automatic admission; humans adjudicate ambiguous or material identity and relationship changes.
Primary failure condition	Agents corrupt meaning, lose provenance, misclassify, merge identities incorrectly, create unsupported relationships, or drift.
Continuity contract	Reject or quarantine proposals, preserve inputs and versions, reverse affected projections, and route review or rollback.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-51-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can propose cleaned records, classifications, named entities, identity resolutions, and relationships with confidence, provenance, reversible changes, and review queues.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-51-002	The product SHALL persist, expose, version, and reconcile input object, transformation, model, candidate entity, class, relationship, score, explanation, evidence, review rule, proposal, decision, correction, and evaluation; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-51-003	The product SHALL enforce this human-authority boundary: agents create proposals unless an explicitly approved low-consequence rule permits automatic admission; humans adjudicate ambiguous or material identity and relationship changes.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-51-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-51-005	When agents corrupt meaning, lose provenance, misclassify, merge identities incorrectly, create unsupported relationships, or drift, the product SHALL reject or quarantine proposals, preserve inputs and versions, reverse affected projections, and route review or rollback; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-51-006	Acceptance SHALL demonstrate golden and adversarial datasets, provenance and reversibility, merge/split tests, calibration by class, drift monitoring, and steward acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Agents corrupt meaning, lose provenance, misclassify, merge identities incorrectly, create unsupported relationships, or drift.	Reject or quarantine proposals, preserve inputs and versions, reverse affected projections, and route review or rollback.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates golden and adversarial datasets, provenance and reversibility, merge/split tests, calibration by class, drift monitoring, and steward acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when agents corrupt meaning, lose provenance, misclassify, merge identities incorrectly, create unsupported relationships, or drift, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Cleaning, Classification, NER, and Relationship Agents is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 9, Ch. 10; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 18; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-009 · C-010 · C-012 · C-028 · C-031 · C-045

52 Knowledge Graph, Memory, and Reasoning Agents

Knowledge Graph, Memory, and Reasoning Agents establishes the governed product capability to propose graph curation, retrieve institutional memory, construct evidence-grounded reasoning chains, surface contradiction, and preserve dissent and provenance. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 53. Knowledge Graph, Memory, and Reasoning Agents. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Propose graph curation, retrieve institutional memory, construct evidence-grounded reasoning chains, surface contradiction, and preserve dissent and provenance.
Primary actors	Analysts, knowledge engineers, memory stewards, investigators, decision teams, agent supervisors, and governance.
Controlled product state	Reasoning task, context manifest, graph revision, memory snapshot, claims, evidence, inference, uncertainty, alternatives, dissent, proposal, reviewer, and outcome.
Human authority	Reasoning agents may advise and propose but cannot declare derived claims as fact, mutate canonical graph or memory without authority, or suppress disagreement.
Primary failure condition	Context is incomplete or policy-filtered, reasoning is circular, citations fail, memory is stale, or claims exceed evidence.
Continuity contract	Abstain or return a visibly partial result, preserve the reasoning trace, constrain downstream use, and escalate review.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-52-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can propose graph curation, retrieve institutional memory, construct evidence-grounded reasoning chains, surface contradiction, and preserve dissent and provenance.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-52-002	The product SHALL persist, expose, version, and reconcile reasoning task, context manifest, graph revision, memory snapshot, claims, evidence, inference, uncertainty, alternatives, dissent, proposal, reviewer, and outcome; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-52-003	The product SHALL enforce this human-authority boundary: reasoning agents may advise and propose but cannot declare derived claims as fact, mutate canonical graph or memory without authority, or suppress disagreement.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-52-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-52-005	When context is incomplete or policy-filtered, reasoning is circular, citations fail, memory is stale, or claims exceed evidence, the product SHALL abstain or return a visibly partial result, preserve the reasoning trace, constrain downstream use, and escalate review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-52-006	Acceptance SHALL demonstrate context and citation closure, circularity and contradiction tests, temporal replay, policy trimming, abstention evaluation, and expert acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Context is incomplete or policy-filtered, reasoning is circular, citations fail, memory is stale, or claims exceed evidence.	Abstain or return a visibly partial result, preserve the reasoning trace, constrain downstream use, and escalate review.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates context and citation closure, circularity and contradiction tests, temporal replay, policy trimming, abstention evaluation, and expert acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when context is incomplete or policy-filtered, reasoning is circular, citations fail, memory is stale, or claims exceed evidence, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Knowledge Graph, Memory, and Reasoning Agents is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 9, Ch. 10; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 18; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-009 · C-010 · C-012 · C-015 · C-028

53 Prediction, Scenario, Simulation, and Decision Agents

Prediction, Scenario, Simulation, and Decision Agents establishes the governed product capability to coordinate bounded prediction, scenario, simulation, and recommendation work against exact evidence, model, assumption, twin, objective, and decision-case versions. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 54. Prediction, Scenario, Simulation, and Decision Agents. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Coordinate bounded prediction, scenario, simulation, and recommendation work against exact evidence, model, assumption, twin, objective, and decision-case versions.
Primary actors	Forecasters, strategists, simulation specialists, analysts, decision authorities, agent supervisors, and model governors.
Controlled product state	Agent run, task graph, evidence snapshot, model, forecast, scenario, simulation, recommendation, uncertainty, checkpoint, human gate, budget, and result.
Human authority	Agents may prepare and compare strategic products; humans approve assumptions, models, decision-active status, recommendations, and all consequential decisions.
Primary failure condition	Versions diverge, task chains amplify error, models disagree, budgets exhaust, gates are bypassed, or an agent attempts institutional effect.
Continuity contract	Pause the run, preserve checkpoints and partial state, expose disagreement and residual effects, and require human review.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-53-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can coordinate bounded prediction, scenario, simulation, and recommendation work against exact evidence, model, assumption, twin, objective, and decision-case versions.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-53-002	The product SHALL persist, expose, version, and reconcile agent run, task graph, evidence snapshot, model, forecast, scenario, simulation, recommendation, uncertainty, checkpoint, human gate, budget, and result; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-53-003	The product SHALL enforce this human-authority boundary: agents may prepare and compare strategic products; humans approve assumptions, models, decision-active status, recommendations, and all consequential decisions.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-53-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-53-005	When versions diverge, task chains amplify error, models disagree, budgets exhaust, gates are bypassed, or an agent attempts institutional effect, the product SHALL pause the run, preserve checkpoints and partial state, expose disagreement and residual effects, and require human review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-53-006	Acceptance SHALL demonstrate multi-agent replay, version pinning, budget and tool controls, gate-bypass tests, uncertainty propagation, and decision-authority acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Versions diverge, task chains amplify error, models disagree, budgets exhaust, gates are bypassed, or an agent attempts institutional effect.	Pause the run, preserve checkpoints and partial state, expose disagreement and residual effects, and require human review.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates multi-agent replay, version pinning, budget and tool controls, gate-bypass tests, uncertainty propagation, and decision-authority acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when versions diverge, task chains amplify error, models disagree, budgets exhaust, gates are bypassed, or an agent attempts institutional effect, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Prediction, Scenario, Simulation, and Decision Agents is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 9, Ch. 10; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 18; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-005 · C-020 · C-022 · C-023 · C-028

54 Domain Intelligence Agents

Domain Intelligence Agents establishes the governed product capability to apply specialist methods and ontologies through governed agent packages that preserve the universal evidence, graph, memory, forecast, and decision contracts. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 55. Domain Intelligence Agents. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Apply specialist methods and ontologies through governed agent packages that preserve the universal evidence, graph, memory, forecast, and decision contracts.
Primary actors	Competitor, supply-chain, geopolitical, technology, cyber, financial, risk, opportunity, and domain intelligence teams.
Controlled product state	Domain agent, package, ontology, source set, method, model, tools, policy, evaluation, output type, explanation, escalation, owner, release, and lifecycle.
Human authority	Domain agents remain within approved expertise, data, action, and consequence boundaries; domain human authorities approve assessments and strategic use.
Primary failure condition	An agent operates outside domain competence, conflicts with canonical semantics, uses unapproved data or models, or creates unsafe cross-domain effects.
Continuity contract	Deny or constrain execution, preserve evidence, mark outputs non-conformant, and route domain and platform governance.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-54-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can apply specialist methods and ontologies through governed agent packages that preserve the universal evidence, graph, memory, forecast, and decision contracts.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-54-002	The product SHALL persist, expose, version, and reconcile domain agent, package, ontology, source set, method, model, tools, policy, evaluation, output type, explanation, escalation, owner, release, and lifecycle; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-54-003	The product SHALL enforce this human-authority boundary: domain agents remain within approved expertise, data, action, and consequence boundaries; domain human authorities approve assessments and strategic use.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-54-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-54-005	When an agent operates outside domain competence, conflicts with canonical semantics, uses unapproved data or models, or creates unsafe cross-domain effects, the product SHALL deny or constrain execution, preserve evidence, mark outputs non-conformant, and route domain and platform governance; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-54-006	Acceptance SHALL demonstrate domain benchmark suites, ontology compatibility, scope and tool negative tests, cross-domain consistency, explanation review, and authority acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
An agent operates outside domain competence, conflicts with canonical semantics, uses unapproved data or models, or creates unsafe cross-domain effects.	Deny or constrain execution, preserve evidence, mark outputs non-conformant, and route domain and platform governance.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates domain benchmark suites, ontology compatibility, scope and tool negative tests, cross-domain consistency, explanation review, and authority acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when an agent operates outside domain competence, conflicts with canonical semantics, uses unapproved data or models, or creates unsafe cross-domain effects, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Domain Intelligence Agents is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 9, Ch. 10; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 18; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-006 · C-007 · C-028 · C-030 · C-035 · C-050

55 Planner, Supervisor, Workflow, and Briefing Agents

Planner, Supervisor, Workflow, and Briefing Agents establishes the governed product capability to decompose authorized goals, assign bounded tasks, supervise agents, coordinate durable workflows, escalate exceptions, and assemble reviewable briefing drafts. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 56. Planner, Supervisor, Workflow, and Briefing Agents. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Decompose authorized goals, assign bounded tasks, supervise agents, coordinate durable workflows, escalate exceptions, and assemble reviewable briefing drafts.
Primary actors	Users, agent supervisors, workflow owners, briefing teams, administrators, governance, and operations.
Controlled product state	Goal, plan, task, dependency, agent, tool, budget, checkpoint, supervision rule, exception, escalation, human gate, briefing draft, outcome, and replay.
Human authority	Planning and supervision optimize execution only within explicit authority; humans approve material goals, plan changes, gates, publication, and commitments.
Primary failure condition	Plans loop or expand scope, agents deadlock, tasks duplicate, supervision fails, context diverges, or briefing synthesis hides material dissent.
Continuity contract	Pause and checkpoint, cancel unsafe tasks, expose residual and incomplete state, escalate to the eligible human, and preserve replay.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-55-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can decompose authorized goals, assign bounded tasks, supervise agents, coordinate durable workflows, escalate exceptions, and assemble reviewable briefing drafts.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-55-002	The product SHALL persist, expose, version, and reconcile goal, plan, task, dependency, agent, tool, budget, checkpoint, supervision rule, exception, escalation, human gate, briefing draft, outcome, and replay; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-55-003	The product SHALL enforce this human-authority boundary: planning and supervision optimize execution only within explicit authority; humans approve material goals, plan changes, gates, publication, and commitments.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-55-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-55-005	When plans loop or expand scope, agents deadlock, tasks duplicate, supervision fails, context diverges, or briefing synthesis hides material dissent, the product SHALL pause and checkpoint, cancel unsafe tasks, expose residual and incomplete state, escalate to the eligible human, and preserve replay; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-55-006	Acceptance SHALL demonstrate goal-to-plan traceability, loop and budget controls, crash recovery, deadlock and duplicate tests, gate enforcement, dissent preservation, and supervisor acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Plans loop or expand scope, agents deadlock, tasks duplicate, supervision fails, context diverges, or briefing synthesis hides material dissent.	Pause and checkpoint, cancel unsafe tasks, expose residual and incomplete state, escalate to the eligible human, and preserve replay.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates goal-to-plan traceability, loop and budget controls, crash recovery, deadlock and duplicate tests, gate enforcement, dissent preservation, and supervisor acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when plans loop or expand scope, agents deadlock, tasks duplicate, supervision fails, context diverges, or briefing synthesis hides material dissent, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Planner, Supervisor, Workflow, and Briefing Agents is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 9, Ch. 10; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 18; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-005 · C-028 · C-029 · C-032 · C-043

56 Agent Controls, Explainability, Escalation, and Human Override

Agent Controls, Explainability, Escalation, and Human Override establishes the governed product capability to understand why an agent acted, inspect evidence and tools, constrain or stop execution, challenge outputs, escalate exceptions, and override within recorded authority. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 57. Agent Controls, Explainability, Escalation, and Human Override. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Understand why an agent acted, inspect evidence and tools, constrain or stop execution, challenge outputs, escalate exceptions, and override within recorded authority.
Primary actors	All users of agents, decision authorities, agent governors, security, model risk, operations, auditors, and administrators.
Controlled product state	Agent identity, instruction, plan, context, model, tool call, permission, budget, action, result, explanation, refusal, escalation, override, residual effect, and audit.
Human authority	Humans may pause, cancel, reject, override, or require review within their authority; administrators cannot erase evidence or convert operational control into business approval.
Primary failure condition	Explanations are incomplete, tools exceed scope, side effects are uncertain, stop signals fail, escalation is unavailable, or override creates residual effects.
Continuity contract	Fail closed for new consequential actions, isolate the run, preserve full trace, expose residual state, and require accountable remediation.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-56-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can understand why an agent acted, inspect evidence and tools, constrain or stop execution, challenge outputs, escalate exceptions, and override within recorded authority.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-56-002	The product SHALL persist, expose, version, and reconcile agent identity, instruction, plan, context, model, tool call, permission, budget, action, result, explanation, refusal, escalation, override, residual effect, and audit; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-56-003	The product SHALL enforce this human-authority boundary: humans may pause, cancel, reject, override, or require review within their authority; administrators cannot erase evidence or convert operational control into business approval.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-56-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-56-005	When explanations are incomplete, tools exceed scope, side effects are uncertain, stop signals fail, escalation is unavailable, or override creates residual effects, the product SHALL fail closed for new consequential actions, isolate the run, preserve full trace, expose residual state, and require accountable remediation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-56-006	Acceptance SHALL demonstrate explanation fidelity, tool and permission denial, emergency stop, override and residual-effect drills, escalation availability, and auditor acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Explanations are incomplete, tools exceed scope, side effects are uncertain, stop signals fail, escalation is unavailable, or override creates residual effects.	Fail closed for new consequential actions, isolate the run, preserve full trace, expose residual state, and require accountable remediation.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates explanation fidelity, tool and permission denial, emergency stop, override and residual-effect drills, escalation availability, and auditor acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when explanations are incomplete, tools exceed scope, side effects are uncertain, stop signals fail, escalation is unavailable, or override creates residual effects, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Agent Controls, Explainability, Escalation, and Human Override is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 3, Ch. 4; V4: Ch. 9, Ch. 10; V5: Ch. 3, Ch. 4; V6: Ch. 13, Ch. 18; V7: Ch. 19, Ch. 20. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-005 · C-028 · C-029 · C-035 · C-036

PART VIII

Trust, Governance, Administration, and Operations

Provenance, identity, policy, security, governance, audit, resilience, integration, and extensibility.

THE EYE / THE OPERATING SYSTEM FOR STRATEGIC INTELLIGENCE

57 Trust and Provenance Experience

Trust and Provenance Experience establishes the governed product capability to verify source, chain of custody, transformation, model or agent, policy, review, approval, release, delivery, correction, and current trust state for every material product. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 58. Trust and Provenance Experience. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Verify source, chain of custody, transformation, model or agent, policy, review, approval, release, delivery, correction, and current trust state for every material product.
Primary actors	All users, reviewers, auditors, administrators, investigators, customer authorities, and external recipients.
Controlled product state	Trust statement, provenance chain, source, actor, method, artifact, digest, policy decision, approval, release, receipt, correction, exception, and verification status.
Human authority	Trust signals explain evidence and controls but do not certify truth beyond their scope; humans interpret consequence and decide whether evidence is sufficient.
Primary failure condition	Provenance breaks, signatures fail, artifacts mismatch, authority expires, corrections are pending, or verification services are unavailable.
Continuity contract	Mark trust indeterminate, prevent unsupported consequential use, preserve the failing evidence, and route verification or investigation.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-57-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can verify source, chain of custody, transformation, model or agent, policy, review, approval, release, delivery, correction, and current trust state for every material product.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-57-002	The product SHALL persist, expose, version, and reconcile trust statement, provenance chain, source, actor, method, artifact, digest, policy decision, approval, release, receipt, correction, exception, and verification status; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-57-003	The product SHALL enforce this human-authority boundary: trust signals explain evidence and controls but do not certify truth beyond their scope; humans interpret consequence and decide whether evidence is sufficient.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-57-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-57-005	When provenance breaks, signatures fail, artifacts mismatch, authority expires, corrections are pending, or verification services are unavailable, the product SHALL mark trust indeterminate, prevent unsupported consequential use, preserve the failing evidence, and route verification or investigation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-57-006	Acceptance SHALL demonstrate end-to-end provenance resolution, tamper and substitution tests, offline verification, correction propagation, recipient checks, and audit acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Provenance breaks, signatures fail, artifacts mismatch, authority expires, corrections are pending, or verification services are unavailable.	Mark trust indeterminate, prevent unsupported consequential use, preserve the failing evidence, and route verification or investigation.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates end-to-end provenance resolution, tamper and substitution tests, offline verification, correction propagation, recipient checks, and audit acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when provenance breaks, signatures fail, artifacts mismatch, authority expires, corrections are pending, or verification services are unavailable, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Trust and Provenance Experience is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 6, Ch. 13; V5: Ch. 3, Ch. 4; V6: Ch. 4, Ch. 5; V7: Ch. 20, Ch. 21. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-012 · C-035 · C-036 · C-038 · C-047

58 Identity, Access, and Tenant Administration

Identity, Access, and Tenant Administration establishes the governed product capability to federate identities, provision roles, scope domains, enforce least privilege, manage privileged access, review entitlements, and revoke access across deployments. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 59. Identity, Access, and Tenant Administration. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Federate identities, provision roles, scope domains, enforce least privilege, manage privileged access, review entitlements, and revoke access across deployments.
Primary actors	Customer identity administrators, security administrators, tenant and domain administrators, privileged-access managers, auditors, and support.
Controlled product state	Identity, organization, tenant, domain, role, policy, group, credential, session, device, workload, privilege, approval, recertification, revocation, and audit.
Human authority	Administrators manage access but cannot grant themselves business decision authority, bypass separation of duty, or inspect customer data outside approved support purpose.
Primary failure condition	Identity assurance fails, privileges conflict or become stale, federation is unavailable, revocation lags, or tenant scope is ambiguous.
Continuity contract	Deny or reduce access, preserve existing low-risk sessions only by policy, expose impact, and invoke customer-controlled recovery.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-58-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can federate identities, provision roles, scope domains, enforce least privilege, manage privileged access, review entitlements, and revoke access across deployments.	Cross-deployment conformance	Common golden journey and semantic diff across SaaS, Private Cloud, and On-Premise deployment profiles.
PR-58-002	The product SHALL persist, expose, version, and reconcile identity, organization, tenant, domain, role, policy, group, credential, session, device, workload, privilege, approval, recertification, revocation, and audit; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-58-003	The product SHALL enforce this human-authority boundary: administrators manage access but cannot grant themselves business decision authority, bypass separation of duty, or inspect customer data outside approved support purpose.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-58-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-58-005	When identity assurance fails, privileges conflict or become stale, federation is unavailable, revocation lags, or tenant scope is ambiguous, the product SHALL deny or reduce access, preserve existing low-risk sessions only by policy, expose impact, and invoke customer-controlled recovery; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-58-006	Acceptance SHALL demonstrate federation and lifecycle tests, least-privilege and cross-tenant negatives, privileged workflows, recertification, emergency access, and customer acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Identity assurance fails, privileges conflict or become stale, federation is unavailable, revocation lags, or tenant scope is ambiguous.	Deny or reduce access, preserve existing low-risk sessions only by policy, expose impact, and invoke customer-controlled recovery.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates federation and lifecycle tests, least-privilege and cross-tenant negatives, privileged workflows, recertification, emergency access, and customer acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when identity assurance fails, privileges conflict or become stale, federation is unavailable, revocation lags, or tenant scope is ambiguous, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Identity, Access, and Tenant Administration is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 6, Ch. 13; V5: Ch. 3, Ch. 4; V6: Ch. 4, Ch. 5; V7: Ch. 20, Ch. 21. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-035 · C-036 · C-037 · C-039 · C-041

59 Policy, Privacy, Residency, and Consent

Policy, Privacy, Residency, and Consent establishes the governed product capability to define, approve, enforce, explain, review, and evidence purpose, classification, rights, consent, minimization, residency, retention, and cross-border obligations. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 60. Policy, Privacy, Residency, and Consent. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Define, approve, enforce, explain, review, and evidence purpose, classification, rights, consent, minimization, residency, retention, and cross-border obligations.
Primary actors	Privacy, legal, compliance, data owners, customer administrators, security, governance, auditors, and affected users.
Controlled product state	Policy, authority, subject, purpose, classification, lawful basis, consent, right, jurisdiction, residency, transfer, obligation, decision, exception, and evidence.
Human authority	Automation evaluates policy; accountable human and customer authorities define obligations, approve exceptions, and decide contested or high-consequence cases.
Primary failure condition	Policy is missing or conflicting, consent changes, purpose expires, location cannot be established, or obligations cannot propagate.
Continuity contract	Apply the most restrictive valid rule, deny uncertain use or transfer, preserve decision evidence, and route adjudication.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-59-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can define, approve, enforce, explain, review, and evidence purpose, classification, rights, consent, minimization, residency, retention, and cross-border obligations.	Evidence closure review	Signed scope-specific acceptance record resolving release, configuration, versions, tests, conditions, and authorities.
PR-59-002	The product SHALL persist, expose, version, and reconcile policy, authority, subject, purpose, classification, lawful basis, consent, right, jurisdiction, residency, transfer, obligation, decision, exception, and evidence; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-59-003	The product SHALL enforce this human-authority boundary: automation evaluates policy; accountable human and customer authorities define obligations, approve exceptions, and decide contested or high-consequence cases.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-59-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-59-005	When policy is missing or conflicting, consent changes, purpose expires, location cannot be established, or obligations cannot propagate, the product SHALL apply the most restrictive valid rule, deny uncertain use or transfer, preserve decision evidence, and route adjudication; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-59-006	Acceptance SHALL demonstrate policy decision fixtures, consent withdrawal, purpose expiry, location and transfer negatives, minimization tests, rights requests, and authority acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Policy is missing or conflicting, consent changes, purpose expires, location cannot be established, or obligations cannot propagate.	Apply the most restrictive valid rule, deny uncertain use or transfer, preserve decision evidence, and route adjudication.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates policy decision fixtures, consent withdrawal, purpose expiry, location and transfer negatives, minimization tests, rights requests, and authority acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when policy is missing or conflicting, consent changes, purpose expires, location cannot be established, or obligations cannot propagate, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Policy, Privacy, Residency, and Consent is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 6, Ch. 13; V5: Ch. 3, Ch. 4; V6: Ch. 4, Ch. 5; V7: Ch. 20, Ch. 21. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-035 · C-037 · C-039 · C-040 · C-041 · C-050

60 Security, Cyber, and Incident Experience

Security, Cyber, and Incident Experience establishes the governed product capability to detect, investigate, contain, communicate, recover, and learn from security, privacy, integrity, availability, and supply-chain incidents without obscuring product state. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 61. Security, Cyber, and Incident Experience. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Detect, investigate, contain, communicate, recover, and learn from security, privacy, integrity, availability, and supply-chain incidents without obscuring product state.
Primary actors	Security operations, incident commanders, customer security teams, administrators, platform operations, executives, legal, privacy, and auditors.
Controlled product state	Finding, alert, incident, severity, scope, tenant, asset, evidence, timeline, action, containment, communication, decision, recovery, correction, and closure.
Human authority	Automated response may execute pre-authorized containment; humans own incident command, material customer impact decisions, disclosure, exceptional access, and recovery acceptance.
Primary failure condition	Detection is uncertain, scope expands, controls fail, evidence is compromised, responders lose access, or recovery would create unsafe state.
Continuity contract	Contain the known boundary, preserve custody, declare uncertainty and degraded modes, escalate authority, and recover through verified reconciliation.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-60-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can detect, investigate, contain, communicate, recover, and learn from security, privacy, integrity, availability, and supply-chain incidents without obscuring product state.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-60-002	The product SHALL persist, expose, version, and reconcile finding, alert, incident, severity, scope, tenant, asset, evidence, timeline, action, containment, communication, decision, recovery, correction, and closure; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-60-003	The product SHALL enforce this human-authority boundary: automated response may execute pre-authorized containment; humans own incident command, material customer impact decisions, disclosure, exceptional access, and recovery acceptance.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-60-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-60-005	When detection is uncertain, scope expands, controls fail, evidence is compromised, responders lose access, or recovery would create unsafe state, the product SHALL contain the known boundary, preserve custody, declare uncertainty and degraded modes, escalate authority, and recover through verified reconciliation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-60-006	Acceptance SHALL demonstrate attack and incident simulations, evidence custody, tenant-scoped communication, containment and recovery drills, disclosure workflow, and customer acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Detection is uncertain, scope expands, controls fail, evidence is compromised, responders lose access, or recovery would create unsafe state.	Contain the known boundary, preserve custody, declare uncertainty and degraded modes, escalate authority, and recover through verified reconciliation.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates attack and incident simulations, evidence custody, tenant-scoped communication, containment and recovery drills, disclosure workflow, and customer acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when detection is uncertain, scope expands, controls fail, evidence is compromised, responders lose access, or recovery would create unsafe state, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Security, Cyber, and Incident Experience is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 6, Ch. 13; V5: Ch. 3, Ch. 4; V6: Ch. 4, Ch. 5; V7: Ch. 20, Ch. 21. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-035 · C-036 · C-039 · C-043 · C-049

61 Model, Agent, and Data Governance Console

Model, Agent, and Data Governance Console establishes the governed product capability to inventory, evaluate, approve, constrain, monitor, change, suspend, roll back, and retire models, agents, datasets, prompts, tools, ontologies, and governed product packages. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 62. Model, Agent, and Data Governance Console. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Inventory, evaluate, approve, constrain, monitor, change, suspend, roll back, and retire models, agents, datasets, prompts, tools, ontologies, and governed product packages.
Primary actors	Model risk, agent governance, data governance, product owners, security, privacy, compliance, operations, domain authorities, and auditors.
Controlled product state	Governed artifact, owner, version, purpose, risk class, dependencies, data, evaluation, policy, approval, deployment, monitoring, incident, exception, change, and lifecycle.
Human authority	Governance automation assembles evidence and enforces gates; eligible humans approve risk, use, exceptions, releases, rollback, and retirement.
Primary failure condition	Inventory or lineage is incomplete, evaluation expires, dependencies become unsafe, approval scope is exceeded, or runtime fitness degrades.
Continuity contract	Block promotion or constrain running use, preserve exact state, expose affected capabilities, and route re-evaluation or rollback.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-61-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can inventory, evaluate, approve, constrain, monitor, change, suspend, roll back, and retire models, agents, datasets, prompts, tools, ontologies, and governed product packages.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-61-002	The product SHALL persist, expose, version, and reconcile governed artifact, owner, version, purpose, risk class, dependencies, data, evaluation, policy, approval, deployment, monitoring, incident, exception, change, and lifecycle; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-61-003	The product SHALL enforce this human-authority boundary: governance automation assembles evidence and enforces gates; eligible humans approve risk, use, exceptions, releases, rollback, and retirement.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-61-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-61-005	When inventory or lineage is incomplete, evaluation expires, dependencies become unsafe, approval scope is exceeded, or runtime fitness degrades, the product SHALL block promotion or constrain running use, preserve exact state, expose affected capabilities, and route re-evaluation or rollback; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-61-006	Acceptance SHALL demonstrate inventory and dependency closure, evaluation expiry, gate and rollback tests, runtime drift linkage, exception expiry, and governance acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Inventory or lineage is incomplete, evaluation expires, dependencies become unsafe, approval scope is exceeded, or runtime fitness degrades.	Block promotion or constrain running use, preserve exact state, expose affected capabilities, and route re-evaluation or rollback.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates inventory and dependency closure, evaluation expiry, gate and rollback tests, runtime drift linkage, exception expiry, and governance acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when inventory or lineage is incomplete, evaluation expires, dependencies become unsafe, approval scope is exceeded, or runtime fitness degrades, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Model, Agent, and Data Governance Console is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 6, Ch. 13; V5: Ch. 3, Ch. 4; V6: Ch. 4, Ch. 5; V7: Ch. 20, Ch. 21. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-028 · C-030 · C-031 · C-035 · C-045 · C-046

62 Audit, Evidence, Compliance, and Investigation

Audit, Evidence, Compliance, and Investigation establishes the governed product capability to search, preserve, verify, reconstruct, export, attest, and investigate attributable product, data, model, agent, administrative, and human decision evidence. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 63. Audit, Evidence, Compliance, and Investigation. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Search, preserve, verify, reconstruct, export, attest, and investigate attributable product, data, model, agent, administrative, and human decision evidence.
Primary actors	Internal audit, external audit, compliance, legal, security, privacy, regulators, customer assurance, investigators, and governance.
Controlled product state	Audit event, actor, authority, action, object, version, reason, time, policy, correlation, digest, custody, retention, legal hold, case, export, and attestation.
Human authority	Auditors and investigators receive purpose-bound access; operational administrators cannot alter, suppress, or certify evidence they control.
Primary failure condition	Events are missing, clocks diverge, custody breaks, retention conflicts, legal hold is incomplete, or exports cannot verify.
Continuity contract	Declare evidence limitations, protect remaining records, prevent false attestation, and route independent investigation and remediation.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-62-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can search, preserve, verify, reconstruct, export, attest, and investigate attributable product, data, model, agent, administrative, and human decision evidence.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-62-002	The product SHALL persist, expose, version, and reconcile audit event, actor, authority, action, object, version, reason, time, policy, correlation, digest, custody, retention, legal hold, case, export, and attestation; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-62-003	The product SHALL enforce this human-authority boundary: auditors and investigators receive purpose-bound access; operational administrators cannot alter, suppress, or certify evidence they control.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-62-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-62-005	When events are missing, clocks diverge, custody breaks, retention conflicts, legal hold is incomplete, or exports cannot verify, the product SHALL declare evidence limitations, protect remaining records, prevent false attestation, and route independent investigation and remediation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-62-006	Acceptance SHALL demonstrate non-repudiation and tamper tests, cross-system correlation, temporal replay, legal hold, scoped export verification, and independent audit acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Events are missing, clocks diverge, custody breaks, retention conflicts, legal hold is incomplete, or exports cannot verify.	Declare evidence limitations, protect remaining records, prevent false attestation, and route independent investigation and remediation.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates non-repudiation and tamper tests, cross-system correlation, temporal replay, legal hold, scoped export verification, and independent audit acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when events are missing, clocks diverge, custody breaks, retention conflicts, legal hold is incomplete, or exports cannot verify, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Audit, Evidence, Compliance, and Investigation is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 6, Ch. 13; V5: Ch. 3, Ch. 4; V6: Ch. 4, Ch. 5; V7: Ch. 20, Ch. 21. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-011 · C-012 · C-035 · C-036 · C-040 · C-049

63 Reliability, Degraded Modes, and Recovery Experience

Reliability, Degraded Modes, and Recovery Experience establishes the governed product capability to understand current product quality, freshness, availability, capacity, degraded mode, recovery progress, and safe actions at every material point of use. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 64. Reliability, Degraded Modes, and Recovery Experience. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Understand current product quality, freshness, availability, capacity, degraded mode, recovery progress, and safe actions at every material point of use.
Primary actors	Users, operations, service owners, incident commanders, customer administrators, executives, support, and auditors.
Controlled product state	Service, capability, tenant, region or site, SLI, SLO, error budget, dependency, incident, degraded mode, watermark, limitation, recovery objective, progress, and exit evidence.
Human authority	Operations may declare and manage technical modes; business and decision authorities determine acceptable strategic use when meaning or evidence is constrained.
Primary failure condition	Services, data, models, sources, networks, or sites fail; state diverges; capacity exhausts; or recovery cannot prove reconciliation.
Continuity contract	Enter the declared safe mode, preserve work and evidence, constrain affected actions, communicate scope, and resume only after verified reconciliation.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-63-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can understand current product quality, freshness, availability, capacity, degraded mode, recovery progress, and safe actions at every material point of use.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-63-002	The product SHALL persist, expose, version, and reconcile service, capability, tenant, region or site, SLI, SLO, error budget, dependency, incident, degraded mode, watermark, limitation, recovery objective, progress, and exit evidence; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-63-003	The product SHALL enforce this human-authority boundary: operations may declare and manage technical modes; business and decision authorities determine acceptable strategic use when meaning or evidence is constrained.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-63-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-63-005	When services, data, models, sources, networks, or sites fail; state diverges; capacity exhausts; or recovery cannot prove reconciliation, the product SHALL enter the declared safe mode, preserve work and evidence, constrain affected actions, communicate scope, and resume only after verified reconciliation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-63-006	Acceptance SHALL demonstrate fault injection, dependency and capacity tests, mode-entry and exit, backup/restore and site recovery, user messaging, and customer readiness acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Services, data, models, sources, networks, or sites fail; state diverges; capacity exhausts; or recovery cannot prove reconciliation.	Enter the declared safe mode, preserve work and evidence, constrain affected actions, communicate scope, and resume only after verified reconciliation.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates fault injection, dependency and capacity tests, mode-entry and exit, backup/restore and site recovery, user messaging, and customer readiness acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when services, data, models, sources, networks, or sites fail; state diverges; capacity exhausts; or recovery cannot prove reconciliation, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Reliability, Degraded Modes, and Recovery Experience is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 6, Ch. 13; V5: Ch. 3, Ch. 4; V6: Ch. 4, Ch. 5; V7: Ch. 20, Ch. 21. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 · C-035 · C-042 · C-043 · C-047 · C-049

64 Integrations, APIs, Exports, and Extensibility

Integrations, APIs, Exports, and Extensibility establishes the governed product capability to integrate The Eye through versioned APIs, commands, events, subscriptions, data products, exports, imports, SDKs, and governed extensions without bypassing product controls. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 65. Integrations, APIs, Exports, and Extensibility. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Integrate The Eye through versioned APIs, commands, events, subscriptions, data products, exports, imports, SDKs, and governed extensions without bypassing product controls.
Primary actors	Customer developers, integration engineers, data teams, partners, administrators, product owners, security, and governance.
Controlled product state	Client, integration, contract, schema, credential, purpose, command, event, subscription, export, import, extension, version, quota, receipt, error, and lifecycle.
Human authority	Integrations may invoke only authorized product contracts; external systems cannot write canonical state, synthesize approval, or strip provenance and policy.
Primary failure condition	Contracts are incompatible, callers retry unsafely, exports exceed rights, imports fail validation, extensions are untrusted, or delivery is partial.
Continuity contract	Reject or quarantine the operation, preserve receipts and checkpoints, expose partial state, and support deterministic retry, rollback, or reconciliation.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-64-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can integrate The Eye through versioned APIs, commands, events, subscriptions, data products, exports, imports, SDKs, and governed extensions without bypassing product controls.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-64-002	The product SHALL persist, expose, version, and reconcile client, integration, contract, schema, credential, purpose, command, event, subscription, export, import, extension, version, quota, receipt, error, and lifecycle; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-64-003	The product SHALL enforce this human-authority boundary: integrations may invoke only authorized product contracts; external systems cannot write canonical state, synthesize approval, or strip provenance and policy.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-64-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-64-005	When contracts are incompatible, callers retry unsafely, exports exceed rights, imports fail validation, extensions are untrusted, or delivery is partial, the product SHALL reject or quarantine the operation, preserve receipts and checkpoints, expose partial state, and support deterministic retry, rollback, or reconciliation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-64-006	Acceptance SHALL demonstrate contract and SDK suites, idempotency and versioning, policy and tenant negatives, export/re-import verification, extension sandboxing, and customer acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Contracts are incompatible, callers retry unsafely, exports exceed rights, imports fail validation, extensions are untrusted, or delivery is partial.	Reject or quarantine the operation, preserve receipts and checkpoints, expose partial state, and support deterministic retry, rollback, or reconciliation.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates contract and SDK suites, idempotency and versioning, policy and tenant negatives, export/re-import verification, extension sandboxing, and customer acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when contracts are incompatible, callers retry unsafely, exports exceed rights, imports fail validation, extensions are untrusted, or delivery is partial, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Integrations, APIs, Exports, and Extensibility is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 6, Ch. 13; V5: Ch. 3, Ch. 4; V6: Ch. 4, Ch. 5; V7: Ch. 20, Ch. 21. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-003 · C-012 · C-035 · C-038 · C-039 · C-046

PART IX

Commercialization, Delivery, and Acceptance

Deployment parity, packaging, onboarding, implementation, service, analytics, readiness, and controlled baseline closure.

THE EYE / THE OPERATING SYSTEM FOR STRATEGIC INTELLIGENCE

65 SaaS, Private Cloud, and On-Premise Product Parity

SaaS, Private Cloud, and On-Premise Product Parity establishes the governed product capability to receive one semantic product across SaaS, Private Cloud, and On-Premise, including approved disconnected and air-gapped profiles, with only declared operational variance. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 66. SaaS, Private Cloud, and On-Premise Product Parity. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Receive one semantic product across SaaS, Private Cloud, and On-Premise, including approved disconnected and air-gapped profiles, with only declared operational variance.
Primary actors	Customers, product leadership, architecture, engineering, security, operations, commercial teams, implementation partners, and assurance.
Controlled product state	Capability, deployment profile, version, provider choice, locality, service level, limitation, variance, fixture suite, evidence, exception, and parity status.
Human authority	Deployment choice changes operational responsibility and topology, not human authority, object meaning, correction, explanation, export, replay, or core product behavior.
Primary failure condition	A profile cannot pass common journeys, contracts, policies, failure, recovery, export, or replay fixtures.
Continuity contract	Mark the capability unavailable or explicitly non-parity, prevent unsupported claims, and require remediation or controlled exception.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-65-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can receive one semantic product across SaaS, Private Cloud, and On-Premise, including approved disconnected and air-gapped profiles, with only declared operational variance.	Cross-deployment conformance	Common golden journey and semantic diff across SaaS, Private Cloud, and On-Premise deployment profiles.
PR-65-002	The product SHALL persist, expose, version, and reconcile capability, deployment profile, version, provider choice, locality, service level, limitation, variance, fixture suite, evidence, exception, and parity status; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-65-003	The product SHALL enforce this human-authority boundary: deployment choice changes operational responsibility and topology, not human authority, object meaning, correction, explanation, export, replay, or core product behavior.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-65-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-65-005	When a profile cannot pass common journeys, contracts, policies, failure, recovery, export, or replay fixtures, the product SHALL mark the capability unavailable or explicitly non-parity, prevent unsupported claims, and require remediation or controlled exception; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-65-006	Acceptance SHALL demonstrate identical golden journeys and fixtures, semantic diffs, export/re-import and replay, degraded-mode comparison, and customer acceptance for every profile for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
A profile cannot pass common journeys, contracts, policies, failure, recovery, export, or replay fixtures.	Mark the capability unavailable or explicitly non-parity, prevent unsupported claims, and require remediation or controlled exception.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates identical golden journeys and fixtures, semantic diffs, export/re-import and replay, degraded-mode comparison, and customer acceptance for every profile.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when a profile cannot pass common journeys, contracts, policies, failure, recovery, export, or replay fixtures, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

SaaS, Private Cloud, and On-Premise Product Parity is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 2, Ch. 3; V5: Ch. 2, Ch. 6; V6: Ch. 2, Ch. 3; V7: Ch. 2, Ch. 3. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-007 · C-011 · C-012 · C-038 · C-042 · C-051

66 Packaging, Entitlements, and Licensing

Packaging, Entitlements, and Licensing establishes the governed product capability to package and entitle capabilities, capacity, domains, agents, scenarios, data packages, integrations, and support without changing core semantics or weakening controls. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 67. Packaging, Entitlements, and Licensing. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Package and entitle capabilities, capacity, domains, agents, scenarios, data packages, integrations, and support without changing core semantics or weakening controls.
Primary actors	Commercial leadership, product operations, customer procurement, administrators, finance, partners, marketplace governors, and support.
Controlled product state	Offer, package, SKU, capability, limit, entitlement, tenant, license, meter, usage, overage, grace state, renewal, suspension, evidence, and audit.
Human authority	Commercial entitlement controls availability but cannot sell human authority, remove mandatory trust controls, or make the same named capability semantically different by deployment.
Primary failure condition	Entitlements conflict, licensing is unavailable, meters diverge, limits are exceeded, renewals lapse, or emergency operation is required.
Continuity contract	Apply the declared grace or constrained mode, preserve customer work and evidence, prevent unauthorized expansion, and reconcile commercial state.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-66-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can package and entitle capabilities, capacity, domains, agents, scenarios, data packages, integrations, and support without changing core semantics or weakening controls.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-66-002	The product SHALL persist, expose, version, and reconcile offer, package, SKU, capability, limit, entitlement, tenant, license, meter, usage, overage, grace state, renewal, suspension, evidence, and audit; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-66-003	The product SHALL enforce this human-authority boundary: commercial entitlement controls availability but cannot sell human authority, remove mandatory trust controls, or make the same named capability semantically different by deployment.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-66-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-66-005	When entitlements conflict, licensing is unavailable, meters diverge, limits are exceeded, renewals lapse, or emergency operation is required, the product SHALL apply the declared grace or constrained mode, preserve customer work and evidence, prevent unauthorized expansion, and reconcile commercial state; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-66-006	Acceptance SHALL demonstrate entitlement matrix tests, offline licensing, quota and grace scenarios, meter reconciliation, renewal and suspension recovery, and customer acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Entitlements conflict, licensing is unavailable, meters diverge, limits are exceeded, renewals lapse, or emergency operation is required.	Apply the declared grace or constrained mode, preserve customer work and evidence, prevent unauthorized expansion, and reconcile commercial state.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates entitlement matrix tests, offline licensing, quota and grace scenarios, meter reconciliation, renewal and suspension recovery, and customer acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when entitlements conflict, licensing is unavailable, meters diverge, limits are exceeded, renewals lapse, or emergency operation is required, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Packaging, Entitlements, and Licensing is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 2, Ch. 3; V5: Ch. 2, Ch. 6; V6: Ch. 2, Ch. 3; V7: Ch. 2, Ch. 3. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-006 · C-035 · C-042 · C-046 · C-049

67 Onboarding, Configuration, and Data Migration

Onboarding, Configuration, and Data Migration establishes the governed product capability to establish customer context, identity, policies, sources, data, ontology extensions, users, workflows, deployment, integrations, and acceptance through reversible governed onboarding. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 68. Onboarding, Configuration, and Data Migration. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Establish customer context, identity, policies, sources, data, ontology extensions, users, workflows, deployment, integrations, and acceptance through reversible governed onboarding.
Primary actors	Customer sponsors, implementation leads, administrators, data owners, identity and security teams, domain experts, partners, and support.
Controlled product state	Onboarding plan, customer domain, responsibility, configuration, connector, migration wave, mapping, validation, reconciliation, training, issue, approval, cutover, rollback, and acceptance.
Human authority	Customers approve scope, mappings, policy, data transfer, cutover, and readiness; automation may validate and execute only within the approved migration plan.
Primary failure condition	Source scope is incomplete, mappings are ambiguous, reconciliation fails, configuration drifts, users are unready, or cutover exceeds risk.
Continuity contract	Pause at the last verified boundary, preserve source and target evidence, expose gaps, and roll back or remediate by plan.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-67-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can establish customer context, identity, policies, sources, data, ontology extensions, users, workflows, deployment, integrations, and acceptance through reversible governed onboarding.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-67-002	The product SHALL persist, expose, version, and reconcile onboarding plan, customer domain, responsibility, configuration, connector, migration wave, mapping, validation, reconciliation, training, issue, approval, cutover, rollback, and acceptance; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-67-003	The product SHALL enforce this human-authority boundary: customers approve scope, mappings, policy, data transfer, cutover, and readiness; automation may validate and execute only within the approved migration plan.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-67-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-67-005	When source scope is incomplete, mappings are ambiguous, reconciliation fails, configuration drifts, users are unready, or cutover exceeds risk, the product SHALL pause at the last verified boundary, preserve source and target evidence, expose gaps, and roll back or remediate by plan; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-67-006	Acceptance SHALL demonstrate discovery and responsibility sign-off, configuration validation, migration rehearsal, reconciliation, role-based journey tests, rollback, and customer acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Source scope is incomplete, mappings are ambiguous, reconciliation fails, configuration drifts, users are unready, or cutover exceeds risk.	Pause at the last verified boundary, preserve source and target evidence, expose gaps, and roll back or remediate by plan.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates discovery and responsibility sign-off, configuration validation, migration rehearsal, reconciliation, role-based journey tests, rollback, and customer acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when source scope is incomplete, mappings are ambiguous, reconciliation fails, configuration drifts, users are unready, or cutover exceeds risk, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Onboarding, Configuration, and Data Migration is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 2, Ch. 3; V5: Ch. 2, Ch. 6; V6: Ch. 2, Ch. 3; V7: Ch. 2, Ch. 3. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-006 · C-037 · C-038 · C-042 · C-043 · C-049

68 Implementation, Adoption, and Change Management

Implementation, Adoption, and Change Management establishes the governed product capability to move operating teams from current practice to governed strategic-intelligence workflows with measured readiness, adoption, competence, value, and controlled change. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 69. Implementation, Adoption, and Change Management. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Move operating teams from current practice to governed strategic-intelligence workflows with measured readiness, adoption, competence, value, and controlled change.
Primary actors	Executive sponsors, program leaders, product owners, customer success, implementation partners, trainers, champions, administrators, governance, and users.
Controlled product state	Implementation outcome, stakeholder, operating process, role, journey, training, competency, adoption cohort, change, dependency, risk, feedback, value measure, and acceptance.
Human authority	Adoption never justifies bypassing human authority, trust, accessibility, review, or acceptance; customer leaders own organizational change and operating-policy decisions.
Primary failure condition	Users are unready, processes conflict, training is inaccessible, shadow workflows persist, adoption measures mislead, or change causes unsafe workarounds.
Continuity contract	Hold affected rollout, preserve existing safe operation, expose readiness gaps, and execute targeted remediation and reacceptance.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-68-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can move operating teams from current practice to governed strategic-intelligence workflows with measured readiness, adoption, competence, value, and controlled change.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-68-002	The product SHALL persist, expose, version, and reconcile implementation outcome, stakeholder, operating process, role, journey, training, competency, adoption cohort, change, dependency, risk, feedback, value measure, and acceptance; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-68-003	The product SHALL enforce this human-authority boundary: adoption never justifies bypassing human authority, trust, accessibility, review, or acceptance; customer leaders own organizational change and operating-policy decisions.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-68-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-68-005	When users are unready, processes conflict, training is inaccessible, shadow workflows persist, adoption measures mislead, or change causes unsafe workarounds, the product SHALL hold affected rollout, preserve existing safe operation, expose readiness gaps, and execute targeted remediation and reacceptance; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-68-006	Acceptance SHALL demonstrate stakeholder and process readiness, role competency, accessible training, cohort rollout, shadow-process review, adoption and value measures, and sponsor acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Users are unready, processes conflict, training is inaccessible, shadow workflows persist, adoption measures mislead, or change causes unsafe workarounds.	Hold affected rollout, preserve existing safe operation, expose readiness gaps, and execute targeted remediation and reacceptance.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates stakeholder and process readiness, role competency, accessible training, cohort rollout, shadow-process review, adoption and value measures, and sponsor acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when users are unready, processes conflict, training is inaccessible, shadow workflows persist, adoption measures mislead, or change causes unsafe workarounds, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Implementation, Adoption, and Change Management is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 2, Ch. 3; V5: Ch. 2, Ch. 6; V6: Ch. 2, Ch. 3; V7: Ch. 2, Ch. 3. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-006 · C-047 · C-048 · C-049 · C-050

69 Service Management, Support, and Customer Success

Service Management, Support, and Customer Success establishes the governed product capability to request service, diagnose issues, share scoped evidence, receive workarounds, recover operation, manage commitments, and measure realized strategic value. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.

SERVICE MANAGEMENT, SUPPORT, AND CUSTOMER SUCCESS

Service Management, Support, and Customer Success establishes the governed product capability to request service,...




Figure 70. Service Management, Support, and Customer Success. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Request service, diagnose issues, share scoped evidence, receive workarounds, recover operation, manage commitments, and measure realized strategic value.
Primary actors	Customer users and administrators, service desk, support engineers, customer success, operations, security, product owners, partners, and executives.
Controlled product state	Customer, entitlement, case, severity, affected capability, deployment, evidence bundle, access approval, action, workaround, SLA, escalation, problem, commitment, closure, and value outcome.
Human authority	Support access remains customer-approved, purpose-bound, time-limited, and auditable; support cannot alter customer decisions, evidence, or policy outside an authorized workflow.
Primary failure condition	Support cannot reproduce the issue, access is unavailable, evidence is sensitive, commitments are missed, fixes regress, or recurring problems remain open.
Continuity contract	Preserve customer control, provide safe degraded guidance, escalate by consequence, link problem and change, and verify closure with the customer.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-69-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can request service, diagnose issues, share scoped evidence, receive workarounds, recover operation, manage commitments, and measure realized strategic value.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-69-002	The product SHALL persist, expose, version, and reconcile customer, entitlement, case, severity, affected capability, deployment, evidence bundle, access approval, action, workaround, SLA, escalation, problem, commitment, closure, and value outcome; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-69-003	The product SHALL enforce this human-authority boundary: support access remains customer-approved, purpose-bound, time-limited, and auditable; support cannot alter customer decisions, evidence, or policy outside an authorized workflow.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-69-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-69-005	When support cannot reproduce the issue, access is unavailable, evidence is sensitive, commitments are missed, fixes regress, or recurring problems remain open, the product SHALL preserve customer control, provide safe degraded guidance, escalate by consequence, link problem and change, and verify closure with the customer; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-69-006	Acceptance SHALL demonstrate case and entitlement routing, secure evidence bundle, approved support access, SLA and escalation drills, known-error reuse, closure confirmation, and value review for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Support cannot reproduce the issue, access is unavailable, evidence is sensitive, commitments are missed, fixes regress, or recurring problems remain open.	Preserve customer control, provide safe degraded guidance, escalate by consequence, link problem and change, and verify closure with the customer.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates case and entitlement routing, secure evidence bundle, approved support access, SLA and escalation drills, known-error reuse, closure confirmation, and value review.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when support cannot reproduce the issue, access is unavailable, evidence is sensitive, commitments are missed, fixes regress, or recurring problems remain open, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Service Management, Support, and Customer Success is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 2, Ch. 3; V5: Ch. 2, Ch. 6; V6: Ch. 2, Ch. 3; V7: Ch. 2, Ch. 3. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-035 · C-036 · C-037 · C-043 · C-047 · C-049

70 Product Analytics, Quality, and Unit Economics

Product Analytics, Quality, and Unit Economics establishes the governed product capability to measure product quality, adoption, mission outcomes, decision support, trust, reliability, cost, capacity, and value without surveillance or vanity metrics. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 71. Product Analytics, Quality, and Unit Economics. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Measure product quality, adoption, mission outcomes, decision support, trust, reliability, cost, capacity, and value without surveillance or vanity metrics.
Primary actors	Product leadership, finance, customer success, engineering, data and AI operations, governance, privacy, executives, and customer sponsors.
Controlled product state	Metric, definition, population, purpose, source, formula, dimension, window, threshold, owner, privacy class, quality, cost allocation, target, exception, and decision.
Human authority	Humans approve metrics and actions; analytics cannot infer employee performance, manipulate users, or broaden collection beyond declared product-improvement purpose.
Primary failure condition	Metrics are biased, stale, incomplete, privacy-invasive, non-comparable, gamed, or detached from customer outcomes and cost.
Continuity contract	Mark them indeterminate, stop unsafe use, expose lineage and limitations, and route metric or privacy governance.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-70-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can measure product quality, adoption, mission outcomes, decision support, trust, reliability, cost, capacity, and value without surveillance or vanity metrics.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-70-002	The product SHALL persist, expose, version, and reconcile metric, definition, population, purpose, source, formula, dimension, window, threshold, owner, privacy class, quality, cost allocation, target, exception, and decision; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-70-003	The product SHALL enforce this human-authority boundary: humans approve metrics and actions; analytics cannot infer employee performance, manipulate users, or broaden collection beyond declared product-improvement purpose.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-70-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-70-005	When metrics are biased, stale, incomplete, privacy-invasive, non-comparable, gamed, or detached from customer outcomes and cost, the product SHALL mark them indeterminate, stop unsafe use, expose lineage and limitations, and route metric or privacy governance; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-70-006	Acceptance SHALL demonstrate metric contract and lineage, privacy and minimization review, cohort and bias tests, cost reconciliation, anti-gaming checks, and accountable business review for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Metrics are biased, stale, incomplete, privacy-invasive, non-comparable, gamed, or detached from customer outcomes and cost.	Mark them indeterminate, stop unsafe use, expose lineage and limitations, and route metric or privacy governance.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates metric contract and lineage, privacy and minimization review, cohort and bias tests, cost reconciliation, anti-gaming checks, and accountable business review.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when metrics are biased, stale, incomplete, privacy-invasive, non-comparable, gamed, or detached from customer outcomes and cost, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Product Analytics, Quality, and Unit Economics is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 2, Ch. 3; V5: Ch. 2, Ch. 6; V6: Ch. 2, Ch. 3; V7: Ch. 2, Ch. 3. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-012 · C-034 · C-037 · C-040 · C-045 · C-049

71 Product Acceptance and Operational Readiness

Product Acceptance and Operational Readiness establishes the governed product capability to accept a capability only when its user journeys, authority, contracts, data, AI, infrastructure, security, privacy, accessibility, performance, failure, recovery, support, and evidence are complete for declared scope. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 72. Product Acceptance and Operational Readiness. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Accept a capability only when its user journeys, authority, contracts, data, AI, infrastructure, security, privacy, accessibility, performance, failure, recovery, support, and evidence are complete for declared scope.
Primary actors	Customer sponsors, product authorities, architecture, engineering, security, privacy, data and AI governance, operations, accessibility, implementation, support, and independent assurance.
Controlled product state	Acceptance unit, capability, journey, release, deployment, tenant or domain, data and model versions, consequence class, test suite, evidence, condition, exception, authority, expiry, and status.
Human authority	No single team or automated score can self-accept the product; named independent and customer authorities approve their obligations and residual conditions.
Primary failure condition	Evidence is missing or stale, scope is ambiguous, conditions expire, material defects remain, recovery is untested, or parity is unproven.
Continuity contract	Withhold or limit acceptance, expose unmet obligations, preserve evidence, and require remediation and reacceptance before expansion.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-71-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can accept a capability only when its user journeys, authority, contracts, data, AI, infrastructure, security, privacy, accessibility, performance, failure, recovery, support, and evidence are complete for declared scope.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-71-002	The product SHALL persist, expose, version, and reconcile acceptance unit, capability, journey, release, deployment, tenant or domain, data and model versions, consequence class, test suite, evidence, condition, exception, authority, expiry, and status; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-71-003	The product SHALL enforce this human-authority boundary: no single team or automated score can self-accept the product; named independent and customer authorities approve their obligations and residual conditions.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-71-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-71-005	When evidence is missing or stale, scope is ambiguous, conditions expire, material defects remain, recovery is untested, or parity is unproven, the product SHALL withhold or limit acceptance, expose unmet obligations, preserve evidence, and require remediation and reacceptance before expansion; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-71-006	Acceptance SHALL demonstrate requirements closure, end-to-end journey evidence, security/privacy/accessibility, scale and resilience exercises, deployment parity, support readiness, and signed acceptance for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Evidence is missing or stale, scope is ambiguous, conditions expire, material defects remain, recovery is untested, or parity is unproven.	Withhold or limit acceptance, expose unmet obligations, preserve evidence, and require remediation and reacceptance before expansion.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates requirements closure, end-to-end journey evidence, security/privacy/accessibility, scale and resilience exercises, deployment parity, support readiness, and signed acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when evidence is missing or stale, scope is ambiguous, conditions expire, material defects remain, recovery is untested, or parity is unproven, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Product Acceptance and Operational Readiness is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 2, Ch. 3; V5: Ch. 2, Ch. 6; V6: Ch. 2, Ch. 3; V7: Ch. 2, Ch. 3. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 · C-035 · C-042 · C-043 · C-049 · C-052

72 Product Governance and Baseline Closure

Product Governance and Baseline Closure establishes the governed product capability to govern the controlled PRD, resolve exceptions, measure conformance, approve amendments, retire capabilities, and preserve one coherent product baseline. It preserves evidence, uncertainty, accountability, customer control, human decision sovereignty, and one semantic product across every deployment profile.




Figure 73. Product Governance and Baseline Closure. The diagram binds product outcome, primary actors, controlled product state, human authority, primary failure condition, continuity contract into one governed product capability with explicit human authority, degraded behavior, and acceptance evidence.

Product contract

CONTRACT ELEMENT	BINDING DEFINITION
Product outcome	Govern the controlled PRD, resolve exceptions, measure conformance, approve amendments, retire capabilities, and preserve one coherent product baseline.
Primary actors	Board and executive product authority, architecture and product councils, engineering, AI, infrastructure, data, security, privacy, operations, commercial leadership, and customer authorities.
Controlled product state	Requirement, capability, owner, evidence, exception, risk acceptance, dependency, change proposal, impact, approval, effective time, release, migration, retirement, and supersession.
Human authority	Local teams may implement within the baseline but cannot waive controlling meaning; constitutional or cross-volume change follows the recorded authority chain.
Primary failure condition	Requirements conflict, exceptions age, evidence decays, local variants diverge, ownership lapses, or proposed change alters product identity.
Continuity contract	Constrain affected release and use, make non-conformance visible, perform cross-volume impact analysis, and amend only through governing authority.

Normative requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-72-001	The Eye SHALL provide a governed, role-appropriate capability through which authorized users can govern the controlled PRD, resolve exceptions, measure conformance, approve amendments, retire capabilities, and preserve one coherent product baseline.	End-to-end product test	Versioned user-journey fixture with product state, evidence, telemetry, audit, accessibility, and accountable outcome.
PR-72-002	The product SHALL persist, expose, version, and reconcile requirement, capability, owner, evidence, exception, risk acceptance, dependency, change proposal, impact, approval, effective time, release, migration, retirement, and supersession; identity, owner, effective time, status, provenance, and policy SHALL remain explicit.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.
PR-72-003	The product SHALL enforce this human-authority boundary: local teams may implement within the baseline but cannot waive controlling meaning; constitutional or cross-volume change follows the recorded authority chain.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
PR-72-004	SaaS, Private Cloud, and On-Premise SHALL preserve identical outcome, object, human-authority, explanation, correction, export, replay, and failure semantics; operational variance SHALL be declared.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-72-005	When requirements conflict, exceptions age, evidence decays, local variants diverge, ownership lapses, or proposed change alters product identity, the product SHALL constrain affected release and use, make non-conformance visible, perform cross-volume impact analysis, and amend only through governing authority; it SHALL NOT represent unavailable, stale, unapproved, unsupported, or incomplete state as current and complete.	Journey + fault test	Fault trace, user-visible state, preserved work, audit evidence, recovered state digest, and reconciliation closure.
PR-72-006	Acceptance SHALL demonstrate full traceability, exception and evidence-age review, deployment and customer conformance, retirement proof, cross-volume sign-off, and executive attestation for the exact capability version, journey, role, tenant or domain, deployment, entitlement, data and model versions, configuration, consequence class, and period.	Control + accountable review	Positive and negative role fixtures plus named eligible authority, exact scope, decision digest, and audit record.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED PRODUCT BEHAVIOR
Requirements conflict, exceptions age, evidence decays, local variants diverge, ownership lapses, or proposed change alters product identity.	Constrain affected release and use, make non-conformance visible, perform cross-volume impact analysis, and amend only through governing authority.
Identity, permission, purpose, policy, authority, approval, scope, or controlling version cannot be established.	Deny the consequential transition, preserve user work and context, expose the missing authority, and route accountable resolution.
A source, data product, model, agent, integration, network, or service dependency is stale, unavailable, indeterminate, or recovering.	Declare the product state and affected scope, constrain unsafe actions, retain evidence and checkpoints, and resume only after verified reconciliation.

Acceptance evidence

- End-to-end journey evidence demonstrates full traceability, exception and evidence-age review, deployment and customer conformance, retirement proof, cross-volume sign-off, and executive attestation.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.
- One golden journey suite passes across SaaS, Private Cloud, and On-Premise with every permitted difference declared.
- A fault exercise proves the declared continuity response when requirements conflict, exceptions age, evidence decays, local variants diverge, ownership lapses, or proposed change alters product identity, including visible state, audit, and recovery closure.

CHAPTER ACCEPTANCE AND INHERITANCE

Product Governance and Baseline Closure is conformant only when every PR requirement closes for the declared acceptance unit, human authority is enforced, and product state remains truthful through correction, degradation, recovery, export, and replay. Primary anchors - V3: Ch. 1, Ch. 2; V4: Ch. 2, Ch. 3; V5: Ch. 2, Ch. 6; V6: Ch. 2, Ch. 3; V7: Ch. 2, Ch. 3. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-001 · C-003 · C-004 · C-009 · C-051 · C-052

PART APP

Product Requirements Reference Appendices

Normative capability, persona, workspace, journey, requirement, acceptance, object, notification, authority, global-readiness, parity, entitlement, metric, traceability, decision, and terminology catalogs.

THE EYE / THE OPERATING SYSTEM FOR STRATEGIC INTELLIGENCE

A Product Domain and Capability Catalog

The 108 stable product capabilities define accountable user outcomes across the nine product domains. A capability may be realized through multiple services, models, agents, data products, and deployment components; those implementations do not change its product contract.

ID	PRODUCT DOMAIN	CAPABILITY	PRIMARY OUTCOME	ACCOUNTABLE AUTHORITY	ACCEPTANCE FOCUS
CAP-AU-01	Product Authority and Operating Model	Product baseline registry	Resolve controlling product meaning, status, owners, and supersession	Executive Product Authority	Complete authority and release closure
CAP-AU-02	Product Authority and Operating Model	Capability and domain registry	Maintain stable product capability identities and domain boundaries	Executive Product Authority	No orphaned or duplicate authority
CAP-AU-03	Product Authority and Operating Model	Product decision-rights service	Resolve who proposes, reviews, approves, operates, and audits	Executive Product Authority	Separation-of-duty and delegation tests
CAP-AU-04	Product Authority and Operating Model	Customer operating-context service	Configure tenant, domain, jurisdiction, deployment, and specialization context	Executive Product Authority	Customer authority and isolation acceptance
CAP-AU-05	Product Authority and Operating Model	Role and persona registry	Bind role-appropriate journeys, actions, evidence, and escalation	Executive Product Authority	Role coverage and least-privilege tests
CAP-AU-06	Product Authority and Operating Model	Workspace registry	Govern workspace identity, purpose, audience, objects, and navigation	Executive Product Authority	Cross-workspace journey and deep-link evidence
CAP-AU-07	Product Authority and Operating Model	Work-object lifecycle service	Own product lifecycle states and transition contracts	Executive Product Authority	State-machine, correction, and replay conformance
CAP-AU-08	Product Authority and Operating Model	Accessibility and preference service	Apply accessible, locale-aware, role-appropriate presentation settings	Executive Product Authority	WCAG, assistive-technology, and localization evidence
CAP-AU-09	Product Authority and Operating Model	Product traceability service	Connect outcomes, requirements, releases, tests, and cross-volume authorities	Executive Product Authority	Bidirectional orphan-free trace queries
CAP-AU-10	Product Authority and Operating Model	Product exception service	Govern narrow exceptions, compensating controls, expiry, and closure	Executive Product Authority	Expiry and non-broadening tests
CAP-AU-11	Product Authority and Operating Model	Conformance evidence service	Resolve acceptance evidence to exact scope and versions	Executive Product Authority	Independent acceptance and evidence-age review
CAP-AU-12	Product Authority and Operating Model	Product governance workspace	Review changes, impacts, conflicts, exceptions, and retirement	Executive Product Authority	Controlled amendment and baseline attestation
CAP-OB-01	Observe and Collect	Source registry	Register source authority, rights, purpose, coverage, cost, and lifecycle	Chief Intelligence Officer	Source-owner approval and revocation tests
CAP-OB-02	Observe and Collect	Collection contract manager	Version endpoint, schedule, schema, rate, freshness, and withdrawal terms	Chief Intelligence Officer	Contract and consumer-impact evidence
CAP-OB-03	Observe and Collect	Observation operations center	Operate coverage, source health, blind spots, priorities, and incidents	Chief Intelligence Officer	Coverage SLO and blind-spot exercises
CAP-OB-04	Observe and Collect	Research and discovery workspace	Search internal and external evidence with reproducible scope	Chief Intelligence Officer	Golden queries and permission trimming
CAP-OB-05	Observe and Collect	Saved search and watchlist service	Persist governed queries, entities, triggers, owners, and expiry	Chief Intelligence Officer	Trigger, ownership, and expiry evidence
CAP-OB-06	Observe and Collect	Document intelligence viewer	Compare originals with aligned extraction, translation, and annotation	Chief Intelligence Officer	Format, alignment, and citation tests
CAP-OB-07	Observe and Collect	Media intelligence viewer	Inspect image, audio, video, geospatial, and scientific evidence	Chief Intelligence Officer	Segment fidelity and accessible alternatives
CAP-OB-08	Observe and Collect	Live event and telemetry console	Show sequence, time, trust, gaps, latency, and correlations	Chief Intelligence Officer	Burst, replay, gap, and device-trust tests
CAP-OB-09	Observe and Collect	Enterprise integration manager	Configure ERP, CRM, databases, documents, APIs, and files	Chief Intelligence Officer	Least privilege and reconciliation evidence
CAP-OB-10	Observe and Collect	Collection-plan manager	Translate objectives and gaps into priorities, budgets, and source plans	Chief Intelligence Officer	Objective linkage and sponsor acceptance
CAP-OB-11	Observe and Collect	Intake review queue	Review integrity, rights, quality, classification, and duplicate state	Chief Intelligence Officer	Positive, negative, and reviewer tests
CAP-OB-12	Observe and Collect	Quarantine and evidence-release service	Isolate unsafe evidence and govern release or rejection	Chief Intelligence Officer	Escape prevention and custody closure
CAP-UM-01	Understand and Remember	Intelligence object inspector	Present canonical identity, version, time, truth, policy, and provenance	Chief Knowledge Officer	Object-profile and comprehension evidence

ID	PRODUCT DOMAIN	CAPABILITY	PRIMARY OUTCOME	ACCOUNTABLE AUTHORITY	ACCEPTANCE FOCUS
CAP-UM-02	Understand and Remember	Evidence and citation viewer	Resolve source bytes, segments, digests, custody, and cited versions	Chief Knowledge Officer	Citation and tamper verification
CAP-UM-03	Understand and Remember	Entity resolution workbench	Review aliases, candidates, duplicates, merges, and splits	Chief Knowledge Officer	Golden identity and reversal tests
CAP-UM-04	Understand and Remember	Relationship curation workbench	Review typed temporal relationships and supporting evidence	Chief Knowledge Officer	Provenance, temporal, and steward acceptance
CAP-UM-05	Understand and Remember	Knowledge Graph explorer	Query and navigate connected strategic meaning across time	Chief Knowledge Officer	Path, policy, revision, and projection tests
CAP-UM-06	Understand and Remember	Ontology and taxonomy manager	Govern concepts, constraints, mappings, versions, and migration	Chief Knowledge Officer	Compatibility and migration evidence
CAP-UM-07	Understand and Remember	Enterprise Memory workspace	Capture and retrieve permission-aware institutional records	Chief Knowledge Officer	Retention, correction, and temporal replay
CAP-UM-08	Understand and Remember	Strategic record manager	Preserve decisions, rationales, commitments, outcomes, and lessons	Chief Knowledge Officer	Decision-time reconstruction and audit
CAP-UM-09	Understand and Remember	Claim and contradiction workbench	Compare competing claims, evidence, confidence, and dissent	Chief Knowledge Officer	Truth-state and source-dependence tests
CAP-UM-10	Understand and Remember	Timeline and as-of explorer	Reconstruct event, observation, validity, and record time	Chief Knowledge Officer	Bitemporal and clock-skew fixtures
CAP-UM-11	Understand and Remember	Analyst case and review workspace	Coordinate classification, annotation, summary, review, and publication	Chief Knowledge Officer	Workflow, quality, and separation evidence
CAP-UM-12	Understand and Remember	Correction and impact workspace	Propagate withdrawal, correction, rebuild, acknowledgment, and closure	Chief Knowledge Officer	End-to-end correction and replay proof
CAP-FW-01	Predict, Detect, and Warn	Weak signal workbench	Surface emerging patterns with novelty, persistence, evidence, and uncertainty	Chief Foresight Officer	Seeded-signal and null tests
CAP-FW-02	Predict, Detect, and Warn	Indicator registry	Govern indicator definition, owner, data, threshold, coverage, and lifecycle	Chief Foresight Officer	Lineage, sensitivity, and expiry evidence
CAP-FW-03	Predict, Detect, and Warn	Early Warning System	Deliver owned, explainable, severity-appropriate warnings and escalation	Chief Foresight Officer	Trigger, latency, receipt, and escalation drills
CAP-FW-04	Predict, Detect, and Warn	Risk intelligence workspace	Manage risks, exposure, appetite, controls, mitigation, and outcomes	Chief Foresight Officer	Aggregation, appetite, and owner acceptance
CAP-FW-05	Predict, Detect, and Warn	Opportunity intelligence workspace	Manage hypotheses, value ranges, timing, options, and sponsorship	Chief Foresight Officer	Alignment, challenge, and outcome evidence
CAP-FW-06	Predict, Detect, and Warn	Competitor intelligence workspace	Maintain temporal competitor profiles and comparative assessments	Chief Foresight Officer	Identity, comparability, and source-diversity tests
CAP-FW-07	Predict, Detect, and Warn	Supply-chain intelligence workspace	Map multi-tier networks, constraints, disruptions, and alternatives	Chief Foresight Officer	Coverage, disruption replay, and feasibility tests
CAP-FW-08	Predict, Detect, and Warn	Geopolitical intelligence package	Extend sources, ontology, indicators, assessments, and scenarios	Chief Foresight Officer	Domain conformance and authority acceptance
CAP-FW-09	Predict, Detect, and Warn	Technology intelligence package	Track research, patents, capabilities, adoption, and discontinuities	Chief Foresight Officer	Evidence diversity and horizon evaluation
CAP-FW-10	Predict, Detect, and Warn	Cyber intelligence package	Connect threats, vulnerabilities, assets, campaigns, and strategic exposure	Chief Foresight Officer	Security scope and false-positive analysis
CAP-FW-11	Predict, Detect, and Warn	Financial intelligence package	Connect markets, entities, filings, instruments, and exposures	Chief Foresight Officer	Entitlement, timing, and calculation evidence
CAP-FW-12	Predict, Detect, and Warn	Forecast portfolio	Govern multi-method forecasts across six canonical horizons	Chief Foresight Officer	Backtest, calibration, leakage, and scoring proof
CAP-DS-01	Scenario, Simulation, and Decision Intelligence	Scenario workspace	Construct plural futures with drivers, assumptions, branches, and indicators	Chief Strategy Officer	Distinctness, consistency, and sponsor acceptance
CAP-DS-02	Scenario, Simulation, and Decision Intelligence	Scenario set comparator	Compare implications, options, uncertainties, and signposts across futures	Chief Strategy Officer	Comparable-basis and sensitivity evidence
CAP-DS-03	Scenario, Simulation, and Decision Intelligence	Scenario Marketplace	Distribute signed, evaluated, licensed, governed scenario packages	Chief Strategy Officer	Supply-chain, compatibility, and sandbox tests
CAP-DS-04	Scenario, Simulation, and Decision Intelligence	Simulation designer	Define exact inputs, models, parameters, constraints, seeds, and outputs	Chief Strategy Officer	Validation and reproducibility evidence
CAP-DS-05	Scenario, Simulation, and Decision Intelligence	Simulation run center	Execute, checkpoint, compare, pause, resume, and govern resource use	Chief Strategy Officer	Fault, capacity, and recovery tests
CAP-DS-06	Scenario, Simulation, and Decision Intelligence	Digital Twin portfolio	Govern company, competitor, supply-chain, product, market, and process twins	Chief Strategy Officer	Scope, ownership, and validity evidence

ID	PRODUCT DOMAIN	CAPABILITY	PRIMARY OUTCOME	ACCOUNTABLE AUTHORITY	ACCEPTANCE FOCUS
CAP-DS-07	Scenario, Simulation, and Decision Intelligence	Twin state and branch explorer	Separate observed snapshots from synthetic branches and time travel	Chief Strategy Officer	Branch isolation and temporal replay
CAP-DS-08	Scenario, Simulation, and Decision Intelligence	Strategy Graph workspace	Connect objectives, capabilities, initiatives, dependencies, and outcomes	Chief Strategy Officer	Graph integrity and alignment evidence
CAP-DS-09	Scenario, Simulation, and Decision Intelligence	Decision case workspace	Assemble alternatives, evidence, forecasts, scenarios, risks, and dissent	Chief Strategy Officer	Decision-completeness and explanation tests
CAP-DS-10	Scenario, Simulation, and Decision Intelligence	Recommendation review service	Compare AI and human recommendations with rationale and uncertainty	Chief Strategy Officer	Fidelity, calibration, and contestability evidence
CAP-DS-11	Scenario, Simulation, and Decision Intelligence	Human decision and commitment service	Bind eligible approval to exact digest, rationale, and obligations	Chief Strategy Officer	Authority, signature, and partial-effect recovery
CAP-DS-12	Scenario, Simulation, and Decision Intelligence	Decision Replay and learning workspace	Reconstruct context, score outcomes, record lessons, and govern change	Chief Strategy Officer	Historical replay and change-control proof
CAP-EO-01	Executive Operating System and Collaboration	Executive Operating System home	Operate priorities, intelligence, decisions, commitments, and outcomes	Executive Operating Officer	Closed-loop executive journey acceptance
CAP-EO-02	Executive Operating System and Collaboration	Executive context switcher	Change organization, objective, geography, horizon, and scenario safely	Executive Operating Officer	Context integrity and state-state tests
CAP-EO-03	Executive Operating System and Collaboration	Strategic briefing studio	Assemble evidence-backed, approved, accessible executive briefings	Executive Operating Officer	Citation, cutoff, approval, and visual QA
CAP-EO-04	Executive Operating System and Collaboration	Command view service	Present role- and moment-specific operating state with safe actions	Executive Operating Officer	Authority and degraded-state evidence
CAP-EO-05	Executive Operating System and Collaboration	Strategic Health Score	Decompose strategic health by objective, capability, risk, and execution	Executive Operating Officer	Formula, lineage, sensitivity, and coverage proof
CAP-EO-06	Executive Operating System and Collaboration	Proactive priority queue	Rank warnings, reviews, decisions, opportunities, and commitments	Executive Operating Officer	Precision, recall, fairness, and overload tests
CAP-EO-07	Executive Operating System and Collaboration	Strategic planning workspace	Govern initiatives, resources, dependencies, milestones, and measures	Executive Operating Officer	Alignment, budget, and change replay
CAP-EO-08	Executive Operating System and Collaboration	Commitment tracker	Track owners, deadlines, conditions, evidence, exceptions, and completion	Executive Operating Officer	Ownership, escalation, and closure evidence
CAP-EO-09	Executive Operating System and Collaboration	Collaboration workspace	Coordinate purpose-bound discussions, artifacts, tasks, and reviews	Executive Operating Officer	External-sharing and accessibility tests
CAP-EO-10	Executive Operating System and Collaboration	Durable task and workflow service	Preserve human and machine work through retries and interruption	Executive Operating Officer	Crash, duplicate, and compensation tests
CAP-EO-11	Executive Operating System and Collaboration	Publishing and distribution center	Approve, deliver, receipt, correct, withdraw, and archive products	Executive Operating Officer	Audience, classification, and correction drills
CAP-EO-12	Executive Operating System and Collaboration	Mobile and field workspace	Continue authorized work through constrained and disconnected operation	Executive Operating Officer	Offline, revocation, conflict, and sync tests
CAP-AG-01	Agents and Automation	Agent registry and Marketplace	Govern agent identity, package, publisher, tools, data, and lifecycle	Chief AI Officer	Package, signature, evaluation, and approval evidence
CAP-AG-02	Agents and Automation	Agent invocation service	Start bounded work with purpose, scope, budgets, context, and authority	Chief AI Officer	Admission and permission tests
CAP-AG-03	Agents and Automation	Observation agent family	Monitor authorized sources and coverage plans	Chief AI Officer	Rights, rate, loop, and provenance evidence
CAP-AG-04	Agents and Automation	Crawler and collection agent family	Acquire source content through isolated controlled tools	Chief AI Officer	Boundary, credential, and custody tests
CAP-AG-05	Agents and Automation	Search agent	Retrieve evidence under exact scope, time, policy, and citation	Chief AI Officer	Relevance, omission, and reproducibility tests
CAP-AG-06	Agents and Automation	Cleaning and classification agent family	Propose normalized records, classes, and quality state	Chief AI Officer	Golden sets and reversibility evidence
CAP-AG-07	Agents and Automation	NER and relationship agent family	Propose identities, entities, relationships, merges, and splits	Chief AI Officer	Calibration, stewardship, and rollback tests

ID	PRODUCT DOMAIN	CAPABILITY	PRIMARY OUTCOME	ACCOUNTABLE AUTHORITY	ACCEPTANCE FOCUS
CAP-AG-08	Agents and Automation	Graph, memory, and reasoning agent family	Retrieve and reason across evidence, graph, and memory	Chief AI Officer	Citation, circularity, dissent, and abstention tests
CAP-AG-09	Agents and Automation	Foresight and decision agent family	Prepare forecasts, scenarios, simulations, and recommendations	Chief AI Officer	Version, uncertainty, and gate evidence
CAP-AG-10	Agents and Automation	Domain intelligence agent family	Apply approved specialist ontologies, methods, models, and tools	Chief AI Officer	Domain benchmark and scope conformance
CAP-AG-11	Agents and Automation	Planner, Supervisor, and Workflow agent family	Decompose, coordinate, checkpoint, escalate, and replay work	Chief AI Officer	Loop, deadlock, budget, recovery, and gate tests
CAP-AG-12	Agents and Automation	Agent control and override center	Explain, pause, cancel, constrain, challenge, and audit agents	Chief AI Officer	Stop, override, residual-effect, and escalation drills
CAP-TR-01	Trust, Governance, Administration, and Operations	Trust and provenance inspector	Verify source-to-product evidence, signatures, versions, and corrections	Chief Trust Officer	Tamper, substitution, and offline verification
CAP-TR-02	Trust, Governance, Administration, and Operations	Identity federation and lifecycle	Provision and revoke workforce, partner, customer, and workload identity	Chief Trust Officer	Federation, lifecycle, and assurance tests
CAP-TR-03	Trust, Governance, Administration, and Operations	Access and tenant administration	Govern least privilege, domains, separation, recertification, and emergency access	Chief Trust Officer	Cross-tenant and privileged-access negatives
CAP-TR-04	Trust, Governance, Administration, and Operations	Policy and purpose console	Govern classification, rights, purpose, consent, residency, and obligations	Chief Trust Officer	Policy, consent, and transfer fixtures
CAP-TR-05	Trust, Governance, Administration, and Operations	Privacy rights workspace	Execute access, correction, restriction, export, and deletion requests	Chief Trust Officer	Identity, scope, dependency, and closure evidence
CAP-TR-06	Trust, Governance, Administration, and Operations	Security operations workspace	Detect, investigate, contain, communicate, recover, and learn	Chief Trust Officer	Attack and incident exercises
CAP-TR-07	Trust, Governance, Administration, and Operations	Governance console	Govern model, agent, data, prompt, tool, ontology, and package lifecycle	Chief Trust Officer	Inventory, gate, drift, rollback, and expiry tests
CAP-TR-08	Trust, Governance, Administration, and Operations	Audit and investigation workspace	Search, preserve, correlate, export, and attest non-repudiable evidence	Chief Trust Officer	Custody, temporal, legal-hold, and export proof
CAP-TR-09	Trust, Governance, Administration, and Operations	Reliability and service health center	Expose SLOs, dependencies, capacity, incidents, and degraded modes	Chief Trust Officer	Fault, load, and mode-transition tests
CAP-TR-10	Trust, Governance, Administration, and Operations	Recovery and continuity center	Govern backup, restore, site recovery, reconciliation, and reopening	Chief Trust Officer	RPO, RTO, integrity, and customer acceptance
CAP-TR-11	Trust, Governance, Administration, and Operations	Integration management center	Register clients, APIs, events, exports, SDKs, and extensions	Chief Trust Officer	Contract, quota, idempotency, and policy tests
CAP-TR-12	Trust, Governance, Administration, and Operations	Customer control center	Expose responsibilities, support access, exports, keys, locality, and evidence	Chief Trust Officer	Customer-operated control exercises
CAP-DL-01	Commercialization, Delivery, and Acceptance	Deployment-profile catalog	Govern SaaS, Private Cloud, On-Premise, disconnected, and air-gapped profiles	Chief Product Officer	Common semantic conformance suite
CAP-DL-02	Commercialization, Delivery, and Acceptance	Packaging and offer catalog	Define coherent capability, service, capacity, and support packages	Chief Product Officer	No semantic fragmentation or control removal
CAP-DL-03	Commercialization, Delivery, and Acceptance	Entitlement and licensing service	Enforce tenant capabilities, limits, grace, renewal, and offline licensing	Chief Product Officer	Entitlement, reconciliation, and recovery tests
CAP-DL-04	Commercialization, Delivery, and Acceptance	Customer onboarding workspace	Coordinate context, identity, policy, sources, domains, users, and acceptance	Chief Product Officer	Responsibility and readiness closure
CAP-DL-05	Commercialization, Delivery, and Acceptance	Configuration baseline manager	Version customer configuration, policy, specialization, and deployment state	Chief Product Officer	Drift, promotion, and rollback evidence
CAP-DL-06	Commercialization, Delivery, and Acceptance	Migration and cutover manager	Plan, rehearse, reconcile, cut over, roll back, and close migrations	Chief Product Officer	Rehearsal, reconciliation, and customer sign-off
CAP-DL-07	Commercialization, Delivery, and Acceptance	Implementation program workspace	Govern milestones, dependencies, risks, decisions, readiness, and outcomes	Chief Product Officer	Sponsor and operating-model acceptance
CAP-DL-08	Commercialization, Delivery, and Acceptance	Adoption and enablement workspace	Measure role competence, journey adoption, process change, and value	Chief Product Officer	Accessible training and cohort evidence

ID	PRODUCT DOMAIN	CAPABILITY	PRIMARY OUTCOME	ACCOUNTABLE AUTHORITY	ACCEPTANCE FOCUS
CAP-DL-09	Commercialization, Delivery, and Acceptance	Service management portal	Request support, track incidents, problems, changes, and commitments	Chief Product Officer	SLA, escalation, access, and closure tests
CAP-DL-10	Commercialization, Delivery, and Acceptance	Customer success workspace	Connect operating health, adoption, outcomes, value, and renewal risk	Chief Product Officer	Joint value-review acceptance
CAP-DL-11	Commercialization, Delivery, and Acceptance	Product analytics and economics service	Measure quality, mission outcomes, cost, capacity, and value	Chief Product Officer	Metric, privacy, and cost reconciliation
CAP-DL-12	Commercialization, Delivery, and Acceptance	Product acceptance and governance service	Close requirements, journeys, controls, evidence, conditions, and baseline	Chief Product Officer	Independent and customer attestation

Capability conformance rules

RULE	BINDING APPLICATION
Outcome before feature	A capability exists to complete a governed user outcome; screens, APIs, models, agents, reports, and services are replaceable realization choices.
One accountable owner	Every authoritative product lifecycle has one owner even where design, engineering, data, AI, operations, commercial, and customer duties are shared.
State is explicit	Normal, draft, reviewed, approved, partial, stale, denied, disputed, quarantined, degraded, recovering, superseded, withdrawn, and retired states are not inferred from presentation.
Human authority is testable	Every consequential transition names eligible authority, exact digest, required review, separation, expiry, intended effect, and audit evidence.
Acceptance follows exact scope	Conformance resolves to capability, journey, role, tenant or domain, deployment, entitlement, release, versions, configuration, consequence, period, conditions, and accepting authorities.

CATALOG AUTHORITY

The capability catalog freezes product responsibility and user outcome, not a screen map or vendor architecture. Volume 9 may design the experience only inside these identities, states, actions, authority boundaries, degraded behaviors, and acceptance contracts.

B Persona, Role, and Authority Matrix

Personas express recurring goals and responsibilities. Roles grant policy-scoped permissions. Authority permits a defined institutional transition. A user may hold several roles, but the product never infers consequential authority from title, workspace access, administrative privilege, or AI recommendation.

ID	PERSONA	DECISION AUTHORITY	PRIMARY PRODUCT RESPONSIBILITY	PROHIBITED SUBSTITUTION
PER-01	Board or governing body	Approves constitutional direction, strategic objectives, material risk appetite, and reserved decisions	Reviews strategic state, alternatives, commitments, and outcomes	Cannot delegate reserved authority to AI or administrators
PER-02	Executive decision authority	Makes accountable strategic decisions and commitments within recorded mandate	Reviews evidence, forecasts, scenarios, risk, dissent, and recommendations	Cannot approve a changed or incomplete decision digest
PER-03	Chief of staff or executive operator	Coordinates executive cadence, priorities, briefings, decisions, and follow-through	Curates agenda, routes work, tracks commitments, and escalates gaps	Cannot impersonate the decision authority
PER-04	Intelligence leader	Owns intelligence priorities, standards, coverage, review, and publication	Directs collection, analysis, warning, and briefing operations	Cannot waive source rights, truth state, or provenance
PER-05	Strategic analyst	Produces evidence-backed assessments, hypotheses, forecasts, scenarios, and decision support	Searches, curates, reasons, challenges, and publishes through review	Cannot convert an inference into approved fact
PER-06	Investigator	Builds attributable cases, timelines, entity networks, and evidence packages	Preserves custody, tests hypotheses, and documents limitations	Cannot exceed authorized purpose or conceal exculpatory evidence
PER-07	Forecaster	Owns forecast definition, methods, assumptions, calibration, and scoring	Produces and monitors probabilistic forecasts across horizons	Cannot publish unsupported precision or hide model disagreement
PER-08	Scenario or simulation specialist	Owns scenario framing, simulation validity, sensitivity, and reproducibility	Designs branches, models, runs, comparisons, and interpretation	Cannot mix observed and synthetic state
PER-09	Strategy and planning lead	Owns objective, capability, initiative, option, resource, and outcome alignment	Structures plans and decision cases and monitors execution	Cannot create commitments outside delegated authority
PER-10	Risk or opportunity owner	Accepts assessment, action, mitigation, sponsorship, and residual exposure	Reviews evidence, appetite, controls, options, and outcomes	Cannot leave material risk or opportunity unowned
PER-11	Collection manager	Owns source plans, contracts, coverage, priorities, and operational response	Approves sources and manages blind spots and incidents	Cannot infer rights from technical accessibility
PER-12	Data steward	Adjudicates identity, semantics, quality, correction, and lifecycle cases	Reviews merges, splits, mappings, corrections, and exceptions	Cannot silently alter historical evidence
PER-13	Knowledge engineer	Owns ontology, graph constraints, identity models, and semantic migration	Curates concepts, relationships, revisions, and projections	Cannot create domain forks of canonical meaning
PER-14	Model risk authority	Approves model use, evaluation, monitoring, exceptions, and retirement	Reviews data, fitness, calibration, safety, drift, and impact	Cannot self-approve a model they built
PER-15	Agent governor	Approves agent role, tools, data, budgets, side effects, and lifecycle	Evaluates packages, permissions, runtime evidence, and incidents	Cannot grant human decision authority to an agent
PER-16	Security or privacy authority	Owns security, privacy, sovereignty, incident, and exception decisions	Reviews controls, purpose, locality, exposure, and evidence	Cannot broaden customer-data access without authority
PER-17	Auditor or investigator of record	Independently verifies evidence, conformance, custody, and accountability	Reconstructs events, decisions, changes, incidents, and exceptions	Cannot alter the evidence being audited
PER-18	Tenant or domain administrator	Configures customer context, roles, domains, integrations, and policies	Provisions access and operates delegated customer controls	Cannot acquire business decision rights through administration
PER-19	Platform operator	Operates availability, capacity, change, recovery, and service health	Executes controlled operational procedures and evidence capture	Cannot inspect customer content without approved support purpose

ID	PERSONA	DECISION AUTHORITY	PRIMARY PRODUCT RESPONSIBILITY	PROHIBITED SUBSTITUTION
PER-20	Support engineer	Diagnoses and resolves customer issues through scoped time-limited access	Collects evidence, provides workarounds, and verifies resolution	Cannot mutate customer strategic state directly
PER-21	Implementation lead	Coordinates onboarding, configuration, migration, readiness, and acceptance	Manages plan, dependencies, risks, tests, and sign-off	Cannot accept customer obligations on the customer's behalf
PER-22	External collaborator	Contributes bounded evidence, review, or expertise through shared workspaces	Works within explicit audience, purpose, expiry, and object scope	Cannot discover or traverse beyond shared scope
PER-23	Integration developer	Builds clients and extensions against versioned governed contracts	Uses APIs, events, exports, SDKs, and test fixtures	Cannot write canonical state outside owning commands
PER-24	Marketplace publisher	Publishes signed governed agents, scenarios, data, or domain packages	Maintains provenance, compatibility, evaluation, rights, and lifecycle	Cannot bypass customer approval or platform controls

C Workspace and Navigation Catalog

Workspaces are durable operating environments organized around governed work, not dashboard containers. The active customer, domain, role, objective, geography, horizon, scenario, classification, and object remain visible wherever they can change meaning or authority.

ID	WORKSPACE	OPERATING PURPOSE	PRIMARY WORK OBJECTS	DEFAULT AUTHORITY	CONTINUITY BEHAVIOR
WS-01	Executive Operating System	Executive cadence, priorities, warnings, decisions, commitments, outcomes	Objectives, strategic packages, decisions, commitments	Executive decision authority	Preserve context, evidence, and approval state
WS-02	Observation Operations	Source coverage, freshness, collection health, blind spots, incidents	Sources, plans, runs, gaps, incidents	Collection manager	Show last verified coverage and degraded intervals
WS-03	Research and Discovery	Structured search, exploration, saved research, evidence review	Queries, results, evidence, citations, watchlists	Analyst	Preserve query snapshot and policy-filtered scope
WS-04	Intelligence Analysis	Cases, assessments, claims, summaries, review, publication	Cases, claims, evidence, assessments, tasks	Intelligence analyst	Preserve draft history and review status
WS-05	Entity and Relationship Workbench	Identity, alias, merge, split, and relationship stewardship	Entities, candidates, relationships, cases	Data steward	Keep unresolved candidates separate
WS-06	Knowledge Graph Explorer	Temporal connected exploration and governed curation	Nodes, edges, paths, subgraphs, revisions	Knowledge engineer	Serve last verified projection with watermark
WS-07	Enterprise Memory	Institutional records, strategic context, lessons, and retrieval	Memory items, decisions, artifacts, lessons	Knowledge manager	Preserve permission and historical versions
WS-08	Weak Signals and Warnings	Signal review, indicator management, warning response, escalation	Signals, indicators, warnings, actions	Watch officer	Preserve signal history and warning quality
WS-09	Risk and Opportunity	Exposure, appetite, mitigation, sponsorship, options, outcomes	Risks, opportunities, controls, options	Risk or opportunity owner	Expose gaps and prevent invalid aggregation
WS-10	Domain Intelligence	Competitor, supply-chain, geopolitical, technology, cyber, finance	Domain objects, events, assessments, forecasts	Domain lead	Disable incompatible domain packages
WS-11	Forecasting	Forecast design, comparison, monitoring, calibration, scoring	Forecasts, models, assumptions, outcomes	Forecaster	Retain prior forecast and abstention state
WS-12	Scenario Intelligence	Scenario sets, drivers, branches, implications, options	Scenarios, assumptions, indicators, options	Scenario lead	Preserve plurality and inconsistent drafts
WS-13	Simulation Center	Design, execution, checkpoints, comparison, sensitivity	Simulations, twin snapshots, runs, outputs	Simulation specialist	Preserve checkpoints as non-decision-active
WS-14	Digital Twin Portfolio	Twin scope, observed state, branches, validity, time travel	Twins, snapshots, branches, models	Twin owner	Mark invalid or unsynchronized state
WS-15	Decision Intelligence	Decision packages, recommendations, alternatives, approval	Cases, options, recommendations, decisions	Decision authority	Block decision-ready state when incomplete
WS-16	Strategy and Planning	Objectives, capabilities, initiatives, resources, outcomes	Strategy Graph, plans, initiatives, measures	Strategy lead	Preserve baseline and unauthorized changes
WS-17	Agent Operations	Agent catalog, runs, plans, tools, budgets, escalation, override	Agents, packages, runs, tasks, traces	Agent governor	Pause unsafe runs and preserve full trace
WS-18	Trust and Governance	Provenance, model, agent, data, policy, audit, exceptions	Artifacts, policies, evaluations, audit cases	Governance authority	Constrain use when evidence is indeterminate
WS-19	Platform and Customer Administration	Identity, tenants, domains, integrations, service, recovery	Users, roles, policies, connectors, health	Customer administrator	Fail closed on ambiguous tenant or authority
WS-20	Product Delivery and Acceptance	Packaging, onboarding, migration, adoption, support, readiness	Offers, plans, releases, tests, evidence	Product authority	Withhold acceptance and preserve prior safe operation

Navigation contract

NAVIGATION ELEMENT	BINDING BEHAVIOR
Global operating context	Shows and controls tenant, domain, role, objective, geography, horizon, scenario, classification, and deployment where applicable.
Workspace switch	Preserves object identity, policy, active task, draft state, filter intent, provenance, and a deterministic return path.
Deep link	Resolves an immutable object and version within current authority; denial reveals no protected metadata beyond policy.
History and back navigation	Restores the verified prior context and never submits or repeats a command as a navigation side effect.
Command entry	Separates navigation, query, draft, acknowledgment, review, approval, publication, and institutional effect.
Stale projection	Displays source revision and watermark, offers the canonical path, and disables actions requiring fresher state.

D Canonical User Journey Catalog

Canonical journeys are the primary acceptance unit for product value. Localized, role-specific, mobile, offline, API, and accessibility variants must preserve the same authority, object, evidence, correction, and outcome semantics.

ID	JOURNEY	CANONICAL STAGES	ACCOUNTABLE ACTOR	TERMINAL EVIDENCE
JRN-01	Establish customer operating context	Sponsor intent -> tenant and domain -> authority -> policy -> deployment -> acceptance	Customer sponsor	Signed context and responsibility baseline
JRN-02	Register and activate a source	Discover -> rights -> contract -> validate -> approve -> collect -> monitor	Collection manager	Active source with revocation and coverage proof
JRN-03	Investigate a strategic question	Intent -> search -> evidence -> entities -> claims -> analysis -> peer review	Analyst	Reproducible assessment with dissent
JRN-04	Curate an entity resolution	Candidate -> compare evidence -> propose -> review -> commit -> propagate -> verify	Data steward	Reversible canonical revision
JRN-05	Correct decision-active intelligence	Report -> authenticate authority -> assess impact -> correct -> rebuild -> acknowledge -> close	Source or data authority	Non-destructive correction closure
JRN-06	Detect and assess a weak signal	Observe -> nominate -> test -> contextualize -> review -> disposition -> learn	Domain analyst	Evidence-backed signal disposition
JRN-07	Issue and manage an early warning	Trigger -> validate -> classify -> approve policy path -> deliver -> acknowledge -> act -> close	Warning owner	Timely owned warning with receipts
JRN-08	Assess a strategic risk	Identify -> evidence -> model -> challenge -> appetite -> mitigate -> monitor -> outcome	Risk owner	Accepted risk and residual exposure
JRN-09	Sponsor a strategic opportunity	Discover -> evidence -> option -> value range -> challenge -> sponsor -> decide -> learn	Opportunity sponsor	Governed option and outcome linkage
JRN-10	Maintain competitor intelligence	Resolve -> collect -> compare -> assess -> review -> alert -> update -> replay	Competitor analyst	Temporal evidence-backed profile
JRN-11	Assess supply-chain disruption	Detect -> map dependencies -> forecast -> scenario -> alternatives -> decide -> monitor	Supply-chain leader	Feasible response with coverage limits
JRN-12	Produce a canonical forecast	Define target -> cutoff -> method -> train or estimate -> calibrate -> review -> publish -> score	Forecaster	Reproducible calibrated forecast
JRN-13	Construct a scenario set	Frame -> drivers -> uncertainties -> branches -> implications -> challenge -> approve -> monitor	Scenario sponsor	Plural decision-relevant futures
JRN-14	Run a strategic simulation	Select state -> validate model -> configure -> approve budget -> execute -> compare -> review	Simulation specialist	Reproducible run with validity limits
JRN-15	Update a Digital Twin	Observe -> reconcile -> validate -> snapshot -> branch -> test -> publish -> monitor	Twin owner	Time-versioned validated twin state
JRN-16	Prepare a decision package	Question -> objectives -> options -> evidence -> foresight -> risk -> recommendation -> review	Decision analyst	Complete explainable package
JRN-17	Make and record a decision	Verify authority -> inspect digest -> deliberate -> decide -> rationale -> sign -> commit -> distribute	Decision authority	Non-repudiable human decision
JRN-18	Replay and learn from a decision	Reconstruct -> compare expectation and outcome -> assess attribution -> lesson -> change proposal -> approve	Governance authority	Governed learning without rewritten history
JRN-19	Run the executive cadence	Review priorities -> intelligence -> warnings -> decisions -> commitments -> outcomes -> reset	Executive operator	Closed-loop operating record
JRN-20	Publish a strategic briefing	Assemble -> cite -> classify -> review -> approve digest -> deliver -> receipt -> correct	Briefing owner	Accessible controlled publication
JRN-21	Delegate work to agents	Define goal -> authority -> plan -> tools -> execute -> supervise -> review -> accept or reject	Human requester	Bounded traceable agent outcome
JRN-22	Respond to a product incident	Detect -> scope -> command -> contain -> communicate -> recover -> reconcile -> learn	Incident commander	Verified service and state restoration
JRN-23	Onboard and migrate a customer	Discover -> configure -> map -> rehearse -> reconcile -> train -> cut over -> accept	Implementation lead	Signed readiness and rollback proof
JRN-24	Release and accept a capability	Trace -> build -> test -> assure -> deploy -> exercise -> customer verify -> attest	Product authority	Scope-specific acceptance evidence

E Product Requirement Master Index

The master index resolves all 432 normative PR identities by stable chapter range. The chapter text is the controlling requirement statement; this index provides ownership, outcome, invariant, and acceptance routing without duplicating or paraphrasing the normative clause.

C H.	PRODUCT SUBJECT	REQUIREMENT RANGE	C O U N T	CONTROLLED OUTCOME	CONSTITUTION
1	Product Authority, Scope, and Decision Rights	PR-01-001-PR-01-006	6	Establish the controlled product baseline, assign singular decision rights, and resolve scope or authority conflicts before implementation.	C-001, C-003, C-004, C-008, C-051, C-052
2	Product Principles and User Value Contract	PR-02-001-PR-02-006	6	Operate the closed strategic loop from observation through learning without collapsing The Eye into a chatbot, dashboard, BI platform, copilot, or reporting tool.	C-001, C-002, C-004, C-005, C-006, C-047
3	Customers, Tenants, and Operating Contexts	PR-03-001-PR-03-006	6	Configure governed customer domains and operating contexts without forking the universal product core or leaking state across tenants.	C-006, C-007, C-037, C-040, C-041, C-042
4	Roles, Personas, and Human Authority Model	PR-04-001-PR-04-006	6	Receive role-appropriate information, actions, explanations, and escalation paths while separation of duties and human decision sovereignty remain enforceable.	C-004, C-028, C-029, C-036, C-048, C-050
5	Information Architecture and Workspace System	PR-05-001-PR-05-006	6	Move through a coherent system of workspaces, work objects, queues, investigations, strategic packages, and actions without losing context or authority.	C-006, C-008, C-047, C-048, C-049, C-052
6	Product State, Lifecycle, and Work Object Model	PR-06-001-PR-06-006	6	Create, review, approve, publish, supersede, withdraw, archive, export, replay, and retire every material work object through explicit lifecycle states.	C-003, C-010, C-011, C-012, C-036, C-049
7	Accessibility, Localization, and Global Readiness	PR-07-001-PR-07-006	6	Complete every material journey and understand evidence, uncertainty, alerts, recommendations, approvals, and product state without dependence on a single sensory, language, or interaction mode.	C-004, C-005, C-047, C-048, C-049, C-050
8	Product System Context and Cross-Volume Conformance	PR-08-001-PR-08-006	6	Trace each product capability from user outcome through canonical layer, service, AI method, infrastructure, data contract, release, deployment, and acceptance evidence.	C-003, C-008, C-035, C-042, C-051, C-052
9	Source Registry and Collection Workspace	PR-09-001-PR-09-006	6	Register, evaluate, approve, configure, monitor, suspend, and retire every external, internal, physical, scientific, commercial, and custom source.	C-012, C-013, C-014, C-035, C-037, C-040
10	Observation Operations and Source Coverage	PR-10-001-PR-10-006	6	Operate continuous observation against explicit priorities, coverage targets, freshness contracts, legal constraints, and source health.	C-013, C-014, C-032, C-033, C-043, C-049
11	Search, Discovery, and Research Workspace	PR-11-001-PR-11-006	6	Formulate structured and natural-language research intents, discover relevant internal and external evidence, refine scope, save research state, and reproduce results.	C-005, C-010, C-011, C-012, C-014, C-047
12	Document and Media Intelligence	PR-12-001-PR-12-006	6	Inspect original documents, images, audio, video, geospatial products, and scientific artifacts beside aligned extracted, translated, summarized, and enriched derivatives.	C-005, C-010, C-012, C-014, C-016, C-045
13	Live Event, Stream, IoT, and Telemetry Experience	PR-13-001-PR-13-006	6	Observe live events and telemetry with explicit time, sequence, location, source trust, quality, latency, gaps, and correlation into strategic context.	C-011, C-012, C-014, C-033, C-039, C-043
14	Enterprise Systems and Internal Data Experience	PR-14-001-PR-14-006	6	Connect ERP, CRM, databases, internal documents, collaboration systems, APIs, files, and operational platforms with visible ownership, scope, reconciliation, and customer control.	C-011, C-012, C-014, C-037, C-038, C-040
15	Collection Plans, Watchlists, and Priorities	PR-15-001-PR-15-006	6	Translate objectives, risks, hypotheses, entities, geographies, markets, competitors, and time horizons into governed collection plans and watchlists.	C-013, C-014, C-017, C-026, C-032, C-040
16	Intake Validation, Quarantine, and Evidence Review	PR-16-001-PR-16-006	6	Review integrity, rights, schema, classification, provenance, quality, duplication, and safety before observed material becomes decision-active evidence.	C-010, C-012, C-014, C-035, C-039, C-040
17	Intelligence Object and Evidence Experience	PR-17-001-PR-17-006	6	Inspect and act on canonical intelligence objects while retaining identity, version, time, truth state, provenance, policy, quality, correction, and lifecycle context.	C-007, C-010, C-011, C-012, C-035, C-047
18	Entity, Identity, and Relationship Workbench	PR-18-001-PR-18-006	6	Resolve entities, aliases, duplicates, merges, splits, and relationships through evidence-backed proposals and accountable stewardship.	C-009, C-010, C-012, C-016, C-035, C-036

C H.	PRODUCT SUBJECT	REQUIREMENT RANGE	C O U N T	CONTROLLED OUTCOME	CONSTITUTION
19	Knowledge Graph Exploration and Curation	PR-19-001-PR-19-006	6	Explore connected entities, events, claims, risks, objectives, capabilities, technologies, regulations, markets, and supply chains with temporal and provenance-aware graph operations.	C-009, C-010, C-011, C-012, C-035, C-047
20	Enterprise Memory and Strategic Record	PR-20-001-PR-20-006	6	Capture, retrieve, connect, correct, retain, and govern institutional facts, decisions, rationales, commitments, outcomes, lessons, and context across time.	C-010, C-011, C-012, C-015, C-016, C-037
21	Claims, Contradictions, Confidence, and Uncertainty	PR-21-001-PR-21-006	6	Distinguish evidence, claims, inferences, assessments, hypotheses, synthetic outputs, recommendations, decisions, and corrections while preserving disagreement.	C-005, C-010, C-011, C-012, C-021, C-035
22	Timelines, Provenance, and Decision-Grade Traceability	PR-22-001-PR-22-006	6	Reconstruct what happened, what was known, what was believed, what changed, and which evidence, methods, people, and versions produced each strategic output.	C-005, C-011, C-012, C-025, C-035, C-036
23	Classification, Summaries, and Analyst Workflows	PR-23-001-PR-23-006	6	Triage, classify, summarize, annotate, compare, assign, review, and publish intelligence through durable analyst workflows.	C-005, C-010, C-012, C-028, C-029, C-045
24	Corrections, Withdrawals, Reconciliation, and Replay	PR-24-001-PR-24-006	6	Correct or withdraw evidence and derived intelligence without erasing prior state, then identify, constrain, rebuild, and reconcile every affected product.	C-011, C-012, C-016, C-025, C-036, C-043
25	Weak Signal Detection	PR-25-001-PR-25-006	6	Discover low-frequency, low-confidence, cross-domain, or emerging patterns before they become obvious while preserving evidence and uncertainty.	C-005, C-010, C-013, C-021, C-032, C-045
26	Early Warning System	PR-26-001-PR-26-006	6	Convert governed indicators and weak signals into timely, severity-appropriate, explainable warnings with explicit owner, acknowledgment, action, expiry, and outcome.	C-004, C-005, C-032, C-033, C-036, C-049
27	Risk Intelligence	PR-27-001-PR-27-006	6	Identify, assess, connect, prioritize, monitor, mitigate, and learn from strategic risks against objectives, capabilities, dependencies, and risk appetite.	C-004, C-005, C-021, C-024, C-026, C-036
28	Opportunity Intelligence	PR-28-001-PR-28-006	6	Discover, assess, compare, sponsor, monitor, and learn from strategic opportunities aligned to objectives and capabilities.	C-004, C-005, C-017, C-021, C-026, C-032
29	Competitor Intelligence	PR-29-001-PR-29-006	6	Maintain evidence-backed competitor profiles, strategies, products, capabilities, movements, dependencies, and comparative assessments across time.	C-005, C-009, C-010, C-011, C-012, C-032
30	Supply Chain Intelligence	PR-30-001-PR-30-006	6	Map multi-tier supply networks, materials, products, facilities, routes, inventories, obligations, exposures, disruptions, and response options.	C-009, C-010, C-011, C-018, C-021, C-032
31	Geopolitical, Technology, Cyber, and Financial Intelligence	PR-31-001-PR-31-006	6	Operate governed domain intelligence workspaces that extend the universal core without fragmenting evidence, graph, memory, forecast, scenario, or decision semantics.	C-006, C-007, C-009, C-030, C-035, C-050
32	Forecasting and Prediction Horizons	PR-32-001-PR-32-006	6	Create, compare, monitor, calibrate, supersede, and consume probabilistic forecasts at 30-day, 90-day, 180-day, 1-year, 3-year, and 5-year horizons.	C-005, C-010, C-011, C-020, C-021, C-045
33	Scenario Intelligence Workspace	PR-33-001-PR-33-006	6	Construct multiple plausible futures with explicit drivers, uncertainties, assumptions, branch points, indicators, implications, and strategic options.	C-004, C-005, C-022, C-024, C-026, C-047
34	Scenario Marketplace	PR-34-001-PR-34-006	6	Publish, discover, evaluate, license, install, configure, execute, update, and retire governed scenario packages.	C-007, C-035, C-038, C-039, C-046, C-050
35	Simulation Design and Run Control	PR-35-001-PR-35-006	6	Define, validate, execute, compare, pause, reproduce, and retire simulations against exact scenarios, Digital Twin states, methods, constraints, and seeds.	C-005, C-018, C-019, C-022, C-023, C-045
36	Digital Twin Portfolio and State	PR-36-001-PR-36-006	6	Manage living Digital Twins for company, competitors, supply chain, products, markets, regulations, infrastructure, processes, and organization.	C-005, C-010, C-011, C-018, C-019, C-023
37	Strategy Graph and Objective-Capability Alignment	PR-37-001-PR-37-006	6	Connect objectives, outcomes, measures, initiatives, capabilities, resources, dependencies, risks, opportunities, scenarios, decisions, commitments, and results.	C-004, C-009, C-017, C-024, C-026, C-034
38	Decision Intelligence and Recommendation Review	PR-38-001-PR-38-006	6	Assemble and compare decision options with objectives, evidence, assumptions, forecasts, scenarios, simulations, risks, opportunities, trade-offs, dissent, confidence, and recommended actions.	C-004, C-005, C-021, C-022, C-023, C-024
39	Human Approval, Commitment, and Decision Record	PR-39-001-PR-39-006	6	Review the exact decision digest, approve or reject options, record rationale and conditions, create commitments, and preserve non-repudiable institutional accountability.	C-004, C-024, C-025, C-028, C-036, C-050
40	Decision Replay, Outcome Attribution, and Learning	PR-40-001-PR-40-006	6	Reconstruct decision-time knowledge, compare expected and actual outcomes, attribute contributions cautiously, record lessons, and govern changes without rewriting history.	C-004, C-011, C-012, C-025, C-031, C-044
41	Executive Operating System	PR-41-001-PR-41-006	6	Operate strategy as a continuous system of objectives, intelligence, foresight, decisions, commitments, outcomes, and learning rather than a collection of dashboards.	C-002, C-004, C-005, C-026, C-027, C-047

C H.	PRODUCT SUBJECT	REQUIREMENT RANGE	C O U N T	CONTROLLED OUTCOME	CONSTITUTION
42	Strategic Briefings and Command Views	PR-42-001-PR-42-006	6	Assemble, review, approve, deliver, acknowledge, update, and archive evidence-backed strategic briefings and command views tailored to role and moment.	C-004, C-005, C-012, C-027, C-036, C-047
43	Strategic Health Score	PR-43-001-PR-43-006	6	Understand decomposable strategic health across objectives, capabilities, risks, opportunities, execution, resilience, and learning without hiding uncertainty in a single score.	C-005, C-010, C-012, C-026, C-034, C-045
44	Proactive Intelligence and Priority Queue	PR-44-001-PR-44-006	6	Receive a governed queue of material warnings, decisions, reviews, opportunities, collection gaps, commitments, and exceptions before manual inquiry.	C-004, C-005, C-032, C-033, C-036, C-047
45	Strategic Planning and Initiative Governance	PR-45-001-PR-45-006	6	Translate objectives and decisions into governed initiatives, resources, milestones, dependencies, measures, commitments, reviews, changes, and outcomes.	C-004, C-017, C-024, C-026, C-027, C-036
46	Collaboration, Tasks, and Workflow Orchestration	PR-46-001-PR-46-006	6	Coordinate durable human and machine work with assignments, discussions, evidence, deadlines, approvals, escalations, handoffs, and accountable completion.	C-004, C-028, C-029, C-036, C-043, C-048
47	Reporting, Publishing, and Distribution	PR-47-001-PR-47-006	6	Create governed reports and intelligence products from canonical state, approve exact content, publish to authorized channels, track receipts, correct, withdraw, and archive.	C-003, C-005, C-012, C-036, C-038, C-047
48	Mobile, Field, Offline, and Disconnected Operation	PR-48-001-PR-48-006	6	Continue authorized strategic work on constrained devices and networks with explicit freshness, local protection, queued effects, synchronization, and conflict resolution.	C-004, C-037, C-039, C-041, C-042, C-043
49	Agent Operating Model and Marketplace	PR-49-001-PR-49-006	6	Discover, evaluate, approve, install, configure, invoke, monitor, update, suspend, and retire governed agents as bounded product capabilities.	C-004, C-028, C-029, C-035, C-046, C-050
50	Observation, Search, and Collection Agents	PR-50-001-PR-50-006	6	Delegate bounded source observation, crawling, search, collection, and coverage work while retaining purpose, rights, provenance, budgets, review, and human escalation.	C-012, C-013, C-028, C-029, C-039, C-040
51	Cleaning, Classification, NER, and Relationship Agents	PR-51-001-PR-51-006	6	Propose cleaned records, classifications, named entities, identity resolutions, and relationships with confidence, provenance, reversible changes, and review queues.	C-009, C-010, C-012, C-028, C-031, C-045
52	Knowledge Graph, Memory, and Reasoning Agents	PR-52-001-PR-52-006	6	Propose graph curation, retrieve institutional memory, construct evidence-grounded reasoning chains, surface contradiction, and preserve dissent and provenance.	C-005, C-009, C-010, C-012, C-015, C-028
53	Prediction, Scenario, Simulation, and Decision Agents	PR-53-001-PR-53-006	6	Coordinate bounded prediction, scenario, simulation, and recommendation work against exact evidence, model, assumption, twin, objective, and decision-case versions.	C-004, C-005, C-020, C-022, C-023, C-028
54	Domain Intelligence Agents	PR-54-001-PR-54-006	6	Apply specialist methods and ontologies through governed agent packages that preserve the universal evidence, graph, memory, forecast, and decision contracts.	C-006, C-007, C-028, C-030, C-035, C-050
55	Planner, Supervisor, Workflow, and Briefing Agents	PR-55-001-PR-55-006	6	Decompose authorized goals, assign bounded tasks, supervise agents, coordinate durable workflows, escalate exceptions, and assemble reviewable briefing drafts.	C-004, C-005, C-028, C-029, C-032, C-043
56	Agent Controls, Explainability, Escalation, and Human Override	PR-56-001-PR-56-006	6	Understand why an agent acted, inspect evidence and tools, constrain or stop execution, challenge outputs, escalate exceptions, and override within recorded authority.	C-004, C-005, C-028, C-029, C-035, C-036
57	Trust and Provenance Experience	PR-57-001-PR-57-006	6	Verify source, chain of custody, transformation, model or agent, policy, review, approval, release, delivery, correction, and current trust state for every material product.	C-005, C-012, C-035, C-036, C-038, C-047
58	Identity, Access, and Tenant Administration	PR-58-001-PR-58-006	6	Federate identities, provision roles, scope domains, enforce least privilege, manage privileged access, review entitlements, and revoke access across deployments.	C-004, C-035, C-036, C-037, C-039, C-041
59	Policy, Privacy, Residency, and Consent	PR-59-001-PR-59-006	6	Define, approve, enforce, explain, review, and evidence purpose, classification, rights, consent, minimization, residency, retention, and cross-border obligations.	C-035, C-037, C-039, C-040, C-041, C-050
60	Security, Cyber, and Incident Experience	PR-60-001-PR-60-006	6	Detect, investigate, contain, communicate, recover, and learn from security, privacy, integrity, availability, and supply-chain incidents without obscuring product state.	C-004, C-035, C-036, C-039, C-043, C-049
61	Model, Agent, and Data Governance Console	PR-61-001-PR-61-006	6	Inventory, evaluate, approve, constrain, monitor, change, suspend, roll back, and retire models, agents, datasets, prompts, tools, ontologies, and governed product packages.	C-028, C-030, C-031, C-035, C-045, C-046
62	Audit, Evidence, Compliance, and Investigation	PR-62-001-PR-62-006	6	Search, preserve, verify, reconstruct, export, attest, and investigate attributable product, data, model, agent, administrative, and human decision evidence.	C-011, C-012, C-035, C-036, C-040, C-049
63	Reliability, Degraded Modes, and Recovery Experience	PR-63-001-PR-63-006	6	Understand current product quality, freshness, availability, capacity, degraded mode, recovery progress, and safe actions at every material point of use.	C-005, C-035, C-042, C-043, C-047, C-049
64	Integrations, APIs, Exports, and Extensibility	PR-64-001-PR-64-006	6	Integrate The Eye through versioned APIs, commands, events, subscriptions, data products, exports, imports, SDKs, and governed extensions without bypassing product controls.	C-003, C-012, C-035, C-038, C-039, C-046

C H.	PRODUCT SUBJECT	REQUIREMENT RANGE	C O U N T	CONTROLLED OUTCOME	CONSTITUTION
65	SaaS, Private Cloud, and On-Premise Product Parity	PR-65-001-PR-65-006	6	Receive one semantic product across SaaS, Private Cloud, and On-Premise, including approved disconnected and air-gapped profiles, with only declared operational variance.	C-007, C-011, C-012, C-038, C-042, C-051
66	Packaging, Entitlements, and Licensing	PR-66-001-PR-66-006	6	Package and entitle capabilities, capacity, domains, agents, scenarios, data packages, integrations, and support without changing core semantics or weakening controls.	C-004, C-006, C-035, C-042, C-046, C-049
67	Onboarding, Configuration, and Data Migration	PR-67-001-PR-67-006	6	Establish customer context, identity, policies, sources, data, ontology extensions, users, workflows, deployment, integrations, and acceptance through reversible governed onboarding.	C-006, C-037, C-038, C-042, C-043, C-049
68	Implementation, Adoption, and Change Management	PR-68-001-PR-68-006	6	Move operating teams from current practice to governed strategic-intelligence workflows with measured readiness, adoption, competence, value, and controlled change.	C-004, C-006, C-047, C-048, C-049, C-050
69	Service Management, Support, and Customer Success	PR-69-001-PR-69-006	6	Request service, diagnose issues, share scoped evidence, receive workarounds, recover operation, manage commitments, and measure realized strategic value.	C-035, C-036, C-037, C-043, C-047, C-049
70	Product Analytics, Quality, and Unit Economics	PR-70-001-PR-70-006	6	Measure product quality, adoption, mission outcomes, decision support, trust, reliability, cost, capacity, and value without surveillance or vanity metrics.	C-012, C-034, C-037, C-040, C-045, C-049
71	Product Acceptance and Operational Readiness	PR-71-001-PR-71-006	6	Accept a capability only when its user journeys, authority, contracts, data, AI, infrastructure, security, privacy, accessibility, performance, failure, recovery, support, and evidence are complete for declared scope.	C-004, C-035, C-042, C-043, C-049, C-052
72	Product Governance and Baseline Closure	PR-72-001-PR-72-006	6	Govern the controlled PRD, resolve exceptions, measure conformance, approve amendments, retire capabilities, and preserve one coherent product baseline.	C-001, C-003, C-004, C-009, C-051, C-052

Requirement identity rules

RULE	BINDING APPLICATION
Stable identity	A PR identifier is never reused. Changed meaning receives controlled amendment, migration, impact analysis, and supersession evidence.
Atomic acceptance	Each PR closes independently even where one test produces shared evidence for several requirements.
Bidirectional traceability	Every PR resolves upward to authority and downward to journeys, design, components, data, AI, infrastructure, release, tests, operations, and retirement.
Runtime truth	A passing build or historic test does not establish current conformance when configuration, data, model, agent, deployment, policy, evidence age, or operating state differs.

F Acceptance Test and Evidence Matrix

Acceptance demonstrates product outcome and safe operation rather than feature presence. Every chapter closes through exact journeys, negative controls, deployment parity, accessibility, failure, recovery, audit, and accountable human acceptance.

ID	CAPABILITY	JOURNEY EVIDENCE	CONTROL EVIDENCE	CONTINUITY EVIDENCE	ACCEPTING AUTHORITY
AT-01	Product Authority, Scope, and Decision Rights	a complete capability inventory, authority matrix, signed baseline decision record, conflict tests, and release evidence	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a capability, requirement, owner, or decision cannot resolve to an approved authority, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-02	Product Principles and User Value Contract	journey tests across all six mission stages, user-value evidence, principle conformance review, and customer authority acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a workflow optimizes engagement, speed, or automation at the expense of truth, explanation, control, or strategic completeness, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-03	Customers, Tenants, and Operating Contexts	tenant-isolation tests, domain fixtures, jurisdiction and purpose checks, specialization compatibility tests, and customer acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when tenant, domain, jurisdiction, ownership, or purpose is ambiguous or conflicts with an active context, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-04	Roles, Personas, and Human Authority Model	role and separation-of-duty tests, delegated-authority expiry, recusal scenarios, approval digest verification, and accessibility evidence	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a user is ineligible, conflicted, unavailable, delegated outside policy, or cannot understand the decision package, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-05	Information Architecture and Workspace System	cross-workspace journey tests, deep-link and back-stack tests, object identity checks, role-based navigation evidence, and state restoration	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when workspace context, object identity, permission, or navigation history becomes inconsistent or stale, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-06	Product State, Lifecycle, and Work Object Model	state-machine fixtures, idempotency and ordering tests, stale-write denial, lifecycle replay, correction propagation, and export/re-import evidence	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when an object transition is invalid, duplicated, out of order, stale, partially committed, or cannot identify its owner, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-07	Accessibility, Localization, and Global Readiness	WCAG 2.2 AA journey evidence, assistive-technology tests, keyboard and focus tests, bidirectional-language fixtures, translation review, and user acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when content, control, alert, explanation, or approval cannot be perceived, operated, understood, translated, or verified, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-08	Product System Context and Cross-Volume Conformance	bidirectional trace queries, orphan detection, cross-volume conformance review, release closure, runtime evidence, and customer acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a product requirement has incomplete, conflicting, circular, stale, or unverifiable inheritance, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-09	Source Registry and Collection Workspace	source registration journeys, rights and purpose evidence, approval and revocation tests, coverage validation, and downstream impact review	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a source lacks valid authority, rights, ownership, purpose, coverage, or withdrawal handling, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations

ID	CAPABILITY	JOURNEY EVIDENCE	CONTROL EVIDENCE	CONTINUITY EVIDENCE	ACCEPTING AUTHORITY
AT-10	Observation Operations and Source Coverage	coverage dashboards reconciled to source evidence, blind-spot drills, freshness SLOs, fallback tests, and operator acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when coverage falls below target, sources conflict or disappear, freshness expires, or collection is constrained by law, cost, capacity, or security, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-11	Search, Discovery, and Research Workspace	golden-query relevance tests, permission trimming, temporal replay, citation resolution, omitted-source disclosure, and analyst acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when retrieval is incomplete, stale, policy-filtered, contradictory, unavailable, or cannot reproduce the cited result set, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-12	Document and Media Intelligence	format corpus tests, malware handling, OCR and transcription evaluation, alignment and citation checks, translation review, and accessibility evidence	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when content is malicious, corrupt, unsupported, partially extracted, mistranslated, misaligned, or missing accessible alternatives, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-13	Live Event, Stream, IoT, and Telemetry Experience	burst and latency tests, duplicate and ordering fixtures, device revocation, gap visualization, replay, and operator decision exercises	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when streams overrun, reorder, duplicate, lose time quality, develop gaps, or originate from an untrusted producer, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-14	Enterprise Systems and Internal Data Experience	connector certification, least-privilege tests, schema-change handling, transaction and deletion fixtures, reconciliation totals, and customer sign-off	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when permissions, schemas, business keys, transactions, watermarks, or reconciliation totals become invalid, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-15	Collection Plans, Watchlists, and Priorities	plan-to-objective traceability, budget and rights tests, duplicate detection, expiry exercises, coverage outcomes, and sponsor acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a plan becomes stale, duplicative, unauthorized, over budget, unbounded, or disconnected from an active objective, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-16	Intake Validation, Quarantine, and Evidence Review	positive and adversarial intake fixtures, quarantine escape tests, reviewer separation of duty, custody verification, and downstream non-use evidence	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when content is unsafe, unauthorized, corrupt, ambiguous, duplicated, policy-conflicting, or cannot preserve chain of custody, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-17	Intelligence Object and Evidence Experience	object-profile fixtures, version and temporal replay, provenance resolution, truth-state rendering, correction tests, and user comprehension evidence	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when an object is malformed, conflicting, missing required semantics, stale, withdrawn, or cannot resolve to evidence, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-18	Entity, Identity, and Relationship Workbench	golden identity corpus, cross-tenant negative tests, merge/split replay, relationship provenance, steward review, and impact reconciliation	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when identity is ambiguous, evidence conflicts, a merge would cross tenant or policy boundaries, or a committed resolution proves wrong, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-19	Knowledge Graph Exploration and Curation	path and temporal query fixtures, policy trimming, provenance closure, ontology migration, projection rebuild, and analyst comprehension tests	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a path is stale, policy-filtered, cyclically derived, unsupported, temporally invalid, or inconsistent with the canonical revision, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations

ID	CAPABILITY	JOURNEY EVIDENCE	CONTROL EVIDENCE	CONTINUITY EVIDENCE	ACCEPTING AUTHORITY
AT-20	Enterprise Memory and Strategic Record	memory retrieval and temporal replay, permission inheritance, contradiction handling, retention and deletion tests, and records-authority acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when memory is stale, contradictory, inaccessible, over-retained, missing provenance, or exposed outside purpose, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-21	Claims, Contradictions, Confidence, and Uncertainty	truth-state fixtures, contradiction and source-dependence tests, calibration evidence, dissent preservation, correction replay, and user comprehension	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when claims conflict, confidence is uncalibrated, sources are dependent, evidence is insufficient, or a prior assessment is withdrawn, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-22	Timelines, Provenance, and Decision-Grade Traceability	bitemporal replay, citation and digest resolution, lineage closure, clock-skew fixtures, decision snapshot reconstruction, and audit acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when time semantics conflict, lineage breaks, evidence is unavailable, clocks diverge, or a cited version no longer resolves, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-23	Classification, Summaries, and Analyst Workflows	golden classification and summarization sets, omission and hallucination tests, workflow recovery, reviewer separation, and analyst acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when classification is wrong, summary loses material nuance, assignments conflict, work becomes stale, or review is bypassed, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-24	Corrections, Withdrawals, Reconciliation, and Replay	end-to-end correction fixtures, impact analysis, projection rebuild, consumer acknowledgment, Decision Replay, and governance closure	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a target is unresolved, propagation is incomplete, projections diverge, consumers fail to acknowledge, or replay cannot reconstruct prior state, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-25	Weak Signal Detection	seeded-signal and null tests, source-independence checks, drift controls, analyst disposition evidence, false-positive analysis, and replay	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when signals are driven by source artifacts, correlated feeds, model drift, seasonal noise, or insufficient evidence, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-26	Early Warning System	trigger and latency tests, escalation drills, delivery receipts, suppression controls, false-positive and missed-event analysis, and owner acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a trigger is late, noisy, duplicated, policy-filtered, unowned, unacknowledged, or unsupported by current evidence, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-27	Risk Intelligence	risk taxonomy fixtures, aggregation and dependency tests, appetite breach workflow, calibration, mitigation tracking, and risk-owner acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when risk is unowned, double-counted, stale, based on invalid dependencies, outside appetite, or expressed with false precision, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-28	Opportunity Intelligence	opportunity discovery tests, objective and capability linkage, option comparison, evidence challenge, sponsor workflow, and outcome attribution	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when an opportunity is duplicative, speculative, misaligned, unowned, time-expired, or based on insufficient or biased evidence, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-29	Competitor Intelligence	entity-resolution corpus, source-diversity tests, comparable-basis controls, temporal replay, analyst challenge, and decision-use evidence	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when identity is mistaken, sources are correlated or manipulated, comparisons use incompatible definitions, or coverage becomes stale, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations

ID	CAPABILITY	JOURNEY EVIDENCE	CONTROL EVIDENCE	CONTINUITY EVIDENCE	ACCEPTING AUTHORITY
AT-30	Supply Chain Intelligence	network and identity fixtures, tier-coverage measures, disruption replay, alternative feasibility checks, source reconciliation, and operator acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when network coverage is incomplete, identities conflict, telemetry is late, inferred tiers are uncertain, or alternatives are infeasible, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-31	Geopolitical, Technology, Cyber, and Financial Intelligence	domain conformance suites, ontology and contract compatibility, source and model approval, cross-domain journey tests, and authority acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a domain package conflicts with canonical semantics, uses unapproved sources or models, exceeds purpose, or creates incompatible risk meaning, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-32	Forecasting and Prediction Horizons	backtests by horizon, leakage controls, calibration and sharpness, model comparison, assumption sensitivity, outcome scoring, and forecaster acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a horizon is unsupported, inputs are stale, calibration fails, assumptions change, models disagree materially, or outcomes cannot be scored, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-33	Scenario Intelligence Workspace	plurality and distinctness tests, assumption consistency, evidence traceability, facilitated challenge, temporal replay, and sponsor acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when scenarios collapse to one forecast, omit material uncertainty, duplicate each other, contain inconsistent assumptions, or lose evidence links, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-34	Scenario Marketplace	publisher verification, signature and supply-chain tests, compatibility fixtures, sandbox evaluation, entitlement enforcement, and customer approval	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a package is unsigned, incompatible, vulnerable, expired, misleading, unlicensed, or requests excessive data or capabilities, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-35	Simulation Design and Run Control	reproducibility, seed and sensitivity tests, model validation, resource-boundary tests, checkpoint recovery, and specialist acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when inputs are incompatible, constraints fail, runs diverge, resources exhaust, outputs cannot reproduce, or model validity is indeterminate, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-36	Digital Twin Portfolio and State	state synchronization, branch isolation, time travel, model validation, drift monitoring, replay, and owner acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a twin drifts, loses synchronization, mixes observed and synthetic state, exceeds validated scope, or cannot reproduce a prior branch, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-37	Strategy Graph and Objective-Capability Alignment	graph integrity and temporal tests, objective-to-capability coverage, metric validation, conflict and dependency analysis, and executive acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when objectives conflict, measures are gamed or stale, capability evidence is weak, dependencies are cyclic, or ownership is missing, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-38	Decision Intelligence and Recommendation Review	decision-completeness fixtures, evidence and citation checks, alternative and dissent tests, recommendation evaluation, accessibility, and authority acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when the package is incomplete, evidence is stale, explanation is unsupported, alternatives are missing, conflicts are undisclosed, or the recommendation exceeds authorized scope, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations

ID	CAPABILITY	JOURNEY EVIDENCE	CONTROL EVIDENCE	CONTINUITY EVIDENCE	ACCEPTING AUTHORITY
AT-39	Human Approval, Commitment, and Decision Record	authority and separation tests, digest binding, signature verification, approval replay, partial-commitment recovery, and audit acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when authority is stale or conflicted, digest changes, required reviewers are absent, approval is ambiguous, or commitment creation partially fails, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-40	Decision Replay, Outcome Attribution, and Learning	historical reconstruction, version pinning, outcome linkage, confounding and attribution tests, governed-change workflow, and auditor acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when decision-time state cannot reconstruct, outcomes are missing or confounded, attribution is overstated, or learning would cause silent self-modification, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-41	Executive Operating System	executive cadence journeys, strategic-loop closure, authority and delegation tests, stale-state handling, accessibility, and executive acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when executive state is incomplete, stale, policy-filtered, contradictory, overloaded, or detached from accountable owners and evidence, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-42	Strategic Briefings and Command Views	briefing generation and citation tests, cutoff replay, audience and classification controls, approval digest, delivery receipts, correction drills, and recipient comprehension	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a briefing is stale, unsupported, misclassified, sent to the wrong audience, inaccessible, or altered after approval, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-43	Strategic Health Score	formula and lineage tests, sensitivity and missing-data analysis, anti-gaming review, temporal replay, decomposition accessibility, and executive acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when inputs are stale or missing, weights are disputed, metrics are gamed, confidence is low, or aggregation masks a critical failure, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-44	Proactive Intelligence and Priority Queue	precision and recall by class, ranking fairness and stability, overload drills, escalation latency, suppression audits, and user acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when the queue becomes noisy, biased, duplicated, stale, unowned, overloaded, or hides a severe lower-ranked item, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-45	Strategic Planning and Initiative Governance	objective alignment, dependency and budget tests, approval workflow, baseline/change replay, forecast variance, and sponsor acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a plan loses objective linkage, becomes infeasible, exceeds authority or budget, has conflicting dependencies, or drifts without review, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-46	Collaboration, Tasks, and Workflow Orchestration	role and external-sharing tests, workflow crash recovery, duplicate-task handling, handoff context, approval gating, and collaboration accessibility	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when participants lose access, tasks duplicate or stall, handoffs lose context, messages cross domains, or workflows partially complete, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-47	Reporting, Publishing, and Distribution	source-to-publication lineage, multi-format visual QA, classification and audience tests, accessibility, receipt tracking, correction and withdrawal drills	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when content is stale or unsupported, formatting changes meaning, delivery exceeds audience, export loses controls, or corrections fail to propagate, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-48	Mobile, Field, Offline, and Disconnected Operation	network-loss journeys, local encryption and expiry, conflict fixtures, queued-command idempotency, remote revocation, resynchronization, and field acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when connectivity is absent, local data expires, devices are lost or compromised, queues conflict, synchronization is partial, or remote authority changes, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations

ID	CAPABILITY	JOURNEY EVIDENCE	CONTROL EVIDENCE	CONTINUITY EVIDENCE	ACCEPTING AUTHORITY
AT-49	Agent Operating Model and Marketplace	package signature and provenance, sandbox tests, permission minimization, evaluation thresholds, lifecycle and rollback drills, and governor acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when an agent is untrusted, incompatible, over-privileged, unevaluated, compromised, expired, drifting, or requests undeclared capabilities, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-50	Observation, Search, and Collection Agents	source and rights fixtures, crawl-boundary tests, budget and loop controls, tool-denial tests, provenance closure, and supervisor acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when agents encounter prohibited content, robots or legal constraints, credential loss, source manipulation, loops, budget exhaustion, or coverage ambiguity, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-51	Cleaning, Classification, NER, and Relationship Agents	golden and adversarial datasets, provenance and reversibility, merge/split tests, calibration by class, drift monitoring, and steward acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when agents corrupt meaning, lose provenance, misclassify, merge identities incorrectly, create unsupported relationships, or drift, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-52	Knowledge Graph, Memory, and Reasoning Agents	context and citation closure, circularity and contradiction tests, temporal replay, policy trimming, abstention evaluation, and expert acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when context is incomplete or policy-filtered, reasoning is circular, citations fail, memory is stale, or claims exceed evidence, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-53	Prediction, Scenario, Simulation, and Decision Agents	multi-agent replay, version pinning, budget and tool controls, gate-bypass tests, uncertainty propagation, and decision-authority acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when versions diverge, task chains amplify error, models disagree, budgets exhaust, gates are bypassed, or an agent attempts institutional effect, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-54	Domain Intelligence Agents	domain benchmark suites, ontology compatibility, scope and tool negative tests, cross-domain consistency, explanation review, and authority acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when an agent operates outside domain competence, conflicts with canonical semantics, uses unapproved data or models, or creates unsafe cross-domain effects, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-55	Planner, Supervisor, Workflow, and Briefing Agents	goal-to-plan traceability, loop and budget controls, crash recovery, deadlock and duplicate tests, gate enforcement, dissent preservation, and supervisor acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when plans loop or expand scope, agents deadlock, tasks duplicate, supervision fails, context diverges, or briefing synthesis hides material dissent, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-56	Agent Controls, Explainability, Escalation, and Human Override	explanation fidelity, tool and permission denial, emergency stop, override and residual-effect drills, escalation availability, and auditor acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when explanations are incomplete, tools exceed scope, side effects are uncertain, stop signals fail, escalation is unavailable, or override creates residual effects, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-57	Trust and Provenance Experience	end-to-end provenance resolution, tamper and substitution tests, offline verification, correction propagation, recipient checks, and audit acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when provenance breaks, signatures fail, artifacts mismatch, authority expires, corrections are pending, or verification services are unavailable, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-58	Identity, Access, and Tenant Administration	federation and lifecycle tests, least-privilege and cross-tenant negatives, privileged workflows, recertification, emergency access, and customer acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when identity assurance fails, privileges conflict or become stale, federation is unavailable, revocation lags, or tenant scope is ambiguous, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations

ID	CAPABILITY	JOURNEY EVIDENCE	CONTROL EVIDENCE	CONTINUITY EVIDENCE	ACCEPTING AUTHORITY
AT-59	Policy, Privacy, Residency, and Consent	policy decision fixtures, consent withdrawal, purpose expiry, location and transfer negatives, minimization tests, rights requests, and authority acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when policy is missing or conflicting, consent changes, purpose expires, location cannot be established, or obligations cannot propagate, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-60	Security, Cyber, and Incident Experience	attack and incident simulations, evidence custody, tenant-scoped communication, containment and recovery drills, disclosure workflow, and customer acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when detection is uncertain, scope expands, controls fail, evidence is compromised, responders lose access, or recovery would create unsafe state, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-61	Model, Agent, and Data Governance Console	inventory and dependency closure, evaluation expiry, gate and rollback tests, runtime drift linkage, exception expiry, and governance acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when inventory or lineage is incomplete, evaluation expires, dependencies become unsafe, approval scope is exceeded, or runtime fitness degrades, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-62	Audit, Evidence, Compliance, and Investigation	non-repudiation and tamper tests, cross-system correlation, temporal replay, legal hold, scoped export verification, and independent audit acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when events are missing, clocks diverge, custody breaks, retention conflicts, legal hold is incomplete, or exports cannot verify, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-63	Reliability, Degraded Modes, and Recovery Experience	fault injection, dependency and capacity tests, mode-entry and exit, backup/restore and site recovery, user messaging, and customer readiness acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when services, data, models, sources, networks, or sites fail; state diverges; capacity exhausts; or recovery cannot prove reconciliation, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-64	Integrations, APIs, Exports, and Extensibility	contract and SDK suites, idempotency and versioning, policy and tenant negatives, export/re-import verification, extension sandboxing, and customer acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when contracts are incompatible, callers retry unsafely, exports exceed rights, imports fail validation, extensions are untrusted, or delivery is partial, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-65	SaaS, Private Cloud, and On-Premise Product Parity	identical golden journeys and fixtures, semantic diffs, export/re-import and replay, degraded-mode comparison, and customer acceptance for every profile	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when a profile cannot pass common journeys, contracts, policies, failure, recovery, export, or replay fixtures, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-66	Packaging, Entitlements, and Licensing	entitlement matrix tests, offline licensing, quota and grace scenarios, meter reconciliation, renewal and suspension recovery, and customer acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when entitlements conflict, licensing is unavailable, meters diverge, limits are exceeded, renewals lapse, or emergency operation is required, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-67	Onboarding, Configuration, and Data Migration	discovery and responsibility sign-off, configuration validation, migration rehearsal, reconciliation, role-based journey tests, rollback, and customer acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when source scope is incomplete, mappings are ambiguous, reconciliation fails, configuration drifts, users are unready, or cutover exceeds risk, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-68	Implementation, Adoption, and Change Management	stakeholder and process readiness, role competency, accessible training, cohort rollout, shadow-process review, adoption and value measures, and sponsor acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when users are unready, processes conflict, training is inaccessible, shadow workflows persist, adoption measures mislead, or change causes unsafe workarounds, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations

ID	CAPABILITY	JOURNEY EVIDENCE	CONTROL EVIDENCE	CONTINUITY EVIDENCE	ACCEPTING AUTHORITY
AT-69	Service Management, Support, and Customer Success	case and entitlement routing, secure evidence bundle, approved support access, SLA and escalation drills, known-error reuse, closure confirmation, and value review	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when support cannot reproduce the issue, access is unavailable, evidence is sensitive, commitments are missed, fixes regress, or recurring problems remain open, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-70	Product Analytics, Quality, and Unit Economics	metric contract and lineage, privacy and minimization review, cohort and bias tests, cost reconciliation, anti-gaming checks, and accountable business review	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when metrics are biased, stale, incomplete, privacy-invasive, non-comparable, gamed, or detached from customer outcomes and cost, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-71	Product Acceptance and Operational Readiness	requirements closure, end-to-end journey evidence, security/privacy/accessibility, scale and resilience exercises, deployment parity, support readiness, and signed acceptance	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when evidence is missing or stale, scope is ambiguous, conditions expire, material defects remain, recovery is untested, or parity is unproven, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations
AT-72	Product Governance and Baseline Closure	full traceability, exception and evidence-age review, deployment and customer conformance, retirement proof, cross-volume sign-off, and executive attestation	Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, and replay fixtures prove the product and authority contract.	A fault exercise proves the declared continuity response when requirements conflict, exceptions age, evidence decays, local variants diverge, ownership lapses, or proposed change alters product identity, including visible state, audit, and recovery closure.	Product owner + independent assurance + customer authority for declared obligations

Acceptance record fields

FIELD	BINDING CONTENT	CLOSURE RULE
Acceptance unit	Capability, journey, release, deployment, tenant or domain, role, entitlement, configuration, data and model versions, consequence, and period	No implied adjacent scope
Evidence set	Immutable test results, artifacts, telemetry, traces, reports, exceptions, conditions, and digests	Exact versions and dates resolve
Authorities	Product, architecture, engineering, data, AI, security, privacy, accessibility, operations, commercial, independent, and customer roles as applicable	Eligibility and separation verified
Conditions	Residual risk, operational constraint, compensating control, owner, due date, expiry, and affected journey	Expiry constrains acceptance automatically
Decision	Accepted, accepted with conditions, rejected, withdrawn, expired, or superseded	Authenticated signature and rationale

G Information Architecture and Object Action Catalog

The object-action model prevents presentation from inventing state changes. Every action resolves to an accountable object owner, permission, precondition, human gate, version, audit causation, correction path, and deterministic terminal state.

ID	WORK OBJECT	ACTION	ELIGIBLE ACTOR	PRODUCT EFFECT	REQUIRED EVIDENCE
OBJ-01	Evidence item	View original	Any evidence consumer	Never mutates source bytes	Source, digest, rights, custody, time
OBJ-02	Evidence item	Annotate	Analyst or reviewer	Creates a linked versioned annotation	Actor, purpose, target segment, time
OBJ-03	Evidence item	Correct or withdraw	Source authority	Non-destructive governed case	Authority, reason, target, impact
OBJ-04	Intelligence object	Inspect	Authorized consumer	Shows canonical header and status	Identity, version, time, truth, policy
OBJ-05	Intelligence object	Propose assessment	Analyst or agent	Creates separate derived object	Evidence, method, uncertainty, owner
OBJ-06	Entity	Propose merge	Steward or bounded agent	No canonical effect before review	Candidates, evidence, score, scope
OBJ-07	Entity	Commit merge	Eligible steward	Versioned reversible canonical revision	Approval, mapping, impact, audit
OBJ-08	Entity	Split	Eligible steward	Preserves prior identity history	Authority, reason, descendants, impact
OBJ-09	Relationship	Propose	Analyst or agent	Remains a proposal until admitted	Endpoints, type, time, evidence
OBJ-10	Relationship	Adjudicate	Steward or domain authority	Commits, rejects, or qualifies proposal	Rationale, evidence, revision
OBJ-11	Claim	Assert	Authorized analyst or source adapter	Explicit asserted truth state	Proponent, evidence, scope, time
OBJ-12	Claim	Assess	Analyst, method, or agent	Creates inference or assessment	Method, confidence, uncertainty, dissent
OBJ-13	Claim	Contest	Authorized reviewer	Preserves competing position	Counter-evidence, rationale, actor
OBJ-14	Memory item	Record	Authorized knowledge owner	Creates permission-aware version	Source, audience, validity, retention
OBJ-15	Memory item	Retrieve	Purpose-authorized user or agent	No mutation; access is audited	Purpose, version, policy decision
OBJ-16	Memory item	Supersede	Record authority	Prior version remains replayable	Reason, replacement, effective time
OBJ-17	Signal	Nominate	Detector, analyst, or agent	Tentative until analyst disposition	Baseline, deviation, sources, novelty
OBJ-18	Signal	Disposition	Eligible analyst	Confirms, monitors, dismisses, or escalates	Evidence, uncertainty, rationale
OBJ-19	Warning	Issue	Policy engine plus authorized owner	Starts owned escalation lifecycle	Trigger, severity, evidence, recipients
OBJ-20	Warning	Acknowledge	Named recipient	Records receipt, not agreement	Actor, time, intended response
OBJ-21	Warning	Suppress	Authorized owner	Time-bound reasoned suppression	Scope, reason, expiry, approval
OBJ-22	Risk	Accept assessment	Risk owner	Accepts current exposure model	Appetite, uncertainty, controls, review
OBJ-23	Opportunity	Sponsor	Eligible sponsor	Creates owned evaluation or initiative	Objective, option, budget, conditions
OBJ-24	Forecast	Publish	Forecaster and reviewer	Freezes cutoff, method, distribution	Inputs, model, assumptions, horizon
OBJ-25	Forecast	Supersede	Forecast owner	Prior forecast remains scoreable	Reason, new version, effective time
OBJ-26	Scenario	Branch	Scenario author	Creates explicit alternative future	Parent, divergence, assumptions, owner
OBJ-27	Scenario package	Install	Customer package authority	No data or tool use before approval	Signature, rights, compatibility, scope
OBJ-28	Simulation	Execute	Authorized operator	Uses exact immutable run manifest	Model, inputs, seed, constraints, budget

ID	WORK OBJECT	ACTION	ELIGIBLE ACTOR	PRODUCT EFFECT	REQUIRED EVIDENCE
OBJ-29	Simulation	Promote result	Simulation reviewer	Marks output fit for stated use	Validation, sensitivity, limitations
OBJ-30	Digital Twin	Publish snapshot	Twin owner	Freezes observed state and validity	Sources, time, model, quality, scope
OBJ-31	Digital Twin	Create synthetic branch	Planner or simulator	Never overwrites observed state	Parent, assumptions, model, purpose
OBJ-32	Decision case	Mark decision-ready	Independent reviewer	Requires completeness and fresh digest	Evidence, options, dissent, approvals
OBJ-33	Recommendation	Accept for consideration	Human reviewer	Does not make the decision	Explanation, evidence, uncertainty
OBJ-34	Decision	Approve	Eligible human authority	Creates non-repudiable institutional record	Identity, authority, digest, rationale
OBJ-35	Decision	Reject or defer	Eligible human authority	Records rationale and conditions	Digest, rationale, next review
OBJ-36	Commitment	Create	Decision workflow	Requires approved decision or authority	Owner, deadline, conditions, evidence
OBJ-37	Commitment	Close	Commitment owner and reviewer	Requires completion and outcome evidence	Deliverable, verification, exceptions
OBJ-38	Agent run	Pause or cancel	Authorized user or safety control	Stops new work and records residual state	Reason, checkpoint, effects, escalation
OBJ-39	Publication	Approve and deliver	Publication authority	Binds exact bytes to audience and channel	Digest, classification, recipients, receipts
OBJ-40	Product release	Accept	Named independent authorities	Scope-limited, conditional, expiring acceptance	Release, tests, evidence, conditions

H Notification, Alert, and Escalation Catalog

Notifications transport governed product state; they do not become a separate truth source or approval surface. Severity, evidence, owner, acknowledgment, escalation, correction, expiry, suppression, and delivery receipts remain available from every notification.

ID	PATTERN	PRIORITY	CHANNEL	RESPONSE	TRIGGER	ESCALATION	RETENTION	AUTHORITY RULE
NOT-01	Information update	Low	In-app activity stream	No	Source change or object update	User preference	30 days	Informational only
NOT-02	Assigned task	Normal	In-app and configured work channel	Acknowledge	Task assignment	Assignee then owner	Task lifecycle	Due time and evidence explicit
NOT-03	Review request	Normal	In-app and email or enterprise channel	Acknowledge	Review gate opened	Reviewer then gate owner	Gate lifecycle	Exact object version required
NOT-04	Approval required	High	In-app plus verified channel	Explicit action	Eligible approval pending	Delegation chain	Permanent audit	Never approves from notification body
NOT-05	Approval invalidated	High	In-app plus verified channel	Acknowledge	Digest, authority, or policy changed	Decision owner	Permanent audit	Re-review mandatory
NOT-06	Warning issued	Consequence-based	Command view, in-app, configured channel	Acknowledge	Governed trigger	Warning policy	Warning lifecycle	Evidence and uncertainty included
NOT-07	Warning escalation	High or critical	Redundant verified channels	Acknowledge and act	Missed acknowledgment or worsening state	Named escalation chain	Permanent audit	Escalation does not alter severity evidence
NOT-08	Warning corrected or withdrawn	Same as original	Original recipient channels	Acknowledge if material	Correction authority	Warning owner	Permanent audit	Links original and replacement
NOT-09	Weak signal nominated	Low	Analyst queue	Disposition	Detector threshold	Signal owner	Evaluation lifecycle	Never presented as confirmed warning
NOT-10	Source coverage loss	High	Observation operations and affected owners	Acknowledge	Coverage or freshness SLO breach	Collection lead	Incident lifecycle	Affected products and horizons shown
NOT-11	Source rights expired	Critical	Collection, legal, data owners	Act	Contract expiry or revocation	Source authority	Permanent audit	Collection and prohibited use stop
NOT-12	Evidence quarantined	Normal to high	Intake review queue	Disposition	Validation or security failure	Intake owner	Case lifecycle	Original custody preserved
NOT-13	Data correction impact	High	Affected product and decision owners	Acknowledge	Correction propagation	Correction owner	Permanent audit	Shows affected versions and use
NOT-14	Claim contradiction	Normal	Analyst and reviewer queue	Review	Governed contradiction rule	Assessment owner	Assessment lifecycle	Competing claims remain visible
NOT-15	Forecast calibration breach	High	Forecaster, model risk, consumers	Acknowledge	Evaluation threshold	Forecast owner	Model lifecycle	Decision-active use constrained
NOT-16	Model or agent drift	High	Governance and capability owners	Acknowledge and act	Runtime fitness threshold	Artifact owner	Artifact lifecycle	Version and affected outputs shown
NOT-17	Agent escalation	Consequence-based	Requester and eligible supervisor	Decide	Bounded agent cannot continue safely	Supervisor chain	Run lifecycle	No silent scope expansion
NOT-18	Agent side-effect request	High	Eligible human gate	Explicit action	Consequential tool action proposed	Authority matrix	Permanent audit	Exact effect digest required
NOT-19	Agent stopped	High	Requester, supervisor, operations	Acknowledge	Safety, user, policy, or system stop	Agent owner	Run lifecycle	Residual effects and checkpoints shown
NOT-20	Simulation run completed	Normal	Run owner and reviewers	Review	Terminal verified result	Simulation owner	Run lifecycle	Validity and limitations included
NOT-21	Simulation validity failed	High	Run owner, model risk, consumers	Acknowledge	Validation failure	Simulation authority	Permanent audit	Output marked non-decision-active
NOT-22	Twin synchronization lost	High	Twin owner and affected consumers	Acknowledge	Freshness or reconciliation breach	Twin owner	Incident lifecycle	Observed and synthetic state separated
NOT-23	Decision package ready	High	Eligible decision authority	Review	Completeness gate passes	Decision secretariat	Permanent audit	Exact digest and expiry shown
NOT-24	Commitment overdue	High	Owner, sponsor, escalation chain	Acknowledge and act	Deadline or evidence missing	Commitment policy	Permanent audit	Strategic impact linked
NOT-25	Product degraded mode	High	Affected users and operators	Acknowledge when consequential	Mode declaration	Service owner	Incident lifecycle	Available and unavailable behavior explicit

ID	PATTERN	PRIORITY	CHANNEL	RESPONSE	TRIGGER	ESCALATION	RETENTION	AUTHORITY RULE
NOT-26	Recovery state changed	High	Affected users, operators, customer admins	Inform or acknowledge	Recovery milestone	Incident commander	Incident lifecycle	Reconciliation and remaining risk shown
NOT-27	Security incident	Critical	Scoped incident and customer channels	Acknowledge and act	Incident command decision	Security escalation tree	Permanent audit	No speculative scope represented as fact
NOT-28	Privacy or residency breach	Critical	Privacy, customer, legal, incident command	Acknowledge and act	Governed incident classification	Privacy authority	Permanent audit	Jurisdiction and duties explicit
NOT-29	Entitlement or license state	Normal to high	Customer admins and affected owners	Act if service impact	Renewal, limit, or reconciliation event	Commercial operations	Contract lifecycle	Grace and preserved work stated
NOT-30	Acceptance condition expiry	High	Product, customer, assurance authorities	Act	Condition or evidence expiry	Acceptance authority	Permanent audit	Capability scope automatically constrained
NOT-31	Governance exception expiry	High	Exception owner and governing authority	Act	Time or condition reached	Governance chain	Permanent audit	No silent extension
NOT-32	Executive priority change	High	Affected owners and executive operators	Acknowledge	Authenticated executive action	Executive authority	Permanent audit	Objective, rationale, and effective time linked

Alert command rules

RULE	REQUIRED BEHAVIOR
Evidence at the point of action	A recipient can resolve trigger, evidence, uncertainty, affected objective or exposure, owner, time, correction state, and safe action without trusting notification text alone.
Acknowledgment is not agreement	Receipt, acknowledgment, review, acceptance, suppression, approval, action, and closure are separate attributable transitions.
Escalation is deterministic	Recipient eligibility, delay, retry, redundant channel, substitute role, maximum time, and incident handoff are policy-controlled and testable.
Correction follows recipients	Material corrections and withdrawals reach original recipient scope, link prior state, require acknowledgment where appropriate, and remain replayable.
Overload is a product failure	Queues expose precision, duplication, suppression, delivery, ownership, backlog, severe-item visibility, and operator capacity rather than hiding volume.

I Explainability and Human Authority UI Contract

The contract defines information and action that must be present at the point of strategic use. Volume 9 controls visual and interaction expression; it may not remove, obscure, preselect, compress, or combine these authority and explanation semantics.

ID	PATTERN	MANDATORY INFORMATION	APPLIES TO	BLOCKING BEHAVIOR
HX-01	Evidence disclosure	Show sources, citations, versions, cutoff, omissions, and policy-filtered scope	Every assessment, warning, forecast, recommendation, and briefing	Product may be viewed but not marked decision-ready
HX-02	Truth-state label	Distinguish observed, asserted, inferred, assessed, synthetic, recommended, decided, corrected, and withdrawn	Every material intelligence object	Unsupported promotion is blocked
HX-03	Uncertainty statement	Show form, magnitude or class, drivers, calibration, and unsupported precision	Forecasts, signals, assessments, simulations, recommendations	Product is partial or abstains
HX-04	Alternative explanations	Show plausible alternatives and counter-evidence	Material reasoning and causal assessments	Independent review required
HX-05	Dissent preservation	Show reviewer dissent, status, evidence, and disposition	Assessments and decision packages	Decision-ready status requires visible dissent
HX-06	Method disclosure	Show method, model, prompt or policy artifact, assumptions, and evaluation	AI-assisted strategic products	Use constrained when method is unresolved
HX-07	Agent trace	Show agent identity, plan, context, models, tools, actions, checkpoints, and refusals	Every governed agent run	Acceptance unavailable without trace closure
HX-08	Recommendation rationale	Connect objectives, evidence, alternatives, trade-offs, risk, uncertainty, and expected effect	Every recommendation	Recommendation remains non-decision-active
HX-09	Human authority banner	Name eligible authority, required reviewers, delegation, recusal, and current gate	Consequential approval and commitment	No eligible authority means no transition
HX-10	Exact decision digest	Freeze question, options, evidence snapshot, recommendation, dissent, conditions, and version	Human decision action	Any change invalidates pending approval
HX-11	AI non-authority notice	State that AI recommends, forecasts, simulates, reasons, and explains but does not decide	AI-assisted decision flow	Missing notice blocks acceptance
HX-12	Approval action separation	Separate review, acknowledgment, approval, rejection, deferral, and publication actions	All gates and notifications	Ambiguous action is rejected
HX-13	Consequence preview	Show intended institutional effect, affected objects, reversibility, residual risk, and audit scope	Commands, tool calls, decisions, commitments	Effect cannot execute without review
HX-14	Contest and correction path	Provide challenge, evidence submission, reviewer, status, escalation, and outcome	Every decision-active intelligence product	No contest path means non-conformance
HX-15	Freshness and coverage state	Show data cutoff, source health, missing intervals, coverage and projection watermarks	Live and executive views	Stale or partial state is visibly constrained
HX-16	Degraded-mode contract	State available functions, unavailable functions, limitations, maximum duration, owner, and exit evidence	Every declared degraded mode	Unsafe actions disabled automatically
HX-17	Policy decision explanation	Show identity, purpose, policy version, decision, obligations, denial reason, and appeal	Access, privacy, residency, export, and model use	Unresolved policy means deny or restrict
HX-18	Correction impact notice	Link original, correction, affected products, decisions, required review, and closure	Material correction or withdrawal	Affected products cannot claim current completeness
HX-19	Override record	Capture human authority, reason, evidence, intended effect, residual risk, expiry, and review	Human override of AI or automation	Override without authority is denied
HX-20	Outcome and learning disclosure	Separate observed outcome, attribution hypothesis, lesson, proposed change, and approval	Decision Replay and learning	No automatic self-modification

Human decision action contract

CONTROL	BINDING PRODUCT BEHAVIOR
Eligibility	Resolve identity, role, delegation, separation, recusal, purpose, scope, time, device or session assurance, and required co-approval before presenting an enabled action.
Exact digest	Bind the action to the complete question, options, evidence cutoff, versions, recommendation, dissent, conditions, intended effect, and current policy decision.
Deliberate action	Do not infer approval from navigation, reading, acknowledgment, inactivity, chat text, default selection, bulk action, or administrator command.
Rationale and conditions	Capture required rationale, reservations, conditions, owner, due time, review, and expiry according to consequence class.
Commit and receipt	Persist human signature and decision before institutional effect; provide immutable receipt, created commitments, residual effects, and downstream status.
Invalidate on change	Any material digest, authority, policy, evidence, option, recommendation, or intended-effect change cancels pending approval and requires review.

J Accessibility, Localization, and Global Readiness Matrix

Accessibility and global readiness preserve strategic meaning and human authority across sensory, motor, cognitive, language, script, cultural, device, and network contexts. Equivalent material journeys are release-blocking requirements, not optional accommodations.

ID	CONTROL AREA	PRODUCT REQUIREMENT	MINIMUM EVIDENCE	SCOPE
GLB-01	Perceivable text	Text alternatives, scalable text, reflow, spacing, contrast, non-color cues	WCAG 2.2 AA automated and manual evidence	All deployments and roles
GLB-02	Keyboard operation	Complete journeys without pointer, visible focus, logical order, no traps	Keyboard-only journey suite	All interactive surfaces
GLB-03	Screen reader semantics	Landmarks, names, roles, states, relationships, live-region restraint	NVDA, JAWS, VoiceOver, and platform tests	Material web and native journeys
GLB-04	Motor accessibility	Target size, alternatives to drag, no path-only gestures, switch compatibility	Manual and assistive input tests	Desktop, tablet, and mobile
GLB-05	Cognitive accessibility	Plain labels, consistent actions, error prevention, review, help, no forced memory	Expert and representative-user review	Decision and administration journeys
GLB-06	Time and motion	Adjustable timeouts, pause controls, reduced motion, no unsafe flashing	Automated and manual fixtures	Alerts, live views, simulations
GLB-07	Data visualization accessibility	Text summary, table alternative, patterns, focus order, described uncertainty	Visual and screen-reader QA	Graphs, charts, maps, timelines
GLB-08	Decision accessibility	Exact digest, readable alternatives, explanation, review time, non-visual approval	End-to-end authority tests	All consequential decisions
GLB-09	Alert accessibility	Multimodal severity, persistent state, acknowledgment, no color-only meaning	Warning journey and assistive tests	Early Warning System
GLB-10	Document accessibility	Tagged reading order, headings, tables, links, language, alt text	PDF and office artifact audit	Reports, briefings, exports
GLB-11	Language negotiation	User, content, tenant, and object language remain distinct	Locale and fallback fixtures	All deployments
GLB-12	Translation provenance	Identify source language, translator or model, version, review, and confidence	Translation alignment and review	Decision-active translated content
GLB-13	Bidirectional scripts	Logical and visual order, mixed identifiers, tables, graphs, and forms	Arabic and Hebrew journey suite	Supported RTL locales
GLB-14	Complex scripts	Shaping, line break, search, sort, input, export, and font coverage	Representative script corpus	Supported locales
GLB-15	Timezone and calendar	Store canonical instants; show user and event zones; preserve calendar basis	DST, leap, historical-zone fixtures	Timeline and scheduling functions
GLB-16	Numbers and currency	Locale format without altering canonical value, precision, or unit	Round-trip and comparison tests	Metrics, finance, simulation
GLB-17	Units and measurement	Preserve original and canonical units, conversion method, uncertainty	Conversion and export fixtures	Scientific, operational, climate data
GLB-18	Names and addresses	Unicode-safe identity, local order, aliases, transliteration, no forced Western form	International identity corpus	People and organization objects
GLB-19	Jurisdictional content	Separate translation, legal text, effective date, authority, and applicability	Regulatory domain review	Regulation and policy products
GLB-20	Reading level and terminology	Canonical term plus role-appropriate explanation without semantic dilution	Terminology and comprehension tests	Executive, analyst, operator audiences
GLB-21	Low bandwidth	Prioritize critical state, progressive loading, explicit incompleteness, resumable transfer	Network shaping tests	Field and constrained environments
GLB-22	Offline accessibility	Assistive settings, local help, keyboard, cached alternatives, safe synchronization	Disconnected journey tests	Approved offline profiles
GLB-23	Device and display range	Responsive layouts, zoom, orientation, large display, secure kiosk	Device matrix and visual QA	Supported client profiles
GLB-24	Accessibility governance	Named owner, defect severity, regression gate, exception expiry, user feedback	Release and operations evidence	Every accepted capability

K Deployment Parity and Offline Behavior Matrix

Deployment parity preserves product semantics while allowing controlled provider, topology, locality, capacity, and operating-responsibility variance. Offline and air-gapped states are explicit product profiles with bounded scope, expiry, revocation, queued effects, conflict resolution, and reconciliation.

ID	CAPABILITY CONTRACT	INVARIANT BEHAVIOR	PERMITTED VARIANCE	MINIMUM PARITY EVIDENCE
PAR-01	Human authority and approval	Identical authority, digest, separation, signature, and audit semantics	Local identity provider and signing implementation	Golden decision journey
PAR-02	Canonical objects	Identical identity, version, time, truth, provenance, policy, correction	Storage and indexing technology	Export, re-import, and replay
PAR-03	Knowledge Graph	Identical ontology, temporal revision, provenance, query, and stewardship	Graph engine and scaling topology	Graph fixture and migration suite
PAR-04	Enterprise Memory	Identical record, permission, retention, correction, and temporal retrieval	Repository implementation	Memory replay and rights tests
PAR-05	Digital Twins	Identical observed and synthetic separation, versions, validity, and replay	Compute and state engine	Twin branch and time-travel suite
PAR-06	Forecasting horizons	Identical six horizons, cutoff, distribution, calibration, and scoring	Model and accelerator selection	Backtest and scoring fixtures
PAR-07	Scenarios and simulations	Identical assumptions, versions, seeds, reproducibility, and validity state	Scheduler and compute capacity	Cross-profile run comparison
PAR-08	Decision Replay	Identical decision-time reconstruction and immutable history	Archive media and locality	Historical replay fixture
PAR-09	Agent authority	Identical role, tool, data, budget, gate, trace, stop, and override	Sandbox and model providers	Agent conformance suite
PAR-10	Trust and provenance	Identical chain, signatures, verification, correction, and receipts	Trust anchors and key custody	Offline and online verification
PAR-11	Policy and privacy	Identical purpose, minimization, consent, rights, retention, and denial	Policy engine deployment	Positive and negative policy fixtures
PAR-12	Residency and sovereignty	Identical declared locality and transfer semantics	Regions, sites, key and admin locus	Location and transfer attestation
PAR-13	Security isolation	Identical tenant, domain, workload, network, and privilege contracts	Physical and virtual boundary choice	Isolation and attack tests
PAR-14	Reliability state	Identical SLO meaning, product state, degradation, recovery, and evidence	Topology and service objective values	Fault and mode-transition suite
PAR-15	Integrations	Identical API, command, query, event, export, error, and compatibility contracts	Gateway and transport products	Consumer contract suite
PAR-16	Marketplaces	Identical package identity, provenance, evaluation, permission, and lifecycle	Distribution channel	Install, rollback, and revocation tests
PAR-17	Accessibility	Identical journey completeness and equivalent interaction	Client platform and assistive tooling	Common accessibility suite
PAR-18	Localization	Identical strategic meaning, canonical values, time, and legal effect	Installed locale set	Round-trip locale fixtures
PAR-19	Mobile and field	Identical object, authority, explanation, and correction semantics	Device features and secure container	Device journey matrix
PAR-20	Disconnected operation	Identical scoped package, expiry, queued effect, conflict, and reconciliation	Sync window and transfer medium	Network-loss and merge tests
PAR-21	Air-gapped updates	Identical signed release, data, model, agent, policy, and revocation lifecycle	Transfer procedure	Import, verify, rollback, and audit drill
PAR-22	Customer control	Identical export, key, support-access, evidence, retention, and deletion rights	Responsibility allocation	Customer-operated control exercise
PAR-23	Entitlement and licensing	Identical capability meaning, limits, grace, preservation, and audit	Online or offline license mechanism	License-loss and reconciliation tests
PAR-24	Acceptance	Identical requirement, journey, evidence, exception, and authority model	Local witnesses and environment	Signed deployment acceptance

Failure and degraded product-state matrix

ID	CONDITION	DECLARED PRODUCT STATE	MANDATORY USER INFORMATION	PERMITTED CONTINUITY	EXIT EVIDENCE
FEX-01	Source unavailable	Observation degraded	Last successful observation, retry state, affected coverage	Alternative source only if pre-approved	Source health and reconciliation pass
FEX-02	Source rights revoked	Collection prohibited	Revocation authority, affected data and products	None	Rights restored or source retired
FEX-03	Freshness expired	Intelligence stale	Cutoff, expected arrival, impact, next action	Last verified state with visible expiry	Fresh source admitted and products reconciled
FEX-04	Coverage incomplete	Intelligence partial	Missing dimensions, consequence, confidence impact	Bounded use under declared scope	Coverage restored or authority accepts limitation
FEX-05	Evidence quarantined	Intake blocked	Reason, custody, reviewer, downstream non-use	None for quarantined item	Authorized release or rejection
FEX-06	Policy indeterminate	Access restricted	Policy versions, conflict, owner, appeal	Most restrictive valid access	Adjudicated policy decision
FEX-07	Identity ambiguous	Canonical mutation blocked	Candidates, evidence, score, steward task	Keep identities separate	Stewarded resolution and impact closure
FEX-08	Graph projection stale	Exploration degraded	Canonical revision and projection watermark	Canonical or last verified read with label	Projection rebuild and digest reconciliation
FEX-09	Memory unavailable	Institutional context degraded	Affected classes, last verified retrieval, policy state	Read-only cached items if authorized	Store and index reconciliation
FEX-10	Contradiction unresolved	Assessment disputed	Competing claims, evidence, reviewers, downstream impact	Preserve all views; no false consensus	Accepted disposition or explicit continuing dissent
FEX-11	Forecast uncalibrated	Forecast constrained	Horizon, method, evaluation breach, affected uses	Prior valid forecast or abstention	Re-evaluation and authority approval
FEX-12	Scenario inconsistent	Scenario non-decision-active	Conflicting assumptions and branches	Draft-only comparison	Scenario review passes
FEX-13	Simulation invalid	Output non-decision-active	Failed validity rule, run manifest, partial results	None beyond diagnostic use	Revalidated model and reproduced run
FEX-14	Twin unsynchronized	Twin degraded	Last observed snapshot, missing sources, drift	Historical snapshot with expiry	Synchronization and validation pass
FEX-15	Recommendation unsupported	Decision package incomplete	Missing evidence, explanation, alternatives, or uncertainty	Human-led analysis without recommendation	Completeness and review pass
FEX-16	Approval authority unavailable	Consequential transition held	Required authority, delegation, expiry, decision digest	Draft and review continue	Eligible authority acts
FEX-17	Decision digest changed	Approval invalidated	Changed fields, versions, reason, affected approvers	None	Full re-review and approval
FEX-18	Commitment partial effect	Workflow non-terminal	Completed and residual effects, owners, compensation	Contained operations only	Effects reconciled and authority closes
FEX-19	Agent context incomplete	Agent abstained	Missing context, policy-filtered scope, requested input	Human completes task or supplies authorized context	Context admitted and run restarted
FEX-20	Agent tool denied	Agent constrained	Requested tool, permission, reason, alternatives	Non-side-effect reasoning only	Permission granted or plan revised
FEX-21	Agent stop requested	Run stopping	Stop source, checkpoint, in-flight action, residual effects	No new tasks or tool actions	Stop confirmed and residual state reconciled
FEX-22	Model provider unavailable	AI capability degraded	Affected method, approved alternatives, data locality	Approved fallback or abstention	Provider or approved substitute passes checks
FEX-23	Integration partial delivery	External effect indeterminate	Request, receipt, checkpoint, committed subset	No blind retry	Reconciliation then idempotent completion
FEX-24	Export verification failed	Package quarantined	Manifest, signature, missing objects, destination	None	Rebuilt and independently verified export
FEX-25	Tenant isolation uncertain	Access and processing denied	Suspected scope, affected sessions, investigation	None outside verified unaffected cells	Isolation and integrity evidence closes
FEX-26	Client offline	Disconnected mode	Local scope, watermark, expiry, queued work	Pre-authorized offline functions	Sync and conflict reconciliation
FEX-27	Local device compromised	Offline access revoked	Device, cached scope, revocation, incident	None	Wipe, credential recovery, and incident closure
FEX-28	Service capacity exhausted	Admission constrained	Queues, priorities, rejected scope, forecast	Consequence-based prioritization	Capacity and backlog recover within SLO
FEX-29	Product state recovering	Recovery mode	Restored components, unreconciled state, safe actions	Read-only or scoped functions	Authoritative, derived, policy, and audit reconciliation
FEX-30	Entitlement indeterminate	Commercial grace mode	Last valid entitlement, limits, expiry, affected capability	Declared grace preserving customer work	License reconciliation
FEX-31	Acceptance evidence expired	Capability constrained	Expired test, condition, scope, owner	Previously accepted unaffected scope only	Evidence renewed and reaccepted

ID	CONDITION	DECLARED PRODUCT STATE	MANDATORY USER INFORMATION	PERMITTED CONTINUITY	EXIT EVIDENCE
FEX-32	Cross-volume conformance conflict	Release held	Conflicting authorities, impacted requirements and journeys	Last conformant release	Governing authority resolves and trace closes

Disconnected synchronization contract

PHASE	BINDING BEHAVIOR
Package creation	Select authorized objects and dependencies; bind identity, policy, keys, revocations, cutoffs, expiry, provenance, schema, release, destination device or site, and digest.
Local operation	Expose offline state and watermark; restrict queries and actions to package scope; persist encrypted attributable drafts, decisions, tool effects, and queued commands.
Reconnection	Authenticate site and release, exchange revocations first, verify manifests, compare canonical versions, classify conflicts, and prevent blind last-writer-wins behavior.
Reconciliation	Apply owner-specific merge or adjudication rules, preserve both histories, execute idempotent approved effects, rebuild projections, notify affected users, and retain receipts.
Closure	Demonstrate canonical, derived, policy, audit, commitment, and customer-visible state convergence or retain an explicit unresolved degraded mode.

L Entitlement, Packaging, and Marketplace Contract

Commercial structure governs access, capacity, support, and package lifecycle without redefining product meaning. Mandatory trust, human authority, evidence, correction, export, replay, accessibility, degraded behavior, and customer-control semantics cannot be removed or sold as optional safety features.

ID	PACKAGE OR ENTITLEMENT	INCLUDED PRODUCT CAPABILITY	SCOPE OR METER	NON-NEGOTIABLE SEMANTIC BOUNDARY	AUTHORITY
ENT-01	Universal Strategic Intelligence Core	Canonical objects, graph, memory, trust, roles, workflows, audit, API, export	Every deployment	Cannot be removed from a conformant product	Product authority
ENT-02	World Observation	Source registry, collection plans, external and internal acquisition, coverage	Authorized source and capacity limits	Rights and customer purpose remain mandatory	Collection authority
ENT-03	Knowledge and Memory	Entity, relationship, Knowledge Graph, Enterprise Memory, search	Tenant and domain scope	Canonical semantic contract remains universal	Knowledge authority
ENT-04	Foresight	Signals, warnings, risk, opportunity, domain intelligence, forecasts	Approved domains, methods, models, and horizons	Six canonical horizons remain named	Foresight authority
ENT-05	Scenario Intelligence	Scenario authoring, comparison, indicators, Marketplace consumer	Author and package entitlements	Scenario plurality cannot be disabled	Strategy authority
ENT-06	Simulation	Simulation design, compute, run control, sensitivity, validation	Run, capacity, accelerator, and model limits	Validity and reproducibility remain mandatory	Simulation authority
ENT-07	Digital Twin Portfolio	Twin types, observed snapshots, branches, models, time travel	Licensed twin families and capacity	Observed and synthetic state remain separate	Twin authority
ENT-08	Decision Intelligence	Cases, recommendations, approval, commitments, Decision Replay	Named decision roles and consequence classes	Human final authority cannot be sold or transferred	Decision authority
ENT-09	Executive Operating System	Executive cadence, briefings, health, priority queue, planning	Named executive and support roles	Underlying evidence and explanation remain accessible	Executive authority
ENT-10	Agent Platform	Registry, invocation, supervision, tools, trace, override	Agent count, run, tool, model, and capacity limits	Bounded authority and evaluation remain mandatory	Agent governance
ENT-11	Agent Marketplace	Discovery, purchase, install, evaluation, lifecycle	Publisher and consumer entitlement	Customer approval and sandbox cannot be bypassed	Marketplace governance
ENT-12	Scenario Marketplace	Discovery, purchase, install, configure, evaluate, update	Publisher and consumer entitlement	Assumptions, provenance, and compatibility remain visible	Marketplace governance
ENT-13	Domain Intelligence Package	Governed ontology, sources, models, agents, workspaces, metrics	Approved tenant domains	Cannot fork canonical core semantics	Domain authority
ENT-14	Advanced Integration	High-volume APIs, events, CDC, custom connectors, exchange	Rate, transfer, connector, and environment limits	Controls and receipts remain identical	Integration authority
ENT-15	Disconnected and Air-Gapped Operations	Offline packages, synchronization, portable updates, local verification	Approved deployment and operating procedure	Expiry, conflict, revocation, and audit remain mandatory	Customer security authority
ENT-16	Sovereign Control Package	Customer keys, administrative control, residency, evidence export	Private Cloud or On-Premise profile	Does not weaken platform security duties	Customer authority
ENT-17	Premium Service and Support	Service objectives, named support, response, readiness exercises	Contracted customer and environments	Support access remains customer-approved	Service authority
ENT-18	Capacity Entitlement	Storage, observation, users, agent runs, model inference, simulation	Measured units and declared grace	Limit must not corrupt or discard governed state	Commercial operations
ENT-19	Evaluation and Sandbox	Package, model, agent, scenario, and data evaluation environment	Non-production scope and expiry	No production authority or data expansion	Governance authority
ENT-20	Publisher Program	Signing, certification, listing, telemetry, update, revocation	Approved publishers and package classes	Publisher cannot self-certify customer use	Marketplace governance

Marketplace package lifecycle

STAGE	REQUIRED PRODUCT CONTRACT
Publish	Verify publisher, source and build provenance, signature, rights, package identity, dependencies, data and tool requests, models, ontology, documentation, evaluation, support, and revocation.
Discover	Expose purpose, domain, compatible releases, required entitlements, permissions, data use, locality, evaluation, known limits, price, publisher, and lifecycle.
Evaluate	Run in an isolated non-production environment against customer-approved fixtures, policies, attack tests, accessibility, failure, and domain acceptance criteria.
Approve and install	Require eligible customer and platform authorities; bind exact version, scope, tenant, domain, data, tools, model policy, budgets, deployment, and conditions.
Operate	Monitor use, quality, drift, incidents, cost, policy, dependencies, updates, corrections, support, and customer-visible product state.
Update or revoke	Perform impact analysis, compatibility, re-evaluation, approval, cohort promotion, rollback, notification, evidence preservation, and safe retirement.

M Product Analytics and Success Metric Catalog

Product analytics measures strategic-loop quality, evidence, human authority, observation, knowledge, foresight, decisions, agents, accessibility, reliability, adoption, economics, and customer outcomes. Metrics are governed data products; none authorizes surveillance, employee scoring, manipulation, or collection beyond approved purpose.

ID	METRIC	MEASURED MEANING	MANDATORY SCOPE	DIRECTION OR THRESHOLD	CADENCE	OWNER
MET-001	Strategic loop closure rate	Decisions with linked objective, evidence, foresight, commitment, outcome, and learning	Decision + tenant + period	Higher with completeness threshold	Monthly	Executive product owner
MET-002	Decision package completeness	Required evidence, alternatives, risks, dissent, explanation, and authority present	Decision class + deployment	100% before decision-ready	Per gate	Decision product owner
MET-003	Decision Replay success	Historical decision snapshots reconstructed without unresolved versions	Tenant + decision cohort	100% accepted decisions	Quarterly	Governance
MET-004	Human authority integrity	Consequential effects bound to eligible human digest and audit	Consequence class + deployment	100%	Continuous	Trust authority
MET-005	Recommendation explanation closure	Recommendations resolving to evidence, assumptions, methods, alternatives, and uncertainty	Capability + model + period	100% decision-active	Continuous	AI governance
MET-006	Evidence citation resolution	Citations resolving to exact accessible source version and segment	Product + source + period	>= 99.9%	Daily	Data product owner
MET-007	Provenance closure	Material outputs with complete source-to-product lineage	Object type + tenant	100% decision-active	Continuous	Trust authority
MET-008	Truth-state completeness	Objects with valid explicit epistemic state and transitions	Object type + domain	100%	Continuous	Knowledge authority
MET-009	Temporal completeness	Objects with required event, observation, validity, and record times	Object type + source	100% decision-active	Continuous	Data authority
MET-010	Correction propagation time	Time from accepted correction to all affected products reconciled or constrained	Consequence + product	Within contract	Per correction	Correction owner
MET-011	Source coverage attainment	Observed coverage against approved dimension and priority targets	Plan + domain + window	Contract-specific	Hourly or daily	Collection owner
MET-012	Source freshness attainment	Expected arrivals within freshness contract	Source + product + window	Contract-specific	Continuous	Collection owner
MET-013	Blind-spot detection latency	Time from coverage loss to visible declared blind spot	Source class + consequence	Within warning SLO	Per event	Observation operations
MET-014	Search evidence usefulness	Reviewed searches yielding relevant decision-support evidence	Query class + role	Baseline-improving	Monthly	Research product owner
MET-015	Search reproducibility	Saved result sets reproducible at exact cutoff and policy context	Query + deployment	100% retained snapshots	Quarterly	Retrieval owner
MET-016	Entity resolution precision	Accepted identity resolutions correct under adjudicated corpus	Domain + entity type	Risk-class threshold	Release	Knowledge authority
MET-017	Graph provenance validity	Graph relationships resolving to admissible evidence and revision	Relationship class	100% canonical	Continuous	Graph owner
MET-018	Memory retrieval validity	Retrieved memories current for as-of, permission, correction, and retention context	Memory class + role	>= 99.9%	Daily	Memory owner
MET-019	Weak signal precision	Analyst-confirmed signals among reviewed nominations	Domain + detector	Monitored, not optimized alone	Monthly	Foresight owner
MET-020	Weak signal lead time	Time between first governed signal and material event or assessment	Domain + event class	Distribution tracked	Quarterly	Foresight owner
MET-021	Warning delivery latency	Trigger-to-receipt time for eligible recipients	Severity + channel + deployment	Severity SLO	Continuous	Warning owner
MET-022	Warning acknowledgment latency	Receipt-to-qualified acknowledgment time	Severity + role	Severity SLO	Continuous	Warning owner
MET-023	Warning action closure	Warnings with owned disposition, action, and outcome	Severity + domain	100% material warnings	Weekly	Risk owner

ID	METRIC	MEASURED MEANING	MANDATORY SCOPE	DIRECTION OR THRESHOLD	CADENCE	OWNER
MET-024	Forecast calibration	Agreement between stated probability and observed frequency	Horizon + target + method	Approved calibration band	Quarterly	Forecast owner
MET-025	Forecast sharpness	Concentration of calibrated predictive distributions	Horizon + target	Baseline-improving	Quarterly	Forecast owner
MET-026	Scenario distinctness	Materially different driver and implication structures within approved sets	Scenario set + domain	All approved sets pass	Per set	Scenario owner
MET-027	Simulation reproducibility	Runs reproducing outputs within declared numerical tolerance	Model + deployment	100% accepted runs	Release	Simulation owner
MET-028	Twin synchronization health	Twins within freshness, coverage, and validation contracts	Twin + state class	Contract-specific	Continuous	Twin owner
MET-029	Strategic alignment coverage	Initiatives and commitments linked to objectives, capabilities, owners, and measures	Portfolio + period	100% material items	Monthly	Strategy authority
MET-030	Commitment outcome closure	Commitments closed with evidence, outcome, exception, or supersession	Owner + portfolio	100% due cohort	Weekly	Executive operator
MET-031	Agent task success	Bounded runs completing accepted outcome without authority, tool, or evidence violation	Agent + task class	Evaluation threshold	Continuous	Agent owner
MET-032	Agent escalation quality	Unsafe or indeterminate cases escalated before unauthorized effect	Agent + consequence	100% seeded cases	Release	Agent governance
MET-033	Agent trace closure	Runs with complete identity, context, model, tool, action, checkpoint, and outcome trace	Agent + release	100% governed runs	Continuous	AI governance
MET-034	Accessibility journey pass rate	Material journeys passing automated, manual, and assistive-technology criteria	Journey + client + locale	100% release-blocking	Release	Accessibility owner
MET-035	Deployment semantic parity	Golden journeys and fixtures passing across supported profiles	Capability + profile	100% accepted scope	Release	Product authority
MET-036	Product availability	Successful safe product outcomes over eligible demand	Capability + tenant + deployment	Contract-specific	Continuous	Service owner
MET-037	Degraded-mode declaration latency	Time from qualifying condition to accurate user-visible product state	Capability + consequence	Mode-specific SLO	Continuous	Service owner
MET-038	Recovery reconciliation success	Recovery exercises restoring exact authoritative and derived state	State class + profile	100% accepted exercises	Quarterly	Recovery authority
MET-039	Customer time to accepted operation	Contract start to accepted priority journeys and operating cadence	Customer + deployment	Plan-specific	Per implementation	Implementation owner
MET-040	Strategic value realization	Customer-approved outcome measures attributable to adopted capabilities with caveats	Customer + objective + period	Jointly agreed	Quarterly	Customer sponsor

Metric governance

CONTROL	BINDING REQUIREMENT
Contract	Every metric declares purpose, definition, population, source, formula, dimensions, window, exclusions, quality, privacy class, owner, target, action, and retirement.
Balanced use	No single metric represents strategic value, decision quality, employee performance, trust, or safety; leading, lagging, quality, outcome, cost, and harm indicators remain visible together.
Interpretation	Coverage, confidence, seasonality, changes, cohort composition, deployment, entitlement, accessibility, and known bias accompany comparisons.
Action	Thresholds create review or investigation workflows, not automatic business decisions or punitive action.
Audit	Metric versions, source revisions, calculations, manual adjustments, exceptions, approvals, and uses remain replayable.

N Cross-Volume Traceability Matrix

Traceability resolves every stable PR range upward to constitutional invariants and across the controlled architecture, engineering, AI, infrastructure, and data baselines. Individual requirements inherit every anchor listed for their chapter; implementation trace continues through Volume 9, releases, tests, runtime evidence, operations, and retirement.

CH	PRODUCT SUBJECT	PR RANGE	V0	V3	V4	V5	V6	V7
1	Product Authority, Scope, and Decision Rights	PR-01-001-PR-01-006	C-001, C-003, C-004, C-008, C-051, C-052	V3:1-2,4-6,8	V4:1-4,6,11,14,42,71-72	V5:1-4,6-7,37,64-65,71-72	V6:1-4,6-7,71-72	V7:1-8,71-72
2	Product Principles and User Value Contract	PR-02-001-PR-02-006	C-001, C-002, C-004, C-005, C-006, C-047	V3:1-6,8	V4:1-2,4-6,11,14,42,71-72	V5:1-4,6-7,9,37,64-65,71-72	V6:1-4,6-7,71-72	V7:1-8,41,71-72
3	Customers, Tenants, and Operating Contexts	PR-03-001-PR-03-006	C-006, C-007, C-037, C-040, C-041, C-042	V3:1-2,4-6,8	V4:1-2,4,6,8,11,14,25,42,51,71-72	V5:1-4,6-7,37,61,64-65,71-72	V6:1-4,6-7,13,54,57,71-72	V7:1-8,20,50-52,71-72
4	Roles, Personas, and Human Authority Model	PR-04-001-PR-04-006	C-004, C-028, C-029, C-036, C-048, C-050	V3:1-2,4-6,8	V4:1-2,4,6,11,14,42,49-50,71-72	V5:1-4,6-7,37,59,64-65,71-72	V6:1-4,6-7,49-50,71-72	V7:1-8,50,55-56,71-72
5	Information Architecture and Workspace System	PR-05-001-PR-05-006	C-006, C-008, C-047, C-048, C-049, C-052	V3:1-2,4-6,8	V4:1-2,4,6,11,14-15,18,40,42,71-72	V5:1-4,6-7,19-20,37,64-65,71-72	V6:1-4,6-7,46,48,71-72	V7:1-8,41-42,44,71-72
6	Product State, Lifecycle, and Work Object Model	PR-06-001-PR-06-006	C-003, C-010, C-011, C-012, C-036, C-049	V3:1-2,4-8	V4:1-2,4,6,11-12,14,17,19-20,22-24,30,41-42,71-72	V5:1-4,6-7,20,29,31,37-38,64-65,71-72	V6:1-4,6-7,37-38,41,48,71-72	V7:1-8,17-19,21-24,71-72
7	Accessibility, Localization, and Global Readiness	PR-07-001-PR-07-006	C-004, C-005, C-047, C-048, C-049, C-050	V3:1-2,4-6,8	V4:1-2,4,6,11,14,42,57,71-72	V5:1-4,6-7,37,64-65,71-72	V6:1-4,6-7,46,66,71-72	V7:1-8,41,47,71-72
8	Product System Context and Cross-Volume Conformance	PR-08-001-PR-08-006	C-003, C-008, C-035, C-042, C-051, C-052	V3:1-2,4-8	V4:1-2,4,6,11,13-14,42,71-72	V5:1-4,6-8,37,64-65,71-72	V6:1-4,6-7,71-72	V7:1-8,71-72
9	Source Registry and Collection Workspace	PR-09-001-PR-09-006	C-012, C-013, C-014, C-035, C-037, C-040	V3:2-3,6-8	V4:7-9,15,19-24,26,28-29,31,41,57,60	V5:7-8,19,23,29,39-44,57,60-61,63	V6:7,13,20-21,23-24,27-29,37,47-48,66	V7:9-17,19,21-24,41-43,49-50,57-58,61,63
10	Observation Operations and Source Coverage	PR-10-001-PR-10-006	C-013, C-014, C-032, C-033, C-043, C-049	V3:2-3,6-8	V4:7-9,15,19-24,26,28-29,31,41,47,57,60,62	V5:7-8,19,23,29,39-44,57,60-61,63	V6:7,13,20-21,23-24,27-30,37,47-48,58-59,66	V7:9-17,19,21-24,41-43,49-50,57-61,63
11	Search, Discovery, and Research Workspace	PR-11-001-PR-11-006	C-005, C-010, C-011, C-012, C-014, C-047	V3:2-3,6-8	V4:7-9,15,18-24,26-29,31,41,57,60	V5:7-8,19,23-24,29,39-44,57,60-61,63	V6:7,13,20-21,23-24,27-29,35,37,44,47-48,66	V7:9-17,19,21-24,38,41-43,46,49-50,57-58,61,63
12	Document and Media Intelligence	PR-12-001-PR-12-006	C-005, C-010, C-012, C-014, C-016, C-045	V3:2-3,6-8	V4:7-9,15,19-24,26,28-29,31,41,57,60	V5:7-8,19,23,29,39-44,57,60-61,63	V6:7,13,20-21,23-24,27-29,33,37,44,47-48,66	V7:9-17,19,21-24,28,41-43,49-50,57-58,61,63
13	Live Event, Stream, IoT, and Telemetry Experience	PR-13-001-PR-13-006	C-011, C-012, C-014, C-033, C-039, C-043	V3:2-3,6-8	V4:7-9,15,19-24,26,28-29,31,41,47,57-58,60	V5:7-8,19,23,29,39-44,57,60-61,63	V6:7,13,20-21,23-24,27-29,37,47-48,66	V7:9-17,19,21-24,29,31,41-43,49-50,57-58,61,63
14	Enterprise Systems and Internal Data Experience	PR-14-001-PR-14-006	C-011, C-012, C-014, C-037, C-038, C-040	V3:2-3,6-8	V4:7-9,12,15,18-26,28-29,31,41,57,60	V5:7-8,19,23,25,29,39-44,57,60-61,63	V6:7,13,20-21,23-24,27-29,37,47-48,57,66	V7:9-17,19,21-24,41-43,49-50,57-58,61,63
15	Collection Plans, Watchlists, and Priorities	PR-15-001-PR-15-006	C-013, C-014, C-017, C-026, C-032, C-040	V3:2-3,6-8	V4:7-9,15,17,19-24,26,28-29,31,41,57-58,60	V5:7-8,19,23,29,32,39-44,57,60-61,63	V6:7,13,20-24,27-29,37,47-48,66	V7:9-17,19,21-24,30,41-43,49-50,57-58,61,63,70
16	Intake Validation, Quarantine, and Evidence Review	PR-16-001-PR-16-006	C-010, C-012, C-014, C-035, C-039, C-040	V3:2-3,6-8	V4:7-9,13,15,19-24,26,28-29,31,41,57,60	V5:7-8,19,20,23,29,39-44,57,60-61,63	V6:7,13,20-21,23-24,27-29,33,37,47-48,50,56,66	V7:9-17,19,21-24,41-43,49-50,53,57-58,61,63
17	Intelligence Object and Evidence Experience	PR-17-001-PR-17-006	C-007, C-010, C-011, C-012, C-035, C-047	V3:3-4,7-8	V4:12,15,20,24-30,32-34,41,57,60	V5:13,19-20,23-27,29,42-46,63-64	V6:31-35,38,44,48,58,61-62	V7:17-24,33-38,46,49,57,59,61
18	Entity, Identity, and Relationship Workbench	PR-18-001-PR-18-006	C-009, C-010, C-012, C-016, C-035, C-036	V3:3-4,7-8	V4:12,15,20,24-30,32-34,41,57,60	V5:13,19,23,27-29,42-46,63-64	V6:31-35,38,44,48,58,61-62	V7:17-24,33-38,46,49,57,59,61
19	Knowledge Graph Exploration and Curation	PR-19-001-PR-19-006	C-009, C-010, C-012, C-012, C-035, C-047	V3:3-4,7-8	V4:12,15,20,24-30,32-34,41,57,60	V5:13,19,23,27-29,42-46,63-64	V6:31-35,38,44,48,58,61-62	V7:17-24,33-38,46,49,57,59,61
20	Enterprise Memory and Strategic Record	PR-20-001-PR-20-006	C-010, C-011, C-012, C-015, C-016, C-037	V3:3-4,7-8	V4:12,15,20,24-30,32-34,41,57,60	V5:13,19,23-27,29,38,42-46,63-64	V6:31-35,38,44,48,58,61-62	V7:17-24,33-38,46,49,54,57,59,61
21	Claims, Contradictions, Confidence, and Uncertainty	PR-21-001-PR-21-006	C-005, C-010, C-011, C-012, C-021, C-035	V3:3-4,7-8	V4:12,15,20-21,24-30,32-34,41,57,60	V5:4,13,19,23-27,29,42-46,63-64	V6:31-35,38,44,48,58,61-62	V7:17-24,33-38,46,49,57,59,61
22	Timeliness, Provenance, and Decision-Grade Traceability	PR-22-001-PR-22-006	C-005, C-011, C-012, C-025, C-035, C-036	V3:3-4,7-8	V4:12,15,20,24-30,32-34,41,48,55,57,60	V5:13,19,23-27,29,38,42-46,63-65	V6:27,31-35,38,44,48,51,58,61-62	V7:17-24,33-38,40,46,49,56-57,59,61

C H .	PRODUCT SUBJECT	PR RANGE	V0	V3	V4	V5	V6	V7
23	Classification, Summaries, and Analyst Workflows	PR-23-001-PR-23-006	C-005, C-010, C-012, C-028, C-029, C-045	V3:3-4,7-8	V4:12,15,20-21,24-30,32-34,41-42,57,60	V5:13,19,23-27,29,41-47,63-64	V6:19,31-35,38,41,44,46,48,58,61-62	V7:17-24,30,33-38,45-46,49,57,59,61
24	Corrections, Withdrawals, Reconciliation, and Replay	PR-24-001-PR-24-006	C-011, C-012, C-016, C-025, C-036, C-043	V3:3-4,7-8	V4:12,15,20,24-30,32-34,41,48,57,60	V5:13,19,23-27,29,38,42-46,63-64,69	V6:31-35,38,44,48,58,61-62	V7:17-24,32-38,46,49,57,59,61,63,68
25	Weak Signal Detection	PR-25-001-PR-25-006	C-005, C-010, C-013, C-021, C-032, C-045	V3:3-4,7-8	V4:24,26-28,31-33,36,41,46-47,57-58,60	V5:13,19,23-24,26-29,46,48,52-55,57,63,66,68	V6:17-18,20,34-37,43-45,58-60,66	V7:21-23,31,33,35-40,44-46,57-61
26	Early Warning System	PR-26-001-PR-26-006	C-004, C-005, C-032, C-033, C-036, C-049	V3:3-4,7-8	V4:19,24,26-28,31-33,36,41-42,46-47,57-58,60,62	V5:13,19,23-24,26-29,37,46,48,52-55,57,63,66,68	V6:17-18,20,34-37,43-45,58-60,66	V7:21-23,33,35-40,43-46,57-61
27	Risk Intelligence	PR-27-001-PR-27-006	C-004, C-005, C-021, C-024, C-026, C-036	V3:3-4,7-8	V4:24,26-28,31-33,36,39,41-42,46-47,57,58,60	V5:13,19,23-24,26-29,46,48,52-55,57,63,66,68	V6:17-18,20,34-37,43-45,58-60,66	V7:21-23,33,35-40,44-46,57-61
28	Opportunity Intelligence	PR-28-001-PR-28-006	C-004, C-005, C-017, C-021, C-026, C-032	V3:3-4,7-8	V4:24,26-28,31-33,36,41-42,46-47,57,58,60	V5:13,19,23-24,26-29,46,48,52-55,57,63,66,68	V6:17-18,20,34-37,43-45,58-60,66	V7:21-23,33,35-40,44-46,57-61
29	Competitor Intelligence	PR-29-001-PR-29-006	C-005, C-009, C-010, C-011, C-012, C-032	V3:3-4,7-8	V4:24-28,31-33,36,41,46-47,57-58,60	V5:13,19,23-24,26-29,46,48,52-55,57,63,66,68	V6:17-18,20,34-37,43-45,58-60,66	V7:21-23,33,35-40,44-46,57-61
30	Supply Chain Intelligence	PR-30-001-PR-30-006	C-009, C-010, C-011, C-018, C-021, C-032	V3:3-4,7-8	V4:24,26-28,31-33,35-36,41,46-47,57-58,60	V5:13,19,23-24,26-29,46,48,52-55,57,63,66,68	V6:17-18,20-21,34-37,43-45,58-60,66	V7:21-23,33,35-40,44-46,57-61
31	Geopolitical, Technology, Cyber, and Financial Intelligence	PR-31-001-PR-31-006	C-006, C-007, C-009, C-030, C-035, C-050	V3:3-4,7-8	V4:13-14,23-24,26-29,31-33,36,41,46-47,56,58,60	V5:13,17,19,23-24,26-29,46,48,52-55,57,63,66,68	V6:17-18,20,34-37,43-45,47,55,58-60,66	V7:21-23,33-41,44-46,48,50,57-61
32	Forecasting and Prediction Horizons	PR-32-001-PR-32-006	C-005, C-010, C-011, C-020, C-021, C-045	V3:3-4,7-8	V4:24,26-28,31-33,36,41,46-47,57-58,60	V5:13,15-17,19,23-24,26-29,46,48,52-55,57,63,66,68	V6:17-18,20,34-37,43-45,58-60,66	V7:21-23,33,35-40,44-46,57-61
33	Scenario Intelligence Workspace	PR-33-001-PR-33-006	C-004, C-005, C-022, C-024, C-026, C-047	V3:3-4,7-8	V4:24,26-28,31,33-42,48,57,60	V5:13,23-26,28-29,32-34,37-38,46,48-51,63-64,66	V6:17-19,34-37,41-46,58,60-62,66	V7:21-23,33-41,44-46,56-57,61
34	Scenario Marketplace	PR-34-001-PR-34-006	C-007, C-035, C-038, C-039, C-046, C-050	V3:3-4,7-8	V4:23-24,26-28,31,33-42,48,56-57,60,68,70	V5:13,15,17-18,23-26,28-29,32-34,36-38,46,48-51,63-64,66-67,70	V6:17-19,34-37,41-47,55,58,60-62,66,68	V7:21-23,33-41,44-48,56-57,61
35	Simulation Design and Run Control	PR-35-001-PR-35-006	C-005, C-018, C-019, C-022, C-023, C-045	V3:3-4,7-8	V4:22,24,26-28,31,33-42,46,48,57-58,60	V5:13,15-17,23-26,28-29,32-34,36-38,46,48-51,63-64,66	V6:17-19,22,34-38,41-46,58,60-62,66	V7:21-23,33-41,44-46,56-57,61
36	Digital Twin Portfolio and State	PR-36-001-PR-36-006	C-005, C-010, C-011, C-018, C-019, C-023	V3:3-4,7-8	V4:12,24,26-28,31,33-42,46,48,57,60	V5:13,23-26,28-29,32-34,37-38,46,48-51,63-64,66	V6:17-19,31,34-38,41-46,58,60-62,66	V7:21-23,33-41,44-46,56-57,61
37	Strategy Graph and Objective-Capability Alignment	PR-37-001-PR-37-006	C-004, C-009, C-017, C-024, C-026, C-034	V3:3-4,7-8	V4:24,26-28,31,33-42,48,57,60	V5:13,23-29,32-34,37-38,46,48-51,63-64,66	V6:17-19,34-37,41-46,58,60-62,66	V7:21-23,33-41,44-46,56-57,61
38	Decision Intelligence and Recommendation Review	PR-38-001-PR-38-006	C-004, C-005, C-021, C-022, C-023, C-024	V3:3-4,7-8	V4:21,24,26-28,31,33-42,46,48,57,60	V5:3-4,13,23-26,28-29,32-34,37-38,46,48-51,63-64,66	V6:17-19,34-37,41-46,58,60-62,66	V7:21-23,33-41,44-46,56-57,61
39	Human Approval, Commitment, and Decision Record	PR-39-001-PR-39-006	C-004, C-024, C-025, C-028, C-036, C-050	V3:3-4,7-8	V4:17,20,22,24,26-28,31,33-42,48-49,55,57,60	V5:3,13,23-26,28-29,32-34,37-38,46,48-51,59,63-66	V6:17-19,34-37,41-46,49,51,58,60-62,66	V7:21-23,33-41,44-46,56-57,61
40	Decision Replay, Outcome Attribution, and Learning	PR-40-001-PR-40-006	C-004, C-011, C-012, C-025, C-031, C-044	V3:3-4,7-8	V4:23-24,26-28,30-31,33-42,48,57,60	V5:6,13,15,23-26,28-29,32-34,37-38,46,48-51,63-66,69-70	V6:17-19,31,33-37,41-46,58,60-62,66	V7:21-24,33-41,44-46,56-57,61,68
41	Executive Operating System	PR-41-001-PR-41-006	C-002, C-004, C-005, C-026, C-027, C-047	V3:2-4,7-8	V4:8-10,15,18-19,21,25-29,39-42,47-48,57,60	V5:3-4,19,23,25-26,29,37,46,51,56-57,63-64	V6:13,19,24,29,37,41,43-44,46,48,58-59,66	V7:19-23,33,36-44,46-47,56-58,61
42	Strategic Briefings and Command Views	PR-42-001-PR-42-006	C-004, C-005, C-012, C-027, C-036, C-047	V3:2-4,7-8	V4:8-10,15,18-21,25-29,39-42,47-48,57,60	V5:3-4,19,23,25-26,29,37,42,46,51,56-57,63-64	V6:13,19,24,29,37,41,43-44,46,48-49,58-59,66	V7:19-23,33,36-40,42-44,46-47,56-58,61
43	Strategic Health Score	PR-43-001-PR-43-006	C-005, C-010, C-012, C-026, C-034, C-045	V3:2-4,7-8	V4:8-10,15,18-19,21,25-29,39-42,46-48,57,60	V5:3-4,19,23,25-26,29,37,46,51,56-57,63-64,66,68	V6:13,19,24,29,35,37,41,43-44,46,48,58-59,66	V7:19-23,33,36-40,42-44,46-47,56-58,61
44	Proactive Intelligence and Priority Queue	PR-44-001-PR-44-006	C-004, C-005, C-032, C-033, C-036, C-047	V3:2-4,7-8	V4:8-10,15,18-19,21,25-29,39-42,47-48,57,60	V5:3-4,19,23,25-26,29,32-33,37,46,51,56-57,63-64	V6:13,19,24,29,37,41,43-44,46,48,58-59,66	V7:19-23,33,36-40,42-44,46-47,56-61
45	Strategic Planning and Initiative Governance	PR-45-001-PR-45-006	C-004, C-017, C-024, C-026, C-027, C-036	V3:2-4,7-8	V4:8-10,15,18-19,21-22,25-29,39-42,47-48,57,60	V5:3-4,19,23,25-26,29,32-33,37,46,51,56-57,63-64	V6:13,19,24,29,37,41,43-44,46,48,58-59,66	V7:19-23,33,36-40,42-44,46-47,56-58,61
46	Collaboration, Tasks, and Workflow Orchestration	PR-46-001-PR-46-006	C-004, C-028, C-029, C-036, C-043, C-048	V3:2-4,7-8	V4:8-10,15,18-19,21-22,25-29,39-43,47-48,57,60	V5:3-4,19,23,25-26,29,31,34-35,37-38,46,51,56-57,63-64	V6:13,19,24,29,37,41,43-44,46,48-49,58-59,66	V7:19-23,29,33,36-40,42-44,46-47,56-58,61
47	Reporting, Publishing, and Distribution	PR-47-001-PR-47-006	C-003, C-005, C-012, C-036, C-038, C-047	V3:2-4,7-8	V4:8-10,15,18-21,23,25-29,39-42,47-48,57,60	V5:3-4,19,20,23,25-26,29,37,42,46,51,56-57,63-64	V6:13,19,24,29,37,41,43-44,46,48,58-59,66	V7:19-23,33,36-40,42-44,46-47,56-58,61
48	Mobile, Field, Offline, and Disconnected Operation	PR-48-001-PR-48-006	C-004, C-037, C-039, C-041, C-042, C-043	V3:2-4,7-8	V4:8-10,14-15,18-19,21-22,25-29,39-42,47-48,57,60	V5:3-4,19,21,23,25-26,29,37-38,46,51,56-57,63-64,71-72	V6:11,13,19,21,24,29,33,37,41,43-44,46,48-49,52,57-59,66	V7:19-23,33,36-40,42-44,46-47,52-54,56-58,61-62,69

C H .	PRODUCT SUBJECT	PR RANGE	V0	V3	V4	V5	V6	V7
49	Agent Operating Model and Marketplace	PR-49-001-PR-49-006	C-004, C-028, C-029, C-035, C-046, C-050	V3:3-8	V4:9-10,13,15,20-24,27-29,41-46,48,50,55-57,60	V5:3-8,10-17,19-21,29-38,47,58-66,68-72	V6:13,18-19,22,42-45,47,49-50,54-56,58-60,66	V7:19-23,37-38,40,45-46,48,50,56-57,59-61
50	Observation, Search, and Collection Agents	PR-50-001-PR-50-006	C-012, C-013, C-028, C-029, C-039, C-040	V3:3-8	V4:9-10,13,15,20-24,27-29,41-46,48,50,55,57,60	V5:3-8,10-16,19-21,29-40,58-66,68-72	V6:13,18-19,22,28,42-45,47,49-50,54,56,58-60,66	V7:9-10,14,16,19-23,37-38,40,45-46,50,56-57,59-61
51	Cleaning, Classification, NER, and Relationship Agents	PR-51-001-PR-51-006	C-009, C-010, C-012, C-028, C-031, C-045	V3:3-8	V4:9-10,13,15,20-24,27-30,41-46,48,50,55,57,60	V5:3-8,10-16,19-21,27,29-38,41,43-44,58-66,68-72	V6:13,18-19,22,34-35,42-45,47,49-50,54,56,58-60,66	V7:19-24,35-38,40,45-46,50,56-57,59-61
52	Knowledge Graph, Memory, and Reasoning Agents	PR-52-001-PR-52-006	C-005, C-009, C-010, C-012, C-015, C-028	V3:3-8	V4:9-10,13,15,20-24,27-29,41-46,48,50,55,57,60	V5:3-8,10-16,19-21,23-27,29-38,45-46,58-66,68-72	V6:13,18-19,22,34-35,42-45,47,49-50,54,56,58-60,66	V7:19-23,33,36-38,40,45-46,50,56-57,59-61
53	Prediction, Scenario, Simulation, and Decision Agents	PR-53-001-PR-53-006	C-004, C-005, C-020, C-022, C-023, C-028	V3:3-8	V4:9-10,13,15,20-24,27-29,36-39,41-46,48,50,55,57,60	V5:3-8,10-16,19-21,29-38,48-51,58-66,68-72	V6:13,18-19,22,36,41-45,47,49-50,54,56,58-60,66	V7:19-23,37-40,45-46,50,56-57,59-61
54	Domain Intelligence Agents	PR-54-001-PR-54-006	C-006, C-007, C-028, C-030, C-035, C-050	V3:3-8	V4:9-10,13,15,20-24,27-29,41-46,48,50,55-57,60	V5:3-8,10-17,19-21,27,29-38,46,52-55,58-66,68-72	V6:13,18-19,22,35,42-45,47,49-50,54,56,58-60,66	V7:19-23,34,37-38,40-41,45-46,48,50,56-57,59-61
55	Planner, Supervisor, Workflow, and Briefing Agents	PR-55-001-PR-55-006	C-004, C-005, C-028, C-029, C-032, C-043	V3:3-8	V4:9-10,13,15,20-24,27-29,41-46,48,50,55,57,60	V5:3-8,10-16,19-21,29-38,56,58-66,68-72	V6:13,18-19,22,41-47,49-50,54,56,58-60,66	V7:19-23,29,37-38,40,43-45-46,50,56-57,59-61
56	Agent Controls, Explainability, Escalation, and Human Override	PR-56-001-PR-56-006	C-004, C-005, C-028, C-029, C-035, C-036	V3:3-8	V4:9-10,13,15,20-24,27-29,41-46,48,50,55,57,60	V5:3-8,10-16,19-21,29-38,58-66,68-72	V6:13,18-19,22,42-45,47,49-50,54,56,58-60,66	V7:19-23,37-38,40,45-46,50,56-57,59-61
57	Trust and Provenance Experience	PR-57-001-PR-57-006	C-005, C-012, C-035, C-036, C-038, C-047	V3:1-2,5-8	V4:6,13-15,20-21,23-25,28-29,42,49-57,59-64,71	V5:3-4,6,15,18,20-21,29,36-37,47,58-68,70-72	V6:4-6,13-14,23-24,26,28-30,33,49-59,61-66,71	V7:20-24,47,49-57,59-64,71
58	Identity, Access, and Tenant Administration	PR-58-001-PR-58-006	C-004, C-035, C-036, C-037, C-039, C-041	V3:1-2,5-8	V4:6,13-15,20-21,23-25,28-29,42,49-57,59-64,71	V5:3-4,6,15,18,20-21,29,36-37,47,58-68,70-72	V6:4-6,13-14,23-24,26,28-30,49-59,61-66,71	V7:20-24,47,49-57,59-64,71
59	Policy, Privacy, Residency, and Consent	PR-59-001-PR-59-006	C-035, C-037, C-039, C-040, C-041, C-050	V3:1-2,5-8	V4:6,13-15,20-21,23-25,28-29,42,49-57,59-64,71	V5:3-4,6,15,18-21,29,36-37,47,58-68,70-72	V6:4-6,13-14,23-24,26,28-30,49-59,61-66,71	V7:20-24,47,49-57,59-64,71
60	Security, Cyber, and Incident Experience	PR-60-001-PR-60-006	C-004, C-035, C-036, C-039, C-043, C-049	V3:1-2,5-8	V4:6,13-15,20-21,23-25,28-29,42,49-57,59-64,71	V5:3-4,6,15,18,20-21,29,36-37,47,58-68,70-72	V6:4-6,13-14,23-24,26,28-30,49-59,61-66,71	V7:20-24,47,49-57,59-64,71
61	Model, Agent, and Data Governance Console	PR-61-001-PR-61-006	C-028, C-030, C-031, C-035, C-045, C-046	V3:1-2,5-8	V4:6,13-15,20-21,23-25,28-29,42,44-46,49-57,59-64,68,71	V5:3-4,6,10-12,14-15,18,20-21,29,36-37,47,58-72	V6:4-6,13-14,23-24,26,28-30,43-45,49-59,61-66,68,71	V7:18-20-24,34,45,47,49-57,59-64,68,71
62	Audit, Evidence, Compliance, and Investigation	PR-62-001-PR-62-006	C-011, C-012, C-035, C-036, C-040, C-049	V3:1-2,5-8	V4:6,13-15,20-21,23-26,28-29,42,49-57,59-64,71	V5:3-4,6,15,18,20-21,29,36-37,47,58-68,70-72	V6:4-6,13-14,23-24,26,28-30,49-59,61-66,71	V7:20-24,47,49-57,59-64,71
63	Reliability, Degraded Modes, and Recovery Experience	PR-63-001-PR-63-006	C-005, C-035, C-042, C-043, C-047, C-049	V3:1-2,5-8	V4:6,13-15,20-21,23-25,28-29,42,49-64,71	V5:3-4,6,15,18,20-22,29,36-37,47,58-68,70-72	V6:4-6,12-14,23-24,26,28-30,49-66,71	V7:20-24,47,49-64,71
64	Integrations, APIs, Exports, and Extensibility	PR-64-001-PR-64-006	C-003, C-012, C-035, C-038, C-039, C-046	V3:1-2,5-8	V4:6,13-25,28-29,42,49-57,59-64,71	V5:3-4,6,15,17-18,20-21,29,36-37,47,58-68,70-72	V6:4-6,13-14,23-26,28-30,37,47-59,61-66,71	V7:17-18,20-24,41-43,47-57,59-64,71
65	SaaS, Private Cloud, and On-Premise Product Parity	PR-65-001-PR-65-006	C-007, C-011, C-012, C-038, C-042, C-051	V3:1-2,4-6,8	V4:2-3,5-6,14,23,56-63,65-72	V5:2,6-7,14-15,17,22,46-47,65-72	V6:2-4,6-11,57-72	V7:2-5,7,17-18,41,47-49,55-72
66	Packaging, Entitlements, and Licensing	PR-66-001-PR-66-006	C-004, C-006, C-035, C-042, C-046, C-049	V3:1-2,4-6,8	V4:2-3,5-6,14,23,56-63,65-72	V5:2,6,14-15,22,46-47,65-72	V6:2-4,6-11,22,57-72	V7:2-5,7,17-18,41,47-49,55-72
67	Onboarding, Configuration, and Data Migration	PR-67-001-PR-67-006	C-006, C-037, C-038, C-042, C-043, C-049	V3:1-2,4-6,8	V4:2-3,5-6,14,23,25,29,56-63,65-72	V5:2,6,14-15,22,46-47,61,65-72	V6:2-4,6-11,29,52,57-72	V7:2-5,7,17-18,20,41,47-49,52,55-72
68	Implementation, Adoption, and Change Management	PR-68-001-PR-68-006	C-004, C-006, C-047, C-048, C-049, C-050	V3:1-2,4-6,8	V4:2-3,5-6,14,23,42,56-63,65-72	V5:2,6,14-15,22,37,46-47,64-72	V6:2-4,6-11,57-72	V7:2-5,7,17-18,41,47-49,55-72
69	Service Management, Support, and Customer Success	PR-69-001-PR-69-006	C-035, C-036, C-037, C-043, C-047, C-049	V3:1-2,4-6,8	V4:2-3,5-6,14,23,51,54,56-72	V5:2,6,14-15,21-22,46-47,61,65-72	V6:2-4,6-11,49,52,57-72	V7:2-5,7,17-18,41,47-52,55-72
70	Product Analytics, Quality, and Unit Economics	PR-70-001-PR-70-006	C-012, C-034, C-037, C-040, C-045, C-049	V3:1-2,4-6,8	V4:2-3,5-6,14,23,46,56-72	V5:2,6,14-15,22,46-47,65-72	V6:2-4,6-11,57-72	V7:2-5,7,17-18,41,44,47-49,55-72
71	Product Acceptance and Operational Readiness	PR-71-001-PR-71-006	C-004, C-035, C-042, C-043, C-049, C-052	V3:1-2,4-6,8	V4:2-3,5-6,14,23,46,56-63,65-72	V5:2,6,14-15,22,46-47,65-72	V6:2-4,6-11,57-72	V7:2-5,7,17-18,41,47-49,55-72
72	Product Governance and Baseline Closure	PR-72-001-PR-72-006	C-001, C-003, C-004, C-009, C-051, C-052	V3:1-2,4-6,8	V4:2-3,5-6,14,23,56-63,65-72	V5:2,6,14-15,22,46-47,65-72	V6:2-4,6-11,57-72	V7:2-5,7,17-18,41,47-49,55-72

Constitutional Product Requirements matrix

ID	INVARIANT	BINDING STATEMENT	PRIMARY VOLUME 8 ANCHORS
C-001	Category integrity	The Eye shall be conceived, designed, sold, and operated as a Strategic Intelligence Operating System. It shall not be reduced to a chatbot, dashboard, BI tool, copilot, or reporting product.	Ch. 1, Ch. 2, Ch. 72
C-002	Closed strategic loop	The product shall implement one continuous operating loop: Observe, Understand, Predict, Simulate, Decide, and Learn. No stage may be treated as a disconnected feature island.	Ch. 2, Ch. 41, Ch. 72
C-003	Product boundary	Interfaces such as chat, dashboards, reports, and APIs may exist, but they are access modes to the operating system rather than the product definition.	Ch. 1, Ch. 6, Ch. 8, Ch. 47, Ch. 64, Ch. 72
C-004	Human decision sovereignty	A named human authority shall make every final strategic or high-impact decision. The system may advise, prepare, and execute approved workflows, but it shall not silently assume decision rights.	Ch. 1, Ch. 2, Ch. 4, Ch. 7, Ch. 26, Ch. 27, Ch. 28, Ch. 33, Ch. 37, Ch. 38, Ch. 39, Ch. 40, Ch. 41, Ch. 42, Ch. 44, Ch. 45, Ch. 46, Ch. 48, Ch. 49, Ch. 53, Ch. 55, Ch. 56, Ch. 58, Ch. 60, Ch. 66, Ch. 68, Ch. 71, Ch. 72
C-005	Explain every recommendation	Every material forecast, scenario, simulation result, risk, opportunity, and recommendation shall expose evidence, assumptions, uncertainty, lineage, alternatives, and accountable system versions.	Ch. 2, Ch. 7, Ch. 11, Ch. 12, Ch. 21, Ch. 22, Ch. 23, Ch. 25, Ch. 26, Ch. 27, Ch. 28, Ch. 29, Ch. 32, Ch. 33, Ch. 35, Ch. 36, Ch. 38, Ch. 41, Ch. 42, Ch. 43, Ch. 44, Ch. 47, Ch. 52, Ch. 53, Ch. 55, Ch. 56, Ch. 57, Ch. 63
C-006	Enterprise operating standard	The common platform shall satisfy enterprise requirements for governance, security, scale, auditability, reliability, and lifecycle management from its first production architecture.	Ch. 2, Ch. 3, Ch. 5, Ch. 31, Ch. 54, Ch. 66, Ch. 67, Ch. 68
C-007	Universal core, governed specialization	A single domain-neutral core shall serve all customer classes. Domain ontologies, models, workflows, agents, and policies may extend the core without forking its constitutional semantics.	Ch. 3, Ch. 17, Ch. 31, Ch. 34, Ch. 54, Ch. 65
C-008	Ten-layer architecture	The ten named architecture layers are the canonical product structure. Cross-cutting planes may support them but shall not replace, collapse, or rename them without constitutional amendment.	Ch. 1, Ch. 5, Ch. 8, Ch. 41
C-009	Knowledge Graph centrality	The Knowledge Graph shall be the connected semantic heart of The Eye and the shared context substrate for memory, twins, reasoning, prediction, scenarios, simulations, and decisions.	Ch. 18, Ch. 19, Ch. 29, Ch. 30, Ch. 31, Ch. 37, Ch. 51, Ch. 52, Ch. 72
C-010	Truth-state separation	Observed evidence, extracted claims, inferred relationships, model outputs, human judgments, and synthetic scenario data shall remain explicitly distinguishable throughout the system.	Ch. 6, Ch. 11, Ch. 12, Ch. 16, Ch. 17, Ch. 18, Ch. 19, Ch. 20, Ch. 21, Ch. 23, Ch. 25, Ch. 29, Ch. 30, Ch. 32, Ch. 36, Ch. 43, Ch. 51, Ch. 52
C-011	Temporal truth	Material facts and relationships shall preserve event time, observation time, validity time, and system-record time so that past world states can be reconstructed without hindsight contamination.	Ch. 6, Ch. 11, Ch. 13, Ch. 14, Ch. 17, Ch. 19, Ch. 20, Ch. 21, Ch. 22, Ch. 24, Ch. 29, Ch. 30, Ch. 32, Ch. 36, Ch. 40, Ch. 62, Ch. 65
C-012	End-to-end provenance	Every material intelligence object shall carry source, chain of custody, transformation history, ownership, rights, quality, and version lineage back to its evidence.	Ch. 6, Ch. 9, Ch. 11, Ch. 12, Ch. 13, Ch. 14, Ch. 16, Ch. 17, Ch. 18, Ch. 19, Ch. 20, Ch. 21, Ch. 22, Ch. 23, Ch. 24, Ch. 29, Ch. 40, Ch. 42, Ch. 43, Ch. 47, Ch. 50, Ch. 51, Ch. 52, Ch. 57, Ch. 62, Ch. 64, Ch. 65, Ch. 70, Ch. 8
C-013	Observation breadth	The World Observation Layer shall support the full canonical source universe and allow governed custom sources without architectural rework.	Ch. 9, Ch. 10, Ch. 15, Ch. 25, Ch. 50
C-014	Freshness and quality contracts	Sources, derived data, twins, models, and intelligence products shall declare measurable freshness, completeness, quality, and expiry expectations.	Ch. 9, Ch. 10, Ch. 11, Ch. 12, Ch. 13, Ch. 14, Ch. 15, Ch. 16
C-015	Durable institutional memory	The Eye shall preserve institutional context, decisions, assumptions, evidence, outcomes, and lessons as durable memory, subject to lawful retention, deletion, and customer policy.	Ch. 20, Ch. 52
C-016	Memory governance	Memory shall be permission-aware, tenant-isolated, versioned, retrievable, correctable, and protected from unverified model output becoming accepted organizational truth.	Ch. 12, Ch. 18, Ch. 20, Ch. 24
C-017	Strategy Graph	Objectives, hypotheses, decisions, initiatives, capabilities, resources, indicators, risks, opportunities, and outcomes shall be connected in a governed Strategy Graph anchored to the Knowledge Graph.	Ch. 15, Ch. 28, Ch. 37, Ch. 45
C-018	Grounded Digital Twins	Every Digital Twin shall be grounded in evidence, graph entities, temporal state, declared assumptions, and calibrated models; it shall never present synthetic state as observed fact.	Ch. 30, Ch. 35, Ch. 36
C-019	Twin versionability	Digital Twins shall support time travel, branching, comparison, replay, reconciliation, and versioned evolution across actual and simulated states.	Ch. 35, Ch. 36
C-020	Canonical prediction horizons	The Prediction Engine shall support 30-day, 90-day, 180-day, 1-year, 3-year, and 5-year horizons with horizon-appropriate methods and uncertainty.	Ch. 32, Ch. 53
C-021	Probabilistic forecasting	Forecasts shall communicate distributions, confidence, calibration, drivers, sensitivity, and failure conditions rather than false precision or unsupported certainty.	Ch. 21, Ch. 25, Ch. 27, Ch. 28, Ch. 30, Ch. 32, Ch. 38
C-022	Scenario plurality	Scenario Intelligence shall maintain multiple coherent futures, including baseline, upside, downside, disruption, and user-defined alternatives; no single forecast shall masquerade as destiny.	Ch. 33, Ch. 35, Ch. 38, Ch. 53
C-023	Reproducible simulation	Every simulation shall declare initial state, assumptions, interventions, model versions, constraints, random seeds where applicable, outputs, and sensitivity so results can be reproduced and challenged.	Ch. 35, Ch. 36, Ch. 38, Ch. 53
C-024	Decision completeness	Decision Intelligence shall compare viable options against explicit objectives, constraints, risks, opportunities, trade-offs, second-order effects, reversibility, and information value.	Ch. 27, Ch. 33, Ch. 37, Ch. 38, Ch. 39, Ch. 45
C-025	Decision Replay	The Eye shall preserve the state of knowledge available at decision time and support replay against later evidence and outcomes without rewriting the historical record.	Ch. 22, Ch. 24, Ch. 39, Ch. 40
C-026	Objective alignment	Recommendations shall be evaluated against declared objectives, stakeholder obligations, risk appetite, policy, and strategic constraints rather than an opaque global score.	Ch. 15, Ch. 27, Ch. 28, Ch. 33, Ch. 37, Ch. 41, Ch. 43, Ch. 45
C-027	Executive Operating System	The executive surface shall organize strategic attention, decisions, scenarios, evidence, objectives, commitments, and outcomes. It shall not degrade into a passive dashboard collection.	Ch. 41, Ch. 42, Ch. 45
C-028	Bounded agent authority	Every agent shall have a declared purpose, tools, data scope, permissions, budgets, escalation rules, prohibited actions, evaluation suite, and accountable owner.	Ch. 4, Ch. 23, Ch. 39, Ch. 46, Ch. 49, Ch. 50, Ch. 51, Ch. 52, Ch. 53, Ch. 54, Ch. 55, Ch. 56, Ch. 61
C-029	Supervised orchestration	Planner, Supervisor, and Workflow agents shall enforce policy, separation of duties, checkpoints, timeouts, retries, human gates, and complete execution traces across multi-agent work.	Ch. 4, Ch. 23, Ch. 46, Ch. 49, Ch. 50, Ch. 55, Ch. 56
C-030	Model pluralism	The platform shall support multiple models and reasoning approaches behind governed interfaces so customers retain control over cost, sovereignty, performance, and vendor dependence.	Ch. 31, Ch. 54, Ch. 61, Ch. 49

ID	INVARIANT	BINDING STATEMENT	PRIMARY VOLUME 8 ANCHORS
C-031	No silent self-modification	Continuous learning shall never permit unreviewed production models, agents, prompts, policies, ontologies, or decision logic to modify themselves silently.	Ch. 40, Ch. 51, Ch. 61
C-032	Proactive intelligence	The system shall surface material changes, weak signals, risks, and opportunities before users ask, while respecting relevance, authority, attention, and notification policy.	Ch. 10, Ch. 15, Ch. 25, Ch. 26, Ch. 28, Ch. 29, Ch. 30, Ch. 44, Ch. 55
C-033	Early-warning discipline	Warnings shall be deduplicated, prioritized, evidence-backed, confidence-aware, time-bounded, and linked to affected objectives, assets, decisions, and response playbooks.	Ch. 10, Ch. 13, Ch. 26, Ch. 44
C-034	Decomposable Strategic Health Score	Any Strategic Health Score shall expose component measures, weights, evidence, confidence, trend, and sensitivity. The score shall never replace the underlying analysis.	Ch. 37, Ch. 43, Ch. 70
C-035	Trust as a system property	Trust, provenance, identity, authorization, policy, safety, and audit shall operate across every layer and intelligence object, not as a downstream compliance add-on.	Ch. 8, Ch. 9, Ch. 16, Ch. 17, Ch. 18, Ch. 19, Ch. 21, Ch. 22, Ch. 31, Ch. 34, Ch. 49, Ch. 54, Ch. 56, Ch. 57, Ch. 58, Ch. 59, Ch. 60, Ch. 61, Ch. 62, Ch. 63, Ch. 64, Ch. 66, Ch. 69, Ch. 71
C-036	Non-repudiable accountability	Material access, transformations, agent actions, approvals, decisions, overrides, releases, and exports shall produce tamper-evident audit records attributable to identities and versions.	Ch. 4, Ch. 6, Ch. 18, Ch. 22, Ch. 24, Ch. 26, Ch. 27, Ch. 39, Ch. 42, Ch. 44, Ch. 45, Ch. 46, Ch. 47, Ch. 56, Ch. 57, Ch. 58, Ch. 60, Ch. 62, Ch. 69
C-037	Customer data control	Customers retain governance over their data, models, twins, policies, retention, residency, encryption, exports, and deletion within the chosen deployment and contractual boundary.	Ch. 3, Ch. 9, Ch. 14, Ch. 20, Ch. 48, Ch. 58, Ch. 59, Ch. 67, Ch. 69, Ch. 70
C-038	Open interoperability	The Eye shall integrate through governed APIs, events, connectors, common data formats, and export paths; core customer knowledge shall not be trapped behind proprietary-only access.	Ch. 14, Ch. 34, Ch. 47, Ch. 57, Ch. 64, Ch. 65, Ch. 67
C-039	Zero-trust security	Identity, device, workload, agent, model, source, and data access shall be continuously authenticated, authorized, scoped, logged, and re-evaluated under least privilege.	Ch. 13, Ch. 16, Ch. 34, Ch. 48, Ch. 50, Ch. 58, Ch. 59, Ch. 60, Ch. 64
C-040	Privacy and minimization	Collection and use shall be purpose-bound, proportionate, policy-enforced, and minimized, with support for consent, legal basis, access, correction, retention, and deletion obligations.	Ch. 3, Ch. 9, Ch. 14, Ch. 15, Ch. 16, Ch. 50, Ch. 59, Ch. 62, Ch. 70
C-041	Sovereignty by design	Data residency, key ownership, network isolation, local inference, model choice, administrative control, and disconnected operation shall be supported where customer policy requires them.	Ch. 3, Ch. 48, Ch. 58, Ch. 59, Ch. 65
C-042	Deployment semantic parity	SaaS, Private Cloud, and On-Premise deployments shall preserve the same core semantics, governance model, APIs, artifacts, and intelligence lifecycle, with documented capability differences only where unavoidable.	Ch. 3, Ch. 8, Ch. 48, Ch. 63, Ch. 65, Ch. 66, Ch. 67, Ch. 71
C-043	Resilient operation	The platform shall fail safely, degrade intelligibly, recover predictably, preserve evidence and audit continuity, and expose when data, models, or dependencies are unavailable or stale.	Ch. 10, Ch. 13, Ch. 24, Ch. 46, Ch. 48, Ch. 55, Ch. 60, Ch. 63, Ch. 67, Ch. 69, Ch. 71
C-044	Governed learning loop	Learning from outcomes, feedback, overrides, and new evidence shall pass through evaluation, approval, release, monitoring, rollback, and tenant-isolation controls.	Ch. 40, Ch. 72
C-045	Continuous evaluation	Models, agents, forecasts, extractors, ontologies, simulations, and recommendations shall be evaluated for accuracy, calibration, robustness, drift, bias, safety, cost, and operational fitness.	Ch. 12, Ch. 23, Ch. 25, Ch. 32, Ch. 35, Ch. 43, Ch. 51, Ch. 61, Ch. 70, Ch. 36
C-046	Governed marketplaces	Scenario and Agent Marketplace packages shall be signed, versioned, inspectable, permission-scoped, licensed, evaluated, sandboxed, monitored, revocable, and traceable to publishers.	Ch. 34, Ch. 49, Ch. 61, Ch. 64, Ch. 66
C-047	Experience integrity	The product experience shall expose context, uncertainty, provenance, decision state, and consequence at the point of use; critical meaning shall not be hidden behind ornamental visualization.	Ch. 2, Ch. 5, Ch. 7, Ch. 11, Ch. 17, Ch. 19, Ch. 33, Ch. 41, Ch. 42, Ch. 44, Ch. 47, Ch. 57, Ch. 63, Ch. 68, Ch. 69
C-048	Role and accessibility clarity	Experiences shall be accessible and role-appropriate for executives, analysts, operators, domain experts, administrators, and governance teams without creating separate truths.	Ch. 4, Ch. 5, Ch. 7, Ch. 46, Ch. 68
C-049	Operational quality contract	Reliability, performance, scale, freshness, accuracy, calibration, explainability, reproducibility, security, accessibility, and cost shall be measured as product behavior, not assumed as implementation detail.	Ch. 5, Ch. 6, Ch. 7, Ch. 10, Ch. 26, Ch. 60, Ch. 62, Ch. 63, Ch. 66, Ch. 67, Ch. 68, Ch. 69, Ch. 70, Ch. 71
C-050	Responsible-use boundary	The Eye shall not autonomously execute decisions that materially determine life, liberty, legal status, access to essential services, employment, credit, or equivalent high-impact rights and interests.	Ch. 4, Ch. 7, Ch. 31, Ch. 34, Ch. 39, Ch. 49, Ch. 54, Ch. 59, Ch. 68
C-051	Constitutional change control	Changes to mission, product category, human authority, principles, canonical layers, core semantics, or constitutional invariants require explicit amendment, impact analysis, ratification, and versioned publication.	Ch. 1, Ch. 8, Ch. 65, Ch. 72
C-052	Documentation inheritance	Volumes 1 through 10 shall inherit this constitution, use its canonical terms, trace material requirements to invariant IDs, and identify rather than conceal any unresolved conflict.	Ch. 1, Ch. 5, Ch. 8, Ch. 71, Ch. 72

O Product Decision Baseline

These product decisions freeze the Product Requirements Document beneath Volumes 0 and 3-7. Product design, implementation, packaging, and customer configuration may add precision inside them but cannot use a local choice to change strategic meaning or authority.

ADR	DECISION	BINDING CONSEQUENCE	IMPLEMENTATION OBLIGATION
PRD-ADR-001	Volume 8 is the controlled product-behavior and acceptance baseline	Product requirements refine but do not redefine Volumes 0 and 3-7	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-002	The product remains a Strategic Intelligence Operating System	Chat, dashboard, BI, copilot, and reporting interactions remain subordinate surfaces	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-003	Human decision sovereignty is enforced as product state	No AI, agent, workflow, administrator, or integration can synthesize consequential approval	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-004	Product requirements use stable PR-CC-NNN identities	Acceptance, tests, releases, operations, and downstream design resolve to immutable IDs	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-005	Every material capability has one accountable product owner	Shared delivery duties never create ambiguous canonical ownership	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-006	Work objects have explicit governed lifecycles	Draft, reviewed, approved, published, corrected, withdrawn, archived, and retired states remain distinct	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-007	Evidence, claims, assessments, recommendations, and decisions remain separate	Presentation cannot collapse epistemic or authority categories	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-008	The Knowledge Graph is the connected semantic heart	Graph centrality does not absorb unlike systems of record or erase provenance	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-009	Enterprise Memory is permission-aware and temporally reconstructable	Retrieval cannot rewrite history or promote organizational belief to fact	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-010	Digital Twins separate observed state from synthetic branches	Simulated state never masquerades as the current world	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-011	Forecasts use six canonical horizons	Additional horizons are explicit derivatives and do not replace 30d, 90d, 180d, 1y, 3y, 5y	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-012	Scenario plurality precedes strategic recommendation	A scenario set cannot collapse uncertainty into one asserted future	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.

ADR	DECISION	BINDING CONSEQUENCE	IMPLEMENTATION OBLIGATION
PRD-ADR-013	Simulations are reproducible governed runs	Exact inputs, models, assumptions, constraints, seeds, versions, and validity are retained	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-014	Decision packages have a completeness gate	Alternatives, evidence, uncertainty, risk, dissent, explanation, and authority must close	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-015	Decision Replay preserves decision-time knowledge	Later evidence and corrections remain visible but never rewrite the prior snapshot	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-016	Agents are marketplace-governed bounded capabilities	Agent packages require identity, provenance, evaluation, tools, data, authority, and lifecycle	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-017	Proactive intelligence uses an explainable governed priority queue	Ranking never hides severe items, uncertainty, ownership, or suppression history	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-018	Strategic Health Score is decomposable	No single score may hide missing data, weights, confidence, or critical component failure	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-019	Accessibility is release-blocking product conformance	Equivalent material journeys are required across interaction and sensory modes	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-020	SaaS, Private Cloud, and On-Premise are one semantic product	Operational variance is allowed only behind common journeys, contracts, and authority	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-021	Offline and air-gapped operation is explicit product state	Scope, freshness, expiry, queued effects, conflicts, revocation, and reconciliation are visible	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-022	Packaging and entitlement cannot alter core semantics	Commercial boundaries cannot remove mandatory trust, correction, export, or human authority	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-023	Acceptance is evidence-bound and scope-specific	Release, deployment, tenant, role, versions, consequence, period, conditions, and authority are exact	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.
PRD-ADR-024	Product learning never silently self-modifies	Outcome evidence creates governed proposals subject to evaluation, approval, release, and replay	Implement through owned capabilities, canonical work objects, governed journeys, explicit human authority, declared failure behavior, common deployment fixtures, operating evidence, and scope-specific acceptance.

P Product Glossary

These terms are canonical for product behavior, human authority, observation, knowledge, memory, foresight, scenarios, simulation, decisions, agents, trust, operations, delivery, and acceptance. Volume 9 and domain specifications may add narrower terms but may not redefine the concepts below.

TERM	PRODUCT DEFINITION
Abstention	Explicit product state in which a model, agent, or method declines to assert an answer because evidence, authority, fitness, or scope is insufficient.
Acceptance unit	Exact capability, journey, release, deployment, tenant or domain, role, versions, configuration, consequence class, and period being accepted.
Agent	Governed software principal with identity, role, instructions, tools, data scopes, budgets, evaluation, runtime trace, and bounded authority.
Agent Marketplace	Controlled catalog and lifecycle for publishing, evaluating, approving, installing, operating, updating, and retiring agent packages.
Assessment	Versioned human or machine judgment linked to evidence, method, truth state, confidence, uncertainty, dissent, and accountable owner.
Authority	Recorded right of an eligible human or governing body to approve a defined transition or institutional effect within explicit scope and time.
Blind spot	Known or suspected absence of observation coverage across a declared entity, geography, source, topic, population, period, or quality dimension.
Capability	Stable product responsibility delivering a governed user outcome through explicit state, authority, contracts, failure behavior, and acceptance evidence.
Canonical object	Governed intelligence object whose identity, version, time, truth state, provenance, policy, quality, correction, owner, and lifecycle follow the universal contract.
Claim	Explicit proposition attributed to a source or actor and kept distinct from supporting evidence, inference, assessment, recommendation, and decision.
Closed strategic loop	Observe, Understand, Predict, Simulate, Decide, and Learn as one continuous governed operating cycle.
Collection contract	Versioned authority, rights, purpose, scope, endpoint, schedule, coverage, freshness, schema, cost, withdrawal, and evidence agreement for a source.
Commitment	Accountable institutional obligation created by human authority with owner, due time, conditions, evidence, status, exceptions, and outcome.
Consequence class	Governed category determining required evidence, review, human gate, controls, service objectives, and acceptance for an action or output.
Contestability	Ability of an authorized person to challenge evidence, method, interpretation, model, recommendation, policy decision, or product state and obtain accountable disposition.
Correction	Non-destructive authority-backed change that updates decision-active state while preserving prior versions, knowledge, use, and downstream impact.
Customer operating context	Tenant, domain, organization, jurisdiction, deployment, purpose, policy, data authority, specialization, and responsibility configuration for a customer.
Decision	Final accountable choice made by an eligible authenticated human against an exact decision digest.
Decision case	Governed work object containing question, objectives, options, evidence, assumptions, foresight, risk, opportunity, recommendation, dissent, review, and authority.
Decision digest	Immutable cryptographic identity of the exact decision package presented for human approval.
Decision intelligence	Product capability that structures alternatives, evidence, foresight, trade-offs, uncertainty, recommendation, and explanation for human decision-makers.
Decision Replay	Reconstruction of decision-time evidence, versions, methods, recommendations, authority, rationale, commitments, later outcomes, and corrections without rewriting history.
Degraded mode	Declared customer-visible state that names unavailable or constrained behavior, affected scope, freshness, safe actions, owner, maximum duration, and exit evidence.
Digital Twin	Governed time-versioned representation of a company, competitor, supply chain, product, market, regulation, infrastructure, process, or organization.

TERM	PRODUCT DEFINITION
Dissent	Preserved evidence-backed disagreement that remains visible through assessment, review, decision, correction, and replay.
Domain	Governed customer or intelligence boundary that specializes sources, ontology, workflows, methods, policy, and products without forking the universal core.
Early warning	Governed explainable notice that a threshold or pattern relevant to objectives or exposure requires named human attention within a defined time.
Enterprise Memory	Permission-aware temporal institutional record of facts, artifacts, context, decisions, rationales, commitments, outcomes, and lessons.
Entitlement	Commercially governed right for a tenant or user to access a capability, capacity, package, environment, or service under explicit limits and lifecycle.
Evidence	Source-grounded material with identity, version, integrity, rights, custody, time, provenance, policy, quality, and lifecycle.
Explainability	Product ability to show evidence, method, assumptions, alternatives, uncertainty, provenance, limitations, authority, and expected effect at the point of use.
Forecast	Probabilistic estimate of a defined target over a stated horizon using an exact cutoff, method, model, assumptions, distribution, calibration state, and owner.
Governed learning	Evidence-driven proposal to change product, policy, process, model, agent, data, or configuration through evaluation, human approval, controlled release, and replay.
Human authority boundary	Explicit line separating AI recommendation, forecast, simulation, reasoning, and explanation from human approval, decision, commitment, and risk acceptance.
Indicator	Versioned measurable condition linked to source data, formula, owner, threshold, coverage, objective or exposure, and lifecycle.
Intelligence object	Typed product object representing evidence, entity, relationship, event, claim, assessment, forecast, scenario, simulation, decision, commitment, or outcome.
Knowledge Graph	Canonical temporal semantic system connecting entities, relationships, events, claims, evidence, objectives, capabilities, risks, and strategic products.
Marketplace package	Signed versioned agent, scenario, data, ontology, integration, or domain extension with publisher, rights, dependencies, evaluation, permissions, compatibility, and lifecycle.
Material journey	End-to-end user outcome whose failure can affect human authority, strategic meaning, customer control, safety, rights, operations, or acceptance.
Objective	Governed desired strategic outcome with owner, measures, targets, capabilities, dependencies, options, risks, commitments, and time horizon.
Observation	Time-bound source-grounded record of something detected or received, kept distinct from interpretation and assessment.
Offline package	Signed encrypted bounded set of product state, data, policy, identity, revocation, expiry, and synchronization instructions for disconnected use.
Operating context	Active tenant, domain, role, objective, geography, horizon, scenario, classification, and deployment scope governing a product interaction.
Opportunity	Evidence-backed strategic hypothesis with value range, timing, dependencies, required capabilities, risks, sponsor, options, and outcome.
Outcome	Observed result linked to decisions, commitments, interventions, context, measures, uncertainty, and cautious attribution.
Product parity	Preservation of user outcomes, objects, authority, explanation, correction, export, replay, failure, and acceptance semantics across deployment profiles.
Product state	Explicit current condition of a capability or object, including normal, partial, stale, denied, quarantined, disputed, degraded, recovering, superseded, or retired.
Proactive intelligence	Governed nomination and prioritization of material warnings, decisions, reviews, opportunities, gaps, commitments, and exceptions before manual inquiry.
Provenance	Attributable chain connecting source, actor, method, model, tool, policy, transformation, version, review, approval, release, delivery, correction, and output.
Recommendation	Explainable non-authoritative proposal linked to objectives, alternatives, evidence, assumptions, forecasts, scenarios, simulations, risks, uncertainty, and expected effects.
Release	Immutable dependency-closed set of product, code, configuration, policies, schemas, ontologies, data, models, agents, packages, documentation, and evidence.
Residual effect	Institutional or technical effect that remains after cancellation, failure, compensation, rollback, containment, or override.

TERM	PRODUCT DEFINITION
Risk	Uncertain condition or event that can affect objectives, expressed through cause, consequence, likelihood distribution, exposure, owner, appetite, controls, mitigation, and residual state.
Scenario	Coherent plausible future with explicit drivers, uncertainties, assumptions, branches, indicators, implications, options, evidence, and owner.
Scenario Marketplace	Controlled catalog and lifecycle for publishing, discovering, licensing, installing, evaluating, updating, and retiring scenario packages.
Simulation	Reproducible governed execution of a model against exact inputs, twin or scenario state, parameters, constraints, seeds, versions, and validity rules.
Source coverage	Measured observation reach across declared entities, regions, topics, populations, periods, source classes, and quality dimensions.
Strategic Health Score	Decomposable governed assessment of strategic health whose measures, lineage, weights, confidence, coverage, trends, and exceptions remain visible.
Strategic package	Versioned forecast, scenario, simulation, decision case, briefing, or other decision-support product bound to exact evidence and authority.
Strategy Graph	Governed semantic graph connecting objectives, outcomes, measures, capabilities, initiatives, resources, dependencies, risks, opportunities, decisions, commitments, and results.
Strategic record	Durable institutional record of a material assessment, decision, rationale, commitment, exception, outcome, or lesson.
Tenant	Top-level customer isolation and governance boundary for identity, data, policy, workloads, keys, operations, support, evidence, and lifecycle.
Temporal truth	Preservation of event time, observation time, validity interval, system-record time, version, correction, and decision-time availability.
Truth state	Explicit epistemic category such as observed, asserted, inferred, assessed, synthetic, recommended, decided, corrected, withdrawn, or unknown.
Uncertainty	Explicit limits arising from evidence, coverage, measurement, model, assumptions, future variability, disagreement, or unknowns.
Warning owner	Named accountable person or role responsible for acknowledgment, disposition, escalation, action, correction, and closure of a warning.
Weak signal	Low-strength or emerging evidence pattern nominated for governed evaluation, not a confirmed fact or warning.
Work object	Stable product object with identity, owner, version, lifecycle, policy, tasks, authority, provenance, correction, audit, and replay behavior.
Workspace	Role-appropriate operating environment that organizes governed work objects, navigation, context, queues, actions, explanations, collaboration, and state.

Baseline closure

Volume 8 closes when every production capability can identify its customer and user outcome, accountable owner, workspace, journey, work objects, authority, lifecycle, evidence, time, truth state, provenance, uncertainty, explanation, correction, accessibility, localization, deployment profile, entitlement, dependencies, product state, failure behavior, offline behavior, recovery, success metrics, acceptance unit, evidence, conditions, exception, release, support path, and retirement state.

END STATE

The Eye is product-complete here as one enterprise Strategic Intelligence Operating System: continuously observing, semantically understanding, institutionally remembering, probabilistically predicting, reproducibly simulating, explainably recommending, durably operating, and learning through governed evidence while humans retain final decision authority in every deployment.

CONSTITUTIONAL INHERITANCE / C-001 · C-002 · C-004 · C-005 · C-009 · C-010 · C-011 · C-012 · C-015 · C-024 · C-025 · C-027 · C-035 · C-042 · C-047 · C-049 · C-052