

THE EYE

VOLUME 9

UI/UX Design System

The controlled visual, interaction, information architecture, accessibility, human authority, and experience-quality baseline for The Eye

OBSERVE / UNDERSTAND / PREDICT / SIMULATE / DECIDE / LEARN

CONTROLLED UI/UX DESIGN BASELINE / V1.0

Inherited from Volume 0 - Product Constitution and Volumes 3-8

2 August 2026

Document Control

Volume 9 is the controlled visual and interaction design baseline for The Eye. It governs how the frozen product contract is perceived, understood, operated, challenged, decided, and verified across every role, workspace, device, locale, deployment profile, and consequence class.

FIELD	CONTROLLED VALUE
Document	The Eye - Volume 9: UI/UX Design System
Edition	1.0 / Controlled baseline
Status	Approved documentation program baseline
Release date	2 August 2026
Governing authority	Volume 0 - Product Constitution; Volumes 3-8; Executive Product Authority; Design System Authority
Scope	Visual language, information architecture, components, patterns, responsive behavior, content, accessibility, human authority, explainability, degraded modes, parity, and acceptance
Requirement scheme	UX-CC-NNN; immutable within this controlled edition
Conformance unit	Exact requirement, component or pattern version, journey, persona and role, tenant or domain, deployment, entitlement, theme, locale, device, configuration, data and model versions, consequence class, period, and accepting authorities
Publication preset	compact_reference_guide with controlled series override: Arial typography, editorial cover, compact tables, explicit diagrams, restrained navy and teal palette
Downstream inheritance	Product and domain design specifications, coded component libraries, application implementations, release plans, acceptance plans, operational procedures, customer configuration, and Volume 10

Normative language

SHALL, MUST, SHALL NOT, and MUST NOT are binding. MAY permits an implementation choice inside the frozen design contract. SHOULD records a preferred expression that can be varied only when the replacement demonstrably preserves outcome, state, evidence, human authority, accessibility, semantic parity, and acceptance evidence.

VOLUME 9 AUTHORITY This volume controls visual and interaction expression without changing the product contract. A local screen, component, theme, workflow, or model response cannot amend truth, authority, canonical ownership, deployment semantics, or constitutional invariants.

UI/UX Design System Charter

The Eye is not a chatbot, dashboard, BI platform, copilot, or reporting product. Its interfaces are governed access modes to a Strategic Intelligence Operating System. Volume 9 therefore controls an experience system: persistent context, canonical objects, truth and lifecycle state, evidence and provenance, explainable analysis, bounded agent work, explicit human authority, recoverable commands, and permanent organizational memory.

CHARTER ELEMENT	BINDING DEFINITION
Design outcome	Every authorized user can observe, understand, predict, simulate, decide, and learn through one coherent governed experience.
Human sovereignty	AI recommends, forecasts, simulates, reasons, and explains. Named humans make final strategic and high-impact decisions.
Experience integrity	Context, uncertainty, provenance, decision state, consequence, correction, and degraded behavior appear at the point of use.
Common truth	Executives, analysts, operators, experts, administrators, and governance teams receive role-appropriate depth without separate truths.
Design-system unit	Semantic token, primitive, component, pattern, template, content rule, implementation package, evidence baseline, and versioned release.
Conformance	A design is conformant only when every applicable UX requirement closes with evidence for the exact implementation scope.

Definition of design complete

- The required context, object identity, truth state, evidence, uncertainty, authority, commands, degraded behavior, and recovery are expressed through approved components and patterns.
- Material journeys pass visual, interaction, content, accessibility, localization, responsive, performance, security, privacy, offline, and deployment-parity evidence.
- Consequential actions resolve eligible authority, exact digest, consequence preview, rationale, deliberate human action, immutable receipt, and partial-effect recovery.
- Design tokens, themes, components, patterns, code implementations, documentation, tests, findings, exceptions, releases, and customer acceptance remain bidirectionally traceable.
- No unresolved conflict with the 52 constitutional invariants or Volume 8 product requirements is concealed by implementation or presentation.

RELEASE PRINCIPLE Visual polish cannot compensate for a missing state, weak explanation, inaccessible journey, ambiguous command, or absent human authority. Those conditions are release-blocking product failures.

Contents

Nine controlled parts / 72 design chapters / 16 controlled appendices

Part 1 - Design Authority and System Foundations

- 01 Design Authority, Scope, and Conformance
- 02 Experience Doctrine and Strategic Intelligence Loop
- 03 Design Principles and Experience Prohibitions
- 04 Personas, Roles, Authority, and Consequence Classes
- 05 Design System Architecture and Governance Model
- 06 Canonical Context, Truth, and Product State
- 07 Accessibility, Inclusion, and Global Readiness
- 08 Cross-Volume Traceability and Design Acceptance

Part 2 - Application Shell and Information Architecture

- 09 Global Application Shell
- 10 Operating Context Bar and Scope Switching
- 11 Workspace Navigation and Wayfinding
- 12 Object-Centered Information Architecture
- 13 Search, Command, and Intent Entry
- 14 Page Composition, Grid, Density, and Responsive Behavior
- 15 Cross-Workspace Continuity, Deep Links, and History
- 16 Multi-Window, Large Display, and Command Environment

Part 3 - Foundations and Component System

- 17 Color, Contrast, and Semantic Status
- 18 Typography, Numerical Data, and Content Hierarchy
- 19 Spacing, Layout, Elevation, and Surfaces
- 20 Iconography, Symbols, and Visual Language
- 21 Forms, Input, Validation, and Error Prevention
- 22 Data Tables, Lists, Trees, and High-Density Inspection
- 23 Panels, Drawers, Dialogs, and Progressive Disclosure
- 24 Motion, Feedback, Loading, and Perceived Performance

Contents continued

Part 4 - Strategic Object and Evidence Experience

- 25 Canonical Object Header and Identity
- 26 Evidence, Citation, Provenance, and Chain of Custody
- 27 Truth State, Confidence, Uncertainty, and Dissent
- 28 Temporal State, Timeline, As-Of, and Replay
- 29 Entity, Relationship, and Knowledge Graph Exploration
- 30 Enterprise Memory and Strategic Record
- 31 Documents, Media, Geospatial, and Scientific Evidence
- 32 Corrections, Withdrawals, Reconciliation, and Impact

Part 5 - Foresight and Strategic Decision Experience

- 33 Weak Signals and Indicator Workbench
- 34 Early Warning and Escalation Experience
- 35 Risk and Opportunity Intelligence
- 36 Competitor, Supply Chain, and Domain Intelligence
- 37 Forecast Portfolio and Prediction Horizons
- 38 Scenario Intelligence and Scenario Marketplace
- 39 Simulation Run Center and Digital Twin Branching
- 40 Strategy Graph, Decision Case, and Human Commitment

Part 6 - Executive and Collaborative Operating Experience

- 41 Executive Operating System Home
- 42 Strategic Briefing and Command Views
- 43 Strategic Health Score
- 44 Proactive Intelligence and Priority Queue
- 45 Strategic Planning and Initiative Governance
- 46 Collaboration, Tasks, Reviews, and Workflow
- 47 Reporting, Publishing, Distribution, and Receipts
- 48 Mobile, Field, Offline, and Disconnected Operation

Contents continued

Part 7 - Agentic Experience and Automation

- 49 Agent Identity, Role, and Capability Surface
- 50 Agent Planner and Task Plan
- 51 Agent Run, Trace, Tool Use, and Checkpoints
- 52 Multi-Agent Supervision and Workflow Orchestration
- 53 Agent Recommendations, Explanations, and Abstention
- 54 Agent Escalation, Side Effects, and Human Override
- 55 Agent Marketplace and Package Installation
- 56 Agent Incidents, Containment, Replay, and Learning

Part 8 - Trust, Governance, Administration, and Operations

- 57 Trust and Provenance Experience
- 58 Identity, Access, Tenant, and Domain Administration
- 59 Policy, Privacy, Residency, Consent, and Classification
- 60 Model, Agent, Data, and Ontology Governance
- 61 Security, Cyber, Incident, and Investigation Experience
- 62 Audit, Evidence, Compliance, and Non-Repudiation
- 63 Reliability, Degraded Modes, Recovery, and Service Health
- 64 Integrations, APIs, Exports, and Extensibility

Part 9 - Delivery, Quality, and Design Operations

- 65 SaaS, Private Cloud, and On-Premise Experience Parity
- 66 Onboarding, Configuration, Migration, and Adoption
- 67 Entitlements, Packaging, Licensing, and Marketplaces
- 68 Design Tokens, Themes, and Customer Branding
- 69 Content Design, Terminology, Localization, and Translation
- 70 Product Analytics, UX Telemetry, and Experience Quality
- 71 Design Acceptance, Accessibility Certification, and Release Readiness
- 72 Design Governance, Contribution, Versioning, and Baseline Closure

Controlled reference appendices

- A Design Token Registry
- B Semantic State and Truth-State Catalog
- C Typography, Content, and Numerical Grammar
- D Layout, Grid, Density, and Responsive Contract
- E Component Catalog
- F Interaction Pattern Catalog
- G Strategic Visualization Grammar
- H Object, Action, and State Presentation Matrix
- I Explainability and Human Authority Pattern Library
- J Accessibility, Localization, and Global Readiness Matrix
- K Persona and Workspace Experience Matrix
- L Canonical Journey Screen Map
- M Notification, Alert, and Escalation Design Catalog
- N Requirement and Cross-Volume Traceability Matrix
- O UX Design Decision Baseline
- P Design System Glossary and Release Checklist

Executive Experience Statement

The Eye is operated through evidence-rich, role-appropriate workspaces that maintain one connected representation of the world and the enterprise. The experience does not ask leaders to trust a summary layer. It lets them move from material change to underlying evidence; from evidence to entities, relationships, memory, forecasts, scenarios, and simulations; from those products to explicit alternatives and dissent; and from deliberation to a non-repudiable human decision, commitment, outcome, and replay.

The primary organizing principle is strategic work, not screen type. A dashboard may summarize a command view, chat may accept bounded intent, a report may distribute an approved edition, and an API may expose governed contracts. None becomes the product definition, canonical owner, truth source, or authority surface. Every access mode returns to the same objects, versions, evidence, policy decisions, human gates, and correction history.


The visual system is calm, precise, and dense enough for serious institutional use. Navy and neutral surfaces establish hierarchy. Teal marks interaction and connective meaning. Semantic colors are reserved for explicit truth, severity, uncertainty, lifecycle, and health roles. Typography, layout, icons, charts, maps, graphs, motion, and content work as one language. Ornament never carries critical meaning. Color never acts alone. Confidence never resembles authority. Synthetic state never resembles observation.

MODE	PRIMARY EXPERIENCE	EXECUTIVE QUESTION
Observe	Coverage, source health, evidence, blind spots, intake, and live events	What is known, missing, late, or constrained?
Understand	Objects, entities, relationships, Knowledge Graph, memory, claims, and time	What does the evidence mean and how is it connected?
Predict	Weak signals, warnings, risk, opportunity, forecasts, and six horizons	What could happen, with what uncertainty and calibration?
Simulate	Scenarios, Digital Twins, governed runs, sensitivity, and validity	How might futures respond to interventions and assumptions?
Decide	Objectives, alternatives, evidence, dissent, recommendations, human digest, and commitment	What will an eligible human decide, why, and with what consequences?
Learn	Outcomes, Decision Replay, attribution, lessons, evaluated change, and governance	What changed, what was learned, and what proposal should enter control?

HUMAN DECISION SOVEREIGNTY Every decision-active experience names the eligible human authority, preserves the exact digest reviewed, separates recommendation from decision, previews institutional effect, records rationale and conditions, and returns an immutable receipt.

Experience Control Model

The experience control model binds the six operating verbs to four persistent rails: operating context, truth state, trust and provenance, and human authority. Workspaces and components may vary by role and task, but these rails remain stable wherever their state can change meaning or consequence.



PART 1

Design Authority and System Foundations

Defines the authority, doctrine, state model, accessibility obligation, and acceptance system that make experience design a controlled expression of the product constitution.

CHAPTERS 1-8

THE EYE / EXPERIENCE IN SERVICE OF STRATEGIC INTELLIGENCE

1 Design Authority, Scope, and Conformance

Design Authority, Scope, and Conformance establishes the governed experience through which authorized users can make the controlling design baseline, accountable owners, approved exceptions, and conformance status resolvable before a design or release decision. It organizes authority header, baseline registry, conformance scope, acceptance evidence around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 2. Design Authority, Scope, and Conformance. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Make the controlling design baseline, accountable owners, approved exceptions, and conformance status resolvable before a design or release decision.
Primary roles	Executive Product Authority; Design System Authority; product, engineering, assurance, and customer acceptance leaders.
Controlled objects	design baseline, design requirement, component, pattern, exception, evidence package, acceptance record.
Canonical anatomy	authority header; baseline registry; conformance scope; acceptance evidence.
Primary command	Register, compare, attest, supersede, or reject a design baseline without changing constitutional meaning.
Human authority	Only the recorded Design System Authority may approve design-system conformance; product meaning remains governed by Executive Product Authority.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-01-001	The Eye SHALL present Design Authority, Scope, and Conformance as a governed experience that enables authorized users to make the controlling design baseline, accountable owners, approved exceptions, and conformance status resolvable before a design or release decision; authority header, baseline registry, conformance scope, acceptance evidence SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-01-002	The experience SHALL persist, expose, version, and reconcile design baseline, design requirement, component, pattern, exception, evidence package, acceptance record; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-01-003	The primary command SHALL allow eligible users to register, compare, attest, supersede, or reject a design baseline without changing constitutional meaning; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-01-004	The experience SHALL enforce this human-authority boundary: Only the recorded Design System Authority may approve design-system conformance; product meaning remains governed by Executive Product Authority. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-01-005	When a component, pattern, owner, exception, or release cannot resolve to an approved authority, the experience SHALL hold admission or release, preserve disputed work, expose affected scope, and route the conflict through the recorded authority chain; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-01-006	Acceptance SHALL demonstrate orphan-free trace queries, authority conflict fixtures, exception expiry, and independent acceptance for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
A component, pattern, owner, exception, or release cannot resolve to an approved authority.	Hold admission or release, preserve disputed work, expose affected scope, and route the conflict through the recorded authority chain.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates orphan-free trace queries, authority conflict fixtures, exception expiry, and independent acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Design Authority, Scope, and Conformance is conformant only when all UX-01-001 through UX-01-006 close for the declared acceptance unit. Volume 8 trace: Ch. 1, Ch. 8, Ch. 71, Ch. 72. Capabilities: CAP-AU-01, CAP-AU-09, CAP-AU-11, CAP-AU-12. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-001 / C-003 / C-047 / C-051 / C-052

2 Experience Doctrine and Strategic Intelligence Loop

Experience Doctrine and Strategic Intelligence Loop establishes the governed experience through which authorized users can express Observe, Understand, Predict, Simulate, Decide, and Learn as one continuous operating loop rather than disconnected screens or feature islands. It organizes current loop stage, upstream evidence, next governed action, return and replay around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 3. Experience Doctrine and Strategic Intelligence Loop. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Express observe, understand, predict, simulate, decide, and learn as one continuous operating loop rather than disconnected screens or feature islands.
Primary roles	executives, analysts, operators, domain specialists, administrators, and governance teams.
Controlled objects	objective, observation, intelligence object, forecast, scenario, simulation, decision, commitment, outcome, lesson.
Canonical anatomy	current loop stage; upstream evidence; next governed action; return and replay.
Primary command	Move between loop stages while preserving context, object identity, provenance, work state, and a deterministic return path.
Human authority	The experience may recommend a next stage but may not skip a required review, evidence, or human decision gate.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-02-001	The Eye SHALL present Experience Doctrine and Strategic Intelligence Loop as a governed experience that enables authorized users to express Observe, Understand, Predict, Simulate, Decide, and Learn as one continuous operating loop rather than disconnected screens or feature islands; current loop stage, upstream evidence, next governed action, return and replay SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-02-002	The experience SHALL persist, expose, version, and reconcile objective, observation, intelligence object, forecast, scenario, simulation, decision, commitment, outcome, lesson; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-02-003	The primary command SHALL allow eligible users to move between loop stages while preserving context, object identity, provenance, work state, and a deterministic return path; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-02-004	The experience SHALL enforce this human-authority boundary: The experience may recommend a next stage but may not skip a required review, evidence, or human decision gate. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-02-005	When a local optimization, shortcut, or surface fragments the strategic loop or hides upstream evidence and downstream effect, the experience SHALL retain the last coherent loop state, expose the broken handoff, and prevent the next consequential transition until continuity is restored; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-02-006	Acceptance SHALL demonstrate closed-loop journeys across every role and deployment, including return, correction, and replay for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
A local optimization, shortcut, or surface fragments the strategic loop or hides upstream evidence and downstream effect.	Retain the last coherent loop state, expose the broken handoff, and prevent the next consequential transition until continuity is restored.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates closed-loop journeys across every role and deployment, including return, correction, and replay.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Experience Doctrine and Strategic Intelligence Loop is conformant only when all UX-02-001 through UX-02-006 close for the declared acceptance unit. Volume 8 trace: Ch. 2, Ch. 8, Ch. 41. Capabilities: CAP-AU-02, CAP-EO-01, CAP-EO-06. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-001 / C-002 / C-003 / C-027 / C-047

3 Design Principles and Experience Prohibitions

Design Principles and Experience Prohibitions establishes the governed experience through which authorized users can turn the product principles into enforceable interaction rules and prevent chatbot-first, dashboard-first, decorative, certainty-inflating, or dark-pattern behavior. It organizes principle statement, prohibited behavior, affected pattern, remediation status around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 4. Design Principles and Experience Prohibitions. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Turn the product principles into enforceable interaction rules and prevent chatbot-first, dashboard-first, decorative, certainty-inflating, or dark-pattern behavior.
Primary roles	all product contributors, reviewers, operators, and customer configuration authorities.
Controlled objects	principle, prohibition, design decision, exception, review finding, remediation.
Canonical anatomy	principle statement; prohibited behavior; affected pattern; remediation status.
Primary command	Evaluate a design against explicit principles and record a narrow, expiring exception when conformance cannot yet be achieved.
Human authority	No commercial, administrative, model, or delivery role may waive human authority, truth-state separation, provenance, or accessibility.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-03-001	The Eye SHALL present Design Principles and Experience Prohibitions as a governed experience that enables authorized users to turn the product principles into enforceable interaction rules and prevent chatbot-first, dashboard-first, decorative, certainty-inflating, or dark-pattern behavior; principle statement, prohibited behavior, affected pattern, remediation status SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-03-002	The experience SHALL persist, expose, version, and reconcile principle, prohibition, design decision, exception, review finding, remediation; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-03-003	The primary command SHALL allow eligible users to evaluate a design against explicit principles and record a narrow, expiring exception when conformance cannot yet be achieved; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-03-004	The experience SHALL enforce this human-authority boundary: No commercial, administrative, model, or delivery role may waive human authority, truth-state separation, provenance, or accessibility. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-03-005	When engagement, speed, visual novelty, automation, or density is optimized at the expense of truth, control, comprehension, or strategic completeness, the experience SHALL block the non-conformant pattern, preserve the design evidence, expose the violated principle, and require accountable remediation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-03-006	Acceptance SHALL demonstrate pattern review, dark-pattern tests, comprehension evidence, and exception non-broadening for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Engagement, speed, visual novelty, automation, or density is optimized at the expense of truth, control, comprehension, or strategic completeness.	Block the non-conformant pattern, preserve the design evidence, expose the violated principle, and require accountable remediation.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence


- End-to-end evidence demonstrates pattern review, dark-pattern tests, comprehension evidence, and exception non-broadening.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Design Principles and Experience Prohibitions is conformant only when all UX-03-001 through UX-03-006 close for the declared acceptance unit. Volume 8 trace: Ch. 2, Ch. 5, Ch. 7. Capabilities: CAP-AU-01, CAP-AU-10, CAP-AU-12. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-001 / C-003 / C-004 / C-005 / C-047 / C-048

4 Personas, Roles, Authority, and Consequence Classes

Personas, Roles, Authority, and Consequence Classes establishes the governed experience through which authorized users can adapt task density and explanation depth to recurring work while keeping roles, permissions, authority, and consequence explicit and separate. It organizes active role, task intent, authority status, consequence class around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.



ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-04-005	When identity assurance, role eligibility, delegation, recusal, or consequence classification is missing or conflicting, the experience SHALL disable consequential actions, retain draft work, show the missing authority condition, and route accountable resolution; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-04-006	Acceptance SHALL demonstrate role-switch, delegation, recusal, least-privilege, and high-impact decision tests for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Identity assurance, role eligibility, delegation, recusal, or consequence classification is missing or conflicting.	Disable consequential actions, retain draft work, show the missing authority condition, and route accountable resolution.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates role-switch, delegation, recusal, least-privilege, and high-impact decision tests.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Personas, Roles, Authority, and Consequence Classes is conformant only when all UX-04-001 through UX-04-006 close for the declared acceptance unit. Volume 8 trace: Ch. 4, Ch. 58. Capabilities: CAP-AU-03, CAP-AU-05, CAP-TG-02. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 / C-036 / C-039 / C-048 / C-050

5 Design System Architecture and Governance Model

Design System Architecture and Governance Model establishes the governed experience through which authorized users can govern foundations, components, patterns, templates, content rules, tokens, code implementations, documentation, and evidence as one versioned system. It organizes system inventory, dependency graph, release channel, governance queue around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 6. Design System Architecture and Governance Model. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Govern foundations, components, patterns, templates, content rules, tokens, code implementations, documentation, and evidence as one versioned system.
Primary roles	Design System Authority; component owners; product designers; engineers; accessibility, content, and assurance specialists.
Controlled objects	token, primitive, component, pattern, template, package, release, deprecation, contribution, exception.
Canonical anatomy	system inventory; dependency graph; release channel; governance queue.
Primary command	Propose, review, validate, publish, deprecate, migrate, or retire design assets through recorded ownership and compatibility gates.
Human authority	The Design System Authority controls design-system admission; local product teams own conformance within their scope but cannot fork canonical semantics.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 05 - 001	The Eye SHALL present Design System Architecture and Governance Model as a governed experience that enables authorized users to govern foundations, components, patterns, templates, content rules, tokens, code implementations, documentation, and evidence as one versioned system; system inventory, dependency graph, release channel, governance queue SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 05 - 002	The experience SHALL persist, expose, version, and reconcile token, primitive, component, pattern, template, package, release, deprecation, contribution, exception; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 05 - 003	The primary command SHALL allow eligible users to propose, review, validate, publish, deprecate, migrate, or retire design assets through recorded ownership and compatibility gates; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 05 - 004	The experience SHALL enforce this human-authority boundary: The Design System Authority controls design-system admission; local product teams own conformance within their scope but cannot fork canonical semantics. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-05-005	When a local component or theme duplicates identity, forks semantics, bypasses validation, or depends on an unsupported version, the experience SHALL quarantine the contribution, preserve consumers on the prior supported asset, expose impact, and route migration or rejection; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-05-006	Acceptance SHALL demonstrate dependency closure, compatibility, deprecation, migration, contribution, and rollback evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
A local component or theme duplicates identity, forks semantics, bypasses validation, or depends on an unsupported version.	Quarantine the contribution, preserve consumers on the prior supported asset, expose impact, and route migration or rejection.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates dependency closure, compatibility, deprecation, migration, contribution, and rollback evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Design System Architecture and Governance Model is conformant only when all UX-05-001 through UX-05-006 close for the declared acceptance unit. Volume 8 trace: Ch. 1, Ch. 5, Ch. 72. Capabilities: CAP-AU-02, CAP-AU-06, CAP-AU-12. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-006 / C-007 / C-008 / C-047 / C-049 / C-051 / C-052

6 Canonical Context, Truth, and Product State

Canonical Context, Truth, and Product State establishes the governed experience through which authorized users can make operating context, object state, truth state, policy state, freshness, authority, and lifecycle visible wherever they can alter meaning or action. It organizes context bar, object identity, state strip, policy and freshness around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 7. Canonical Context, Truth, and Product State. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Make operating context, object state, truth state, policy state, freshness, authority, and lifecycle visible wherever they can alter meaning or action.
Primary roles	all users and agents operating through product surfaces.
Controlled objects	tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, object, version, truth state, lifecycle state.
Canonical anatomy	context bar; object identity; state strip; policy and freshness.
Primary command	Inspect or change one context dimension through an explicit preview that identifies affected work, permissions, queries, and pending commands.
Human authority	Only eligible humans may commit institutional state transitions; AI and automation may propose labeled derived state.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX -06 -001	The Eye SHALL present Canonical Context, Truth, and Product State as a governed experience that enables authorized users to make operating context, object state, truth state, policy state, freshness, authority, and lifecycle visible wherever they can alter meaning or action; context bar, object identity, state strip, policy and freshness SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX -06 -002	The experience SHALL persist, expose, version, and reconcile tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, object, version, truth state, lifecycle state; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX -06 -003	The primary command SHALL allow eligible users to inspect or change one context dimension through an explicit preview that identifies affected work, permissions, queries, and pending commands; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX -06 -004	The experience SHALL enforce this human-authority boundary: Only eligible humans may commit institutional state transitions; AI and automation may propose labeled derived state. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-06-005	When context or state is stale, ambiguous, policy-filtered, partially loaded, or inconsistent across projections, the experience SHALL retain the last verified state, mark indeterminate dimensions, constrain unsafe actions, and offer the canonical reconciliation path; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-06-006	Acceptance SHALL demonstrate cross-context leakage, stale projection, truth-state, lifecycle, and policy-filtered scope fixtures for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Context or state is stale, ambiguous, policy-filtered, partially loaded, or inconsistent across projections.	Retain the last verified state, mark indeterminate dimensions, constrain unsafe actions, and offer the canonical reconciliation path.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates cross-context leakage, stale projection, truth-state, lifecycle, and policy-filtered scope fixtures.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Canonical Context, Truth, and Product State is conformant only when all UX-06-001 through UX-06-006 close for the declared acceptance unit. Volume 8 trace: Ch. 3, Ch. 5, Ch. 6, Ch. 17, Ch. 21, Ch. 22. Capabilities: CAP-AU-04, CAP-AU-07, CAP-UM-01, CAP-UM-10. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-010 / C-011 / C-012 / C-047

7 Accessibility, Inclusion, and Global Readiness

Accessibility, Inclusion, and Global Readiness establishes the governed experience through which authorized users can preserve strategic meaning, task completion, explanation, and human authority across sensory, motor, cognitive, language, script, device, and network contexts. It organizes semantic structure, focus and input, alternative view, preference and locale around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 8. Accessibility, Inclusion, and Global Readiness. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Preserve strategic meaning, task completion, explanation, and human authority across sensory, motor, cognitive, language, script, device, and network contexts.
Primary roles	all personas, including assistive-technology users and users operating across supported locales and constrained environments.
Controlled objects	preference profile, language, script, modality, focus state, alternative representation, accessibility defect, exception.
Canonical anatomy	semantic structure; focus and input; alternative view; preference and locale.
Primary command	Complete every material journey with keyboard, screen reader, zoom, non-color cues, and role-appropriate language without a separate truth.
Human authority	Accessibility never lowers evidence, review, signature, or human decision requirements; equivalent accessible actions bind the same digest.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-07-001	The Eye SHALL present Accessibility, Inclusion, and Global Readiness as a governed experience that enables authorized users to preserve strategic meaning, task completion, explanation, and human authority across sensory, motor, cognitive, language, script, device, and network contexts; semantic structure, focus and input, alternative view, preference and locale SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-07-002	The experience SHALL persist, expose, version, and reconcile preference profile, language, script, modality, focus state, alternative representation, accessibility defect, exception; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-07-003	The primary command SHALL allow eligible users to complete every material journey with keyboard, screen reader, zoom, non-color cues, and role-appropriate language without a separate truth; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-07-004	The experience SHALL enforce this human-authority boundary: Accessibility never lowers evidence, review, signature, or human decision requirements; equivalent accessible actions bind the same digest. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-07-005	When a material meaning, action, warning, chart, or decision cannot be perceived, understood, operated, or verified in an approved mode, the experience SHALL block release or constrain the affected journey, expose an accessible alternative, preserve work, and govern any exception with expiry; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-07-006	Acceptance SHALL demonstrate WCAG 2.2 AA, assistive-technology, keyboard, zoom, localization, and representative-user evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
A material meaning, action, warning, chart, or decision cannot be perceived, understood, operated, or verified in an approved mode.	Block release or constrain the affected journey, expose an accessible alternative, preserve work, and govern any exception with expiry.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates WCAG 2.2 AA, assistive-technology, keyboard, zoom, localization, and representative-user evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Accessibility, Inclusion, and Global Readiness is conformant only when all UX-07-001 through UX-07-006 close for the declared acceptance unit. Volume 8 trace: Ch. 7, Ch. 48, Ch. 71. Capabilities: CAP-AU-08, CAP-EO-10, CAP-PD-11. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 / C-047 / C-048 / C-049

8 Cross-Volume Traceability and Design Acceptance

Cross-Volume Traceability and Design Acceptance establishes the governed experience through which authorized users can bind every material visual or interaction decision to constitutional invariants, product requirements, owned capabilities, journeys, tests, releases, and accepting authorities. It organizes trace explorer, coverage matrix, evidence status, acceptance decision around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 9. Cross-Volume Traceability and Design Acceptance. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Bind every material visual or interaction decision to constitutional invariants, product requirements, owned capabilities, journeys, tests, releases, and accepting authorities.
Primary roles	product, design, engineering, assurance, customer acceptance, audit, and governance authorities.
Controlled objects	trace link, requirement, component version, journey, test, finding, evidence, release, acceptance, exception.
Canonical anatomy	trace explorer; coverage matrix; evidence status; acceptance decision.
Primary command	Resolve any design asset bidirectionally from source authority through implementation and operating evidence to accepted release.
Human authority	Independent named authorities accept only the exact scoped evidence package; implementation cannot amend its own authority.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-08-001	The Eye SHALL present Cross-Volume Traceability and Design Acceptance as a governed experience that enables authorized users to bind every material visual or interaction decision to constitutional invariants, product requirements, owned capabilities, journeys, tests, releases, and accepting authorities; trace explorer, coverage matrix, evidence status, acceptance decision SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-08-002	The experience SHALL persist, expose, version, and reconcile trace link, requirement, component version, journey, test, finding, evidence, release, acceptance, exception; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-08-003	The primary command SHALL allow eligible users to resolve any design asset bidirectionally from source authority through implementation and operating evidence to accepted release; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-08-004	The experience SHALL enforce this human-authority boundary: Independent named authorities accept only the exact scoped evidence package; implementation cannot amend its own authority. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-08-005	When a requirement, component, test, release, acceptance, or exception is orphaned, stale, contradictory, or outside retained evidence age, the experience SHALL withhold conformance, preserve the prior accepted baseline, show the missing trace, and route closure to the accountable owner; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-08-006	Acceptance SHALL demonstrate bidirectional trace, orphan, contradiction, evidence-age, independent review, and supersession tests for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
A requirement, component, test, release, acceptance, or exception is orphaned, stale, contradictory, or outside retained evidence age.	Withhold conformance, preserve the prior accepted baseline, show the missing trace, and route closure to the accountable owner.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates bidirectional trace, orphan, contradiction, evidence-age, independent review, and supersession tests.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Cross-Volume Traceability and Design Acceptance is conformant only when all UX-08-001 through UX-08-006 close for the declared acceptance unit. Volume 8 trace: Ch. 8, Ch. 71, Ch. 72. Capabilities: CAP-AU-09, CAP-AU-11, CAP-PD-12. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-047 / C-049 / C-051 / C-052

PART 2

Application Shell and Information Architecture

Defines one persistent operating environment in which context, object identity, navigation, search, history, and workspace continuity remain intelligible across strategic work.

CHAPTERS 9-16

THE EYE / EXPERIENCE IN SERVICE OF STRATEGIC INTELLIGENCE

9 Global Application Shell

Global Application Shell establishes the governed experience through which authorized users can provide one persistent, role-appropriate operating environment that keeps global context, primary navigation, work state, product health, and accountable commands available. It organizes global context, workspace rail, work canvas, status and command layer around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 10. Global Application Shell. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Provide one persistent, role-appropriate operating environment that keeps global context, primary navigation, work state, product health, and accountable commands available.
Primary roles	all authenticated product users.
Controlled objects	session, tenant, domain, role, workspace, task, object selection, notification, service state.
Canonical anatomy	global context; workspace rail; work canvas; status and command layer.
Primary command	Enter a workspace, resume governed work, inspect system state, and switch tasks without losing object or authority context.
Human authority	The shell may expose consequential commands but never executes them through navigation, dismissal, or context switching.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 09 - 001	The Eye SHALL present Global Application Shell as a governed experience that enables authorized users to provide one persistent, role-appropriate operating environment that keeps global context, primary navigation, work state, product health, and accountable commands available; global context, workspace rail, work canvas, status and command layer SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 09 - 002	The experience SHALL persist, expose, version, and reconcile session, tenant, domain, role, workspace, task, object selection, notification, service state; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 09 - 003	The primary command SHALL allow eligible users to enter a workspace, resume governed work, inspect system state, and switch tasks without losing object or authority context; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 09 - 004	The experience SHALL enforce this human-authority boundary: The shell may expose consequential commands but never executes them through navigation, dismissal, or context switching. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-09-005	When shell state diverges from workspace state, context cannot be verified, or a required control plane is unavailable, the experience SHALL freeze consequential commands, preserve local work and return paths, expose affected shell regions, and restore from canonical state; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-09-006	Acceptance SHALL demonstrate session resume, workspace switching, degraded shell, keyboard navigation, and semantic parity evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Shell state diverges from workspace state, context cannot be verified, or a required control plane is unavailable.	Freeze consequential commands, preserve local work and return paths, expose affected shell regions, and restore from canonical state.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates session resume, workspace switching, degraded shell, keyboard navigation, and semantic parity evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Global Application Shell is conformant only when all UX-09-001 through UX-09-006 close for the declared acceptance unit. Volume 8 trace: Ch. 5, Ch. 41, Ch. 63. Capabilities: CAP-AU-06, CAP-EO-01, CAP-TG-11. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-002 / C-003 / C-027 / C-043 / C-047

10 Operating Context Bar and Scope Switching

Operating Context Bar and Scope Switching establishes the governed experience through which authorized users can show and control every context dimension that changes meaning, access, evidence, horizon, scenario, or authority. It organizes active scope, changed dimensions, impact preview, commit or cancel around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 11. Operating Context Bar and Scope Switching. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Show and control every context dimension that changes meaning, access, evidence, horizon, scenario, or authority.
Primary roles	all users working across customers, domains, objectives, geographies, horizons, scenarios, or classifications.
Controlled objects	tenant, domain, role, objective, geography, horizon, scenario, classification, deployment, effective time.
Canonical anatomy	active scope; changed dimensions; impact preview; commit or cancel.
Primary command	Preview and deliberately commit a context switch while preserving or explicitly discarding affected query, draft, selection, and approval state.
Human authority	A context switch invalidates any pending approval or command whose digest, eligibility, evidence, or policy scope changes.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-10-001	The Eye SHALL present Operating Context Bar and Scope Switching as a governed experience that enables authorized users to show and control every context dimension that changes meaning, access, evidence, horizon, scenario, or authority; active scope, changed dimensions, impact preview, commit or cancel SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-10-002	The experience SHALL persist, expose, version, and reconcile tenant, domain, role, objective, geography, horizon, scenario, classification, deployment, effective time; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-10-003	The primary command SHALL allow eligible users to preview and deliberately commit a context switch while preserving or explicitly discarding affected query, draft, selection, and approval state; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-10-004	The experience SHALL enforce this human-authority boundary: A context switch invalidates any pending approval or command whose digest, eligibility, evidence, or policy scope changes. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-10-005	When scope is unavailable, stale, unauthorized, partially loaded, or conflicts with a pending action, the experience SHALL retain the last valid scope, show unresolved dimensions and affected work, deny cross-boundary effects, and offer a safe return; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-10-006	Acceptance SHALL demonstrate scope-switch impact, tenant isolation, stale context, approval invalidation, and return-path fixtures for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Scope is unavailable, stale, unauthorized, partially loaded, or conflicts with a pending action.	Retain the last valid scope, show unresolved dimensions and affected work, deny cross-boundary effects, and offer a safe return.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates scope-switch impact, tenant isolation, stale context, approval invalidation, and return-path fixtures.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Operating Context Bar and Scope Switching is conformant only when all UX-10-001 through UX-10-006 close for the declared acceptance unit. Volume 8 trace: Ch. 3, Ch. 5, Ch. 41. Capabilities: CAP-AU-04, CAP-EO-02, CAP-TG-02. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-007 / C-010 / C-039 / C-047

11 Workspace Navigation and Wayfinding

Workspace Navigation and Wayfinding establishes the governed experience through which authorized users can organize durable workspaces around governed outcomes and provide location, hierarchy, recent work, favorites, and cross-workspace routes without becoming a dashboard catalog. It organizes workspace identity, local navigation, task position, cross-workspace route around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 12. Workspace Navigation and Wayfinding. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Organize durable workspaces around governed outcomes and provide location, hierarchy, recent work, favorites, and cross-workspace routes without becoming a dashboard catalog.
Primary roles	all personas moving among the 20 canonical workspaces.
Controlled objects	workspace, route, section, task, object, saved view, recent item, favorite, breadcrumb, return path.
Canonical anatomy	workspace identity; local navigation; task position; cross-workspace route.
Primary command	Move within and between workspaces while retaining a visible source, destination, preserved state, and deterministic route back.
Human authority	Navigation cannot imply permission, object ownership, review, acknowledgment, approval, publication, or execution.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-11-001	The Eye SHALL present Workspace Navigation and Wayfinding as a governed experience that enables authorized users to organize durable workspaces around governed outcomes and provide location, hierarchy, recent work, favorites, and cross-workspace routes without becoming a dashboard catalog; workspace identity, local navigation, task position, cross-workspace route SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-11-002	The experience SHALL persist, expose, version, and reconcile workspace, route, section, task, object, saved view, recent item, favorite, breadcrumb, return path; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-11-003	The primary command SHALL allow eligible users to move within and between workspaces while retaining a visible source, destination, preserved state, and deterministic route back; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-11-004	The experience SHALL enforce this human-authority boundary: Navigation cannot imply permission, object ownership, review, acknowledgment, approval, publication, or execution. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-11-005	When a route becomes unavailable, permission changes, object identity changes, or navigation history becomes inconsistent, the experience SHALL restore the last verified location, preserve the task draft, explain the unavailable route without leaking protected metadata, and offer authorized alternatives; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-11-006	Acceptance SHALL demonstrate deep-link, history, permission-change, cross-workspace, keyboard, and screen-reader journey tests for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
A route becomes unavailable, permission changes, object identity changes, or navigation history becomes inconsistent.	Restore the last verified location, preserve the task draft, explain the unavailable route without leaking protected metadata, and offer authorized alternatives.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates deep-link, history, permission-change, cross-workspace, keyboard, and screen-reader journey tests.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Workspace Navigation and Wayfinding is conformant only when all UX-11-001 through UX-11-006 close for the declared acceptance unit. Volume 8 trace: Ch. 5. Capabilities: CAP-AU-06, CAP-EO-11. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-003 / C-047 / C-048

12 Object-Centered Information Architecture

Object-Centered Information Architecture establishes the governed experience through which authorized users can anchor every material surface to canonical objects and versions so presentation cannot invent, duplicate, or obscure strategic state. It organizes object header, summary and state, evidence and relationships, actions and history around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 13. Object-Centered Information Architecture. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Anchor every material surface to canonical objects and versions so presentation cannot invent, duplicate, or obscure strategic state.
Primary roles	object consumers, analysts, stewards, owners, reviewers, and auditors.
Controlled objects	canonical object, identifier, version, owner, lifecycle, truth state, relationship, provenance, command.
Canonical anatomy	object header; summary and state; evidence and relationships; actions and history.
Primary command	Inspect, compare, relate, propose, review, correct, export, or replay an object through commands owned by its canonical service.
Human authority	Only the eligible owner or authority may commit a governed object transition; the interface never writes around the owner.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-12-001	The Eye SHALL present Object-Centered Information Architecture as a governed experience that enables authorized users to anchor every material surface to canonical objects and versions so presentation cannot invent, duplicate, or obscure strategic state; object header, summary and state, evidence and relationships, actions and history SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-12-002	The experience SHALL persist, expose, version, and reconcile canonical object, identifier, version, owner, lifecycle, truth state, relationship, provenance, command; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-12-003	The primary command SHALL allow eligible users to inspect, compare, relate, propose, review, correct, export, or replay an object through commands owned by its canonical service; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-12-004	The experience SHALL enforce this human-authority boundary: Only the eligible owner or authority may commit a governed object transition; the interface never writes around the owner. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-12-005	When an object identifier, version, owner, relationship, or state cannot be resolved consistently, the experience SHALL display the last verified immutable version, mark unresolved projections, disable mutating actions, and route to canonical recovery; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-12-006	Acceptance SHALL demonstrate identity, version, ownership, stale projection, object command, export, and replay evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
An object identifier, version, owner, relationship, or state cannot be resolved consistently.	Display the last verified immutable version, mark unresolved projections, disable mutating actions, and route to canonical recovery.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence


- End-to-end evidence demonstrates identity, version, ownership, stale projection, object command, export, and replay evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Object-Centered Information Architecture is conformant only when all UX-12-001 through UX-12-006 close for the declared acceptance unit. Volume 8 trace: Ch. 5, Ch. 6, Ch. 17, Ch. 64. Capabilities: CAP-AU-07, CAP-UM-01, CAP-TG-08. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-009 / C-010 / C-012 / C-038 / C-047

13 Search, Command, and Intent Entry

Search, Command, and Intent Entry establishes the governed experience through which authorized users can separate discovery, query, navigation, drafting, command, and AI-assisted intent so free-form entry never becomes an ambiguous institutional action. It organizes mode and scope, intent entry, interpretation preview, results or command review around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.



ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-13-005	When intent is ambiguous, policy-filtered, unsupported, high-consequence, or interpreted differently across models or locales, the experience SHALL ask for bounded clarification, preserve the original input and interpretation, show uncertainty, and require explicit command review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-13-006	Acceptance SHALL demonstrate mode confusion, ambiguous intent, permission trimming, model disagreement, command preview, and cancellation tests for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Intent is ambiguous, policy-filtered, unsupported, high-consequence, or interpreted differently across models or locales.	Ask for bounded clarification, preserve the original input and interpretation, show uncertainty, and require explicit command review.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates mode confusion, ambiguous intent, permission trimming, model disagreement, command preview, and cancellation tests.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Search, Command, and Intent Entry is conformant only when all UX-13-001 through UX-13-006 close for the declared acceptance unit. Volume 8 trace: Ch. 11, Ch. 44, Ch. 49, Ch. 56. Capabilities: CAP-OB-04, CAP-EO-06, CAP-AG-01. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-003 / C-004 / C-005 / C-028 / C-047

14 Page Composition, Grid, Density, and Responsive Behavior

Page Composition, Grid, Density, and Responsive Behavior establishes the governed experience through which authorized users can compose context, primary work, evidence, supporting analysis, and actions through a stable grid that adapts without dropping strategic meaning. It organizes context region, primary task region, evidence region, action region around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 15. Page Composition, Grid, Density, and Responsive Behavior. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Compose context, primary work, evidence, supporting analysis, and actions through a stable grid that adapts without dropping strategic meaning.
Primary roles	all users across supported desktop, tablet, mobile, kiosk, and command-display profiles.
Controlled objects	viewport class, grid, region, panel, density mode, focus order, overflow, saved layout.
Canonical anatomy	context region; primary task region; evidence region; action region.
Primary command	Resize, zoom, rotate, or change density while preserving reading order, object state, selected evidence, and action availability.
Human authority	Responsive adaptation may defer secondary detail but never hide authority, uncertainty, critical state, or a required action condition.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-14-001	The Eye SHALL present Page Composition, Grid, Density, and Responsive Behavior as a governed experience that enables authorized users to compose context, primary work, evidence, supporting analysis, and actions through a stable grid that adapts without dropping strategic meaning; context region, primary task region, evidence region, action region SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-14-002	The experience SHALL persist, expose, version, and reconcile viewport class, grid, region, panel, density mode, focus order, overflow, saved layout; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-14-003	The primary command SHALL allow eligible users to resize, zoom, rotate, or change density while preserving reading order, object state, selected evidence, and action availability; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-14-004	The experience SHALL enforce this human-authority boundary: Responsive adaptation may defer secondary detail but never hide authority, uncertainty, critical state, or a required action condition. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-14-005	When available space, zoom, localization, assistive settings, or content density exceeds the active layout contract, the experience SHALL reflow into the next approved composition, make deferred content explicit, preserve focus and selection, and prevent clipped or overlapping controls; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-14-006	Acceptance SHALL demonstrate breakpoint, zoom, text expansion, density, focus order, orientation, and extreme-content visual regression for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Available space, zoom, localization, assistive settings, or content density exceeds the active layout contract.	Reflow into the next approved composition, make deferred content explicit, preserve focus and selection, and prevent clipped or overlapping controls.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates breakpoint, zoom, text expansion, density, focus order, orientation, and extreme-content visual regression.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Page Composition, Grid, Density, and Responsive Behavior is conformant only when all UX-14-001 through UX-14-006 close for the declared acceptance unit. Volume 8 trace: Ch. 5, Ch. 7, Ch. 48. Capabilities: CAP-AU-08, CAP-EO-10, CAP-PD-11. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-047 / C-048 / C-049

15 Cross-Workspace Continuity, Deep Links, and History

Cross-Workspace Continuity, Deep Links, and History establishes the governed experience through which authorized users can preserve object identity, context, query intent, draft state, policy, provenance, focus, and return paths across transitions and shared links. It organizes source context, immutable target, authorization result, return and replay around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 16. Cross-Workspace Continuity, Deep Links, and History. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Preserve object identity, context, query intent, draft state, policy, provenance, focus, and return paths across transitions and shared links.
Primary roles	all users collaborating across workspaces and channels.
Controlled objects	deep link, route state, object reference, version, context, history entry, draft, return token, denial.
Canonical anatomy	source context; immutable target; authorization result; return and replay.
Primary command	Open a shared or historical route into the exact authorized object state and return to the originating task without repeating side effects.
Human authority	Opening, copying, sharing, restoring, or navigating a link never acknowledges, approves, publishes, or executes an action.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-15-001	The Eye SHALL present Cross-Workspace Continuity, Deep Links, and History as a governed experience that enables authorized users to preserve object identity, context, query intent, draft state, policy, provenance, focus, and return paths across transitions and shared links; source context, immutable target, authorization result, return and replay SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-15-002	The experience SHALL persist, expose, version, and reconcile deep link, route state, object reference, version, context, history entry, draft, return token, denial, active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-15-003	The primary command SHALL allow eligible users to open a shared or historical route into the exact authorized object state and return to the originating task without repeating side effects; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-15-004	The experience SHALL enforce this human-authority boundary: Opening, copying, sharing, restoring, or navigating a link never acknowledges, approves, publishes, or executes an action. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-15-005	When a link targets a missing, superseded, unauthorized, policy-filtered, or no-longer-replayable state, the experience SHALL resolve the nearest safe canonical state, declare variance, reveal no protected metadata, and preserve an attributable denial or redirection; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-15-006	Acceptance SHALL demonstrate immutable link, version drift, permission change, side-effect replay, denial privacy, and deterministic return evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
A link targets a missing, superseded, unauthorized, policy-filtered, or no-longer-replayable state.	Resolve the nearest safe canonical state, declare variance, reveal no protected metadata, and preserve an attributable denial or redirection.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates immutable link, version drift, permission change, side-effect replay, denial privacy, and deterministic return evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Cross-Workspace Continuity, Deep Links, and History is conformant only when all UX-15-001 through UX-15-006 close for the declared acceptance unit. Volume 8 trace: Ch. 5, Ch. 22, Ch. 47. Capabilities: CAP-AU-06, CAP-UM-10, CAP-EO-09. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-011 / C-012 / C-036 / C-038 / C-047

16 Multi-Window, Large Display, and Command Environment

Multi-Window, Large Display, and Command Environment establishes the governed experience through which authorized users can support parallel inspection, briefing rooms, operations centers, secure kiosks, and large displays without creating divergent state or hidden control paths. It organizes shared context, synchronized views, control surface, audience-safe presentation around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 17. Multi-Window, Large Display, and Command Environment. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Support parallel inspection, briefing rooms, operations centers, secure kiosks, and large displays without creating divergent state or hidden control paths.
Primary roles	executive operators, watch officers, incident teams, analysts, and command-environment administrators.
Controlled objects	window, display, view state, synchronized selection, presentation mode, control device, audience, session.
Canonical anatomy	shared context; synchronized views; control surface; audience-safe presentation.
Primary command	Open, synchronize, detach, present, hand off, or close views while clearly identifying the authoritative control surface and current data watermark.
Human authority	Only an authenticated eligible control surface may perform commands; mirrored or presentation-only views remain non-authoritative.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-16-001	The Eye SHALL present Multi-Window, Large Display, and Command Environment as a governed experience that enables authorized users to support parallel inspection, briefing rooms, operations centers, secure kiosks, and large displays without creating divergent state or hidden control paths; shared context, synchronized views, control surface, audience-safe presentation SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-16-002	The experience SHALL persist, expose, version, and reconcile window, display, view state, synchronized selection, presentation mode, control device, audience, session; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-16-003	The primary command SHALL allow eligible users to open, synchronize, detach, present, hand off, or close views while clearly identifying the authoritative control surface and current data watermark; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-16-004	The experience SHALL enforce this human-authority boundary: Only an authenticated eligible control surface may perform commands; mirrored or presentation-only views remain non-authoritative. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-16-005	When views drift, synchronization fails, a display loses classification context, or the control surface becomes unavailable, the experience SHALL freeze mirrored updates or commands as appropriate, watermark divergence, preserve last verified state, and transfer control through re-authentication; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-16-006	Acceptance SHALL demonstrate multi-window consistency, presentation privacy, control transfer, display loss, classification, and large-scale visual QA for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Views drift, synchronization fails, a display loses classification context, or the control surface becomes unavailable.	Freeze mirrored updates or commands as appropriate, watermark divergence, preserve last verified state, and transfer control through re-authentication.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates multi-window consistency, presentation privacy, control transfer, display loss, classification, and large-scale visual QA.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Multi-Window, Large Display, and Command Environment is conformant only when all UX-16-001 through UX-16-006 close for the declared acceptance unit. Volume 8 trace: Ch. 41, Ch. 42, Ch. 48, Ch. 63. Capabilities: CAP-EO-04, CAP-EO-10, CAP-TG-11. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-027 / C-036 / C-039 / C-043 / C-047

PART 3

Foundations and Component System


Defines the reusable visual and interaction primitives through which The Eye communicates meaning without decoration displacing evidence, state, consequence, or authority.

CHAPTERS 17-24

THE EYE / EXPERIENCE IN SERVICE OF STRATEGIC INTELLIGENCE

17 Color, Contrast, and Semantic Status

Color, Contrast, and Semantic Status establishes the governed experience through which authorized users can encode hierarchy, emphasis, interaction, severity, lifecycle, truth, confidence, and system health through accessible semantic tokens rather than ad hoc color. It organizes neutral foundation, interaction accent, semantic status, non-color reinforcement around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.



ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-17-005	When a theme, customer brand, visualization, or local override reduces contrast or reassigns semantic meaning, the experience SHALL fall back to the certified core theme, preserve semantic labels and symbols, and block release of the invalid combination; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-17-006	Acceptance SHALL demonstrate automated contrast, forced-colors, color-vision, dark-theme, print, and customer-theme certification for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
A theme, customer brand, visualization, or local override reduces contrast or reassigns semantic meaning.	Fall back to the certified core theme, preserve semantic labels and symbols, and block release of the invalid combination.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates automated contrast, forced-colors, color-vision, dark-theme, print, and customer-theme certification.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Color, Contrast, and Semantic Status is conformant only when all UX-17-001 through UX-17-006 close for the declared acceptance unit. Volume 8 trace: Ch. 7, Ch. 57, Ch. 63. Capabilities: CAP-AU-08, CAP-TG-01, CAP-TG-11. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-010 / C-047 / C-048 / C-049

18 Typography, Numerical Data, and Content Hierarchy

Typography, Numerical Data, and Content Hierarchy establishes the governed experience through which authorized users can make object identity, evidence, narrative, numerical magnitude, probability, time, units, and commands legible through a controlled type and content hierarchy. It organizes page hierarchy, object and metadata, analysis and evidence, numeric and machine-readable detail around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 19. *Typography, Numerical Data, and Content Hierarchy. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.*

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Make object identity, evidence, narrative, numerical magnitude, probability, time, units, and commands legible through a controlled type and content hierarchy.
Primary roles	all users reading or producing strategic content.
Controlled objects	type token, text role, label, value, number, unit, timestamp, identifier, digest, locale.
Canonical anatomy	page hierarchy; object and metadata; analysis and evidence; numeric and machine-readable detail.
Primary command	Scan, read, compare, copy, zoom, or localize content without losing label-value association, precision, or semantic priority.
Human authority	Typography may emphasize a recommendation or decision state but cannot visually collapse it into fact or approval.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-18-001	The Eye SHALL present Typography, Numerical Data, and Content Hierarchy as a governed experience that enables authorized users to make object identity, evidence, narrative, numerical magnitude, probability, time, units, and commands legible through a controlled type and content hierarchy; page hierarchy, object and metadata, analysis and evidence, numeric and machine-readable detail SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-18-002	The experience SHALL persist, expose, version, and reconcile type token, text role, label, value, number, unit, timestamp, identifier, digest, locale; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-18-003	The primary command SHALL allow eligible users to scan, read, compare, copy, zoom, or localize content without losing label-value association, precision, or semantic priority; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-18-004	The experience SHALL enforce this human-authority boundary: Typography may emphasize a recommendation or decision state but cannot visually collapse it into fact or approval. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-18-005	When text expansion, unsupported glyphs, long identifiers, extreme values, locale formats, or low-resolution output break hierarchy, the experience SHALL reflow using approved scale and wrapping rules, preserve canonical values and units, and expose machine-readable detail through accessible alternatives; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-18-006	Acceptance SHALL demonstrate 200-percent text, locale, script, numeric precision, copy fidelity, long-content, and PDF-export evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Text expansion, unsupported glyphs, long identifiers, extreme values, locale formats, or low-resolution output break hierarchy.	Reflow using approved scale and wrapping rules, preserve canonical values and units, and expose machine-readable detail through accessible alternatives.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates 200-percent text, locale, script, numeric precision, copy fidelity, long-content, and PDF-export evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Typography, Numerical Data, and Content Hierarchy is conformant only when all UX-18-001 through UX-18-006 close for the declared acceptance unit. Volume 8 trace: Ch. 7, Ch. 17, Ch. 32, Ch. 43. Capabilities: CAP-AU-08, CAP-FW-12, CAP-EO-05. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-020 / C-021 / C-034 / C-047 / C-048

19 Spacing, Layout, Elevation, and Surfaces

Spacing, Layout, Elevation, and Surfaces establishes the governed experience through which authorized users can create calm separation between context, work, evidence, controls, and overlays through a four-pixel spatial system and restrained surface hierarchy. It organizes canvas, workspace surface, contained evidence, modal or elevated task around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 20. Spacing, Layout, Elevation, and Surfaces. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Create calm separation between context, work, evidence, controls, and overlays through a four-pixel spatial system and restrained surface hierarchy.
Primary roles	all product users and contributors.
Controlled objects	spacing token, region, container, surface, border, elevation, overlay, clipping boundary.
Canonical anatomy	canvas; workspace surface; contained evidence; modal or elevated task.
Primary command	Compose approved regions and containers while preserving focus order, scroll ownership, sticky boundaries, and visible occlusion.
Human authority	Elevation never implies authority, truth, priority, or approval; those meanings require explicit semantic state.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-19-001	The Eye SHALL present Spacing, Layout, Elevation, and Surfaces as a governed experience that enables authorized users to create calm separation between context, work, evidence, controls, and overlays through a four-pixel spatial system and restrained surface hierarchy; canvas, workspace surface, contained evidence, modal or elevated task SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-19-002	The experience SHALL persist, expose, version, and reconcile spacing token, region, container, surface, border, elevation, overlay, clipping boundary; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-19-003	The primary command SHALL allow eligible users to compose approved regions and containers while preserving focus order, scroll ownership, sticky boundaries, and visible occlusion; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-19-004	The experience SHALL enforce this human-authority boundary: Elevation never implies authority, truth, priority, or approval; those meanings require explicit semantic state. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-19-005	When nested surfaces, overlays, zoom, or dense content create ambiguous scroll, hidden focus, clipping, or false hierarchy, the experience SHALL reduce to the nearest approved surface pattern, expose overflow, retain task position, and prevent hidden or unreachable content; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-19-006	Acceptance SHALL demonstrate spacing-token, nested-scroll, overlay, sticky-region, zoom, and extreme-content visual regression for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Nested surfaces, overlays, zoom, or dense content create ambiguous scroll, hidden focus, clipping, or false hierarchy.	Reduce to the nearest approved surface pattern, expose overflow, retain task position, and prevent hidden or unreachable content.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates spacing-token, nested-scroll, overlay, sticky-region, zoom, and extreme-content visual regression.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Spacing, Layout, Elevation, and Surfaces is conformant only when all UX-19-001 through UX-19-006 close for the declared acceptance unit. Volume 8 trace: Ch. 5, Ch. 7. Capabilities: CAP-AU-06, CAP-AU-08. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-047 / C-048 / C-049

20 Iconography, Symbols, and Visual Language

Iconography, Symbols, and Visual Language establishes the governed experience through which authorized users can provide a compact, globally intelligible symbol system for objects, actions, state, provenance, direction, and alerts without ornamental ambiguity. It organizes object symbol, action symbol, state symbol, label and accessible name around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 21. Iconography, Symbols, and Visual Language. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Provide a compact, globally intelligible symbol system for objects, actions, state, provenance, direction, and alerts without ornamental ambiguity.
Primary roles	all product users and contributors.
Controlled objects	icon, symbol, label, badge, status glyph, relation marker, map marker, legend.
Canonical anatomy	object symbol; action symbol; state symbol; label and accessible name.
Primary command	Recognize or activate a symbol with a visible label or accessible name and resolve its definition from a shared legend.
Human authority	No icon alone may authorize, approve, delete, publish, classify, or communicate high consequence.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-20-001	The Eye SHALL present Iconography, Symbols, and Visual Language as a governed experience that enables authorized users to provide a compact, globally intelligible symbol system for objects, actions, state, provenance, direction, and alerts without ornamental ambiguity; object symbol, action symbol, state symbol, label and accessible name SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-20-002	The experience SHALL persist, expose, version, and reconcile icon, symbol, label, badge, status glyph, relation marker, map marker, legend; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-20-003	The primary command SHALL allow eligible users to recognize or activate a symbol with a visible label or accessible name and resolve its definition from a shared legend; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-20-004	The experience SHALL enforce this human-authority boundary: No icon alone may authorize, approve, delete, publish, classify, or communicate high consequence. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-20-005	When a symbol is ambiguous across locale, theme, scale, domain package, or assistive technology, the experience SHALL show the canonical text label, substitute a certified generic symbol, preserve state, and block unlabeled high-consequence use; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-20-006	Acceptance SHALL demonstrate recognition, localization, accessible-name, forced-colors, scale, and semantic collision tests for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
A symbol is ambiguous across locale, theme, scale, domain package, or assistive technology.	Show the canonical text label, substitute a certified generic symbol, preserve state, and block unlabeled high-consequence use.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence


- End-to-end evidence demonstrates recognition, localization, accessible-name, forced-colors, scale, and semantic collision tests.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Iconography, Symbols, and Visual Language is conformant only when all UX-20-001 through UX-20-006 close for the declared acceptance unit. Volume 8 trace: Ch. 7, Ch. 57. Capabilities: CAP-AU-08, CAP-TG-01. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-007 / C-047 / C-048

21 Forms, Input, Validation, and Error Prevention

Forms, Input, Validation, and Error Prevention establishes the governed experience through which authorized users can collect structured strategic inputs with clear purpose, provenance, defaults, constraints, validation, review, and correction before effect. It organizes purpose and scope, field groups, validation and help, review and submit around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.



ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-21-005	When validation is unavailable, input conflicts, required provenance is missing, or submission would create irreversible or high-consequence effects, the experience SHALL preserve the draft, identify each blocking condition in context and summary, prevent effect, and provide a safe correction or cancellation path; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-21-006	Acceptance SHALL demonstrate error prevention, keyboard entry, import conflict, AI suggestion, review digest, cancellation, and recovery evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Validation is unavailable, input conflicts, required provenance is missing, or submission would create irreversible or high-consequence effects.	Preserve the draft, identify each blocking condition in context and summary, prevent effect, and provide a safe correction or cancellation path.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates error prevention, keyboard entry, import conflict, AI suggestion, review digest, cancellation, and recovery evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Forms, Input, Validation, and Error Prevention is conformant only when all UX-21-001 through UX-21-006 close for the declared acceptance unit. Volume 8 trace: Ch. 6, Ch. 39, Ch. 58, Ch. 67. Capabilities: CAP-AU-07, CAP-DS-11, CAP-PD-03. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 / C-012 / C-036 / C-047 / C-048

22 Data Tables, Lists, Trees, and High-Density Inspection

Data Tables, Lists, Trees, and High-Density Inspection establishes the governed experience through which authorized users can support large-scale comparison and inspection while preserving row identity, units, provenance, selection, sort, filter, grouping, and action scope. It organizes scope and query, structured header, data body, selection and action summary around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 23. Data Tables, Lists, Trees, and High-Density Inspection. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Support large-scale comparison and inspection while preserving row identity, units, provenance, selection, sort, filter, grouping, and action scope.
Primary roles	analysts, operators, stewards, administrators, auditors, and executives.
Controlled objects	record, row, column, hierarchy node, group, selection, view, filter, sort, aggregation, export.
Canonical anatomy	scope and query; structured header; data body; selection and action summary.
Primary command	Inspect, sort, filter, group, compare, select, export, or act on exact identified records with visible counts and scope.
Human authority	Bulk or row actions require explicit selection scope, permission, consequence preview, and confirmation appropriate to reversibility.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-22-001	The Eye SHALL present Data Tables, Lists, Trees, and High-Density Inspection as a governed experience that enables authorized users to support large-scale comparison and inspection while preserving row identity, units, provenance, selection, sort, filter, grouping, and action scope; scope and query, structured header, data body, selection and action summary SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-22-002	The experience SHALL persist, expose, version, and reconcile record, row, column, hierarchy node, group, selection, view, filter, sort, aggregation, export; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-22-003	The primary command SHALL allow eligible users to inspect, sort, filter, group, compare, select, export, or act on exact identified records with visible counts and scope; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-22-004	The experience SHALL enforce this human-authority boundary: Bulk or row actions require explicit selection scope, permission, consequence preview, and confirmation appropriate to reversibility. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-22-005	When virtualization, pagination, policy filtering, stale data, concurrent updates, or aggregation makes displayed and acted-on scope diverge, the experience SHALL freeze the command scope, show included and excluded records, refresh or revalidate versions, and prevent ambiguous partial effects; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-22-006	Acceptance SHALL demonstrate million-row, virtualization, keyboard grid, screen-reader, sort/filter, bulk selection, export, and concurrency tests for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Virtualization, pagination, policy filtering, stale data, concurrent updates, or aggregation makes displayed and acted-on scope diverge.	Freeze the command scope, show included and excluded records, refresh or revalidate versions, and prevent ambiguous partial effects.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates million-row, virtualization, keyboard grid, screen-reader, sort/filter, bulk selection, export, and concurrency tests.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Data Tables, Lists, Trees, and High-Density Inspection is conformant only when all UX-22-001 through UX-22-006 close for the declared acceptance unit. Volume 8 trace: Ch. 11, Ch. 17, Ch. 19, Ch. 62. Capabilities: CAP-OB-04, CAP-UM-01, CAP-TG-06. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-010 / C-012 / C-036 / C-047 / C-048

23 Panels, Drawers, Dialogs, and Progressive Disclosure

Panels, Drawers, Dialogs, and Progressive Disclosure establishes the governed experience through which authorized users can reveal supporting context, inspection, editing, and high-consequence review without fragmenting the task or hiding material information. It organizes trigger and context, layered content, focus and escape, commit or return around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 24. Panels, Drawers, Dialogs, and Progressive Disclosure. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Reveal supporting context, inspection, editing, and high-consequence review without fragmenting the task or hiding material information.
Primary roles	all product users.
Controlled objects	panel, drawer, popover, dialog, disclosure state, focus origin, pending change, command digest.
Canonical anatomy	trigger and context; layered content; focus and escape; commit or return.
Primary command	Open supporting or blocking layers with deterministic focus, scroll, dismissal, persistence, and return behavior.
Human authority	A consequential dialog must show the full required digest and deliberate action; dismissal never implies consent, acknowledgment, or approval.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-23-001	The Eye SHALL present Panels, Drawers, Dialogs, and Progressive Disclosure as a governed experience that enables authorized users to reveal supporting context, inspection, editing, and high-consequence review without fragmenting the task or hiding material information; trigger and context, layered content, focus and escape, commit or return SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-23-002	The experience SHALL persist, expose, version, and reconcile panel, drawer, popover, dialog, disclosure state, focus origin, pending change, command digest, active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-23-003	The primary command SHALL allow eligible users to open supporting or blocking layers with deterministic focus, scroll, dismissal, persistence, and return behavior; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-23-004	The experience SHALL enforce this human-authority boundary: A consequential dialog must show the full required digest and deliberate action; dismissal never implies consent, acknowledgment, or approval. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-23-005	When layering traps focus, obscures required context, loses draft state, creates nested modal ambiguity, or disconnects a command from its object, the experience SHALL close to the last coherent layer, preserve or explicitly discard work, restore focus, and require the command to be revalidated; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-23-006	Acceptance SHALL demonstrate focus trap, escape, nested layer, screen-reader, draft preservation, digest change, and small-viewport tests for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Layering traps focus, obscures required context, loses draft state, creates nested modal ambiguity, or disconnects a command from its object.	Close to the last coherent layer, preserve or explicitly discard work, restore focus, and require the command to be revalidated.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates focus trap, escape, nested layer, screen-reader, draft preservation, digest change, and small-viewport tests.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Panels, Drawers, Dialogs, and Progressive Disclosure is conformant only when all UX-23-001 through UX-23-006 close for the declared acceptance unit. Volume 8 trace: Ch. 5, Ch. 39, Ch. 46. Capabilities: CAP-AU-06, CAP-DS-11, CAP-EO-08. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 / C-036 / C-047 / C-048

24 Motion, Feedback, Loading, and Perceived Performance

Motion, Feedback, Loading, and Perceived Performance establishes the governed experience through which authorized users can communicate causation, progress, relationship, completion, delay, and failure without masking actual system state or creating unsafe urgency. It organizes initiating cause, progress state, terminal receipt, retry or recovery around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 25. Motion, Feedback, Loading, and Perceived Performance. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Communicate causation, progress, relationship, completion, delay, and failure without masking actual system state or creating unsafe urgency.
Primary roles	all users, including reduced-motion and constrained-network users.
Controlled objects	animation token, transition, progress, skeleton, optimistic state, receipt, retry, timeout, cancellation.
Canonical anatomy	initiating cause; progress state; terminal receipt; retry or recovery.
Primary command	Start, monitor, pause, cancel, retry, or confirm work with progress tied to attributable backend state and idempotent command semantics.
Human authority	Optimistic presentation is prohibited for approval, publication, security, policy, payment, deletion, or other consequential state.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-24-001	The Eye SHALL present Motion, Feedback, Loading, and Perceived Performance as a governed experience that enables authorized users to communicate causation, progress, relationship, completion, delay, and failure without masking actual system state or creating unsafe urgency; initiating cause, progress state, terminal receipt, retry or recovery SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-24-002	The experience SHALL persist, expose, version, and reconcile animation token, transition, progress, skeleton, optimistic state, receipt, retry, timeout, cancellation; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-24-003	The primary command SHALL allow eligible users to start, monitor, pause, cancel, retry, or confirm work with progress tied to attributable backend state and idempotent command semantics; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-24-004	The experience SHALL enforce this human-authority boundary: Optimistic presentation is prohibited for approval, publication, security, policy, payment, deletion, or other consequential state. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-24-005	When latency, disconnection, timeout, duplicate response, stale progress, or animation preference makes system state uncertain, the experience SHALL show the last confirmed state, stop speculative progress, preserve the command identifier, and offer safe status resolution or retry; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-24-006	Acceptance SHALL demonstrate latency bands, reduced motion, timeout, duplicate command, cancellation, stale progress, and recovery evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Latency, disconnection, timeout, duplicate response, stale progress, or animation preference makes system state uncertain.	Show the last confirmed state, stop speculative progress, preserve the command identifier, and offer safe status resolution or retry.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates latency bands, reduced motion, timeout, duplicate command, cancellation, stale progress, and recovery evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Motion, Feedback, Loading, and Perceived Performance is conformant only when all UX-24-006 close for the declared acceptance unit. Volume 8 trace: Ch. 48, Ch. 63. Capabilities: CAP-EO-10, CAP-TG-11. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-036 / C-043 / C-047 / C-049

PART 4

Strategic Object and Evidence Experience

Defines how evidence, identity, provenance, truth state, time, memory, graph relationships, and corrections remain inspectable at the point of use.

CHAPTERS 25-32

THE EYE / EXPERIENCE IN SERVICE OF STRATEGIC INTELLIGENCE

25 Canonical Object Header and Identity

Canonical Object Header and Identity establishes the governed experience through which authorized users can provide one consistent identity and state header for every material intelligence, strategy, governance, and operating object. It organizes identity, state and time, ownership and policy, primary actions around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 26. Canonical Object Header and Identity. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Provide one consistent identity and state header for every material intelligence, strategy, governance, and operating object.
Primary roles	all object consumers, owners, reviewers, and auditors.
Controlled objects	object type, canonical name, immutable identifier, version, owner, lifecycle, truth state, time, classification, trust status.
Canonical anatomy	identity; state and time; ownership and policy; primary actions.
Primary command	Inspect identity, compare versions, copy a durable reference, open provenance, and invoke only valid object actions.
Human authority	The header displays authority and available actions but never uses visual prominence as evidence of approval or truth.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 25 - 001	The Eye SHALL present Canonical Object Header and Identity as a governed experience that enables authorized users to provide one consistent identity and state header for every material intelligence, strategy, governance, and operating object; identity, state and time, ownership and policy, primary actions SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 25 - 002	The experience SHALL persist, expose, version, and reconcile object type, canonical name, immutable identifier, version, owner, lifecycle, truth state, time, classification, trust status; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 25 - 003	The primary command SHALL allow eligible users to inspect identity, compare versions, copy a durable reference, open provenance, and invoke only valid object actions; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 25 - 004	The experience SHALL enforce this human-authority boundary: The header displays authority and available actions but never uses visual prominence as evidence of approval or truth. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-25-005	When identity, version, owner, classification, truth, or trust data is unavailable or inconsistent, the experience SHALL mark the object indeterminate, retain the immutable identifier and last verified version, disable unsafe actions, and route reconciliation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-25-006	Acceptance SHALL demonstrate object-type coverage, long identity, version comparison, classification, stale state, copy, and accessible-name tests for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Identity, version, owner, classification, truth, or trust data is unavailable or inconsistent.	Mark the object indeterminate, retain the immutable identifier and last verified version, disable unsafe actions, and route reconciliation.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates object-type coverage, long identity, version comparison, classification, stale state, copy, and accessible-name tests.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Canonical Object Header and Identity is conformant only when all UX-25-001 through UX-25-006 close for the declared acceptance unit. Volume 8 trace: Ch. 17, Ch. 18. Capabilities: CAP-UM-01, CAP-UM-02. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-009 / C-010 / C-011 / C-012 / C-047

26 Evidence, Citation, Provenance, and Chain of Custody

Evidence, Citation, Provenance, and Chain of Custody establishes the governed experience through which authorized users can place original evidence, exact cited segments, transformations, rights, custody, quality, and version lineage within one inspectable evidence experience. It organizes original and segment, citation context, provenance chain, rights and verification around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 27. Evidence, Citation, Provenance, and Chain of Custody. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Place original evidence, exact cited segments, transformations, rights, custody, quality, and version lineage within one inspectable evidence experience.
Primary roles	analysts, investigators, reviewers, decision authorities, stewards, auditors, and agents.
Controlled objects	source, evidence item, segment, citation, digest, transformation, custodian, rights, quality assertion, lineage edge.
Canonical anatomy	original and segment; citation context; provenance chain; rights and verification.
Primary command	Resolve a claim or recommendation to exact evidence bytes and traverse upstream and downstream lineage without losing the point of use.
Human authority	No approval or publication can treat an inaccessible, unverifiable, rights-expired, or materially transformed source as complete evidence.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-26-001	The Eye SHALL present Evidence, Citation, Provenance, and Chain of Custody as a governed experience that enables authorized users to place original evidence, exact cited segments, transformations, rights, custody, quality, and version lineage within one inspectable evidence experience; original and segment, citation context, provenance chain, rights and verification SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-26-002	The experience SHALL persist, expose, version, and reconcile source, evidence item, segment, citation, digest, transformation, custodian, rights, quality assertion, lineage edge, active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-26-003	The primary command SHALL allow eligible users to resolve a claim or recommendation to exact evidence bytes and traverse upstream and downstream lineage without losing the point of use; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-26-004	The experience SHALL enforce this human-authority boundary: No approval or publication can treat an inaccessible, unverifiable, rights-expired, or materially transformed source as complete evidence. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-26-005	When source bytes, segment alignment, digest, rights, custody, or lineage cannot be verified, the experience SHALL preserve the citation and failing evidence, mark trust indeterminate, constrain decision-active use, and route verification or correction; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-26-006	Acceptance SHALL demonstrate citation resolution, byte verification, segment alignment, custody, rights expiry, transformation, and accessibility evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Source bytes, segment alignment, digest, rights, custody, or lineage cannot be verified.	Preserve the citation and failing evidence, mark trust indeterminate, constrain decision-active use, and route verification or correction.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates citation resolution, byte verification, segment alignment, custody, rights expiry, transformation, and accessibility evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Evidence, Citation, Provenance, and Chain of Custody is conformant only when all UX-26-001 through UX-26-006 close for the declared acceptance unit. Volume 8 trace: Ch. 17, Ch. 22, Ch. 57, Ch. 62. Capabilities: CAP-UM-02, CAP-TG-01, CAP-TG-06. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 / C-010 / C-012 / C-035 / C-036 / C-047

27 Truth State, Confidence, Uncertainty, and Dissent

Truth State, Confidence, Uncertainty, and Dissent establishes the governed experience through which authorized users can distinguish observed, asserted, inferred, assessed, synthetic, recommended, decided, corrected, and withdrawn state while exposing uncertainty and competing views. It organizes truth-state label, support and uncertainty, alternatives and dissent, permitted use around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 28. Truth State, Confidence, Uncertainty, and Dissent. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Distinguish observed, asserted, inferred, assessed, synthetic, recommended, decided, corrected, and withdrawn state while exposing uncertainty and competing views.
Primary roles	all users consuming or producing decision-active intelligence.
Controlled objects	claim, truth state, confidence, uncertainty, evidence support, alternative explanation, dissent, disposition.
Canonical anatomy	truth-state label; support and uncertainty; alternatives and dissent; permitted use.
Primary command	Compare evidence support, uncertainty drivers, model or reviewer disagreement, and decision fitness before promoting or relying on an object.
Human authority	Only eligible humans may accept assessments or decisions; confidence, consensus, ranking, or AI language cannot promote authority state.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-27-001	The Eye SHALL present Truth State, Confidence, Uncertainty, and Dissent as a governed experience that enables authorized users to distinguish observed, asserted, inferred, assessed, synthetic, recommended, decided, corrected, and withdrawn state while exposing uncertainty and competing views; truth-state label, support and uncertainty, alternatives and dissent, permitted use SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-27-002	The experience SHALL persist, expose, version, and reconcile claim, truth state, confidence, uncertainty, evidence support, alternative explanation, dissent, disposition; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-27-003	The primary command SHALL allow eligible users to compare evidence support, uncertainty drivers, model or reviewer disagreement, and decision fitness before promoting or relying on an object; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-27-004	The experience SHALL enforce this human-authority boundary: Only eligible humans may accept assessments or decisions; confidence, consensus, ranking, or AI language cannot promote authority state. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-27-005	When truth labels conflict, confidence is uncalibrated, uncertainty is omitted, or dissent becomes hidden through filtering or summarization, the experience SHALL revert to the most conservative valid state, show disagreement and missing evidence, prevent decision-ready promotion, and route review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-27-006	Acceptance SHALL demonstrate truth-state comprehension, confidence calibration, dissent visibility, filtering, summarization, and promotion-boundary tests for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Truth labels conflict, confidence is uncalibrated, uncertainty is omitted, or dissent becomes hidden through filtering or summarization.	Revert to the most conservative valid state, show disagreement and missing evidence, prevent decision-ready promotion, and route review.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates truth-state comprehension, confidence calibration, dissent visibility, filtering, summarization, and promotion-boundary tests.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Truth State, Confidence, Uncertainty, and Dissent is conformant only when all UX-27-001 through UX-27-006 close for the declared acceptance unit. Volume 8 trace: Ch. 21, Ch. 25, Ch. 32, Ch. 38. Capabilities: CAP-UM-09, CAP-FW-01, CAP-DS-10. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 / C-010 / C-021 / C-024 / C-047

28 Temporal State, Timeline, As-Of, and Replay

Temporal State, Timeline, As-Of, and Replay establishes the governed experience through which authorized users can make event, observation, validity, record, forecast-cutoff, decision, and correction time navigable without hindsight contamination. It organizes time basis, timeline, as-of state, difference and replay around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 29. Temporal State, Timeline, As-Of, and Replay. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Make event, observation, validity, record, forecast-cutoff, decision, and correction time navigable without hindsight contamination.
Primary roles	analysts, investigators, forecasters, decision reviewers, auditors, and learning authorities.
Controlled objects	event, interval, temporal assertion, snapshot, version, cutoff, correction, replay point, comparison.
Canonical anatomy	time basis; timeline; as-of state; difference and replay.
Primary command	Select an as-of point, compare states, replay a journey, and distinguish information known then from evidence learned later.
Human authority	Replay may reconstruct and compare but cannot rewrite historical state, signatures, or the decision-time digest.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-28-001	The Eye SHALL present Temporal State, Timeline, As-Of, and Replay as a governed experience that enables authorized users to make event, observation, validity, record, forecast-cutoff, decision, and correction time navigable without hindsight contamination; time basis, timeline, as-of state, difference and replay SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-28-002	The experience SHALL persist, expose, version, and reconcile event, interval, temporal assertion, snapshot, version, cutoff, correction, replay point, comparison; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-28-003	The primary command SHALL allow eligible users to select an as-of point, compare states, replay a journey, and distinguish information known then from evidence learned later; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-28-004	The experience SHALL enforce this human-authority boundary: Replay may reconstruct and compare but cannot rewrite historical state, signatures, or the decision-time digest. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-28-005	When clocks diverge, intervals conflict, time basis is missing, a projection is stale, or historical data is incomplete, the experience SHALL declare temporal uncertainty and missing intervals, preserve the last reconstructable state, and constrain claims requiring exact chronology; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-28-006	Acceptance SHALL demonstrate bitemporal, timezone, clock-skew, correction, as-of, decision replay, and hindsight-isolation evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Clocks diverge, intervals conflict, time basis is missing, a projection is stale, or historical data is incomplete.	Declare temporal uncertainty and missing intervals, preserve the last reconstructable state, and constrain claims requiring exact chronology.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates bitemporal, timezone, clock-skew, correction, as-of, decision replay, and hindsight-isolation evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Temporal State, Timeline, As-Of, and Replay is conformant only when all UX-28-001 through UX-28-006 close for the declared acceptance unit. Volume 8 trace: Ch. 22, Ch. 24, Ch. 40. Capabilities: CAP-UM-10, CAP-UM-12, CAP-DS-12. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-011 / C-019 / C-025 / C-036 / C-047

29 Entity, Relationship, and Knowledge Graph Exploration

Entity, Relationship, and Knowledge Graph Exploration establishes the governed experience through which authorized users can support connected exploration and curation while preserving canonical identity, typed temporal relationships, evidence, direction, scope, and projection status. It organizes query and scope, graph canvas, selection inspector, evidence and curation around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 30. Entity, Relationship, and Knowledge Graph Exploration. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Support connected exploration and curation while preserving canonical identity, typed temporal relationships, evidence, direction, scope, and projection status.
Primary roles	analysts, investigators, data stewards, knowledge engineers, domain experts, and auditors.
Controlled objects	entity, alias, candidate, relationship, path, subgraph, projection, revision, evidence, curation case.
Canonical anatomy	query and scope; graph canvas; selection inspector; evidence and curation.
Primary command	Expand, filter, trace, compare, propose, adjudicate, merge, split, or export graph state with visible scope and lineage.
Human authority	Graph visualization can propose and inspect relationships; only the canonical owner and eligible steward may commit identity or relationship changes.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-29-001	The Eye SHALL present Entity, Relationship, and Knowledge Graph Exploration as a governed experience that enables authorized users to support connected exploration and curation while preserving canonical identity, typed temporal relationships, evidence, direction, scope, and projection status; query and scope, graph canvas, selection inspector, evidence and curation SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-29-002	The experience SHALL persist, expose, version, and reconcile entity, alias, candidate, relationship, path, subgraph, projection, revision, evidence, curation case; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-29-003	The primary command SHALL allow eligible users to expand, filter, trace, compare, propose, adjudicate, merge, split, or export graph state with visible scope and lineage; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-29-004	The experience SHALL enforce this human-authority boundary: Graph visualization can propose and inspect relationships; only the canonical owner and eligible steward may commit identity or relationship changes. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-29-005	When projection lag, layout density, unresolved identity, missing evidence, policy filtering, or graph scale obscures path meaning, the experience SHALL watermark the projection, preserve unresolved candidates, provide list and path alternatives, constrain curation, and route canonical inspection; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-29-006	Acceptance SHALL demonstrate path fidelity, scale, policy trimming, keyboard graph, accessible alternative, merge reversal, and projection-lag tests for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Projection lag, layout density, unresolved identity, missing evidence, policy filtering, or graph scale obscures path meaning.	Watermark the projection, preserve unresolved candidates, provide list and path alternatives, constrain curation, and route canonical inspection.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates path fidelity, scale, policy trimming, keyboard graph, accessible alternative, merge reversal, and projection-lag tests.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Entity, Relationship, and Knowledge Graph Exploration is conformant only when all UX-29-001 through UX-29-006 close for the declared acceptance unit. Volume 8 trace: Ch. 18, Ch. 19. Capabilities: CAP-UM-03, CAP-UM-04, CAP-UM-05, CAP-UM-06. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-009 / C-010 / C-011 / C-012 / C-047 / C-048

30 Enterprise Memory and Strategic Record

Enterprise Memory and Strategic Record establishes the governed experience through which authorized users can retrieve and record permission-aware institutional context while keeping evidence, belief, decision, commitment, outcome, and lesson separate and replayable. It organizes memory scope, record narrative, linked evidence and decisions, history and retention around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 31. Enterprise Memory and Strategic Record. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Retrieve and record permission-aware institutional context while keeping evidence, belief, decision, commitment, outcome, and lesson separate and replayable.
Primary roles	executives, analysts, knowledge managers, reviewers, auditors, and bounded agents.
Controlled objects	memory item, strategic record, artifact, decision, rationale, commitment, outcome, lesson, retention policy.
Canonical anatomy	memory scope; record narrative; linked evidence and decisions; history and retention.
Primary command	Search, retrieve, record, supersede, correct, cite, or replay memory through purpose-aware and versioned interactions.
Human authority	AI retrieval or summarization may assist discovery but cannot convert model output, popularity, or repetition into accepted institutional truth.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-30-001	The Eye SHALL present Enterprise Memory and Strategic Record as a governed experience that enables authorized users to retrieve and record permission-aware institutional context while keeping evidence, belief, decision, commitment, outcome, and lesson separate and replayable; memory scope, record narrative, linked evidence and decisions, history and retention SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-30-002	The experience SHALL persist, expose, version, and reconcile memory item, strategic record, artifact, decision, rationale, commitment, outcome, lesson, retention policy; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-30-003	The primary command SHALL allow eligible users to search, retrieve, record, supersede, correct, cite, or replay memory through purpose-aware and versioned interactions; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-30-004	The experience SHALL enforce this human-authority boundary: AI retrieval or summarization may assist discovery but cannot convert model output, popularity, or repetition into accepted institutional truth. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-30-005	When permissions, retention, source authority, version lineage, or temporal context is unavailable or disputed, the experience SHALL limit retrieval to verified authorized items, declare omissions, preserve historical versions, and route correction or policy adjudication; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-30-006	Acceptance SHALL demonstrate permission-aware retrieval, omission disclosure, supersession, correction, retention, agent use, and temporal replay for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Permissions, retention, source authority, version lineage, or temporal context is unavailable or disputed.	Limit retrieval to verified authorized items, declare omissions, preserve historical versions, and route correction or policy adjudication.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates permission-aware retrieval, omission disclosure, supersession, correction, retention, agent use, and temporal replay.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Enterprise Memory and Strategic Record is conformant only when all UX-30-001 through UX-30-006 close for the declared acceptance unit. Volume 8 trace: Ch. 20, Ch. 40. Capabilities: CAP-UM-07, CAP-UM-08, CAP-DS-12. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-010 / C-015 / C-016 / C-025 / C-047

31 Documents, Media, Geospatial, and Scientific Evidence

Documents, Media, Geospatial, and Scientific Evidence establishes the governed experience through which authorized users can provide modality-appropriate inspection of documents, images, audio, video, maps, remote sensing, charts, and scientific artifacts with aligned extraction and accessible alternatives. It organizes original viewer, aligned derived content, timeline or spatial controls, citation and annotation around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 32. Documents, Media, Geospatial, and Scientific Evidence. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Provide modality-appropriate inspection of documents, images, audio, video, maps, remote sensing, charts, and scientific artifacts with aligned extraction and accessible alternatives.
Primary roles	researchers, analysts, investigators, domain specialists, reviewers, and accessibility users.
Controlled objects	original media, page, frame, segment, layer, coordinate, extraction, translation, annotation, citation.
Canonical anatomy	original viewer; aligned derived content; timeline or spatial controls; citation and annotation.
Primary command	Navigate, synchronize, compare, annotate, transcribe, translate, measure, and cite exact source segments without overwriting originals.
Human authority	Derived extraction, translation, enhancement, georeferencing, or measurement remains labeled and cannot replace source evidence.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 31 - 001	The Eye SHALL present Documents, Media, Geospatial, and Scientific Evidence as a governed experience that enables authorized users to provide modality-appropriate inspection of documents, images, audio, video, maps, remote sensing, charts, and scientific artifacts with aligned extraction and accessible alternatives; original viewer, aligned derived content, timeline or spatial controls, citation and annotation SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 31 - 002	The experience SHALL persist, expose, version, and reconcile original media, page, frame, segment, layer, coordinate, extraction, translation, annotation, citation; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 31 - 003	The primary command SHALL allow eligible users to navigate, synchronize, compare, annotate, transcribe, translate, measure, and cite exact source segments without overwriting originals; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 31 - 004	The experience SHALL enforce this human-authority boundary: Derived extraction, translation, enhancement, georeferencing, or measurement remains labeled and cannot replace source evidence. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-31-005	When a format is unsupported, extraction alignment fails, media is partial, coordinate reference is missing, or an accessible alternative is unavailable, the experience SHALL preserve the original, mark unsupported or partial regions, disable unsupported measurement, and provide safe download or alternate review paths; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-31-006	Acceptance SHALL demonstrate format corpus, segment alignment, synchronized media, geospatial reference, annotation, citation, and accessible alternative tests for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
A format is unsupported, extraction alignment fails, media is partial, coordinate reference is missing, or an accessible alternative is unavailable.	Preserve the original, mark unsupported or partial regions, disable unsupported measurement, and provide safe download or alternate review paths.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates format corpus, segment alignment, synchronized media, geospatial reference, annotation, citation, and accessible alternative tests.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Documents, Media, Geospatial, and Scientific Evidence is conformant only when all UX-31-001 through UX-31-006 close for the declared acceptance unit. Volume 8 trace: Ch. 12, Ch. 13. Capabilities: CAP-OB-06, CAP-OB-07, CAP-OB-08. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-010 / C-012 / C-013 / C-047 / C-048

32 Corrections, Withdrawals, Reconciliation, and Impact

Corrections, Withdrawals, Reconciliation, and Impact establishes the governed experience through which authorized users can make non-destructive correction state, affected products, decisions, users, obligations, rebuild progress, acknowledgment, and closure visible. It organizes correction header, before and after, impact graph, rebuild and closure around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 33. Corrections, Withdrawals, Reconciliation, and Impact. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Make non-destructive correction state, affected products, decisions, users, obligations, rebuild progress, acknowledgment, and closure visible.
Primary roles	source authorities, data stewards, product owners, decision owners, reviewers, auditors, and affected consumers.
Controlled objects	correction case, original, replacement, withdrawal, impact set, rebuild, notification, acknowledgment, reconciliation, closure.
Canonical anatomy	correction header; before and after; impact graph; rebuild and closure.
Primary command	Report, review, authorize, propagate, verify, acknowledge, or close a correction while preserving original state and downstream history.
Human authority	Only the source or canonical authority may authorize correction; affected decision owners determine required reconsideration.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-32-001	The Eye SHALL present Corrections, Withdrawals, Reconciliation, and Impact as a governed experience that enables authorized users to make non-destructive correction state, affected products, decisions, users, obligations, rebuild progress, acknowledgment, and closure visible; correction header, before and after, impact graph, rebuild and closure SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-32-002	The experience SHALL persist, expose, version, and reconcile correction case, original, replacement, withdrawal, impact set, rebuild, notification, acknowledgment, reconciliation, closure; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-32-003	The primary command SHALL allow eligible users to report, review, authorize, propagate, verify, acknowledge, or close a correction while preserving original state and downstream history; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-32-004	The experience SHALL enforce this human-authority boundary: Only the source or canonical authority may authorize correction; affected decision owners determine required reconsideration. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-32-005	When impact scope is incomplete, propagation fails, a consumer cannot reconcile, or corrected state conflicts with an active decision or publication, the experience SHALL mark affected products incomplete, prevent false currency claims, preserve both versions, escalate owners, and continue tracked reconciliation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-32-006	Acceptance SHALL demonstrate end-to-end correction, withdrawal, impact discovery, rebuild, recipient acknowledgment, decision reconsideration, and closure for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Impact scope is incomplete, propagation fails, a consumer cannot reconcile, or corrected state conflicts with an active decision or publication.	Mark affected products incomplete, prevent false currency claims, preserve both versions, escalate owners, and continue tracked reconciliation.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates end-to-end correction, withdrawal, impact discovery, rebuild, recipient acknowledgment, decision reconsideration, and closure.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Corrections, Withdrawals, Reconciliation, and Impact is conformant only when all UX-32-001 through UX-32-006 close for the declared acceptance unit. Volume 8 trace: Ch. 24. Capabilities: CAP-UM-12, CAP-TG-01. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-011 / C-012 / C-025 / C-036 / C-043 / C-047

PART 5

Foresight and Strategic Decision Experience


Defines the governed interfaces for weak signals, warnings, risk, opportunity, forecasting, scenarios, simulation, Digital Twins, Strategy Graphs, and human decisions.

CHAPTERS 33-40

THE EYE / EXPERIENCE IN SERVICE OF STRATEGIC INTELLIGENCE

33 Weak Signals and Indicator Workbench

Weak Signals and Indicator Workbench establishes the governed experience through which authorized users can surface emerging patterns with evidence, novelty, persistence, baseline, uncertainty, ownership, and disposition without presenting them as confirmed warnings. It organizes signal queue, evidence pattern, baseline and novelty, disposition and monitoring around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.



ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-33-005	When source coverage, baseline, novelty, persistence, clustering, or uncertainty is insufficient or drifted, the experience SHALL mark the signal tentative or unevaluable, preserve detector evidence, prevent warning promotion, and route source or method review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-33-006	Acceptance SHALL demonstrate seeded-signal, null, drift, source-gap, duplicate, analyst disposition, and alert-overload evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Source coverage, baseline, novelty, persistence, clustering, or uncertainty is insufficient or drifted.	Mark the signal tentative or unevaluable, preserve detector evidence, prevent warning promotion, and route source or method review.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates seeded-signal, null, drift, source-gap, duplicate, analyst disposition, and alert-overload evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Weak Signals and Indicator Workbench is conformant only when all UX-33-001 through UX-33-006 close for the declared acceptance unit. Volume 8 trace: Ch. 25. Capabilities: CAP-FW-01, CAP-FW-02. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 / C-032 / C-033 / C-045 / C-047

34 Early Warning and Escalation Experience

Early Warning and Escalation Experience establishes the governed experience through which authorized users can deliver evidence-backed, confidence-aware, owned warnings with severity, affected scope, response playbook, acknowledgment, escalation, correction, and closure. It organizes severity and scope, evidence and uncertainty, owner and playbook, acknowledgment and escalation around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 35. Early Warning and Escalation Experience. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Deliver evidence-backed, confidence-aware, owned warnings with severity, affected scope, response playbook, acknowledgment, escalation, correction, and closure.
Primary roles	warning owners, recipients, escalation authorities, watch officers, executives, and incident teams.
Controlled objects	warning, trigger, severity, evidence, objective, asset, recipient, receipt, acknowledgment, action, escalation, correction.
Canonical anatomy	severity and scope; evidence and uncertainty; owner and playbook; acknowledgment and escalation.
Primary command	Issue, deliver, acknowledge, act, suppress, escalate, correct, withdraw, or close a warning through separate attributable transitions.
Human authority	Policy may trigger delivery and escalation; human authorities own material warning issuance, suppression, response decisions, and closure where required.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-34-001	The Eye SHALL present Early Warning and Escalation Experience as a governed experience that enables authorized users to deliver evidence-backed, confidence-aware, owned warnings with severity, affected scope, response playbook, acknowledgment, escalation, correction, and closure; severity and scope, evidence and uncertainty, owner and playbook, acknowledgment and escalation SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-34-002	The experience SHALL persist, expose, version, and reconcile warning, trigger, severity, evidence, objective, asset, recipient, receipt, acknowledgment, action, escalation, correction; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-34-003	The primary command SHALL allow eligible users to issue, deliver, acknowledge, act, suppress, escalate, correct, withdraw, or close a warning through separate attributable transitions; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-34-004	The experience SHALL enforce this human-authority boundary: Policy may trigger delivery and escalation; human authorities own material warning issuance, suppression, response decisions, and closure where required. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-34-005	When delivery, ownership, acknowledgment, escalation, evidence, severity, or recipient eligibility is uncertain or overloaded, the experience SHALL preserve the warning state, use redundant approved channels, expose delivery limits, escalate deterministically, and prevent silent suppression; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-34-006	Acceptance SHALL demonstrate trigger, latency, deduplication, delivery receipt, multimodal alert, missed acknowledgment, escalation, correction, and overload drills for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Delivery, ownership, acknowledgment, escalation, evidence, severity, or recipient eligibility is uncertain or overloaded.	Preserve the warning state, use redundant approved channels, expose delivery limits, escalate deterministically, and prevent silent suppression.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence


- End-to-end evidence demonstrates trigger, latency, deduplication, delivery receipt, multimodal alert, missed acknowledgment, escalation, correction, and overload drills.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Early Warning and Escalation Experience is conformant only when all UX-34-001 through UX-34-006 close for the declared acceptance unit. Volume 8 trace: Ch. 26. Capabilities: CAP-FW-03, CAP-EO-06. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 / C-032 / C-033 / C-036 / C-047 / C-048

35 Risk and Opportunity Intelligence

Risk and Opportunity Intelligence establishes the governed experience through which authorized users can present risks and opportunities symmetrically with evidence, exposure or value range, timing, objectives, ownership, alternatives, actions, and outcomes. It organizes portfolio and scope, evidence and model, options and trade-offs, ownership and action around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.



ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 35 - 005	When ownership, appetite, evidence, aggregation, timing, uncertainty, or option feasibility is missing or contradictory, the experience SHALL mark the item incomplete, prevent invalid roll-up or decision-ready use, preserve competing assessments, and route owner resolution; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX - 35 - 006	Acceptance SHALL demonstrate aggregation, appetite, range, sensitivity, owner acceptance, sponsor decision, residual exposure, and outcome evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Ownership, appetite, evidence, aggregation, timing, uncertainty, or option feasibility is missing or contradictory.	Mark the item incomplete, prevent invalid roll-up or decision-ready use, preserve competing assessments, and route owner resolution.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates aggregation, appetite, range, sensitivity, owner acceptance, sponsor decision, residual exposure, and outcome evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Risk and Opportunity Intelligence is conformant only when all UX-35-001 through UX-35-006 close for the declared acceptance unit. Volume 8 trace: Ch. 27, Ch. 28. Capabilities: CAP-FW-04, CAP-FW-05. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 / C-024 / C-026 / C-032 / C-034 / C-047

36 Competitor, Supply Chain, and Domain Intelligence

Competitor, Supply Chain, and Domain Intelligence establishes the governed experience through which authorized users can provide domain-specific workspaces that extend canonical objects and patterns without forking identity, truth, evidence, or authority semantics. It organizes domain scope, network or portfolio, evidence and assessment, options and monitoring around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 37. Competitor, Supply Chain, and Domain Intelligence. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Provide domain-specific workspaces that extend canonical objects and patterns without forking identity, truth, evidence, or authority semantics.
Primary roles	competitor, supply-chain, geopolitical, technology, cyber, financial, regulatory, climate, and other domain specialists.
Controlled objects	domain package, company, supplier, asset, dependency, market, technology, event, exposure, assessment, alternative.
Canonical anatomy	domain scope; network or portfolio; evidence and assessment; options and monitoring.
Primary command	Resolve, map, compare, assess, forecast, alert, update, or replay domain state through certified package extensions.
Human authority	Domain models and agents may advise within competence; accountable business and public authorities retain strategic decision rights.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-36-001	The Eye SHALL present Competitor, Supply Chain, and Domain Intelligence as a governed experience that enables authorized users to provide domain-specific workspaces that extend canonical objects and patterns without forking identity, truth, evidence, or authority semantics; domain scope, network or portfolio, evidence and assessment, options and monitoring SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-36-002	The experience SHALL persist, expose, version, and reconcile domain package, company, supplier, asset, dependency, market, technology, event, exposure, assessment, alternative; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-36-003	The primary command SHALL allow eligible users to resolve, map, compare, assess, forecast, alert, update, or replay domain state through certified package extensions; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-36-004	The experience SHALL enforce this human-authority boundary: Domain models and agents may advise within competence; accountable business and public authorities retain strategic decision rights. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-36-005	When domain package versions conflict, canonical mappings fail, coverage is incomplete, or a specialized visualization obscures common semantics, the experience SHALL disable incompatible extensions, preserve core objects and evidence, declare coverage limits, and route package or semantic governance; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-36-006	Acceptance SHALL demonstrate package compatibility, canonical mapping, domain accessibility, network scale, source coverage, and authority acceptance for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Domain package versions conflict, canonical mappings fail, coverage is incomplete, or a specialized visualization obscures common semantics.	Disable incompatible extensions, preserve core objects and evidence, declare coverage limits, and route package or semantic governance.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates package compatibility, canonical mapping, domain accessibility, network scale, source coverage, and authority acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Competitor, Supply Chain, and Domain Intelligence is conformant only when all UX-36-001 through UX-36-006 close for the declared acceptance unit. Volume 8 trace: Ch. 29, Ch. 30, Ch. 31. Capabilities: CAP-FW-06, CAP-FW-07, CAP-FW-08, CAP-FW-09, CAP-FW-10, CAP-FW-11. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-007 / C-009 / C-010 / C-013 / C-047

37 Forecast Portfolio and Prediction Horizons

Forecast Portfolio and Prediction Horizons establishes the governed experience through which authorized users can compare reproducible probabilistic forecasts across 30-day, 90-day, 180-day, 1-year, 3-year, and 5-year horizons with calibration and limitations. It organizes target and horizons, distribution and drivers, method and evidence, calibration and use around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 38. Forecast Portfolio and Prediction Horizons. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Compare reproducible probabilistic forecasts across 30-day, 90-day, 180-day, 1-year, 3-year, and 5-year horizons with calibration and limitations.
Primary roles	forecasters, analysts, decision authorities, model risk teams, executives, and auditors.
Controlled objects	forecast, target, horizon, cutoff, distribution, method, model, assumption, driver, calibration, score, supersession.
Canonical anatomy	target and horizons; distribution and drivers; method and evidence; calibration and use.
Primary command	Define, compare, publish, monitor, score, supersede, or abstain on a forecast while retaining exact cutoff and versions.
Human authority	Models produce forecasts; authorized forecasters review publication and human decision authorities determine strategic use.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 37 - 001	The Eye SHALL present Forecast Portfolio and Prediction Horizons as a governed experience that enables authorized users to compare reproducible probabilistic forecasts across 30-day, 90-day, 180-day, 1-year, 3-year, and 5-year horizons with calibration and limitations; target and horizons, distribution and drivers, method and evidence, calibration and use SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 37 - 002	The experience SHALL persist, expose, version, and reconcile forecast, target, horizon, cutoff, distribution, method, model, assumption, driver, calibration, score, supersession; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 37 - 003	The primary command SHALL allow eligible users to define, compare, publish, monitor, score, supersede, or abstain on a forecast while retaining exact cutoff and versions; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 37 - 004	The experience SHALL enforce this human-authority boundary: Models produce forecasts; authorized forecasters review publication and human decision authorities determine strategic use. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-37-005	When methods disagree, data leakage is suspected, calibration expires, inputs become stale, or precision exceeds support, the experience SHALL show disagreement and unsupported regions, constrain use, preserve prior forecasts for scoring, and require review or abstention; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-37-006	Acceptance SHALL demonstrate backtest, calibration, horizon, leakage, model disagreement, abstention, supersession, accessible chart, and decision-use evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Methods disagree, data leakage is suspected, calibration expires, inputs become stale, or precision exceeds support.	Show disagreement and unsupported regions, constrain use, preserve prior forecasts for scoring, and require review or abstention.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates backtest, calibration, horizon, leakage, model disagreement, abstention, supersession, accessible chart, and decision-use evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Forecast Portfolio and Prediction Horizons is conformant only when all UX-37-001 through UX-37-006 close for the declared acceptance unit. Volume 8 trace: Ch. 32. Capabilities: CAP-FW-12. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 / C-020 / C-021 / C-026 / C-045 / C-047

38 Scenario Intelligence and Scenario Marketplace

Scenario Intelligence and Scenario Marketplace establishes the governed experience through which authorized users can construct and compare plural coherent futures and distribute governed scenario packages without allowing one scenario to masquerade as destiny. It organizes scenario set, drivers and branches, implications and options, monitoring and package trust around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 39. Scenario Intelligence and Scenario Marketplace. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Construct and compare plural coherent futures and distribute governed scenario packages without allowing one scenario to masquerade as destiny.
Primary roles	scenario authors, sponsors, analysts, decision authorities, marketplace publishers, package governors, and customers.
Controlled objects	scenario set, scenario, driver, uncertainty, branch, assumption, implication, indicator, option, package, license.
Canonical anatomy	scenario set; drivers and branches; implications and options; monitoring and package trust.
Primary command	Frame, branch, compare, challenge, approve, monitor, publish, install, update, or revoke scenario packages.
Human authority	AI may generate or test branches; human sponsors approve framing and package authorities approve marketplace installation and use.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-38-001	The Eye SHALL present Scenario Intelligence and Scenario Marketplace as a governed experience that enables authorized users to construct and compare plural coherent futures and distribute governed scenario packages without allowing one scenario to masquerade as destiny; scenario set, drivers and branches, implications and options, monitoring and package trust SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-38-002	The experience SHALL persist, expose, version, and reconcile scenario set, scenario, driver, uncertainty, branch, assumption, implication, indicator, option, package, license; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-38-003	The primary command SHALL allow eligible users to frame, branch, compare, challenge, approve, monitor, publish, install, update, or revoke scenario packages; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-38-004	The experience SHALL enforce this human-authority boundary: AI may generate or test branches; human sponsors approve framing and package authorities approve marketplace installation and use. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-38-005	When scenario distinctness, internal consistency, evidence, rights, package signature, compatibility, or sandbox evaluation fails, the experience SHALL retain the package or scenario as draft or quarantined, preserve plurality, prevent decision-active use, and route author or package review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-38-006	Acceptance SHALL demonstrate plurality, consistency, comparison basis, marketplace trust, license, sandbox, compatibility, update, and revocation evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Scenario distinctness, internal consistency, evidence, rights, package signature, compatibility, or sandbox evaluation fails.	Retain the package or scenario as draft or quarantined, preserve plurality, prevent decision-active use, and route author or package review.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates plurality, consistency, comparison basis, marketplace trust, license, sandbox, compatibility, update, and revocation evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Scenario Intelligence and Scenario Marketplace is conformant only when all UX-38-001 through UX-38-006 close for the declared acceptance unit. Volume 8 trace: Ch. 33, Ch. 34. Capabilities: CAP-DS-01, CAP-DS-02, CAP-DS-03. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 / C-022 / C-024 / C-046 / C-047

39 Simulation Run Center and Digital Twin Branching

Simulation Run Center and Digital Twin Branching establishes the governed experience through which authorized users can separate observed Digital Twin state from synthetic branches and govern exact simulation inputs, execution, comparison, validity, and reproducibility. It organizes state and branch, run manifest, execution and checkpoints, results and validity around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 40. Simulation Run Center and Digital Twin Branching. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Separate observed digital twin state from synthetic branches and govern exact simulation inputs, execution, comparison, validity, and reproducibility.
Primary roles	simulation specialists, twin owners, model risk authorities, planners, decision reviewers, and operators.
Controlled objects	Digital Twin, observed snapshot, synthetic branch, simulation, manifest, model, parameter, constraint, seed, run, checkpoint, result.
Canonical anatomy	state and branch; run manifest; execution and checkpoints; results and validity.
Primary command	Configure, validate, execute, pause, resume, cancel, compare, promote, or replay a simulation against an immutable run manifest.
Human authority	Automation may execute approved runs; humans own model-use approval, budget exceptions, result fitness, and strategic decisions.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-39-001	The Eye SHALL present Simulation Run Center and Digital Twin Branching as a governed experience that enables authorized users to separate observed Digital Twin state from synthetic branches and govern exact simulation inputs, execution, comparison, validity, and reproducibility; state and branch, run manifest, execution and checkpoints, results and validity SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-39-002	The experience SHALL persist, expose, version, and reconcile Digital Twin, observed snapshot, synthetic branch, simulation, manifest, model, parameter, constraint, seed, run, checkpoint, result, active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-39-003	The primary command SHALL allow eligible users to configure, validate, execute, pause, resume, cancel, compare, promote, or replay a simulation against an immutable run manifest; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-39-004	The experience SHALL enforce this human-authority boundary: Automation may execute approved runs; humans own model-use approval, budget exceptions, result fitness, and strategic decisions. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 39 - 005	When observed and synthetic state mix, validation fails, versions drift, resources exhaust, checkpoints corrupt, or results exceed validity, the experience SHALL isolate the branch and run, preserve checkpoints and manifest, mark outputs non-decision-active, and route validation or recovery; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX - 39 - 006	Acceptance SHALL demonstrate branch isolation, manifest identity, reproducibility, pause/resume, fault recovery, validity, sensitivity, and accessible comparison for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Observed and synthetic state mix, validation fails, versions drift, resources exhaust, checkpoints corrupt, or results exceed validity.	Isolate the branch and run, preserve checkpoints and manifest, mark outputs non-decision-active, and route validation or recovery.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates branch isolation, manifest identity, reproducibility, pause/resume, fault recovery, validity, sensitivity, and accessible comparison.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Simulation Run Center and Digital Twin Branching is conformant only when all UX-39-001 through UX-39-006 close for the declared acceptance unit. Volume 8 trace: Ch. 35, Ch. 36. Capabilities: CAP-DS-04, CAP-DS-05, CAP-DS-06, CAP-DS-07. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-018 / C-019 / C-023 / C-024 / C-045 / C-047

40 Strategy Graph, Decision Case, and Human Commitment

Strategy Graph, Decision Case, and Human Commitment establishes the governed experience through which authorized users can connect objectives, capabilities, initiatives, alternatives, evidence, forecasts, scenarios, risks, recommendations, dissent, decisions, and commitments in one accountable flow. It organizes objective context, alternatives and evidence, recommendation and dissent, human decision and commitments around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 41. Strategy Graph, Decision Case, and Human Commitment. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Connect objectives, capabilities, initiatives, alternatives, evidence, forecasts, scenarios, risks, recommendations, dissent, decisions, and commitments in one accountable flow.
Primary roles	strategy leads, decision analysts, reviewers, decision authorities, commitment owners, executives, and auditors.
Controlled objects	Strategy Graph, objective, capability, initiative, decision case, option, recommendation, decision digest, signature, commitment, outcome.
Canonical anatomy	objective context; alternatives and evidence; recommendation and dissent; human decision and commitments.
Primary command	Prepare, review, challenge, mark ready, decide, sign, commit, distribute, monitor, or replay a decision package.
Human authority	Only an eligible named human may approve or reject the exact decision digest and create institutional commitment.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-40-001	The Eye SHALL present Strategy Graph, Decision Case, and Human Commitment as a governed experience that enables authorized users to connect objectives, capabilities, initiatives, alternatives, evidence, forecasts, scenarios, risks, recommendations, dissent, decisions, and commitments in one accountable flow; objective context, alternatives and evidence, recommendation and dissent, human decision and commitments SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-40-002	The experience SHALL persist, expose, version, and reconcile Strategy Graph, objective, capability, initiative, decision case, option, recommendation, decision digest, signature, commitment, outcome; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-40-003	The primary command SHALL allow eligible users to prepare, review, challenge, mark ready, decide, sign, commit, distribute, monitor, or replay a decision package; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-40-004	The experience SHALL enforce this human-authority boundary: Only an eligible named human may approve or reject the exact decision digest and create institutional commitment. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-40-005	When completeness, authority, policy, evidence freshness, alternative viability, dissent, or digest integrity changes before commitment, the experience SHALL invalidate pending approval, preserve the reviewed package, expose the change, require renewed deliberation, and prevent partial effect; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-40-006	Acceptance SHALL demonstrate objective trace, option comparison, completeness, digest change, authority, deliberate action, signature, partial-effect recovery, and replay for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Completeness, authority, policy, evidence freshness, alternative viability, dissent, or digest integrity changes before commitment.	Invalidate pending approval, preserve the reviewed package, expose the change, require renewed deliberation, and prevent partial effect.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates objective trace, option comparison, completeness, digest change, authority, deliberate action, signature, partial-effect recovery, and replay.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Strategy Graph, Decision Case, and Human Commitment is conformant only when all UX-40-001 through UX-40-006 close for the declared acceptance unit. Volume 8 trace: Ch. 37, Ch. 38, Ch. 39, Ch. 40. Capabilities: CAP-DS-08, CAP-DS-09, CAP-DS-10, CAP-DS-11, CAP-DS-12. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 / C-005 / C-017 / C-024 / C-025 / C-026 / C-036 / C-047

PART 6

Executive and Collaborative Operating Experience

Defines the executive operating cadence, priority control, briefings, plans, collaboration, publication, and disconnected operation as one continuous strategic loop.

CHAPTERS 41-48

THE EYE / EXPERIENCE IN SERVICE OF STRATEGIC INTELLIGENCE

41 Executive Operating System Home

Executive Operating System Home establishes the governed experience through which authorized users can organize strategic attention around objectives, material changes, warnings, decisions, commitments, outcomes, and learning rather than passive metrics. It organizes operating context, priority agenda, decision and commitment flow, outcomes and reset around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 42. Executive Operating System Home. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Organize strategic attention around objectives, material changes, warnings, decisions, commitments, outcomes, and learning rather than passive metrics.
Primary roles	board members, executives, chiefs of staff, executive operators, and delegated reviewers.
Controlled objects	objective, priority, strategic package, warning, decision, commitment, outcome, agenda, operating cadence.
Canonical anatomy	operating context; priority agenda; decision and commitment flow; outcomes and reset.
Primary command	Review priorities, enter governed work, deliberate decisions, assign commitments, inspect outcomes, and close the strategic loop.
Human authority	The executive home summarizes and routes; all consequential decisions occur through exact governed objects and human authority gates.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-41-001	The Eye SHALL present Executive Operating System Home as a governed experience that enables authorized users to organize strategic attention around objectives, material changes, warnings, decisions, commitments, outcomes, and learning rather than passive metrics; operating context, priority agenda, decision and commitment flow, outcomes and reset SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-41-002	The experience SHALL persist, expose, version, and reconcile objective, priority, strategic package, warning, decision, commitment, outcome, agenda, operating cadence; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-41-003	The primary command SHALL allow eligible users to review priorities, enter governed work, deliberate decisions, assign commitments, inspect outcomes, and close the strategic loop; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-41-004	The experience SHALL enforce this human-authority boundary: The executive home summarizes and routes; all consequential decisions occur through exact governed objects and human authority gates. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-41-005	When priority ranking, freshness, ownership, context, or underlying evidence is missing, conflicting, or degraded, the experience SHALL show the last verified agenda with coverage and freshness limits, prevent unsupported action, and route to canonical workspaces; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-41-006	Acceptance SHALL demonstrate closed-loop cadence, priority trace, context switching, degraded data, decision routing, commitment, outcome, and executive comprehension for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Priority ranking, freshness, ownership, context, or underlying evidence is missing, conflicting, or degraded.	Show the last verified agenda with coverage and freshness limits, prevent unsupported action, and route to canonical workspaces.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates closed-loop cadence, priority trace, context switching, degraded data, decision routing, commitment, outcome, and executive comprehension.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Executive Operating System Home is conformant only when all UX-41-001 through UX-41-006 close for the declared acceptance unit. Volume 8 trace: Ch. 41. Capabilities: CAP-EO-01, CAP-EO-02, CAP-EO-06. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-002 / C-003 / C-027 / C-032 / C-034 / C-047

42 Strategic Briefing and Command Views

Strategic Briefing and Command Views establishes the governed experience through which authorized users can assemble evidence-backed, audience-scoped, approved briefings and moment-specific command views with cutoffs, receipts, corrections, and safe actions. It organizes briefing context, narrative and evidence, decision or command items, approval and distribution around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 43. Strategic Briefing and Command Views. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Assemble evidence-backed, audience-scoped, approved briefings and moment-specific command views with cutoffs, receipts, corrections, and safe actions.
Primary roles	briefing owners, executive operators, decision authorities, reviewers, publishers, recipients, and command teams.
Controlled objects	briefing, section, claim, evidence, cutoff, classification, audience, approval digest, publication, receipt, correction.
Canonical anatomy	briefing context; narrative and evidence; decision or command items; approval and distribution.
Primary command	Assemble, review, approve, present, distribute, acknowledge, correct, withdraw, or replay an exact briefing edition.
Human authority	AI may draft and summarize; human publication authority approves exact bytes, audience, classification, and delivery.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-42-001	The Eye SHALL present Strategic Briefing and Command Views as a governed experience that enables authorized users to assemble evidence-backed, audience-scoped, approved briefings and moment-specific command views with cutoffs, receipts, corrections, and safe actions; briefing context, narrative and evidence, decision or command items, approval and distribution SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-42-002	The experience SHALL persist, expose, version, and reconcile briefing, section, claim, evidence, cutoff, classification, audience, approval digest, publication, receipt, correction; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-42-003	The primary command SHALL allow eligible users to assemble, review, approve, present, distribute, acknowledge, correct, withdraw, or replay an exact briefing edition; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-42-004	The experience SHALL enforce this human-authority boundary: AI may draft and summarize; human publication authority approves exact bytes, audience, classification, and delivery. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-42-005	When citations, cutoff, classification, audience, digest, accessibility, or delivery state is incomplete or changes after approval, the experience SHALL invalidate approval, preserve the prior edition, block delivery or mark it superseded, and route correction to original recipients; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-42-006	Acceptance SHALL demonstrate citation, cutoff, classification, exact-byte approval, large-display, accessibility, delivery receipt, correction, and withdrawal evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Citations, cutoff, classification, audience, digest, accessibility, or delivery state is incomplete or changes after approval.	Invalidate approval, preserve the prior edition, block delivery or mark it superseded, and route correction to original recipients.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates citation, cutoff, classification, exact-byte approval, large-display, accessibility, delivery receipt, correction, and withdrawal evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Strategic Briefing and Command Views is conformant only when all UX-42-001 through UX-42-006 close for the declared acceptance unit. Volume 8 trace: Ch. 42, Ch. 47. Capabilities: CAP-EO-03, CAP-EO-04, CAP-EO-09. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 / C-005 / C-012 / C-027 / C-036 / C-047 / C-048

43 Strategic Health Score

Strategic Health Score establishes the governed experience through which authorized users can present strategic health as a decomposable governed model with component measures, weights, evidence, confidence, trend, sensitivity, coverage, and owner. It organizes score and status, component decomposition, evidence and confidence, sensitivity and action around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 44. Strategic Health Score. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Present strategic health as a decomposable governed model with component measures, weights, evidence, confidence, trend, sensitivity, coverage, and owner.
Primary roles	executives, strategy leaders, risk owners, analysts, measure owners, and auditors.
Controlled objects	health score, component, measure, weight, objective, threshold, evidence, confidence, trend, sensitivity, coverage.
Canonical anatomy	score and status; component decomposition; evidence and confidence; sensitivity and action.
Primary command	Decompose, compare, adjust an authorized view, inspect evidence, simulate sensitivity, challenge, or acknowledge a score change.
Human authority	The score informs attention; it never substitutes for underlying analysis, risk acceptance, resource commitment, or human decision.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-43-001	The Eye SHALL present Strategic Health Score as a governed experience that enables authorized users to present strategic health as a decomposable governed model with component measures, weights, evidence, confidence, trend, sensitivity, coverage, and owner; score and status, component decomposition, evidence and confidence, sensitivity and action SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-43-002	The experience SHALL persist, expose, version, and reconcile health score, component, measure, weight, objective, threshold, evidence, confidence, trend, sensitivity, coverage; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-43-003	The primary command SHALL allow eligible users to decompose, compare, adjust an authorized view, inspect evidence, simulate sensitivity, challenge, or acknowledge a score change; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-43-004	The experience SHALL enforce this human-authority boundary: The score informs attention; it never substitutes for underlying analysis, risk acceptance, resource commitment, or human decision. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-43-005	When components, weights, evidence, coverage, confidence, or calculation versions are missing, stale, or inconsistent, the experience SHALL withhold or qualify the aggregate, expose missing components and sensitivity, prevent unsupported comparisons, and route owner correction; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-43-006	Acceptance SHALL demonstrate formula, lineage, missing-data, sensitivity, threshold, comparison, accessible visualization, and owner acceptance for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Components, weights, evidence, coverage, confidence, or calculation versions are missing, stale, or inconsistent.	Withhold or qualify the aggregate, expose missing components and sensitivity, prevent unsupported comparisons, and route owner correction.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates formula, lineage, missing-data, sensitivity, threshold, comparison, accessible visualization, and owner acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Strategic Health Score is conformant only when all UX-43-001 through UX-43-006 close for the declared acceptance unit. Volume 8 trace: Ch. 43. Capabilities: CAP-EO-05. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 / C-026 / C-034 / C-045 / C-047

44 Proactive Intelligence and Priority Queue

Proactive Intelligence and Priority Queue establishes the governed experience through which authorized users can rank material changes, warnings, reviews, decisions, opportunities, commitments, and exceptions with explainable priority, ownership, suppression, and capacity state. It organizes queue scope, priority reason, owner and deadline, disposition and audit around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 45. Proactive Intelligence and Priority Queue. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Rank material changes, warnings, reviews, decisions, opportunities, commitments, and exceptions with explainable priority, ownership, suppression, and capacity state.
Primary roles	executive operators, analysts, watch officers, owners, reviewers, and governance teams.
Controlled objects	priority item, reason, severity, urgency, objective, exposure, confidence, owner, due time, suppression, disposition.
Canonical anatomy	queue scope; priority reason; owner and deadline; disposition and audit.
Primary command	Inspect, assign, acknowledge, snooze, suppress, escalate, route, act, or close an item through distinct governed transitions.
Human authority	Ranking may order attention but cannot hide critical items, infer acknowledgment, make a decision, or silently suppress work.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-44-001	The Eye SHALL present Proactive Intelligence and Priority Queue as a governed experience that enables authorized users to rank material changes, warnings, reviews, decisions, opportunities, commitments, and exceptions with explainable priority, ownership, suppression, and capacity state; queue scope, priority reason, owner and deadline, disposition and audit SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-44-002	The experience SHALL persist, expose, version, and reconcile priority item, reason, severity, urgency, objective, exposure, confidence, owner, due time, suppression, disposition; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-44-003	The primary command SHALL allow eligible users to inspect, assign, acknowledge, snooze, suppress, escalate, route, act, or close an item through distinct governed transitions; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-44-004	The experience SHALL enforce this human-authority boundary: Ranking may order attention but cannot hide critical items, infer acknowledgment, make a decision, or silently suppress work. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-44-005	When ranking quality, duplication, ownership, capacity, delivery, suppression, or severe-item visibility falls below policy, the experience SHALL declare overload, preserve severe-item visibility, expose precision and backlog, reduce noncritical delivery by policy, and escalate capacity owners; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-44-006	Acceptance SHALL demonstrate precision, recall, duplicate, overload, fairness, severe-item visibility, suppression, ownership, and closure evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Ranking quality, duplication, ownership, capacity, delivery, suppression, or severe-item visibility falls below policy.	Declare overload, preserve severe-item visibility, expose precision and backlog, reduce noncritical delivery by policy, and escalate capacity owners.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates precision, recall, duplicate, overload, fairness, severe-item visibility, suppression, ownership, and closure evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Proactive Intelligence and Priority Queue is conformant only when all UX-44-001 through UX-44-006 close for the declared acceptance unit. Volume 8 trace: Ch. 44. Capabilities: CAP-EO-06. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-032 / C-033 / C-036 / C-047 / C-049

45 Strategic Planning and Initiative Governance

Strategic Planning and Initiative Governance establishes the governed experience through which authorized users can connect objectives, capabilities, initiatives, resources, dependencies, measures, risks, decisions, commitments, and outcomes through the Strategy Graph. It organizes strategy context, portfolio and dependencies, initiative detail, governance and outcomes around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.



Figure 46. Strategic Planning and Initiative Governance. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Connect objectives, capabilities, initiatives, resources, dependencies, measures, risks, decisions, commitments, and outcomes through the strategy graph.
Primary roles	strategy leads, initiative owners, executives, finance and resource authorities, risk owners, and reviewers.
Controlled objects	objective, capability, initiative, milestone, dependency, resource, measure, risk, decision, commitment, outcome.
Canonical anatomy	strategy context; portfolio and dependencies; initiative detail; governance and outcomes.
Primary command	Propose, align, prioritize, fund, approve, baseline, update, review, pause, close, or replay strategic initiatives.
Human authority	AI may analyze and recommend; humans with recorded authority approve priorities, resources, baselines, exceptions, and closure.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-45-001	The Eye SHALL present Strategic Planning and Initiative Governance as a governed experience that enables authorized users to connect objectives, capabilities, initiatives, resources, dependencies, measures, risks, decisions, commitments, and outcomes through the Strategy Graph; strategy context, portfolio and dependencies, initiative detail, governance and outcomes SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-45-002	The experience SHALL persist, expose, version, and reconcile objective, capability, initiative, milestone, dependency, resource, measure, risk, decision, commitment, outcome; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-45-003	The primary command SHALL allow eligible users to propose, align, prioritize, fund, approve, baseline, update, review, pause, close, or replay strategic initiatives; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-45-004	The experience SHALL enforce this human-authority boundary: AI may analyze and recommend; humans with recorded authority approve priorities, resources, baselines, exceptions, and closure. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-45-005	When objective alignment, dependency, ownership, resource authority, measure lineage, or baseline integrity is unresolved, the experience SHALL preserve the last approved plan, mark proposed changes, constrain downstream commitments, and route governance resolution; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-45-006	Acceptance SHALL demonstrate graph integrity, dependency, scenario sensitivity, funding authority, baseline change, milestone, outcome, and replay evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Objective alignment, dependency, ownership, resource authority, measure lineage, or baseline integrity is unresolved.	Preserve the last approved plan, mark proposed changes, constrain downstream commitments, and route governance resolution.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates graph integrity, dependency, scenario sensitivity, funding authority, baseline change, milestone, outcome, and replay evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Strategic Planning and Initiative Governance is conformant only when all UX-45-001 through UX-45-006 close for the declared acceptance unit. Volume 8 trace: Ch. 45. Capabilities: CAP-EO-07. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-017 / C-024 / C-026 / C-036 / C-047

46 Collaboration, Tasks, Reviews, and Workflow

Collaboration, Tasks, Reviews, and Workflow establishes the governed experience through which authorized users can coordinate attributable work, discussion, evidence, review, approval, escalation, and handoff without letting collaboration channels become an alternate truth or command system. It organizes work context, conversation and evidence, task and review state, handoff and closure around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 47. Collaboration, Tasks, Reviews, and Workflow. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Coordinate attributable work, discussion, evidence, review, approval, escalation, and handoff without letting collaboration channels become an alternate truth or command system.
Primary roles	all internal and authorized external collaborators.
Controlled objects	task, assignment, comment, mention, review, gate, attachment, due time, handoff, escalation, receipt.
Canonical anatomy	work context; conversation and evidence; task and review state; handoff and closure.
Primary command	Assign, discuss, attach evidence, request review, acknowledge, resolve, escalate, hand off, or close work through object-linked transitions.
Human authority	Comments, reactions, mentions, chat text, meeting attendance, or administrative reassignment never imply approval or institutional effect.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 46 - 001	The Eye SHALL present Collaboration, Tasks, Reviews, and Workflow as a governed experience that enables authorized users to coordinate attributable work, discussion, evidence, review, approval, escalation, and handoff without letting collaboration channels become an alternate truth or command system; work context, conversation and evidence, task and review state, handoff and closure SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 46 - 002	The experience SHALL persist, expose, version, and reconcile task, assignment, comment, mention, review, gate, attachment, due time, handoff, escalation, receipt; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 46 - 003	The primary command SHALL allow eligible users to assign, discuss, attach evidence, request review, acknowledge, resolve, escalate, hand off, or close work through object-linked transitions; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 46 - 004	The experience SHALL enforce this human-authority boundary: Comments, reactions, mentions, chat text, meeting attendance, or administrative reassignment never imply approval or institutional effect. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-46-005	When identity, object link, task ownership, version, delivery, or review state diverges across channels, the experience SHALL retain the canonical object and workflow state, mark channel messages informational, reconcile assignments, and prevent duplicated or lost commands; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-46-006	Acceptance SHALL demonstrate cross-channel identity, external scope, version change, duplicate task, review gate, escalation, handoff, and audit evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Identity, object link, task ownership, version, delivery, or review state diverges across channels.	Retain the canonical object and workflow state, mark channel messages informational, reconcile assignments, and prevent duplicated or lost commands.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates cross-channel identity, external scope, version change, duplicate task, review gate, escalation, handoff, and audit evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Collaboration, Tasks, Reviews, and Workflow is conformant only when all UX-46-001 through UX-46-006 close for the declared acceptance unit. Volume 8 trace: Ch. 46. Capabilities: CAP-EO-08. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 / C-012 / C-036 / C-038 / C-047 / C-048

47 Reporting, Publishing, Distribution, and Receipts

Reporting, Publishing, Distribution, and Receipts establishes the governed experience through which authorized users can produce accessible controlled publications whose exact bytes, sources, classifications, audience, approvals, channels, delivery, correction, and withdrawal remain traceable. It organizes publication scope, content and evidence, approval digest, delivery and lifecycle around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 48. Reporting, Publishing, Distribution, and Receipts. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Produce accessible controlled publications whose exact bytes, sources, classifications, audience, approvals, channels, delivery, correction, and withdrawal remain traceable.
Primary roles	authors, reviewers, publication authorities, recipients, records managers, and auditors.
Controlled objects	report, template, section, evidence, export, publication edition, digest, audience, channel, receipt, correction.
Canonical anatomy	publication scope; content and evidence; approval digest; delivery and lifecycle.
Primary command	Compose, preview, validate, approve, publish, distribute, receive, correct, supersede, withdraw, archive, or export a publication.
Human authority	Only publication authority approves exact content, classification, audience, channel, and effective edition; export alone creates no approval.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-47-001	The Eye SHALL present Reporting, Publishing, Distribution, and Receipts as a governed experience that enables authorized users to produce accessible controlled publications whose exact bytes, sources, classifications, audience, approvals, channels, delivery, correction, and withdrawal remain traceable; publication scope, content and evidence, approval digest, delivery and lifecycle SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-47-002	The experience SHALL persist, expose, version, and reconcile report, template, section, evidence, export, publication edition, digest, audience, channel, receipt, correction; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-47-003	The primary command SHALL allow eligible users to compose, preview, validate, approve, publish, distribute, receive, correct, supersede, withdraw, archive, or export a publication; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-47-004	The experience SHALL enforce this human-authority boundary: Only publication authority approves exact content, classification, audience, channel, and effective edition; export alone creates no approval. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-47-005	When rendering, tagging, citation, classification, digest, delivery, receipt, or retention validation fails, the experience SHALL block publication or mark delivery incomplete, preserve the exact failed edition, notify owners, and issue attributable correction or withdrawal; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-47-006	Acceptance SHALL demonstrate exact-byte, PDF and office accessibility, citation, classification, digest, multi-channel delivery, receipt, correction, and archive evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Rendering, tagging, citation, classification, digest, delivery, receipt, or retention validation fails.	Block publication or mark delivery incomplete, preserve the exact failed edition, notify owners, and issue attributable correction or withdrawal.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates exact-byte, PDF and office accessibility, citation, classification, digest, multi-channel delivery, receipt, correction, and archive evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Reporting, Publishing, Distribution, and Receipts is conformant only when all UX-47-001 through UX-47-006 close for the declared acceptance unit. Volume 8 trace: Ch. 47. Capabilities: CAP-EO-03, CAP-EO-09. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 / C-012 / C-036 / C-038 / C-047 / C-048

48 Mobile, Field, Offline, and Disconnected Operation

Mobile, Field, Offline, and Disconnected Operation establishes the governed experience through which authorized users can preserve approved strategic journeys, evidence, scope, freshness, authority, queued work, conflict, and reconciliation in mobile, low-bandwidth, offline, and air-gapped contexts. It organizes local context, cached work, queued effects, synchronization and conflict around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 49. Mobile, Field, Offline, and Disconnected Operation. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Preserve approved strategic journeys, evidence, scope, freshness, authority, queued work, conflict, and reconciliation in mobile, low-bandwidth, offline, and air-gapped contexts.
Primary roles	field users, executives, operators, investigators, administrators, and disconnected deployment teams.
Controlled objects	device profile, offline package, cached object, watermark, queued command, credential, revocation state, conflict, synchronization receipt.
Canonical anatomy	local context; cached work; queued effects; synchronization and conflict.
Primary command	Download, inspect, annotate, draft, queue approved low-risk work, synchronize, resolve conflicts, revoke, or wipe an authorized package.
Human authority	Offline approval or institutional effect is permitted only when explicitly pre-authorized by policy and bound to valid authority, scope, digest, and expiry.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-48-001	The Eye SHALL present Mobile, Field, Offline, and Disconnected Operation as a governed experience that enables authorized users to preserve approved strategic journeys, evidence, scope, freshness, authority, queued work, conflict, and reconciliation in mobile, low-bandwidth, offline, and air-gapped contexts; local context, cached work, queued effects, synchronization and conflict SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-48-002	The experience SHALL persist, expose, version, and reconcile device profile, offline package, cached object, watermark, queued command, credential, revocation state, conflict, synchronization receipt; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-48-003	The primary command SHALL allow eligible users to download, inspect, annotate, draft, queue approved low-risk work, synchronize, resolve conflicts, revoke, or wipe an authorized package; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-48-004	The experience SHALL enforce this human-authority boundary: Offline approval or institutional effect is permitted only when explicitly pre-authorized by policy and bound to valid authority, scope, digest, and expiry. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-48-005	When freshness, entitlement, credentials, revocation, time, storage, synchronization, or conflict state cannot be verified, the experience SHALL show stale and unavailable state, prevent new consequential effects, preserve encrypted work, and reconcile through an attributable controlled process; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-48-006	Acceptance SHALL demonstrate device, bandwidth, offline expiry, revocation, queued effect, conflict, secure wipe, accessibility, and synchronization evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Freshness, entitlement, credentials, revocation, time, storage, synchronization, or conflict state cannot be verified.	Show stale and unavailable state, prevent new consequential effects, preserve encrypted work, and reconcile through an attributable controlled process.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates device, bandwidth, offline expiry, revocation, queued effect, conflict, secure wipe, accessibility, and synchronization evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Mobile, Field, Offline, and Disconnected Operation is conformant only when all UX-48-001 through UX-48-006 close for the declared acceptance unit. Volume 8 trace: Ch. 48, Ch. 65. Capabilities: CAP-EO-10, CAP-TG-11. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 / C-036 / C-041 / C-042 / C-043 / C-047 / C-048

PART 7

Agentic Experience and Automation

Defines how users commission, supervise, inspect, constrain, interrupt, review, and learn from bounded agents without transferring human decision sovereignty.

CHAPTERS 49-56

THE EYE / EXPERIENCE IN SERVICE OF STRATEGIC INTELLIGENCE

49 Agent Identity, Role, and Capability Surface

Agent Identity, Role, and Capability Surface establishes the governed experience through which authorized users can make every agent's declared purpose, owner, version, models, tools, data scope, permissions, budgets, prohibited actions, evaluations, and lifecycle visible. It organizes agent identity, authority envelope, capabilities and limits, fitness and lifecycle around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 50. Agent Identity, Role, and Capability Surface. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Make every agent's declared purpose, owner, version, models, tools, data scope, permissions, budgets, prohibited actions, evaluations, and lifecycle visible.
Primary roles	agent requesters, supervisors, governors, operators, auditors, and marketplace publishers.
Controlled objects	agent, role, package, owner, version, model, tool, data scope, permission, budget, evaluation, status.
Canonical anatomy	agent identity; authority envelope; capabilities and limits; fitness and lifecycle.
Primary command	Inspect, compare, select, enable, constrain, suspend, update, or retire an agent within approved scope.
Human authority	An agent has bounded execution authority only; no agent role, score, package, or administrator can confer human decision authority.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-49-001	The Eye SHALL present Agent Identity, Role, and Capability Surface as a governed experience that enables authorized users to make every agent's declared purpose, owner, version, models, tools, data scope, permissions, budgets, prohibited actions, evaluations, and lifecycle visible; agent identity, authority envelope, capabilities and limits, fitness and lifecycle SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-49-002	The experience SHALL persist, expose, version, and reconcile agent, role, package, owner, version, model, tool, data scope, permission, budget, evaluation, status; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-49-003	The primary command SHALL allow eligible users to inspect, compare, select, enable, constrain, suspend, update, or retire an agent within approved scope; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-49-004	The experience SHALL enforce this human-authority boundary: An agent has bounded execution authority only; no agent role, score, package, or administrator can confer human decision authority. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-49-005	When agent identity, owner, permission, evaluation, package signature, compatibility, or lifecycle status is missing or stale, the experience SHALL deny selection or execution, preserve existing safe work, expose the failed control, and route governance or package remediation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-49-006	Acceptance SHALL demonstrate identity, ownership, permission, competence, evaluation age, package trust, comparison, suspension, and retirement evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Agent identity, owner, permission, evaluation, package signature, compatibility, or lifecycle status is missing or stale.	Deny selection or execution, preserve existing safe work, expose the failed control, and route governance or package remediation.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates identity, ownership, permission, competence, evaluation age, package trust, comparison, suspension, and retirement evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Agent Identity, Role, and Capability Surface is conformant only when all UX-49-001 through UX-49-006 close for the declared acceptance unit. Volume 8 trace: Ch. 49, Ch. 54, Ch. 61. Capabilities: CAP-AG-01, CAP-AG-06, CAP-TG-05. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 / C-028 / C-030 / C-035 / C-045 / C-046 / C-047

50 Agent Planner and Task Plan

Agent Planner and Task Plan establishes the governed experience through which authorized users can translate a human goal into an inspectable bounded plan with tasks, dependencies, tools, data, budgets, checkpoints, gates, stop conditions, and expected artifacts. It organizes goal and scope, task graph, resources and gates, review and launch around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 51. Agent Planner and Task Plan. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Translate a human goal into an inspectable bounded plan with tasks, dependencies, tools, data, budgets, checkpoints, gates, stop conditions, and expected artifacts.
Primary roles	human requesters, planners, supervisors, domain reviewers, and agent governors.
Controlled objects	goal, plan, task, dependency, tool, data reference, budget, checkpoint, gate, stop condition, deliverable.
Canonical anatomy	goal and scope; task graph; resources and gates; review and launch.
Primary command	Draft, inspect, edit, approve for execution, launch, pause, resume, cancel, or version an agent plan.
Human authority	Plan approval authorizes only the declared bounded execution; consequential side effects and decisions require their own eligible human gates.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 50 - 001	The Eye SHALL present Agent Planner and Task Plan as a governed experience that enables authorized users to translate a human goal into an inspectable bounded plan with tasks, dependencies, tools, data, budgets, checkpoints, gates, stop conditions, and expected artifacts; goal and scope, task graph, resources and gates, review and launch SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 50 - 002	The experience SHALL persist, expose, version, and reconcile goal, plan, task, dependency, tool, data reference, budget, checkpoint, gate, stop condition, deliverable; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 50 - 003	The primary command SHALL allow eligible users to draft, inspect, edit, approve for execution, launch, pause, resume, cancel, or version an agent plan; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 50 - 004	The experience SHALL enforce this human-authority boundary: Plan approval authorizes only the declared bounded execution; consequential side effects and decisions require their own eligible human gates. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-50-005	When the plan expands scope, loops, omits dependencies, exceeds budget, lacks evaluation, or cannot place a required human gate, the experience SHALL hold launch, preserve the draft and reasoning, highlight unsafe or unresolved tasks, and require accountable plan revision; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-50-006	Acceptance SHALL demonstrate goal-to-task trace, cycle, scope expansion, budget, tool permission, human gate, edit, cancellation, and plan-version evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
The plan expands scope, loops, omits dependencies, exceeds budget, lacks evaluation, or cannot place a required human gate.	Hold launch, preserve the draft and reasoning, highlight unsafe or unresolved tasks, and require accountable plan revision.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence


- End-to-end evidence demonstrates goal-to-task trace, cycle, scope expansion, budget, tool permission, human gate, edit, cancellation, and plan-version evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Agent Planner and Task Plan is conformant only when all UX-50-001 through UX-50-006 close for the declared acceptance unit. Volume 8 trace: Ch. 55. Capabilities: CAP-AG-07. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 / C-028 / C-029 / C-031 / C-047

51 Agent Run, Trace, Tool Use, and Checkpoints

Agent Run, Trace, Tool Use, and Checkpoints establishes the governed experience through which authorized users can show execution as an attributable event stream with task state, context, model calls, tools, data access, outputs, refusals, checkpoints, costs, and residual effects. It organizes run status, plan and task tree, trace and artifacts, controls and residual state around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.



ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-51-005	When trace events are missing, versions diverge, tools exceed scope, costs exhaust, checkpoints fail, or side effects become uncertain, the experience SHALL pause new work, preserve the full trace and checkpoint, isolate effects, mark output partial, and route supervisor or incident review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-51-006	Acceptance SHALL demonstrate trace completeness, tool scope, permission denial, crash, retry, checkpoint, cost, cancellation, residual-effect, and replay evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Trace events are missing, versions diverge, tools exceed scope, costs exhaust, checkpoints fail, or side effects become uncertain.	Pause new work, preserve the full trace and checkpoint, isolate effects, mark output partial, and route supervisor or incident review.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates trace completeness, tool scope, permission denial, crash, retry, checkpoint, cost, cancellation, residual-effect, and replay evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Agent Run, Trace, Tool Use, and Checkpoints is conformant only when all UX-51-001 through UX-51-006 close for the declared acceptance unit. Volume 8 trace: Ch. 50, Ch. 51, Ch. 52, Ch. 53, Ch. 56. Capabilities: CAP-AG-02, CAP-AG-03, CAP-AG-04, CAP-AG-05, CAP-AG-08. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-012 / C-028 / C-029 / C-036 / C-043 / C-047

52 Multi-Agent Supervision and Workflow Orchestration

Multi-Agent Supervision and Workflow Orchestration establishes the governed experience through which authorized users can coordinate planner, supervisor, workflow, specialist, governance, and briefing agents through explicit task ownership, handoffs, separation, gates, and terminal state. It organizes workflow state, agents and tasks, handoffs and gates, supervision and resolution around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 53. Multi-Agent Supervision and Workflow Orchestration. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Coordinate planner, supervisor, workflow, specialist, governance, and briefing agents through explicit task ownership, handoffs, separation, gates, and terminal state.
Primary roles	human requesters, supervisors, workflow owners, agent governors, operators, and auditors.
Controlled objects	workflow, agent role, task, handoff, message, shared context, checkpoint, gate, exception, deadlock, terminal state.
Canonical anatomy	workflow state; agents and tasks; handoffs and gates; supervision and resolution.
Primary command	Inspect, reassign, gate, pause, cancel, retry, substitute, reconcile, or close multi-agent work with complete causation.
Human authority	Supervisors enforce policy and workflow but do not synthesize missing human approval or conceal specialist dissent.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-52-001	The Eye SHALL present Multi-Agent Supervision and Workflow Orchestration as a governed experience that enables authorized users to coordinate planner, supervisor, workflow, specialist, governance, and briefing agents through explicit task ownership, handoffs, separation, gates, and terminal state; workflow state, agents and tasks, handoffs and gates, supervision and resolution SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-52-002	The experience SHALL persist, expose, version, and reconcile workflow, agent role, task, handoff, message, shared context, checkpoint, gate, exception, deadlock, terminal state; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-52-003	The primary command SHALL allow eligible users to inspect, reassign, gate, pause, cancel, retry, substitute, reconcile, or close multi-agent work with complete causation; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-52-004	The experience SHALL enforce this human-authority boundary: Supervisors enforce policy and workflow but do not synthesize missing human approval or conceal specialist dissent. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 52 - 005	When agents deadlock, duplicate work, diverge in context, bypass a gate, amplify error, or lose a terminal handoff, the experience SHALL pause affected branches, cancel unsafe tasks, preserve messages and checkpoints, expose divergence, and route eligible human resolution; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX - 52 - 006	Acceptance SHALL demonstrate deadlock, duplicate, context divergence, gate bypass, substitution, partial failure, dissent, handoff, and terminal-state evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Agents deadlock, duplicate work, diverge in context, bypass a gate, amplify error, or lose a terminal handoff.	Pause affected branches, cancel unsafe tasks, preserve messages and checkpoints, expose divergence, and route eligible human resolution.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates deadlock, duplicate, context divergence, gate bypass, substitution, partial failure, dissent, handoff, and terminal-state evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Multi-Agent Supervision and Workflow Orchestration is conformant only when all UX-52-001 through UX-52-006 close for the declared acceptance unit. Volume 8 trace: Ch. 55. Capabilities: CAP-AG-07, CAP-AG-08. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-028 / C-029 / C-031 / C-036 / C-043 / C-047

53 Agent Recommendations, Explanations, and Abstention

Agent Recommendations, Explanations, and Abstention establishes the governed experience through which authorized users can present agent outputs with evidence, assumptions, uncertainty, alternatives, methods, model and tool versions, competence limits, and abstention state. It organizes output status, evidence and method, alternatives and uncertainty, review and permitted use around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 54. Agent Recommendations, Explanations, and Abstention. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Present agent outputs with evidence, assumptions, uncertainty, alternatives, methods, model and tool versions, competence limits, and abstention state.
Primary roles	requesters, analysts, reviewers, decision authorities, model risk teams, and auditors.
Controlled objects	agent output, claim, recommendation, evidence, rationale, uncertainty, alternative, limitation, abstention, review.
Canonical anatomy	output status; evidence and method; alternatives and uncertainty; review and permitted use.
Primary command	Inspect, compare, challenge, accept for consideration, reject, request revision, or record abstention without promoting authority state.
Human authority	Agent output remains advisory or proposed until an eligible human completes the required review and decision action.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-53-001	The Eye SHALL present Agent Recommendations, Explanations, and Abstention as a governed experience that enables authorized users to present agent outputs with evidence, assumptions, uncertainty, alternatives, methods, model and tool versions, competence limits, and abstention state; output status, evidence and method, alternatives and uncertainty, review and permitted use SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-53-002	The experience SHALL persist, expose, version, and reconcile agent output, claim, recommendation, evidence, rationale, uncertainty, alternative, limitation, abstention, review; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-53-003	The primary command SHALL allow eligible users to inspect, compare, challenge, accept for consideration, reject, request revision, or record abstention without promoting authority state; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-53-004	The experience SHALL enforce this human-authority boundary: Agent output remains advisory or proposed until an eligible human completes the required review and decision action. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-53-005	When evidence is insufficient, reasoning is circular, context is policy-filtered, methods disagree, or claims exceed competence, the experience SHALL abstain or return visibly partial output, preserve the explanation trace, constrain downstream use, and request bounded human or specialist review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-53-006	Acceptance SHALL demonstrate citation, rationale, uncertainty, alternative, competence, model disagreement, abstention, challenge, and review evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Evidence is insufficient, reasoning is circular, context is policy-filtered, methods disagree, or claims exceed competence.	Abstain or return visibly partial output, preserve the explanation trace, constrain downstream use, and request bounded human or specialist review.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates citation, rationale, uncertainty, alternative, competence, model disagreement, abstention, challenge, and review evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Agent Recommendations, Explanations, and Abstention is conformant only when all UX-53-006 close for the declared acceptance unit. Volume 8 trace: Ch. 52, Ch. 53, Ch. 56. Capabilities: CAP-AG-04, CAP-AG-05, CAP-AG-08. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 / C-005 / C-021 / C-026 / C-028 / C-047

54 Agent Escalation, Side Effects, and Human Override

Agent Escalation, Side Effects, and Human Override establishes the governed experience through which authorized users can route blocked or consequential agent work to eligible humans with exact context, intended effect, alternatives, reversibility, residual risk, and expiry. It organizes escalation reason, effect preview, authority and alternatives, decision and receipt around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 55. Agent Escalation, Side Effects, and Human Override. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Route blocked or consequential agent work to eligible humans with exact context, intended effect, alternatives, reversibility, residual risk, and expiry.
Primary roles	human requesters, supervisors, decision authorities, agent governors, security authorities, and operators.
Controlled objects	escalation, side-effect request, command digest, authority, override, rationale, condition, residual effect, receipt.
Canonical anatomy	escalation reason; effect preview; authority and alternatives; decision and receipt.
Primary command	Review, approve, reject, defer, narrow, override, stop, or remediate an agent request through explicit separate actions.
Human authority	Only an eligible named human may authorize a consequential side effect or override; chat text, acknowledgment, or administrator status is insufficient.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-54-001	The Eye SHALL present Agent Escalation, Side Effects, and Human Override as a governed experience that enables authorized users to route blocked or consequential agent work to eligible humans with exact context, intended effect, alternatives, reversibility, residual risk, and expiry; escalation reason, effect preview, authority and alternatives, decision and receipt SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-54-002	The experience SHALL persist, expose, version, and reconcile escalation, side-effect request, command digest, authority, override, rationale, condition, residual effect, receipt; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-54-003	The primary command SHALL allow eligible users to review, approve, reject, defer, narrow, override, stop, or remediate an agent request through explicit separate actions; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-54-004	The experience SHALL enforce this human-authority boundary: Only an eligible named human may authorize a consequential side effect or override; chat text, acknowledgment, or administrator status is insufficient. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-54-005	When authority is unavailable, intended effects are uncertain, reversibility is incomplete, stop signals fail, or residual effects cannot be bounded, the experience SHALL fail closed for new effects, isolate the run, preserve trace and work, expose residual state, and route incident or governance response; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-54-006	Acceptance SHALL demonstrate eligibility, exact digest, effect preview, deliberate action, rejection, defer, override, stop, residual-effect, and recovery evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Authority is unavailable, intended effects are uncertain, reversibility is incomplete, stop signals fail, or residual effects cannot be bounded.	Fail closed for new effects, isolate the run, preserve trace and work, expose residual state, and route incident or governance response.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates eligibility, exact digest, effect preview, deliberate action, rejection, defer, override, stop, residual-effect, and recovery evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Agent Escalation, Side Effects, and Human Override is conformant only when all UX-54-001 through UX-54-006 close for the declared acceptance unit. Volume 8 trace: Ch. 56. Capabilities: CAP-AG-08, CAP-TG-04. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 / C-028 / C-036 / C-043 / C-047 / C-050

55 Agent Marketplace and Package Installation

Agent Marketplace and Package Installation establishes the governed experience through which authorized users can inspect and govern signed agent packages, publishers, versions, dependencies, models, tools, data permissions, evaluations, licenses, compatibility, updates, and revocation. It organizes package identity, capability and permission, fitness and compatibility, installation and lifecycle around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 56. Agent Marketplace and Package Installation. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Inspect and govern signed agent packages, publishers, versions, dependencies, models, tools, data permissions, evaluations, licenses, compatibility, updates, and revocation.
Primary roles	marketplace publishers, customer package authorities, agent governors, security reviewers, administrators, and users.
Controlled objects	agent package, publisher, signature, manifest, dependency, permission, evaluation, license, compatibility, installation, update, revocation.
Canonical anatomy	package identity; capability and permission; fitness and compatibility; installation and lifecycle.
Primary command	Search, compare, inspect, approve, install, configure, update, suspend, roll back, revoke, or uninstall a package.
Human authority	Only the customer package authority approves installation and granted scope; publisher claims and marketplace ranking confer no authority.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-55-001	The Eye SHALL present Agent Marketplace and Package Installation as a governed experience that enables authorized users to inspect and govern signed agent packages, publishers, versions, dependencies, models, tools, data permissions, evaluations, licenses, compatibility, updates, and revocation; package identity, capability and permission, fitness and compatibility, installation and lifecycle SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-55-002	The experience SHALL persist, expose, version, and reconcile agent package, publisher, signature, manifest, dependency, permission, evaluation, license, compatibility, installation, update, revocation; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-55-003	The primary command SHALL allow eligible users to search, compare, inspect, approve, install, configure, update, suspend, roll back, revoke, or uninstall a package; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-55-004	The experience SHALL enforce this human-authority boundary: Only the customer package authority approves installation and granted scope; publisher claims and marketplace ranking confer no authority. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-55-005	When signature, provenance, rights, compatibility, evaluation, dependency, sandbox, permission, or revocation checks fail, the experience SHALL quarantine or disable the package, preserve prior safe versions and work, show affected runs, and route publisher or governance remediation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-55-006	Acceptance SHALL demonstrate publisher identity, signature, license, permission diff, compatibility, sandbox, install, update, rollback, revocation, and uninstall evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Signature, provenance, rights, compatibility, evaluation, dependency, sandbox, permission, or revocation checks fail.	Quarantine or disable the package, preserve prior safe versions and work, show affected runs, and route publisher or governance remediation.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates publisher identity, signature, license, permission diff, compatibility, sandbox, install, update, rollback, revocation, and uninstall evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Agent Marketplace and Package Installation is conformant only when all UX-55-001 through UX-55-006 close for the declared acceptance unit. Volume 8 trace: Ch. 34, Ch. 49, Ch. 61, Ch. 66. Capabilities: CAP-AG-01, CAP-TG-05, CAP-PD-03. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-028 / C-035 / C-045 / C-046 / C-047

56 Agent Incidents, Containment, Replay, and Learning

Agent Incidents, Containment, Replay, and Learning establishes the governed experience through which authorized users can detect, investigate, contain, communicate, recover, replay, evaluate, and learn from agent failures without silently changing production behavior. It organizes incident scope, trace and effects, containment and recovery, replay and change proposal around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 57. Agent Incidents, Containment, Replay, and Learning. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Detect, investigate, contain, communicate, recover, replay, evaluate, and learn from agent failures without silently changing production behavior.
Primary roles	incident commanders, agent governors, operators, security teams, model risk authorities, product owners, and auditors.
Controlled objects	agent incident, run, event, effect, containment, evidence, recovery, replay, evaluation, lesson, change proposal.
Canonical anatomy	incident scope; trace and effects; containment and recovery; replay and change proposal.
Primary command	Declare, scope, contain, suspend, investigate, recover, reconcile, replay, close, or propose a governed change.
Human authority	Humans command incidents and approve remediation; learning creates reviewed proposals and never self-modifies agents, models, prompts, or policy.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-56-001	The Eye SHALL present Agent Incidents, Containment, Replay, and Learning as a governed experience that enables authorized users to detect, investigate, contain, communicate, recover, replay, evaluate, and learn from agent failures without silently changing production behavior; incident scope, trace and effects, containment and recovery, replay and change proposal SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-56-002	The experience SHALL persist, expose, version, and reconcile agent incident, run, event, effect, containment, evidence, recovery, replay, evaluation, lesson, change proposal; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-56-003	The primary command SHALL allow eligible users to declare, scope, contain, suspend, investigate, recover, reconcile, replay, close, or propose a governed change; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-56-004	The experience SHALL enforce this human-authority boundary: Humans command incidents and approve remediation; learning creates reviewed proposals and never self-modifies agents, models, prompts, or policy. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-56-005	When scope expands, evidence is incomplete, containment fails, side effects persist, recovery cannot reconcile, or attribution remains uncertain, the experience SHALL maintain containment, declare uncertainty, preserve evidence, constrain affected agents and outputs, and require independent recovery acceptance; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-56-006	Acceptance SHALL demonstrate incident simulation, custody, containment, suspension, effect reconciliation, replay, evaluation, change approval, and rollback evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Scope expands, evidence is incomplete, containment fails, side effects persist, recovery cannot reconcile, or attribution remains uncertain.	Maintain containment, declare uncertainty, preserve evidence, constrain affected agents and outputs, and require independent recovery acceptance.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates incident simulation, custody, containment, suspension, effect reconciliation, replay, evaluation, change approval, and rollback evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Agent Incidents, Containment, Replay, and Learning is conformant only when all UX-56-001 through UX-56-006 close for the declared acceptance unit. Volume 8 trace: Ch. 56, Ch. 60, Ch. 72. Capabilities: CAP-AG-08, CAP-TG-04, CAP-PD-12. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-031 / C-036 / C-043 / C-044 / C-045 / C-047

PART 8

Trust, Governance, Administration, and Operations

Defines the administrative and operational surfaces that expose trust, policy, identity, governance, security, audit, reliability, integration, and recovery as product state.

CHAPTERS 57-64

THE EYE / EXPERIENCE IN SERVICE OF STRATEGIC INTELLIGENCE

57 Trust and Provenance Experience

Trust and Provenance Experience establishes the governed experience through which authorized users can expose identity, provenance, signatures, policy, quality, evaluation, custody, verification, correction, and trust limitations at every material point of use. It organizes trust summary, provenance and custody, verification and policy, limitations and actions around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 58. Trust and Provenance Experience. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Expose identity, provenance, signatures, policy, quality, evaluation, custody, verification, correction, and trust limitations at every material point of use.
Primary roles	all users, governance authorities, auditors, investigators, and automated consumers.
Controlled objects	trust envelope, provenance graph, signature, identity, policy decision, evaluation, custody event, verification status, limitation.
Canonical anatomy	trust summary; provenance and custody; verification and policy; limitations and actions.
Primary command	Verify, inspect, compare, challenge, attest, export, correct, or investigate trust evidence without collapsing it into one opaque score.
Human authority	Trust indicators inform use; accountable authorities determine acceptance, exception, decision, and release.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-57-001	The Eye SHALL present Trust and Provenance Experience as a governed experience that enables authorized users to expose identity, provenance, signatures, policy, quality, evaluation, custody, verification, correction, and trust limitations at every material point of use; trust summary, provenance and custody, verification and policy, limitations and actions SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-57-002	The experience SHALL persist, expose, version, and reconcile trust envelope, provenance graph, signature, identity, policy decision, evaluation, custody event, verification status, limitation; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-57-003	The primary command SHALL allow eligible users to verify, inspect, compare, challenge, attest, export, correct, or investigate trust evidence without collapsing it into one opaque score; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-57-004	The experience SHALL enforce this human-authority boundary: Trust indicators inform use; accountable authorities determine acceptance, exception, decision, and release. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-57-005	When provenance breaks, signatures fail, artifacts mismatch, policy decisions expire, or verification services are unavailable, the experience SHALL mark trust indeterminate, preserve failing evidence, constrain unsupported use, and route verification or investigation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-57-006	Acceptance SHALL demonstrate signature, lineage, custody, policy, evaluation, correction, tamper, unavailable verification, and accessible trust-summary evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Provenance breaks, signatures fail, artifacts mismatch, policy decisions expire, or verification services are unavailable.	Mark trust indeterminate, preserve failing evidence, constrain unsupported use, and route verification or investigation.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates signature, lineage, custody, policy, evaluation, correction, tamper, unavailable verification, and accessible trust-summary evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Trust and Provenance Experience is conformant only when all UX-57-001 through UX-57-006 close for the declared acceptance unit. Volume 8 trace: Ch. 57. Capabilities: CAP-TG-01. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 / C-012 / C-035 / C-036 / C-047

58 Identity, Access, Tenant, and Domain Administration

Identity, Access, Tenant, and Domain Administration establishes the governed experience through which authorized users can administer identities, roles, domains, delegations, sessions, devices, service accounts, and federation with preview, least privilege, review, and customer control. It organizes administrative scope, identity and grants, impact preview, review and audit around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 59. Identity, Access, Tenant, and Domain Administration. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Administer identities, roles, domains, delegations, sessions, devices, service accounts, and federation with preview, least privilege, review, and customer control.
Primary roles	tenant administrators, identity authorities, security and privacy teams, auditors, and support personnel.
Controlled objects	user, group, role, authority grant, delegation, domain, tenant, session, device, credential, policy, access review.
Canonical anatomy	administrative scope; identity and grants; impact preview; review and audit.
Primary command	Provision, change, delegate, recertify, suspend, revoke, recover, or investigate access through explicit scoped commands.
Human authority	Administration grants technical access only; business decision rights require separate recorded authority and separation controls.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 58 - 001	The Eye SHALL present Identity, Access, Tenant, and Domain Administration as a governed experience that enables authorized users to administer identities, roles, domains, delegations, sessions, devices, service accounts, and federation with preview, least privilege, review, and customer control; administrative scope, identity and grants, impact preview, review and audit SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 58 - 002	The experience SHALL persist, expose, version, and reconcile user, group, role, authority grant, delegation, domain, tenant, session, device, credential, policy, access review; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 58 - 003	The primary command SHALL allow eligible users to provision, change, delegate, recertify, suspend, revoke, recover, or investigate access through explicit scoped commands; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 58 - 004	The experience SHALL enforce this human-authority boundary: Administration grants technical access only; business decision rights require separate recorded authority and separation controls. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-58-005	When identity assurance fails, privileges conflict, federation is unavailable, revocation lags, or tenant scope is ambiguous, the experience SHALL deny or reduce access, preserve only policy-approved low-risk sessions, expose impact, and invoke customer-controlled recovery; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-58-006	Acceptance SHALL demonstrate least privilege, delegation, separation, recertification, tenant isolation, federation outage, revocation, recovery, and audit evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Identity assurance fails, privileges conflict, federation is unavailable, revocation lags, or tenant scope is ambiguous.	Deny or reduce access, preserve only policy-approved low-risk sessions, expose impact, and invoke customer-controlled recovery.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates least privilege, delegation, separation, recertification, tenant isolation, federation outage, revocation, recovery, and audit evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Identity, Access, Tenant, and Domain Administration is conformant only when all UX-58-001 through UX-58-006 close for the declared acceptance unit. Volume 8 trace: Ch. 4, Ch. 58. Capabilities: CAP-AU-03, CAP-TG-02. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-004 / C-036 / C-037 / C-039 / C-040 / C-041 / C-047

59 Policy, Privacy, Residency, Consent, and Classification

Policy, Privacy, Residency, Consent, and Classification establishes the governed experience through which authorized users can make purpose, legal or policy basis, classification, consent, retention, residency, obligations, denials, appeals, and exceptions intelligible and enforceable. It organizes policy context, decision and obligations, affected data and actions, appeal and exception around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 60. Policy, Privacy, Residency, Consent, and Classification. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Make purpose, legal or policy basis, classification, consent, retention, residency, obligations, denials, appeals, and exceptions intelligible and enforceable.
Primary roles	policy owners, privacy authorities, customer administrators, data owners, users, reviewers, and auditors.
Controlled objects	policy, purpose, consent, classification, residency, retention, obligation, denial, appeal, exception, jurisdiction.
Canonical anatomy	policy context; decision and obligations; affected data and actions; appeal and exception.
Primary command	Inspect, request, approve, deny, classify, relabel, consent, withdraw, appeal, grant exception, or attest policy-controlled use.
Human authority	Only recorded policy and customer authorities approve exceptions or high-impact use; system and AI explanations do not waive obligations.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-59-001	The Eye SHALL present Policy, Privacy, Residency, Consent, and Classification as a governed experience that enables authorized users to make purpose, legal or policy basis, classification, consent, retention, residency, obligations, denials, appeals, and exceptions intelligible and enforceable; policy context, decision and obligations, affected data and actions, appeal and exception SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-59-002	The experience SHALL persist, expose, version, and reconcile policy, purpose, consent, classification, residency, retention, obligation, denial, appeal, exception, jurisdiction; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-59-003	The primary command SHALL allow eligible users to inspect, request, approve, deny, classify, relabel, consent, withdraw, appeal, grant exception, or attest policy-controlled use; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-59-004	The experience SHALL enforce this human-authority boundary: Only recorded policy and customer authorities approve exceptions or high-impact use; system and AI explanations do not waive obligations. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-59-005	When policy is missing or conflicting, consent changes, purpose expires, location is uncertain, or obligations cannot propagate, the experience SHALL apply the most restrictive valid rule, deny uncertain use or transfer, preserve decision evidence, and route adjudication; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-59-006	Acceptance SHALL demonstrate policy explanation, consent withdrawal, residency, classification, obligation propagation, denial, appeal, exception expiry, and audit evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Policy is missing or conflicting, consent changes, purpose expires, location is uncertain, or obligations cannot propagate.	Apply the most restrictive valid rule, deny uncertain use or transfer, preserve decision evidence, and route adjudication.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates policy explanation, consent withdrawal, residency, classification, obligation propagation, denial, appeal, exception expiry, and audit evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Policy, Privacy, Residency, Consent, and Classification is conformant only when all UX-59-001 through UX-59-006 close for the declared acceptance unit. Volume 8 trace: Ch. 59. Capabilities: CAP-TG-03. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-035 / C-037 / C-039 / C-040 / C-041 / C-047

60 Model, Agent, Data, and Ontology Governance

Model, Agent, Data, and Ontology Governance establishes the governed experience through which authorized users can govern inventories, ownership, versions, lineage, evaluation, approvals, monitoring, incidents, exceptions, promotion, rollback, and retirement across controlled artifacts. It organizes artifact inventory, lineage and fitness, approval and deployment, monitoring and lifecycle around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 61. Model, Agent, Data, and Ontology Governance. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Govern inventories, ownership, versions, lineage, evaluation, approvals, monitoring, incidents, exceptions, promotion, rollback, and retirement across controlled artifacts.
Primary roles	model risk, agent governors, data stewards, knowledge engineers, product owners, assurance teams, and auditors.
Controlled objects	model, agent, dataset, ontology, prompt, policy artifact, version, evaluation, approval, deployment, exception, incident.
Canonical anatomy	artifact inventory; lineage and fitness; approval and deployment; monitoring and lifecycle.
Primary command	Register, evaluate, compare, approve, promote, constrain, roll back, suspend, retire, or investigate governed artifacts.
Human authority	Builders and owners cannot self-approve high-consequence artifacts; required independent authorities accept exact versions and use scope.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-60-001	The Eye SHALL present Model, Agent, Data, and Ontology Governance as a governed experience that enables authorized users to govern inventories, ownership, versions, lineage, evaluation, approvals, monitoring, incidents, exceptions, promotion, rollback, and retirement across controlled artifacts; artifact inventory, lineage and fitness, approval and deployment, monitoring and lifecycle SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-60-002	The experience SHALL persist, expose, version, and reconcile model, agent, dataset, ontology, prompt, policy artifact, version, evaluation, approval, deployment, exception, incident; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-60-003	The primary command SHALL allow eligible users to register, evaluate, compare, approve, promote, constrain, roll back, suspend, retire, or investigate governed artifacts; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-60-004	The experience SHALL enforce this human-authority boundary: Builders and owners cannot self-approve high-consequence artifacts; required independent authorities accept exact versions and use scope. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-60-005	When inventory, lineage, evaluation, compatibility, approval, monitoring, or dependency state is missing, stale, or conflicting, the experience SHALL block promotion or constrain running use, preserve exact state, expose affected capabilities, and route re-evaluation or rollback; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-60-006	Acceptance SHALL demonstrate inventory, lineage, evaluation, separation, promotion, monitoring, exception, drift, rollback, suspension, and retirement evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Inventory, lineage, evaluation, compatibility, approval, monitoring, or dependency state is missing, stale, or conflicting.	Block promotion or constrain running use, preserve exact state, expose affected capabilities, and route re-evaluation or rollback.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates inventory, lineage, evaluation, separation, promotion, monitoring, exception, drift, rollback, suspension, and retirement evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Model, Agent, Data, and Ontology Governance is conformant only when all UX-60-001 through UX-60-006 close for the declared acceptance unit. Volume 8 trace: Ch. 61. Capabilities: CAP-TG-05. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-028 / C-030 / C-031 / C-035 / C-044 / C-045 / C-047

61 Security, Cyber, Incident, and Investigation Experience

Security, Cyber, Incident, and Investigation Experience establishes the governed experience through which authorized users can support detection, triage, investigation, incident command, containment, communication, recovery, and learning with custody and uncertainty preserved. It organizes incident status, scope and evidence, command and actions, recovery and communications around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 62. Security, Cyber, Incident, and Investigation Experience. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Support detection, triage, investigation, incident command, containment, communication, recovery, and learning with custody and uncertainty preserved.
Primary roles	security operations, incident commanders, privacy authorities, platform operators, customer administrators, investigators, and auditors.
Controlled objects	finding, alert, incident, severity, scope, asset, evidence, timeline, action, containment, communication, recovery, closure.
Canonical anatomy	incident status; scope and evidence; command and actions; recovery and communications.
Primary command	Triage, declare, investigate, contain, communicate, recover, reconcile, close, or replay an incident through role-specific command views.
Human authority	Pre-authorized automation may contain within policy; humans own incident command, material customer impact, disclosure, exceptional access, and recovery acceptance.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-61-001	The Eye SHALL present Security, Cyber, Incident, and Investigation Experience as a governed experience that enables authorized users to support detection, triage, investigation, incident command, containment, communication, recovery, and learning with custody and uncertainty preserved; incident status, scope and evidence, command and actions, recovery and communications SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-61-002	The experience SHALL persist, expose, version, and reconcile finding, alert, incident, severity, scope, asset, evidence, timeline, action, containment, communication, recovery, closure; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-61-003	The primary command SHALL allow eligible users to triage, declare, investigate, contain, communicate, recover, reconcile, close, or replay an incident through role-specific command views; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-61-004	The experience SHALL enforce this human-authority boundary: Pre-authorized automation may contain within policy; humans own incident command, material customer impact, disclosure, exceptional access, and recovery acceptance. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-61-005	When detection is uncertain, scope expands, evidence is compromised, responders lose access, or recovery would create unsafe state, the experience SHALL contain the known boundary, preserve custody, declare uncertainty, escalate authority, and recover through verified reconciliation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-61-006	Acceptance SHALL demonstrate incident simulation, chain of custody, tenant scope, command transfer, containment, communication, disclosure, recovery, and replay evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Detection is uncertain, scope expands, evidence is compromised, responders lose access, or recovery would create unsafe state.	Contain the known boundary, preserve custody, declare uncertainty, escalate authority, and recover through verified reconciliation.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates incident simulation, chain of custody, tenant scope, command transfer, containment, communication, disclosure, recovery, and replay evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Security, Cyber, Incident, and Investigation Experience is conformant only when all UX-61-001 through UX-61-006 close for the declared acceptance unit. Volume 8 trace: Ch. 60. Capabilities: CAP-TG-04. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-036 / C-037 / C-039 / C-040 / C-043 / C-047

62 Audit, Evidence, Compliance, and Non-Repudiation

Audit, Evidence, Compliance, and Non-Repudiation establishes the governed experience through which authorized users can enable independent reconstruction of access, transformations, commands, agent actions, approvals, decisions, overrides, publications, releases, and exceptions. It organizes investigation scope, event timeline, object and evidence, finding and attestation around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 63. Audit, Evidence, Compliance, and Non-Repudiation. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Enable independent reconstruction of access, transformations, commands, agent actions, approvals, decisions, overrides, publications, releases, and exceptions.
Primary roles	auditors, investigators of record, compliance authorities, customer assurance teams, governance owners, and legal reviewers.
Controlled objects	audit event, actor, causation, object, version, action, policy decision, signature, evidence package, case, attestation.
Canonical anatomy	investigation scope; event timeline; object and evidence; finding and attestation.
Primary command	Search, correlate, reconstruct, preserve, export, investigate, find, attest, or challenge audit evidence without altering source records.
Human authority	Auditors verify and attest within mandate; they cannot mutate the evidence under review or synthesize missing signatures.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 62 - 001	The Eye SHALL present Audit, Evidence, Compliance, and Non-Repudiation as a governed experience that enables authorized users to enable independent reconstruction of access, transformations, commands, agent actions, approvals, decisions, overrides, publications, releases, and exceptions; investigation scope, event timeline, object and evidence, finding and attestation SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 62 - 002	The experience SHALL persist, expose, version, and reconcile audit event, actor, causation, object, version, action, policy decision, signature, evidence package, case, attestation; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 62 - 003	The primary command SHALL allow eligible users to search, correlate, reconstruct, preserve, export, investigate, find, attest, or challenge audit evidence without altering source records; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 62 - 004	The experience SHALL enforce this human-authority boundary: Auditors verify and attest within mandate; they cannot mutate the evidence under review or synthesize missing signatures. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-62-005	When events are missing, clocks diverge, custody breaks, retention conflicts, legal hold is incomplete, or export cannot verify, the experience SHALL declare evidence limitations, protect remaining records, prevent false attestation, and route independent investigation and remediation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-62-006	Acceptance SHALL demonstrate event completeness, actor attribution, causation, time, custody, legal hold, export verification, separation, and attestation evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Events are missing, clocks diverge, custody breaks, retention conflicts, legal hold is incomplete, or export cannot verify.	Declare evidence limitations, protect remaining records, prevent false attestation, and route independent investigation and remediation.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates event completeness, actor attribution, causation, time, custody, legal hold, export verification, separation, and attestation evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Audit, Evidence, Compliance, and Non-Repudiation is conformant only when all UX-62-001 through UX-62-006 close for the declared acceptance unit. Volume 8 trace: Ch. 62. Capabilities: CAP-TG-06. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-011 / C-012 / C-035 / C-036 / C-047

63 Reliability, Degraded Modes, Recovery, and Service Health

Reliability, Degraded Modes, Recovery, and Service Health establishes the governed experience through which authorized users can show capability health, freshness, dependencies, SLOs, degraded behavior, available actions, recovery progress, reconciliation, and exit evidence at every material point of use. It organizes current product state, affected capabilities, safe available actions, recovery and exit evidence around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 64. Reliability, Degraded Modes, Recovery, and Service Health. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Show capability health, freshness, dependencies, slos, degraded behavior, available actions, recovery progress, reconciliation, and exit evidence at every material point of use.
Primary roles	all users, platform operators, customer administrators, incident teams, product owners, and auditors.
Controlled objects	service, capability, tenant, SLI, SLO, error budget, dependency, degraded mode, watermark, recovery objective, milestone, reconciliation.
Canonical anatomy	current product state; affected capabilities; safe available actions; recovery and exit evidence.
Primary command	Inspect, acknowledge, declare, constrain, communicate, recover, reconcile, verify, or close degraded operation.
Human authority	Operators manage service recovery; business and customer authorities accept material product-state reconciliation and return to decision-active use.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 63 - 001	The Eye SHALL present Reliability, Degraded Modes, Recovery, and Service Health as a governed experience that enables authorized users to show capability health, freshness, dependencies, SLOs, degraded behavior, available actions, recovery progress, reconciliation, and exit evidence at every material point of use; current product state, affected capabilities, safe available actions, recovery and exit evidence SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 63 - 002	The experience SHALL persist, expose, version, and reconcile service, capability, tenant, SLI, SLO, error budget, dependency, degraded mode, watermark, recovery objective, milestone, reconciliation; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 63 - 003	The primary command SHALL allow eligible users to inspect, acknowledge, declare, constrain, communicate, recover, reconcile, verify, or close degraded operation; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 63 - 004	The experience SHALL enforce this human-authority boundary: Operators manage service recovery; business and customer authorities accept material product-state reconciliation and return to decision-active use. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-63-005	When health signals conflict, dependencies are unknown, state is stale, recovery diverges, or safe behavior cannot be established, the experience SHALL fail closed for new consequential actions, preserve evidence and work, declare limitations, and restore through verified staged reconciliation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-63-006	Acceptance SHALL demonstrate fault injection, watermark, degraded contract, notification, work preservation, recovery objective, reconciliation, and exit acceptance for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Health signals conflict, dependencies are unknown, state is stale, recovery diverges, or safe behavior cannot be established.	Fail closed for new consequential actions, preserve evidence and work, declare limitations, and restore through verified staged reconciliation.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates fault injection, watermark, degraded contract, notification, work preservation, recovery objective, reconciliation, and exit acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Reliability, Degraded Modes, Recovery, and Service Health is conformant only when all UX-63-001 through UX-63-006 close for the declared acceptance unit. Volume 8 trace: Ch. 63. Capabilities: CAP-TG-11. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-014 / C-036 / C-043 / C-047 / C-049

64 Integrations, APIs, Exports, and Extensibility

Integrations, APIs, Exports, and Extensibility establishes the governed experience through which authorized users can make integrations and developer surfaces consistent with canonical object, action, authority, provenance, error, version, and replay semantics. It organizes contract and scope, configuration and credentials, traffic and errors, version and lifecycle around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 65. Integrations, APIs, Exports, and Extensibility. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Make integrations and developer surfaces consistent with canonical object, action, authority, provenance, error, version, and replay semantics.
Primary roles	integration developers, administrators, product owners, data stewards, security teams, and auditors.
Controlled objects	API, event, webhook, connector, client, command, schema, version, credential, export, receipt, extension.
Canonical anatomy	contract and scope; configuration and credentials; traffic and errors; version and lifecycle.
Primary command	Discover, configure, authorize, test, monitor, rotate, upgrade, pause, revoke, export, or troubleshoot integrations.
Human authority	Integrations may invoke authorized owning commands; they cannot write canonical state directly or synthesize human approval.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 64 - 001	The Eye SHALL present Integrations, APIs, Exports, and Extensibility as a governed experience that enables authorized users to make integrations and developer surfaces consistent with canonical object, action, authority, provenance, error, version, and replay semantics; contract and scope, configuration and credentials, traffic and errors, version and lifecycle SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 64 - 002	The experience SHALL persist, expose, version, and reconcile API, event, webhook, connector, client, command, schema, version, credential, export, receipt, extension; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 64 - 003	The primary command SHALL allow eligible users to discover, configure, authorize, test, monitor, rotate, upgrade, pause, revoke, export, or troubleshoot integrations; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 64 - 004	The experience SHALL enforce this human-authority boundary: Integrations may invoke authorized owning commands; they cannot write canonical state directly or synthesize human approval. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-64-005	When schema, version, identity, permission, rate, delivery, idempotency, ordering, or reconciliation state fails, the experience SHALL reject or quarantine unsafe effects, preserve payload and receipt evidence, expose retry safety, and route contract or state reconciliation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-64-006	Acceptance SHALL demonstrate contract, permission, idempotency, ordering, retry, schema evolution, export, revocation, observability, and developer accessibility evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Schema, version, identity, permission, rate, delivery, idempotency, ordering, or reconciliation state fails.	Reject or quarantine unsafe effects, preserve payload and receipt evidence, expose retry safety, and route contract or state reconciliation.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates contract, permission, idempotency, ordering, retry, schema evolution, export, revocation, observability, and developer accessibility evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Integrations, APIs, Exports, and Extensibility is conformant only when all UX-64-001 through UX-64-006 close for the declared acceptance unit. Volume 8 trace: Ch. 14, Ch. 47, Ch. 64. Capabilities: CAP-OB-09, CAP-EO-09, CAP-TG-08. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-012 / C-036 / C-038 / C-039 / C-042 / C-047

PART 9

Delivery, Quality, and Design Operations

Defines semantic parity, onboarding, packaging, theming, content, analytics, acceptance, and contribution controls for a durable enterprise design system.

CHAPTERS 65-72

THE EYE / EXPERIENCE IN SERVICE OF STRATEGIC INTELLIGENCE

65 SaaS, Private Cloud, and On-Premise Experience Parity

SaaS, Private Cloud, and On-Premise Experience Parity establishes the governed experience through which authorized users can preserve identical outcome, object, authority, explanation, correction, replay, and failure semantics across deployment modes while declaring operational variance. It organizes deployment identity, common experience contract, declared variance, parity evidence around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 66. SaaS, Private Cloud, and On-Premise Experience Parity. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Preserve identical outcome, object, authority, explanation, correction, replay, and failure semantics across deployment modes while declaring operational variance.
Primary roles	customers, product authorities, implementation teams, operators, administrators, assurance teams, and users.
Controlled objects	deployment profile, capability, journey, variance, dependency, local service, parity test, exception, acceptance.
Canonical anatomy	deployment identity; common experience contract; declared variance; parity evidence.
Primary command	Compare deployment behavior, inspect declared variance, execute common journeys, and accept a profile-specific implementation against one semantic product.
Human authority	Deployment operators may configure local infrastructure but cannot redefine product meaning, authority, truth, or required explanation.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 65 - 001	The Eye SHALL present SaaS, Private Cloud, and On-Premise Experience Parity as a governed experience that enables authorized users to preserve identical outcome, object, authority, explanation, correction, replay, and failure semantics across deployment modes while declaring operational variance; deployment identity, common experience contract, declared variance, parity evidence SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 65 - 002	The experience SHALL persist, expose, version, and reconcile deployment profile, capability, journey, variance, dependency, local service, parity test, exception, acceptance, active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 65 - 003	The primary command SHALL allow eligible users to compare deployment behavior, inspect declared variance, execute common journeys, and accept a profile-specific implementation against one semantic product; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 65 - 004	The experience SHALL enforce this human-authority boundary: Deployment operators may configure local infrastructure but cannot redefine product meaning, authority, truth, or required explanation. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 65 - 005	When a deployment lacks a dependency, operates disconnected, uses a local model, or renders a journey differently in a way that changes semantics, the experience SHALL declare the variance and affected scope, provide the approved equivalent path, constrain unsupported use, and withhold parity acceptance; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX - 65 - 006	Acceptance SHALL demonstrate golden journey, visual regression, accessibility, offline, local-model, failure, export, correction, replay, and customer parity acceptance for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
A deployment lacks a dependency, operates disconnected, uses a local model, or renders a journey differently in a way that changes semantics.	Declare the variance and affected scope, provide the approved equivalent path, constrain unsupported use, and withhold parity acceptance.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates golden journey, visual regression, accessibility, offline, local-model, failure, export, correction, replay, and customer parity acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE SaaS, Private Cloud, and On-Premise Experience Parity is conformant only when all UX-65-001 through UX-65-006 close for the declared acceptance unit. Volume 8 trace: Ch. 65. Capabilities: CAP-PD-01, CAP-TG-11. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-037 / C-041 / C-042 / C-043 / C-047 / C-049

66 Onboarding, Configuration, Migration, and Adoption

Onboarding, Configuration, Migration, and Adoption establishes the governed experience through which authorized users can guide customers from operating intent through context, roles, policy, integrations, mapping, rehearsal, migration, training, cutover, rollback, and acceptance. It organizes program status, configuration and mapping, rehearsal and readiness, cutover and acceptance around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 67. Onboarding, Configuration, Migration, and Adoption. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Guide customers from operating intent through context, roles, policy, integrations, mapping, rehearsal, migration, training, cutover, rollback, and acceptance.
Primary roles	customer sponsors, implementation leads, administrators, stewards, security teams, trainers, users, and acceptance authorities.
Controlled objects	implementation plan, configuration, mapping, migration batch, rehearsal, issue, training path, cutover, rollback, readiness, acceptance.
Canonical anatomy	program status; configuration and mapping; rehearsal and readiness; cutover and acceptance.
Primary command	Discover, configure, map, validate, rehearse, train, migrate, reconcile, cut over, roll back, or accept an implementation.
Human authority	Customer authorities approve policy, mappings, migration, cutover, residual risk, and acceptance; implementation staff cannot accept on their behalf.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 66 - 001	The Eye SHALL present Onboarding, Configuration, Migration, and Adoption as a governed experience that enables authorized users to guide customers from operating intent through context, roles, policy, integrations, mapping, rehearsal, migration, training, cutover, rollback, and acceptance; program status, configuration and mapping, rehearsal and readiness, cutover and acceptance SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 66 - 002	The experience SHALL persist, expose, version, and reconcile implementation plan, configuration, mapping, migration batch, rehearsal, issue, training path, cutover, rollback, readiness, acceptance; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 66 - 003	The primary command SHALL allow eligible users to discover, configure, map, validate, rehearse, train, migrate, reconcile, cut over, roll back, or accept an implementation; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 66 - 004	The experience SHALL enforce this human-authority boundary: Customer authorities approve policy, mappings, migration, cutover, residual risk, and acceptance; implementation staff cannot accept on their behalf. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-66-005	When mapping, data quality, authority, training, accessibility, integration, reconciliation, or rollback readiness is incomplete, the experience SHALL hold cutover or capability activation, preserve source and prior safe operation, expose blocking readiness, and route accountable closure; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-66-006	Acceptance SHALL demonstrate configuration, mapping, rehearsal, migration, reconciliation, training, accessibility, adoption, rollback, and customer acceptance for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Mapping, data quality, authority, training, accessibility, integration, reconciliation, or rollback readiness is incomplete.	Hold cutover or capability activation, preserve source and prior safe operation, expose blocking readiness, and route accountable closure.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates configuration, mapping, rehearsal, migration, reconciliation, training, accessibility, adoption, rollback, and customer acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Onboarding, Configuration, Migration, and Adoption is conformant only when all UX-66-001 through UX-66-006 close for the declared acceptance unit. Volume 8 trace: Ch. 67, Ch. 68. Capabilities: CAP-PD-04, CAP-PD-05, CAP-PD-06. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-006 / C-007 / C-012 / C-037 / C-042 / C-047 / C-048

67 Entitlements, Packaging, Licensing, and Marketplaces

Entitlements, Packaging, Licensing, and Marketplaces establishes the governed experience through which authorized users can present offers, entitlements, limits, licenses, metering, renewal, grace, marketplace rights, and preserved work without changing core trust or authority semantics. It organizes current entitlement, included capability, limits and usage, change and continuity around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 68. Entitlements, Packaging, Licensing, and Marketplaces. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Present offers, entitlements, limits, licenses, metering, renewal, grace, marketplace rights, and preserved work without changing core trust or authority semantics.
Primary roles	commercial operations, customer sponsors, administrators, package authorities, product owners, support, and auditors.
Controlled objects	offer, package, entitlement, limit, meter, license, renewal, grace state, marketplace right, preserved work, export.
Canonical anatomy	current entitlement; included capability; limits and usage; change and continuity.
Primary command	Inspect, compare, purchase, assign, renew, change, reconcile, install, revoke, or export within explicit commercial and authority scope.
Human authority	Commercial status cannot remove mandatory provenance, correction, human authority, audit, accessibility, or customer export behavior.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-67-001	The Eye SHALL present Entitlements, Packaging, Licensing, and Marketplaces as a governed experience that enables authorized users to present offers, entitlements, limits, licenses, metering, renewal, grace, marketplace rights, and preserved work without changing core trust or authority semantics; current entitlement, included capability, limits and usage, change and continuity SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-67-002	The experience SHALL persist, expose, version, and reconcile offer, package, entitlement, limit, meter, license, renewal, grace state, marketplace right, preserved work, export, active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-67-003	The primary command SHALL allow eligible users to inspect, compare, purchase, assign, renew, change, reconcile, install, revoke, or export within explicit commercial and authority scope; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-67-004	The experience SHALL enforce this human-authority boundary: Commercial status cannot remove mandatory provenance, correction, human authority, audit, accessibility, or customer export behavior. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-67-005	When license, entitlement, usage, marketplace right, renewal, or reconciliation state is ambiguous or unavailable, the experience SHALL preserve customer work, expose grace and affected scope, constrain new use without corrupting state, and route commercial reconciliation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-67-006	Acceptance SHALL demonstrate offer comparison, entitlement, usage, renewal, grace, marketplace rights, revocation, preserved work, export, and deployment parity for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
License, entitlement, usage, marketplace right, renewal, or reconciliation state is ambiguous or unavailable.	Preserve customer work, expose grace and affected scope, constrain new use without corrupting state, and route commercial reconciliation.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates offer comparison, entitlement, usage, renewal, grace, marketplace rights, revocation, preserved work, export, and deployment parity.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Entitlements, Packaging, Licensing, and Marketplaces is conformant only when all UX-67-001 through UX-67-006 close for the declared acceptance unit. Volume 8 trace: Ch. 34, Ch. 49, Ch. 66. Capabilities: CAP-PD-02, CAP-PD-03. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-035 / C-037 / C-038 / C-042 / C-046 / C-047

68 Design Tokens, Themes, and Customer Branding

Design Tokens, Themes, and Customer Branding establishes the governed experience through which authorized users can allow controlled visual configuration through semantic tokens and certified themes without changing hierarchy, state meaning, contrast, authority, or interaction behavior. It organizes token source, theme mapping, preview and contrast, certification and release around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 69. Design Tokens, Themes, and Customer Branding. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Allow controlled visual configuration through semantic tokens and certified themes without changing hierarchy, state meaning, contrast, authority, or interaction behavior.
Primary roles	Design System Authority, brand teams, customer administrators, accessibility specialists, engineers, and assurance teams.
Controlled objects	token, alias, theme, mode, customer brand, logo, typography package, semantic mapping, certification, version.
Canonical anatomy	token source; theme mapping; preview and contrast; certification and release.
Primary command	Inspect, map, preview, test, certify, publish, activate, roll back, or retire a theme through semantic token boundaries.
Human authority	Branding authority controls approved appearance only; it cannot redefine semantic states, priority, truth, or human decision controls.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX - 68 - 001	The Eye SHALL present Design Tokens, Themes, and Customer Branding as a governed experience that enables authorized users to allow controlled visual configuration through semantic tokens and certified themes without changing hierarchy, state meaning, contrast, authority, or interaction behavior; token source, theme mapping, preview and contrast, certification and release SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX - 68 - 002	The experience SHALL persist, expose, version, and reconcile token, alias, theme, mode, customer brand, logo, typography package, semantic mapping, certification, version; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX - 68 - 003	The primary command SHALL allow eligible users to inspect, map, preview, test, certify, publish, activate, roll back, or retire a theme through semantic token boundaries; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX - 68 - 004	The experience SHALL enforce this human-authority boundary: Branding authority controls approved appearance only; it cannot redefine semantic states, priority, truth, or human decision controls. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-68-005	When a theme changes semantic meaning, reduces contrast, loses glyphs, obscures focus, or diverges across deployment or output formats, the experience SHALL fall back to the certified core theme, preserve semantic labels and layout, block activation, and route theme remediation; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-68-006	Acceptance SHALL demonstrate token integrity, alias cycle, contrast, focus, localization, print, dark mode, customer preview, rollback, and parity certification for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
A theme changes semantic meaning, reduces contrast, loses glyphs, obscures focus, or diverges across deployment or output formats.	Fall back to the certified core theme, preserve semantic labels and layout, block activation, and route theme remediation.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates token integrity, alias cycle, contrast, focus, localization, print, dark mode, customer preview, rollback, and parity certification.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Design Tokens, Themes, and Customer Branding is conformant only when all UX-68-001 through UX-68-006 close for the declared acceptance unit. Volume 8 trace: Ch. 7, Ch. 65, Ch. 66. Capabilities: CAP-AU-08, CAP-PD-01, CAP-PD-02. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-007 / C-042 / C-047 / C-048 / C-049

69 Content Design, Terminology, Localization, and Translation

Content Design, Terminology, Localization, and Translation establishes the governed experience through which authorized users can use canonical product language, evidence-first microcopy, consistent action labels, role-appropriate explanation, and provenance-aware translation. It organizes canonical term, role explanation, localized expression, provenance and review around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 70. Content Design, Terminology, Localization, and Translation. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Use canonical product language, evidence-first microcopy, consistent action labels, role-appropriate explanation, and provenance-aware translation.
Primary roles	content designers, product teams, translators, reviewers, domain authorities, accessibility specialists, and users.
Controlled objects	canonical term, label, instruction, error, warning, action text, locale, translation, glossary entry, review, content version.
Canonical anatomy	canonical term; role explanation; localized expression; provenance and review.
Primary command	Author, review, localize, translate, approve, publish, correct, or retire content through controlled terminology and message patterns.
Human authority	Translation and role adaptation may clarify but cannot dilute truth, uncertainty, consequence, authority, policy, or legal meaning.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-69-001	The Eye SHALL present Content Design, Terminology, Localization, and Translation as a governed experience that enables authorized users to use canonical product language, evidence-first microcopy, consistent action labels, role-appropriate explanation, and provenance-aware translation; canonical term, role explanation, localized expression, provenance and review SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-69-002	The experience SHALL persist, expose, version, and reconcile canonical term, label, instruction, error, warning, action text, locale, translation, glossary entry, review, content version; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-69-003	The primary command SHALL allow eligible users to author, review, localize, translate, approve, publish, correct, or retire content through controlled terminology and message patterns; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-69-004	The experience SHALL enforce this human-authority boundary: Translation and role adaptation may clarify but cannot dilute truth, uncertainty, consequence, authority, policy, or legal meaning. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-69-005	When terminology conflicts, translation provenance is missing, text expansion breaks layout, or content implies certainty or authority not present in state, the experience SHALL show canonical language and verified fallback, mark unreviewed translation, block high-consequence publication, and route linguistic or domain review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-69-006	Acceptance SHALL demonstrate terminology consistency, action-label comprehension, translation provenance, RTL, complex script, text expansion, error, warning, and correction evidence for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Terminology conflicts, translation provenance is missing, text expansion breaks layout, or content implies certainty or authority not present in state.	Show canonical language and verified fallback, mark unreviewed translation, block high-consequence publication, and route linguistic or domain review.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates terminology consistency, action-label comprehension, translation provenance, RTL, complex script, text expansion, error, warning, and correction evidence.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Content Design, Terminology, Localization, and Translation is conformant only when all UX-69-001 through UX-69-006 close for the declared acceptance unit. Volume 8 trace: Ch. 7, Ch. 47. Capabilities: CAP-AU-08, CAP-EO-09. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-005 / C-007 / C-047 / C-048 / C-052

70 Product Analytics, UX Telemetry, and Experience Quality

Product Analytics, UX Telemetry, and Experience Quality establishes the governed experience through which authorized users can measure task success, comprehension, latency, accessibility, alert quality, decision readiness, error recovery, trust use, and operational cost without optimizing away product principles. It organizes quality objective, metric and lineage, segment and uncertainty, decision and follow-through around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 71. Product Analytics, UX Telemetry, and Experience Quality. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Measure task success, comprehension, latency, accessibility, alert quality, decision readiness, error recovery, trust use, and operational cost without optimizing away product principles.
Primary roles	product authorities, design and research teams, analytics owners, privacy authorities, operators, customer success, and auditors.
Controlled objects	metric, event, journey, segment, consent, purpose, baseline, threshold, experiment, finding, action, retirement.
Canonical anatomy	quality objective; metric and lineage; segment and uncertainty; decision and follow-through.
Primary command	Define, collect, inspect, compare, experiment, review, act, retire, or export experience-quality measures through governed purpose.
Human authority	Metrics advise product improvement; they cannot replace human research, acceptance evidence, privacy obligations, or strategic outcomes.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-70-001	The Eye SHALL present Product Analytics, UX Telemetry, and Experience Quality as a governed experience that enables authorized users to measure task success, comprehension, latency, accessibility, alert quality, decision readiness, error recovery, trust use, and operational cost without optimizing away product principles; quality objective, metric and lineage, segment and uncertainty, decision and follow-through SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-70-002	The experience SHALL persist, expose, version, and reconcile metric, event, journey, segment, consent, purpose, baseline, threshold, experiment, finding, action, retirement; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-70-003	The primary command SHALL allow eligible users to define, collect, inspect, compare, experiment, review, act, retire, or export experience-quality measures through governed purpose; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-70-004	The experience SHALL enforce this human-authority boundary: Metrics advise product improvement; they cannot replace human research, acceptance evidence, privacy obligations, or strategic outcomes. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-70-005	When instrumentation is missing, biased, privacy-incompatible, semantically drifted, statistically invalid, or optimized as a proxy for engagement, the experience SHALL stop or qualify collection and decisions, preserve raw evidence and lineage, expose limitations, and route measurement or privacy review; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-70-006	Acceptance SHALL demonstrate event semantics, purpose, consent, coverage, bias, experiment, accessibility, latency, alert, comprehension, cost, and metric retirement for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Instrumentation is missing, biased, privacy-incompatible, semantically drifted, statistically invalid, or optimized as a proxy for engagement.	Stop or qualify collection and decisions, preserve raw evidence and lineage, expose limitations, and route measurement or privacy review.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates event semantics, purpose, consent, coverage, bias, experiment, accessibility, latency, alert, comprehension, cost, and metric retirement.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Product Analytics, UX Telemetry, and Experience Quality is conformant only when all UX-70-001 through UX-70-006 close for the declared acceptance unit. Volume 8 trace: Ch. 70. Capabilities: CAP-PD-09. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-032 / C-040 / C-045 / C-047 / C-049

71 Design Acceptance, Accessibility Certification, and Release Readiness

Design Acceptance, Accessibility Certification, and Release Readiness establishes the governed experience through which authorized users can accept exact design-system and product experience versions through scope-specific evidence covering journeys, roles, content, themes, devices, locales, deployments, consequence, failure, and recovery. It organizes release scope, evidence portfolio, findings and conditions, acceptance and expiry around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.

UX-71 / PART DESIGN ACCEPTANCE, ACCESSIBILITY CERTIFICATION, AND RELEASE READINESS V8 CH.71




Figure 72. Design Acceptance, Accessibility Certification, and Release Readiness. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Accept exact design-system and product experience versions through scope-specific evidence covering journeys, roles, content, themes, devices, locales, deployments, consequence, failure, and recovery.
Primary roles	product, design, engineering, accessibility, security, privacy, operations, customer, and independent acceptance authorities.
Controlled objects	release candidate, component, pattern, journey, test, visual baseline, finding, exception, evidence package, condition, acceptance.
Canonical anatomy	release scope; evidence portfolio; findings and conditions; acceptance and expiry.
Primary command	Trace, test, review, remediate, waive narrowly, attest, accept, reject, condition, expire, or revoke a design release.
Human authority	Only named independent authorities accept within exact mandate; delivery pressure, automation, or prior acceptance cannot waive new evidence.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-71-001	The Eye SHALL present Design Acceptance, Accessibility Certification, and Release Readiness as a governed experience that enables authorized users to accept exact design-system and product experience versions through scope-specific evidence covering journeys, roles, content, themes, devices, locales, deployments, consequence, failure, and recovery; release scope, evidence portfolio, findings and conditions, acceptance and expiry SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-71-002	The experience SHALL persist, expose, version, and reconcile release candidate, component, pattern, journey, test, visual baseline, finding, exception, evidence package, condition, acceptance; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-71-003	The primary command SHALL allow eligible users to trace, test, review, remediate, waive narrowly, attest, accept, reject, condition, expire, or revoke a design release; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-71-004	The experience SHALL enforce this human-authority boundary: Only named independent authorities accept within exact mandate; delivery pressure, automation, or prior acceptance cannot waive new evidence. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-71-005	When required evidence is missing, stale, contradictory, inaccessible, outside scope, or a blocking defect or exception remains open, the experience SHALL withhold acceptance, preserve the prior accepted version, expose blocked scope and conditions, and route remediation or governed exception; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-71-006	Acceptance SHALL demonstrate requirements, visual regression, interaction, accessibility, content, locale, device, deployment, fault, recovery, security, and customer acceptance for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Required evidence is missing, stale, contradictory, inaccessible, outside scope, or a blocking defect or exception remains open.	Withhold acceptance, preserve the prior accepted version, expose blocked scope and conditions, and route remediation or governed exception.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates requirements, visual regression, interaction, accessibility, content, locale, device, deployment, fault, recovery, security, and customer acceptance.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Design Acceptance, Accessibility Certification, and Release Readiness is conformant only when all UX-71-001 through UX-71-006 close for the declared acceptance unit. Volume 8 trace: Ch. 71. Capabilities: CAP-AU-11, CAP-PD-10, CAP-PD-11. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-006 / C-036 / C-042 / C-047 / C-048 / C-049 / C-051 / C-052

72 Design Governance, Contribution, Versioning, and Baseline Closure

Design Governance, Contribution, Versioning, and Baseline Closure establishes the governed experience through which authorized users can operate the design system as a durable product with contribution, review, ownership, release, adoption, deprecation, migration, exception, telemetry, learning, and constitutional change control. It organizes contribution queue, review and evidence, release and adoption, deprecation and closure around canonical state, evidence, explainability, accessibility, recoverable interaction, and explicit human authority.




Figure 73. Design Governance, Contribution, Versioning, and Baseline Closure. The controlled anatomy binds context, primary work, canonical state, evidence, command, human authority, and continuity.

Experience contract

CONTRACT ELEMENT	BINDING DEFINITION
Experience outcome	Operate the design system as a durable product with contribution, review, ownership, release, adoption, deprecation, migration, exception, telemetry, learning, and constitutional change control.
Primary roles	Design System Authority, Executive Product Authority, contributors, component owners, engineering, assurance, adoption teams, and auditors.
Controlled objects	contribution, proposal, review, component, package, version, release, adoption, deprecation, migration, exception, change record.
Canonical anatomy	contribution queue; review and evidence; release and adoption; deprecation and closure.
Primary command	Propose, review, accept, publish, adopt, measure, deprecate, migrate, retire, amend, or close a design-system baseline.
Human authority	Design governance may refine expression within the frozen architecture; constitutional meaning changes require explicit amendment and ratification.

Normative design requirements

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-72-001	The Eye SHALL present Design Governance, Contribution, Versioning, and Baseline Closure as a governed experience that enables authorized users to operate the design system as a durable product with contribution, review, ownership, release, adoption, deprecation, migration, exception, telemetry, learning, and constitutional change control; contribution queue, review and evidence, release and adoption, deprecation and closure SHALL precede secondary controls or ornamental presentation.	Design review + journey test	Approved anatomy, role walkthroughs, content states, visual baselines, and accountable design review.
UX-72-002	The experience SHALL persist, expose, version, and reconcile contribution, proposal, review, component, package, version, release, adoption, deprecation, migration, exception, change record; active tenant, domain, role, purpose, objective, geography, horizon, scenario, classification, effective time, object identity, freshness, provenance, and policy SHALL remain explicit wherever they change meaning or action.	State + trace test	Positive and negative state fixtures, immutable references, trace queries, policy decisions, and state-state evidence.
UX-72-003	The primary command SHALL allow eligible users to propose, review, accept, publish, adopt, measure, deprecate, migrate, retire, amend, or close a design-system baseline; navigation, search, inspection, drafting, acknowledgment, review, approval, publication, and institutional effect SHALL remain visually and behaviorally distinct, attributable, recoverable, and replayable.	Interaction + command test	Keyboard and pointer journeys, command receipts, cancellation, retry, recovery, audit causation, and replay evidence.
UX-72-004	The experience SHALL enforce this human-authority boundary: Design governance may refine expression within the frozen architecture; constitutional meaning changes require explicit amendment and ratification. AI and automation may recommend, forecast, simulate, reason, explain, or execute explicitly pre-authorized reversible workflow steps, but SHALL NOT infer, preselect, obscure, or synthesize final human decision authority.	Authority + consequence test	Eligibility, separation, delegation, recusal, exact digest, consequence preview, deliberate action, signature, and denial fixtures.

ID	REQUIREMENT	VERIFICATION	REQUIRED EVIDENCE
UX-72-005	When ownership is missing, contribution evidence is incomplete, adoption diverges, deprecation strands consumers, or a proposed change conflicts with authority, the experience SHALL reject or hold the change, preserve the prior baseline and consumer support, expose impact, and route migration or constitutional adjudication; it SHALL NOT represent unavailable, stale, unapproved, unsupported, inaccessible, policy-filtered, synthetic, or incomplete state as current and complete.	Fault + degraded journey	Fault traces, visible degraded state, preserved work, disabled unsafe actions, accessible recovery, reconciliation, and closure.
UX-72-006	Acceptance SHALL demonstrate contribution, ownership, evidence, compatibility, adoption, deprecation, migration, exception, rollback, learning, amendment, and closure for the exact design-system version, component and pattern versions, capability, canonical journey, persona and role, tenant or domain, deployment profile, entitlement, theme, locale, device, assistive technology, configuration, data and model versions, consequence class, test period, and named accepting authorities.	Independent conformance review	Trace-complete evidence package, visual and interaction baselines, accessibility results, fault evidence, findings closure, and signed acceptance.

Failure and degraded experience

PRODUCT CONDITION	REQUIRED EXPERIENCE BEHAVIOR
Ownership is missing, contribution evidence is incomplete, adoption diverges, deprecation strands consumers, or a proposed change conflicts with authority.	Reject or hold the change, preserve the prior baseline and consumer support, expose impact, and route migration or constitutional adjudication.
Identity, role, authority, policy, classification, purpose, or exact command scope cannot be established.	Preserve work and context, deny the consequential effect, identify the unresolved condition, and route eligible accountable resolution.
Data, model, agent, integration, projection, network, or service state is partial, stale, unavailable, inaccessible, or recovering.	Declare visible degraded state, distinguish available from unavailable behavior, retain evidence and checkpoints, and recover through verified reconciliation.

Acceptance evidence

- End-to-end evidence demonstrates contribution, ownership, evidence, compatibility, adoption, deprecation, migration, exception, rollback, learning, amendment, and closure.
- Positive, negative, stale-state, unauthorized-role, cross-tenant, correction, replay, and recovery fixtures preserve object and authority contracts.
- Keyboard, screen-reader, zoom, forced-colors, localization, responsive, low-bandwidth, and reduced-motion variants preserve the same strategic meaning.
- One golden journey passes across SaaS, Private Cloud, and On-Premise with every permitted variance declared and independently accepted.

CHAPTER ACCEPTANCE AND INHERITANCE Design Governance, Contribution, Versioning, and Baseline Closure is conformant only when all UX-72-001 through UX-72-006 close for the declared acceptance unit. Volume 8 trace: Ch. 72. Capabilities: CAP-AU-01, CAP-AU-12, CAP-PD-12. Full trace: Appendix N.

CONSTITUTIONAL INHERITANCE / C-006 / C-031 / C-044 / C-047 / C-049 / C-051 / C-052

A Design Token Registry

The token registry is the single approved source for visual values. Product code consumes semantic aliases rather than raw values. Customer themes may remap certified aliases but cannot redefine state, authority, or contrast meaning.

Color tokens

ID	TOKEN	LIGHT	DARK	ROLE	BINDING RULE
CLR-001	color.canvas	#F4F7FA	#0A111B	Application canvas	Never communicates status
CLR-002	color.surface.primary	#FFFFFF	#111A27	Primary work surface	Default content container
CLR-003	color.surface.secondary	#EAF0F5	#182434	Secondary region	Supporting context only
CLR-004	color.surface.elevated	#FFFFFF	#1E2B3D	Overlay and elevated task	Requires border or shadow cue
CLR-005	color.ink.strong	#0D1B2A	#F4F7FB	Primary text and identity	Highest neutral contrast
CLR-006	color.ink.default	#243447	#DCE5EF	Body text	Default reading color
CLR-007	color.ink.muted	#526579	#AFC0D1	Secondary metadata	Not for critical state alone
CLR-008	color.border.default	#C5D0DB	#405166	Default boundaries	One-pixel structural border
CLR-009	color.border.strong	#8EA0B3	#6F8298	Emphasized boundary	Use sparingly
CLR-010	color.accent.default	#0B6674	#65D3DE	Primary interaction accent	Links and selected state
CLR-011	color.accent.strong	#084C55	#9BE9EF	Accent emphasis	High-contrast active state
CLR-012	color.focus	#005FCC	#78AFFF	Keyboard focus ring	Three-pixel outer ring
CLR-013	color.info	#175CD3	#84ADFF	Informational state	Pair with icon and label
CLR-014	color.success	#027A48	#6CE9A6	Verified success	Never implies decision authority
CLR-015	color.warning	#B54708	#FEC84B	Warning and caution	Pair with explicit severity
CLR-016	color.critical	#B42318	#FDA29B	Critical condition	Reserved for material risk
CLR-017	color.uncertain	#6941C6	#BDB4FE	Uncertainty or indeterminate	Not a generic brand accent
CLR-018	color.observed	#246B5A	#75E0C2	Observed truth state	Use OBSERVED label
CLR-019	color.asserted	#2D5B9F	#9EC5FE	Asserted truth state	Use ASSERTED label
CLR-020	color.inferred	#6A4C93	#C4A7E7	Inferred truth state	Use INFERRED label
CLR-021	color.assessed	#8A5A00	#F5D06F	Assessed truth state	Use ASSESSED label
CLR-022	color.synthetic	#6B4F9B	#CAB8FF	Synthetic truth state	Use SYNTHETIC label and pattern
CLR-023	color.recommended	#0B6674	#65D3DE	Recommended state	Never resembles decision state
CLR-024	color.decided	#1F5132	#9FE2B4	Human-decided state	Requires decision icon and actor
CLR-025	color.corrected	#8A5A00	#F5D06F	Corrected state	Links original and replacement
CLR-026	color.withdrawn	#8B1E2D	#FFB4BE	Withdrawn state	Retains identity and history
CLR-027	color.classification	#5B3A29	#E4B69C	Classification banner	Tenant policy supplies label
CLR-028	color.degraded	#7A3E00	#FFCA80	Degraded operation	Always states available behavior

ID	TOKEN	LIGHT	DARK	ROLE	BINDING RULE
CLR-029	color.disabled.ink	#7E8FA1	#74879C	Unavailable control text	Must remain readable
CLR-030	color.selection	#D6EEF1	#123A43	Selected object or row	Also uses border and state

Typography tokens

ID	TOKEN	VALUE	WEIGHT OR FALLBACK	USE
TYP-001	font.family.ui	Inter Variable	Segoe UI, Arial, sans-serif	Interface text
TYP-002	font.family.mono	IBM Plex Mono	Consolas, monospace	IDs, digests, code, logs
TYP-003	type.display.1	40/48	700	Major command-room title
TYP-004	type.display.2	32/40	650	Workspace or briefing title
TYP-005	type.heading.1	24/32	650	Page title
TYP-006	type.heading.2	20/28	650	Major section
TYP-007	type.heading.3	16/24	650	Subsection
TYP-008	type.body.lg	16/24	400	Lead narrative
TYP-009	type.body.md	14/20	400	Default interface copy
TYP-010	type.body.sm	12/18	400	Dense supporting copy
TYP-011	type.label.md	13/16	600	Controls and compact labels
TYP-012	type.label.sm	11/14	650	Metadata and badges
TYP-013	type.numeric.lg	28/32 tabular	600	Primary measures
TYP-014	type.numeric.md	16/20 tabular	550	Table and chart values
TYP-015	type.mono.sm	12/18	400	Immutable IDs and digests

Spatial tokens

ID	TOKEN	VALUE	USE
SPC-001	space.0	0px	No separation
SPC-002	space.2	2px	Optical correction only
SPC-003	space.4	4px	Inline micro-gap
SPC-004	space.8	8px	Tight component gap
SPC-005	space.12	12px	Control group gap
SPC-006	space.16	16px	Default content gap
SPC-007	space.24	24px	Section gap
SPC-008	space.32	32px	Major region gap
SPC-009	space.40	40px	Large composition gap
SPC-010	space.48	48px	Workspace separation
SPC-011	space.64	64px	Hero or command spacing
SPC-012	space.80	80px	Large-display spacing

Sizing, radius, elevation, and motion tokens

ID	TOKEN	VALUE	USE
LAY-001	size.control.sm	28px	Dense secondary controls
LAY-002	size.control.md	36px	Default controls
LAY-003	size.control.lg	44px	Touch and consequential controls
LAY-004	radius.sm	2px	Tags and compact fields

ID	TOKEN	VALUE	USE
LAY-005	radius.md	4px	Default components
LAY-006	radius.lg	8px	Large panels and overlays
LAY-007	border.default	1px	Structural boundary
LAY-008	border.focus	3px	Keyboard focus ring
LAY-009	elevation.1	0 1 2 / 12%	Raised inspection surface
LAY-010	elevation.2	0 4 12 / 16%	Drawer or popover
LAY-011	elevation.3	0 12 32 / 22%	Blocking dialog
LAY-012	motion.instant	0ms	Consequential state change
LAY-013	motion.fast	80ms	Hover and micro-feedback
LAY-014	motion.standard	140ms	Control and disclosure
LAY-015	motion.layout	220ms	Panel and region transition
LAY-016	motion.deliberate	320ms	Guided spatial transition
LAY-017	motion.max	480ms	Maximum non-essential motion

B Semantic State and Truth-State Catalog

Semantic states are expressed through text, symbol, structure, and color. No badge or theme may collapse epistemic, authority, lifecycle, severity, or product-health categories.

Truth-state presentation

ID	STATE	VISIBLE LABEL	TOKEN	SYMBOL	USE CONTRACT
TS-01	Observed	OBSERVED	color.observed	Solid circle	Directly recorded evidence; source and time required
TS-02	Asserted	ASSERTED	color.asserted	Outlined square	Claim made by an attributable source or actor
TS-03	Inferred	INFERRED	color.inferred	Linked nodes	Derived relationship or conclusion; method required
TS-04	Assessed	ASSESSED	color.assessed	Diamond	Reviewed analytical judgment with uncertainty
TS-05	Synthetic	SYNTHETIC	color.synthetic	Dashed hexagon	Scenario, simulation, or generated state; never observed
TS-06	Recommended	RECOMMENDED	color.recommended	Open arrow	Advisory proposal with rationale and alternatives
TS-07	Decided	DECIDED	color.decided	Signed check	Human decision bound to authority and digest
TS-08	Corrected	CORRECTED	color.corrected	Revision mark	Replacement linked to preserved original
TS-09	Withdrawn	WITHDRAWN	color.withdrawn	Barred circle	Not current; identity and history retained
TS-10	Indeterminate	INDETERMINATE	color.uncertain	Question mark	Required state cannot be resolved; use constrained

Lifecycle presentation

ID	LIFECYCLE STATE	BINDING MEANING
LS-01	Draft	Authoring; not review-active
LS-02	Proposed	Submitted for governed review
LS-03	In Review	Named review is active
LS-04	Approved	Eligible authority approved exact version
LS-05	Published	Approved version made effective for audience
LS-06	Superseded	Replaced by a newer effective version
LS-07	Corrected	Material correction linked to prior version
LS-08	Withdrawn	Removed from current use but preserved
LS-09	Archived	Retained for history; no active change
LS-10	Retired	No longer supported or admitted
LS-11	Degraded	Available with declared limitations
LS-12	Blocked	Required condition prevents transition

STATE SEPARATION Truth state answers what kind of knowledge this is. Lifecycle answers where the governed object is in its controlled evolution. Authority answers who may commit a transition. These dimensions remain separate even when shown together.

C Typography, Content, and Numerical Grammar

Typography and content form one semantic hierarchy. The approved UI family is Inter Variable with a system fallback stack; machine identifiers use a controlled monospace family. Labels state what an object is, values state its current representation, and help text never carries the only material condition.

Content roles

ID	ROLE	REQUIRED EXPRESSION	RULE
CNT - 01	Product identity	The Eye	Never abbreviate in first use or redefine category
CNT - 02	Workspace title	Noun phrase	Names governed work, not a dashboard collection
CNT - 03	Object title	Canonical human-readable identity	Immutable ID remains available
CNT - 04	Truth state	Approved uppercase label	Always paired with symbol and definition
CNT - 05	Lifecycle state	Approved title-case label	Do not combine with truth state
CNT - 06	Primary command	Verb + object	Describe exact effect; avoid generic Continue
CNT - 07	Destructive command	Specific verb + scope	State reversibility and consequence
CNT - 08	AI output	Proposed / Recommended / Synthetic	Name agent or model and non-authority
CNT - 09	Uncertainty	Plain-language class plus quantitative form	State drivers and unsupported precision
CNT - 10	Error	Condition + affected task + safe recovery	Do not blame the user
CNT - 11	Warning	Severity + condition + scope + owner + action	Acknowledgment is not agreement
CNT - 12	Degraded mode	Available / unavailable / owner / exit	Persistent until verified recovery
CNT - 13	Permission denial	Policy decision and appeal	Reveal no protected metadata
CNT - 14	Correction	Original / replacement / impact / action	Reach original recipients
CNT - 15	Receipt	Actor / command / object / time / result	Immutable and copyable
CNT - 16	Help	Contextual explanation and example	Never hides a required condition

Numerical grammar

ID	VALUE CLASS	DISPLAY	BINDING RULE
NUM - 01	Probability	0-100% or 0-1 by domain contract	Show definition, calibration, horizon, cutoff, and uncertainty
NUM - 02	Confidence	Named calibrated class or interval	Never use as authority or generic certainty
NUM - 03	Range	Lower to upper with units	State method and confidence or scenario basis
NUM - 04	Currency	Locale display plus ISO code where ambiguity exists	Preserve canonical value, date, and rate basis
NUM - 05	Units	Original and canonical units	Show conversion method and uncertainty
NUM - 06	Date and time	User and event zones; canonical instant	Show calendar basis and ambiguity
NUM - 07	Duration	Human-readable plus exact value on inspection	Do not mix with timestamp
NUM - 08	Large magnitude	Locale-aware compact display	Exact value remains available; no silent rounding
NUM - 09	Precision	Horizon- and evidence-appropriate	Unsupported decimal precision is prohibited
NUM - 10	Missing	Not available / not observed / not applicable	Never encode missing as zero
NUM - 11	Estimate	Tilde or explicit Estimated label	Show basis and revision state
NUM - 12	Negative	Minus sign and semantic context	Color cannot be the only sign cue

D Layout, Grid, Density, and Responsive Contract

The layout system uses a four-pixel base unit, a 12-column standard grid, explicit semantic regions, and five responsive display classes. Adaptation may reorder or defer secondary content but never removes context, truth, evidence, uncertainty, authority, critical state, or safe recovery.

Responsive display classes

ID	CLASS	VIEWPORT	BINDING COMPOSITION
BP - 01	Compact	0-639px	Single-column task flow; bottom navigation; no hidden authority or state
BP - 02	Narrow	640-959px	Single primary canvas with optional modal supporting detail
BP - 03	Standard	960-1439px	Collapsible rail; 12-column grid; one supporting panel
BP - 04	Wide	1440-1919px	Persistent rail; primary canvas plus evidence or inspector panel
BP - 05	Command	1920px and above	Multi-region synchronized views with explicit control surface

Density modes

ID	MODE	CONTROL AND ROW SCALE	PRIMARY USE
DEN - 01	Strategic	44px controls; 40-48px rows	Executive, decision, briefing, and touch contexts
DEN - 02	Operational	36px controls; 32-36px rows	Default analytical and administrative work
DEN - 03	Inspection	28-32px controls; 28-32px rows	High-density tables, traces, and operations centers

Semantic regions

ID	REGION	PLACEMENT CONTRACT	RESPONSIVE RULE
REG - 01	Global context	Persistent above or before work	May collapse to explicit switcher; never disappear
REG - 02	Workspace navigation	Persistent or recoverable primary wayfinding	Preserve location, history, and return path
REG - 03	Primary task	Largest and first semantic work region	One clear task owner per composition
REG - 04	Evidence	Adjacent, linked, or immediately resolvable	Never buried behind unexplained decoration
REG - 05	Inspector	Selected object detail and state	Selection and version remain explicit
REG - 06	Action	Near affected object or in fixed review region	Consequential actions require full digest
REG - 07	Status	Persistent product and task feedback	Distinguish queued, accepted, completed, failed
REG - 08	Authority	At every consequential gate	Name eligibility, review, consequence, and receipt

E Component Catalog

The component catalog defines reusable implementations of the experience contract. Components are not visual inventory alone: each owns anatomy, state, behavior, content, accessibility, authority, analytics, versioning, and acceptance evidence.

ID	GROUP	COMPONENT	REQUIRED ANATOMY	STATES	AUTHORITY	ACCEPTANCE FOCUS
CMP-001	Foundation	Focus Ring	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-002	Foundation	Divider	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-003	Foundation	Scroll Area	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-004	Foundation	Surface	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-005	Foundation	Container	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-006	Foundation	Stack	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-007	Foundation	Cluster	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-008	Foundation	Responsive Grid	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-009	Navigation	Application Shell	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-010	Navigation	Global Context Bar	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-011	Navigation	Workspace Rail	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-012	Navigation	Workspace Header	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-013	Navigation	Breadcrumb	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-014	Navigation	Tab Set	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-015	Navigation	Command Palette	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-016	Navigation	History Navigator	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-017	Identity and State	Object Header	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-018	Identity and State	Identity Chip	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-019	Identity and State	Version Badge	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-020	Identity and State	Lifecycle Badge	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-021	Identity and State	Truth-State Badge	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-022	Identity and State	Trust Indicator	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-023	Identity and State	Freshness Watermark	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-024	Identity and State	Classification Banner	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion

ID	GROUP	COMPONENT	REQUIRED ANATOMY	STATES	AUTHORITY	ACCEPTANCE FOCUS
CMP-025	Evidence	Evidence Card	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-026	Evidence	Citation Link	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-027	Evidence	Source Preview	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-028	Evidence	Evidence Viewer	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-029	Evidence	Provenance Trail	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-030	Evidence	Custody Timeline	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-031	Evidence	Rights Notice	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-032	Evidence	Verification Panel	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-033	Input	Field	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-034	Input	Text Area	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-035	Input	Select	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-036	Input	Combobox	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-037	Input	Date and Time Input	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-038	Input	Range Input	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-039	Input	Unit Input	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-040	Input	File Intake	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-041	Action and Authority	Button	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-042	Action and Authority	Split Button	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-043	Action and Authority	Action Menu	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-044	Action and Authority	Command Review	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-045	Action and Authority	Consequence Preview	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-046	Action and Authority	Authority Banner	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-047	Action and Authority	Decision Digest	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-048	Action and Authority	Signature Receipt	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-049	Data Inspection	Data Table	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-050	Data Inspection	Tree Grid	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion

ID	GROUP	COMPONENT	REQUIRED ANATOMY	STATES	AUTHORITY	ACCEPTANCE FOCUS
CMP - 051	Data Inspection	Structured List	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 052	Data Inspection	Definition List	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 053	Data Inspection	Metric	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 054	Data Inspection	Statistical Summary	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 055	Data Inspection	Comparison Matrix	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 056	Data Inspection	Diff Viewer	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 057	Visualization	Chart Frame	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 058	Visualization	Legend	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 059	Visualization	Data Tooltip	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 060	Visualization	Time Series	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 061	Visualization	Probability Band	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 062	Visualization	Scenario Fan	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 063	Visualization	Graph Canvas	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 064	Visualization	Map Canvas	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 065	Feedback	Inline Message	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 066	Feedback	Toast	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 067	Feedback	Progress Indicator	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 068	Feedback	Skeleton	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 069	Feedback	Empty State	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 070	Feedback	Error Summary	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 071	Feedback	Degraded Banner	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 072	Feedback	Recovery Panel	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 073	Workflow	Task Card	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 074	Workflow	Review Queue	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 075	Workflow	Gate Status	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP - 076	Workflow	Timeline	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion

ID	GROUP	COMPONENT	REQUIRED ANATOMY	STATES	AUTHORITY	ACCEPTANCE FOCUS
CMP-077	Workflow	Stepper	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-078	Workflow	Assignment Control	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-079	Workflow	Comment Thread	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-080	Workflow	Activity Stream	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-081	Agent	Agent Identity Card	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-082	Agent	Plan Graph	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-083	Agent	Run Header	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-084	Agent	Trace Event	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-085	Agent	Tool Call Inspector	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-086	Agent	Checkpoint	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-087	Agent	Escalation Card	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-088	Agent	Stop Control	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-089	Administration	Policy Decision Panel	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-090	Administration	Access Matrix	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-091	Administration	Configuration Diff	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-092	Administration	Health Panel	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-093	Administration	Audit Event Viewer	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-094	Administration	Incident Command Bar	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-095	Administration	Integration Monitor	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-096	Administration	Release Evidence Panel	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-097	Content and Export	Rich Narrative	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-098	Content and Export	Briefing Section	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-099	Content and Export	Footnote and Citation	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-100	Content and Export	Print Header	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-101	Content and Export	Export Preview	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-102	Content and Export	Delivery Receipt	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion

ID	GROUP	COMPONENT	REQUIRED ANATOMY	STATES	AUTHORITY	ACCEPTANCE FOCUS
CMP-103	Content and Export	Correction Notice	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-104	Content and Export	Accessibility Summary	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-105	Mobile and Offline	Bottom Navigation	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-106	Mobile and Offline	Compact Context Switcher	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-107	Mobile and Offline	Offline Watermark	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-108	Mobile and Offline	Synchronization Queue	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-109	Mobile and Offline	Conflict Resolver	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-110	Mobile and Offline	Secure Package Panel	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-111	Mobile and Offline	Field Capture	Context, content, state, actions, help	Rest, hover, focus, active, disabled, loading, error	Conditional	Keyboard, name/role/state, 200% zoom, forced colors, text expansion
CMP-112	Mobile and Offline	Wipe Control	Identity, authority, exact state, consequence, deliberate action, receipt	Rest, hover, focus, active, disabled, loading, error, blocked	Required	Keyboard, name/role/state, 200% zoom, forced colors, text expansion

COMPONENT ADMISSION A component enters the controlled library only when its semantic purpose is unique, its state machine and action contract are explicit, accessibility and localization are certified, visual baselines exist across themes and breakpoints, and an accountable owner accepts lifecycle duty.

F Interaction Pattern Catalog

Patterns define repeatable user intent, state transitions, authority, evidence, recovery, and prohibited shortcuts. Product teams compose approved patterns rather than inventing local command semantics.

ID	PATTERN	BINDING BEHAVIOR	PROHIBITION
PAT - 01	Inspect without mutation	Open exact object/version; preserve context and audit access	No side effect on view
PAT - 02	Context switch with impact preview	Show changed dimensions and affected work before commit	Never switch silently
PAT - 03	Save draft	Persist versioned work without implying submission	Never label as approval
PAT - 04	Submit for review	Freeze review version and name required reviewers	Never auto-approve
PAT - 05	Acknowledge receipt	Record receipt and intended response separately	Not agreement or acceptance
PAT - 06	Mark reviewed	Record reviewer, version, evidence, and findings	Not decision authority
PAT - 07	Deliberate approval	Resolve eligibility, exact digest, rationale, signature, receipt	No default or bulk approval
PAT - 08	Reject or defer	Capture rationale, conditions, owner, and next review	Never destructive
PAT - 09	Publish exact edition	Bind bytes, audience, classification, channel, and approval	Export is not publish
PAT - 10	Correct and supersede	Preserve original and propagate impact	Never overwrite history
PAT - 11	Withdraw	Retain identity, reason, recipients, and replacement	Never erase without policy
PAT - 12	Compare versions	Align changed fields, provenance, authority, and effects	No lossy summary only
PAT - 13	Compare alternatives	Use common objectives, constraints, evidence, and uncertainty	No preselected recommendation
PAT - 14	Contest a claim	Capture counter-evidence, rationale, reviewer, and status	Never hide dissent
PAT - 15	Request clarification	Preserve original intent and ambiguous interpretation	No silent model guess
PAT - 16	Confirm irreversible action	Require typed or re-authenticated deliberate action	No generic OK
PAT - 17	Preview consequence	Show objects, users, reversibility, residual risk, and audit	Required before effect
PAT - 18	Bulk selection	Show exact included, excluded, hidden, and changed counts	No select-all ambiguity
PAT - 19	Async command receipt	Return command ID, accepted scope, status, and safe retry	No false completion
PAT - 20	Retry idempotently	Reuse command identity or require new explicit effect	No duplicate side effect
PAT - 21	Pause and resume	Checkpoint exact state and disclose drift on resume	Revalidate permissions
PAT - 22	Cancel with residual state	Stop new work and show irreversible completed effects	Never imply full rollback
PAT - 23	Offline queue	Show scope, expiry, order, conflicts, and synchronization	No silent eventual effect
PAT - 24	Resolve conflict	Compare base, local, canonical, authority, and consequence	No last-write-wins for governed state
PAT - 25	Deep link exact state	Resolve immutable object/version within current authority	No metadata leakage
PAT - 26	Return path	Restore verified prior context and focus	Never repeat a command
PAT - 27	Progressive disclosure	Defer secondary detail while preserving required state	Never hide authority or uncertainty
PAT - 28	Empty state	Explain scope, evidence status, permissions, and safe next step	Never imply zero-world state
PAT - 29	Partial result	Declare missing sources, intervals, filters, and impact	Never present as complete
PAT - 30	Degraded mode	State available/unavailable behavior, owner, duration, and exit	Disable unsafe actions
PAT - 31	Permission denial	Explain policy and appeal without protected metadata	No dead end
PAT - 32	Stale state	Show source revision, watermark, age, and refresh path	No current styling
PAT - 33	Agent plan review	Inspect goal, tasks, tools, data, budget, gates, and stops	Approval remains bounded
PAT - 34	Agent tool-call review	Show exact tool, parameters, objects, effect, and reversibility	No opaque invocation
PAT - 35	Agent escalation	Show reason, context, alternatives, and requested authority	No scope expansion
PAT - 36	Agent abstention	State unsupported claim, missing evidence, and safe next step	Not generic failure
PAT - 37	Warning acknowledgment	Record receipt separately from action and closure	No swipe-away acknowledgment
PAT - 38	Warning suppression	Require scope, reason, expiry, owner, and visibility	No silent mute
PAT - 39	Correction notice	Link original, replacement, impact, action, and closure	Reach original audience
PAT - 40	Package installation	Show publisher, signature, permissions, evaluation, and diff	No one-click hidden permissions
PAT - 41	Theme preview	Test semantic tokens, contrast, localization, print, and forced colors	No raw color override

ID	PATTERN	BINDING BEHAVIOR	PROHIBITION
PAT - 42	Export preview	Show exact scope, format, policy, redaction, and digest	Download is attributable
PAT - 43	Support access	Show purpose, scope, duration, approval, activity, and revoke	No standing hidden access
PAT - 44	Re-authentication	Preserve work and bind assurance to command	No unexplained reset
PAT - 45	Session handoff	Transfer context and control through explicit receipt	No authority inheritance
PAT - 46	Large-display control	Distinguish mirrored view from authenticated control surface	Presentation never commands
PAT - 47	Learning proposal	Separate outcome, attribution, lesson, change, evaluation, approval	No silent self-modification
PAT - 48	Release acceptance	Bind exact scope, versions, evidence, conditions, authorities, and expiry	No blanket acceptance

G Strategic Visualization Grammar

Visualizations answer explicit strategic questions and carry their basis, time, units, evidence, uncertainty, scope, and accessible alternative. Critical meaning is never hidden behind ornamental visualization.

ID	FORM	QUESTION	REQUIRED DISCLOSURE	PROHIBITED USE
VIZ-01	Time series	Change through time	Time basis, units, source, gaps, uncertainty	Line alone without missing intervals
VIZ-02	Event timeline	Ordered events and decisions	Event/record time, actor, source, correction	Chronology without time basis
VIZ-03	Probability band	Forecast distribution	Horizon, cutoff, quantiles, calibration, method	Single deterministic line
VIZ-04	Horizon matrix	Compare six canonical horizons	Target, distribution, method, score, use	Mixed horizons on hidden scales
VIZ-05	Scenario fan	Plural futures and branches	Baseline, branches, divergence, assumptions, signposts	One highlighted destiny
VIZ-06	Scenario comparison	Compare implications and options	Common basis, objectives, uncertainty, evidence	Unequal comparison frames
VIZ-07	Sensitivity tornado	Driver influence	Model, baseline, range, units, uncertainty	Causal claim without support
VIZ-08	Distribution	Range and likelihood	Sample/model, units, bins, percentiles, cutoff	Decorative smooth curve
VIZ-09	Calibration plot	Forecast reliability	Period, sample, bins, confidence, method	Accuracy score alone
VIZ-10	Risk matrix	Exposure by likelihood and impact	Scales, appetite, uncertainty, owner	Color-only heatmap
VIZ-11	Opportunity portfolio	Value, timing, confidence, effort	Ranges, objective, owner, evidence	Bubble area without labels
VIZ-12	Strategic health decomposition	Score components and weights	Formula, weight, evidence, confidence, coverage	Gauge without decomposition
VIZ-13	Knowledge graph	Entities and typed relationships	Identity, edge type/direction/time, evidence, projection	Hairball without path purpose
VIZ-14	Strategy Graph	Objectives to outcomes	Node types, dependencies, status, evidence, owner	Generic network diagram
VIZ-15	Dependency network	Supply or capability dependencies	Tier, direction, coverage, criticality, alternatives	Unbounded network
VIZ-16	Geospatial map	Location and spatial relationships	CRS, time, scale, source, uncertainty, boundaries	Map without accessible table
VIZ-17	Choropleth	Normalized regional measure	Denominator, breaks, missing data, time, source	Absolute count by area
VIZ-18	Flow map	Movement or transfer	Direction, units, period, source, coverage	Width without legend
VIZ-19	Sankey	Material flow composition	Source/target, conservation rule, units, omissions	Decorative flows
VIZ-20	Hierarchy tree	Ownership or taxonomy	Root, parent relation, version, scope	Graph when hierarchy is sufficient
VIZ-21	Treemap	Part-to-whole hierarchy	Total, unit, nesting rule, accessible table	Precise comparison
VIZ-22	Waterfall	Contribution to change	Start/end, components, sign, units, method	Hidden residual
VIZ-23	Variance bridge	Actual vs baseline	Baseline, actual, drivers, period, source	Unattributed delta
VIZ-24	Correlation matrix	Association structure	Method, sample, time, missingness, caveat	Causal language
VIZ-25	Scatter plot	Relationship and outliers	Axes, units, sample, method, uncertainty	Trendline without method
VIZ-26	Control chart	Process stability	Baseline, limits, rules, sample, intervention	Threshold as certainty
VIZ-27	Run comparison	Simulation outputs	Run manifests, same basis, validity, seed, sensitivity	Compare incompatible runs
VIZ-28	Twin state diff	Observed or branch changes	Parent, time, state class, source/model, validity	Mix observed and synthetic
VIZ-29	Decision option matrix	Options against objectives	Criteria, weights, ranges, dissent, uncertainty	Opaque composite rank
VIZ-30	Evidence coverage	Support and gaps	Source classes, rights, freshness, diversity, omissions	Count as quality
VIZ-31	Provenance graph	Transformation and custody	Artifacts, versions, actors, times, signatures	Collapsed lineage
VIZ-32	Agent trace	Plan and execution	Tasks, models, tools, checkpoints, effects, refusals	Animated black box
VIZ-33	Operational status board	Capability health	SLO, freshness, dependencies, degraded contract, owner	Green dashboard without state
VIZ-34	Alert queue	Priority and ownership	Severity, reason, age, owner, acknowledgment, suppression	Sort by score only
VIZ-35	Audit timeline	Attributable causation	Actor, action, object/version, policy, signature, time	Editable event stream
VIZ-36	Accessible data alternative	Non-visual equivalent	Summary, table, definitions, units, state, downloadable data	Alt text saying chart

VISUALIZATION ACCEPTANCE Every material chart, map, graph, and simulation view requires a title that states the question, an explicit data and time basis, units and definitions, uncertainty and missingness, source and version lineage, legends and non-color cues, keyboard and screen-reader navigation where interactive, and an equivalent summary and table.

H Object, Action, and State Presentation Matrix

The object-action presentation matrix inherits the 40 governed actions from Volume 8. The design system exposes exact object identity, eligible actor, preconditions, state effect, evidence, authority, correction, and receipt; presentation cannot create an alternate transition.

ID	OBJECT	ACTION	ELIGIBLE ACTOR	PRODUCT EFFECT	REQUIRED PRESENTATION
OBJ-01	Evidence item	View original	Any evidence consumer	Never mutates source bytes	Immutable identity, version, truth, time, policy, provenance, no mutation
OBJ-02	Evidence item	Annotate	Analyst or reviewer	Creates a linked versioned annotation	Object identity, state, eligible actor, intended effect, evidence, receipt, recovery
OBJ-03	Evidence item	Correct or withdraw	Source authority	Non-destructive governed case	Before/after, authority, reason, impact, preserved history, correction path
OBJ-04	Intelligence object	Inspect	Authorized consumer	Shows canonical header and status	Immutable identity, version, truth, time, policy, provenance, no mutation
OBJ-05	Intelligence object	Propose assessment	Analyst or agent	Creates separate derived object	Proposed state, author, evidence, uncertainty, review path, no canonical effect
OBJ-06	Entity	Propose merge	Steward or bounded agent	No canonical effect before review	Proposed state, author, evidence, uncertainty, review path, no canonical effect
OBJ-07	Entity	Commit merge	Eligible steward	Versioned reversible canonical revision	Exact version, eligibility, consequence preview, deliberate action, immutable receipt
OBJ-08	Entity	Split	Eligible steward	Preserves prior identity history	Before/after, authority, reason, impact, preserved history, correction path
OBJ-09	Relationship	Propose	Analyst or agent	Remains a proposal until admitted	Proposed state, author, evidence, uncertainty, review path, no canonical effect
OBJ-10	Relationship	Adjudicate	Steward or domain authority	Commits, rejects, or qualifies proposal	Object identity, state, eligible actor, intended effect, evidence, receipt, recovery
OBJ-11	Claim	Assert	Authorized analyst or source adapter	Explicit asserted truth state	Proposed state, author, evidence, uncertainty, review path, no canonical effect
OBJ-12	Claim	Assess	Analyst, method, or agent	Creates inference or assessment	Proposed state, author, evidence, uncertainty, review path, no canonical effect
OBJ-13	Claim	Contest	Authorized reviewer	Preserves competing position	Object identity, state, eligible actor, intended effect, evidence, receipt, recovery
OBJ-14	Memory item	Record	Authorized knowledge owner	Creates permission-aware version	Object identity, state, eligible actor, intended effect, evidence, receipt, recovery
OBJ-15	Memory item	Retrieve	Purpose-authorized user or agent	No mutation; access is audited	Immutable identity, version, truth, time, policy, provenance, no mutation
OBJ-16	Memory item	Supersede	Record authority	Prior version remains replayable	Before/after, authority, reason, impact, preserved history, correction path
OBJ-17	Signal	Nominate	Detector, analyst, or agent	Tentative until analyst disposition	Proposed state, author, evidence, uncertainty, review path, no canonical effect
OBJ-18	Signal	Disposition	Eligible analyst	Confirms, monitors, dismisses, or escalates	Object identity, state, eligible actor, intended effect, evidence, receipt, recovery
OBJ-19	Warning	Issue	Policy engine plus authorized owner	Starts owned escalation lifecycle	Object identity, state, eligible actor, intended effect, evidence, receipt, recovery
OBJ-20	Warning	Acknowledge	Named recipient	Records receipt, not agreement	Object identity, state, eligible actor, intended effect, evidence, receipt, recovery
OBJ-21	Warning	Suppress	Authorized owner	Time-bound reasoned suppression	Object identity, state, eligible actor, intended effect, evidence, receipt, recovery
OBJ-22	Risk	Accept assessment	Risk owner	Accepts current exposure model	Exact version, eligibility, consequence preview, deliberate action, immutable receipt
OBJ-23	Opportunity	Sponsor	Eligible sponsor	Creates owned evaluation or initiative	Object identity, state, eligible actor, intended effect, evidence, receipt, recovery

ID	OBJECT	ACTION	ELIGIBLE ACTOR	PRODUCT EFFECT	REQUIRED PRESENTATION
OBJ - 24	Forecast	Publish	Forecaster and reviewer	Freezes cutoff, method, distribution	Exact version, eligibility, consequence preview, deliberate action, immutable receipt
OBJ - 25	Forecast	Supersede	Forecast owner	Prior forecast remains scoreable	Before/after, authority, reason, impact, preserved history, correction path
OBJ - 26	Scenario	Branch	Scenario author	Creates explicit alternative future	Proposed state, author, evidence, uncertainty, review path, no canonical effect
OBJ - 27	Scenario package	Install	Customer package authority	No data or tool use before approval	Exact version, eligibility, consequence preview, deliberate action, immutable receipt
OBJ - 28	Simulation	Execute	Authorized operator	Uses exact immutable run manifest	Exact version, eligibility, consequence preview, deliberate action, immutable receipt
OBJ - 29	Simulation	Promote result	Simulation reviewer	Marks output fit for stated use	Object identity, state, eligible actor, intended effect, evidence, receipt, recovery
OBJ - 30	Digital Twin	Publish snapshot	Twin owner	Freezes observed state and validity	Exact version, eligibility, consequence preview, deliberate action, immutable receipt
OBJ - 31	Digital Twin	Create synthetic branch	Planner or simulator	Never overwrites observed state	Proposed state, author, evidence, uncertainty, review path, no canonical effect
OBJ - 32	Decision case	Mark decision-ready	Independent reviewer	Requires completeness and fresh digest	Object identity, state, eligible actor, intended effect, evidence, receipt, recovery
OBJ - 33	Recommendation	Accept for consideration	Human reviewer	Does not make the decision	Exact version, eligibility, consequence preview, deliberate action, immutable receipt
OBJ - 34	Decision	Approve	Eligible human authority	Creates non-repudiable institutional record	Exact version, eligibility, consequence preview, deliberate action, immutable receipt
OBJ - 35	Decision	Reject or defer	Eligible human authority	Records rationale and conditions	Before/after, authority, reason, impact, preserved history, correction path
OBJ - 36	Commitment	Create	Decision workflow	Requires approved decision or authority	Proposed state, author, evidence, uncertainty, review path, no canonical effect
OBJ - 37	Commitment	Close	Commitment owner and reviewer	Requires completion and outcome evidence	Exact version, eligibility, consequence preview, deliberate action, immutable receipt
OBJ - 38	Agent run	Pause or cancel	Authorized user or safety control	Stops new work and records residual state	Object identity, state, eligible actor, intended effect, evidence, receipt, recovery
OBJ - 39	Publication	Approve and deliver	Publication authority	Binds exact bytes to audience and channel	Exact version, eligibility, consequence preview, deliberate action, immutable receipt
OBJ - 40	Product release	Accept	Named independent authorities	Scope-limited, conditional, expiring acceptance	Exact version, eligibility, consequence preview, deliberate action, immutable receipt

I Explainability and Human Authority Pattern Library

This library inherits the 20 Volume 8 explanation and authority patterns. Volume 9 controls their mandatory visual order, interaction, blocking behavior, and accessible expression; it does not remove or compress the underlying product semantics.

ID	PATTERN	MANDATORY INFORMATION	APPLIES TO	BLOCKING BEHAVIOR
HX - 01	Evidence disclosure	Show sources, citations, versions, cutoff, omissions, and policy-filtered scope	Every assessment, warning, forecast, recommendation, and briefing	Product may be viewed but not marked decision-ready
HX - 02	Truth-state label	Distinguish observed, asserted, inferred, assessed, synthetic, recommended, decided, corrected, and withdrawn	Every material intelligence object	Unsupported promotion is blocked
HX - 03	Uncertainty statement	Show form, magnitude or class, drivers, calibration, and unsupported precision	Forecasts, signals, assessments, simulations, recommendations	Product is partial or abstains
HX - 04	Alternative explanations	Show plausible alternatives and counter-evidence	Material reasoning and causal assessments	Independent review required
HX - 05	Dissent preservation	Show reviewer dissent, status, evidence, and disposition	Assessments and decision packages	Decision-ready status requires visible dissent
HX - 06	Method disclosure	Show method, model, prompt or policy artifact, assumptions, and evaluation	AI-assisted strategic products	Use constrained when method is unresolved
HX - 07	Agent trace	Show agent identity, plan, context, models, tools, actions, checkpoints, and refusals	Every governed agent run	Acceptance unavailable without trace closure
HX - 08	Recommendation rationale	Connect objectives, evidence, alternatives, trade-offs, risk, uncertainty, and expected effect	Every recommendation	Recommendation remains non-decision-active
HX - 09	Human authority banner	Name eligible authority, required reviewers, delegation, recusal, and current gate	Consequential approval and commitment	No eligible authority means no transition
HX - 10	Exact decision digest	Freeze question, options, evidence snapshot, recommendation, dissent, conditions, and version	Human decision action	Any change invalidates pending approval
HX - 11	AI non-authority notice	State that AI recommends, forecasts, simulates, reasons, and explains but does not decide	AI-assisted decision flow	Missing notice blocks acceptance
HX - 12	Approval action separation	Separate review, acknowledgment, approval, rejection, deferral, and publication actions	All gates and notifications	Ambiguous action is rejected
HX - 13	Consequence preview	Show intended institutional effect, affected objects, reversibility, residual risk, and audit scope	Commands, tool calls, decisions, commitments	Effect cannot execute without review
HX - 14	Contest and correction path	Provide challenge, evidence submission, reviewer, status, escalation, and outcome	Every decision-active intelligence product	No contest path means non-conformance
HX - 15	Freshness and coverage state	Show data cutoff, source health, missing intervals, coverage and projection watermarks	Live and executive views	Stale or partial state is visibly constrained
HX - 16	Degraded-mode contract	State available functions, unavailable functions, limitations, maximum duration, owner, and exit evidence	Every declared degraded mode	Unsafe actions disabled automatically
HX - 17	Policy decision explanation	Show identity, purpose, policy version, decision, obligations, denial reason, and appeal	Access, privacy, residency, export, and model use	Unresolved policy means deny or restrict
HX - 18	Correction impact notice	Link original, correction, affected products, decisions, required review, and closure	Material correction or withdrawal	Affected products cannot claim current completeness
HX - 19	Override record	Capture human authority, reason, evidence, intended effect, residual risk, expiry, and review	Human override of AI or automation	Override without authority is denied
HX - 20	Outcome and learning disclosure	Separate observed outcome, attribution hypothesis, lesson, proposed change, and approval	Decision Replay and learning	No automatic self-modification

Human decision action contract

CONTROL	BINDING EXPERIENCE BEHAVIOR
Eligibility	Resolve identity, role, delegation, separation, recusal, purpose, scope, time, session assurance, and required co-approval before enabling action.
Exact digest	Bind the question, options, evidence cutoff, versions, recommendation, dissent, conditions, intended effect, and current policy decision.
Deliberate action	Do not infer approval from navigation, reading, acknowledgment, inactivity, chat text, default selection, bulk action, or administrator command.
Rationale and conditions	Capture rationale, reservations, conditions, owner, due time, review, and expiry according to consequence class.
Commit and receipt	Persist human signature and decision before institutional effect; return immutable receipt, commitments, residual effects, and downstream status.

CONTROL	BINDING EXPERIENCE BEHAVIOR
Invalidate on change	Cancel pending approval when material digest, authority, policy, evidence, option, recommendation, or intended effect changes.

J Accessibility, Localization, and Global Readiness Matrix

Equivalent material journeys are release-blocking requirements. Accessibility and global readiness preserve strategic meaning and human authority across sensory, motor, cognitive, language, script, culture, device, display, and network contexts.

ID	CONTROL	PRODUCT REQUIREMENT	MINIMUM EVIDENCE	SCOPE
GLB-01	Perceivable text	Text alternatives, scalable text, reflow, spacing, contrast, non-color cues	WCAG 2.2 AA automated and manual evidence	All deployments and roles
GLB-02	Keyboard operation	Complete journeys without pointer, visible focus, logical order, no traps	Keyboard-only journey suite	All interactive surfaces
GLB-03	Screen reader semantics	Landmarks, names, roles, states, relationships, live-region restraint	NVDA, JAWS, VoiceOver, and platform tests	Material web and native journeys
GLB-04	Motor accessibility	Target size, alternatives to drag, no path-only gestures, switch compatibility	Manual and assistive input tests	Desktop, tablet, and mobile
GLB-05	Cognitive accessibility	Plain labels, consistent actions, error prevention, review, help, no forced memory	Expert and representative-user review	Decision and administration journeys
GLB-06	Time and motion	Adjustable timeouts, pause controls, reduced motion, no unsafe flashing	Automated and manual fixtures	Alerts, live views, simulations
GLB-07	Data visualization accessibility	Text summary, table alternative, patterns, focus order, described uncertainty	Visual and screen-reader QA	Graphs, charts, maps, timelines
GLB-08	Decision accessibility	Exact digest, readable alternatives, explanation, review time, non-visual approval	End-to-end authority tests	All consequential decisions
GLB-09	Alert accessibility	Multimodal severity, persistent state, acknowledgment, no color-only meaning	Warning journey and assistive tests	Early Warning System
GLB-10	Document accessibility	Tagged reading order, headings, tables, links, language, alt text	PDF and office artifact audit	Reports, briefings, exports
GLB-11	Language negotiation	User, content, tenant, and object language remain distinct	Locale and fallback fixtures	All deployments
GLB-12	Translation provenance	Identify source language, translator or model, version, review, and confidence	Translation alignment and review	Decision-active translated content
GLB-13	Bidirectional scripts	Logical and visual order, mixed identifiers, tables, graphs, and forms	Arabic and Hebrew journey suite	Supported RTL locales
GLB-14	Complex scripts	Shaping, line break, search, sort, input, export, and font coverage	Representative script corpus	Supported locales
GLB-15	Timezone and calendar	Store canonical instants; show user and event zones; preserve calendar basis	DST, leap, historical-zone fixtures	Timeline and scheduling functions
GLB-16	Numbers and currency	Locale format without altering canonical value, precision, or unit	Round-trip and comparison tests	Metrics, finance, simulation
GLB-17	Units and measurement	Preserve original and canonical units, conversion method, uncertainty	Conversion and export fixtures	Scientific, operational, climate data
GLB-18	Names and addresses	Unicode-safe identity, local order, aliases, transliteration, no forced Western form	International identity corpus	People and organization objects
GLB-19	Jurisdictional content	Separate translation, legal text, effective date, authority, and applicability	Regulatory domain review	Regulation and policy products
GLB-20	Reading level and terminology	Canonical term plus role-appropriate explanation without semantic dilution	Terminology and comprehension tests	Executive, analyst, operator audiences
GLB-21	Low bandwidth	Prioritize critical state, progressive loading, explicit incompleteness, resumable transfer	Network shaping tests	Field and constrained environments
GLB-22	Offline accessibility	Assistive settings, local help, keyboard, cached alternatives, safe synchronization	Disconnected journey tests	Approved offline profiles
GLB-23	Device and display range	Responsive layouts, zoom, orientation, large display, secure kiosk	Device matrix and visual QA	Supported client profiles
GLB-24	Accessibility governance	Named owner, defect severity, regression gate, exception expiry, user feedback	Release and operations evidence	Every accepted capability

K Persona and Workspace Experience Matrix

Personas express recurring goals and responsibilities; roles grant permissions; authority permits institutional transitions. Workspaces are durable operating environments organized around governed work, not dashboard containers.

Canonical personas

ID	PERSONA	DECISION AUTHORITY	PRIMARY RESPONSIBILITY	PROHIBITED SUBSTITUTION
PER-01	Board or governing body	Approves constitutional direction, strategic objectives, material risk appetite, and reserved decisions	Reviews strategic state, alternatives, commitments, and outcomes	Cannot delegate reserved authority to AI or administrators
PER-02	Executive decision authority	Makes accountable strategic decisions and commitments within recorded mandate	Reviews evidence, forecasts, scenarios, risk, dissent, and recommendations	Cannot approve a changed or incomplete decision digest
PER-03	Chief of staff or executive operator	Coordinates executive cadence, priorities, briefings, decisions, and follow-through	Curates agenda, routes work, tracks commitments, and escalates gaps	Cannot impersonate the decision authority
PER-04	Intelligence leader	Owens intelligence priorities, standards, coverage, review, and publication	Directs collection, analysis, warning, and briefing operations	Cannot waive source rights, truth state, or provenance
PER-05	Strategic analyst	Produces evidence-backed assessments, hypotheses, forecasts, scenarios, and decision support	Searches, curates, reasons, challenges, and publishes through review	Cannot convert an inference into approved fact
PER-06	Investigator	Builds attributable cases, timelines, entity networks, and evidence packages	Preserves custody, tests hypotheses, and documents limitations	Cannot exceed authorized purpose or conceal exculpatory evidence
PER-07	Forecaster	Owens forecast definition, methods, assumptions, calibration, and scoring	Produces and monitors probabilistic forecasts across horizons	Cannot publish unsupported precision or hide model disagreement
PER-08	Scenario or simulation specialist	Owens scenario framing, simulation validity, sensitivity, and reproducibility	Designs branches, models, runs, comparisons, and interpretation	Cannot mix observed and synthetic state
PER-09	Strategy and planning lead	Owens objective, capability, initiative, option, resource, and outcome alignment	Structures plans and decision cases and monitors execution	Cannot create commitments outside delegated authority
PER-10	Risk or opportunity owner	Accepts assessment, action, mitigation, sponsorship, and residual exposure	Reviews evidence, appetite, controls, options, and outcomes	Cannot leave material risk or opportunity unowned
PER-11	Collection manager	Owens source plans, contracts, coverage, priorities, and operational response	Approves sources and manages blind spots and incidents	Cannot infer rights from technical accessibility
PER-12	Data steward	Adjudicates identity, semantics, quality, correction, and lifecycle cases	Reviews merges, splits, mappings, corrections, and exceptions	Cannot silently alter historical evidence
PER-13	Knowledge engineer	Owens ontology, graph constraints, identity models, and semantic migration	Curates concepts, relationships, revisions, and projections	Cannot create domain forks of canonical meaning
PER-14	Model risk authority	Approves model use, evaluation, monitoring, exceptions, and retirement	Reviews data, fitness, calibration, safety, drift, and impact	Cannot self-approve a model they built
PER-15	Agent governor	Approves agent role, tools, data, budgets, side effects, and lifecycle	Evaluates packages, permissions, runtime evidence, and incidents	Cannot grant human decision authority to an agent
PER-16	Security or privacy authority	Owens security, privacy, sovereignty, incident, and exception decisions	Reviews controls, purpose, locality, exposure, and evidence	Cannot broaden customer-data access without authority
PER-17	Auditor or investigator of record	Independently verifies evidence, conformance, custody, and accountability	Reconstructs events, decisions, changes, incidents, and exceptions	Cannot alter the evidence being audited
PER-18	Tenant or domain administrator	Configures customer context, roles, domains, integrations, and policies	Provisions access and operates delegated customer controls	Cannot acquire business decision rights through administration
PER-19	Platform operator	Operates availability, capacity, change, recovery, and service health	Executes controlled operational procedures and evidence capture	Cannot inspect customer content without approved support purpose
PER-20	Support engineer	Diagnoses and resolves customer issues through scoped time-limited access	Collects evidence, provides workarounds, and verifies resolution	Cannot mutate customer strategic state directly
PER-21	Implementation lead	Coordinates onboarding, configuration, migration, readiness, and acceptance	Manages plan, dependencies, risks, tests, and sign-off	Cannot accept customer obligations on the customer's behalf
PER-22	External collaborator	Contributes bounded evidence, review, or expertise through shared workspaces	Works within explicit audience, purpose, expiry, and object scope	Cannot discover or traverse beyond shared scope
PER-23	Integration developer	Builds clients and extensions against versioned governed contracts	Uses APIs, events, exports, SDKs, and test fixtures	Cannot write canonical state outside owning commands

ID	PERSONA	DECISION AUTHORITY	PRIMARY RESPONSIBILITY	PROHIBITED SUBSTITUTION
PER-24	Marketplace publisher	Publishes signed governed agents, scenarios, data, or domain packages	Maintains provenance, compatibility, evaluation, rights, and lifecycle	Cannot bypass customer approval or platform controls

Canonical workspaces

ID	WORKSPACE	OPERATING PURPOSE	PRIMARY OBJECTS	CONTINUITY BEHAVIOR
WS-01	Executive Operating System	Executive cadence, priorities, warnings, decisions, commitments, outcomes	Objectives, strategic packages, decisions, commitments	Preserve context, evidence, and approval state
WS-02	Observation Operations	Source coverage, freshness, collection health, blind spots, incidents	Sources, plans, runs, gaps, incidents	Show last verified coverage and degraded intervals
WS-03	Research and Discovery	Structured search, exploration, saved research, evidence review	Queries, results, evidence, citations, watchlists	Preserve query snapshot and policy-filtered scope
WS-04	Intelligence Analysis	Cases, assessments, claims, summaries, review, publication	Cases, claims, evidence, assessments, tasks	Preserve draft history and review status
WS-05	Entity and Relationship Workbench	Identity, alias, merge, split, and relationship stewardship	Entities, candidates, relationships, cases	Keep unresolved candidates separate
WS-06	Knowledge Graph Explorer	Temporal connected exploration and governed curation	Nodes, edges, paths, subgraphs, revisions	Serve last verified projection with watermark
WS-07	Enterprise Memory	Institutional records, strategic context, lessons, and retrieval	Memory items, decisions, artifacts, lessons	Preserve permission and historical versions
WS-08	Weak Signals and Warnings	Signal review, indicator management, warning response, escalation	Signals, indicators, warnings, actions	Preserve signal history and warning quality
WS-09	Risk and Opportunity	Exposure, appetite, mitigation, sponsorship, options, outcomes	Risks, opportunities, controls, options	Expose gaps and prevent invalid aggregation
WS-10	Domain Intelligence	Competitor, supply-chain, geopolitical, technology, cyber, finance	Domain objects, events, assessments, forecasts	Disable incompatible domain packages
WS-11	Forecasting	Forecast design, comparison, monitoring, calibration, scoring	Forecasts, models, assumptions, outcomes	Retain prior forecast and abstention state
WS-12	Scenario Intelligence	Scenario sets, drivers, branches, implications, options	Scenarios, assumptions, indicators, options	Preserve plurality and inconsistent drafts
WS-13	Simulation Center	Design, execution, checkpoints, comparison, sensitivity	Simulations, twin snapshots, runs, outputs	Preserve checkpoints as non-decision-active
WS-14	Digital Twin Portfolio	Twin scope, observed state, branches, validity, time travel	Twins, snapshots, branches, models	Mark invalid or unsynchronized state
WS-15	Decision Intelligence	Decision packages, recommendations, alternatives, approval	Cases, options, recommendations, decisions	Block decision-ready state when incomplete
WS-16	Strategy and Planning	Objectives, capabilities, initiatives, resources, outcomes	Strategy Graph, plans, initiatives, measures	Preserve baseline and unauthorized changes
WS-17	Agent Operations	Agent catalog, runs, plans, tools, budgets, escalation, override	Agents, packages, runs, tasks, traces	Pause unsafe runs and preserve full trace
WS-18	Trust and Governance	Provenance, model, agent, data, policy, audit, exceptions	Artifacts, policies, evaluations, audit cases	Constrain use when evidence is indeterminate
WS-19	Platform and Customer Administration	Identity, tenants, domains, integrations, service, recovery	Users, roles, policies, connectors, health	Fail closed on ambiguous tenant or authority
WS-20	Product Delivery and Acceptance	Packaging, onboarding, migration, adoption, support, readiness	Offers, plans, releases, tests, evidence	Withhold acceptance and preserve prior safe operation

L Canonical Journey Screen Map

The 24 canonical journeys are the primary acceptance units for product value. Each journey maps to an entry frame, governed work sequence, human or authority gates, terminal evidence, correction, and return path across role, locale, device, accessibility, offline, and deployment variants.

ID	JOURNEY	CANONICAL SCREEN MAP	ACCOUNTABLE ACTOR	TERMINAL EVIDENCE
JRN-01	Establish customer operating context	Entry: Sponsor intent / tenant and domain; Work: authority / policy; Closure: deployment / acceptance	Customer sponsor	Signed context and responsibility baseline
JRN-02	Register and activate a source	Entry: Discover / rights; Work: contract / validate / approve; Closure: collect / monitor	Collection manager	Active source with revocation and coverage proof
JRN-03	Investigate a strategic question	Entry: Intent / search; Work: evidence / entities / claims; Closure: analysis / peer review	Analyst	Reproducible assessment with dissent
JRN-04	Curate an entity resolution	Entry: Candidate / compare evidence; Work: propose / review / commit; Closure: propagate / verify	Data steward	Reversible canonical revision
JRN-05	Correct decision-active intelligence	Entry: Report / authenticate authority; Work: assess impact / correct / rebuild; Closure: acknowledge / close	Source or data authority	Non-destructive correction closure
JRN-06	Detect and assess a weak signal	Entry: Observe / nominate; Work: test / contextualize / review; Closure: disposition / learn	Domain analyst	Evidence-backed signal disposition
JRN-07	Issue and manage an early warning	Entry: Trigger / validate; Work: classify / approve policy path / deliver / acknowledge; Closure: act / close	Warning owner	Timely owned warning with receipts
JRN-08	Assess a strategic risk	Entry: Identify / evidence; Work: model / challenge / appetite / mitigate; Closure: monitor / outcome	Risk owner	Accepted risk and residual exposure
JRN-09	Sponsor a strategic opportunity	Entry: Discover / evidence; Work: option / value range / challenge / sponsor; Closure: decide / learn	Opportunity sponsor	Governed option and outcome linkage
JRN-10	Maintain competitor intelligence	Entry: Resolve / collect; Work: compare / assess / review / alert; Closure: update / replay	Competitor analyst	Temporal evidence-backed profile
JRN-11	Assess supply-chain disruption	Entry: Detect / map dependencies; Work: forecast / scenario / alternatives; Closure: decide / monitor	Supply-chain leader	Feasible response with coverage limits
JRN-12	Produce a canonical forecast	Entry: Define target / cutoff; Work: method / train or estimate / calibrate / review; Closure: publish / score	Forecaster	Reproducible calibrated forecast
JRN-13	Construct a scenario set	Entry: Frame / drivers; Work: uncertainties / branches / implications / challenge; Closure: approve / monitor	Scenario sponsor	Plural decision-relevant futures
JRN-14	Run a strategic simulation	Entry: Select state / validate model; Work: configure / approve budget / execute; Closure: compare / review	Simulation specialist	Reproducible run with validity limits
JRN-15	Update a Digital Twin	Entry: Observe / reconcile; Work: validate / snapshot / branch / test; Closure: publish / monitor	Twin owner	Time-versioned validated twin state
JRN-16	Prepare a decision package	Entry: Question / objectives; Work: options / evidence / foresight / risk; Closure: recommendation / review	Decision analyst	Complete explainable package
JRN-17	Make and record a decision	Entry: Verify authority / inspect digest; Work: deliberate / decide / rationale / sign; Closure: commit / distribute	Decision authority	Non-repudiable human decision
JRN-18	Replay and learn from a decision	Entry: Reconstruct / compare expectation and outcome; Work: assess attribution / lesson; Closure: change proposal / approve	Governance authority	Governed learning without rewritten history
JRN-19	Run the executive cadence	Entry: Review priorities / intelligence; Work: warnings / decisions / commitments; Closure: outcomes / reset	Executive operator	Closed-loop operating record
JRN-20	Publish a strategic briefing	Entry: Assemble / cite; Work: classify / review / approve digest / deliver; Closure: receipt / correct	Briefing owner	Accessible controlled publication
JRN-21	Delegate work to agents	Entry: Define goal / authority; Work: plan / tools / execute / supervise; Closure: review / accept or reject	Human requester	Bounded traceable agent outcome
JRN-22	Respond to a product incident	Entry: Detect / scope; Work: command / contain / communicate / recover; Closure: reconcile / learn	Incident commander	Verified service and state restoration
JRN-23	Onboard and migrate a customer	Entry: Discover / configure; Work: map / rehearse / reconcile / train; Closure: cut over / accept	Implementation lead	Signed readiness and rollback proof
JRN-24	Release and accept a capability	Entry: Trace / build; Work: test / assure / deploy / exercise; Closure: customer verify / attest	Product authority	Scope-specific acceptance evidence

M Notification, Alert, and Escalation Design Catalog

Notifications transport governed product state; they do not become separate truth sources or approval surfaces. Every pattern retains severity, evidence, owner, acknowledgment, escalation, correction, expiry, suppression, and delivery receipts.

ID	PATTERN	PRIORITY	CHANNEL	RESPONSE	AUTHORITY RULE
N0T-01	Information update	Low	In-app activity stream	No	Informational only
N0T-02	Assigned task	Normal	In-app and configured work channel	Acknowledge	Due time and evidence explicit
N0T-03	Review request	Normal	In-app and email or enterprise channel	Acknowledge	Exact object version required
N0T-04	Approval required	High	In-app plus verified channel	Explicit action	Never approves from notification body
N0T-05	Approval invalidated	High	In-app plus verified channel	Acknowledge	Re-review mandatory
N0T-06	Warning issued	Consequence-based	Command view, in-app, configured channel	Acknowledge	Evidence and uncertainty included
N0T-07	Warning escalation	High or critical	Redundant verified channels	Acknowledge and act	Escalation does not alter severity evidence
N0T-08	Warning corrected or withdrawn	Same as original	Original recipient channels	Acknowledge if material	Links original and replacement
N0T-09	Weak signal nominated	Low	Analyst queue	Disposition	Never presented as confirmed warning
N0T-10	Source coverage loss	High	Observation operations and affected owners	Acknowledge	Affected products and horizons shown
N0T-11	Source rights expired	Critical	Collection, legal, data owners	Act	Collection and prohibited use stop
N0T-12	Evidence quarantined	Normal to high	Intake review queue	Disposition	Original custody preserved
N0T-13	Data correction impact	High	Affected product and decision owners	Acknowledge	Shows affected versions and use
N0T-14	Claim contradiction	Normal	Analyst and reviewer queue	Review	Competing claims remain visible
N0T-15	Forecast calibration breach	High	Forecaster, model risk, consumers	Acknowledge	Decision-active use constrained
N0T-16	Model or agent drift	High	Governance and capability owners	Acknowledge and act	Version and affected outputs shown
N0T-17	Agent escalation	Consequence-based	Requester and eligible supervisor	Decide	No silent scope expansion
N0T-18	Agent side-effect request	High	Eligible human gate	Explicit action	Exact effect digest required
N0T-19	Agent stopped	High	Requester, supervisor, operations	Acknowledge	Residual effects and checkpoints shown
N0T-20	Simulation run completed	Normal	Run owner and reviewers	Review	Validity and limitations included
N0T-21	Simulation validity failed	High	Run owner, model risk, consumers	Acknowledge	Output marked non-decision-active
N0T-22	Twin synchronization lost	High	Twin owner and affected consumers	Acknowledge	Observed and synthetic state separated
N0T-23	Decision package ready	High	Eligible decision authority	Review	Exact digest and expiry shown
N0T-24	Commitment overdue	High	Owner, sponsor, escalation chain	Acknowledge and act	Strategic impact linked
N0T-25	Product degraded mode	High	Affected users and operators	Acknowledge when consequential	Available and unavailable behavior explicit
N0T-26	Recovery state changed	High	Affected users, operators, customer admins	Inform or acknowledge	Reconciliation and remaining risk shown
N0T-27	Security incident	Critical	Scoped incident and customer channels	Acknowledge and act	No speculative scope represented as fact
N0T-28	Privacy or residency breach	Critical	Privacy, customer, legal, incident command	Acknowledge and act	Jurisdiction and duties explicit
N0T-29	Entitlement or license state	Normal to high	Customer admins and affected owners	Act if service impact	Grace and preserved work stated
N0T-30	Acceptance condition expiry	High	Product, customer, assurance authorities	Act	Capability scope automatically constrained
N0T-31	Governance exception expiry	High	Exception owner and governing authority	Act	No silent extension
N0T-32	Executive priority change	High	Affected owners and executive operators	Acknowledge	Objective, rationale, and effective time linked

Alert command rules

RULE	REQUIRED DESIGN BEHAVIOR
Evidence at action	Resolve trigger, evidence, uncertainty, affected objective or exposure, owner, time, correction state, and safe action from the canonical object.
Acknowledgment separation	Receipt, acknowledgment, review, acceptance, suppression, approval, action, and closure remain separate transitions.
Deterministic escalation	Eligibility, delay, retry, redundant channel, substitute role, maximum time, and incident handoff are policy-controlled.
Correction follows recipients	Material corrections reach original recipient scope, link prior state, and remain replayable.
Overload is failure	Expose precision, duplication, suppression, delivery, ownership, backlog, severe-item visibility, and operator capacity.

N Requirement and Cross-Volume Traceability Matrix

The traceability matrix binds every Volume 9 design chapter to its immutable requirement range, Volume 8 product chapters, constitutional invariants, owned capabilities, and acceptance focus. It also proves coverage of all 52 constitutional invariants.

UX requirement master index

REQUIREMENT RANGE	DESIGN CHAPTER	V8 TRACE	CONSTITUTION	CAPABILITIES	ACCEPTANCE FOCUS
UX-01-001..006	Ch. 1 - Design Authority, Scope, and Conformance	V8:1, V8:8, V8:71, V8:72	C-001, C-003, C-047, C-051, C-052	CAP-AU-01, CAP-AU-09, CAP-AU-11, CAP-AU-12	Orphan-free trace queries, authority conflict fixtures, exception expiry, and independent acceptance.
UX-02-001..006	Ch. 2 - Experience Doctrine and Strategic Intelligence Loop	V8:2, V8:8, V8:41	C-001, C-002, C-003, C-027, C-047	CAP-AU-02, CAP-EO-01, CAP-EO-06	Closed-loop journeys across every role and deployment, including return, correction, and replay.
UX-03-001..006	Ch. 3 - Design Principles and Experience Prohibitions	V8:2, V8:5, V8:7	C-001, C-003, C-004, C-005, C-047, C-048	CAP-AU-01, CAP-AU-10, CAP-AU-12	Pattern review, dark-pattern tests, comprehension evidence, and exception non-broadening.
UX-04-001..006	Ch. 4 - Personas, Roles, Authority, and Consequence Classes	V8:4, V8:58	C-004, C-036, C-039, C-048, C-050	CAP-AU-03, CAP-AU-05, CAP-TG-02	Role-switch, delegation, recusal, least-privilege, and high-impact decision tests.
UX-05-001..006	Ch. 5 - Design System Architecture and Governance Model	V8:1, V8:5, V8:72	C-006, C-007, C-008, C-047, C-049, C-051, C-052	CAP-AU-02, CAP-AU-06, CAP-AU-12	Dependency closure, compatibility, deprecation, migration, contribution, and rollback evidence.
UX-06-001..006	Ch. 6 - Canonical Context, Truth, and Product State	V8:3, V8:5, V8:6, V8:17, V8:21, V8:22	C-010, C-011, C-012, C-047	CAP-AU-04, CAP-AU-07, CAP-UM-01, CAP-UM-10	Cross-context leakage, stale projection, truth-state, lifecycle, and policy-filtered scope fixtures.
UX-07-001..006	Ch. 7 - Accessibility, Inclusion, and Global Readiness	V8:7, V8:48, V8:71	C-004, C-047, C-048, C-049	CAP-AU-08, CAP-EO-10, CAP-PD-11	Wcag 2.2 aa, assistive-technology, keyboard, zoom, localization, and representative-user evidence.
UX-08-001..006	Ch. 8 - Cross-Volume Traceability and Design Acceptance	V8:8, V8:71, V8:72	C-047, C-049, C-051, C-052	CAP-AU-09, CAP-AU-11, CAP-PD-12	Bidirectional trace, orphan, contradiction, evidence-age, independent review, and supersession tests.
UX-09-001..006	Ch. 9 - Global Application Shell	V8:5, V8:41, V8:63	C-002, C-003, C-027, C-043, C-047	CAP-AU-06, CAP-EO-01, CAP-TG-11	Session resume, workspace switching, degraded shell, keyboard navigation, and semantic parity evidence.
UX-10-001..006	Ch. 10 - Operating Context Bar and Scope Switching	V8:3, V8:5, V8:41	C-007, C-010, C-039, C-047	CAP-AU-04, CAP-EO-02, CAP-TG-02	Scope-switch impact, tenant isolation, stale context, approval invalidation, and return-path fixtures.
UX-11-001..006	Ch. 11 - Workspace Navigation and Wayfinding	V8:5	C-003, C-047, C-048	CAP-AU-06, CAP-EO-11	Deep-link, history, permission-change, cross-workspace, keyboard, and screen-reader journey tests.
UX-12-001..006	Ch. 12 - Object-Centered Information Architecture	V8:5, V8:6, V8:17, V8:64	C-009, C-010, C-012, C-038, C-047	CAP-AU-07, CAP-UM-01, CAP-TG-08	Identity, version, ownership, stale projection, object command, export, and replay evidence.
UX-13-001..006	Ch. 13 - Search, Command, and Intent Entry	V8:11, V8:44, V8:49, V8:56	C-003, C-004, C-005, C-028, C-047	CAP-OB-04, CAP-EO-06, CAP-AG-01	Mode confusion, ambiguous intent, permission trimming, model disagreement, command preview, and cancellation tests.
UX-14-001..006	Ch. 14 - Page Composition, Grid, Density, and Responsive Behavior	V8:5, V8:7, V8:48	C-047, C-048, C-049	CAP-AU-08, CAP-EO-10, CAP-PD-11	Breakpoint, zoom, text expansion, density, focus order, orientation, and extreme-content visual regression.
UX-15-001..006	Ch. 15 - Cross-Workspace Continuity, Deep Links, and History	V8:5, V8:22, V8:47	C-011, C-012, C-036, C-038, C-047	CAP-AU-06, CAP-UM-10, CAP-EO-09	Immutable link, version drift, permission change, side-effect replay, denial privacy, and deterministic return evidence.
UX-16-001..006	Ch. 16 - Multi-Window, Large Display, and Command Environment	V8:41, V8:42, V8:48, V8:63	C-027, C-036, C-039, C-043, C-047	CAP-EO-04, CAP-EO-10, CAP-TG-11	Multi-window consistency, presentation privacy, control transfer, display loss, classification, and large-scale visual qa.
UX-17-001..006	Ch. 17 - Color, Contrast, and Semantic Status	V8:7, V8:57, V8:63	C-010, C-047, C-048, C-049	CAP-AU-08, CAP-TG-01, CAP-TG-11	Automated contrast, forced-colors, color-vision, dark-theme, print, and customer-theme certification.
UX-18-001..006	Ch. 18 - Typography, Numerical Data, and Content Hierarchy	V8:7, V8:17, V8:32, V8:43	C-020, C-021, C-034, C-047, C-048	CAP-AU-08, CAP-FW-12, CAP-EO-05	200-percent text, locale, script, numeric precision, copy fidelity, long-content, and pdf-export evidence.
UX-19-001..006	Ch. 19 - Spacing, Layout, Elevation, and Surfaces	V8:5, V8:7	C-047, C-048, C-049	CAP-AU-06, CAP-AU-08	Spacing-token, nested-scroll, overlay, sticky-region, zoom, and extreme-content visual regression.
UX-20-001..006	Ch. 20 - Iconography, Symbols, and Visual Language	V8:7, V8:57	C-007, C-047, C-048	CAP-AU-08, CAP-TG-01	Recognition, localization, accessible-name, forced-colors, scale, and semantic collision tests.
UX-21-001..006	Ch. 21 - Forms, Input, Validation, and Error Prevention	V8:6, V8:39, V8:58, V8:67	C-004, C-012, C-036, C-047, C-048	CAP-AU-07, CAP-DS-11, CAP-PD-03	Error prevention, keyboard entry, import conflict, ai suggestion, review digest, cancellation, and recovery evidence.

REQUIREMENT RANGE	DESIGN CHAPTER	V8 TRACE	CONSTITUTION	CAPABILITIES	ACCEPTANCE FOCUS
UX-22-001..006	Ch. 22 - Data Tables, Lists, Trees, and High-Density Inspection	V8:11, V8:17, V8:19, V8:62	C-010, C-012, C-036, C-047, C-048	CAP-OB-04, CAP-UM-01, CAP-TG-06	Million-row, virtualization, keyboard grid, screen-reader, sort/filter, bulk selection, export, and concurrency tests.
UX-23-001..006	Ch. 23 - Panels, Drawers, Dialogs, and Progressive Disclosure	V8:5, V8:39, V8:46	C-004, C-036, C-047, C-048	CAP-AU-06, CAP-DS-11, CAP-EO-08	Focus trap, escape, nested layer, screen-reader, draft preservation, digest change, and small-viewport tests.
UX-24-001..006	Ch. 24 - Motion, Feedback, Loading, and Perceived Performance	V8:48, V8:63	C-036, C-043, C-047, C-049	CAP-EO-10, CAP-TG-11	Latency bands, reduced motion, timeout, duplicate command, cancellation, stale progress, and recovery evidence.
UX-25-001..006	Ch. 25 - Canonical Object Header and Identity	V8:17, V8:18	C-009, C-010, C-011, C-012, C-047	CAP-UM-01, CAP-UM-02	Object-type coverage, long identity, version comparison, classification, stale state, copy, and accessible-name tests.
UX-26-001..006	Ch. 26 - Evidence, Citation, Provenance, and Chain of Custody	V8:17, V8:22, V8:57, V8:62	C-005, C-010, C-012, C-035, C-036, C-047	CAP-UM-02, CAP-TG-01, CAP-TG-06	Citation resolution, byte verification, segment alignment, custody, rights expiry, transformation, and accessibility evidence.
UX-27-001..006	Ch. 27 - Truth State, Confidence, Uncertainty, and Dissent	V8:21, V8:25, V8:32, V8:38	C-005, C-010, C-021, C-024, C-047	CAP-UM-09, CAP-FW-01, CAP-DS-10	Truth-state comprehension, confidence calibration, dissent visibility, filtering, summarization, and promotion-boundary tests.
UX-28-001..006	Ch. 28 - Temporal State, Timeline, As-Of, and Replay	V8:22, V8:24, V8:40	C-011, C-019, C-025, C-036, C-047	CAP-UM-10, CAP-UM-12, CAP-DS-12	Bitemporal, timezone, clock-skew, correction, as-of, decision replay, and hindsight-isolation evidence.
UX-29-001..006	Ch. 29 - Entity, Relationship, and Knowledge Graph Exploration	V8:18, V8:19	C-009, C-010, C-011, C-012, C-047, C-048	CAP-UM-03, CAP-UM-04, CAP-UM-05, CAP-UM-06	Path fidelity, scale, policy trimming, keyboard graph, accessible alternative, merge reversal, and projection-lag tests.
UX-30-001..006	Ch. 30 - Enterprise Memory and Strategic Record	V8:20, V8:40	C-010, C-015, C-016, C-025, C-047	CAP-UM-07, CAP-UM-08, CAP-DS-12	Permission-aware retrieval, omission disclosure, supersession, correction, retention, agent use, and temporal replay.
UX-31-001..006	Ch. 31 - Documents, Media, Geospatial, and Scientific Evidence	V8:12, V8:13	C-010, C-012, C-013, C-047, C-048	CAP-OB-06, CAP-OB-07, CAP-OB-08	Format corpus, segment alignment, synchronized media, geospatial reference, annotation, citation, and accessible alternative tests.
UX-32-001..006	Ch. 32 - Corrections, Withdrawals, Reconciliation, and Impact	V8:24	C-011, C-012, C-025, C-036, C-043, C-047	CAP-UM-12, CAP-TG-01	End-to-end correction, withdrawal, impact discovery, rebuild, recipient acknowledgment, decision reconsideration, and closure.
UX-33-001..006	Ch. 33 - Weak Signals and Indicator Workbench	V8:25	C-005, C-032, C-033, C-045, C-047	CAP-FW-01, CAP-FW-02	Seeded-signal, null, drift, source-gap, duplicate, analyst disposition, and alert-overload evidence.
UX-34-001..006	Ch. 34 - Early Warning and Escalation Experience	V8:26	C-005, C-032, C-033, C-036, C-047, C-048	CAP-FW-03, CAP-EO-06	Trigger, latency, deduplication, delivery receipt, multimodal alert, missed acknowledgment, escalation, correction, and overload drills.
UX-35-001..006	Ch. 35 - Risk and Opportunity Intelligence	V8:27, V8:28	C-005, C-024, C-026, C-032, C-034, C-047	CAP-FW-04, CAP-FW-05	Aggregation, appetite, range, sensitivity, owner acceptance, sponsor decision, residual exposure, and outcome evidence.
UX-36-001..006	Ch. 36 - Competitor, Supply Chain, and Domain Intelligence	V8:29, V8:30, V8:31	C-007, C-009, C-010, C-013, C-047	CAP-FW-06, CAP-FW-07, CAP-FW-08, CAP-FW-09, CAP-FW-10, CAP-FW-11	Package compatibility, canonical mapping, domain accessibility, network scale, source coverage, and authority acceptance.
UX-37-001..006	Ch. 37 - Forecast Portfolio and Prediction Horizons	V8:32	C-005, C-020, C-021, C-026, C-045, C-047	CAP-FW-12	Backtest, calibration, horizon, leakage, model disagreement, abstention, supersession, accessible chart, and decision-use evidence.
UX-38-001..006	Ch. 38 - Scenario Intelligence and Scenario Marketplace	V8:33, V8:34	C-005, C-022, C-024, C-046, C-047	CAP-DS-01, CAP-DS-02, CAP-DS-03	Plurality, consistency, comparison basis, marketplace trust, license, sandbox, compatibility, update, and revocation evidence.
UX-39-001..006	Ch. 39 - Simulation Run Center and Digital Twin Branching	V8:35, V8:36	C-018, C-019, C-023, C-024, C-045, C-047	CAP-DS-04, CAP-DS-05, CAP-DS-06, CAP-DS-07	Branch isolation, manifest identity, reproducibility, pause/resume, fault recovery, validity, sensitivity, and accessible comparison.
UX-40-001..006	Ch. 40 - Strategy Graph, Decision Case, and Human Commitment	V8:37, V8:38, V8:39, V8:40	C-004, C-005, C-017, C-024, C-025, C-026, C-036, C-047	CAP-DS-08, CAP-DS-09, CAP-DS-10, CAP-DS-11, CAP-DS-12	Objective trace, option comparison, completeness, digest change, authority, deliberate action, signature, partial-effect recovery, and replay.
UX-41-001..006	Ch. 41 - Executive Operating System Home	V8:41	C-002, C-003, C-027, C-032, C-034, C-047	CAP-EO-01, CAP-EO-02, CAP-EO-06	Closed-loop cadence, priority trace, context switching, degraded data, decision routing, commitment, outcome, and executive comprehension.
UX-42-001..006	Ch. 42 - Strategic Briefing and Command Views	V8:42, V8:47	C-004, C-005, C-012, C-027, C-036, C-047, C-048	CAP-EO-03, CAP-EO-04, CAP-EO-09	Citation, cutoff, classification, exact-byte approval, large-display, accessibility, delivery receipt, correction, and withdrawal evidence.

REQUIREMENT RANGE	DESIGN CHAPTER	V8 TRACE	CONSTITUTION	CAPABILITIES	ACCEPTANCE FOCUS
UX-43-001..006	Ch. 43 - Strategic Health Score	V8:43	C-005, C-026, C-034, C-045, C-047	CAP-EQ-05	Formula, lineage, missing-data, sensitivity, threshold, comparison, accessible visualization, and owner acceptance.
UX-44-001..006	Ch. 44 - Proactive Intelligence and Priority Queue	V8:44	C-032, C-033, C-036, C-047, C-049	CAP-EQ-06	Precision, recall, duplicate, overload, fairness, severe-item visibility, suppression, ownership, and closure evidence.
UX-45-001..006	Ch. 45 - Strategic Planning and Initiative Governance	V8:45	C-017, C-024, C-026, C-036, C-047	CAP-EQ-07	Graph integrity, dependency, scenario sensitivity, funding authority, baseline change, milestone, outcome, and replay evidence.
UX-46-001..006	Ch. 46 - Collaboration, Tasks, Reviews, and Workflow	V8:46	C-004, C-012, C-036, C-038, C-047, C-048	CAP-EQ-08	Cross-channel identity, external scope, version change, duplicate task, review gate, escalation, handoff, and audit evidence.
UX-47-001..006	Ch. 47 - Reporting, Publishing, Distribution, and Receipts	V8:47	C-005, C-012, C-036, C-038, C-047, C-048	CAP-EQ-03, CAP-EQ-09	Exact-byte, pdf and office accessibility, citation, classification, digest, multi-channel delivery, receipt, correction, and archive evidence.
UX-48-001..006	Ch. 48 - Mobile, Field, Offline, and Disconnected Operation	V8:48, V8:65	C-004, C-036, C-041, C-042, C-043, C-047, C-048	CAP-EQ-10, CAP-TG-11	Device, bandwidth, offline expiry, revocation, queued effect, conflict, secure wipe, accessibility, and synchronization evidence.
UX-49-001..006	Ch. 49 - Agent Identity, Role, and Capability Surface	V8:49, V8:54, V8:61	C-004, C-028, C-030, C-035, C-045, C-046, C-047	CAP-AG-01, CAP-AG-06, CAP-TG-05	Identity, ownership, permission, competence, evaluation age, package trust, comparison, suspension, and retirement evidence.
UX-50-001..006	Ch. 50 - Agent Planner and Task Plan	V8:55	C-004, C-028, C-029, C-031, C-047	CAP-AG-07	Goal-to-task trace, cycle, scope expansion, budget, tool permission, human gate, edit, cancellation, and plan-version evidence.
UX-51-001..006	Ch. 51 - Agent Run, Trace, Tool Use, and Checkpoints	V8:50, V8:51, V8:52, V8:53, V8:56	C-012, C-028, C-029, C-036, C-043, C-047	CAP-AG-02, CAP-AG-03, CAP-AG-04, CAP-AG-05, CAP-AG-08	Trace completeness, tool scope, permission denial, crash, retry, checkpoint, cost, cancellation, residual-effect, and replay evidence.
UX-52-001..006	Ch. 52 - Multi-Agent Supervision and Workflow Orchestration	V8:55	C-028, C-029, C-031, C-036, C-043, C-047	CAP-AG-07, CAP-AG-08	Deadlock, duplicate, context divergence, gate bypass, substitution, partial failure, dissent, handoff, and terminal-state evidence.
UX-53-001..006	Ch. 53 - Agent Recommendations, Explanations, and Abstention	V8:52, V8:53, V8:56	C-004, C-005, C-021, C-026, C-028, C-047	CAP-AG-04, CAP-AG-05, CAP-AG-08	Citation, rationale, uncertainty, alternative, competence, model disagreement, abstention, challenge, and review evidence.
UX-54-001..006	Ch. 54 - Agent Escalation, Side Effects, and Human Override	V8:56	C-004, C-028, C-036, C-043, C-047, C-050	CAP-AG-08, CAP-TG-04	Eligibility, exact digest, effect preview, deliberate action, rejection, defer, override, stop, residual-effect, and recovery evidence.
UX-55-001..006	Ch. 55 - Agent Marketplace and Package Installation	V8:34, V8:49, V8:61, V8:66	C-028, C-035, C-045, C-046, C-047	CAP-AG-01, CAP-TG-05, CAP-PD-03	Publisher identity, signature, license, permission diff, compatibility, sandbox, install, update, rollback, revocation, and uninstall evidence.
UX-56-001..006	Ch. 56 - Agent Incidents, Containment, Replay, and Learning	V8:56, V8:60, V8:72	C-031, C-036, C-043, C-044, C-045, C-047	CAP-AG-08, CAP-TG-04, CAP-PD-12	Incident simulation, custody, containment, suspension, effect reconciliation, replay, evaluation, change approval, and rollback evidence.
UX-57-001..006	Ch. 57 - Trust and Provenance Experience	V8:57	C-005, C-012, C-035, C-036, C-047	CAP-TG-01	Signature, lineage, custody, policy, evaluation, correction, tamper, unavailable verification, and accessible trust-summary evidence.
UX-58-001..006	Ch. 58 - Identity, Access, Tenant, and Domain Administration	V8:4, V8:58	C-004, C-036, C-037, C-039, C-040, C-041, C-047	CAP-AU-03, CAP-TG-02	Least privilege, delegation, separation, recertification, tenant isolation, federation outage, revocation, recovery, and audit evidence.
UX-59-001..006	Ch. 59 - Policy, Privacy, Residency, Consent, and Classification	V8:59	C-035, C-037, C-039, C-040, C-041, C-047	CAP-TG-03	Policy explanation, consent withdrawal, residency, classification, obligation propagation, denial, appeal, exception expiry, and audit evidence.
UX-60-001..006	Ch. 60 - Model, Agent, Data, and Ontology Governance	V8:61	C-028, C-030, C-031, C-035, C-044, C-045, C-047	CAP-TG-05	Inventory, lineage, evaluation, separation, promotion, monitoring, exception, drift, rollback, suspension, and retirement evidence.
UX-61-001..006	Ch. 61 - Security, Cyber, Incident, and Investigation Experience	V8:60	C-036, C-037, C-039, C-040, C-043, C-047	CAP-TG-04	Incident simulation, chain of custody, tenant scope, command transfer, containment, communication, disclosure, recovery, and replay evidence.
UX-62-001..006	Ch. 62 - Audit, Evidence, Compliance, and Non-Repudiation	V8:62	C-011, C-012, C-035, C-036, C-047	CAP-TG-06	Event completeness, actor attribution, causation, time, custody, legal hold, export verification, separation, and attestation evidence.

REQUIREMENT RANGE	DESIGN CHAPTER	V8 TRACE	CONSTITUTION	CAPABILITIES	ACCEPTANCE FOCUS
UX-63-001..006	Ch. 63 - Reliability, Degraded Modes, Recovery, and Service Health	V8:63	C-014, C-036, C-043, C-047, C-049	CAP-TG-11	Fault injection, watermark, degraded contract, notification, work preservation, recovery objective, reconciliation, and exit acceptance.
UX-64-001..006	Ch. 64 - Integrations, APIs, Exports, and Extensibility	V8:14, V8:47, V8:64	C-012, C-036, C-038, C-039, C-042, C-047	CAP-OB-09, CAP-EO-09, CAP-TG-08	Contract, permission, idempotency, ordering, retry, schema evolution, export, revocation, observability, and developer accessibility evidence.
UX-65-001..006	Ch. 65 - SaaS, Private Cloud, and On-Premise Experience Parity	V8:65	C-037, C-041, C-042, C-043, C-047, C-049	CAP-PD-01, CAP-TG-11	Golden journey, visual regression, accessibility, offline, local-model, failure, export, correction, replay, and customer parity acceptance.
UX-66-001..006	Ch. 66 - Onboarding, Configuration, Migration, and Adoption	V8:67, V8:68	C-006, C-007, C-012, C-037, C-042, C-047, C-048	CAP-PD-04, CAP-PD-05, CAP-PD-06	Configuration, mapping, rehearsal, migration, reconciliation, training, accessibility, adoption, rollback, and customer acceptance.
UX-67-001..006	Ch. 67 - Entitlements, Packaging, Licensing, and Marketplaces	V8:34, V8:49, V8:66	C-035, C-037, C-038, C-042, C-046, C-047	CAP-PD-02, CAP-PD-03	Offer comparison, entitlement, usage, renewal, grace, marketplace rights, revocation, preserved work, export, and deployment parity.
UX-68-001..006	Ch. 68 - Design Tokens, Themes, and Customer Branding	V8:7, V8:65, V8:66	C-007, C-042, C-047, C-048, C-049	CAP-AU-08, CAP-PD-01, CAP-PD-02	Token integrity, alias cycle, contrast, focus, localization, print, dark mode, customer preview, rollback, and parity certification.
UX-69-001..006	Ch. 69 - Content Design, Terminology, Localization, and Translation	V8:7, V8:47	C-005, C-007, C-047, C-048, C-052	CAP-AU-08, CAP-EO-09	Terminology consistency, action-label comprehension, translation provenance, rtl, complex script, text expansion, error, warning, and correction evidence.
UX-70-001..006	Ch. 70 - Product Analytics, UX Telemetry, and Experience Quality	V8:70	C-032, C-040, C-045, C-047, C-049	CAP-PD-09	Event semantics, purpose, consent, coverage, bias, experiment, accessibility, latency, alert, comprehension, cost, and metric retirement.
UX-71-001..006	Ch. 71 - Design Acceptance, Accessibility Certification, and Release Readiness	V8:71	C-006, C-036, C-042, C-047, C-048, C-049, C-051, C-052	CAP-AU-11, CAP-PD-10, CAP-PD-11	Requirements, visual regression, interaction, accessibility, content, locale, device, deployment, fault, recovery, security, and customer acceptance.
UX-72-001..006	Ch. 72 - Design Governance, Contribution, Versioning, and Baseline Closure	V8:72	C-006, C-031, C-044, C-047, C-049, C-051, C-052	CAP-AU-01, CAP-AU-12, CAP-PD-12	Contribution, ownership, evidence, compatibility, adoption, deprecation, migration, exception, rollback, learning, amendment, and closure.

Constitutional design coverage

ID	INVARIANT	NORMATIVE RULE	VOLUME 9 CHAPTERS
C-001	Category integrity	The Eye shall be conceived, designed, sold, and operated as a Strategic Intelligence Operating System. It shall not be reduced to a chatbot, dashboard, BI tool, copilot, or reporting product.	Ch. 1-3
C-002	Closed strategic loop	The product shall implement one continuous operating loop: Observe, Understand, Predict, Simulate, Decide, and Learn. No stage may be treated as a disconnected feature island.	Ch. 2, 9, 41
C-003	Product boundary	Interfaces such as chat, dashboards, reports, and APIs may exist, but they are access modes to the operating system rather than the product definition.	Ch. 1-3, 9, 11, 13, 41
C-004	Human decision sovereignty	A named human authority shall make every final strategic or high-impact decision. The system may advise, prepare, and execute approved workflows, but it shall not silently assume decision rights.	Ch. 3-4, 7, 13, 21, 23, 40, 42, 46, 48-50, 53-54, 58
C-005	Explain every recommendation	Every material forecast, scenario, simulation result, risk, opportunity, and recommendation shall expose evidence, assumptions, uncertainty, lineage, alternatives, and accountable system versions.	Ch. 3, 13, 26-27, 33-35, 37-38, 40, 42-43, 47, 53, 57, 69
C-006	Enterprise operating standard	The common platform shall satisfy enterprise requirements for governance, security, scale, auditability, reliability, and lifecycle management from its first production architecture.	Ch. 5, 66, 71-72
C-007	Universal core, governed specialization	A single domain-neutral core shall serve all customer classes. Domain ontologies, models, workflows, agents, and policies may extend the core without forking its constitutional semantics.	Ch. 5, 10, 20, 36, 66, 68-69
C-008	Ten-layer architecture	The ten named architecture layers are the canonical product structure. Cross-cutting planes may support them but shall not replace, collapse, or rename them without constitutional amendment.	Ch. 5
C-009	Knowledge Graph centrality	The Knowledge Graph shall be the connected semantic heart of The Eye and the shared context substrate for memory, twins, reasoning, prediction, scenarios, simulations, and decisions.	Ch. 12, 25, 29, 36
C-010	Truth-state separation	Observed evidence, extracted claims, inferred relationships, model outputs, human judgments, and synthetic scenario data shall remain explicitly distinguishable throughout the system.	Ch. 6, 10, 12, 17, 22, 25-27, 29-31, 36
C-011	Temporal truth	Material facts and relationships shall preserve event time, observation time, validity time, and system-record time so that past world states can be reconstructed without hindsight contamination.	Ch. 6, 15, 25, 28-29, 32, 62
C-012	End-to-end provenance	Every material intelligence object shall carry source, chain of custody, transformation history, ownership, rights, quality, and version lineage back to its evidence.	Ch. 6, 12, 15, 21-22, 25-26, 29, 31-32, 42, 46-47, 51, 57, 62, 64, 66
C-013	Observation breadth	The World Observation Layer shall support the full canonical source universe and allow governed custom sources without architectural rework.	Ch. 31, 36
C-014	Freshness and quality contracts	Sources, derived data, twins, models, and intelligence products shall declare measurable freshness, completeness, quality, and expiry expectations.	Ch. 63

ID	INVARIANT	NORMATIVE RULE	VOLUME 9 CHAPTERS
C-015	Durable institutional memory	The Eye shall preserve institutional context, decisions, assumptions, evidence, outcomes, and lessons as durable memory, subject to lawful retention, deletion, and customer policy.	Ch. 30
C-016	Memory governance	Memory shall be permission-aware, tenant-isolated, versioned, retrievable, correctable, and protected from unverified model output becoming accepted organizational truth.	Ch. 30
C-017	Strategy Graph	Objectives, hypotheses, decisions, initiatives, capabilities, resources, indicators, risks, opportunities, and outcomes shall be connected in a governed Strategy Graph anchored to the Knowledge Graph.	Ch. 40, 45
C-018	Grounded Digital Twins	Every Digital Twin shall be grounded in evidence, graph entities, temporal state, declared assumptions, and calibrated models; it shall never present synthetic state as observed fact.	Ch. 39
C-019	Twin versionability	Digital Twins shall support time travel, branching, comparison, replay, reconciliation, and versioned evolution across actual and simulated states.	Ch. 28, 39
C-020	Canonical prediction horizons	The Prediction Engine shall support 30-day, 90-day, 180-day, 1-year, 3-year, and 5-year horizons with horizon-appropriate methods and uncertainty.	Ch. 18, 37
C-021	Probabilistic forecasting	Forecasts shall communicate distributions, confidence, calibration, drivers, sensitivity, and failure conditions rather than false precision or unsupported certainty.	Ch. 18, 27, 37, 53
C-022	Scenario plurality	Scenario Intelligence shall maintain multiple coherent futures, including baseline, upside, downside, disruption, and user-defined alternatives; no single forecast shall masquerade as destiny.	Ch. 38
C-023	Reproducible simulation	Every simulation shall declare initial state, assumptions, interventions, model versions, constraints, random seeds where applicable, outputs, and sensitivity so results can be reproduced and challenged.	Ch. 39
C-024	Decision completeness	Decision Intelligence shall compare viable options against explicit objectives, constraints, risks, opportunities, trade-offs, second-order effects, reversibility, and information value.	Ch. 27, 35, 38-40, 45
C-025	Decision Replay	The Eye shall preserve the state of knowledge available at decision time and support replay against later evidence and outcomes without rewriting the historical record.	Ch. 28, 30, 32, 40
C-026	Objective alignment	Recommendations shall be evaluated against declared objectives, stakeholder obligations, risk appetite, policy, and strategic constraints rather than an opaque global score.	Ch. 35, 37, 40, 43, 45, 53
C-027	Executive Operating System	The executive surface shall organize strategic attention, decisions, scenarios, evidence, objectives, commitments, and outcomes. It shall not degrade into a passive dashboard collection.	Ch. 2, 9, 16, 41-42
C-028	Bounded agent authority	Every agent shall have a declared purpose, tools, data scope, permissions, budgets, escalation rules, prohibited actions, evaluation suite, and accountable owner.	Ch. 13, 49-55, 60
C-029	Supervised orchestration	Planner, Supervisor, and Workflow agents shall enforce policy, separation of duties, checkpoints, timeouts, retries, human gates, and complete execution traces across multi-agent work.	Ch. 50-52
C-030	Model pluralism	The platform shall support multiple models and reasoning approaches behind governed interfaces so customers retain control over cost, sovereignty, performance, and vendor dependence.	Ch. 49, 60
C-031	No silent self-modification	Continuous learning shall never permit unreviewed production models, agents, prompts, policies, ontologies, or decision logic to modify themselves silently.	Ch. 50, 52, 56, 60, 72
C-032	Proactive intelligence	The system shall surface material changes, weak signals, risks, and opportunities before users ask, while respecting relevance, authority, attention, and notification policy.	Ch. 33-35, 41, 44, 70
C-033	Early-warning discipline	Warnings shall be deduplicated, prioritized, evidence-backed, confidence-aware, time-bounded, and linked to affected objectives, assets, decisions, and response playbooks.	Ch. 33-34, 44
C-034	Decomposable Strategic Health Score	Any Strategic Health Score shall expose component measures, weights, evidence, confidence, trend, and sensitivity. The score shall never replace the underlying analysis.	Ch. 18, 35, 41, 43
C-035	Trust as a system property	Trust, provenance, identity, authorization, policy, safety, and audit shall operate across every layer and intelligence object, not as a downstream compliance add-on.	Ch. 26, 49, 55, 57, 59-60, 62, 67
C-036	Non-repudiable accountability	Material access, transformations, agent actions, approvals, decisions, overrides, releases, and exports shall produce tamper-evident audit records attributable to identities and versions.	Ch. 4, 15-16, 21-24, 26, 28, 32, 34, 40, 42, 44-48, 51-52, 54, 56-58, 61-64, 71
C-037	Customer data control	Customers retain governance over their data, models, twins, policies, retention, residency, encryption, exports, and deletion within the chosen deployment and contractual boundary.	Ch. 58-59, 61, 65-67
C-038	Open interoperability	The Eye shall integrate through governed APIs, events, connectors, common data formats, and export paths; core customer knowledge shall not be trapped behind proprietary-only access.	Ch. 12, 15, 46-47, 64, 67
C-039	Zero-trust security	Identity, device, workload, agent, model, source, and data access shall be continuously authenticated, authorized, scoped, logged, and re-evaluated under least privilege.	Ch. 4, 10, 16, 58-59, 61, 64
C-040	Privacy and minimization	Collection and use shall be purpose-bound, proportionate, policy-enforced, and minimized, with support for consent, legal basis, access, correction, retention, and deletion obligations.	Ch. 58-59, 61, 70
C-041	Sovereignty by design	Data residency, key ownership, network isolation, local inference, model choice, administrative control, and disconnected operation shall be supported where customer policy requires them.	Ch. 48, 58-59, 65
C-042	Deployment semantic parity	SaaS, Private Cloud, and On-Premise deployments shall preserve the same core semantics, governance model, APIs, artifacts, and intelligence lifecycle, with documented capability differences only where unavoidable.	Ch. 48, 64-68, 71
C-043	Resilient operation	The platform shall fail safely, degrade intelligibly, recover predictably, preserve evidence and audit continuity, and expose when data, models, or dependencies are unavailable or stale.	Ch. 9, 16, 24, 32, 48, 51-52, 54, 56, 61, 63, 65
C-044	Governed learning loop	Learning from outcomes, feedback, overrides, and new evidence shall pass through evaluation, approval, release, monitoring, rollback, and tenant-isolation controls.	Ch. 56, 60, 72
C-045	Continuous evaluation	Models, agents, forecasts, extractors, ontologies, simulations, and recommendations shall be evaluated for accuracy, calibration, robustness, drift, bias, safety, cost, and operational fitness.	Ch. 33, 37, 39, 43, 49, 55-56, 60, 70
C-046	Governed marketplaces	Scenario and Agent Marketplace packages shall be signed, versioned, inspectable, permission-scoped, licensed, evaluated, sandboxed, monitored, revocable, and traceable to publishers.	Ch. 38, 49, 55, 67
C-047	Experience integrity	The product experience shall expose context, uncertainty, provenance, decision state, and consequence at the point of use; critical meaning shall not be hidden behind ornamental visualization.	Ch. 1-3, 5-72

ID	INVARIANT	NORMATIVE RULE	VOLUME 9 CHAPTERS
C - 048	Role and accessibility clarity	Experiences shall be accessible and role-appropriate for executives, analysts, operators, domain experts, administrators, and governance teams without creating separate truths.	Ch. 3-4, 7, 11, 14, 17-23, 29, 31, 34, 42, 46-48, 66, 68-69, 71
C - 049	Operational quality contract	Reliability, performance, scale, freshness, accuracy, calibration, explainability, reproducibility, security, accessibility, and cost shall be measured as product behavior, not assumed as implementation detail.	Ch. 5, 7-8, 14, 17, 19, 24, 44, 63, 65, 68, 70-72
C - 050	Responsible-use boundary	The Eye shall not autonomously execute decisions that materially determine life, liberty, legal status, access to essential services, employment, credit, or equivalent high-impact rights and interests.	Ch. 4, 54
C - 051	Constitutional change control	Changes to mission, product category, human authority, principles, canonical layers, core semantics, or constitutional invariants require explicit amendment, impact analysis, ratification, and versioned publication.	Ch. 1, 5, 8, 71-72
C - 052	Documentation inheritance	Volumes 1 through 10 shall inherit this constitution, use its canonical terms, trace material requirements to invariant IDs, and identify rather than conceal any unresolved conflict.	Ch. 1, 5, 8, 69, 71-72

O UX Design Decision Baseline

These design decisions freeze the UI/UX baseline beneath Volumes 0 and 3-8. Product design, implementation, domain specialization, theming, and customer configuration may add precision inside them but cannot use a local choice to change strategic meaning or authority.

ADR	DECISION	BINDING CONSEQUENCE	IMPLEMENTATION OBLIGATION
UX-ADR-001	Volume 9 is the controlled visual and interaction baseline	Design refines but does not alter Volumes 0 and 3-8	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-002	Interfaces remain access modes to the operating system	No surface defines the product as chat, dashboard, BI, copilot, or report	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-003	The application shell is persistent and context-first	Tenant, domain, role, objective, horizon, scenario, and classification stay explicit	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-004	Information architecture is object-centered	Presentation never invents canonical state or command ownership	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-005	Truth states use distinct labels, symbols, and semantic tokens	Observed, inferred, synthetic, recommended, and decided state cannot collapse	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-006	Evidence and provenance remain available at the point of use	Summary surfaces always resolve to exact source and lineage	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-007	Human authority is rendered as product state	Eligibility, digest, consequence, rationale, signature, and receipt are explicit	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-008	Consequential actions require deliberate interaction	Navigation, chat, defaults, acknowledgment, or bulk selection cannot imply approval	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-009	AI identity and non-authority are always visible	AI outputs remain proposed, advisory, or synthetic until human action	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-010	The design system is semantic-token driven	Themes and brands map tokens but cannot redefine meaning	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-011	Reusable components implement governed contracts	Local components cannot bypass identity, state, accessibility, or audit behavior	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-012	One component and pattern system serves every domain	Domain packages extend without forking common semantics	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-013	Responsive adaptation preserves strategic meaning	Small screens may defer detail but not authority, evidence, uncertainty, or critical state	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-014	Accessibility is release-blocking conformance	Material journeys require equivalent task, explanation, and decision semantics	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-015	Strategic visualizations use an evidence-bearing grammar	Every chart declares basis, time, units, uncertainty, source, and accessible alternative	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-016	Graphs require task-bounded views and accessible alternatives	Knowledge Graph centrality does not justify unreadable hairballs	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-017	Optimistic UI is prohibited for consequential state	Approval, publication, deletion, policy, and security wait for authoritative receipt	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-018	Degraded operation is explicit experience state	Available behavior, limitations, owner, duration, and exit evidence remain visible	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.

ADR	DECISION	BINDING CONSEQUENCE	IMPLEMENTATION OBLIGATION
UX-ADR-019	Deployment modes share one experience contract	Operational variance cannot alter product semantics or human authority	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-020	Offline and air-gapped behavior is designed, not inferred	Freshness, expiry, queued effects, conflicts, revocation, and reconciliation are visible	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-021	Canonical terminology governs content design	Role explanation and translation clarify without semantic dilution	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-022	Customer branding is constrained by certified semantic themes	Contrast, focus, status, and authority survive every theme	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-023	Design acceptance is exact and evidence-bound	Scope, versions, roles, devices, locales, deployments, failures, and authorities are retained	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.
UX-ADR-024	Experience learning produces governed change proposals	Telemetry and feedback never silently modify production patterns	Implement through semantic tokens, approved components and patterns, canonical objects, explicit state, accessible journeys, fault behavior, trace evidence, and scoped acceptance.

P Design System Glossary and Release Checklist

The glossary fixes Volume 9 terminology. The release checklist is a mandatory summary gate; it supplements rather than replaces requirement-level evidence and named acceptance.

Design system glossary

TERM	CONTROLLED DEFINITION
Accessible alternative	A non-visual or alternate-modality representation that preserves task, meaning, state, and authority.
Action scope	The exact objects, versions, users, and effects to which a command applies.
Application shell	The persistent context, navigation, work, status, and command environment around all workspaces.
Authority banner	A component naming eligible authority, reviewers, delegation, recusal, and current gate.
Canonical anatomy	The required ordered regions and information roles of a component, pattern, or surface.
Command	An explicit request to an owning service that may change governed state and produces an attributable receipt.
Command surface	The authenticated interface that can issue commands; mirrored views are non-authoritative.
Component	A reusable accessible implementation of a bounded visual and interaction contract.
Consequence class	A policy classification controlling explanation, review, authority, friction, evidence, and recovery requirements.
Consequence preview	A pre-action view of intended effects, affected objects, reversibility, residual risk, and audit scope.
Context bar	The persistent control showing tenant, domain, role, objective, geography, horizon, scenario, classification, and time.
Decision digest	The immutable question, options, evidence cutoff, recommendation, dissent, conditions, intended effect, and versions bound to a human action.
Degraded mode	A declared state with explicit available behavior, limitations, maximum duration, owner, and exit evidence.
Density mode	A controlled spacing and sizing profile that changes information density without changing meaning or capability.
Design asset	A token, primitive, component, pattern, template, content rule, package, implementation, or evidence artifact.
Design authority	The named body accountable for design-system admission, versioning, conformance, exception, and retirement.
Design token	A named semantic value that controls a reusable visual or interaction property.
Dissent	An attributable competing assessment or objection retained with evidence, state, reviewer, and disposition.
Evidence region	The surface area that resolves claims, recommendations, or state to exact sources, versions, and provenance.
Experience contract	The outcome, context, object, interaction, authority, failure, continuity, and acceptance behavior a surface must preserve.
Focus origin	The control or object from which a layered interaction began and to which focus returns.
Freshness watermark	A persistent label stating data cutoff, age, source health, projection revision, and permitted use.
Global context	The operating scope that applies across workspaces and can alter meaning, permission, or authority.
Golden journey	A canonical end-to-end journey used as a parity and acceptance fixture across roles, modes, and deployments.
Human gate	A transition that requires an eligible human to review and deliberately act on an exact digest.
Indeterminate	A state in which required identity, evidence, policy, time, trust, or authority cannot be resolved.
Interaction pattern	A reusable sequence and state contract for completing a class of user intent.
Material journey	A journey whose failure changes strategic meaning, access, evidence, authority, safety, or institutional effect.
Non-color cue	Text, symbol, position, pattern, or structure that communicates meaning independently of color.
Object header	The canonical identity, version, state, time, owner, policy, trust, and action region for an object.
Optimistic UI	Presentation of an unconfirmed state as complete before authoritative receipt; prohibited for consequential state.
Pattern	A governed composition of components, states, actions, content, and accessibility behavior.
Permitted use	The decision, workflow, or analytical uses allowed by current evidence, truth, policy, freshness, and authority state.
Priority queue	An explainable owned ordering of material items with reason, severity, due time, capacity, and suppression history.
Progressive disclosure	Deferral of secondary detail without hiding required context, state, evidence, uncertainty, or authority.
Projection watermark	A label identifying the canonical source revision and lag of a derived view.
Receipt	An immutable attributable record of command acceptance, effect, denial, delivery, or terminal state.
Responsive composition	An approved layout transformation that preserves semantic regions, focus order, and material information.

TERM	CONTROLLED DEFINITION
Semantic parity	Identical outcome, object, authority, explanation, correction, replay, and failure meaning across implementations.
Semantic token	A token named by purpose or state rather than raw visual value.
Strategic visualization grammar	Rules binding a visual form to question, data, basis, uncertainty, provenance, and accessible alternative.
Surface	A bounded visual region that groups related context, work, evidence, or actions.
Synthetic state	Scenario, simulation, generated, or modeled state that remains explicitly separate from observed state.
Theme	A certified mapping from semantic tokens to approved visual values for a mode or customer brand.
Truth state	The explicit epistemic category of an object, claim, relationship, or output.
Visual baseline	An approved rendered reference used for automated and human regression review.
Workspace	A durable operating environment organized around governed work, objects, roles, and outcomes.

Release checklist

ID	GATE	REQUIRED CLOSURE
REL - 01	Authority	Every material design asset has one accountable owner and approved status.
REL - 02	Traceability	Requirements, components, patterns, journeys, tests, findings, and releases resolve bidirectionally.
REL - 03	Context	Tenant, domain, role, objective, horizon, scenario, classification, and time remain explicit where material.
REL - 04	Object identity	Canonical object, version, owner, lifecycle, truth, policy, and provenance are resolvable.
REL - 05	Human authority	Eligibility, separation, digest, consequence, deliberate action, signature, and receipt pass.
REL - 06	AI non-authority	Agent and model outputs remain labeled, explainable, contestable, and non-decision-active.
REL - 07	Truth states	Observed, asserted, inferred, assessed, synthetic, recommended, decided, corrected, and withdrawn are distinct.
REL - 08	Evidence	Material claims and actions resolve to exact evidence, versions, rights, quality, and lineage.
REL - 09	Uncertainty	Magnitude, drivers, calibration, alternatives, dissent, and unsupported precision are visible.
REL - 10	Actions	Navigation, draft, acknowledgment, review, approval, publication, and effect are distinct.
REL - 11	Recovery	Cancel, retry, correction, rollback, replay, and partial-effect paths are tested.
REL - 12	Degraded modes	Every dependency failure exposes limitations, safe behavior, owner, recovery, and exit evidence.
REL - 13	Accessibility	Material journeys pass automated, manual, assistive-technology, keyboard, zoom, and cognitive review.
REL - 14	Localization	Text expansion, RTL, complex scripts, locale formats, terminology, and translation provenance pass.
REL - 15	Responsive	Compact, narrow, standard, wide, command, zoom, orientation, and large-display compositions pass.
REL - 16	Themes	Light, dark, forced colors, print, customer theme, and fallback theme pass semantic certification.
REL - 17	Visualizations	Every material visual has basis, units, time, source, uncertainty, legend, and accessible alternative.
REL - 18	Performance	Loading, progress, cancellation, timeout, duplicate, perceived latency, and low-bandwidth behavior pass.
REL - 19	Security and privacy	Identity, purpose, least privilege, classification, redaction, support access, and audit pass.
REL - 20	Deployment parity	SaaS, Private Cloud, and On-Premise golden journeys preserve semantic parity.
REL - 21	Offline	Freshness, expiry, queued effects, revocation, conflict, synchronization, secure wipe, and audit pass.
REL - 22	Content	Canonical terminology, labels, instructions, errors, warnings, and corrections pass comprehension review.
REL - 23	Telemetry	Instrumentation has purpose, consent, lineage, coverage, privacy review, and metric governance.
REL - 24	Acceptance	Exact scope, versions, conditions, evidence age, findings, authorities, signatures, and expiry are retained.

BASELINE CLOSURE Volume 9 closes only when all 432 UX requirements, 52 constitutional invariants, 72 chapter acceptance units, inherited Volume 8 contracts, design assets, accessibility and parity evidence, findings, exceptions, and named authorities resolve to this controlled edition without concealed conflict.