confidence of prediction: 0.801553
Y_true: [20 24 26 42 49]
Y_pred: [20 40 42 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
60f on coumadin was found slightly, score: 0.01945163
significant for hypertension osteoarthritis involving bilateral
knee, score: 0.016987264
was made cmo by, score: 0.0042521507

confidence of prediction: 0.877541
Y_true: [20 24 26 42 49]
Y_pred: [20 40 42 49]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
she was intubated w o, score: 0.0694113
physical exam intubated non sedated received no, score: 0.0049870345
was made cmo by family she expired shortly after, score:
0.0034903425

confidence of prediction: 0.695665
Y_true: [20 24 26 42 49]
Y_pred: [20 40 42 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
60f on coumadin was found slightly, score: 0.91939837
on admission unknown discharge medications expired discharge, score:
0.00664867
social history unknown family history nc, score: 0.005463505

confidence of prediction: 0.541797
Y_true: [2 21 36 42 48]
Y_pred: [2 23 24 26 27 33 34 36 40 42 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
1st degree avb and lbbb dm type ii cri baseline cr, score:
0.0015008781
prilosec senokot zocor lantus discharge medications none, score:
0.0009968717

confidence of prediction: 0.563562
Y_true: [2 21 36 42 48]
Y_pred: [2 23 24 26 27 33 34 36 40 42 48]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
type ii cri baseline cr s p splenectomy, score: 0.10549891
prilosec senokot zocor lantus discharge medications, score:
0.023393098
thin frail elderly man, score: 0.016664926

confidence of prediction: 0.774814
Y_true: [2 21 36 42 48]

Y_pred: [2 23 24 26 27 33 34 36 40 42 48]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
elderly man intubated in hard collar [UNK], score: 0.060955353
pt was intubated at osh and transferred, score: 0.021849893
dnr per family request, score: 0.0020518159

confidence of prediction: 0.879291
Y_true: [2 21 36 42 48]
Y_pred: [2 23 24 26 27 33 34 36 40 42 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
chf reported ef 1st, score: 0.0012396416
medical history cad s p mi in s p cabg in ventricular aneurysm,
score: 0.001158004
lives with daughter in, score: 0.000994098

confidence of prediction: 0.950783
Y_true: [17 33 42]
Y_pred: [33 40 41 42 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
she was intubated and ventilated gi, score: 0.19877374
subfalcine herniation a non displaced, score: 0.030546872
on scene intubated en route for declining, score: 0.02849492

confidence of prediction: 0.861790
Y_true: [17 33 42]
Y_pred: [33 40 41 42 43]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
she was intubated and ventilated gi, score: 0.5974967
on scene intubated en route for declining, score: 0.017484698
subfalcine herniation a non displaced, score: 0.002535177

confidence of prediction: 0.915020
Y_true: [4 20 33 42]
Y_pred: [4 11 20 33 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history htn depression hyperlipidemia alcohol abuse social history,
score: 0.0041005914
l basal ganglia iph, score: 0.0011334709
admission lisinopril hctz pravastatin fluoxetine concerta discharge,
score: 0.001099757

confidence of prediction: 0.999107
Y_true: [4 20 33 42]
Y_pred: [4 11 20 33 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn depression hyperlipidemia alcohol, score:

0.061549995
of whiskey he was brought to, score: 0.0031799357
lisinopril hctz pravastatin fluoxetine concerta discharge
medications none, score: 0.0025286085

confidence of prediction: 0.570264
Y_true: [4 20 33 42]
Y_pred: [4 11 20 33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
ich respiratory failure discharge condition, score: 0.41575548
was made cmo by his, score: 0.01132838
he was intubated at, score: 0.009545886

confidence of prediction: 0.676939
Y_true: [4 20 33 42]
Y_pred: [4 11 20 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
remained intubated and stroke neurology, score: 0.19805294
status intubated off sedation no, score: 0.0541269
he was intubated corneals cough, score: 0.036430065

confidence of prediction: 0.695927
Y_true: [42 44]
Y_pred: [7 42 44]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
scene and intubated prior to, score: 0.028887479
trauma bay hemodynamically unstable, score: 0.0107379705
o2 intubated intubated 27am glucose lactate, score: 0.0027554783

confidence of prediction: 0.528889
Y_true: [42 44]
Y_pred: [7 42 44]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
explored diffuse bleeding was noted, score: 0.21945724
intubated gunshot wounds to chest, score: 0.11370844
was packed and closed with a, score: 0.07923585

confidence of prediction: 0.862257
Y_true: [3 10 20]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension no, score: 0.26161227
discharge diagnosis hypertension aortic arch aneurysm, score:
0.21133146
chief complaint hypertension major surgical or, score: 0.029829554

confidence of prediction: 0.923550

Y_true: [10 42]
Y_pred: [0 33 40 42 46]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
meeting with stroke neurology, score: 0.00011923894
after this meeting the, score: 0.00011236276
progressed requiring endotracheal intubation for airway protection
past, score: 6.458416e-05

confidence of prediction: 0.514379
Y_true: [1 4 21]
Y_pred: [1]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
history myeloproliferative disorder s, score: 0.0020977634
po hs levothyroxine sodium mcg po ng, score: 0.0019117976
evacuation of sdh history, score: 0.0018657448

confidence of prediction: 0.627366
Y_true: [6 42]
Y_pred: [39 42 44]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
pea on scene gcs [UNK], score: 0.049834892
exam gcs intubated bilateral hips, score: 0.047285
pulses popliteal pulses bilaterally pertinent, score: 0.040442534

confidence of prediction: 0.998745
Y_true: [16 23 24 26 27 40 42 49]
Y_pred: [0 17 26 27 41 43 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
chf afib on coumadin mi chronic, score: 0.00050869636
systolic ejection murmur rrr, score: 0.00033453165
expired followup instructions expired first name11 name pattern1,
score: 0.00010501107

confidence of prediction: 0.939416
Y_true: [16 23 24 26 27 40 42 49]
Y_pred: [0 17 26 27 41 43 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
a severe chf exacerbation which was severely, score: 0.06879661
chf she was unable to, score: 0.03286151
history pmh chf afib on coumadin mi, score: 0.002939203

confidence of prediction: 0.761490
Y_true: [16 23 24 26 27 40 42 49]
Y_pred: [0 17 26 27 41 43 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin mi, score: 0.97774404

on admission coumadin lasix discharge medications, score:
0.011796566
nd bs extr no, score: 0.0002953435

confidence of prediction: 0.858587
Y_true: [2 10 20 39]
Y_pred: [20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
diabetes and hypertension social history he also, score: 0.32735306
and his hypertension and it was, score: 0.1439441
patient s hypertension and coronary artery disease, score:
0.08037733

confidence of prediction: 0.823296
Y_true: [28]
Y_pred: [28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.46578914
otherwise normal egd to stomach cxr my, score: 0.119779855
egd otherwise normal he was, score: 0.032745544

confidence of prediction: 0.784949
Y_true: [1 12 16 20 27 31 37 40 42]
Y_pred: [1 20 27 31 33 34 40 43]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
kyphosis hypothyroid multiple myeloma htn chf, score: 0.6105298
admission avapro irbesartan cardizem sr levothyroxine omeprazole dr
lasix procrit, score: 0.0023446342
respiratory status continued to, score: 0.0013381075

confidence of prediction: 0.577079
Y_true: [1 12 16 20 27 31 37 40 42]
Y_pred: [1 20 27 31 33 34 40 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
multiple myeloma htn chf on lasix gerd psh cholecystectomy, score:
0.34544483
dr lasix procrit dose unknown colace, score: 0.13873573
minimally displaced atherosclerotic disease breast calcifications,
score: 0.027858643

confidence of prediction: 0.975001
Y_true: [1 12 16 20 27 31 37 40 42]
Y_pred: [1 20 27 31 33 34 40 43]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
htn chf on lasix gerd, score: 0.007816416
procrit dose unknown colace, score: 0.0027200321
discharge condition expired discharge instructions expired followup
instructions expired first name8 namepattern2, score: 0.002006

confidence of prediction: 0.831761
Y_true: [1 12 16 20 27 31 37 40 42]
Y_pred: [1 20 27 31 33 34 40 43]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
given few air bronchograms underlying, score: 0.05450908
consolidations with secretions in, score: 0.01434094
and an aspiration was suspected she was, score: 0.006248889

confidence of prediction: 0.851766
Y_true: [1 12 16 20 27 31 37 40 42]
Y_pred: [1 20 27 31 33 34 40 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
be reintubated in conjunction with, score: 0.6132467
she was intubated and bronched twice her right lung, score:
0.016159995
with respiratory failure discharge, score: 0.0022231746

confidence of prediction: 0.701734
Y_true: [9 12 16 31 33 40 41 42 43]
Y_pred: [40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
general appearance intubated sedated neck, score: 0.21318094
he was intubated and placed on, score: 0.084759355
and were intubated in the, score: 0.031045

confidence of prediction: 0.790462
Y_true: [9 12 16 31 33 40 41 42 43]
Y_pred: [40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
and were intubated in the, score: 0.110296175
he was intubated and placed on propofol, score: 0.07457847
general appearance intubated sedated neck, score: 0.019578693

confidence of prediction: 0.801636
Y_true: [24]
Y_pred: [24 30]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease chronic obstructive pulmonary disease
medications, score: 0.084271125
showed a severely angulated abdominal, score: 0.021579333
pulmonary disease coronary artery disease past surgical, score:
0.01820709

confidence of prediction: 0.953582
Y_true: [4 16 17 26 40 42 46 47 49]
Y_pred: [4 6 26 30 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)

lives with grandson able, score: 0.024472948
2nd toe amputation and, score: 0.016147792
illness 54f hx pvd, score: 0.013238284

confidence of prediction: 0.950993
Y_true: [4 16 17 26 40 42 46 47 49]
Y_pred: [4 6 26 30 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
af on coumadin hyperlipidemia mdd, score: 0.82121825
bpg doctor last name, score: 0.022674063
cool left foot [UNK], score: 0.013948651

confidence of prediction: 0.760419
Y_true: [4 16 17 26 40 42 46 47 49]
Y_pred: [4 6 26 30 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
af on coumadin hyperlipidemia mdd chronic anemia, score: 0.5597875
metoprolol nexium warfarin discharge medications expired, score:
0.35860667
lives with grandson able, score: 0.0040278663

confidence of prediction: 0.773077
Y_true: [16 17 26 33 41 43 49]
Y_pred: [17 27 41 42 43]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
icp monitor placement history of, score: 0.09831844
bolt was placed for icp, score: 0.09227872
traumatic subarachnoid hemorrhage upon arrival, score: 0.06736654

confidence of prediction: 0.580394
Y_true: [16 17 26 33 41 43 49]
Y_pred: [17 27 41 42 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
r o2sats intubated gen, score: 0.052502926
icp monitor placement history, score: 0.050590597
3t on sedation neuro exam, score: 0.030396277

confidence of prediction: 0.740285
Y_true: [16 17 26 33 41 43 49]
Y_pred: [17 27 41 42 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
r o2sats intubated gen, score: 0.10601082
icp monitor placement history of, score: 0.07435465
3t on sedation neuro exam, score: 0.049393527

confidence of prediction: 0.959570
Y_true: [17 19 22 24 25 26 27 40 42 48 49]
Y_pred: [0 2 6 19 26 33 40 42 46 48 49]

top three important windows for true positive code 19 (39.95:
Hemodialysis)
multiple pressors cvvh and intubated, score: 0.13287225
esrd on hd calciphylaxis psh, score: 0.09992342
perform emergent dialysis he was, score: 0.05579036

confidence of prediction: 0.997957
Y_true: [17 19 22 24 25 26 27 40 42 48 49]
Y_pred: [0 2 6 19 26 33 40 42 46 48 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
cabg afib on coumadin cll asx, score: 0.0022670832
cabg gout lle angio, score: 0.00054710347
expired discharge diagnosis cardiopulmonary, score: 0.00014331323

confidence of prediction: 0.834731
Y_true: [17 19 22 24 25 26 27 40 42 48 49]
Y_pred: [0 2 6 19 26 33 40 42 46 48 49]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
patient was intubated patient then had a, score: 0.12710887
cvvh and intubated on ppd2 the, score: 0.035115737
week rare glass of, score: 0.008076095

confidence of prediction: 0.723049
Y_true: [17 19 22 24 25 26 27 40 42 48 49]
Y_pred: [0 2 6 19 26 33 40 42 46 48 49]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
cvvh and intubated on ppd2 the patient, score: 0.09094739
patient was intubated patient then had a, score: 0.039240535
to levophed vasopressin was, score: 0.005116013

confidence of prediction: 0.811800
Y_true: [17 19 22 24 25 26 27 40 42 48 49]
Y_pred: [0 2 6 19 26 33 40 42 46 48 49]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg afib on, score: 0.9398823
diagnostic angiogram history of, score: 0.014997848
k to reverse the inr, score: 0.0073206197

confidence of prediction: 0.796155
Y_true: [17 19 22 24 25 26 27 40 42 48 49]
Y_pred: [0 2 6 19 26 33 40 42 46 48 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
cataract removal cabg gout lle angio, score: 0.0025476182
[UNK] senna coumadin 4mg, score: 0.001743524
took the patient to, score: 0.00058145245

confidence of prediction: 0.896532
Y_true: [4 17 20 42]

Y_pred: [4 20 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history htn hld social history lives with, score: 0.13745797
significant for htn and hld who began to experience, score:
0.0017080724
on for coiling of, score: 0.001373308

confidence of prediction: 0.997411
Y_true: [4 17 20 42]
Y_pred: [4 20 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn hld social history lives, score: 0.18499719
significant for htn and hld who began, score: 0.06487642
atherosclerotic disease but focal, score: 0.0064550354

confidence of prediction: 0.660383
Y_true: [4 17 20 42]
Y_pred: [4 20 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated upon arrival a ct, score: 0.5386334
evd placement cerebral angiogram, score: 0.10407665
on her evd was dropped to on, score: 0.087420784

confidence of prediction: 0.967056
Y_true: [11 34]
Y_pred: [34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
interstitial [UNK] depression add asthma gerd osa h o
nephrolithiasis, score: 0.0014473095
and state pouch as [UNK] continent, score: 0.0010343154
cystectomy state pouch with [UNK], score: 0.0009538712

confidence of prediction: 0.937401
Y_true: [4 20 30 42]
Y_pred: [4 20 40 42 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
cva htn hyperlipidemia lacunar infarct sbo osteoporosis oa psh cabg
r hip surgery, score: 0.06857943
direction of future care, score: 0.0020438347
illness 88f s p, score: 0.0019774116

confidence of prediction: 0.992295
Y_true: [4 20 30 42]
Y_pred: [4 20 40 42 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
ca cva htn hyperlipidemia lacunar infarct sbo osteoporosis oa psh
cabg r hip, score: 0.4514255

granulomatous disease social history, score: 0.033774644
yeast mult organisms c, score: 0.025563449

confidence of prediction: 0.816447
Y_true: [4 20 30 42]
Y_pred: [4 20 40 42 48]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated for a gcs, score: 0.4664739
physical exam intubated and sedated withdraws all, score:
0.0061526867
to extubation the patient, score: 0.0049334723

confidence of prediction: 0.807145
Y_true: [42]
Y_pred: [42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated comatose pupils dilated minimally, score: 0.53843725
bs neurological off propofol, score: 0.08413961
was unresponsive intubated and taken, score: 0.028698677

confidence of prediction: 0.723234
Y_true: [17 45]
Y_pred: [17]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
of multiple superior mesenteric artery branches, score: 0.020627474
without murmurs rubs or, score: 0.019210177
past medical history hepatitis, score: 0.011922542

confidence of prediction: 0.927399
Y_true: [20 42]
Y_pred: [20 33 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn kidney stones social history, score: 0.06487433
sons retired federal government employee since, score: 0.057239294
dnr while awaiting further, score: 0.0051837806

confidence of prediction: 0.925794
Y_true: [20 42]
Y_pred: [20 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
distress and intubated him intubation was difficult, score:
0.0072997753
received mannitol gm iv, score: 0.006352778
is intubated and on, score: 0.005368163

confidence of prediction: 0.828949

Y_true: [2 4 8 21 23 24 26 27 36]
Y_pred: [7 26 27 34]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with hr to 140s, score: 0.7750609
paf sick sinus syndrome, score: 0.13452333
chf ecg notable for rbbb, score: 0.018910145

confidence of prediction: 0.895512
Y_true: [2 4 8 21 23 24 26 27 36]
Y_pred: [7 26 27 34]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
h o chf dyslipidemia dysrhythmia hx paf, score: 0.039909925
ischemic heart ds h o, score: 0.010234878
given his chf ecg notable for rbbb, score: 0.009364725

confidence of prediction: 0.922252
Y_true: [5 16 26 34 40 42]
Y_pred: [17 33 40 42 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was emergently intubated she initially received a, score: 0.6239831
to continue intubation for one more, score: 0.0030211988
started arterial line was, score: 0.0010788387

confidence of prediction: 0.803353
Y_true: [5 16 26 34 40 42]
Y_pred: [17 33 40 42 43]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was emergently intubated she initially received a, score: 0.26193073
to continue intubation for one, score: 0.016508717
quickly deteriorated to 5l, score: 0.0076878793

confidence of prediction: 0.770971
Y_true: [2 3 13 18 23 24]
Y_pred: [3 13 18 20 24]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
medical history hypercholesterolemia arthritis catarct surgeries
social, score: 0.20693028
bypass grafts hypercholesterolemia degenerative joint disease,
score: 0.12956414
and pressors weaned off [UNK] was, score: 0.013472844

confidence of prediction: 0.993483
Y_true: [2 3 13 18 23 24]
Y_pred: [3 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)
coronary artery bypass grafts x lima lad, score: 0.47378635
coronary artery bypass grafting x left, score: 0.07248204

descending saphenous vein grafted to, score: 0.050617274

confidence of prediction: 0.946393
Y_true: [2 3 13 18 23 24]
Y_pred: [3 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.7406368
bypass grafting x left internal, score: 0.050001353
saphenous vein grafted to, score: 0.035663202

confidence of prediction: 0.999398
Y_true: [2 3 13 18 23 24]
Y_pred: [3 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafts x lima lad, score: 0.6020849
coronary artery disease s p coronary artery bypass grafts, score:
0.12746525
disease osteal lad and, score: 0.03800477

confidence of prediction: 0.666808
Y_true: [6 11 21 35 36]
Y_pred: [6 21 36]
top three important windows for true positive code 6 (276.2:
Acidosis)
gap metabolic acidosis likey alcholic ketoacidosis that, score:
0.047789633
lipase 45pm albumin calcium, score: 0.00963361
by his [UNK] lawyer, score: 0.0075804633

confidence of prediction: 0.854043
Y_true: [6 11 21 35 36]
Y_pred: [6 21 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
hip chronic kidney disease baseline cr of social history, score:
0.0055856416
lost his job and started drinking, score: 0.004600214
night intoxicated d c, score: 0.003135781

confidence of prediction: 0.804169
Y_true: [6 11 21 35 36]
Y_pred: [6 21 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic kidney disease baseline cr of social history, score:
0.10050973
lost his job and started drinking, score: 0.0075334273
acidosis likey alcholic ketoacidosis, score: 0.003670552

confidence of prediction: 0.817856
Y_true: [20 40 42]

Y_pred: [7 20 40 42 44]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
with ascites htn anxiety depression seizure pshx, score: 0.12471744
multiple liver biopsies history of, score: 0.042382337
1u cryoprecipitate without an appropriate, score: 0.008105525

confidence of prediction: 0.787866
Y_true: [20 40 42]
Y_pred: [7 20 40 42 44]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
his jp drain continued, score: 0.0724346
he was intubated in the ed, score: 0.050107036
he was aggressively resuscitated, score: 0.00972226

confidence of prediction: 0.748736
Y_true: [20 40 42]
Y_pred: [7 20 40 42 44]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
his jp drain continued, score: 0.052518193
he was intubated in the ed, score: 0.013749115
hx ivdu family history non contributory, score: 0.013044405

confidence of prediction: 0.979557
Y_true: [20 33 40 42]
Y_pred: [20 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn sah basilar tip, score: 0.75438213
expired on pertinent results, score: 0.051069513
service for subarachnoid hemorrhage, score: 0.024904761

confidence of prediction: 0.808250
Y_true: [20 33 40 42]
Y_pred: [20 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
he was intubated in the ed, score: 0.09133517
suprasellar cistern consistent with, score: 0.0062072114
adverse drug reactions attending first, score: 0.003738857

confidence of prediction: 0.824925
Y_true: [20 33 40 42]
Y_pred: [20 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
he was intubated in the ed, score: 0.054237574
and occipital horns there, score: 0.020741232
and occipital horns underlying intraventricular large, score:
0.020741232

confidence of prediction: 0.918783
Y_true: [4 7 20]
Y_pred: [4 20]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
history scoliosis hld htn laminectomy breast biopsy, score: 0.18655087
and urine lytes vitals, score: 0.0021474685
fenofibrate hydrochlorothiazide klonopin arimidex discharge medications hydrochlorothiazide mg, score: 0.0020460512

confidence of prediction: 0.988167
Y_true: [4 7 20]
Y_pred: [4 20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
scoliosis hld htn laminectomy breast biopsy, score: 0.14986725
fenofibrate hydrochlorothiazide klonopin arimidex discharge medications, score: 0.12357118
hctz was resumed the, score: 0.020365985

confidence of prediction: 0.675396
Y_true: [3 6 17 20 26 31 35 40 42 49]
Y_pred: [0 4 17 26 33 35 44 46]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
in pea arrest until, score: 0.07709712
factor viia as well, score: 0.027589466
he was transfused 7u, score: 0.014598335

confidence of prediction: 0.905328
Y_true: [3 6 17 20 26 31 35 40 42 49]
Y_pred: [0 4 17 26 33 35 44 46]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib and nausea brought to, score: 0.6435039
afib on fio2 gen, score: 0.065516315
dyslipidemia atrial fibrillation basal cell carcinoma, score: 0.0047664247

confidence of prediction: 0.703921
Y_true: [3 6 17 20 26 31 35 40 42 49]
Y_pred: [0 4 17 26 33 35 44 46]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
worsening renal failure with creatinine rising, score: 0.09246801
failure acute renal failure discharge condition expired, score: 0.04456592
was made dnr on hd she, score: 0.012197299

confidence of prediction: 0.901081
Y_true: [0 4 9 10 11 12 17 25 28 29 33 35 39 40 42 48]
Y_pred: [4 11 20 23 33 40 42 48]

top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
failure hypertension hyperlipidemia depression alcohol and tobacco, score: 0.037661444
failure hypertension hyperlipidemia depression alcohol and, score: 0.037661444

confidence of prediction: 0.823606
Y_true: [0 4 9 10 11 12 17 25 28 29 33 35 39 40 42 48]
Y_pred: [4 11 20 23 33 40 42 48]
top three important windows for true positive code 11 (311: Depressive disorder, not elsewhere classified)
hyperlipidemia depression alcohol and tobacco abuse, score: 0.17677273
hypertension hyperlipidemia depression alcohol and tobacco abuse, score: 0.007868036

confidence of prediction: 0.846668
Y_true: [0 4 9 10 11 12 17 25 28 29 33 35 39 40 42 48]
Y_pred: [4 11 20 23 33 40 42 48]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
hypoxemic respiratory failure he expired, score: 0.20706345
he was intubated and successfully extubated on, score: 0.02705126
was made cmo and expired medications, score: 0.024322899

confidence of prediction: 0.813357
Y_true: [0 4 9 10 11 12 17 25 28 29 33 35 39 40 42 48]
Y_pred: [4 11 20 23 33 40 42 48]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
was re intubated after transfer, score: 0.34569502
he was intubated and successfully extubated, score: 0.046198018
to mucous plugging pontine, score: 0.0054300306

confidence of prediction: 0.701614
Y_true: [0 4 9 10 11 12 17 25 28 29 33 35 39 40 42 48]
Y_pred: [4 11 20 23 33 40 42 48]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
was re intubated after transfer, score: 0.10215471
to mucous plugging pontine [UNK], score: 0.034422234
he was intubated and successfully extubated, score: 0.023053225

confidence of prediction: 0.715769
Y_true: [0 4 9 10 11 12 17 25 28 29 33 35 39 40 42 48]
Y_pred: [4 11 20 23 33 40 42 48]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
history of cabg remote mi hip shoulder surgery liver, score: 0.620737
history of cabg remote mi hip shoulder surgery liver, score: 0.25560305

k cl ammonia ca, score: 0.0019656229

confidence of prediction: 0.501859
Y_true: [12 16 17 29 30 32 33 34 40 41 42 47]
Y_pred: [8 33 34 40 42]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
she required intubation and [UNK] pressors, score: 0.10365529
multiple attempts were made, score: 0.045136098
to withdraw care medications, score: 0.029288126

confidence of prediction: 0.766528
Y_true: [12 16 17 29 30 32 33 34 40 41 42 47]
Y_pred: [8 33 34 40 42]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
o2 gerd osteoporosis who presented to, score: 0.25887737
of hyperthyroid gerd social history widowed and, score: 0.022737857
another institution dated a left sided, score: 0.016498404

confidence of prediction: 0.916659
Y_true: [12 16 17 29 30 32 33 34 40 41 42 47]
Y_pred: [8 33 34 40 42]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
she required intubation and [UNK] pressors, score: 0.6708724
considering feeding tube at time, score: 0.0027729282
only terminal extubation patient expired family members, score: 0.0024785213

confidence of prediction: 0.674233
Y_true: [12 16 17 29 30 32 33 34 40 41 42 47]
Y_pred: [8 33 34 40 42]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
she required intubation and [UNK] pressors, score: 0.53916216
considering feeding tube at time, score: 0.011748206
terminal extubation patient expired family members, score: 0.0032776366

confidence of prediction: 0.923652
Y_true: [2 4 20 33 35 41 42]
Y_pred: [2 4 17 20 40 41 43]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
history htn dm hld social history married, score: 0.08502734
gen intubated unresponsive heent no, score: 0.020305926
a neurology consultation was, score: 0.0053555216

confidence of prediction: 0.813407
Y_true: [2 4 20 33 35 41 42]
Y_pred: [2 4 17 20 40 41 43]

top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
medical history htn dm hld social history married family, score: 0.001828088
traumatic brain injury cerebral, score: 0.001373176
the emergency room and, score: 0.0010322405

confidence of prediction: 0.986579
Y_true: [2 4 20 33 35 41 42]
Y_pred: [2 4 17 20 40 41 43]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
medical history htn dm hld social history married, score: 0.18326855
consult was called a, score: 0.024241026
dnr dni cmo and, score: 0.00752653

confidence of prediction: 0.937362
Y_true: [2 4 20 33 35 41 42]
Y_pred: [2 4 17 20 40 41 43]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
subfalcine herniation new right, score: 0.26751322
fracture aspirated secretions in the, score: 0.022719981
herniation right temporal lobectomy, score: 0.017854402

confidence of prediction: 0.555116
Y_true: [6]
Y_pred: [0 2 6 17 23 24 26 27 33 42 43 46 49]
top three important windows for true positive code 6 (276.2: Acidosis)
severe metabolic acidosis with lacate peak, score: 0.10911837
despite maximal pressors after discussions with the, score: 0.043592643
despite max levophed started on, score: 0.035947524

confidence of prediction: 0.833105
Y_true: [42]
Y_pred: [42]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
neuro intubated in psych unable, score: 0.3113925
he was intubated at the scene for, score: 0.20167133
hour eeg which was, score: 0.027796146

confidence of prediction: 0.831197
Y_true: [1 34]
Y_pred: [1 27]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
home omeprazole levothyroxine welchol oxycontin 320mg tid, score: 0.0073917657
with service facility ct vna [UNK] home healthcare and hospice discharge diagnosis, score: 0.0008993345

character of the skin, score: 0.00065504527

confidence of prediction: 0.662286
Y_true: [3 20 47]
Y_pred: [3 20]
top three important windows for true positive code 3 (272.0: Pure hypercholesterolemia)
disorder obesity hypertension hypercholesterolemia asthma and possible, score: 0.019035595
comm artery aneurysm suicidal, score: 0.006025006
asa 325mg hctz 25mg daily lisinopril, score: 0.0019363769

confidence of prediction: 0.980751
Y_true: [3 20 47]
Y_pred: [3 20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
asa 325mg hctz 25mg daily lisinopril, score: 0.046823032
bipolar disorder obesity hypertension hypercholesterolemia asthma and possible, score: 0.021549668
40mg daily effexor 225mg qpm zyprexa 20mg, score: 0.002129488

confidence of prediction: 0.998139
Y_true: [0 8 11 12 16 26 27 33 36 40 41 43 46 49]
Y_pred: [24 26 27 40 49]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
af with aberrency on coumadin social, score: 0.0008611635
thoracentesis who presented to, score: 0.0005534922
gemcitabine afib on coumadin s p, score: 0.00027016972

confidence of prediction: 0.964005
Y_true: [0 8 11 12 16 26 27 33 36 40 41 43 46 49]
Y_pred: [24 26 27 40 49]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
afib on coumadin s, score: 0.010815521
cards heart sounds regular, score: 0.00705575
5l gen aox3 nad, score: 0.005888237

confidence of prediction: 0.869737
Y_true: [0 8 11 12 16 26 27 33 36 40 41 43 46 49]
Y_pred: [24 26 27 40 49]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
she was intubated goals of, score: 0.15763488
on gemcitabine oncologist is, score: 0.015913568
appearing woman labs were, score: 0.0072213775

confidence of prediction: 0.679106
Y_true: [0 8 11 12 16 26 27 33 36 40 41 43 46 49]
Y_pred: [24 26 27 40 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)

afib on coumadin s, score: 0.8115049
mg tablet warfarin mg tablet sig, score: 0.05654624
was terminally extubated and, score: 0.001155924

confidence of prediction: 0.983569
Y_true: [3 20 44]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn sleep apnea social, score: 0.44308484
pt underwent reimplantation surgery of, score: 0.07816277
cr seconds in thumb, score: 0.019295834

confidence of prediction: 0.786257
Y_true: [17 20 41 42]
Y_pred: [17 20 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
was unarousable even off sedation with spontaneous movement, score:
0.06238626
htn bilateral catract surgery hx, score: 0.032248516
extubated at 9pm palliative care consult was, score: 0.02759172

confidence of prediction: 0.923886
Y_true: [17 20 41 42]
Y_pred: [17 20 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn bilateral catract surgery hx, score: 0.09466712
combined with htn was the likely cause, score: 0.001780805
expired on at am, score: 0.0014338922

confidence of prediction: 0.678238
Y_true: [17 20 41 42]
Y_pred: [17 20 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
to painful stimuli throughout brainstem reflexes, score: 0.16189615
cmv gen intubated patient arrived, score: 0.11734022
even off sedation with spontaneous, score: 0.062610544

confidence of prediction: 0.908498
Y_true: [4 8 13 18 20 24 30 34]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
disease hypertension hyperlipidemia peripheral vascular disease,
score: 0.080941856
grafts hypertension hyperlipidemia peripheral vascular disease,
score: 0.07416922
simvastatin 20mg d norvasc, score: 0.0081372345

confidence of prediction: 0.991059

Y_true: [4 8 13 18 20 24 30 34]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 13 (36.15: Single internal mammary—coronary artery bypass)
coronary artery bypass grafts x2 lima lad svg om history, score: 0.74752885
coronary artery bypass grafts hypertension hyperlipidemia, score: 0.018274304
tolerated the operation well, score: 0.008871572

confidence of prediction: 0.930331
Y_true: [4 8 13 18 20 24 30 34]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.74020594
wires on day beta blockade, score: 0.17419958
diuresed towards her preoperative, score: 0.0151738

confidence of prediction: 0.986787
Y_true: [4 8 13 18 20 24 30 34]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
artery disease hypertension hyperlipidemia peripheral vascular disease, score: 0.13301484
artery disease major surgical, score: 0.018083796
murmur gr sem base, score: 0.013357821

confidence of prediction: 0.999478
Y_true: [4 8 13 18 20 24 30 34]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafts x2 lima lad svg om, score: 0.5360675
coronary artery disease major surgical, score: 0.19216327
coronary artery disease s p coronary artery bypass grafts, score: 0.11348895

confidence of prediction: 0.882098
Y_true: [4 8 13 18 20 24 30 34]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
disease gastroesophageal reflux social history lives, score: 0.10401859
history of present illness, score: 0.009565039
allergies sulfa sulfonamide antibiotics penicillins codeine, score: 0.008363994

confidence of prediction: 0.500355
Y_true: [4 20]
Y_pred: [4 20]
top three important windows for true positive code 4 (272.4: Other

and unspecified hyperlipidemia)
after embolization hyperlipidemia per pt his pcp, score: 0.12905446
dc d simvastatin bph terazosin held, score: 0.039534125
resection hypertension hyperlipidemia bph gout social history,
score: 0.023244279

confidence of prediction: 0.944373
Y_true: [4 20]
Y_pred: [4 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension hyperlipidemia bph gout social, score: 0.30898798
with colchicine hypertension anti hypertensive medications, score:
0.15286705
hyperlipidemia per pt his, score: 0.10577161

confidence of prediction: 0.544816
Y_true: [2 3 10 12 20]
Y_pred: [4 10 12 21 36]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
history tobacco pack years smokes pck d alcohol denies, score:
0.0037796644
pack year smoking hx, score: 0.0030774102
history htn renal injury in, score: 0.0022876787

confidence of prediction: 0.954820
Y_true: [2 3 10 12 20]
Y_pred: [4 10 12 21 36]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
bronchoscopy and bronchoalveolar lavage r bronchial artery
angiogram, score: 0.044447582
you underwent bronchoscopy and embolization, score: 0.027501622
r bronchial artery branches, score: 0.00918028

confidence of prediction: 0.867866
Y_true: [0 6 8 17 26 35 36 37 46 49]
Y_pred: [17 21 26 35 36 37 46 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
access r femoral line ppx pain control, score: 0.12969476
a femoral line was placed and, score: 0.015389088
supratherapeutic inr sepsis based on ua likely, score: 0.0076244655

confidence of prediction: 0.998206
Y_true: [0 6 8 17 26 35 36 37 46 49]
Y_pred: [17 21 26 35 36 37 46 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on warfarin chronic renal, score: 0.2529839
afib and chronic renal, score: 0.012284294
autopsy son name ni, score: 0.00022955835

confidence of prediction: 0.569333
Y_true: [0 6 8 17 26 35 36 37 46 49]
Y_pred: [17 21 26 35 36 37 46 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
and acute renal failure complicated by, score: 0.12456421
given renal failure blood pressure, score: 0.12355296
kidney insufficiency appears to, score: 0.105012596

confidence of prediction: 0.736151
Y_true: [0 6 8 17 26 35 36 37 46 49]
Y_pred: [17 21 26 35 36 37 46 49]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
renal insufficiency based on, score: 0.08011819
chronic renal insuffiency presented from, score: 0.043137033
warfarin chronic renal insufficiency anemia on, score: 0.03663285

confidence of prediction: 0.633131
Y_true: [0 6 8 17 26 35 36 37 46 49]
Y_pred: [17 21 26 35 36 37 46 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urosepsis but bacturia could, score: 0.16518743
diagnosis urosepsis death discharge condition expired, score:
0.09407686
to excrete warfarin from, score: 0.028671106

confidence of prediction: 0.748908
Y_true: [0 6 8 17 26 35 36 37 46 49]
Y_pred: [17 21 26 35 36 37 46 49]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
urosepsis major surgical or, score: 0.13748907
meeting with patient s children, score: 0.0855552
supported with levophed and vasopressin to, score: 0.07985536

confidence of prediction: 0.869686
Y_true: [0 6 8 17 26 35 36 37 46 49]
Y_pred: [17 21 26 35 36 37 46 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on warfarin and chronic renal, score: 0.6327316
afib on warfarin chronic renal, score: 0.31650177
osh held warfarin type, score: 0.0028947243

confidence of prediction: 0.928186
Y_true: [4 21 27 29 33 35 36 37]
Y_pred: [4 17 21 27 29 31 33 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
lvef in hyperlipidemia hypertension cva left sided, score: 0.3449437
meq daily allopurinol mg, score: 0.0043546185
drop left sided leg, score: 0.00399032

confidence of prediction: 0.840716
Y_true: [4 21 27 29 33 35 36 37]
Y_pred: [4 17 21 27 29 31 33 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic kidney disease cr was in anemia from, score: 0.17393816
appearing elderly lady breathing, score: 0.014400376
at cr baseline one year, score: 0.011634209

confidence of prediction: 0.913194
Y_true: [4 21 27 29 33 35 36 37]
Y_pred: [4 17 21 27 29 31 33 36]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
numeric identifier 58am blood, score: 0.14881995
congestive heart failure lvef in hyperlipidemia, score: 0.09131233
chf last ef aspiration, score: 0.08796344

confidence of prediction: 0.877376
Y_true: [4 21 27 29 33 35 36 37]
Y_pred: [4 17 21 27 29 31 33 36]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
with pneumonia followup to, score: 0.04427951
o aspiration pna who presents, score: 0.03169843
likely rml pna so she received, score: 0.022837246

confidence of prediction: 0.740674
Y_true: [4 21 27 29 33 35 36 37]
Y_pred: [4 17 21 27 29 31 33 36]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxemic respiratory failure in the, score: 0.3224751
cantonese speaking lady with history, score: 0.022254223
was made cmo and transfered out, score: 0.018816682

confidence of prediction: 0.810659
Y_true: [4 21 27 29 33 35 36 37]
Y_pred: [4 17 21 27 29 31 33 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
at cr baseline one year ago, score: 0.022118786
appearing elderly lady breathing, score: 0.015578291
weakness chronic kidney disease cr was in anemia from, score:
0.0053373817

confidence of prediction: 0.553719
Y_true: [1 4 21 36]
Y_pred: [1 4 20 36]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
cva hypothyroidism per neuro note, score: 0.23309448

available hypothyroidism discharge condition stable, score:
0.20506714
daily levothyroxine [UNK] daily discharge medications levothyroxine
mcg tablet sig one, score: 0.101643555

confidence of prediction: 0.940123
Y_true: [1 4 21 36]
Y_pred: [1 4 20 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history htn hyperlipidemia h o cva hypothyroidism, score: 0.05199622
infarct hypertension hyperlipidemia h o cva, score: 0.048751805
htn and hyperlipidemia cri who presented to, score: 0.03392565

confidence of prediction: 0.509610
Y_true: [1 4 21 36]
Y_pred: [1 4 20 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
and hyperlipidemia cri who presented to ed, score: 0.41365045
subcortical infarct in the, score: 0.012496538
examination valerian degeneration is, score: 0.008907291

confidence of prediction: 0.919490
Y_true: [1 4 17 20 24 35 37 44 48]
Y_pred: [1 4 20 27 44 48]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
daily levothyroxine mcg tablet sig one, score: 0.067599855
ph leuk mod 00am wbc, score: 0.002122818
hypertension hyperlipidemia hypothyroidism hit neurogenic bladder
self, score: 0.0013277644

confidence of prediction: 0.857771
Y_true: [1 4 17 20 24 35 37 44 48]
Y_pred: [1 4 20 27 44 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
[UNK] hypertension hyperlipidemia hypothyroidism hit neurogenic
bladder, score: 0.25748652
zetia humalog 15u day, score: 0.016070522
stranding penile implant reservoir, score: 0.006966996

confidence of prediction: 0.575067
Y_true: [1 4 17 20 24 35 37 44 48]
Y_pred: [1 4 20 27 44 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
x [UNK] hypertension hyperlipidemia hypothyroidism hit neurogenic,
score: 0.57235664
zetia humalog 15u day, score: 0.044646855
cabg s p pacemaker placement for, score: 0.02759166

confidence of prediction: 0.843598

Y_true: [1 4 17 20 24 35 37 44 48]
Y_pred: [1 4 20 27 44 48]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
he was transfused 2u prbcs for hct repeat, score: 0.040308382
normalization of bps on, score: 0.007603998
iliac fx r acetabular fx r inf, score: 0.007137105

confidence of prediction: 0.879539
Y_true: [1 4 17 20 24 35 37 44 48]
Y_pred: [1 4 20 27 44 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg s p pacemaker placement, score: 0.9695637
s p bypass and, score: 0.016221574
a day zetia mg tablet, score: 0.0013851441

confidence of prediction: 0.854899
Y_true: [4 26 34 49]
Y_pred: [4 20 26 34 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
illness hpi 81f with fall from, score: 0.012791251
buspar daily hctz daily, score: 0.011596869
social history social hx, score: 0.0067889

confidence of prediction: 0.997747
Y_true: [4 26 34 49]
Y_pred: [4 20 26 34 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
af bp hr r, score: 0.000109540335
fall major surgical or, score: 0.0001066542
arthritis afib on coumadin social history, score: 3.558795e-05

confidence of prediction: 0.961403
Y_true: [4 26 34 49]
Y_pred: [4 20 26 34 49]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
htn dyslipidemia gerd restless legs arthritis afib, score:
0.05535391
illness hpi 81f with fall, score: 0.0091353515
she had cervical ct, score: 0.002727667

confidence of prediction: 0.789664
Y_true: [4 26 34 49]
Y_pred: [4 20 26 34 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
to admission coumadin 5mg, score: 0.020328296
o t af bp hr r, score: 0.00039252033
81f with fall from, score: 0.0003787884

confidence of prediction: 0.541220
Y_true: [2 8 17 20 31 35 37]
Y_pred: [17 31 35 37]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
po medications groans moans, score: 0.024298027
renal disease picc line clot discharge condition, score: 0.016830008
you comfort measures only, score: 0.011399217

confidence of prediction: 0.913721
Y_true: [2 8 17 20 31 35 37]
Y_pred: [17 31 35 37]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
for aspiration pneumonia and has required, score: 0.16470857
an aspiration pneumonia and dehydration with, score: 0.11812457
diagnosis aspiration pneumonia dehydration hypernatremia, score:
0.06590649

confidence of prediction: 0.934839
Y_true: [2 8 17 20 31 35 37]
Y_pred: [17 31 35 37]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
frail elderly african american, score: 0.042343255
medications groans moans with, score: 0.019923083
acute renal failure and hypernatremia, score: 0.019730875

confidence of prediction: 0.838595
Y_true: [2 8 17 20 31 35 37]
Y_pred: [17 31 35 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
medications groans moans with turning, score: 0.048102938
with fluids uti urine culture with gram, score: 0.023714066
elderly african american female heent, score: 0.016117688

confidence of prediction: 0.814691
Y_true: [4 10 20]
Y_pred: [4 20]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
depression anxiety hyperlipidemia and hypertension social history,
score: 0.66632324
prn trazodone 50mg qhs keppra 750mg hospital1 famotadine, score:
0.01906931
pravastatin mg tablet sig, score: 0.009000319

confidence of prediction: 0.900243
Y_true: [4 10 20]
Y_pred: [4 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hyperlipidemia and hypertension social history widowed, score:

0.12129407
uses family history non, score: 0.017423788
for evacuation she was, score: 0.016820045

confidence of prediction: 0.820740
Y_true: [2 21 23 24 27 36 48]
Y_pred: [2 20 23 24 27 44]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
htn dm2 who presented with, score: 0.015924778
previously cri baseline dm2 insulin dependent htn baseline, score:
0.011905851
cad htn dm2 who presented to, score: 0.0067910347

confidence of prediction: 0.543344
Y_true: [2 21 23 24 27 36 48]
Y_pred: [2 20 23 24 27 44]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
medical history mi in cad s p cabgx4 in, score: 0.2176139
arms angioplasty coronary stents x2 in, score: 0.013831272
of cad chf htn, score: 0.01379062

confidence of prediction: 0.846343
Y_true: [2 21 23 24 27 36 48]
Y_pred: [2 20 23 24 27 44]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
in cad s p cabgx4 in, score: 0.19783199
angioplasty coronary stents x2 in, score: 0.08474352
of cad chf htn dm2 who, score: 0.07223131

confidence of prediction: 0.959388
Y_true: [2 21 23 24 27 36 48]
Y_pred: [2 20 23 24 27 44]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
of cad chf htn dm2 who presented, score: 0.017618975
in and chf last overloaded about 1mo, score: 0.010176052
statins hmg coa reductase, score: 0.0017926077

confidence of prediction: 0.603973
Y_true: [3 21 36]
Y_pred: [3 7 20]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
avastin therapy htn hypercholesterolemia s p appendectomy and,
score: 0.0018290167
sternocleidomastoids and upper trapezius, score: 0.0013374769
reconstruction mr known lastname has, score: 0.0011658112

confidence of prediction: 0.995308
Y_true: [20]

Y_pred: [20 41 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
tracks but non communicative otherwise, score: 0.02148242
keppra 1500mg q12 fludrocortisone, score: 0.0028104594
underwent a l hemicraniectomy, score: 0.0025251678

confidence of prediction: 0.897360
Y_true: [4 13 14 18 21 24 36 38 39]
Y_pred: [4 13 14 18 21 24 36 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia chronic renal insufficiency
creatinine, score: 0.1162021
grafts hypertension hyperlipidemia s p herniorrhaphies s, score:
0.07505098
hospital1 atorvastatin 10mg daily, score: 0.007707241

confidence of prediction: 0.729866
Y_true: [4 13 14 18 21 24 36 38 39]
Y_pred: [4 13 14 18 21 24 36 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
triple bypass grafts were, score: 0.07823665
coronary artery bypass grafts hypertension hyperlipidemia, score:
0.075968534
incisions gently with mild, score: 0.044579662

confidence of prediction: 0.800599
Y_true: [4 13 14 18 21 24 36 38 39]
Y_pred: [4 13 14 18 21 24 36 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catheterization showed vessel disease, score: 0.0076471553
left heart catheterization coronary angiogram history of, score:
0.004471599
varicosities none x neuro, score: 0.004084993

confidence of prediction: 0.979198
Y_true: [4 13 14 18 21 24 36 38 39]
Y_pred: [4 13 14 18 21 24 36 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.08609222
cardiothoracic allergies patient recorded, score: 0.013766349
washing incisions gently with mild soap, score: 0.009067267

confidence of prediction: 0.829801
Y_true: [4 13 14 18 21 24 36 38 39]
Y_pred: [4 13 14 18 21 24 36 38]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
hyperlipidemia chronic renal insufficiency creatinine anxiety s p,

score: 0.033685446
extractions chronic renal insufficiency s p lumbar, score:
0.005237725
social history race caucasian, score: 0.0040678727

confidence of prediction: 0.963448
Y_true: [4 13 14 18 21 24 36 38 39]
Y_pred: [4 13 14 18 21 24 36 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p coronary artery bypass grafts, score:
0.26733795
coronary artery bypasss grafts, score: 0.12872314
s p herniorrhaphies s p cataract, score: 0.09553666

confidence of prediction: 0.933941
Y_true: [4 13 14 18 21 24 36 38 39]
Y_pred: [4 13 14 18 21 24 36 38]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
hyperlipidemia chronic renal insufficiency creatinine anxiety s p,
score: 0.0038801203
extractions chronic renal insufficiency s p lumbar, score:
0.0021336693
recorded as having no, score: 0.0019981463

confidence of prediction: 0.940153
Y_true: [4 13 14 18 21 24 36 38 39]
Y_pred: [4 13 14 18 21 24 36 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
varicosities none x neuro, score: 0.022746515
cardiac catheterization showed vessel disease, score: 0.0065498436
left heart catheterization coronary angiogram history of, score:
0.0049504344

confidence of prediction: 0.832411
Y_true: [9 20 31 35]
Y_pred: [20 31 35]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
humerus fracture social history, score: 0.23875687
medical history htn crack cocaine and etoh, score: 0.16358174
bp trend hypotension likely, score: 0.0132074645

confidence of prediction: 0.945428
Y_true: [9 20 31 35]
Y_pred: [20 31 35]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
for aspiration pna coverage etoh utox, score: 0.10344343
secondary to aspiration pneumonia versus pneumonitis improved,
score: 0.016975855
denies cp sob f, score: 0.0022747833

confidence of prediction: 0.827160
Y_true: [9 20 31 35]
Y_pred: [20 31 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure baseline cr on admission creatinine resolved,
score: 0.105333224
with ivf lactate improved with fluids, score: 0.01809665
recorded as having no, score: 0.016200652

confidence of prediction: 0.938526
Y_true: [20 27 34]
Y_pred: [18 20 27 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
left thoracotomy hypertension gastric reflux disease, score:
0.30473056
ischemic cardiomyopathy chronic systolic, score: 0.04380058
ef hepatitis c implanted, score: 0.026870312

confidence of prediction: 0.969021
Y_true: [20 27 34]
Y_pred: [18 20 27 34]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
defibrillator was implanted a, score: 0.13428839
pacer defibrillator end of life, score: 0.06978713
pacer defibrillator with lv leads, score: 0.031478543

confidence of prediction: 0.652139
Y_true: [20 27 34]
Y_pred: [18 20 27 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
approach was utilized to, score: 0.020934148
in gastric reflux hypertension social history patient, score:
0.009323931
left thoracotomy hypertension gastric reflux disease discharge
condition good, score: 0.004638402

confidence of prediction: 0.531343
Y_true: [11 36 42]
Y_pred: [17 36 40 42]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
history depression renal insufficiency social history married,
score: 0.020380683
[UNK] whilst returning home after a, score: 0.0052453205
medication unknown discharge disposition, score: 0.0044380426

confidence of prediction: 0.637823
Y_true: [11 36 42]
Y_pred: [17 36 40 42]

top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
external ventriculostomy drain was, score: 0.065631196
sah pt intubated prior to, score: 0.029964622
hr supplemented wtih 2ns, score: 0.015141745

confidence of prediction: 0.549706
Y_true: [6 40 42]
Y_pred: [40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
fio2 general intubated sedated young, score: 0.10703324
she was intubated urine and, score: 0.07693641
she was intubated for airway protection and, score: 0.012157307

confidence of prediction: 0.829196
Y_true: [6 40 42]
Y_pred: [40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
she was intubated urine and, score: 0.032834087
fio2 general intubated sedated young, score: 0.01771619
food particles and an og, score: 0.014975732

confidence of prediction: 0.850872
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension dyslipidemia chronic back pain carpal, score:
0.17783925
diagnosis hypertension hyperlipidemia chronic back pain coronary,
score: 0.09402393
gentleman with recent complaints, score: 0.0082053775

confidence of prediction: 0.971161
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting surgery given, score: 0.20676838
coronary artery bypass grafting left internal mammary artery to
left, score: 0.08827861
bypass graft x postoperative atrial, score: 0.059758816

confidence of prediction: 0.978430
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed without, score: 0.36388165
lotions powders or ointments to, score: 0.172093

incisions no baths or, score: 0.14968605

confidence of prediction: 0.858507
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
polypectomy tonsillectomy toe surgery, score: 0.39351872
medical history hypertension dyslipidemia chronic back pain, score:
0.15761882
discharge diagnosis hypertension hyperlipidemia chronic back pain,
score: 0.06453694

confidence of prediction: 0.993935
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease ejection, score: 0.26902366
three vessel coronary artery bypass grafting, score: 0.18896148
coronary artery disease s p coronary artery bypass graft, score:
0.06595343

confidence of prediction: 0.922415
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation over several days, score: 0.51576394
atrial fibrillation discharge condition good, score: 0.102266915
atrial and ventricular arrhythmias the, score: 0.02002665

confidence of prediction: 0.816819
Y_true: [8 9 21 34 36 37 39 40 41 42 44]
Y_pred: [34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
orthopaedics allergies morphine percocet, score: 0.02658462
diffuse neuropathy gerd htn physical exam lower, score: 0.01493963
postop per standard protocol initial postop pain, score:
0.0033041807

confidence of prediction: 0.558435
Y_true: [7 10]
Y_pred: [10]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
tobacco ppd x years etoh patient, score: 0.5097583
pancreatitis etoh abuse gastritis alcohol, score: 0.008650432
abuse positive for history of, score: 0.0028552173

confidence of prediction: 0.684290
Y_true: [7 11]
Y_pred: [11]

top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
medical history depression personal hx of hospital1, score:
0.09201581
restart on depression continue paxil medications on, score:
0.014794633
cobalt nickel attending first, score: 0.010477698

confidence of prediction: 0.959800
Y_true: [2 4 11 20]
Y_pred: [2 4 20]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
medications metformin 1000mg hospital1 paxil mg, score: 0.08865225
history dm htn and hospital transferred, score: 0.027775157
history dm2 htn hld social history, score: 0.016575085

confidence of prediction: 0.848509
Y_true: [2 4 11 20]
Y_pred: [2 4 20]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
paroxetine hcl mg tablet, score: 0.0077777207
medications metformin 1000mg hospital1 paxil mg daily, score:
0.0054132515
medical history dm2 htn hld social history lives with, score:
0.0036184131

confidence of prediction: 0.976761
Y_true: [2 4 11 20]
Y_pred: [2 4 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history dm htn and hospital transferred, score: 0.21435116
metformin 1000mg hospital1 paxil, score: 0.013978488
metformin mg tablet sig, score: 0.004082804

confidence of prediction: 0.705898
Y_true: [2 3 20 48]
Y_pred: [3 20 40 42]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
medical history hypercholesterolemia htn social history lawyer,
score: 0.094421215
hctz lorazepam nortriptyline simvastatin and, score: 0.0068827975
daily daily hydrochlorothiazide mg capsule, score: 0.002233075

confidence of prediction: 0.981777
Y_true: [2 3 20 48]
Y_pred: [3 20 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
lisinopril ibuprofen hctz lorazepam nortriptyline simvastatin,

score: 0.24083045
history hypercholesterolemia htn social history lawyer drink, score:
0.07892766
the parent vessel in future coil, score: 0.0042351605

confidence of prediction: 0.579828
Y_true: [2 20 42]
Y_pred: [2 4 20 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
repair dm on insulin x, score: 0.091196045
of dm htn and hld who, score: 0.051946755
hld and dm who was transferred, score: 0.015482624

confidence of prediction: 0.976096
Y_true: [2 20 42]
Y_pred: [2 4 20 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
of dm htn and hld who, score: 0.29319897
pmh of htn hld and dm who, score: 0.13300236
medical history htn depression hld, score: 0.07807847

confidence of prediction: 0.647221
Y_true: [2 20 42]
Y_pred: [2 4 20 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
remained intubated and was, score: 0.12657093
and was intubated a ct, score: 0.037777424
status intubated off sedation does, score: 0.036811486

confidence of prediction: 0.938453
Y_true: [4 28 41 47]
Y_pred: [4 18 20 26 41]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia osa cpap mask at, score:
0.06478394
solutab mg tablet rapid, score: 0.027178809
admission nexium crestor niacin discharge medications oxycodone,
score: 0.024550531

confidence of prediction: 0.509061
Y_true: [4 28 41 47]
Y_pred: [4 18 20 26 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
cycle tube feeds were continued, score: 0.07931458
your feeding tube sutures become loose, score: 0.045820914
your feeding tube falls out save, score: 0.045820914

confidence of prediction: 0.811956
Y_true: [2 7 17 33 40 43 45]
Y_pred: [40 42 43 44]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
she was intubated and surgery, score: 0.3888186
remained intubated and was, score: 0.045487612
she remained intubated but otherwise, score: 0.004582748

confidence of prediction: 0.565959
Y_true: [2 7 17 33 40 43 45]
Y_pred: [40 42 43 44]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
she was intubated and surgery, score: 0.19137578
remained intubated and was transferred, score: 0.14269094
she remained intubated but otherwise, score: 0.08570299

confidence of prediction: 0.754185
Y_true: [0 1 4 8 11 31 33 37 46]
Y_pred: [0 1 4 17 27 29 33 37 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
attributed to sepsis ua was also found, score: 0.3869521
mortem septic shock pt remained severely, score: 0.01599385
occasional envelop occasional 20pm blood, score: 0.014825236

confidence of prediction: 0.914101
Y_true: [0 1 4 8 11 31 33 37 46]
Y_pred: [0 1 4 17 27 29 33 37 46]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
osteoarthritis hypothyroidism dyslipidemia anemia social, score:
0.35834417
failure hypothyroidism she was maintained on, score: 0.102940194
of levothyroxine iv rather, score: 0.012690298

confidence of prediction: 0.797659
Y_true: [0 1 4 8 11 31 33 37 46]
Y_pred: [0 1 4 17 27 29 33 37 46]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
osteoarthritis hypothyroidism dyslipidemia anemia social history
tobacco, score: 0.2584845
simvastatin 20mg qhs lorazepam, score: 0.016018122
depression hypothyroid osteoarthritis recently moved, score:
0.008851539

confidence of prediction: 0.798457
Y_true: [0 1 4 8 11 31 33 37 46]
Y_pred: [0 1 4 17 27 29 33 37 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)

hypercarbic respiratory failure in setting, score: 0.32795146
and respiratory failure hypothyroidism, score: 0.10170693
hypercarbic respiratory failure pt presented, score: 0.08189167

confidence of prediction: 0.896163
Y_true: [0 1 4 8 11 31 33 37 46]
Y_pred: [0 1 4 17 27 29 33 37 46]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuks mod 50pm urine rbc, score: 0.14654647
leuks wbcs and many bacteria urine, score: 0.0684146
escherichia coli organisms ml blood, score: 0.0139528345

confidence of prediction: 0.929394
Y_true: [0 1 4 8 11 31 33 37 46]
Y_pred: [0 1 4 17 27 29 33 37 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
septic shock pt remained severely, score: 0.20568727
attributed to sepsis ua was also found, score: 0.17532374
envelop occasional 20pm blood, score: 0.04382379

confidence of prediction: 0.938398
Y_true: [34]
Y_pred: [34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
medical history gerd social history bottles of, score: 0.06504865
nasonex discharge medications oxycodone, score: 0.0016253914
surgery allergies patient recorded as having no, score: 0.0012332974

confidence of prediction: 0.705340
Y_true: [2 20 31]
Y_pred: [2 20 28 31]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
hypercholesterolemia arthritis dmii hernia repair social, score:
0.11067053
simvastatin glyburide asa unknown dose advil, score: 0.09239521
checks tight bp control with, score: 0.02761348

confidence of prediction: 0.892258
Y_true: [2 20 31]
Y_pred: [2 20 28 31]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension s p pna, score: 0.18168192
hypertension discharge condition expired discharge, score:
0.18141997
heterogeneous opacification at the, score: 0.046482302

confidence of prediction: 0.886287
Y_true: [2 20 31]

Y_pred: [2 20 28 31]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
possible aspiration pneumonia secondary hypertension discharge,
score: 0.20317678
have hemiplegia on l rushed, score: 0.042241838
dense hemiplegia and complete hemisensory, score: 0.037032057

confidence of prediction: 0.775272
Y_true: [10 30]
Y_pred: [30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
crohn s copd chronic pain psh bl knee, score: 0.025595153
fevers chills redness or, score: 0.00022177516
last name un fhl, score: 0.00014824755

confidence of prediction: 0.922889
Y_true: [8 11 18]
Y_pred: [18]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies patient recorded, score: 0.02850011
lotions creams or ointments to, score: 0.016212566
heart rrr x irregular, score: 0.004526879

confidence of prediction: 0.827991
Y_true: [33 34]
Y_pred: [20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
arrangments to accomodate her, score: 0.0061985455
nodes her tumor was, score: 0.0015905919
adriamycin and cytoxan and, score: 0.00094884966

confidence of prediction: 0.663147
Y_true: [6 16 33 42]
Y_pred: [6 7 28 33 35 40 42 43]
top three important windows for true positive code 6 (276.2:
Acidosis)
intubated 11am lactate 11am freeca, score: 0.20009944
for his acidosis abdominal, score: 0.19746687
soon maximally dosed on levophed phenylephrine and, score:
0.05605955

confidence of prediction: 0.774224
Y_true: [6 16 33 42]
Y_pred: [6 7 28 33 35 40 42 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
to respiratory failure the, score: 0.113000385
intubated 11am lactate 11am, score: 0.07050504
tidal vol peep o2, score: 0.0545042

confidence of prediction: 0.745248
Y_true: [6 16 33 42]
Y_pred: [6 7 28 33 35 40 42 43]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
after intubation sedation for endoscopy, score: 0.33293274
was intubated for airway protection, score: 0.15741514
was intubated and sedated, score: 0.0985465

confidence of prediction: 0.909930
Y_true: [10 15 20 22 24 27 38]
Y_pred: [20 24 27 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
and lasix milligrams on, score: 0.09536265
lasix milligrams p o, score: 0.042671405
milligrams of morphine milligrams of intravenous lopressor, score:
0.035938874

confidence of prediction: 0.964359
Y_true: [10 15 20 22 24 27 38]
Y_pred: [20 24 27 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease cardiac, score: 0.13039698
artery mid circumflex and a distal, score: 0.11403343
coronary artery disease the, score: 0.11036652

confidence of prediction: 0.853909
Y_true: [10 15 20 22 24 27 38]
Y_pred: [20 24 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure at, score: 0.21151814
congestive heart failure the patient had, score: 0.11980662
heart failure on admission with, score: 0.077987984

confidence of prediction: 0.617144
Y_true: [10 15 20 22 24 27 38]
Y_pred: [20 24 27 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization on showed an, score: 0.11023554
mid circumflex and a distal, score: 0.048024375
cardiac catheterization on and cardiac catheterization showed
moderately elevated, score: 0.0363125

confidence of prediction: 0.544252
Y_true: [4 21 24 26 36 48]
Y_pred: [4 7 15 21 26 27 33 36 38 40 42 44 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia ckd baseline, score: 0.23374492

of hypertension hyperlipidemia ckd, score: 0.13941981
of htn hyperlipidemia ckd, score: 0.1047612

confidence of prediction: 0.879377
Y_true: [4 21 24 26 36 48]
Y_pred: [4 7 15 21 26 27 33 36 38 40 42 44 48]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
hyperlipidemia ckd baseline scr cad s, score: 0.121883474
hyperlipidemia ckd severe aortic stenosis, score: 0.1022781
chronic kidney disease discharge condition, score: 0.08166517

confidence of prediction: 0.635168
Y_true: [4 21 24 26 36 48]
Y_pred: [4 7 15 21 26 27 33 36 38 40 42 44 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
af with rvr and hypotensive, score: 0.09867707
atrial fibrillation with rvr to, score: 0.020128863
estgfr using this 40am, score: 0.011849302

confidence of prediction: 0.809340
Y_true: [4 21 24 26 36 48]
Y_pred: [4 7 15 21 26 27 33 36 38 40 42 44 48]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic kidney disease discharge condition, score: 0.09859564
hyperlipidemia ckd severe aortic stenosis, score: 0.08145129
hyperlipidemia ckd baseline scr cad s, score: 0.07699979

confidence of prediction: 0.860328
Y_true: [4 21 24 26 36 48]
Y_pred: [4 7 15 21 26 27 33 36 38 40 42 44 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
p 3v cabg in, score: 0.28320584
cardiac history cabg lima lad svg, score: 0.030451935
coronary artery disease s p cabg critical, score: 0.003645167

confidence of prediction: 0.608236
Y_true: [6 20 23 26 42 49]
Y_pred: [20 26 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
surgery and radiotherapy hypertension retinal hemorrhage and, score:
0.0054851724
and [UNK] away at, score: 0.004238089
collapsed in front of, score: 0.0011947737

confidence of prediction: 0.928937
Y_true: [6 20 23 26 42 49]
Y_pred: [20 26 49]
top three important windows for true positive code 26 (427.31:

Atrial fibrillation)
fib and old cerebellar, score: 0.0985035
atrial fibrillation tia in myocardial, score: 0.049259733
she takes coumadin mg, score: 0.025724394

confidence of prediction: 0.894086
Y_true: [6 20 23 26 42 49]
Y_pred: [20 26 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
she takes coumadin mg every, score: 0.46843904
was on coumadin for her a fib and, score: 0.029885992
fib and old cerebellar, score: 0.004984083

confidence of prediction: 0.981443
Y_true: [20 40]
Y_pred: [4 20 27 33 40 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history of hypertension hyperlipidemia and alcoholic cirrhosis who
presents, score: 0.096025094
history of hypertension hyperlipidemia alcoholic cirrhosis and
recently diagnosed, score: 0.096025094
hypertension alcoholism alcoholic cirrhosis, score: 0.040234707

confidence of prediction: 0.645504
Y_true: [20 40]
Y_pred: [4 20 27 33 40 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
peep general intubated sedated diaphoretic, score: 0.20108502
pulmonary alveolar proteinosis social, score: 0.100618325
pulmonary alveolar proteinosis the, score: 0.0883476

confidence of prediction: 0.615597
Y_true: [2 6 7 16 17 20 29 33 35 40 42]
Y_pred: [3 10 24 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
new acute renal failure likely due to, score: 0.018294947
this was improving on, score: 0.011736139
etodolac indomethacin naproxen sertraline oxycodone, score:
0.007047276

confidence of prediction: 0.969258
Y_true: [20 37]
Y_pred: [20 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
his missing breakfast this, score: 0.021626893
today after falling down, score: 0.021262651
[UNK] trazodone zyprexa asa, score: 0.014466513

confidence of prediction: 0.916066

Y_true: [20 37]
Y_pred: [20 37]
top three important windows for true positive code 37 (599.0: Urinary tract infection, site not specified)
urinary tract infection discharge condition, score: 0.22707047
a urinary tract infection please be, score: 0.008008392
for a urinary tract infection his home medications, score: 0.0034373638

confidence of prediction: 0.771422
Y_true: [0 4 7 20 31 33 40 43 44 46]
Y_pred: [4 7 20 31 44]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
medical history dyslipidemia htn h o bleeding, score: 0.16383545
aripiprazole atorvastatin benicar bupropion escitalopram oxalate hydromorphone, score: 0.028322345
bupropion mg tablet sig, score: 0.013342091

confidence of prediction: 0.957678
Y_true: [0 4 7 20 31 33 40 43 44 46]
Y_pred: [4 7 20 31 44]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
extension ankle dorsiflexion and plantar, score: 0.39776182
thoracolumbar fusion with instrumentation he, score: 0.062351685
service orthopaedics allergies patient recorded as having no, score: 0.025214545

confidence of prediction: 0.963684
Y_true: [0 4 7 20 31 33 40 43 44 46]
Y_pred: [4 7 20 31 44]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
history dyslipidemia htn h o bleeding, score: 0.098778956
t9 l5 history of, score: 0.084961444
aripiprazole atorvastatin benicar bupropion escitalopram oxalate hydromorphone, score: 0.02838668

confidence of prediction: 0.963202
Y_true: [0 4 7 20 31 33 40 43 44 46]
Y_pred: [4 7 20 31 44]
top three important windows for true positive code 31 (507.0: Pneumonitis due to inhalation of food or vomitus)
developed an aspiration pneumonia and was placed, score: 0.029065968
s1 dermatomes clonus reflexes, score: 0.0007952542
diagnosis scoliosis aspiration pneumonia post op blood, score: 0.0006847709

confidence of prediction: 0.769678
Y_true: [0 4 7 20 31 33 40 43 44 46]
Y_pred: [4 7 20 31 44]
top three important windows for true positive code 44 (99.04: Transfusion of packed cells)

was transfused prbcs and [UNK] for, score: 0.44379535
l5 anterior fusion via thoracotomy, score: 0.042514376
extension ankle dorsiflexion and, score: 0.032449365

confidence of prediction: 0.919903
Y_true: [5 11 41 43]
Y_pred: [17 40 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
ivf tube feeds were started on, score: 0.08274527
monitor placed icp remained ns infusion started, score: 0.03282471
and unreactive mannitol given and emergent, score: 0.009691886

confidence of prediction: 0.934785
Y_true: [5 11 41 43]
Y_pred: [17 40 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
monitor placed icp remained ns infusion started, score: 0.30235353
unreactive mannitol given and, score: 0.053754605
count was routinely monitored and, score: 0.035071574

confidence of prediction: 0.786742
Y_true: [2 3 6 20 33 37]
Y_pred: [2 20 31 37]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
daily glipizide mg daily ezetimibe mg, score: 0.023159051
glipizide mg tablet extended, score: 0.009287902
history pmh dm2 htn hypercholesterol scalp melanoma, score:
0.0054648635

confidence of prediction: 0.950979
Y_true: [2 3 6 20 33 37]
Y_pred: [2 20 31 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hydrochlorothiazide mg daily atenolol mg, score: 0.14341672
hydrochlorothiazide mg tablet sig, score: 0.1200215
softners with narcotics complete, score: 0.06781983

confidence of prediction: 0.589125
Y_true: [2 3 6 20 33 37]
Y_pred: [2 20 31 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
for urinary tract infection followup instructions, score:
0.039969653
rod s organisms ml cxr, score: 0.037676282
culture with gnr he, score: 0.013110569

confidence of prediction: 0.608701

Y_true: [0 17 27 29 30 33 42 46]
Y_pred: [0 6 27 29 30 33 40 42 43 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
septic shock respiratory failure pneumonia, score: 0.119108856
he was given calcium, score: 0.11623719
pneumonia and sepsis unfortunately, score: 0.064998895

confidence of prediction: 0.944877
Y_true: [0 17 27 29 30 33 42 46]
Y_pred: [0 6 27 29 30 33 40 42 43 46]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
h o chf copd per chart presented, score: 0.03290947
failure failure in terms of, score: 0.0041196635
renal failure discharge condition, score: 0.0037746516

confidence of prediction: 0.659305
Y_true: [0 17 27 29 30 33 42 46]
Y_pred: [0 6 27 29 30 33 40 42 43 46]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
lobe pneumonia multiple chronic right sided, score: 0.047172375
respiratory failure pneumonia hyperkalemia liver, score: 0.024643704
hospital with pneumonia and sepsis, score: 0.02400894

confidence of prediction: 0.525384
Y_true: [0 17 27 29 30 33 42 46]
Y_pred: [0 6 27 29 30 33 40 42 43 46]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
o chf copd per chart presented to, score: 0.23871084
found out copd and pulm htn social history lives with long time,
score: 0.019996116
the right ventricular cavity, score: 0.0098293945

confidence of prediction: 0.911021
Y_true: [0 17 27 29 30 33 42 46]
Y_pred: [0 6 27 29 30 33 40 42 43 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
respiratory failure pneumonia hyperkalemia, score: 0.07006485
he was intubated and sedated, score: 0.06903449
mechanical ventilation abg demonstrated he, score: 0.054005817

confidence of prediction: 0.650616
Y_true: [0 17 27 29 30 33 42 46]
Y_pred: [0 6 27 29 30 33 40 42 43 46]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
intubation terminal extubation history of, score: 0.095991716
tube og tube cardiovascular, score: 0.056471158
he was intubated and sedated hr, score: 0.043253157

confidence of prediction: 0.915701
Y_true: [0 17 27 29 30 33 42 46]
Y_pred: [0 6 27 29 30 33 40 42 43 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
septic shock respiratory failure pneumonia hyperkalemia, score:
0.09467815
he was given calcium, score: 0.05296385
he was given aggressive, score: 0.05296385

confidence of prediction: 0.615149
Y_true: [6 11 16 17 26 31 33 35 37 40 42]
Y_pred: [11 17 26 33 40 42 43]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
bipolar disorder depression social history pt has, score:
0.118625924
pt was taken to, score: 0.013082289
recorded as having no, score: 0.010411164

confidence of prediction: 0.961268
Y_true: [6 11 16 17 26 31 33 35 37 40 42]
Y_pred: [11 17 26 33 40 42 43]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
again and [UNK] rounds, score: 0.41858786
venous line placement arterial line placement history of, score:
0.37052438
upon rewarming pt was found to, score: 0.011843786

confidence of prediction: 0.965817
Y_true: [6 11 16 17 26 31 33 35 37 40 42]
Y_pred: [11 17 26 33 40 42 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
a fib with aberrancy he was, score: 0.0048981
expired discharge diagnosis discharge, score: 0.0029686957
abg notable for acidosis, score: 0.0018411176

confidence of prediction: 0.523339
Y_true: [6 11 16 17 26 31 33 35 37 40 42]
Y_pred: [11 17 26 33 40 42 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
notable for acidosis he, score: 0.09404736
the intubated status of, score: 0.07667143
he was intubated at [UNK] with, score: 0.07472985

confidence of prediction: 0.546508
Y_true: [6 11 16 17 26 31 33 35 37 40 42]
Y_pred: [11 17 26 33 40 42 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)

caucasian male intubated in nard heent, score: 0.2629345
he was intubated at [UNK], score: 0.03990301
the intubated status of, score: 0.02324084

confidence of prediction: 0.951650
Y_true: [6 11 16 17 26 31 33 35 37 40 42]
Y_pred: [11 17 26 33 40 42 43]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
caucasian male intubated in nard heent pupils, score: 0.035370614
the intubated status of, score: 0.03242665
he was intubated at [UNK], score: 0.03181927

confidence of prediction: 0.846061
Y_true: [1 13 18 20 24]
Y_pred: [1 4 13 18 20 24]
top three important windows for true positive code 1 (244.9:
Unspecfied acquired hypothyroidism)
hypertension hypothyroidism asthmatic bronchitis prostate, score:
0.25311726
qd levoxyl 100mcg qd lisinopril 5mg, score: 0.23504135
refills levothyroxine mcg tablet sig one, score: 0.028061863

confidence of prediction: 0.991428
Y_true: [1 13 18 20 24]
Y_pred: [1 4 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft x left, score: 0.5479625
descending artery saphenous vein graft, score: 0.041390847
coronary artery bypass graft x please, score: 0.03094965

confidence of prediction: 0.973254
Y_true: [1 13 18 20 24]
Y_pred: [1 4 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.26632744
cardiothoracic allergies lipitor morphine, score: 0.05449428
marginal saphenous vein graft, score: 0.014085268

confidence of prediction: 0.813889
Y_true: [1 13 18 20 24]
Y_pred: [1 4 13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecfied essential hypertension)
pmh hyperlipidemia hypertension hypothyroidism asthmatic, score:
0.2059232
qd lescol 40mg qd levoxyl 100mcg qd lisinopril, score: 0.11791348
history hyperlipidemia hypertension hypothyroidism asthmatic, score:
0.08869607

confidence of prediction: 0.999384

Y_true: [1 13 18 20 24]
Y_pred: [1 4 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.5711334
coronary artery disease s p coronary artery bypass graft, score:
0.12091262
descending artery saphenous vein graft, score: 0.021688228

confidence of prediction: 0.982655
Y_true: [3 14 20 24 38 48]
Y_pred: [2 13 15 18 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease all, score: 0.1082214
coronary artery disease status, score: 0.044418253
disease right coronary artery, score: 0.034433648

confidence of prediction: 0.823305
Y_true: [3 14 20 24 38 48]
Y_pred: [2 13 15 18 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
severely diffusely diseased proximally subtotally occluded, score:
0.7676289
marginal the distal left, score: 0.025771376
catheterization she was started, score: 0.017267155

confidence of prediction: 0.616495
Y_true: [4 20 32]
Y_pred: [4 20 31]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
gentleman with metastatic melanoma, score: 0.080916755
metastases hypertension hyperlipidemia bph gout social history,
score: 0.064600565
metastases hypertension hyperlipidemia bph gout discharge condition,
score: 0.064600565

confidence of prediction: 0.996836
Y_true: [4 20 32]
Y_pred: [4 20 31]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
isosorbide mononitrate mg tablet, score: 0.030833958
on admission hctz mg, score: 0.023372825
discharge medications hydrochlorothiazide mg, score: 0.013828541

confidence of prediction: 0.801325
Y_true: [41]
Y_pred: [41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
j tube feeds as he, score: 0.3431989

the tube feeds well on, score: 0.14498235
began tube feeds and his, score: 0.020133268

confidence of prediction: 0.851006
Y_true: [3 20 24 26 49]
Y_pred: [20 26 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn afib family history nc, score: 0.39632988
coumadin in days after, score: 0.10200144
to the elevator and tripped over, score: 0.08863595

confidence of prediction: 0.975201
Y_true: [3 20 24 26 49]
Y_pred: [20 26 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib family history nc physical, score: 0.63638395
elevator and tripped over his, score: 0.033795826
for afib who is status post, score: 0.0068475325

confidence of prediction: 0.605625
Y_true: [3 20 24 26 49]
Y_pred: [20 26 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
regarding restarting coumadin in days after, score: 0.5587711
on admission coumadin mg, score: 0.1976559
s pm coumadin mg, score: 0.06610183

confidence of prediction: 0.721491
Y_true: [30 33 36 48]
Y_pred: [24 27 30 42]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
history chf copd on o2 2liters and, score: 0.052145682
in emergency department requiring, score: 0.00021955375
heart rate was bradycardic, score: 0.0001984553

confidence of prediction: 0.931999
Y_true: [4 13 18 20 24 39]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
pda stenosis hyperlipidemia borderline hypertension osteoarthritis
trigger, score: 0.078436576
with htn hld cad stress test and, score: 0.051458832
hyperlipidemia with plans for, score: 0.042099547

confidence of prediction: 0.933993
Y_true: [4 13 18 20 24 39]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)

cabg history of present, score: 0.59042877
creams lotions powders or ointments to incisions no, score:
0.021937506
with 3vd lad midvessel and d1, score: 0.020865168

confidence of prediction: 0.966855
Y_true: [4 13 18 20 24 39]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies penicillins sulfa, score: 0.01823814
cabg history of present illness yo m, score: 0.014001282
washing incisions no baths or, score: 0.0040517356

confidence of prediction: 0.996302
Y_true: [4 13 18 20 24 39]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
known 3vd htn hyperlipidemia with plans, score: 0.10640008
hyperlipidemia borderline hypertension osteoarthritis trigger
finger, score: 0.06319108
with htn hld cad stress test, score: 0.02875903

confidence of prediction: 0.983458
Y_true: [4 13 18 20 24 39]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
and known 3vd htn, score: 0.093370564
cabg history of present, score: 0.09276635
3vd lad midvessel and d1, score: 0.032024052

confidence of prediction: 0.941374
Y_true: [1 23 26 37]
Y_pred: [1 20 26 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
mtx hypothyroidism on levoxyl afib not on, score: 0.6696452
daily levoxyl 50mcg q9pm celexa 10mg, score: 0.008977732
daily levothyroxine mcg tablet sig, score: 0.0074792425

confidence of prediction: 0.987848
Y_true: [1 23 26 37]
Y_pred: [1 20 26 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
chronic constipation bisacodyl mg, score: 0.0056220153
fall major surgical or, score: 0.0021111409
fluid with otherwise clear, score: 0.0011206855

confidence of prediction: 0.888097
Y_true: [1 23 26 37]
Y_pred: [1 20 26 37]

top three important windows for true positive code 37 (599.0: Urinary tract infection, site not specified)
many bacteria ucx pending inr, score: 0.08740153
levoxyl afib not on, score: 0.05369542
the foramen magnum stable, score: 0.019640464

confidence of prediction: 0.704311
Y_true: [20]
Y_pred: [20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
obstructive cardiomyopathy hcm an apical, score: 0.16729675
medical history hypertension diagnosed years ago, score: 0.13994683
htn and mi at 49yrs s, score: 0.052791394

confidence of prediction: 0.552581
Y_true: [7]
Y_pred: [7 9]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
bleeding soaking super tampons and, score: 0.39857128
rosacea atypical melanocytic proliferation past, score: 0.07513663
recorded as having no, score: 0.04957337

confidence of prediction: 0.755345
Y_true: [42]
Y_pred: [42]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
at scene intubated for combativeness with multiple, score: 0.15108539
status intubated examined approx hours after, score: 0.03160628
gen intubated at the scene with, score: 0.027994566

confidence of prediction: 0.814946
Y_true: [6 10 19]
Y_pred: [11 19]
top three important windows for true positive code 19 (39.95: Hemodialysis)
closed and hemodialysis was stopped, score: 0.19360562
insertion hemodialysis history of, score: 0.10844704
to initiate dialysis in the micu on, score: 0.043449514

confidence of prediction: 0.921776
Y_true: [2 8 13 18 24]
Y_pred: [2 13 18 20 24]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
daily metformin glucophage mg po bid, score: 0.0698891
unknown metformin glucophage mg po bid, score: 0.059280574
history diabetes mellitus asthma prostate, score: 0.016594619

confidence of prediction: 0.989906
Y_true: [2 8 13 18 24]
Y_pred: [2 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft x left internal mammary artery to left,
score: 0.68903613
coronary artery bypass graft x overall, score: 0.03891768
wires were discontinued without, score: 0.027443483

confidence of prediction: 0.986679
Y_true: [2 8 13 18 24]
Y_pred: [2 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.74451387
diuresed toward the preoperative, score: 0.021006476
cardiothoracic allergies iv dye, score: 0.0029313718

confidence of prediction: 0.999631
Y_true: [2 8 13 18 24]
Y_pred: [2 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.7783113
coronary artery disease he is, score: 0.036624216
corornary artery disease s p coronary artery bypass graft, score:
0.011798635

confidence of prediction: 0.816749
Y_true: [3 20 33 34 40 42]
Y_pred: [3 20 33 40 42]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
history gout htn hypercholesterolemia erectile dsyfunction
angioedema, score: 0.0023919926
with pitting edema respiratory, score: 0.001475913
ace inhibitors nsaids non, score: 0.0009415695

confidence of prediction: 0.918309
Y_true: [3 20 33 34 40 42]
Y_pred: [3 20 33 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history gout htn hypercholesterolemia erectile dsyfunction
angioedema, score: 0.3689806
ace inhibitors nsaids non steroidal, score: 0.18172342
inhibitors aspirin ibuprofen or, score: 0.10067397

confidence of prediction: 0.777955
Y_true: [3 20 33 34 40 42]
Y_pred: [3 20 33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)

to electively intubate the, score: 0.13638873
otolaryngology allergies ace inhibitors, score: 0.075923644
peep fio2 po2 pco2 ph, score: 0.033369306

confidence of prediction: 0.966700
Y_true: [3 20 33 34 40 42]
Y_pred: [3 20 33 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
to electively intubate the patient, score: 0.45871833
optic intubation was performed successfully the, score: 0.009622757
were intubated with a, score: 0.0042416477

confidence of prediction: 0.772534
Y_true: [3 20 33 34 40 42]
Y_pred: [3 20 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
to electively intubate the patient, score: 0.41966522
optic intubation was performed successfully the, score: 0.018006928
he was tolerating a, score: 0.005860389

confidence of prediction: 0.898602
Y_true: [1 8 18 20]
Y_pred: [1 18 20 30]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
prn levothyroxine 50mcg po daily piroxicam, score: 0.22106037
disease hypothyroidism kidney stones degenerative, score: 0.03852913
levothyroxine mcg tablet sig, score: 0.022127887

confidence of prediction: 0.986487
Y_true: [1 8 18 20]
Y_pred: [1 18 20 30]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7470688
diuresed toward the preoperative, score: 0.021078566
cardiothoracic allergies aspirin penicillins, score: 0.009215941

confidence of prediction: 0.975962
Y_true: [1 8 18 20]
Y_pred: [1 18 20 30]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
p avr hypertension asthma chronic obstructive pulmonary, score:
0.14640734
medical history hypertension asthma copd hypothyroidism kidney
stones degenerative, score: 0.1275944
significant for hypertension copd hypothyroidism and, score:
0.043886114

confidence of prediction: 0.886622

Y_true: [6 7]
Y_pred: [7 20 28]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
underwent endoscopy that was, score: 0.12751314
and underwent egd in the, score: 0.095607094
jejunum her bleeding stopped, score: 0.08899895

confidence of prediction: 0.909811
Y_true: [21 26 27 29 35 37 48]
Y_pred: [2 26 27 35 41 43 48]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib bp rr tachypnic satting, score: 0.8455179
afib dm name ni, score: 0.015789507
atrial fibrillation not on ac, score: 0.014254521

confidence of prediction: 0.948715
Y_true: [21 26 27 29 35 37 48]
Y_pred: [2 26 27 35 41 43 48]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
chf exacerbation back to, score: 0.16878743
diastolic chf who has had, score: 0.1195259
chf hospital1 stage ii, score: 0.083991736

confidence of prediction: 0.818643
Y_true: [21 26 27 29 35 37 48]
Y_pred: [2 26 27 35 41 43 48]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
bnp elevated lactate no, score: 0.29321516
range [UNK] arf acute on chronic dchf, score: 0.0342486
recorded as having no, score: 0.018519051

confidence of prediction: 0.643764
Y_true: [21 26 27 29 35 37 48]
Y_pred: [2 26 27 35 41 43 48]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
course after cabg and, score: 0.12578271
including cad afib dm, score: 0.050205115
eat today daughter went to, score: 0.02761824

confidence of prediction: 0.649918
Y_true: [40 41 42]
Y_pred: [40 42]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
transfer intubation major surgical, score: 0.549046
was reintubated at placed, score: 0.11057517
in intubation extubation was, score: 0.08590694

confidence of prediction: 0.814386

Y_true: [40 41 42]
Y_pred: [40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
transfer intubation major surgical, score: 0.4098038
was reintubated at placed, score: 0.14221926
was intubated at midnight, score: 0.07742584

confidence of prediction: 0.836888
Y_true: [5 9 27 31 41 43]
Y_pred: [31 33 40 42]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
for aspiration pneumonia and rle cellulitis, score: 0.19325347
o aspiration pna transfered from hospital1, score: 0.05527464
trach was replaced patient, score: 0.011427723

confidence of prediction: 0.988567
Y_true: [13 18 24 34]
Y_pred: [13 18 24 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft, score: 0.5267577
left internal mammary artery to the, score: 0.082490206
coronary artery bypass graft, score: 0.08058585

confidence of prediction: 0.980484
Y_true: [13 18 24 34]
Y_pred: [13 18 24 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies patient recorded, score: 0.014269794
washing incisions gently with mild soap, score: 0.009398864
marginal history of present, score: 0.009050767

confidence of prediction: 0.999583
Y_true: [13 18 24 34]
Y_pred: [13 18 24 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.69123787
coronary artery bypass graft, score: 0.02952184
coronary artery disease discharge, score: 0.027885418

confidence of prediction: 0.782624
Y_true: [13 18 24 34]
Y_pred: [13 18 24 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
gerd like symtpoms chest, score: 0.11881185
discharge diagnosis gerd barrett s esophagus coronary, score:
0.070604
of intermittant gerd like, score: 0.0407666

confidence of prediction: 0.911495
Y_true: [1 20]
Y_pred: [1 20]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
sss hypothyroidism thyroidectomy appendectomy depression, score:
0.2135579
daily levothyroxine mcg tablet sig one, score: 0.0137834335
hha 7a 5p and, score: 0.0006806291

confidence of prediction: 0.930732
Y_true: [1 20]
Y_pred: [1 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension s p permanent pacemaker sss
hypothyroidism thyroidectomy appendectomy, score: 0.25494516
pepcid ac 1tab vit d mvi, score: 0.081475705

confidence of prediction: 0.881027
Y_true: [4 7 13 18 20 24 40 41 42]
Y_pred: [4 13 18 20 24 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
p stents hyperlipidemia hypertension social history he, score:
0.25124326
mental status hyperlipidemia hypertension discharge condition alert,
score: 0.027037645
p cabg postop etoh withdrawal, score: 0.0045377654

confidence of prediction: 0.990027
Y_true: [4 7 13 18 20 24 40 41 42]
Y_pred: [4 13 18 20 24 40 42]
top three important windows for true positive code 13 (36.15: Single
internal mammary–coronary artery bypass)
coronary artery bypass grafting times three left, score: 0.6299599
coronary artery bypass grafting surgery by, score: 0.0963742
intraop tee prebypass no, score: 0.021447843

confidence of prediction: 0.981538
Y_true: [4 7 13 18 20 24 40 41 42]
Y_pred: [4 13 18 20 24 40 42]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies patient recorded, score: 0.012474731
bypass grafting times three left, score: 0.011442064
tee prebypass no atrial septal, score: 0.009506399

confidence of prediction: 0.992276
Y_true: [4 7 13 18 20 24 40 41 42]
Y_pred: [4 13 18 20 24 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

stents hyperlipidemia hypertension social history he [UNK], score:
0.23626985
added for hypertension over, score: 0.15847833
status hyperlipidemia hypertension discharge condition alert, score:
0.10649472

confidence of prediction: 0.997319
Y_true: [4 7 13 18 20 24 40 41 42]
Y_pred: [4 13 18 20 24 40 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.43611187
coronary artery disease s p cabg postop, score: 0.0923277
coronary artery disease s p stents hyperlipidemia, score:
0.036073625

confidence of prediction: 0.927875
Y_true: [4 7 13 18 20 24 40 41 42]
Y_pred: [4 13 18 20 24 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
he was reintubated for safety on postoperative, score: 0.014316763
became increasingly tachypneic tachycardic and, score: 0.00086547184
was added for hypertension, score: 0.00067769503

confidence of prediction: 0.749481
Y_true: [4 7 13 18 20 24 40 41 42]
Y_pred: [4 13 18 20 24 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
he was reintubated for safety on postoperative, score: 0.0069030924
he became increasingly tachypneic tachycardic and hypertensive he
concomitantly became more, score: 0.0012198867
over several days he, score: 0.0005824745

confidence of prediction: 0.691431
Y_true: [11]
Y_pred: [11]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
celexa overdose depression secondary diagnosis asthma, score:
0.12716106
history asthma depression social history patient reports, score:
0.11933666
took tabs celexa 40mg for total, score: 0.0065667504

confidence of prediction: 0.834446
Y_true: [2 3 5 20 29]
Y_pred: [2 4 20 29 33]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
metformin mg hospital1 glipizide mg hospital1 aspirin mg, score:

0.020436654
history htn dm2 hyperlipidemia bph social history, score:
0.020142563
business then in a, score: 0.019644031

confidence of prediction: 0.882644
Y_true: [2 3 5 20 29]
Y_pred: [2 4 20 29 33]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
his concurrent hypertension he was started, score: 0.14599529
sporting goods store has children, score: 0.071648374
medical history htn dm2 hyperlipidemia bph social, score:
0.034689307

confidence of prediction: 0.717140
Y_true: [2 3 5 20 29]
Y_pred: [2 4 20 29 33]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
a possible pneumonia given left basilar, score: 0.025277557
lobes no pna mild septal, score: 0.023584563
hyponatremia treated with iv, score: 0.01781339

confidence of prediction: 0.901634
Y_true: [7 47]
Y_pred: [7 20]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia she was transfused units of prbc and units of, score:
0.36067238
of serial hematocrits a protonix drip, score: 0.098162636
she developed melena for, score: 0.02373834

confidence of prediction: 0.957682
Y_true: [4 13 18 20 23 24 34 39]
Y_pred: [4 13 18 24 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
cabg hypertension dyslipidemia prior myocardial infarction sleep,
score: 0.44742727
of rca hyperlipidemia hypertension gastroesophageal reflux disease,
score: 0.042183865
hospital1 isosorbide 10mg qd simvastatin 20mg, score: 0.008028786

confidence of prediction: 0.954673
Y_true: [4 13 18 20 23 24 34 39]
Y_pred: [4 13 18 24 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting surgery by, score: 0.18956871
coronary artery bypass grafting utilizing the, score: 0.08093531
coronary artery bypass surgery, score: 0.07570865

confidence of prediction: 0.984429
Y_true: [4 13 18 20 23 24 34 39]
Y_pred: [4 13 18 24 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.80163664
creams or ointments to, score: 0.11596757
diuresed toward his preoperative, score: 0.037801236

confidence of prediction: 0.972039
Y_true: [4 13 18 20 23 24 34 39]
Y_pred: [4 13 18 24 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p cabg hypertension, score: 0.25200182
coronary artery disease myocardial infarction ptca, score:
0.09846037
descending artery with saphenous, score: 0.05526364

confidence of prediction: 0.901167
Y_true: [4 13 18 20 23 24 34 39]
Y_pred: [4 13 18 24 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hypertension gastroesophageal reflux disease obstructive sleep
apnea, score: 0.083924934
postop course was uneventful, score: 0.0011188542
allergies patient recorded as having no, score: 0.00048409257

confidence of prediction: 0.873188
Y_true: [11 18]
Y_pred: [11 18 24]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
parkinson s depression prostatism social history quit, score:
0.028118541
dz depression prostatism discharge condition good, score:
0.017180957
the staff radiologist dr, score: 0.0019970913

confidence of prediction: 0.982814
Y_true: [11 18]
Y_pred: [11 18 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without incident, score: 0.79600877
cardiothoracic allergies shellfish derived, score: 0.04781412
avr with dr last, score: 0.0016974888

confidence of prediction: 0.777133
Y_true: [4 8 20 26 32 34 47]
Y_pred: [9 20 26 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

history pmh htn gout afib type b, score: 0.12147572
discharge medications diovan hct mg tablet, score: 0.07359697
history cad dm physical, score: 0.058571246

confidence of prediction: 0.963952
Y_true: [4 8 20 26 32 34 47]
Y_pred: [9 20 26 27]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib he was deemed stable, score: 0.25439665
atrial fibrillation who had presented, score: 0.101928376
afib type b thoracic, score: 0.009553963

confidence of prediction: 0.835010
Y_true: [2 18 21 25 30 36]
Y_pred: [2 4 18 25 30 36]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
noninsulin dependent diabetes mellitus hypertension chronic
obstructive, score: 0.07173943
non insulin diabetes mellitus hypertension hyperlipidemia mitral,
score: 0.011109443
needed glyburide mg tablet sig, score: 0.0076505803

confidence of prediction: 0.911619
Y_true: [2 18 21 25 30 36]
Y_pred: [2 4 18 25 30 36]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires also in a, score: 0.10138739
cardiothoracic allergies patient recorded, score: 0.020087907
incisions take all medications, score: 0.017033482

confidence of prediction: 0.613497
Y_true: [2 18 21 25 30 36]
Y_pred: [2 4 18 25 30 36]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve replacment was performed, score: 0.39847773
mitral valve replacement 29mm, score: 0.33705157
mitral valve endocarditis major surgical, score: 0.04184943

confidence of prediction: 0.691340
Y_true: [2 18 21 25 30 36]
Y_pred: [2 4 18 25 30 36]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
disease chronic obstructive pulmonary disease h o, score:
0.0141666895
disease benign prostatic hypertrophy, score: 0.0015130724
mitral repair annuloplasty history, score: 0.0008264259

confidence of prediction: 0.726799

Y_true: [2 18 21 25 30 36]
Y_pred: [2 4 18 25 30 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
disease chronic obstructive pulmonary, score: 0.02840407
s p colostomy chronic renal insufficiency diverticular, score:
0.026752766
mellitus hypertension chronic obstructive, score: 0.0062183

confidence of prediction: 0.667271
Y_true: [21 26 36 40 42]
Y_pred: [21 26 27 41 43]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
dumon black tracheoscope t tube, score: 0.042294003
dumon black tracheoscope flexible, score: 0.022102574
participant in programming there, score: 0.019243749

confidence of prediction: 0.954983
Y_true: [21 26 36 40 42]
Y_pred: [21 26 27 41 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation obstructive sleep apnea chronic, score:
0.4267348
of a long trach, score: 0.001022268
his hospital dc meds, score: 0.0009629892

confidence of prediction: 0.682804
Y_true: [3 20 22 24]
Y_pred: [3 17 18 20 24 39 40 42]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
oxygen hypertension hypercholesterolemia macular degeneration
appendectomy, score: 0.051016152
disease hypertension hypercholesterolemia macular degeneration
discharge, score: 0.014767216
daily cholestyramine sucrose gram, score: 0.007876542

confidence of prediction: 0.998765
Y_true: [3 20 22 24]
Y_pred: [3 17 18 20 24 39 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension hypercholesterolemia macular degeneration discharge,
score: 0.18451299
hydrochlorothiazide mg tablet sig, score: 0.08238757
retired tobacco pack year, score: 0.0707047

confidence of prediction: 0.994988
Y_true: [3 20 22 24]
Y_pred: [3 17 18 20 24 39 40 42]
top three important windows for true positive code 24 (414.01:

Coronary atherosclerosis of native coronary artery)
coronary artery disease carotid, score: 0.18937822
a coronary catherization which revealed vessel cad tx d to hospital1
for, score: 0.0229011
hypertension hypercholesterolemia macular degeneration, score:
0.012220986

confidence of prediction: 0.897836
Y_true: [7 28 40 42]
Y_pred: [7 20 28 34]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
was transfused untis of packed rbcs she, score: 0.15939488
anemia gi bleed discharge, score: 0.072278954
bleeding in esophagus stomach, score: 0.061555725

confidence of prediction: 0.893155
Y_true: [7 28 40 42]
Y_pred: [7 20 28 34]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness 53f with history, score: 0.36255682
calchct egd esophagus lumen a small, score: 0.013813659
bleeding in esophagus stomach duodenum impression, score:
0.009892401

confidence of prediction: 0.535810
Y_true: [4 20]
Y_pred: [3 4 20]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
htn and hyperlipidemia he was in his, score: 0.2603021
simvastatin mg tablet sig, score: 0.10208329
10mg daily simvastatin discharge medications lisinopril, score:
0.02197264

confidence of prediction: 0.997798
Y_true: [4 20]
Y_pred: [3 4 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn high cholesterol social history, score:
0.31470153
mri was ordered for, score: 0.031956773
likely aggressive en plaque, score: 0.00698718

confidence of prediction: 0.954223
Y_true: [26 34]
Y_pred: [18 26 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation chronic since, score: 0.16493203
atrial fibrillation she has been, score: 0.10972602
coagulated with coumadin she, score: 0.106632635

confidence of prediction: 0.925168
Y_true: [5 6 9 17 19 28 35 41 46]
Y_pred: [17 19 35 41 43 45 46]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
screen resistant to 1000mcg, score: 0.14867829
line a line mcv, score: 0.06718473
line a line blood, score: 0.06718473

confidence of prediction: 0.950750
Y_true: [5 6 9 17 19 28 35 41 46]
Y_pred: [17 19 35 41 43 45 46]
top three important windows for true positive code 19 (39.95: Hemodialysis)
for cvvh with the, score: 0.12540688
on hemodialysis for his, score: 0.06812505
and dialysis was initiated, score: 0.057676952

confidence of prediction: 0.967537
Y_true: [5 6 9 17 19 28 35 41 46]
Y_pred: [17 19 35 41 43 45 46]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
cvvh for arf hepato renal syndrome a family, score: 0.3958622
lactate paracentesis revealed wbc, score: 0.04307172
tunneled hd line placement, score: 0.017574966

confidence of prediction: 0.718732
Y_true: [5 6 9 17 19 28 35 41 46]
Y_pred: [17 19 35 41 43 45 46]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
a doboff tube placed and tf, score: 0.05795263
syndrome renal was consulted, score: 0.038704474
faecium ampicillin r linezolid, score: 0.031581476

confidence of prediction: 0.625457
Y_true: [5 6 9 17 19 28 35 41 46]
Y_pred: [17 19 35 41 43 45 46]
top three important windows for true positive code 46 (995.92: Severe sepsis)
placement paracentesis paracentesis left picc placement, score: 0.07551871
hepatorenal syndrome secondary obesity h, score: 0.03961353
arf likely hepatorenal syndrome renal was consulted, score: 0.02456457

confidence of prediction: 0.993701
Y_true: [13 17 18 20 24]
Y_pred: [4 13 18 20 23 24 34]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass grafts x4 lima lad svg dg svg, score:

0.53427166
wires were discontinued without, score: 0.021279398
cabg x with dr, score: 0.014635888

confidence of prediction: 0.986918
Y_true: [13 17 18 20 24]
Y_pred: [4 13 18 20 23 24 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7448027
diuresed toward the preoperative, score: 0.021014627
bypass grafts x4 lima lad, score: 0.0033372624

confidence of prediction: 0.993892
Y_true: [13 17 18 20 24]
Y_pred: [4 13 18 20 23 24 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
p prostatectomy hypertension gastroesophageal reflux s, score:
0.37657255
hct daily zocor 40mg daily aspirin, score: 0.27103364
history cad htn hyperlipidemia prostate cancer lung, score:
0.05866221

confidence of prediction: 0.999218
Y_true: [13 17 18 20 24]
Y_pred: [4 13 18 20 23 24 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafts x4 lima lad, score: 0.60589486
coronary artery disease hyperlipidemia, score: 0.12827186
coronary artery disease major, score: 0.033971936

confidence of prediction: 0.683779
Y_true: [1 3]
Y_pred: [1]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
admission levothyroxine mcg simvastatin mg levetiracetam, score:
0.20783418
refills levothyroxine mcg tablet sig one, score: 0.04423122
medical history hypothyroid high cholesterol social history, score:
0.007512509

confidence of prediction: 0.939172
Y_true: [20 26 27 33 35 37 40 42 49]
Y_pred: [26 27 33 35 40 42 44 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation s p cva, score: 0.13367091
atrial fibrillation presented from nursing, score: 0.02952084
expired followup instructions expired, score: 0.0045652012

confidence of prediction: 0.602604

Y_true: [20 26 27 33 35 37 40 42 49]
Y_pred: [26 27 33 35 40 42 44 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure s p cataract surgery, score: 0.20977667
failure likely pre renal, score: 0.008584683
attempt successful reportedly pt, score: 0.007913488

confidence of prediction: 0.910240
Y_true: [20 26 27 33 35 37 40 42 49]
Y_pred: [26 27 33 35 40 42 44 49]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
placed and og lavage, score: 0.13472919
for respiratory failure likely, score: 0.11608199
peep general intubated and sedated heent, score: 0.08377775

confidence of prediction: 0.807341
Y_true: [20 26 27 33 35 37 40 42 49]
Y_pred: [26 27 33 35 40 42 44 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure likely pre renal given hypovolemia also, score:
0.05934448
noxious stimuli derm tenting of, score: 0.021927753
recorded as having no, score: 0.007836751

confidence of prediction: 0.812665
Y_true: [20 26 27 33 35 37 40 42 49]
Y_pred: [26 27 33 35 40 42 44 49]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
peep general intubated and sedated, score: 0.13099438
she was intubated for respiratory, score: 0.03820738
and intubated ros unable, score: 0.034200206

confidence of prediction: 0.632347
Y_true: [20 26 27 33 35 37 40 42 49]
Y_pred: [26 27 33 35 40 42 44 49]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
peri intubation levophed stopped versed, score: 0.15591691
and intubated ros unable, score: 0.11775368
intubated intubated vent controlled, score: 0.092146225

confidence of prediction: 0.658405
Y_true: [20 26 27 33 35 37 40 42 49]
Y_pred: [26 27 33 35 40 42 44 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
po qhs coumadin cyanocobalamin ml im, score: 0.29305258
while on coumadin restarted, score: 0.26539063
cva on coumadin for atrial fibrillation presented, score: 0.1465634

confidence of prediction: 0.898300
Y_true: [7]
Y_pred: [7 40 42]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
plts [UNK] surgicel gelfoam and, score: 0.1393591
11u prbc 6u units ffp 2u cryo, score: 0.082901604
illness 36f g2p2 s, score: 0.061987072

confidence of prediction: 0.878308
Y_true: [2 3 8 13 14 17 18 20 23 24 27 38 44]
Y_pred: [2 4 13 18 20 24 38]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
hyperlipidemia diabetes mellitus myocardial infarction s, score: 0.052556776
with diabetes hypertension hypercholesterolemia, score: 0.02447037
hyperlipidemia diabetes mellitus s p myocardial, score: 0.020940805

confidence of prediction: 0.990892
Y_true: [2 3 8 13 14 17 18 20 23 24 27 38 44]
Y_pred: [2 4 13 18 20 24 38]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass graft x lima to lad svg, score: 0.61992687
coronary artery bypass graft x please, score: 0.094839305
coronary artery bypass graft x hypertension, score: 0.015154909

confidence of prediction: 0.918865
Y_true: [2 3 8 13 14 17 18 20 23 24 27 38 44]
Y_pred: [2 4 13 18 20 24 38]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.8487578
cardiothoracic allergies patient recorded, score: 0.020918854
bypass graft x please see, score: 0.012345008

confidence of prediction: 0.946005
Y_true: [2 3 8 13 14 17 18 20 23 24 27 38 44]
Y_pred: [2 4 13 18 20 24 38]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
with diabetes hypertension hypercholesterolemia and a family, score: 0.28607717
artery disease hypertnesion hyperlipidemia diabetes mellitus myocardial, score: 0.07300568
x hypertension hyperlipidemia diabetes mellitus s, score: 0.03233624

confidence of prediction: 0.998471
Y_true: [2 3 8 13 14 17 18 20 23 24 27 38 44]
Y_pred: [2 4 13 18 20 24 38]
top three important windows for true positive code 24 (414.01:

Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.4833407
coronary artery disease s p coronary artery bypass graft, score:
0.10232635
coronary artery disease upon, score: 0.09740852

confidence of prediction: 0.844822
Y_true: [2 3 8 13 14 17 18 20 23 24 27 38 44]
Y_pred: [2 4 13 18 20 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac cath selective coronary angiography of this, score:
0.15051836
catheterization on and was, score: 0.12169684
vessel there was an, score: 0.06664953

confidence of prediction: 0.595320
Y_true: [2 4 6 7 9 10 19 24 26 29 30 33 34 40 42]
Y_pred: [2 4 12 19 26 29 30 33 43 44]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
sevelamer 800mg tid sucralfate, score: 0.013028066
q6hrs prn amitriptyline 25mg, score: 0.0068965605
copd schizoaffective disorder hypertension hyperlipidemia diabetes
mellitus type ii lumbar disc disease, score: 0.0057750195

confidence of prediction: 0.789229
Y_true: [2 4 6 7 9 10 19 24 26 29 30 33 34 40 42]
Y_pred: [2 4 12 19 26 29 30 33 43 44]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
disorder hypertension hyperlipidemia diabetes mellitus type ii,
score: 0.1495338
q6hrs prn amitriptyline 25mg, score: 0.012989454
sphincterectomy of minor duct, score: 0.011055001

confidence of prediction: 0.634562
Y_true: [2 4 6 7 9 10 19 24 26 29 30 33 34 40 42]
Y_pred: [2 4 12 19 26 29 30 33 43 44]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
transitioned to cvvh due to, score: 0.060802806
history of esrd on hd significant peripheral, score: 0.04596122
comfort care cvvh was discontinued, score: 0.023418358

confidence of prediction: 0.640612
Y_true: [2 4 6 7 9 10 19 24 26 29 30 33 34 40 42]
Y_pred: [2 4 12 19 26 29 30 33 43 44]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation with rvr which, score: 0.17180343
amiodarone on her pressor, score: 0.09794747
thrombectomies her postoperative course, score: 0.029181065

confidence of prediction: 0.634780
Y_true: [2 4 6 7 9 10 19 24 26 29 30 33 34 40 42]
Y_pred: [2 4 12 19 26 29 30 33 43 44]
top three important windows for true positive code 29 (486: Pneumonia, organism unspecified)
hospital acquired pneumonia when transitioned to, score: 0.1702094
less responsive when the, score: 0.008360387
was made she was, score: 0.0060521564

confidence of prediction: 0.660367
Y_true: [2 4 6 7 9 10 19 24 26 29 30 33 34 40 42]
Y_pred: [2 4 12 19 26 29 30 33 43 44]
top three important windows for true positive code 30 (496: Chronic airway obstruction, not elsewhere classified)
mesenteric artery copd schizoaffective disorder hypertension hyperlipidemia, score: 0.07957451
daughter who declined this, score: 0.017022932
gm qid tiotropium 18mcg, score: 0.009467469

confidence of prediction: 0.794475
Y_true: [2 4 6 7 9 10 19 24 26 29 30 33 34 40 42]
Y_pred: [2 4 12 19 26 29 30 33 43 44]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
by respiratory failure multi organ system, score: 0.13859314
pressure support ventilation for, score: 0.043996114
corneal reflexes absent doll, score: 0.04283573

confidence of prediction: 0.842403
Y_true: [20 26 42]
Y_pred: [4 33 40 41 42]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
he was intubated loaded with, score: 0.20516072
rapid sequence intubation was done with, score: 0.051069517
con intubated intubated ct head impressions, score: 0.010968541

confidence of prediction: 0.759007
Y_true: [7 10 20]
Y_pred: [7 20]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
baseline dark maroon guiaic positive stool on, score: 0.1433086
bleeding he required a, score: 0.09163182
recorded as having no, score: 0.07396429

confidence of prediction: 0.995648
Y_true: [7 10 20]
Y_pred: [7 20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
history borderline hypertension social history married children,

score: 0.13831966
for access talked w gi plan, score: 0.014100363
guiaic positive stool on rectal continued to, score: 0.00543286

confidence of prediction: 0.728439
Y_true: [9 17 30 34 35 46]
Y_pred: [6 20 29 30 34]
top three important windows for true positive code 30 (496: Chronic airway obstruction, not elsewhere classified)
autopsy was declined medications on, score: 0.002457918
metastatic to lungs copd hypertension gerd, score: 0.0014475877
s multifocal hcc mild, score: 0.0013434573

confidence of prediction: 0.676042
Y_true: [9 17 30 34 35 46]
Y_pred: [6 20 29 30 34]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
hypertension gerd neuropathy headaches constipation weakness, score: 0.08396124
crystalloid and eventually requiring levophed, score: 0.015701769
and blood sugars were, score: 0.008262036

confidence of prediction: 0.990440
Y_true: [1 3 13 18 20 24 26 45]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single internal mammary–coronary artery bypass)
coronary artery bypass grafts x lima lad svg dg svg, score: 0.6495445
coronary artery bypass grafts hypertension hyperlipidemia, score: 0.015878951
incisions gently with mild, score: 0.009318045

confidence of prediction: 0.979442
Y_true: [1 3 13 18 20 24 26 45]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were [UNK] per, score: 0.021854592
cardiothoracic allergies patient recorded, score: 0.013940762
diuresed towards her preoperative, score: 0.011595093

confidence of prediction: 0.915022
Y_true: [1 3 13 18 20 24 26 45]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
s esophagus hypertension hyperlipidemia s p total, score: 0.08152131
daily lisinopril hctz hospital1 amlopidine daily simvastatin qhs, score: 0.017846378
hyperlipidemia barrett s esophagus, score: 0.015093477

confidence of prediction: 0.999325

Y_true: [1 3 13 18 20 24 26 45]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafts x lima lad, score: 0.66792136
coronary artery disease s p coronary artery bypass grafts, score:
0.14140327
coronary artery disease major surgical, score: 0.037449703

confidence of prediction: 0.887042
Y_true: [1 3 13 18 20 24 26 45]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation on which converted to, score: 0.42815903
amiodarone mg tablet sig, score: 0.017979855
barrett s esophagus hypertension, score: 0.0059311315

confidence of prediction: 0.952713
Y_true: [20 26 49]
Y_pred: [20 26 42 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn a fib dementia anxiety depression social, score:
0.21403797
significant for htn possible baseline dementia and, score:
0.20123576
maintained on coumadin eliciting a, score: 0.006919847

confidence of prediction: 0.900827
Y_true: [20 26 49]
Y_pred: [20 26 42 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
a fib dementia anxiety depression social, score: 0.014943195
20mg hospital1 coumadin 5mg, score: 0.00855156
fall major surgical or, score: 0.004050355

confidence of prediction: 0.502249
Y_true: [20 26 49]
Y_pred: [20 26 42 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
20mg hospital1 coumadin 5mg, score: 0.78554046
maintained on coumadin eliciting, score: 0.04089983
and a fib for which he, score: 0.022295924

confidence of prediction: 0.988248
Y_true: [13 18 20 22 24 26 27]
Y_pred: [13 18 20 24 26 27]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft x5 left internal mammary artery to
left, score: 0.6410938

obtuse marginal ramus and, score: 0.016129114
coronary artery bypass graft x5 myocardial, score: 0.015672363

confidence of prediction: 0.979462
Y_true: [13 18 20 22 24 26 27]
Y_pred: [13 18 20 24 26 27]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires removed per protocol, score: 0.15193735
diuresed toward her preop, score: 0.07484822
cardiothoracic allergies patient recorded, score: 0.011221277

confidence of prediction: 0.985909
Y_true: [13 18 20 22 24 26 27]
Y_pred: [13 18 20 24 26 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension untreated ischemic cardiomyopathy
social history race caucasian, score: 0.10617934
medical history hypertension untreated ischemic cardiomyopathy
right, score: 0.10617934

confidence of prediction: 0.998388
Y_true: [13 18 20 22 24 26 27]
Y_pred: [13 18 20 24 26 27]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.56539214
coronary artery disease s p coronary artery bypass graft, score:
0.11969716
untreated ischemic cardiomyopathy social history, score: 0.030194703

confidence of prediction: 0.973227
Y_true: [13 18 20 22 24 26 27]
Y_pred: [13 18 20 24 26 27]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
amiodarone mg tablet sig, score: 0.005805102
diuresed toward her preop, score: 0.004304967
irregular murmur no abdomen, score: 0.0029073935

confidence of prediction: 0.892072
Y_true: [13 18 20 22 24 26 27]
Y_pred: [13 18 20 24 26 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
dysfunction with akinesis of, score: 0.019338995
cardiomyopathy social history race, score: 0.009122871
acute systolic heart failure past medical history, score:
0.007058465

confidence of prediction: 0.947376
Y_true: [4 20 23 24 29 30 32 33 40 42]
Y_pred: [12 20 23 24 29 30 33 40 41 42 43]

top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history of htn cad copd who presented, score: 0.11432245
continued to tire so, score: 0.045495916
controlled on furosemide hospital1, score: 0.028043048

confidence of prediction: 0.692630
Y_true: [4 20 23 24 29 30 32 33 40 42]
Y_pred: [12 20 23 24 29 30 33 40 41 42 43]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
htn cad copd who presented to, score: 0.0056211883
medical history cad s p mi eight years ago managed with, score:
0.0051778415

confidence of prediction: 0.651115
Y_true: [4 20 23 24 29 30 32 33 40 42]
Y_pred: [12 20 23 24 29 30 33 40 41 42 43]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
htn cad copd who presented to, score: 0.081265785
history cad s p mi eight years ago managed with ptca, score:
0.034079257
and was diuresed with, score: 0.01087025

confidence of prediction: 0.926730
Y_true: [4 20 23 24 29 30 32 33 40 42]
Y_pred: [12 20 23 24 29 30 33 40 41 42 43]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
effusion possible postobstructive pna and very poor, score:
0.014922067
obstructive pneumonia and volume, score: 0.014732931
for pneumonia during that, score: 0.008556768

confidence of prediction: 0.817777
Y_true: [4 20 23 24 29 30 32 33 40 42]
Y_pred: [12 20 23 24 29 30 33 40 41 42 43]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
cad copd who presented to hospital6, score: 0.30123776
later htn copd social history he is, score: 0.019660749
for presumed copd and was diuresed, score: 0.016558347

confidence of prediction: 0.924198
Y_true: [4 20 23 24 29 30 32 33 40 42]
Y_pred: [12 20 23 24 29 30 33 40 41 42 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxic respiratory failure thought due, score: 0.30283192
hypoxic respiratory failure was believed, score: 0.24150613
had respiratory arrest requiring, score: 0.054882243

confidence of prediction: 0.855024

Y_true: [4 20 23 24 29 30 32 33 40 42]
Y_pred: [12 20 23 24 29 30 33 40 41 42 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
he was intubated on the, score: 0.074025616
he was intubated on the, score: 0.036815543
arrest requiring intubation he also, score: 0.023505457

confidence of prediction: 0.533044
Y_true: [4 20 23 24 29 30 32 33 40 42]
Y_pred: [12 20 23 24 29 30 33 40 41 42 43]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
arrest requiring intubation he also, score: 0.041355036
a broncheoalveolar lavage during that, score: 0.04077174
by bedside thoracentesis hematology, score: 0.03364325

confidence of prediction: 0.972574
Y_true: [20 26 42 47]
Y_pred: [20 26 33 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
paroxetine felodipine lovastatin triamterine, score: 0.26389354
medical history htn social history lives in, score: 0.08169563
atrial fibrillation hypertension discharge condition mental, score:
0.07455865

confidence of prediction: 0.949550
Y_true: [20 26 42 47]
Y_pred: [20 26 33 40 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with rvr which was, score: 0.44178197
atrial fibrillation hypertension discharge condition, score:
0.052856404
atrial fibrillation initially with rvr, score: 0.0129592335

confidence of prediction: 0.835069
Y_true: [20 26 42 47]
Y_pred: [20 26 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
genl sedated intubated heent sclerae anicteric, score: 0.1316539
she was intubated given her, score: 0.11213406
of ha falls fatigue, score: 0.019692682

confidence of prediction: 0.926592
Y_true: [1 8 20 34 41 43 49]
Y_pred: [1 2 4 20 34 42 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
anxiety depression hypothyroid social history lives at, score:

0.011332229
qd synthroid 12mcg qd cymbalta 30mg, score: 0.0023667882
1000u tramadol prn ativan, score: 0.0009033823

confidence of prediction: 0.930790
Y_true: [1 8 20 34 41 43 49]
Y_pred: [1 2 4 20 34 42 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
humalog ss florastor 250mg hospital1, score: 0.13886972
with dm htn hl [UNK] dementia dvts, score: 0.11306563
keppra and htn goals neurology is, score: 0.08137019

confidence of prediction: 0.898123
Y_true: [1 8 20 34 41 43 49]
Y_pred: [1 2 4 20 34 42 49]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
vasc dementia gerd anemia diabetic neuropathy s, score: 0.11679282
lethargy iph major surgical, score: 0.0064699985
and htn goals neurology, score: 0.0035711105

confidence of prediction: 0.847691
Y_true: [1 8 20 34 41 43 49]
Y_pred: [1 2 4 20 34 42 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
dvts on coumadin who was found, score: 0.76750475
dvt on coumadin anxiety depression hypothyroid, score: 0.040226184
autopsy medications on admission coumadin 3mg, score: 0.010713314

confidence of prediction: 0.886049
Y_true: [2 4 18 20 24 33]
Y_pred: [2 4 18 20 24]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
placed in diabetes mellitus hyperlipidemia hypertension sick, score:
0.047242608
stenosis diabetes mellitus hyperlipidemia hypertension sick, score:
0.033262588
needed metformin mg twice a, score: 0.0066779754

confidence of prediction: 0.625763
Y_true: [2 4 18 20 24 33]
Y_pred: [2 4 18 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
diabetes mellitus hyperlipidemia hypertension sick sinus, score:
0.1325294
diabetes mellitus hyperlipidemia hypertension sick sinus, score:
0.09552279
p left saphenectomy discharge, score: 0.054548856

confidence of prediction: 0.968648
Y_true: [2 4 18 20 24 33]
Y_pred: [2 4 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies amoxicillin attending, score: 0.041295186
descending thoracic aorta the, score: 0.010906873
lotions creams powders or ointments to, score: 0.005356459

confidence of prediction: 0.993162
Y_true: [2 4 18 20 24 33]
Y_pred: [2 4 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
mellitus hyperlipidemia hypertension sick sinus, score: 0.030340526
timolol eye drops to, score: 0.012655134
placed in diabetes mellitus hyperlipidemia hypertension sick sinus,
score: 0.01034383

confidence of prediction: 0.974360
Y_true: [2 4 18 20 24 33]
Y_pred: [2 4 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
vessel coronary artery disease as, score: 0.18292685
coronary artery disease status post left, score: 0.11263456
coronary artery disease s p, score: 0.07867788

confidence of prediction: 0.793341
Y_true: [4 20 34]
Y_pred: [4 20 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
pmhx htn dyslipidemia bph frequent falls hernia, score: 0.42024055
simvastatin mg tablet sig, score: 0.055054
daily valsartan mg tablet sig, score: 0.014834349

confidence of prediction: 0.993794
Y_true: [4 20 34]
Y_pred: [4 20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pmh of htn frequent falls, score: 0.2936104
history pmhx htn dyslipidemia bph frequent falls, score: 0.12790474
zocor [UNK] protonix diovan discharge medications amlodipine, score:
0.02081457

confidence of prediction: 0.918217
Y_true: [4 20 34]
Y_pred: [4 20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
ago gerd social history social hx, score: 0.028152306
frequent falls had unwitnessed fall, score: 0.0064699133

about noon while gardening he, score: 0.0040114317

confidence of prediction: 0.860030
Y_true: [1 4 18 20 34]
Y_pred: [1 4 18 20 34]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
gerd hypothyroidism obesity rheumatic fever, score: 0.21229681
prn synthroid 125mcg qd lotrel 10mg, score: 0.12712297
refills levothyroxine mcg tablet sig one, score: 0.020048117

confidence of prediction: 0.779209
Y_true: [1 4 18 20 34]
Y_pred: [1 4 18 20 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
aortic stenosis dyslipidemia hypertension gerd hypothyroidism
obesity, score: 0.14563406
asc aorta dyslipidemia hypertension gerd hypothyroidism obesity,
score: 0.054287266
simvastatin mg tablet sig, score: 0.04486525

confidence of prediction: 0.979401
Y_true: [1 4 18 20 34]
Y_pred: [1 4 18 20 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed toward her pre, score: 0.09037852
cardiothoracic allergies patient recorded, score: 0.013549585
washing incisions gently with mild soap, score: 0.0089244945

confidence of prediction: 0.998643
Y_true: [1 4 18 20 34]
Y_pred: [1 4 18 20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
aorta dyslipidemia hypertension gerd hypothyroidism obesity, score:
0.27444807
resumed for hypertension and she continued on, score: 0.07791814
dyslipidemia hypertension gerd hypothyroidism obesity, score:
0.0664797

confidence of prediction: 0.919606
Y_true: [1 4 18 20 34]
Y_pred: [1 4 18 20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
sciatica lung nodule rul, score: 0.033552404
dyslipidemia hypertension gerd hypothyroidism obesity rheumatic
fever, score: 0.031315234
dyslipidemia hypertension gerd hypothyroidism obesity rheumatic
fever, score: 0.02622864

confidence of prediction: 0.773562

Y_true: [6 29 32 33 40 42 46]
Y_pred: [0 9 17 19 33 40 42 46]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
acute respiratory failure and met, score: 0.21343088
fever respiratory failure plan, score: 0.1855682
intubated 54pm lactate 54pm, score: 0.07583106

confidence of prediction: 0.774020
Y_true: [6 29 32 33 40 42 46]
Y_pred: [0 9 17 19 33 40 42 46]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
he was intubated soon after admission, score: 0.29120308
o2 intubated intubated 54pm lactate 54pm, score: 0.041434053
bring him to the, score: 0.004526532

confidence of prediction: 0.635300
Y_true: [6 29 32 33 40 42 46]
Y_pred: [0 9 17 19 33 40 42 46]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
he was intubated soon after admission, score: 0.13111496
to bring him to the, score: 0.008592355
o2 intubated intubated 54pm lactate 54pm, score: 0.005497445

confidence of prediction: 0.701915
Y_true: [6 29 32 33 40 42 46]
Y_pred: [0 9 17 19 33 40 42 46]
top three important windows for true positive code 46 (995.92: Severe sepsis)
pt was admitted with, score: 0.41647646
he required vasopressors to maintain adequate blood, score: 0.089723505
and met sirs criteria he was intubated soon, score: 0.01616685

confidence of prediction: 0.537349
Y_true: [1 12 16 20 24 26 33 40 41 42 48]
Y_pred: [1 12 26 40 41 42 43 45]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
wks hypothyroidism cad mr first, score: 0.14677188
daily levothyroxine mcg tablet last name, score: 0.09931086
qid prn levothyroxine mcg tablet qday lisinopril, score: 0.008489274

confidence of prediction: 0.876575
Y_true: [1 12 16 20 24 26 33 40 41 42 48]
Y_pred: [1 12 26 40 41 42 43 45]
top three important windows for true positive code 12 (33.24: Closed [endoscopic] biopsy of bronchus)
pm bronchoalveolar lavage final report gram, score: 0.15399757
distress a bronchoscopy on showed, score: 0.11872691
she was bronched again, score: 0.05943262

confidence of prediction: 0.939227
Y_true: [1 12 16 20 24 26 33 40 41 42 48]
Y_pred: [1 12 26 40 41 42 43 45]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation which responded to, score: 0.15122955
mod tr gi the, score: 0.0029289755
moderate tricuspid regurgitation is, score: 0.0024639866

confidence of prediction: 0.937859
Y_true: [1 12 16 20 24 26 33 40 41 42 48]
Y_pred: [1 12 26 40 41 42 43 45]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
required re intubation for respiratory distress, score: 0.08470347
suction jp drain and, score: 0.017056454
prior to extubation she was bronched again, score: 0.0013600168

confidence of prediction: 0.902052
Y_true: [1 12 16 20 24 26 33 40 41 42 48]
Y_pred: [1 12 26 40 41 42 43 45]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
j tube feeds were started and, score: 0.09778219
the sicu intubated with, score: 0.009090612
j tube in place, score: 0.007377053

confidence of prediction: 0.726042
Y_true: [1 12 16 20 24 26 33 40 41 42 48]
Y_pred: [1 12 26 40 41 42 43 45]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
she was bronched again on moderate, score: 0.04464279
required re intubation for respiratory distress, score: 0.039744914
on tpn for wks, score: 0.020524435

confidence of prediction: 0.523835
Y_true: [25]
Y_pred: [25 28]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve repair who originally, score: 0.11231478
history mitral regurgitation myxomatous valves, score: 0.074819915
state mitral regurgitation myxomatous valves severe regurgitation
from likely, score: 0.060735937

confidence of prediction: 0.900276
Y_true: [26 31 33 42]
Y_pred: [8 17 22 26 31 33 40 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation likely secondary to, score: 0.14297059

a fib with rate of 130s, score: 0.007761972
weaning of dilt started, score: 0.0012817909

confidence of prediction: 0.936042
Y_true: [26 31 33 42]
Y_pred: [8 17 22 26 31 33 40 42]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
issues aspiration pneumonia v pneumonitis as, score: 0.030934671
an aspiration pneumonia your lungs were, score: 0.020503156
opiate overdose aspiration pneumonitis pneumonia discharge
condition, score: 0.004864491

confidence of prediction: 0.952633
Y_true: [26 31 33 42]
Y_pred: [8 17 22 26 31 33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
abg and intubated rr was, score: 0.10934843
osh respiratory failure attributed, score: 0.08730151
unresponsiveness and respiratory failure you, score: 0.041298863

confidence of prediction: 0.548226
Y_true: [26 31 33 42]
Y_pred: [8 17 22 26 31 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
respiratory failure intubated at osh, score: 0.10364009
intubation placement of arterial line, score: 0.057387546
tube projects cm above, score: 0.038502794

confidence of prediction: 0.746547
Y_true: [44]
Y_pred: [7 44]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
service orthopaedics allergies patient recorded as, score:
0.064396985
he was transfused 1u prbc for hct, score: 0.061559267
was tranfused 2u prbc with appropriate bump, score: 0.049608674

confidence of prediction: 0.927521
Y_true: [1 3 18 20 34]
Y_pred: [1 4 18 20]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
dyslipidemia hypothyroidism discharge condition alert, score:
0.6399091
hypertension hypothyroidism hypercholesterolemia history of, score:
0.10397401
refills levothyroxine mcg tablet sig, score: 0.0154495165

confidence of prediction: 0.986652

Y_true: [1 3 18 20 34]
Y_pred: [1 4 18 20]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.75128675
diuresed toward the preoperative, score: 0.021197574
washing incisions gently with mild soap, score: 0.0022449885

confidence of prediction: 0.972146
Y_true: [1 3 18 20 34]
Y_pred: [1 4 18 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hydrochlorothiazide mg tablet sig, score: 0.38528258
p avr hypertension dyslipidemia hypothyroidism, score: 0.24808466
cm2 by continuity mild, score: 0.07696196

confidence of prediction: 0.821940
Y_true: [0 2 17 21 24 27 36 46]
Y_pred: [17 21 27 34 36]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
central subclavian line was placed and, score: 0.10003077
tolerated toast and coffee for, score: 0.049892236
a picc line was placed for, score: 0.046669185

confidence of prediction: 0.718982
Y_true: [0 2 17 21 24 27 36 46]
Y_pred: [17 21 27 34 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
ef unknown ckd baseline unknown type diabetes and, score:
0.056097273
medical history ckd h o chf dm2, score: 0.0218602
stent placement patient transferred, score: 0.0049683833

confidence of prediction: 0.941806
Y_true: [0 2 17 21 24 27 36 46]
Y_pred: [17 21 27 34 36]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
histroy of chf ef unknown ckd baseline, score: 0.030379023
ckd h o chf dm2 htn lipids psoriasis, score: 0.0034407205
once daily combivent mcg, score: 0.002190964

confidence of prediction: 0.821502
Y_true: [0 2 17 21 24 27 36 46]
Y_pred: [17 21 27 34 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
ef unknown ckd baseline unknown type diabetes and, score:
0.042160444
medical history ckd h o chf dm2, score: 0.011111752

stent placement patient transferred, score: 0.0011021196

confidence of prediction: 0.888854
Y_true: [0 6 7 20 33 35 37 44]
Y_pred: [2 7 20 44]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
tranfused 5u prbc and extubated on, score: 0.16993804
recorded as having no, score: 0.031672325
additional 1u prbc transfusion with, score: 0.025282029

confidence of prediction: 0.700190
Y_true: [0 6 7 20 33 35 37 44]
Y_pred: [2 7 20 44]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
bph niddm htn diverticulosis umbilical hernia, score: 0.09873717
nephrectomy and renal vein tumor thrombectomy dr, score: 0.03915938
nephrectomy and renal vein tumor thrombectomy as, score: 0.03915938

confidence of prediction: 0.750536
Y_true: [0 6 7 20 33 35 37 44]
Y_pred: [2 7 20 44]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
additional 1u prbc transfusion with hct improved, score: 0.21202645
tranfused 5u prbc and extubated on pod, score: 0.09707833
advanced l renal mass, score: 0.009187039

confidence of prediction: 0.951439
Y_true: [1 4 26 27 32 34 35 36 37]
Y_pred: [1 4 26 27 34 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
bnp hypothyroidism synthroid stopped when patient, score: 0.2067661
dysfunction hypothyroidism gerd hyperlipidemia hip, score:
0.055117276
bid synthroid 88mcg daily asa 81mg, score: 0.009322671

confidence of prediction: 0.809197
Y_true: [1 4 26 27 32 34 35 36 37]
Y_pred: [1 4 26 27 34 37]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypothyroidism gerd hyperlipidemia hip fracture s p, score:
0.19582675
hypothyroidism cri hld discharge condition stable no, score:
0.09048383
88mcg daily asa 81mg daily prilosec 20mg, score: 0.0070728576

confidence of prediction: 0.977299
Y_true: [1 4 26 27 32 34 35 36 37]
Y_pred: [1 4 26 27 34 37]
top three important windows for true positive code 26 (427.31:

Atrial fibrillation)
atrial fibrillation nl axis and, score: 0.33030602
fibrillation atrial fibrillation pt with long, score: 0.17305337
atrial fibrillation transferred to hospital1, score: 0.021995122

confidence of prediction: 0.969459
Y_true: [1 4 26 27 32 34 35 36 37]
Y_pred: [1 4 26 27 34 37]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf ef diastolic dysfunction hypothyroidism, score: 0.14773479
chf dementia and atrial, score: 0.07413915
chf dementia and atrial fibrillation, score: 0.07413915

confidence of prediction: 0.818123
Y_true: [1 4 26 27 32 34 35 36 37]
Y_pred: [1 4 26 27 34 37]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
cmo dementia ritalin stopped, score: 0.018134695
dysfunction hypothyroidism gerd hyperlipidemia hip fracture s,
score: 0.013720468
radius spiral fracture through base, score: 0.010179931

confidence of prediction: 0.905913
Y_true: [1 4 26 27 32 34 35 36 37]
Y_pred: [1 4 26 27 34 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
daily asa 81mg daily, score: 0.011415252
had a urinary tract infection that was, score: 0.0068364157
gland thickening left femoral, score: 0.0052476665

confidence of prediction: 0.765031
Y_true: [33 40 42]
Y_pred: [10 20 33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
he was intubated secondary to, score: 0.13198526
intubated sedated heent sclera, score: 0.0509366
micu patient intubated sedated review, score: 0.046487622

confidence of prediction: 0.866433
Y_true: [33 40 42]
Y_pred: [10 20 33 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
to intubate received etomidate succ and, score: 0.23490529
general intubated sedated heent, score: 0.05906653
he was intubated secondary to, score: 0.04625136

confidence of prediction: 0.689244
Y_true: [33 40 42]
Y_pred: [10 20 33 40 42]

top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
was intubated secondary to, score: 0.21135397
patient intubated sedated review, score: 0.19808117
to intubate received etomidate succ and, score: 0.17815585

confidence of prediction: 0.679815
Y_true: [20 29 34]
Y_pred: [20 34]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
history pmh ibs gerd high cholesterol high, score: 0.2668234
macrocyt occasional microcyt normal, score: 0.09289567
distended to necessitate replacement of, score: 0.040758185

confidence of prediction: 0.914098
Y_true: [20 29 34]
Y_pred: [20 34]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
pmh ibs gerd high cholesterol high blood, score: 0.114136435
continued acute cholecystitis as, score: 0.007798153
distended to necessitate replacement of, score: 0.0036537426

confidence of prediction: 0.953207
Y_true: [7 20 35 44]
Y_pred: [7 20 28]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
matched for units with, score: 0.09191175
complaint hematemasis melena major surgical or, score: 0.061759114
recorded as having no, score: 0.03820387

confidence of prediction: 0.766404
Y_true: [7 20 35 44]
Y_pred: [7 20 28]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
to his htn given his recent, score: 0.8046787
diagnosed with htn in the past, score: 0.026820578
diagnosis of htn as, score: 0.026638227

confidence of prediction: 0.953371
Y_true: [31 33]
Y_pred: [31 33]
top three important windows for true positive code 31 (507.0: Pneumonitis due to inhalation of food or vomitus)
to aspiration pneumonia pneumonitis as diagnosed, score: 0.10231562
aspiration pneumonia discharge condition, score: 0.05754598
aspiration pneumonitis he reports leaving, score: 0.056674317

confidence of prediction: 0.735813
Y_true: [31 33]

Y_pred: [31 33]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
became less tachypneic sputum culture was negative, score: 0.10368244
methylprednisolone sodium succ mg, score: 0.052996777
he required 6l nc, score: 0.035384644

confidence of prediction: 0.857427
Y_true: [4 20]
Y_pred: [4 5 20]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
insufficiency prolapse hyperlipidemia prostate cancer s, score: 0.15600061
of htn hyperlipidemia prostate ca s, score: 0.05475008
o htn hyperlipidemia prostate ca s, score: 0.042949468

confidence of prediction: 0.995009
Y_true: [4 20]
Y_pred: [4 5 20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
history of htn hyperlipidemia prostate ca s, score: 0.20403257
medical history hypertension mitral, score: 0.12958612
hyperlipidemia prostate ca s, score: 0.058960117

confidence of prediction: 0.550028
Y_true: [4 8 35]
Y_pred: [4 23 24 37]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
diabetes mellitus hyperlipidemia elevated cholesterol discharge condition mental, score: 0.2682376
simvastatin mg tablet sig, score: 0.01569209
cholesterol is somewhat elevated so, score: 0.014009152

confidence of prediction: 0.584376
Y_true: [0 29 31 35 36 46]
Y_pred: [0 29]
top three important windows for true positive code 0 (038.9: Unspecified septicemia)
diagnosis sepsis pneumonia abnormal liver function, score: 0.030490696
he was empirically started, score: 0.015344836
sepsis of note the, score: 0.015328969

confidence of prediction: 0.712005
Y_true: [0 29 31 35 36 46]
Y_pred: [0 29]
top three important windows for true positive code 29 (486: Pneumonia, organism unspecified)
out aspiration pneumonia or, score: 0.03664116
for pneumonia given productive, score: 0.031022243

amoxicillin pot clavulanate mg tablet, score: 0.02969862

confidence of prediction: 0.991296
Y_true: [13 16 18 20 24 25 26 27 33 39 40 42]
Y_pred: [4 13 18 20 24 27 40 42]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafts x left, score: 0.71911436
coronary artery bypass grafting surgery for, score: 0.02613286
[UNK] with saphenous vein grafts to, score: 0.006476669

confidence of prediction: 0.923548
Y_true: [13 16 18 20 24 25 26 27 33 39 40 42]
Y_pred: [4 13 18 20 24 27 40 42]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.8209569
cardiothoracic allergies vicodin attending, score: 0.044141304
tee pre bypass no, score: 0.01771301

confidence of prediction: 0.998877
Y_true: [13 16 18 20 24 25 26 27 33 39 40 42]
Y_pred: [4 13 18 20 24 27 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
zocor 20mg d ntg mg, score: 0.03964175
endarterectomy hypertension hyperlipidemia chronic low back, score:
0.015878709
heart failure hypertension dyslipidemia cerebrovascular disease s,
score: 0.009436758

confidence of prediction: 0.999274
Y_true: [13 16 18 20 24 25 26 27 33 39 40 42]
Y_pred: [4 13 18 20 24 27 40 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafts x left, score: 0.56948316
coronary artery disease s p, score: 0.12056327
coronary artery disease and, score: 0.11476897

confidence of prediction: 0.951786
Y_true: [13 16 18 20 24 25 26 27 33 39 40 42]
Y_pred: [4 13 18 20 24 27 40 42]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
undergoing heart surgery physical, score: 0.06787365
chronic systolic heart failure hypertension dyslipidemia, score:
0.012527984
moderate mitral regurgitation is, score: 0.006253663

confidence of prediction: 0.913911
Y_true: [13 16 18 20 24 25 26 27 33 39 40 42]
Y_pred: [4 13 18 20 24 27 40 42]
top three important windows for true positive code 40 (96.04:

Insertion of endotracheal tube)
heent oropharynx benign neck, score: 0.00039924387
passed physical therapy and, score: 0.0001694057
receiving an infusion of, score: 0.00015557154

confidence of prediction: 0.834633
Y_true: [13 16 18 20 24 25 26 27 33 39 40 42]
Y_pred: [4 13 18 20 24 27 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
receiving an infusion of, score: 0.00014288844
off all narcotics no, score: 0.000112181704
disp packet s refills, score: 8.887804e-05

confidence of prediction: 0.695123
Y_true: [2 13 18 24]
Y_pred: [2 13 18 20 24]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
home metformin 500mg hospital1 lopressor 100mg, score: 0.02155148
syndrome diabetes mellitus obesity sleep apnea, score: 0.02016736
diabetes on post op, score: 0.007811509

confidence of prediction: 0.986981
Y_true: [2 13 18 24]
Y_pred: [2 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
descending artery saphenous vein graft, score: 0.055790152
coronary artery bypass graft x please, score: 0.041716605
mammary artery to left, score: 0.021646315

confidence of prediction: 0.973982
Y_true: [2 13 18 24]
Y_pred: [2 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
lotions powders or ointments to, score: 0.2063148
incisions no baths or, score: 0.17945209
pacing wires were removed per, score: 0.008505881

confidence of prediction: 0.991613
Y_true: [2 13 18 24]
Y_pred: [2 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease [UNK], score: 0.20379803
urgent coronary artery bypass graft, score: 0.0949354
coronary artery disease status, score: 0.07962653

confidence of prediction: 0.780380
Y_true: [2 21 36]

Y_pred: [2 19 37 40 42 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
hemodialysis since then underwent living, score: 0.04954507
on allopurinol dm on glipizide social history lives, score:
0.015921518
thursday glipizide mg tablet sig, score: 0.015063118

confidence of prediction: 0.512433
Y_true: [4 7 20]
Y_pred: [4 7 20]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
stenosis spondylosis hld htn pda as child anemia pshx none, score:
0.38679942
nt nd bue good, score: 0.0054590707
the anterior approach was, score: 0.003996368

confidence of prediction: 0.973482
Y_true: [4 7 20]
Y_pred: [4 7 20]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
extension ankle dorsiflexion and plantar, score: 0.41196442
anemia discharge condition good, score: 0.09672037
decompression fusion instrumentation t11, score: 0.018323338

confidence of prediction: 0.996103
Y_true: [4 7 20]
Y_pred: [4 7 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
spondylosis hld htn pda as child anemia, score: 0.13308239
with psif as part, score: 0.008678038
with a sterile dressing call, score: 0.0060484186

confidence of prediction: 0.639240
Y_true: [1]
Y_pred: [1 20 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
pain levothyroxine sodium mcg po daily, score: 0.05339783
on admission levothyroxine mvi decadron discharge, score:
0.0028070996
history of hypothyroidism for which she takes, score: 0.001974141

confidence of prediction: 0.582091
Y_true: [2 34 42]
Y_pred: [2 17 20 42 43]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
leg weakness dm reflux diverticulitis social history, score:

0.046014413
intubated sedated heent pupils, score: 0.0069728284
abnormalities impression endotracheal tube in, score: 0.006954645

confidence of prediction: 0.912813
Y_true: [2 34 42]
Y_pred: [2 17 20 42 43]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
intubated intubated 11pm o2 sat, score: 0.28282526
was intubated in the, score: 0.060418308
was intubated but off, score: 0.031387437

confidence of prediction: 0.948135
Y_true: [1 20]
Y_pred: [1 20]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
htn hypothyroidism fell at home, score: 0.07416223
history htn hypothyroidism last name un, score: 0.0024825055
on admission levoxyl dose unknown atenolol dose, score: 0.0010606775

confidence of prediction: 0.998557
Y_true: [1 20]
Y_pred: [1 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn hypothyroidism last name un uti social history
lives, score: 0.28802502
illness 85f h o htn hypothyroidism, score: 0.003808973
component of underlying atrophy is, score: 0.001650459

confidence of prediction: 0.863425
Y_true: [33 40 42]
Y_pred: [33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
to electively intubate patient sedated, score: 0.15053463
intubated for airway protection, score: 0.086203136
intubated sedated heent sclera, score: 0.055660374

confidence of prediction: 0.947083
Y_true: [33 40 42]
Y_pred: [33 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
to electively intubate patient sedated, score: 0.5998784
and was intubated for airway protection, score: 0.03960519
were intubated for airway protection, score: 0.018074963

confidence of prediction: 0.825289
Y_true: [33 40 42]
Y_pred: [33 40 42]

top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
to electively intubate patient sedated with, score: 0.53787637
patient intubated and sedated, score: 0.22499178
were intubated for airway protection, score: 0.012454784

confidence of prediction: 0.503835
Y_true: [2 4 5 6 9 20 26 37]
Y_pred: [2 4 9 20 26 31 33]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
retired from retail independent, score: 0.064853765
htn hld dm cerebellar bleed psoriatic, score: 0.06454767
vs metastatic cholangiocarcinoma pancreatic, score: 0.061424997

confidence of prediction: 0.800243
Y_true: [2 4 5 6 9 20 26 37]
Y_pred: [2 4 9 20 26 31 33]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history htn hld dm cerebellar bleed psoriatic, score: 0.18689711
of htn hl dm2 remote alcoholism and, score: 0.07991825
cholangiocarcinoma pancreatic carcinoma ultimately, score:
0.011618108

confidence of prediction: 0.787502
Y_true: [2 4 5 6 9 20 26 37]
Y_pred: [2 4 9 20 26 31 33]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
past cirrhosis thrombocytopenia with platlets in social, score:
0.14994323
vs peripancreatic lymphangioma this, score: 0.103376895
with rvr thrombocytopenia newly diagosed liver lesions, score:
0.094556764

confidence of prediction: 0.961373
Y_true: [2 4 5 6 9 20 26 37]
Y_pred: [2 4 9 20 26 31 33]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history of htn hl dm2 remote alcoholism, score: 0.118350625
medical history htn hld dm cerebellar bleed, score: 0.08878143
rvr thrombocytopenia newly diagosed, score: 0.036847107

confidence of prediction: 0.969315
Y_true: [2 4 5 6 9 20 26 37]
Y_pred: [2 4 9 20 26 31 33]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with rvr thrombocytopenia, score: 0.10072138
effusions echo mildly dilated, score: 0.006903057

developed afib with rvr to the, score: 0.0021031501

confidence of prediction: 0.848649
Y_true: [6   9 19 20 24 26 33 37]
Y_pred: [4   6   9 17 19 24 26 27 33 35 40]
top three important windows for true positive code 6 (276.2:
Acidosis)
developed metabolic acidosis and subsequent respiratory, score:
0.16300733
of metabolic acidosis on the patient was, score: 0.14385521
failure metabolic acidosis respiratory failure secondary aortic,
score: 0.041546755

confidence of prediction: 0.537928
Y_true: [6   9 19 20 24 26 33 37]
Y_pred: [4   6   9 17 19 24 26 27 33 35 40]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
hx of thrombocytopenia iv nitro, score: 0.32186046
c with thrombocytopenia s p, score: 0.12106921
scars or xanthomas pulses, score: 0.024226245

confidence of prediction: 0.693854
Y_true: [6   9 19 20 24 26 33 37]
Y_pred: [4   6   9 17 19 24 26 27 33 35 40]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
unsuccessful so cvvh was initiated at this, score: 0.17471296
dialysis line placement cordis, score: 0.029064102
significantly with cvvh which likely, score: 0.017411033

confidence of prediction: 0.983604
Y_true: [6   9 19 20 24 26 33 37]
Y_pred: [4   6   9 17 19 24 26 27 33 35 40]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
for stemi back on, score: 0.02682576
diffuse coronary artery disease severe cardiomyopathy with, score:
0.0114115095
cad with a lm, score: 0.01087133

confidence of prediction: 0.824172
Y_true: [6   9 19 20 24 26 33 37]
Y_pred: [4   6   9 17 19 24 26 27 33 35 40]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation which requried placement, score: 0.71771926
af hepatitis c with, score: 0.051962707
cabg n a percutaneous, score: 0.036396913

confidence of prediction: 0.637148
Y_true: [6   9 19 20 24 26 33 37]
Y_pred: [4   6   9 17 19 24 26 27 33 35 40]
top three important windows for true positive code 33 (518.81: Acute

respiratory failure)
subsequent respiratory failure requiring intubation her family
ultimately, score: 0.18814526
hypoxic aggressive diuresis with, score: 0.04159486
respiratory failure secondary aortic, score: 0.038869105

confidence of prediction: 0.839655
Y_true: [6 7 9 11 21 28 36]
Y_pred: [7 9 11 21 28 36]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
given unit prbc and hanging another, score: 0.11506387
history of present illness, score: 0.08803439
retired correctional officer no, score: 0.055722337

confidence of prediction: 0.779505
Y_true: [6 7 9 11 21 28 36]
Y_pred: [7 9 11 21 28 36]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
with anemia thrombocytopenia and gi bleed gi, score: 0.19892484
loss anemia thrombocytopenia secondary to, score: 0.1501407
retired correctional officer no, score: 0.023740476

confidence of prediction: 0.743907
Y_true: [6 7 9 11 21 28 36]
Y_pred: [7 9 11 21 28 36]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
diverticulosis neuropathy depression retinal detachment social
history, score: 0.14243855
home after having black tarry, score: 0.0046172705
calcitriol 25mcg daily mvi, score: 0.002437748

confidence of prediction: 0.665933
Y_true: [6 7 9 11 21 28 36]
Y_pred: [7 9 11 21 28 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
retired correctional officer no, score: 0.032010246
myeloma chronic renal insufficiency baseline creatinine mid
presents, score: 0.031887334
after having black tarry stools, score: 0.014102938

confidence of prediction: 0.827053
Y_true: [6 7 9 11 21 28 36]
Y_pred: [7 9 11 21 28 36]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.66183865
admission an egd was performed on and, score: 0.02928858
and black stools and, score: 0.01926513

confidence of prediction: 0.893946
Y_true: [6 7 9 11 21 28 36]
Y_pred: [7 9 11 21 28 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
retired correctional officer no, score: 0.021357555
myeloma chronic renal insufficiency baseline creatinine mid
presents, score: 0.009780155
after having black tarry stools, score: 0.006840338

confidence of prediction: 0.981046
Y_true: [18]
Y_pred: [18]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.4344848
tee which showed evidence, score: 0.019546846
cardiothoracic allergies no known, score: 0.014517397

confidence of prediction: 0.831809
Y_true: [17]
Y_pred: [17]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line was placed his, score: 0.09733687
line was placed and, score: 0.09733687
picc line placement history of, score: 0.057440307

confidence of prediction: 0.572944
Y_true: [42 47]
Y_pred: [2 17 20 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
and was intubated after ativan, score: 0.06315456
accident requiring intubation for combativeness r posterior, score:
0.02688411
drop emg ncs in weeks, score: 0.010625183

confidence of prediction: 0.909120
Y_true: [4 10 20 29 30 40 42]
Y_pred: [4 30 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
copd hypertension dyslipidemia social history tobacco current,
score: 0.24491732
copd hypertension hyperlipidemia discharge condition stable
discharge, score: 0.13065976
tumor reveals squamous cell carcinoma he, score: 0.005388619

confidence of prediction: 0.698149
Y_true: [4 10 20 29 30 40 42]
Y_pred: [4 30 40 42]
top three important windows for true positive code 30 (496: Chronic

airway obstruction, not elsewhere classified)
medical history copd hypertension dyslipidemia social history,
score: 0.23888181
discharge diagnosis copd hypertension hyperlipidemia discharge
condition, score: 0.20020555
to his copd this was not, score: 0.10689356

confidence of prediction: 0.833921
Y_true: [4 10 20 29 30 40 42]
Y_pred: [4 30 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
requiring re intubation he was transferred, score: 0.48175156
basal alveolar opacity that, score: 0.0032111777
coagulation apc and mechanical debridement, score: 0.0008644894

confidence of prediction: 0.810044
Y_true: [4 10 20 29 30 40 42]
Y_pred: [4 30 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
requiring re intubation he was transferred, score: 0.33354193
apc and mechanical debridement history, score: 0.005692264
apc and mechanical debridement the, score: 0.005692264

confidence of prediction: 0.781491
Y_true: [6 8 34]
Y_pred: [28 31 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
gerd placed on protonix mg, score: 0.08914756
related to gerd dilated, score: 0.059801534
past for gerd but is not, score: 0.03934156

confidence of prediction: 0.746374
Y_true: [2 13 18 24]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
noninsulin dependent diabetes mellitus obesity discharge condition,
score: 0.052475616
recorded as having no, score: 0.00075026584
artery disease s p, score: 0.0003371209

confidence of prediction: 0.997037
Y_true: [2 13 18 24]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting x4 lima lad svg, score: 0.34819275
coronary artery bypass graft surgery see, score: 0.05326815
coronary artery bypass grafts hypertension, score: 0.008512019

confidence of prediction: 0.986433
Y_true: [2 13 18 24]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.3559696
bypass grafting x4 lima lad svg, score: 0.03543068
diuresed towards his preoperative, score: 0.0068052146

confidence of prediction: 0.999309
Y_true: [2 13 18 24]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting x4 lima lad, score: 0.6189453
coronary artery disease s p coronary artery bypass grafts, score:
0.13103472
coronary artery disease and, score: 0.029125087

confidence of prediction: 0.806314
Y_true: [4 6 9 17 20 24 40 42]
Y_pred: [26 40 42 44]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
immediately re intubated w improvement in, score: 0.16419895
on cmv and transitioned, score: 0.005145828
palpation d dopplerable n, score: 0.0033950838

confidence of prediction: 0.869779
Y_true: [4 6 9 17 20 24 40 42]
Y_pred: [26 40 42 44]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
immediately re intubated w improvement in abg, score: 0.030637983
multiple colloid boluses was in, score: 0.026692614
support measures were stopped, score: 0.0041006086

confidence of prediction: 0.972822
Y_true: [2 10 20 30]
Y_pred: [7 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
101f dorzolamide timolol drops, score: 0.2635459
liver cancer hypertension psh cholecystectomy colon resection,
score: 0.2018142
hydrochlorothiazide mg tablet tablet, score: 0.021683402

confidence of prediction: 0.958462
Y_true: [2 26 30 34 47]
Y_pred: [2 7 17 26 30]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or

unspecified type, not stated as uncontrolled)
cirrhosis copd dm arthritis social history remote, score: 0.16507445
day glyburide mg tablet sig, score: 0.0033471424
loss requiring ressucitation with units prbc units, score:
0.001922357

confidence of prediction: 0.513311
Y_true: [2 26 30 34 47]
Y_pred: [2 7 17 26 30]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
undergoing a laparoscopic converted to, score: 0.08280479
irregular rate rhythm nl, score: 0.007718056
difficulty swallowing diarrhea constipation, score: 0.005120281

confidence of prediction: 0.754825
Y_true: [2 26 30 34 47]
Y_pred: [2 7 17 26 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
etoh cirrhosis copd dm arthritis social history, score: 0.58467853
atelectasis upper lungs clear heart size, score: 0.0040410836
difficulty swallowing diarrhea constipation large, score:
0.0037794781

confidence of prediction: 0.978820
Y_true: [7 18 26 34 49]
Y_pred: [18 20 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies patient recorded, score: 0.014869434
amiodarone and beta blockers, score: 0.011769783
washing incisions gently with mild soap, score: 0.009793819

confidence of prediction: 0.951096
Y_true: [7 18 26 34 49]
Y_pred: [18 20 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation s p atrial, score: 0.15924841
atrial fibrillation major surgical or, score: 0.12355553
fibrillation and cardioversion was, score: 0.082642674

confidence of prediction: 0.753468
Y_true: [10 32 33 41 43 45 46]
Y_pred: [17 33 41 43 45]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
by respiratory failure requiring a tracheostomy on, score:
0.17565261
developed worsening respiratory failure unable to, score: 0.02294988
tube was placed on, score: 0.017517755

confidence of prediction: 0.856695

Y_true: [10 32 33 41 43 45 46]
Y_pred: [17 33 41 43 45]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
tolerate trach collar for more, score: 0.15125018
on tube feeds for the, score: 0.13710034
was carried out on which, score: 0.08503236

confidence of prediction: 0.892135
Y_true: [10 32 33 41 43 45 46]
Y_pred: [17 33 41 43 45]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
thus a tracheostomy tube was placed on, score: 0.16178606
tolerate trach collar for more, score: 0.078159384
a tracheostomy on and, score: 0.034941655

confidence of prediction: 0.980847
Y_true: [10 32 33 41 43 45 46]
Y_pred: [17 33 41 43 45]
top three important windows for true positive code 45 (99.15: Parenteral infusion of concentrated nutritional substances)
started on tpn and a picc line, score: 0.0028472347
remained on tpn for over weeks, score: 0.002297889
trach collar for more, score: 0.0006455757

confidence of prediction: 0.979248
Y_true: [17 20 33 41 43]
Y_pred: [20 40 41 43]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
medical history htn social history she lives, score: 0.18603578
vancomycin in d5w gram, score: 0.042259045
continued to withdraw both, score: 0.03642836

confidence of prediction: 0.922141
Y_true: [17 20 33 41 43]
Y_pred: [20 40 41 43]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
her tube feeds were started via, score: 0.03852644
stitle tracheostomy peg ivc, score: 0.021988118
a trach peg and ivc filter, score: 0.021432193

confidence of prediction: 0.911329
Y_true: [17 20 33 41 43]
Y_pred: [20 40 41 43]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
tracheostomy peg ivc dr, score: 0.05014643
a trach peg and ivc filter, score: 0.039698195
her sputum cultures grew coagulase positive, score: 0.035841923

```
confidence of prediction: 0.960266
Y_true: [7]
Y_pred: [ 7 20]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
extension ankle dorsiflexion and plantar, score: 0.716676
anemia discharge condition good, score: 0.1682601
prednisone humira celexa buspar, score: 0.010467488

confidence of prediction: 0.524791
Y_true: [ 1  6 11 17 35]
Y_pred: [17 34 35]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
radiology central line placement to begin, score: 0.13496523
cancer as above juvenile, score: 0.04891033
vena caval tumor on with, score: 0.033465944

confidence of prediction: 0.704602
Y_true: [ 1  6 11 17 35]
Y_pred: [17 34 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure during this, score: 0.043788645
and acute renal failure discharge medications, score: 0.029123267
developed acute renal failure with a, score: 0.020844368

confidence of prediction: 0.893265
Y_true: [ 1 13 14 20 22 24 38]
Y_pred: [ 1  2 13 14 18 20 24 25 38]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
hypertension hypothyroid diet controlled diabetes breast cancer
social, score: 0.36577305
hypertension hypothyroid diet controlled diabetes breast cancer
discharge, score: 0.36577305
xl synthroid discharge medications carvedilol, score: 0.016719637

confidence of prediction: 0.991189
Y_true: [ 1 13 14 20 22 24 38]
Y_pred: [ 1  2 13 14 18 20 24 25 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting, score: 0.5326557
coronary artery bypass grafting, score: 0.081488155
artery saphenous vein graft, score: 0.041037

confidence of prediction: 0.524310
Y_true: [ 1 13 14 20 22 24 38]
Y_pred: [ 1  2 13 14 18 20 24 25 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catheterization selective coronary angiography of this,
```

score: 0.15093039
catheterization history of present, score: 0.08023187
mitral regurgitation is seen, score: 0.032399204

confidence of prediction: 0.764916
Y_true: [1 13 14 20 22 24 38]
Y_pred: [1 2 13 14 18 20 24 25 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
systemic arterial hypertension as above echo, score: 0.045835197
myocardial infarction major surgical, score: 0.03866753
infarction hypertension hypothyroid diet controlled diabetes, score:
0.021643344

confidence of prediction: 0.998977
Y_true: [1 13 14 20 22 24 38]
Y_pred: [1 2 13 14 18 20 24 25 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.46101978
coronary artery disease status post coronary artery, score:
0.09760086
coronary artery disease the, score: 0.09291015

confidence of prediction: 0.826448
Y_true: [1 13 14 20 22 24 38]
Y_pred: [1 2 13 14 18 20 24 25 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization selective coronary angiography of this,
score: 0.24414058
cardiac catheterization which revealed severe, score: 0.016816454
cardiac catheterization history of present, score: 0.013055404

confidence of prediction: 0.950415
Y_true: [26 27 36 41 43]
Y_pred: [21 26 35 36 41 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation obstructive sleep apnea chronic, score:
0.4209779
estgfr using this 00pm, score: 0.0014356528
muddy brown casts consistent with acute, score: 0.00096543453

confidence of prediction: 0.766526
Y_true: [26 27 36 41 43]
Y_pred: [21 26 35 36 41 43]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
cr began trending down, score: 0.08668308
muddy brown casts consistent with acute, score: 0.03944931
failure with creatinine trending, score: 0.026281767

confidence of prediction: 0.888063

Y_true: [26 27 36 41 43]
Y_pred: [21 26 35 36 41 43]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
of tracheostomy tube to a portex, score: 0.05759212
gi tube feeds initiated without, score: 0.03425312
sputum cultures grew with, score: 0.017180402

confidence of prediction: 0.764018
Y_true: [26 27 36 41 43]
Y_pred: [21 26 35 36 41 43]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
of tracheostomy tube to a portex, score: 0.045520492
a tracheostomy portex was, score: 0.04477436
id sputum cultures grew with, score: 0.041562773

confidence of prediction: 0.734859
Y_true: [2 4 13 18 20 23 24]
Y_pred: [2 3 13 18 20 22 24]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
glipizide 10mg daily metformin 850mg daily zantac, score: 0.026833383
dependent diabetes mellitus coronary artery disease, score: 0.0133589115
dependent diabetes mellitus history of bare, score: 0.0133589115

confidence of prediction: 0.940993
Y_true: [2 4 13 18 20 23 24]
Y_pred: [2 3 13 18 20 22 24]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass grafting surgery by, score: 0.25304502
coronary artery bypass grafting utilizing the, score: 0.10803616
descending and vein graft, score: 0.018428236

confidence of prediction: 0.947089
Y_true: [2 4 13 18 20 23 24]
Y_pred: [2 3 13 18 20 22 24]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires removed per protocol, score: 0.24260026
bypass grafting utilizing the left, score: 0.021194719
cardiothoracic allergies patient recorded, score: 0.017917152

confidence of prediction: 0.985506
Y_true: [2 4 13 18 20 23 24]
Y_pred: [2 3 13 18 20 22 24]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
medical history hypertension hypercholesterolemia non insulin

dependent, score: 0.20673119
metformin 850mg daily zantac, score: 0.16080217
s p cabg hypertension hypercholesterolemia non insulin dependent,
score: 0.017516326

confidence of prediction: 0.977712
Y_true: [2 4 13 18 20 23 24]
Y_pred: [2 3 13 18 20 22 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p cabg hypertension, score: 0.2358647
coronary artery disease s p bms to, score: 0.124360025
metal stent to right, score: 0.060708888

confidence of prediction: 0.724513
Y_true: [4 6 8 9 13 18 20 24 26 47]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension mild hyperlipidemia vitamin d deficiency social, score:
0.23015739
of hypertension hyperlipidemia was refered for, score: 0.13523653
hypertension mild hyperlipidemia vitamin d deficiency discharge,
score: 0.04719734

confidence of prediction: 0.893800
Y_true: [4 6 8 9 13 18 20 24 26 47]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
descending and reverse saphenous vein graft, score: 0.09996812
wires were discontinued without, score: 0.07210195
coronary artery by pass, score: 0.05371062

confidence of prediction: 0.986771
Y_true: [4 6 8 9 13 18 20 24 26 47]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.6730452
cardiothoracic allergies no known, score: 0.0054422584
washing incisions gently with mild soap, score: 0.0020111878

confidence of prediction: 0.989584
Y_true: [4 6 8 9 13 18 20 24 26 47]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension mild hyperlipidemia vitamin, score:
0.20156124
history of hypertension hyperlipidemia was refered for, score:
0.09535472
history occupation real estate doctor, score: 0.043498635

confidence of prediction: 0.993127
Y_true: [4 6 8 9 13 18 20 24 26 47]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p coronary artery bypass graft, score:
0.23779768
descending and reverse saphenous vein, score: 0.13628745
coronary artery by pass, score: 0.09062568

confidence of prediction: 0.893774
Y_true: [4 6 8 9 13 18 20 24 26 47]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation he was started on, score: 0.12700649
amiodarone mg tablet sig, score: 0.028374175
amiodarone and beta blocker, score: 0.0056979805

confidence of prediction: 0.993484
Y_true: [2 24 30 47]
Y_pred: [24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lesion mid lad lesion of distal, score: 0.12367825
coronary artery disease s, score: 0.094321966
coronary artery disease type, score: 0.07568423

confidence of prediction: 0.996209
Y_true: [3 7 20 29]
Y_pred: [20 29]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
toprol lipitor hctz last name lf, score: 0.49040753
hctz ativan discharge medications, score: 0.1978455
t9 l5 laminectomy for, score: 0.05891022

confidence of prediction: 0.801609
Y_true: [3 7 20 29]
Y_pred: [20 29]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
a presumed pneumonia he was screened for, score: 0.07638023
op pneumonia discharge condition stable, score: 0.014097391
allergies patient recorded as, score: 0.0032941087

confidence of prediction: 0.989511
Y_true: [4 20 26 42 49]
Y_pred: [26 33 40 42 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib and history of recent, score: 0.17714028
a fib who presents to, score: 0.0054397695
initially a fib on coumadin bilateral total, score: 0.0007310229

confidence of prediction: 0.770003
Y_true: [4 20 26 42 49]
Y_pred: [26 33 40 42 49]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated for airway protection, score: 0.19796167
she was intubated for airway protection, score: 0.13659923
bed intubated on propofol, score: 0.039288346

confidence of prediction: 0.846635
Y_true: [4 20 26 42 49]
Y_pred: [26 33 40 42 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
for pain warfarin prescribed, score: 0.011771997
restarted on coumadin there, score: 0.006910017
initially a fib on coumadin bilateral total, score: 0.0063523822

confidence of prediction: 0.511977
Y_true: [7 40 42]
Y_pred: [7 40]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia discharge condition mental, score: 0.22838153
tob opiates amphetamines lives, score: 0.13280037
anemia with improvement but, score: 0.09770174

confidence of prediction: 0.619729
Y_true: [7 40 42]
Y_pred: [7 40]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
he was intubated he had immediate desaturation, score: 0.46012875
prescription refils on saturdays, score: 0.01592002
any machinery while taking this medication, score: 0.010193911

confidence of prediction: 0.831751
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension dyslipidemia obesity social history lives,
score: 0.18346737
cabg postop atrial fibrillation hypertension dyslipidemia obesity
discharge condition alert, score: 0.03288151
views post bypass patient, score: 0.0102201095

confidence of prediction: 0.990907
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)

coronary artery bypass grafting x5 with the, score: 0.5366413
artery and reverse saphenous vein graft, score: 0.022206273
coronary artery bypass grafting for, score: 0.019501727

confidence of prediction: 0.980819
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
grafting x5 with the, score: 0.042995103
cardiothoracic allergies patient recorded, score: 0.013360314
washing incisions gently with mild soap, score: 0.00879983

confidence of prediction: 0.998698
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension dyslipidemia obesity social history,
score: 0.14550674
s p cabg postop atrial fibrillation hypertension dyslipidemia
obesity discharge condition, score: 0.012328783

confidence of prediction: 0.999340
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.508001
coronary artery disease s p cabg postop, score: 0.1075471
coronary artery disease he, score: 0.10237835

confidence of prediction: 0.966396
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation he otherwise maintained stable, score:
0.032097667
atrial fibrillation hypertension dyslipidemia obesity, score:
0.019428223
atrial fibrillation were noted beta, score: 0.011490814

confidence of prediction: 0.984706
Y_true: [11 18 20]
Y_pred: [18]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without complication, score: 0.7453392
lotions powders or ointments to, score: 0.08530565
diuresed toward his preoperative, score: 0.035146527

confidence of prediction: 0.610488
Y_true: [3 8 10 18 30 34 36 48]

Y_pred: [3 10 13 18 24 30 35 48]
top three important windows for true positive code 3 (272.0: Pure hypercholesterolemia)
diagnosis hypercholesterolemia hypertension coronary artery disease, score: 0.10004711
medical history hypercholesterolemia hypertension coronary artery disease, score: 0.087685004
cabgx3 and angioplasty pci, score: 0.050016444

confidence of prediction: 0.512103
Y_true: [3 8 10 18 30 34 36 48]
Y_pred: [3 10 13 18 24 30 35 48]
top three important windows for true positive code 10 (305.1: Tobacco use disorder)
history currently smokes ppd smoked for years, score: 0.05461614
discharge diagnosis hypercholesterolemia hypertension, score: 0.0022851173
rca being markedly aneurysmal, score: 0.0022308994

confidence of prediction: 0.979244
Y_true: [3 8 10 18 30 34 36 48]
Y_pred: [3 10 13 18 24 30 35 48]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
lotions powders or ointments to, score: 0.23933621
cardiothoracic allergies patient recorded, score: 0.00948714
washing incisions gently with mild soap, score: 0.0062487475

confidence of prediction: 0.648856
Y_true: [3 8 10 18 30 34 36 48]
Y_pred: [3 10 13 18 24 30 35 48]
top three important windows for true positive code 30 (496: Chronic airway obstruction, not elsewhere classified)
airspace suggests copd linear streaks of gas, score: 0.080037095
osteoarthritis chronic obstructive pulmonary disease social, score: 0.0043850937
osteoarthritis chronic obstructive pulmonary disease discharge, score: 0.0043850937

confidence of prediction: 0.690128
Y_true: [3 8 10 18 30 34 36 48]
Y_pred: [3 10 13 18 24 30 35 48]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
s p cabg in, score: 0.4510567
s p cabg years ago physical, score: 0.23930801
s p cabg reason, score: 0.092058085

confidence of prediction: 0.921680
Y_true: [1]
Y_pred: [1 26]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
daily levothyroxine mcg tablet sig one, score: 0.019015107

arthritis glaucoma hypothyroidism past surgical history tah, score:
0.0012226055
mg qday levoxyl she does not, score: 0.0011357403

confidence of prediction: 0.855709
Y_true: [4 28]
Y_pred: [4]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
dyslipidemia and obesity physical, score: 0.17627986
apnea asthma dyslipidemia venous stasis change irritable, score:
0.028081816
leg varicose vein stripping right oophorectomy, score: 0.0075722337

confidence of prediction: 0.690382
Y_true: [11 40 42]
Y_pred: [11 33 40 42]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
medical history depression multiple past suicide, score: 0.17098796
depression with suicidality as above patient initially, score:
0.039037503
secondary diagnosis depression discharge condition mental, score:
0.014876112

confidence of prediction: 0.808823
Y_true: [11 40 42]
Y_pred: [11 33 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was intubated unable to, score: 0.31018054
initially required intubation for stabilization, score: 0.17494193
initially required intubation by ems, score: 0.10046491

confidence of prediction: 0.824261
Y_true: [11 40 42]
Y_pred: [11 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated unable to, score: 0.22548907
initially required intubation by ems, score: 0.14976054
initially required intubation for stabilization, score: 0.08117304

confidence of prediction: 0.814258
Y_true: [0 7 17 20 37 46]
Y_pred: [7 20]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia he was transfused back, score: 0.09965595
of packed red blood, score: 0.026880585
m service orthopaedics allergies penicillins attending first, score:
0.021977114

confidence of prediction: 0.809719
Y_true: [0 7 17 20 37 46]
Y_pred: [7 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension sepsis hemiplegia neurogenic bladder,
score: 0.37255168
source line perpherial line 01am, score: 0.089181796
resistant organisms social history lives, score: 0.061646946

confidence of prediction: 0.990735
Y_true: [13 14 18 21 24 35 36 37 38]
Y_pred: [1 2 13 14 18 24 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft x left, score: 0.5918748
descending artery saphenous vein graft, score: 0.0447078
coronary artery bypass graft x please, score: 0.033429876

confidence of prediction: 0.655504
Y_true: [13 14 18 21 24 35 36 37 38]
Y_pred: [1 2 13 14 18 24 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catheterization coronary angiography of this, score:
0.19314311
severely diffusely diseased the lcx had, score: 0.030805033
cardiac cath on which revealed, score: 0.02616846

confidence of prediction: 0.962878
Y_true: [13 14 18 21 24 35 36 37 38]
Y_pred: [1 2 13 14 18 24 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders on, score: 0.39022562
pacing wires were removed per, score: 0.010003036
bypass graft x left, score: 0.0056757513

confidence of prediction: 0.999199
Y_true: [13 14 18 21 24 35 36 37 38]
Y_pred: [1 2 13 14 18 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.52406126
coronary artery disease hypertension, score: 0.110947154
coronary artery disease cardiac, score: 0.105615005

confidence of prediction: 0.822713
Y_true: [13 14 18 21 24 35 36 37 38]
Y_pred: [1 2 13 14 18 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization coronary angiography of this, score:
0.21479556

catheterization history of present, score: 0.07554803
marginal saphenous vein graft, score: 0.039426383

confidence of prediction: 0.945190
Y_true: [6 10 20]
Y_pred: [6 20 28]
top three important windows for true positive code 6 (276.2:
Acidosis)
lactic acidosis serum tox was, score: 0.050788492
ag metabolic acidosis found to have, score: 0.03081926
discharge ag acidosis the acidosis rapidly improved with, score:
0.006816149

confidence of prediction: 0.885012
Y_true: [6 10 20]
Y_pred: [6 20 28]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
was positive htn continued on metoprolol code, score: 0.07401536
etoh abuse htn remote ivdu depression, score: 0.06755516
kidney injury sepsis or, score: 0.056435168

confidence of prediction: 0.868772
Y_true: [1 20 26 27]
Y_pred: [1 17 20 26 27]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
daily levothyroxine mcg tablet sig one, score: 0.059995607
daily levothyroxine mcg p o daily, score: 0.017692192
hypertension hypertension hypothyroidism left humerus fx s, score:
0.0039038882

confidence of prediction: 0.968804
Y_true: [1 20 26 27]
Y_pred: [1 17 20 26 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hctz mg p o, score: 0.24332875
moderate pulmonary hypertension hypertension hypothyroidism left
humerus fx, score: 0.16106333
ef moderate aortic insufficiency, score: 0.026955325

confidence of prediction: 0.903036
Y_true: [1 20 26 27]
Y_pred: [1 17 20 26 27]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on asa 81mg s, score: 0.8275391
fo leftward shift he, score: 0.040518627
fall major surgical or, score: 0.009921618

confidence of prediction: 0.961985
Y_true: [1 20 26 27]
Y_pred: [1 17 20 26 27]

top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure ef moderate aortic insufficiency, score:
0.10773598
weigh yourself every morning name8, score: 0.00682636
3cm with a component, score: 0.003006073

confidence of prediction: 0.984488
Y_true: [2 11 17 21 27 36]
Y_pred: [27 31]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure w acute exacerbation, score: 0.6734688
htn crf chf dm requires insulin depression, score: 0.009813207
with chf crf dm transferred from, score: 0.0069024027

confidence of prediction: 0.587538
Y_true: [3 12]
Y_pred: [1 3]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
from her operation but, score: 0.028135411
a tracheobronchoplasty by dr, score: 0.012464655
levothyroxine lovastatin methotrexate [UNK] omeprazole, score:
0.0077405116

confidence of prediction: 0.534705
Y_true: [17 40 42]
Y_pred: [40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
luq patient intubated in trauma bay left sided, score: 0.25670454
tsicu intubated for observation, score: 0.06460993
drowsy and impair your ability, score: 0.017449647

confidence of prediction: 0.683725
Y_true: [17 40 42]
Y_pred: [40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
luq patient intubated in trauma bay left, score: 0.08247933
tsicu intubated for observation, score: 0.030485388
with a bandaid you may, score: 0.007361166

confidence of prediction: 0.927023
Y_true: [17 19 26 33 45 46 48 49]
Y_pred: [4 19 26 45 48 49]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
failure necessitating dialysis and fulminant liver failure and
biliary, score: 0.05404709
tolerated first dialysis today without, score: 0.04234322
and hd initiated does, score: 0.01016837

confidence of prediction: 0.994887
Y_true: [17 19 26 33 45 46 48 49]
Y_pred: [4 19 26 45 48 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin who presented, score: 0.882742
irregularly irregular s1 s2 no, score: 0.06206185
atrial fibrillation not on anticoagulation, score: 0.0011330913

confidence of prediction: 0.946994
Y_true: [17 19 26 33 45 46 48 49]
Y_pred: [4 19 26 45 48 49]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
to start tpn today patient tolerated, score: 0.005845107
initiated on tpn upon arrival to the, score: 0.0014491904
breakthrough pain tpn discharge medications not, score:
0.00039092763

confidence of prediction: 0.882492
Y_true: [17 19 26 33 45 46 48 49]
Y_pred: [4 19 26 45 48 49]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
of cad afib on, score: 0.0027156102
abd pevlis lad this was, score: 0.0010687077
cad s p cabg approx patient states, score: 0.00062831026

confidence of prediction: 0.555101
Y_true: [17 19 26 33 45 46 48 49]
Y_pred: [4 19 26 45 48 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin who presented with, score: 0.8525363
lasix qday coumadin [UNK], score: 0.062754415
afib previously on coumadin hld presents with, score: 0.0038052334

confidence of prediction: 0.920871
Y_true: [4 6 7 26 28 35 40 42]
Y_pred: [4 20 30 33 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history asthma copd htn hyperlipidemia h o prostate ca, score:
0.0032489505
post 4uprbc er 1uffp [UNK] egd done, score: 0.0010333501

confidence of prediction: 0.857744
Y_true: [4 6 7 26 28 35 40 42]
Y_pred: [4 20 30 33 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
abg patient intubated cv s1, score: 0.11963969
on and intubation blood transfusions, score: 0.043233953

nebulizers treatment intubated in emergency, score: 0.03443642

confidence of prediction: 0.642807
Y_true: [4 6 7 26 28 35 40 42]
Y_pred: [4 20 30 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
abg patient intubated cv s1, score: 0.05434776
on and intubation blood transfusions, score: 0.014784548
nebulizers treatment intubated in emergency, score: 0.006214287

confidence of prediction: 0.736411
Y_true: [4 24 27 40 42]
Y_pred: [4 24 27 41]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hyperlipidemia stable on statin medications, score: 0.23839535
history of hyperlipidemia cad, score: 0.09868372
hisotry of hyperlipidemia single vessel cad, score: 0.08805441

confidence of prediction: 0.990146
Y_true: [4 24 27 40 42]
Y_pred: [4 24 27 41]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease chronic, score: 0.0665042
interventions cad s p lad stent, score: 0.04772183
lad lesion and he, score: 0.034005433

confidence of prediction: 0.966613
Y_true: [4 24 27 40 42]
Y_pred: [4 24 27 41]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure hyperlipidemia, score: 0.38358828
systolic heart failure likely combination of, score: 0.14895412
systolic heart failure initially admitted for, score: 0.13570915

confidence of prediction: 0.953431
Y_true: [20 26 47 48]
Y_pred: [4 7 13 20 23 26 39 42 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hyperlipidemia apical hypertrophic
cardiomyopathy, score: 0.16953433
rosuvastatin crestor mg po, score: 0.049624052
mellitus dyslipidemia hypertension cardiac history cad, score:
0.04227627

confidence of prediction: 0.954840
Y_true: [20 26 47 48]
Y_pred: [4 7 13 20 23 26 39 42 48]
top three important windows for true positive code 26 (427.31:

Atrial fibrillation)
atrial fibrillation who presents for, score: 0.22421685
atrial fibrillation s p pulmonary, score: 0.036031593
atrial fibrillation major surgical or, score: 0.024918888

confidence of prediction: 0.720259
Y_true: [20 26 47 48]
Y_pred: [4 7 13 20 23 26 39 42 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg atypical, score: 0.409385
severe 3vd cabg s p mi cabg x lima lad y graft, score: 0.050512224
quit following cabg etoh, score: 0.03539428

confidence of prediction: 0.651946
Y_true: [40 42]
Y_pred: [33 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
then intubated for airway protection, score: 0.19396557
sedated and intubated in, score: 0.085472934
post intubation abg was, score: 0.06191352

confidence of prediction: 0.842589
Y_true: [40 42]
Y_pred: [33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
then intubated for airway protection, score: 0.17039312
was intubated for airway protection, score: 0.08237237
is intubated moving in, score: 0.07792801

confidence of prediction: 0.907279
Y_true: [0 1 8 27 29]
Y_pred: [1 11 20 27 29 34]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
fever levothyroxine mcg tablet sig one, score: 0.01792973
lidoderm patch levothyroxine 25mcg po qday prilosec 20mg, score:
0.0017906157
methocarbamol meperidine hydrocodone attending, score: 0.00061154016

confidence of prediction: 0.970657
Y_true: [0 1 8 27 29]
Y_pred: [1 11 20 27 29 34]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic chf tte obtained this, score: 0.46479642
congestive heart failure with volume, score: 0.07456194
aaa and chronic back, score: 0.070658214

confidence of prediction: 0.798019
Y_true: [0 1 8 27 29]

Y_pred: [1 11 20 27 29 34]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
diagnosis pneumonia congestive heart, score: 0.36013135
to pneumonia and a, score: 0.19057444
though superimposed pneumonia be definitely, score: 0.07799648

confidence of prediction: 0.884526
Y_true: [4 18 24]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
medical history hyperlipidemia rosacea rectal fissures in, score:
0.094489306
to lad hyperlipidemia rosacea rectal fissures in, score: 0.07402704
atenolol atorvastatin plavix doxycycline, score: 0.022534253

confidence of prediction: 0.986770
Y_true: [4 18 24]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued per, score: 0.71451277
diuresed toward his preoperative, score: 0.033692904
cardiothoracic allergies patient recorded, score: 0.0032416102

confidence of prediction: 0.990383
Y_true: [4 18 24]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p coronary artery bypass graft, score:
0.16771697
coronary bypass grafting x4, score: 0.1325422
coronary artery reverse saphenous, score: 0.09894042

confidence of prediction: 0.573410
Y_true: [4 13 18 24]
Y_pred: [4 13 18 24 29]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
medical history dyslipidemia oa of right shoulder, score: 0.2817615
1000am post bypass patient is apaced, score: 0.015239948
lima left anterior descending, score: 0.012058112

confidence of prediction: 0.989880
Y_true: [4 13 18 24]
Y_pred: [4 13 18 24 29]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft x with lima left, score: 0.69275874
coronary artery bypass graft x see, score: 0.10598146
and pacing wires were discontinued without, score: 0.0038560403

confidence of prediction: 0.986481
Y_true: [4 13 18 24]
Y_pred: [4 13 18 24 29]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.74539834
diuresed toward the preoperative, score: 0.021031434
cardiothoracic allergies no known, score: 0.0060273074

confidence of prediction: 0.999599
Y_true: [4 13 18 24]
Y_pred: [4 13 18 24 29]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft x with lima left, score: 0.71972764
coronary artery disease discharge condition, score: 0.15237099
coronary artery bypass graft x see, score: 0.0307386

confidence of prediction: 0.675816
Y_true: [7 34]
Y_pred: [7 28 34]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
history of present illness, score: 0.08714002
with bright red blood, score: 0.07565735
sized varix in distal, score: 0.058374554

confidence of prediction: 0.897455
Y_true: [7 34]
Y_pred: [7 28 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
blood transfusions gerd hypertension social history she, score:
0.013161977
varices she has no, score: 0.0033310263
hematemesis the patient has, score: 0.003308245

confidence of prediction: 0.887568
Y_true: [0 2 4 12 16 17 21 23 24 27 29 30 31 33 36 40 43]
Y_pred: [2 4 17 27 30 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
tid metformin 500mg qid simvastatin 40mg, score: 0.03079977
phtn copd dm cad evidence of, score: 0.020469412
and ckd who presents, score: 0.0012983177

confidence of prediction: 0.944407
Y_true: [0 2 4 12 16 17 21 23 24 27 29 30 31 33 36 40 43]
Y_pred: [2 4 17 27 30 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
copd cad hld and tracheostomy transfered, score: 0.10232318
history gout hld phtn copd dm cad, score: 0.092018284

simvastatin 40mg qhs zetia 10mg daily duonebs, score: 0.005987797

confidence of prediction: 0.765629
Y_true: [0 2 4 12 16 17 21 23 24 27 29 30 31 33 36 40 43]
Y_pred: [2 4 17 27 30 42]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
on cooling protocol but, score: 0.13391837
count of 5k with, score: 0.042425547
the cooling protocol she remained with, score: 0.016263181

confidence of prediction: 0.969619
Y_true: [0 2 4 12 16 17 21 23 24 27 29 30 31 33 36 40 43]
Y_pred: [2 4 17 27 30 42]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
with chf copd and ckd who presents, score: 0.018496852
extremely severe encephalopathy but it was, score: 0.0036999276
dm cad evidence of, score: 0.0012953401

confidence of prediction: 0.613821
Y_true: [0 2 4 12 16 17 21 23 24 27 29 30 31 33 36 40 43]
Y_pred: [2 4 17 27 30 42]
top three important windows for true positive code 30 (496: Chronic airway obstruction, not elsewhere classified)
with chf copd and ckd who presents, score: 0.11286405
woman with copd cad hld and tracheostomy, score: 0.0155650955
hld phtn copd dm cad evidence of, score: 0.011638428

confidence of prediction: 0.589697
Y_true: [10 11 17]
Y_pred: [10 11]
top three important windows for true positive code 10 (305.1: Tobacco use disorder)
dysfunction tobacco abuse depression social history, score: 0.0071028657
in [UNK] smokes ppd x years he, score: 0.0070379423
ambisone for 2weeks he was, score: 0.0042549986

confidence of prediction: 0.710772
Y_true: [10 11 17]
Y_pred: [10 11]
top three important windows for true positive code 11 (311: Depressive disorder, not elsewhere classified)
tobacco abuse depression social history lives with, score: 0.04164737
prn commit mg [UNK], score: 0.010525065
nameis underwent egd and, score: 0.005406721

confidence of prediction: 0.986860
Y_true: [4 18 25]
Y_pred: [18 20 25]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)

wires were discontinued without, score: 0.7487734
diuresed toward the preoperative, score: 0.02112666
cardiothoracic allergies no known, score: 0.0060545984

confidence of prediction: 0.807507
Y_true: [4 18 25]
Y_pred: [18 20 25]
top three important windows for true positive code 25 (424.0: Mitral valve disorders)
mitral valve prolapse elevated lipids, score: 0.3003736
mitral valve prolapse elevated lipids, score: 0.26798227
mitral valve repair as, score: 0.06426664

confidence of prediction: 0.972362
Y_true: [10 20]
Y_pred: [20 24]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
stenting secondary hypertension depression anxiety discharge, score: 0.31502423
history of hypertension depression, score: 0.075863875
blindness stroke tia etc, score: 0.07021514

confidence of prediction: 0.841385
Y_true: [4 5 13 18 20 23 24]
Y_pred: [4 5 13 18 20 24]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
[UNK] and hyperlipidemia hypertension hyperparathyroid s p, score: 0.1571313
zetia 10mg qd hctz, score: 0.019142374
ezetimibe mg tablet sig, score: 0.01562066

confidence of prediction: 0.802137
Y_true: [4 5 13 18 20 23 24]
Y_pred: [4 5 13 18 20 24]
top three important windows for true positive code 5 (276.1: Hyposmolality and/or hyponatremia)
for transient hyponatremia the patient received unit, score: 0.82596946
to the operating room, score: 0.0028703944
patient recorded as having no, score: 0.0028354197

confidence of prediction: 0.992022
Y_true: [4 5 13 18 20 23 24]
Y_pred: [4 5 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass x lima lad svg dx, score: 0.525623
coronary artery bypass x overall, score: 0.08041226
wires were discontinued without, score: 0.020934934

confidence of prediction: 0.986656
Y_true: [4 5 13 18 20 23 24]

Y_pred: [4 5 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.74522144
diuresed toward the preoperative, score: 0.02102644
bypass x lima lad, score: 0.0058680265

confidence of prediction: 0.992336
Y_true: [4 5 13 18 20 23 24]
Y_pred: [4 5 13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
and hyperlipidemia hypertension hyperparathyroid s p, score:
0.14297791
10mg qd hctz 25mg, score: 0.022282124
dx svg om svg pda, score: 0.018703625

confidence of prediction: 0.998285
Y_true: [4 5 13 18 20 23 24]
Y_pred: [4 5 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass x, score: 0.49073625
coronary artery disease s p coronary artery, score: 0.10389203
rca was stented however multivessel, score: 0.099069685

confidence of prediction: 0.853957
Y_true: [6 11 21 36]
Y_pred: [6 21 36]
top three important windows for true positive code 6 (276.2:
Acidosis)
ag metabolic acidosis likely alcholic ketoacidosis, score:
0.077471964
myelos plt smr normal, score: 0.03305572
gap metabolic acidosis the patient had an, score: 0.02228187

confidence of prediction: 0.826294
Y_true: [6 11 21 36]
Y_pred: [6 21 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
for kidney function within, score: 0.030928997
hip chronic kidney disease baseline cr of social history, score:
0.0053786607
lost his job and started drinking, score: 0.0044297487

confidence of prediction: 0.747965
Y_true: [6 11 21 36]
Y_pred: [6 21 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic kidney disease baseline cr of social history, score:
0.09384918

for kidney function within, score: 0.054368135
lost his job and started drinking, score: 0.007034204

confidence of prediction: 0.624255
Y_true: [1 26]
Y_pred: [1 17]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
hospital1 levothyroxine sodium mcg po daily, score: 0.4877384
folate synthroid mcg daily lisinopril mg, score: 0.036134824
the sicu patient was, score: 0.0037068042

confidence of prediction: 0.645120
Y_true: [4 5 8 13 18 20 24 37 39]
Y_pred: [2 4 18 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
borderline diabetes dyslipidemia hypertension cardiac history cabg,
score: 0.34101552
real estate broker lives, score: 0.020858064
hospital1 cabg x1 htn renal calculi s, score: 0.02081892

confidence of prediction: 0.921386
Y_true: [4 5 8 13 18 20 24 37 39]
Y_pred: [2 4 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed patient was, score: 0.13184565
cardiothoracic allergies avelox attending, score: 0.062480904
descending thoracic aorta the, score: 0.007151147

confidence of prediction: 0.932498
Y_true: [4 5 8 13 18 20 24 37 39]
Y_pred: [2 4 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
cabg x1 htn renal calculi s p, score: 0.05746982
retired real estate broker lives, score: 0.044096746
diabetes dyslipidemia hypertension cardiac, score: 0.03645128

confidence of prediction: 0.927198
Y_true: [4 5 8 13 18 20 24 37 39]
Y_pred: [2 4 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
as cad s p hospital1 cabg, score: 0.08217807
single vessel cad urinary incontinence, score: 0.05294475
change change in appetite, score: 0.028432693

confidence of prediction: 0.911634
Y_true: [16 17 33 42]
Y_pred: [42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96

consecutive hours)
unresponsive intubated cranial nerves, score: 0.70098096
placement organ donation history, score: 0.12791805
later her icp s, score: 0.010860608

confidence of prediction: 0.898894
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
pmh hypertension hyperlipidemia obesity benign prostatic
hypertrophy, score: 0.11474967
fibrillation hypertension hyperlipidemia obesity benign prostatic
hypertrophy, score: 0.031080002
suitable for harvest if, score: 0.01607829

confidence of prediction: 0.990975
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary–coronary artery bypass)
coronary artery bypass graft x left internal mammary left, score:
0.73994106
coronary artery bypass grafting to one, score: 0.02825956
coronary artery bypass graft x atrial, score: 0.01808881

confidence of prediction: 0.963702
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.4767901
cardiothoracic allergies patient recorded, score: 0.011751176
bypass graft x atrial, score: 0.006934814

confidence of prediction: 0.998715
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
atrial fibrillation hypertension hyperlipidemia obesity benign
prostatic, score: 0.04699872
ligation pmh hypertension hyperlipidemia obesity benign prostatic,
score: 0.023563663
history retired non smoker, score: 0.021609843

confidence of prediction: 0.999350
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.6267587
coronary artery disease s p coronary artery bypass graft, score:
0.13268887

coronary artery disease and, score: 0.043479107

confidence of prediction: 0.923997
Y_true: [4 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation hypertension hyperlipidemia obesity, score:
0.13859469
atrial fibrillation heparin was started, score: 0.07359044
atrial fibrillation s p maze, score: 0.059900314

confidence of prediction: 0.798260
Y_true: [5 7 19 20 26]
Y_pred: [4 20 26 31 44]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pmh of htn breast, score: 0.44798258
medical history htn diagnosed months ago, score: 0.15493584
remote tonsillectomy adenoidectomy social history, score:
0.054203372

confidence of prediction: 0.842105
Y_true: [5 7 19 20 26]
Y_pred: [4 20 26 31 44]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with rvr the patient, score: 0.35101536
atrial fibrillation to a hr, score: 0.027496269
amiodarone and beta blocker, score: 0.008608053

confidence of prediction: 0.976416
Y_true: [10 17 20 26 34 48 49]
Y_pred: [3 13 18 20 24 26 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hypercholesterolemia gastroesphogeal
reflux, score: 0.30569863
and ibuprofen incisions sternal healing well, score: 0.08255974
heaves obstipation but without, score: 0.05585837

confidence of prediction: 0.975189
Y_true: [10 17 20 26 34 48 49]
Y_pred: [3 13 18 20 24 26 34]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation was controlled and, score: 0.07795033
develop atrial fibrillation and was started, score: 0.014702264
atrial fibrillation inr goal, score: 0.0045553073

confidence of prediction: 0.823957
Y_true: [10 17 20 26 34 48 49]
Y_pred: [3 13 18 20 24 26 34]
top three important windows for true positive code 34 (530.81:

Esophageal reflux)
heaves obstipation but without, score: 0.020998133
retired tobacco 1ppd x50 yrs, score: 0.016301032
dyslipidemia gastric reflux ventral, score: 0.011185154

confidence of prediction: 0.982018
Y_true: [3 13 18 20 24 39]
Y_pred: [4 13 17 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
cabg x2 lima lad, score: 0.21404372
cabg x history of, score: 0.20507008
descending reverse saphenous vein graft, score: 0.13424349

confidence of prediction: 0.961776
Y_true: [3 13 18 20 24 39]
Y_pred: [4 13 17 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
lotions powders or ointments to, score: 0.29982904
incisions no baths or, score: 0.26079053
cabg x2 lima lad, score: 0.020230576

confidence of prediction: 0.935822
Y_true: [3 13 18 20 24 39]
Y_pred: [4 13 17 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension dyslipidemia gout obesity
cerebrovascular, score: 0.23265834
underwent cabg x2 lima, score: 0.08189162
p cabg x2 discharge condition, score: 0.06425711

confidence of prediction: 0.980798
Y_true: [3 13 18 20 24 39]
Y_pred: [4 13 17 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease worsening, score: 0.12550959
cabg x history of, score: 0.09681963
disease with occlusion of, score: 0.055534527

confidence of prediction: 0.714744
Y_true: [4 20 24 47]
Y_pred: [4 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension cad dyslipidemia surgical history teeth, score:
0.44749853
nf amlodipine atorvastatin mg, score: 0.02623333
carvedilol mg po bid, score: 0.011262075

confidence of prediction: 0.995448
Y_true: [4 20 24 47]

Y_pred: [4 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
of cad htn seizure who s, score: 0.40071416
medical history hypertension cad dyslipidemia surgical history,
score: 0.1974368
astrocytoma he returns today, score: 0.0111152865

confidence of prediction: 0.572964
Y_true: [4 20 24 47]
Y_pred: [4 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
hypertension cad dyslipidemia surgical history teeth, score:
0.066703804
nf amlodipine atorvastatin mg, score: 0.035303444
sided lesion this was followed, score: 0.0333252

confidence of prediction: 0.987620
Y_true: [20]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
disease arthritis hypertension discharge condition mental, score:
0.2387751
hydrochlorothiazide diovan hct prescribed by, score: 0.06165806
valsartan hctz was started, score: 0.053253192

confidence of prediction: 0.867956
Y_true: [4 13 14 18 20 24 32 38 47]
Y_pred: [4 13 14 18 20 24 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia hemorrhoids sciatica in right,
score: 0.17669441
x hypertension hyperlipidemia sciatica in right leg, score:
0.03709753
simvastatin mg tablet sig, score: 0.0051073493

confidence of prediction: 0.990534
Y_true: [4 13 14 18 20 24 32 38 47]
Y_pred: [4 13 14 18 20 24 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary–coronary artery bypass)
coronary artery bypass grafting x left, score: 0.4548
descending artery reverse saphenous vein graft, score: 0.09508579
mammary artery grafted to, score: 0.040688246

confidence of prediction: 0.690534
Y_true: [4 13 14 18 20 24 32 38 47]
Y_pred: [4 13 14 18 20 24 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catherization that revealed coronary, score: 0.027999323

varicosities none x neuro, score: 0.009309487
cardiac cath which revealed severe, score: 0.008779102

confidence of prediction: 0.964292
Y_true: [4 13 14 18 20 24 32 38 47]
Y_pred: [4 13 14 18 20 24 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.49663106
creams or powders to, score: 0.37775463
bypass grafting x left internal, score: 0.025502706

confidence of prediction: 0.996726
Y_true: [4 13 14 18 20 24 32 38 47]
Y_pred: [4 13 14 18 20 24 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
occupation [UNK] banker last dental exam, score: 0.096820615
hypertension hyperlipidemia sciatica in right, score: 0.08902482
medical history hypertension hyperlipidemia hemorrhoids sciatica in,
score: 0.081270084

confidence of prediction: 0.999329
Y_true: [4 13 14 18 20 24 32 38 47]
Y_pred: [4 13 14 18 20 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.43720612
descending artery reverse saphenous vein, score: 0.18427931
coronary artery disease s p coronary artery bypass graft, score:
0.09255936

confidence of prediction: 0.778313
Y_true: [4 13 14 18 20 24 32 38 47]
Y_pred: [4 13 14 18 20 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cath coronary angiography in, score: 0.6796746
varicosities none x neuro, score: 0.045894973
marginal branch of the, score: 0.021694131

confidence of prediction: 0.587780
Y_true: [2 4 34 42]
Y_pred: [2 7 40 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
daily metformin mg tablet sig, score: 0.07005824
day metformin q day discharge, score: 0.031242985
medical history dm chronic alcohol use, score: 0.03103102

confidence of prediction: 0.880046
Y_true: [2 4 34 42]
Y_pred: [2 7 40 42]

top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
lastname was intubated prior to his, score: 0.013882555
name tu fr iron ferrous sulfate mg, score: 0.002857062
you required several blood products prior, score: 0.001197573

confidence of prediction: 0.938020
Y_true: [4 20 34]
Y_pred: [4 20 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
home hctz hyperlipidemia continued home simvastatin code, score:
0.0971814
fracture hypertension hyperlipidemia pneumonia in back hemangioma,
score: 0.027732583
thereafter simvastatin mg tablet tablet, score: 0.004882494

confidence of prediction: 0.948791
Y_true: [4 20 34]
Y_pred: [4 20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
toe fracture hypertension hyperlipidemia pneumonia in back, score:
0.59295285
his home hctz hyperlipidemia continued home simvastatin, score:
0.02766144
penicillins morphine lisinopril sulfa, score: 0.007829725

confidence of prediction: 0.663268
Y_true: [4 20 34]
Y_pred: [4 20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
knees gastroesophageal reflux disease abnormal psa, score:
0.036657397
examination and toxoplasma seroconversion he, score: 0.017632598
[UNK] and leukovorin first name11, score: 0.0167761

confidence of prediction: 0.949638
Y_true: [2 4 10 21 36 48]
Y_pred: [4 20 23 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
ago obesity hyperlipidemia s p carotid stent, score: 0.16099788
rosuvastatin mg qhs glipizide, score: 0.060813878
cabg who presents for, score: 0.05415642

confidence of prediction: 0.879279
Y_true: [2 4 10 21 36 48]
Y_pred: [4 20 23 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg who presents for, score: 0.47014984

s p cabg s p stent, score: 0.47014984
s p mi and cabg s p stent, score: 0.0028160915

confidence of prediction: 0.828747
Y_true: [2 4 17 21 27 36 40 42 47 48]
Y_pred: [17 40 42 48]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
line r picc basic coagulation, score: 0.31956008
line r picc chemistry renal glucose, score: 0.31956008
knee aspiration history of, score: 0.02424089

confidence of prediction: 0.821862
Y_true: [2 4 17 21 27 36 40 42 47 48]
Y_pred: [17 40 42 48]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
related to intubated status mucus, score: 0.030857733
experienced witnessed gtc seizures he was, score: 0.024590729
he was intubated for airway protection and, score: 0.013250183

confidence of prediction: 0.786880
Y_true: [2 4 17 21 27 36 40 42 47 48]
Y_pred: [17 40 42 48]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
related to intubated status mucus retention, score: 0.021063868
he was intubated for airway protection and, score: 0.0031493593
experienced witnessed gtc seizures he, score: 0.0029711514

confidence of prediction: 0.879048
Y_true: [2 4 17 21 27 36 40 42 47 48]
Y_pred: [17 40 42 48]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
history cad s p cabg cva, score: 0.0020383673
left knee pseudo gout, score: 0.0010105135
ago dm htn hld chf recent perf d, score: 0.0010080965

confidence of prediction: 0.784946
Y_true: [8 29 34 35 36]
Y_pred: [1 21 29 34 35 36]
top three important windows for true positive code 29 (486: Pneumonia, organism unspecified)
community acquired pneumonia during your, score: 0.07265473
lobar pneumonia pneumonia patient presented to, score: 0.053128105
staph pneumonia per fellows, score: 0.02081574

confidence of prediction: 0.845151
Y_true: [8 29 34 35 36]
Y_pred: [1 21 29 34 35 36]
top three important windows for true positive code 34 (530.81: Esophageal reflux)

hypercalcemia constipation gerd s p breast ca, score: 0.0113605885
mg she got 1l, score: 0.0072320183
and was sating on, score: 0.0068149487

confidence of prediction: 0.926320
Y_true: [8 29 34 35 36]
Y_pred: [1 21 29 34 35 36]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
likely pre renal improved to at, score: 0.11655446
on chronic renal failure baseline, score: 0.05678397
on chronic renal failure discharge condition, score: 0.05678397

confidence of prediction: 0.686628
Y_true: [8 29 34 35 36]
Y_pred: [1 21 29 34 35 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal failure baseline prior, score: 0.14650634
chronic renal failure discharge condition, score: 0.14650634
with cri dementia presents with multi, score: 0.0174081

confidence of prediction: 0.681213
Y_true: [3 4 13 18 20 22 24 39]
Y_pred: [2 3 13 18 20 24 38]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
type hypertension hypercholesterolemia past coronary artery, score:
0.22025736
cabgx3 with preop iabp hyperlipidemia hypertension diabetes, score:
0.029612493
cabgx3 on iabp left, score: 0.023059504

confidence of prediction: 0.982342
Y_true: [3 4 13 18 20 22 24 39]
Y_pred: [2 3 13 18 20 24 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)
coronary artery bypass grafting to three vessels, score: 0.16817836
cabgx3 on iabp left internal mammary artery, score: 0.15424366
descending artery saphenous vein graft, score: 0.08303778

confidence of prediction: 0.931029
Y_true: [3 4 13 18 20 22 24 39]
Y_pred: [2 3 13 18 20 24 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.7576091
cardiothoracic allergies patient recorded, score: 0.018672362
descending thoracic aorta the, score: 0.0071070064

confidence of prediction: 0.912692
Y_true: [3 4 13 18 20 22 24 39]
Y_pred: [2 3 13 18 20 24 38]

top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension diabetes mellitus obesity discharge, score: 0.08323883
mg daily glyburide mg twice a, score: 0.019811748
s p cabgx3 with, score: 0.01714272

confidence of prediction: 0.997372
Y_true: [3 4 13 18 20 22 24 39]
Y_pred: [2 3 13 18 20 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cabgx3 on iabp left internal mammary artery, score: 0.17174067
coronary artery disease s, score: 0.14956747
coronary artery stenting and, score: 0.078817725

confidence of prediction: 0.911828
Y_true: [20]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
has essential hypertension which is difficult, score: 0.12414533
hypertension and diabetes no, score: 0.120362945
medical history hypertension social history tobacco, score:
0.10123689

confidence of prediction: 0.937495
Y_true: [20]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
dementia psychosis htn psh unknown social history, score: 0.33032608
feasible extensive atherosclerotic calcification ruq, score:
0.024084656
for htn trazodone mg tablet sig, score: 0.0052705756

confidence of prediction: 0.673381
Y_true: [4 7 20 24 28 35 47]
Y_pred: [7 20 28 37]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
dark black and bright red but, score: 0.35929975
history of present illness, score: 0.09803636
showed dark melenic appearing, score: 0.03197675

confidence of prediction: 0.930475
Y_true: [4 7 20 24 28 35 47]
Y_pred: [7 20 28 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension social history social history, score:
0.054350622
other occupation salesman retired marital status married, score:
0.04814615
nodes and subcentimeter hepatic, score: 0.025216358

```
confidence of prediction: 0.819399
Y_true: [ 4  7 20 24 28 35 47]
Y_pred: [ 7 20 28 37]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.68770534
dark black and bright, score: 0.027986495
a upper endoscopy was performed on hospital, score: 0.013508735

confidence of prediction: 0.694885
Y_true: [12 17 20 26 28 30 35 40 43 46]
Y_pred: [ 0 17 20 26 30 39 40 41 43 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
with calcium cvl placed the next, score: 0.11025493
omental flap closure history of, score: 0.073386915
remained in septic shock, score: 0.049657356

confidence of prediction: 0.736393
Y_true: [12 17 20 26 28 30 35 40 43 46]
Y_pred: [ 0 17 20 26 30 39 40 41 43 46]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension obstructive sleep apnea, score: 0.3283091
conclusions patient brought for, score: 0.124902606
closure dressing placement of, score: 0.03377532

confidence of prediction: 0.776233
Y_true: [12 17 20 26 28 30 35 40 43 46]
Y_pred: [ 0 17 20 26 30 39 40 41 43 46]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
furosemide mg tablet sig, score: 0.021429364
autopsy medications on admission, score: 0.019517027
copd atrial fibrillation flutter newly diagnosed, score: 0.008690674

confidence of prediction: 0.686270
Y_true: [12 17 20 26 28 30 35 40 43 46]
Y_pred: [ 0 17 20 26 30 39 40 41 43 46]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
mvr mechanical copd atrial fibrillation flutter newly, score:
0.09649728
autopsy medications on admission, score: 0.04408279
mitral regurgitation hypertension obstructive sleep apnea obesity,
score: 0.013142955

confidence of prediction: 0.856116
Y_true: [12 17 20 26 28 30 35 40 43 46]
Y_pred: [ 0 17 20 26 30 39 40 41 43 46]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
she was intubated for respiratory distress, score: 0.107215635
```

mssa and sputum grew klebsiella, score: 0.016344532
support she developed a diffuse, score: 0.009842737

confidence of prediction: 0.838015
Y_true: [12 17 20 26 28 30 35 40 43 46]
Y_pred: [0 17 20 26 30 39 40 41 43 46]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
support she developed a diffuse, score: 0.11439155
mssa and sputum grew klebsiella, score: 0.07354933
feeding tube placed endoscopically, score: 0.049818367

confidence of prediction: 0.895732
Y_true: [12 17 20 26 28 30 35 40 43 46]
Y_pred: [0 17 20 26 30 39 40 41 43 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
to be admitted for, score: 0.049298022
care after speaking with, score: 0.02581561
septic shock on pressor support, score: 0.025547698

confidence of prediction: 0.948976
Y_true: [20 26 33 37 42]
Y_pred: [17 20 26 37 41 42 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
to threat pupils mm, score: 0.010393525
collapsed they called and, score: 0.003424031
details atrial fibrillation pacemaker hypertension social history
previously, score: 0.0033612358

confidence of prediction: 0.902803
Y_true: [20 26 33 37 42]
Y_pred: [17 20 26 37 41 42 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation pacemaker hypertension social history, score:
0.4270055
expired on medications on, score: 0.004057082
expired discharge diagnosis stroke, score: 0.003600973

confidence of prediction: 0.964391
Y_true: [20 26 33 37 42]
Y_pred: [17 20 26 37 41 42 43]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
have a uti for which she was, score: 0.04542443
suddenly stopped speaking and collapsed, score: 0.007980494
meeting was held with, score: 0.0068161422

confidence of prediction: 0.905345
Y_true: [20 26 33 37 42]
Y_pred: [17 20 26 37 41 42 43]

top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated and medflighted, score: 0.026205659
sao2 intubated general intubated sedated but, score: 0.018899435
was initially intubated for airway protection, score: 0.009681799

confidence of prediction: 0.579842
Y_true: [10 45]
Y_pred: [10 20]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
week smokes ppd x years smokes marijuana occasionally denies, score:
0.0516228
incisions avoid swimming and, score: 0.0009852843
has continued smoking and she takes, score: 0.0008158959

confidence of prediction: 0.964473
Y_true: [7 20 34 37]
Y_pred: [7 20 37]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
extension ankle dorsiflexion and plantar, score: 0.34730116
anemia urinary tract infection discharge, score: 0.15238371
with psif as part of, score: 0.006864173

confidence of prediction: 0.996810
Y_true: [7 20 34 37]
Y_pred: [7 20 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
prilosec prozac hctz lisinopril po, score: 0.23112288
history pmh htn headaches seizure d o, score: 0.2219577
orthopaedics allergies patient recorded, score: 0.009719481

confidence of prediction: 0.919259
Y_true: [7 20 34 37]
Y_pred: [7 20 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
anemia urinary tract infection discharge condition, score: 0.0932009
with a uti and given cipro, score: 0.017284079
orif left heel orif, score: 0.009189407

confidence of prediction: 0.901885
Y_true: [8 9 10 31 34]
Y_pred: [31]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
pneumonia with levo flagyl, score: 0.10282105
likley aspiration event and briefly, score: 0.09814126
flagyl pna aspiration had fever to, score: 0.0831652

confidence of prediction: 0.925828

Y_true: [18 27]
Y_pred: [4 18 20 25 27 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies motrin attending, score: 0.0320838
catheterization which showed clean, score: 0.0034796435
pacing wires removed per protocol the, score: 0.0031791371

confidence of prediction: 0.937278
Y_true: [18 27]
Y_pred: [4 18 20 25 27 34]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure rheumatic heart disease, score: 0.48584673
decompensated heart failure and was diuresed, score: 0.0772699
chf exacerbation she had, score: 0.0672189

confidence of prediction: 0.951385
Y_true: [27]
Y_pred: [27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
history pmhx chf dementia prostate ca cataracts, score: 0.003505975
non specific st t, score: 0.0013090101
elderly demented male comfortable, score: 0.0012705195

confidence of prediction: 0.923438
Y_true: [2 4 17 20 24 26 27 48 49]
Y_pred: [2 4 17 24 26 27 45 48 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
plavix dm social history denies, score: 0.16927439
daily metformin 1000mg hospital1 gabapentin 100mg, score:
0.102429375
home dm pt d c d, score: 0.021165552

confidence of prediction: 0.818133
Y_true: [2 4 17 20 24 26 27 48 49]
Y_pred: [2 4 17 24 26 27 45 48 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
home dose hyperlipidemia continue statin therapy chf, score:
0.06303486
jaundice restart coumadin on patient can, score: 0.026717074
cabg and stent last, score: 0.011360675

confidence of prediction: 0.961345
Y_true: [2 4 17 20 24 26 27 48 49]
Y_pred: [2 4 17 24 26 27 45 48 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
growing enterococcus faecium returned revealing vre, score:
0.26971012

with selected penicillins or, score: 0.040426094
level streptomycin screen resistant to 1000mcg ml, score: 0.02647435

confidence of prediction: 0.726257
Y_true: [2 4 17 20 24 26 27 48 49]
Y_pred: [2 4 17 24 26 27 45 48 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
chf cad s p cabg and stent last, score: 0.37511992
unavailable currently cad s p cabg and stent placement, score:
0.024106711
avr years ago diabetes, score: 0.023884593

confidence of prediction: 0.987796
Y_true: [2 4 17 20 24 26 27 48 49]
Y_pred: [2 4 17 24 26 27 45 48 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib on coumadin discharge, score: 0.4445719
fib chronic failed maze procedure, score: 0.17037122
irregularly irregular rhythm normal, score: 0.014940191

confidence of prediction: 0.947621
Y_true: [2 4 17 20 24 26 27 48 49]
Y_pred: [2 4 17 24 26 27 45 48 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cad and chf admitted with obstructive [UNK], score: 0.13235967
cad and chf admitted with acute, score: 0.13235967
cad s p cabg, score: 0.10949383

confidence of prediction: 0.866209
Y_true: [2 4 17 20 24 26 27 48 49]
Y_pred: [2 4 17 24 26 27 45 48 49]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg and stent placement, score: 0.48431745
porcine avr years ago diabetes, score: 0.013337097
chf cad s p cabg and stent last, score: 0.0040683863

confidence of prediction: 0.845554
Y_true: [2 4 17 20 24 26 27 48 49]
Y_pred: [2 4 17 24 26 27 45 48 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fib on coumadin discharge condition, score: 0.87948346
fibrillation his coumadin and, score: 0.06201056
40mg daily coumadin 5mg, score: 0.009613983

confidence of prediction: 0.959359
Y_true: [2 4 13 18 21 24 26 36]
Y_pred: [2 4 13 18 20 24 26]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or

unspecified type, not stated as uncontrolled)
diabetes mellitus chronic renal insufficiency, score: 0.14140227
qhs metformin 1000mg hospital1 stopped last, score: 0.0452851
diabetes history of tobacco, score: 0.034051318

confidence of prediction: 0.829931
Y_true: [2 4 13 18 21 24 26 36]
Y_pred: [2 4 13 18 20 24 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension dyslipidemia diabetes mellitus chronic renal,
score: 0.09159375
hypertension dyslipidemia diabetes mellitus chronic renal, score:
0.07590359
of hypertension dyslipidemia diabetes history of, score: 0.054182407

confidence of prediction: 0.991019
Y_true: [2 4 13 18 21 24 26 36]
Y_pred: [2 4 13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)
coronary artery bypass graft x left, score: 0.5812912
descending saphenous vein graft to, score: 0.062102627
coronary artery bypass graft x please, score: 0.0328321

confidence of prediction: 0.949767
Y_true: [2 4 13 18 21 24 26 36]
Y_pred: [2 4 13 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.5369812
wires removed per protocol, score: 0.17919897
diuresed toward his preop, score: 0.13755958

confidence of prediction: 0.999467
Y_true: [2 4 13 18 21 24 26 36]
Y_pred: [2 4 13 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.6601386
coronary artery disease s p coronary artery bypass graft, score:
0.1397556
descending saphenous vein graft, score: 0.027965706

confidence of prediction: 0.943285
Y_true: [2 4 13 18 21 24 26 36]
Y_pred: [2 4 13 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
amiodarone mg tablet sig, score: 0.018636703
a fib and was treated, score: 0.008606381
obesity rheumatic fever as, score: 0.00786423

confidence of prediction: 0.911100

Y_true: [4 18 20 24]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
history hypertension dyslipidemia gastric ulcers pneumonia years, score: 0.110258
disease hypertension dyslipidemia gastric ulcers pneumonia years, score: 0.08758818
simvastatin mg tablet sig, score: 0.024923055

confidence of prediction: 0.982405
Y_true: [4 18 20 24]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.31092253
diuresed towards his preoperative, score: 0.22596507
bypass grafting please see operative, score: 0.012149842

confidence of prediction: 0.708485
Y_true: [4 18 20 24]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
medical history hypertension dyslipidemia gastric ulcers pneumonia, score: 0.18253157
artery disease hypertension dyslipidemia gastric ulcers pneumonia, score: 0.11203632
and passed away from renal failure physical, score: 0.05849054

confidence of prediction: 0.999335
Y_true: [4 18 20 24]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.62669307
coronary artery disease hypertension, score: 0.13267496
coronary artery disease he was, score: 0.04347455

confidence of prediction: 0.522475
Y_true: [2 3 13 18 20 24]
Y_pred: [3 8 13 18 20 24]
top three important windows for true positive code 3 (272.0: Pure hypercholesterolemia)
diagnosis hypertension hypercholesterolemia psoriasis coronary artery, score: 0.17195912
history hypertension hypercholesterolemia psoriasis prostate cancer, score: 0.13139613
x full rom x chest, score: 0.0047991257

confidence of prediction: 0.990036
Y_true: [2 3 13 18 20 24]
Y_pred: [3 8 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single

internal mammary–coronary artery bypass)
s p cabgx3 lima lad rsvg om, score: 0.045484796
wires were discontinued without, score: 0.037208088
underwent cabgx3 lima lad svg om2, score: 0.022522995

confidence of prediction: 0.986660
Y_true: [2 3 13 18 20 24]
Y_pred: [3 8 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7392627
diuresed toward the preoperative, score: 0.020858314
cabgx3 lima lad svg om2, score: 0.00915434

confidence of prediction: 0.828045
Y_true: [2 3 13 18 20 24]
Y_pred: [3 8 13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hydrochlorothiazide mg tablet by, score: 0.17816904
off a ladder social history race hispanic, score: 0.058152653
hypertension hypercholesterolemia psoriasis coronary artery disease
s, score: 0.05770271

confidence of prediction: 0.952020
Y_true: [2 3 13 18 20 24]
Y_pred: [3 8 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p cabgx3 lima lad, score: 0.37141466
coronary artery disease s p cabg x discharge, score: 0.099659584
coronary artery disease he is, score: 0.07042369

confidence of prediction: 0.878961
Y_true: [3 5 32]
Y_pred: [0 3 34 46]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
medical history hypercholesterolemia bilateral knee replacements in,
score: 0.0077815144
gallbladder ca hypercholesterolemia discharge condition mental,
score: 0.0037462339
ln s p ercp, score: 0.0013841437

confidence of prediction: 0.984127
Y_true: [16 18 24 39]
Y_pred: [13 18 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed on, score: 0.7435777
lotions powders or ointments to, score: 0.09454278
diuresed and his beta, score: 0.008235523

confidence of prediction: 0.999820

Y_true: [16 18 24 39]
Y_pred: [13 18 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting time one, score: 0.87932765
coronary artery disease discharge condition, score: 0.03455382
worsening stenosis therefore he was, score: 0.0042936495

confidence of prediction: 0.508251
Y_true: [3 20]
Y_pred: [3 17 20 24]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
l mca aneurysm coiling, score: 0.010864359
l mca aneurysm she, score: 0.010503895
medical history htn hypercholesterolemia social history haitian
creole, score: 0.009797392

confidence of prediction: 0.998160
Y_true: [3 20]
Y_pred: [3 17 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn hypercholesterolemia social history haitian
creole speaking, score: 0.4528591
more responsive after minutes, score: 0.013266332
started on pressors to increase her blood, score: 0.005377655

confidence of prediction: 0.906550
Y_true: [4 18 20 24 47]
Y_pred: [4 18 20 24 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
plavix hypertension hyperlipidemia obesity arthritis gastric
dyspepsia, score: 0.26276034
zocor mg tablet sig, score: 0.003404918
zocor 40mg daily aspirin, score: 0.0031292844

confidence of prediction: 0.979679
Y_true: [4 18 20 24 47]
Y_pred: [4 18 20 24 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
pacing wires on post op, score: 0.01872185
diuresed towards his pre, score: 0.012752712
cardiothoracic allergies patient recorded, score: 0.012505574

confidence of prediction: 0.994899
Y_true: [4 18 20 24 47]
Y_pred: [4 18 20 24 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
admission triampterene hctz 5mg, score: 0.15623678
hypertension hyperlipidemia obesity arthritis gastric, score:

0.08923837
zocor 40mg daily aspirin, score: 0.045610674

confidence of prediction: 0.971749
Y_true: [4 18 20 24 47]
Y_pred: [4 18 20 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery stenosis normal, score: 0.14617777
coronary artery disease s p rca stent no, score: 0.13779987
coronary artery disease who, score: 0.045628566

confidence of prediction: 0.630202
Y_true: [4 13 18 20 22 24 27]
Y_pred: [1 4 13 18 20 22 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
on valium hyperlipidemia asthma bronchitis degenerative, score:
0.0759009
incisions sternal healing well, score: 0.0032806976
meq tablet er particles, score: 0.0027516335

confidence of prediction: 0.924739
Y_true: [4 13 18 20 22 24 27]
Y_pred: [1 4 13 18 20 22 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting to four vessels, score: 0.30543187
cabgx4 history of present, score: 0.3015584
diuresed towards his preoperative, score: 0.015557479

confidence of prediction: 0.981913
Y_true: [4 13 18 20 22 24 27]
Y_pred: [1 4 13 18 20 22 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed towards his preoperative, score: 0.35127455
cardiothoracic allergies no known, score: 0.016149972
washing incisions gently with mild soap, score: 0.0059682257

confidence of prediction: 0.756284
Y_true: [4 13 18 20 22 24 27]
Y_pred: [1 4 13 18 20 22 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
difficulty resolved hypertension anxiety on valium, score:
0.17908925
myocardial infarction major surgical, score: 0.02755257
vessels and closure of, score: 0.0047645196

confidence of prediction: 0.689179
Y_true: [4 13 18 20 22 24 27]
Y_pred: [1 4 13 18 20 22 24]
top three important windows for true positive code 22 (410.71:

Subendocardial infarction, initial episode of care)
for nstemi with peak troponin, score: 0.19282363
artery disease nstemi stroke with right side, score: 0.02589212
a myocardial infarction and ejection, score: 0.019546403

confidence of prediction: 0.988642
Y_true: [4 13 18 20 22 24 27]
Y_pred: [1 4 13 18 20 22 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease nstemi stroke with right side, score:
0.26391998
cabgx4 history of present, score: 0.17252815
coronary artery disease stroke, score: 0.103116944

confidence of prediction: 0.878196
Y_true: [1 4 7 20 34]
Y_pred: [1 4 7]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
hospital1 levothyroxine mg po daily lipitor, score: 0.7739022
hours levothyroxine mcg tablet sig one, score: 0.012567836
asthma hyperlipidemia hypothyroid social history denies family,
score: 0.002503547

confidence of prediction: 0.830883
Y_true: [1 4 7 20 34]
Y_pred: [1 4 7]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
scoliosis asthma hyperlipidemia hypothyroid social history denies,
score: 0.36730185
atorvastatin mg tablet sig, score: 0.013071732
advair hospital1 asa mg po, score: 0.00924107

confidence of prediction: 0.971532
Y_true: [1 4 7 20 34]
Y_pred: [1 4 7]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
extension ankle dorsiflexion and plantar, score: 0.35873187
anemia hypotension discharge condition, score: 0.061591394
l5 anterior fusion through, score: 0.02461939

confidence of prediction: 0.756906
Y_true: [4 42]
Y_pred: [4 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
medical history hyperlipidemia family history noncontributory,
score: 0.37588888
personal care matters your, score: 0.001946108
barbitrt neg tricyclic neg, score: 0.0018649384

confidence of prediction: 0.942951
Y_true: [4 42]
Y_pred: [4 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
assess language intubated cranial nerves, score: 0.031436067
remained intubated and sedated, score: 0.00725395
he was intubated for airway protection, score: 0.0056375307

confidence of prediction: 0.757166
Y_true: [2 13 14 18 20 24 34 38]
Y_pred: [2 4 13 14 18 20 24 34 37 38]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
type ii diabetes hypertension hyperlipidemia she, score: 0.0958987
stent in diabetes diet controlled last a1c, score: 0.03997411
hyperlipidemia niddm gerd colonic polyps s, score: 0.013283169

confidence of prediction: 0.997959
Y_true: [2 13 14 18 20 24 34 38]
Y_pred: [2 4 13 14 18 20 24 34 37 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
p cabgx2 lima lad svg om history, score: 0.009446611
underwent cabgx2 lima lad svg om and, score: 0.009284283
circumflex artery lad mid lad stent, score: 0.0028366153

confidence of prediction: 0.586495
Y_true: [2 13 14 18 20 24 34 38]
Y_pred: [2 4 13 14 18 20 24 34 37 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catheterization s p cabgx2, score: 0.19501403
lesion mid lcx stenosis, score: 0.07135803
catheterization this morning there, score: 0.056812994

confidence of prediction: 0.966732
Y_true: [2 13 14 18 20 24 34 38]
Y_pred: [2 4 13 14 18 20 24 34 37 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cabgx2 lima lad svg om and, score: 0.13665916
cardiothoracic allergies penicillins latex, score: 0.05486471
lotions powders or creams on, score: 0.05385903

confidence of prediction: 0.937624
Y_true: [2 13 14 18 20 24 34 38]
Y_pred: [2 4 13 14 18 20 24 34 37 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
ii diabetes hypertension hyperlipidemia she had a, score: 0.14990777
hypertension sciatica lower gi bleed, score: 0.0727335

stent in diabetes diet, score: 0.048606444

confidence of prediction: 0.993927
Y_true: [2 13 14 18 20 24 34 38]
Y_pred: [2 4 13 14 18 20 24 34 37 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p drug eluting, score: 0.15904678
coronary artery disease hyperlipidemia, score: 0.11091328
left circumflex stent in, score: 0.060179327

confidence of prediction: 0.962588
Y_true: [2 13 14 18 20 24 34 38]
Y_pred: [2 4 13 14 18 20 24 34 37 38]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hyperlipidemia niddm gerd colonic polyps s p, score: 0.018837763
last a1c gerd history of nosebleeds d, score: 0.01014199
history of present illness, score: 0.0026347348

confidence of prediction: 0.852675
Y_true: [2 13 14 18 20 24 34 38]
Y_pred: [2 4 13 14 18 20 24 34 37 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization s p, score: 0.35505882
lesion mid lcx stenosis and, score: 0.074030645
cardiac catheterization that was performed, score: 0.052352548

confidence of prediction: 0.511440
Y_true: [17 20 35]
Y_pred: [0 4 17 20 35 37 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
gastric bypass low b12, score: 0.11119935
bacteria many yeast none, score: 0.032618705
rij was placed and repositioned, score: 0.031866085

confidence of prediction: 0.885103
Y_true: [17 20 35]
Y_pred: [0 4 17 20 35 37 46]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
19am lactate 19am hgb, score: 0.06463828
blue and pale in, score: 0.044761155
hypertension obesity s p, score: 0.03699174

confidence of prediction: 0.849196
Y_true: [17 20 35]
Y_pred: [0 4 17 20 35 37 46]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
11am lactate 11am hgb calchct, score: 0.14063814
19am lactate 19am hgb, score: 0.07057345

version acute renal failure resolved prerenal in setting, score:
0.016276034

confidence of prediction: 0.555131
Y_true: [2 3 4 8 18 20 26 47 49]
Y_pred: [3 4 18 20]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
discharge diagnosis hypercholesterolemia s p lithotripsy aortic
stenosis hypertension s p aortic, score: 0.07356417
x full rom x chest, score: 0.012473622
medical history hypertension hyperlipidemia, score: 0.008639765

confidence of prediction: 0.853036
Y_true: [2 3 4 8 18 20 26 47 49]
Y_pred: [3 4 18 20]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia aortic stenosis social history,
score: 0.20713359
aortic stenosis hypertension s p aortic, score: 0.007737666
avr dr last name, score: 0.0047509014

confidence of prediction: 0.979578
Y_true: [2 3 4 8 18 20 26 47 49]
Y_pred: [3 4 18 20]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.3970015
cardiothoracic allergies shellfish derived, score: 0.09853935
diuresed towards his preoperative, score: 0.02547789

confidence of prediction: 0.995788
Y_true: [2 3 4 8 18 20 26 47 49]
Y_pred: [3 4 18 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hyperlipidemia aortic stenosis social,
score: 0.2115592
aortic stenosis hypertension s p aortic, score: 0.12748997
post bypass study 10am, score: 0.022980988

confidence of prediction: 0.662339
Y_true: [13 18 24 25 30]
Y_pred: [13 18 20 24 25 30]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft x please, score: 0.085847236
mammary artery to left, score: 0.065877624
incisions gently with mild, score: 0.032245856

confidence of prediction: 0.979429
Y_true: [13 18 24 25 30]
Y_pred: [13 18 20 24 25 30]

top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed towards her pre, score: 0.17569731
pacing wires were removed per, score: 0.0068707634
washing incisions gently with mild soap, score: 0.004351116

confidence of prediction: 0.678122
Y_true: [13 18 24 25 30]
Y_pred: [13 18 20 24 25 30]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
secondary to asbestos exposure, score: 0.083108984
coronary artery bypass graft, score: 0.04685512
mammary artery to left, score: 0.026886124

confidence of prediction: 0.759193
Y_true: [13 18 24 25 30]
Y_pred: [13 18 20 24 25 30]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve repair coronary, score: 0.3314063
severe mitral regurgitation there is, score: 0.11187326
mitral valve repair and, score: 0.04593056

confidence of prediction: 0.670931
Y_true: [13 18 24 25 30]
Y_pred: [13 18 20 24 25 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
mitral regurgitation copd secondary to asbestos exposure, score:
0.35906515
medical history copd secondary to asbestos exposure, score:
0.011260283
dental exam upper dentures, score: 0.0005928528

confidence of prediction: 0.760556
Y_true: [4 5 8 13 14 18 20 24 34]
Y_pred: [4 13 18 20 24 34 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia gastroesophageal reflux disease
social, score: 0.19081894
history hypertension hyperlipidemia gastroesophageal reflux disease
discharge, score: 0.19081894
hypertension and hyperlipidemia with complaints, score: 0.10817881

confidence of prediction: 0.990560
Y_true: [4 5 8 13 14 18 20 24 34]
Y_pred: [4 13 18 20 24 34 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft x left, score: 0.57341707
descending saphenous vein graft to, score: 0.06126139
coronary artery bypass graft, score: 0.03238736

confidence of prediction: 0.980854
Y_true: [4 5 8 13 14 18 20 24 34]
Y_pred: [4 13 18 20 24 34 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
lotions powders or ointments to, score: 0.15323591
marginal saphenous vein graft, score: 0.013034147
pacing wires were removed on, score: 0.0063175615

confidence of prediction: 0.962668
Y_true: [4 5 8 13 14 18 20 24 34]
Y_pred: [4 13 18 20 24 34 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hyperlipidemia gastroesophageal reflux,
score: 0.1241637
systemic arterial hypertension with central aortic, score:
0.121595435
history of hypertension and hyperlipidemia with complaints, score:
0.10924961

confidence of prediction: 0.999163
Y_true: [4 5 8 13 14 18 20 24 34]
Y_pred: [4 13 18 20 24 34 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.49669915
coronary artery disease s p coronary artery bypass graft, score:
0.10515442
coronary artery disease the, score: 0.100100674

confidence of prediction: 0.924098
Y_true: [4 5 8 13 14 18 20 24 34]
Y_pred: [4 13 18 20 24 34 38]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hyperlipidemia gastroesophageal reflux disease social history race
[UNK] lives, score: 0.036865123
hyperlipidemia gastroesophageal reflux disease discharge condition
good, score: 0.036865123
underwent appropriate pre operative, score: 0.0010582394

confidence of prediction: 0.539848
Y_true: [2 6 12 17 20 29 32 34 37 40 42]
Y_pred: [12 20 34 40 42]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
of bronchial staple line with intercostal, score: 0.14836976
bronchoscopy flexible bronchoscopy flexible bronchoscopy with
therapeutic, score: 0.08355222
on bal and wbc, score: 0.070231624

confidence of prediction: 0.985273

Y_true: [2 6 12 17 20 29 32 34 37 40 42]
Y_pred: [12 20 34 40 42]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
hypertension gerd dm ii dx, score: 0.24515902
medical history htn gerd dm ii dx, score: 0.13490888
valsartan hydrochlorothiazide mg tablet sig, score: 0.04594642

confidence of prediction: 0.906930
Y_true: [2 6 12 17 20 29 32 34 37 40 42]
Y_pred: [12 20 34 40 42]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
history htn gerd dm ii dx years, score: 0.014878773
lobectomy hypertension gerd dm ii dx years, score: 0.013218744
node dissection buttressing of, score: 0.0069664097

confidence of prediction: 0.910186
Y_true: [2 6 12 17 20 29 32 34 37 40 42]
Y_pred: [12 20 34 40 42]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
required re intubation in the pacu, score: 0.11334846
muscle flap flexible bronchoscopy, score: 0.0039114146
titles daily bronchoscopy as, score: 0.0027761965

confidence of prediction: 0.834555
Y_true: [2 6 12 17 20 29 32 34 37 40 42]
Y_pred: [12 20 34 40 42]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
required re intubation in the, score: 0.14502403
miconazole nitrate powder sig, score: 0.009425259
gnrs on bal and wbc remained, score: 0.004332281

confidence of prediction: 0.771521
Y_true: [2 5 6 16 17 20 33 35 40 41 43 46]
Y_pred: [0 2 17 19 33 35 40 46]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
qday metformin mg tablet tabs qday, score: 0.03369321
insulin dependent diabetes mellitus htn pylorus preserving pancreaticoduodenectomy, score: 0.007489429
cvvh on dm2 he was initially, score: 0.0064183543

confidence of prediction: 0.803950
Y_true: [2 5 6 16 17 20 33 35 40 41 43 46]
Y_pred: [0 2 17 19 33 35 40 46]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
as described above biliary, score: 0.16336627
was placed and he, score: 0.09340851

patient became bacteremic during, score: 0.084022544

confidence of prediction: 0.917009
Y_true: [2 5 6 16 17 20 33 35 40 41 43 46]
Y_pred: [0 2 17 19 33 35 40 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
developed respiratory failure on and was intubated his cxr
continued, score: 0.30264524
he was intubated for respiratory failure on, score: 0.031675655
expired respiratory failure the, score: 0.014889156

confidence of prediction: 0.805273
Y_true: [2 5 6 16 17 20 33 35 40 41 43 46]
Y_pred: [0 2 17 19 33 35 40 46]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
patient s arf is likely, score: 0.08611726
his family arf the patient s cr, score: 0.08066077
began gemcitabine 2wks on wk, score: 0.016232425

confidence of prediction: 0.831255
Y_true: [2 5 6 16 17 20 33 35 40 41 43 46]
Y_pred: [0 2 17 19 33 35 40 46]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
he was intubated for respiratory failure on, score: 0.11710563
developed respiratory failure on and was intubated his cxr
continued, score: 0.012900621
in his rlq did, score: 0.0030939823

confidence of prediction: 0.641993
Y_true: [2 5 6 16 17 20 33 35 40 41 43 46]
Y_pred: [0 2 17 19 33 35 40 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
to severe sepsis as described above biliary, score: 0.073711194
placed on levophed vasopressin neosynepherine on he, score:
0.04786668
drain placement sepsis the patient presented with, score:
0.034189172

confidence of prediction: 0.922696
Y_true: [16 17 19 20 26 35 40 41 43 45]
Y_pred: [17 20 26 42 44 45]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
cx yeast ascites pending, score: 0.13037144
cx yeast bcx no, score: 0.08354198
sputum cx budding yeast bcx pending ucx, score: 0.030644545

confidence of prediction: 0.927594
Y_true: [16 17 19 20 26 35 40 41 43 45]
Y_pred: [17 20 26 42 44 45]

top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn obesity stage iv colon, score: 0.049032692
pacing by cardiology this, score: 0.010408438
smear occasional schistocytes and, score: 0.008007803

confidence of prediction: 0.990133
Y_true: [16 17 19 20 26 35 40 41 43 45]
Y_pred: [17 20 26 42 44 45]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib requiring cardioversion and started, score: 0.79691935
irregularly irregular no murmurs no, score: 0.1676591
fib with rvr hr converted, score: 0.018331127

confidence of prediction: 0.922112
Y_true: [16 17 19 20 26 35 40 41 43 45]
Y_pred: [17 20 26 42 44 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
in place tpn was started on lfts, score: 0.16515005
stopped continued tpn episode of a fib, score: 0.049065635
cx budding yeast bcx, score: 0.003078857

confidence of prediction: 0.500289
Y_true: [0 7 17 21 35 36 37 41 44 46]
Y_pred: [0 7 17 21 35 36 37 44 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
urosepsis she has also, score: 0.0904003
primary septic shock due to uti e, score: 0.045528095
pressor requirement her hct, score: 0.04047852

confidence of prediction: 0.943829
Y_true: [0 7 17 21 35 36 37 41 44 46]
Y_pred: [0 7 17 21 35 36 37 44 46]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia from gi bleed source, score: 0.60139036
infection and bleeding from, score: 0.089829326
anemia due to gi, score: 0.049408413

confidence of prediction: 0.770950
Y_true: [0 7 17 21 35 36 37 41 44 46]
Y_pred: [0 7 17 21 35 36 37 44 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
evaulation required dobhoff placement repeat s, score: 0.109594114
changed to ceftriaxone with, score: 0.061076824
hospital picc placement had abdominal, score: 0.042963516

confidence of prediction: 0.728411
Y_true: [0 7 17 21 35 36 37 41 44 46]
Y_pred: [0 7 17 21 35 36 37 44 46]

top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified)
on chronic renal insufficiency hypernatremia secondary, score: 0.029752549
acute renal failure on chronic renal insufficiency creatinine at admission, score: 0.0078360345
citalopram risperdal psychiatric hospitalization, score: 0.0068239914

confidence of prediction: 0.696558
Y_true: [0 7 17 21 35 36 37 41 44 46]
Y_pred: [0 7 17 21 35 36 37 44 46]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
celexa acute renal failure on chronic renal insufficiency creatinine at admission, score: 0.051094417
acute renal failure on chronic renal insufficiency, score: 0.049819577
hypotension pressor requirement her hct, score: 0.0080252625

confidence of prediction: 0.904340
Y_true: [0 7 17 21 35 36 37 41 44 46]
Y_pred: [0 7 17 21 35 36 37 44 46]
top three important windows for true positive code 36 (585.9: Chronic kidney disease, unspecified)
acute renal failure on chronic renal insufficiency creatinine at admission, score: 0.0072001717
failure on chronic renal insufficiency hypernatremia secondary, score: 0.0031704786

confidence of prediction: 0.979961
Y_true: [0 7 17 21 35 36 37 41 44 46]
Y_pred: [0 7 17 21 35 36 37 44 46]
top three important windows for true positive code 37 (599.0: Urinary tract infection, site not specified)
to uti e coli and, score: 0.10685614
urinary tract infection and sepsis, score: 0.07853253
with uti grew e coli, score: 0.065676205

confidence of prediction: 0.601341
Y_true: [0 7 17 21 35 36 37 41 44 46]
Y_pred: [0 7 17 21 35 36 37 44 46]
top three important windows for true positive code 44 (99.04: Transfusion of packed cells)
received units prbc had guaiac, score: 0.24052255
with u prbcs but decreased, score: 0.11894997
required blood transfusions stool or, score: 0.07577227

confidence of prediction: 0.598018
Y_true: [0 7 17 21 35 36 37 41 44 46]
Y_pred: [0 7 17 21 35 36 37 44 46]
top three important windows for true positive code 46 (995.92: Severe sepsis)

urosepsis she has also been, score: 0.08963353
presented with uti grew, score: 0.061010987
pressor requirement her hct, score: 0.043722864

confidence of prediction: 0.986355
Y_true: [18 21 36]
Y_pred: [18 21]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7489623
diuresed toward the preoperative, score: 0.021131989
cardiothoracic allergies no known, score: 0.0060561253

confidence of prediction: 0.546658
Y_true: [18 21 36]
Y_pred: [18 21]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecfied, with chronic
kidney disease stage I through stage IV, or unspecified)
history chronic kidney disease congenital deafness uses, score:
0.023373807
pmh chronic kidney disease congenital deafness uses, score:
0.0046314513
to the operating room, score: 0.0028920537

confidence of prediction: 0.738668
Y_true: [0 31 33 35]
Y_pred: [0 29 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
meeting and goals of care, score: 0.30553803
demetia pneumonia sepsis asthma dysphagia discharge condition,
score: 0.027809016
and new sepsis presentation, score: 0.02615916

confidence of prediction: 0.909654
Y_true: [1 8 17 20 26 27 30 35 49]
Y_pred: [0 1 20 24 26 30 40 42 46 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
coumadin hypothyroidism and recent gram negative, score: 0.7254437
hospital1 levothyroxine mcg po daily multivitamin, score: 0.09723805
comfort care measures only patient, score: 0.0016408681

confidence of prediction: 0.609799
Y_true: [1 8 17 20 26 27 30 35 49]
Y_pred: [0 1 20 24 26 30 40 42 46 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypothyroidism copd ibs legally blind gad social history, score:
0.043280188
with htn copd mild aortic, score: 0.029133853
percutaneous coronary interventions cardiac cath, score:
0.0152189145

```
confidence of prediction: 0.997573
Y_true: [ 1  8 17 20 26 27 30 35 49]
Y_pred: [ 0  1 20 24 26 30 40 42 46 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin hypothyroidism, score: 0.95574224
atrial fibrillation hypertension sepsis, score: 0.009967818
fib and history of, score: 0.007980835

confidence of prediction: 0.913581
Y_true: [ 1  8 17 20 26 27 30 35 49]
Y_pred: [ 0  1 20 24 26 30 40 42 46 49]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
with htn copd mild aortic stenosis paroxysmal, score: 0.01284847
copd ibs legally blind gad social history, score: 0.0010127687
mild cognitive impairment paroxysmal, score: 0.00085046113

confidence of prediction: 0.778576
Y_true: [ 1  8 17 20 26 27 30 35 49]
Y_pred: [ 0  1 20 24 26 30 40 42 46 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin hypothyroidism, score: 0.9180157
on admission warfarin mg 2mg valsartan mg, score: 0.04658375
for a fib and history of, score: 0.0027816466

confidence of prediction: 0.531809
Y_true: [ 0 16 17 27 30 31 33 42 46]
Y_pred: [ 0 27 30 31 33 40 42 43 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
septic shock pneumonia appears to be, score: 0.031857893
criteria for ards cxr, score: 0.017916571
septic shock other potential etiologies for, score: 0.010581249

confidence of prediction: 0.904463
Y_true: [ 0 16 17 27 30 31 33 42 46]
Y_pred: [ 0 27 30 31 33 40 42 43 46]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure ejection fraction per, score: 0.093551405
congestive heart failure who is, score: 0.054693066
congestive heart failure meets, score: 0.051178094

confidence of prediction: 0.671352
Y_true: [ 0 16 17 27 30 31 33 42 46]
Y_pred: [ 0 27 30 31 33 40 42 43 46]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
medical history copd on 3l home oxygen, score: 0.1192196
history of copd on 3l o2 lung, score: 0.028865565
```

confidence of prediction: 0.946554
Y_true: [0 16 17 27 30 31 33 42 46]
Y_pred: [0 27 30 31 33 40 42 43 46]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
with aspiration bilateral pleural effusions, score: 0.01605669
made cmo communication wife, score: 0.0063254707
c f aspiration pna patient extubated on, score: 0.006010773

confidence of prediction: 0.955631
Y_true: [0 16 17 27 30 31 33 42 46]
Y_pred: [0 27 30 31 33 40 42 43 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxic respiratory failure and hypotension, score: 0.21130876
hypoxemic respiratory failure patient with, score: 0.12976806
hypoxic respiratory failure requiring, score: 0.04472351

confidence of prediction: 0.695512
Y_true: [0 16 17 27 30 31 33 42 46]
Y_pred: [0 27 30 31 33 40 42 43 46]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
post intubation was on, score: 0.13086316
immediately intubated for hypoxic respiratory, score: 0.10922687
was intubated sedated and, score: 0.08174467

confidence of prediction: 0.715463
Y_true: [0 16 17 27 30 31 33 42 46]
Y_pred: [0 27 30 31 33 40 42 43 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
septic shock pneumonia appears to be, score: 0.024517998
shock patient with subjective, score: 0.020431494
meets criteria for ards cxr, score: 0.014681196

confidence of prediction: 0.577497
Y_true: [2 3 11 20 23 24 26 39]
Y_pred: [2 3 18 20 24 26]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
rca stent sleep apnea, score: 0.049589753
ablation diabetes hypertension hypercholesterolemia and depression,
score: 0.028510995
extensive atherosclerotic disease at the, score: 0.025795069

confidence of prediction: 0.552179
Y_true: [2 3 11 20 23 24 26 39]
Y_pred: [2 3 18 20 24 26]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
diabetes hypertension hypercholesterolemia and depression her,

score: 0.3547983
diabetes hypertension hypercholesterolemia and depression discharge,
score: 0.3547983
liver and spleen consistent, score: 0.024769513

confidence of prediction: 0.929100
Y_true: [2 3 11 20 23 24 26 39]
Y_pred: [2 3 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
ablation diabetes hypertension hypercholesterolemia and depression
her, score: 0.22319701
ablation diabetes hypertension hypercholesterolemia and depression
discharge, score: 0.22319701
atrial fibrillation colchicine and, score: 0.19568917

confidence of prediction: 0.962681
Y_true: [2 3 11 20 23 24 26 39]
Y_pred: [2 3 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
status post rca stent sleep, score: 0.16134776
vessel coronary artery disease in, score: 0.04575275
cad status post rca stent sleep, score: 0.044541325

confidence of prediction: 0.939127
Y_true: [2 3 11 20 23 24 26 39]
Y_pred: [2 3 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial arrhythmias which include, score: 0.14425403
atrial fibrillation colchicine and nsaids, score: 0.10840819
atrial fibrillation major surgical or, score: 0.073415145

confidence of prediction: 0.863153
Y_true: [8 41 49]
Y_pred: [20 41 49]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
perrl dysarthric moves right side, score: 0.014707104
dysphagia requiring feeding tube placement discharge condition,
score: 0.013762162
swallow examinations this was placed, score: 0.009991552

confidence of prediction: 0.635871
Y_true: [8 41 49]
Y_pred: [20 41 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
was on coumadin therapy for a, score: 0.43657273
7m on coumadin for, score: 0.29819155
diovan tramadol coumadin [UNK] tylenol discharge, score: 0.0917235

confidence of prediction: 0.862108

Y_true: [2 17 20 35]
Y_pred: [7 17 20 44]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
sigmoidoscopy x central line placement history of, score: 0.024614442
floor from micu vitals, score: 0.015786968
disease were responsible for, score: 0.013282384

confidence of prediction: 0.867795
Y_true: [2 17 20 35]
Y_pred: [7 17 20 44]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
diabetes mellitus hypertension hepatocellular carcinoma followed, score: 0.24786402
carcinoma asthma hypertension discharge condition hemodynamically, score: 0.15548044
of hypertension diovan and diltiazem were, score: 0.10448139

confidence of prediction: 0.611942
Y_true: [2 4 20 24 47]
Y_pred: [2 4 20 24]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
s diabetes his home oral medications, score: 0.10713327
daily glyburide mg tablet sig, score: 0.050130103
diabetes and known cad, score: 0.04714735

confidence of prediction: 0.904500
Y_true: [2 4 20 24 47]
Y_pred: [2 4 20 24]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
history hypertension hyperlipidemia nsvt asymptomatic carotid, score: 0.08857066
of hypertension hyperlipidemia diabetes and known, score: 0.05282898
mellitus hypertension hyperlipidemia discharge condition good, score: 0.05235179

confidence of prediction: 0.945736
Y_true: [2 4 20 24 47]
Y_pred: [2 4 20 24]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
diabetes mellitus hypertension hyperlipidemia discharge condition good, score: 0.2644197
medical history hypertension hyperlipidemia, score: 0.06635348
stent placment history of, score: 0.054361545

confidence of prediction: 0.832909
Y_true: [2 4 20 24 47]
Y_pred: [2 4 20 24]

top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
htn cad s p rca stent now, score: 0.06214669
pt developed word finding, score: 0.026040541
known cad s p cypher stenting, score: 0.019232104

confidence of prediction: 0.962891
Y_true: [4 20 27 30]
Y_pred: [20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn right tkr sarcoidosis, score: 0.4638296
were managed non operatively she was, score: 0.012428241
sarcoidosis copd djd osteoporosis irritable bowel, score:
0.008375752

confidence of prediction: 0.840376
Y_true: [2 19 28 29 30 35]
Y_pred: [8 19 29 30 31 35]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
consideration of cvvh initiation prior, score: 0.04109873
function temp hd line was, score: 0.035807338
despite midodrine octreotide and albumin, score: 0.017239636

confidence of prediction: 0.756989
Y_true: [2 19 28 29 30 35]
Y_pred: [8 19 29 30 31 35]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
hospital acquired pneumonia the patient s, score: 0.1382724
hospital acquired pneumonia discharge condition mental, score:
0.10482512
from aspiration bibasilar opacities likely atelectasis, score:
0.014725799

confidence of prediction: 0.635345
Y_true: [2 19 28 29 30 35]
Y_pred: [8 19 29 30 31 35]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
pancreatitis and copd who presented from hospital, score:
0.023867492
pancreatitis and copd who was transferred to, score: 0.016994165
per daughters copd s p nephrectomy for, score: 0.01535579

confidence of prediction: 0.658490
Y_true: [2 19 28 29 30 35]
Y_pred: [8 19 29 30 31 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
for hepato renal syndrome a temporary, score: 0.12584259
likely hepato renal syndrome the, score: 0.087355696
distress heent pearla mucous, score: 0.066725045

confidence of prediction: 0.845088
Y_true: [2 4 8 20 26]
Y_pred: [4 20 26 44]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
hypertension arthritis hyperlipidemia discharge condition stable tolerating, score: 0.26832777
fibrillation hypertension hyperlipidemia arthritis vertigo spinal stenosis, score: 0.046401303
simvastatin atenolol verapamil alprazolam, score: 0.013272693

confidence of prediction: 0.996523
Y_true: [2 4 8 20 26]
Y_pred: [4 20 26 44]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
atrial fibrillation hypertension hyperlipidemia arthritis vertigo spinal, score: 0.054255363
atrial fibrillation hypertension arthritis hyperlipidemia discharge condition, score: 0.054255363
prolapse right rotator cuff, score: 0.014716374

confidence of prediction: 0.955401
Y_true: [2 4 8 20 26]
Y_pred: [4 20 26 44]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation her heart rate, score: 0.379443
atrial fibrillation hypertension hyperlipidemia arthritis, score: 0.10697446
atrial fibrillation hypertension arthritis hyperlipidemia, score: 0.10697446

confidence of prediction: 0.690832
Y_true: [2 5 7 16 17 19 26 28 33 35 40 42 44]
Y_pred: [17 19 28 33 40 42 43]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
pan cultured ruq u, score: 0.05507038
bacteri mod yeast many epi 31am, score: 0.054508872
was performed on due, score: 0.047453687

confidence of prediction: 0.727623
Y_true: [2 5 7 16 17 19 26 28 33 35 40 42 44]
Y_pred: [17 19 28 33 40 42 43]
top three important windows for true positive code 19 (39.95: Hemodialysis)
started on cvvh and lactulose, score: 0.34689763
organ worsening liver failure steadily, score: 0.010282809
esophageal varices and encephalopathy, score: 0.010205485

confidence of prediction: 0.615756
Y_true: [2 5 7 16 17 19 26 28 33 35 40 42 44]

Y_pred: [17 19 28 33 40 42 43]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
have irreversible liver and, score: 0.078892864
egd was performed which showed, score: 0.074609324
the hematemesis egd revealed non bleeding grade, score: 0.05340424

confidence of prediction: 0.907097
Y_true: [2 5 7 16 17 19 26 28 33 35 40 42 44]
Y_pred: [17 19 28 33 40 42 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
in discussion with the, score: 0.045605086
which necessitated intubation was stabilized hemodynamically but,
score: 0.042552806
parents had diabetes her, score: 0.040298503

confidence of prediction: 0.910335
Y_true: [2 5 7 16 17 19 26 28 33 35 40 42 44]
Y_pred: [17 19 28 33 40 42 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
which necessitated intubation was stabilized hemodynamically but,
score: 0.12507357
was intubated and transferred, score: 0.06072645
she was intubated and required levophed and, score: 0.037035618

confidence of prediction: 0.663736
Y_true: [2 5 7 16 17 19 26 28 33 35 40 42 44]
Y_pred: [17 19 28 33 40 42 43]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated and transferred, score: 0.061630405
which necessitated intubation was stabilized hemodynamically but,
score: 0.038284782
strep sepsis source thought, score: 0.008507555

confidence of prediction: 0.935669
Y_true: [4 16 20 26 31 33 37 40 41 42 47]
Y_pred: [2 4 17 20 26 28 31 41]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
upper extremity hyperlipidemia hypertension social history per,
score: 0.11877564
and antral ulcerations erosion s p, score: 0.012046271
simvastatin mg po ng, score: 0.007987463

confidence of prediction: 0.983780
Y_true: [4 16 20 26 31 33 37 40 41 42 47]
Y_pred: [2 4 17 20 26 28 31 41]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
extremity hyperlipidemia hypertension social history per omr, score:

0.41217768
lansoprazole oral disintegrating tab mg g, score: 0.110914454
tigecycline was added for, score: 0.03711749

confidence of prediction: 0.959098
Y_true: [4 16 20 26 31 33 37 40 41 42 47]
Y_pred: [2 4 17 20 26 28 31 41]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with rvr at which, score: 0.19172344
his afib with rvr was intermittent, score: 0.0018365094
his hypotension responded to, score: 0.0015083371

confidence of prediction: 0.930851
Y_true: [4 16 20 26 31 33 37 40 41 42 47]
Y_pred: [2 4 17 20 26 28 31 41]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
eval aspiration pneumonia s p, score: 0.3885814
presumed aspiration event resulting in intubation, score: 0.16529307
your endoscopy this endoscopy showed, score: 0.013780591

confidence of prediction: 0.854372
Y_true: [4 16 20 26 31 33 37 40 41 42 47]
Y_pred: [2 4 17 20 26 28 31 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
extubated tube feeds were stopped medications, score: 0.09953441
only and tube feeds were stopped no, score: 0.012883983
futher investigation information was, score: 0.011137028

confidence of prediction: 0.867886
Y_true: [7 20 47]
Y_pred: [7 20]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
alk tbil tagged rbc, score: 0.13205542
red and brighter red blood, score: 0.052849174
non bleeding severe diverticulosis, score: 0.048028164

confidence of prediction: 0.973280
Y_true: [7 20 47]
Y_pred: [7 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
74m with htn and, score: 0.19298597
74m with htn who p w, score: 0.16316424
medical history htn prostate ca s, score: 0.10110722

confidence of prediction: 0.976948
Y_true: [18]
Y_pred: [18 20]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)

cardiothoracic allergies lotions creams adhesive attending first, score: 0.015154504
conclusions pre bypass no spontaneous echo, score: 0.011145092
washing incisions gently with mild soap, score: 0.00951938

confidence of prediction: 0.959231
Y_true: [26 33 40 42]
Y_pred: [2 20 26]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrilation purportedly remote history, score: 0.56345737
atrial fibrillation not on coumadin, score: 0.017655158
contract normally lvef right, score: 0.008323612

confidence of prediction: 0.944528
Y_true: [13 14 18 21 24 26 36 38]
Y_pred: [4 13 14 18 20 24 26 38]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass grafts x lima dg svg, score: 0.09025094
wires were discontinued without, score: 0.053626444
coronary artery bypass grafts hyperlipidemia, score: 0.03291506

confidence of prediction: 0.754052
Y_true: [13 14 18 21 24 26 36 38]
Y_pred: [4 13 14 18 20 24 26 38]
top three important windows for true positive code 14 (37.22: Left heart cardiac catheterization)
emergent coronary artery bypass, score: 0.0075271265
pump in place the, score: 0.007476656
heart rrr x irregular, score: 0.0058985413

confidence of prediction: 0.986703
Y_true: [13 14 18 21 24 26 36 38]
Y_pred: [4 13 14 18 20 24 26 38]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.74552953
diuresed toward the preoperative, score: 0.021035135
cardiothoracic allergies patient recorded, score: 0.0033823275

confidence of prediction: 0.983367
Y_true: [13 14 18 21 24 26 36 38]
Y_pred: [4 13 14 18 20 24 26 38]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
p coronary stents angioplasties hypertension, score: 0.10895401
in stent restenosis including, score: 0.103345476
cad rca pci lad pci lad, score: 0.08163906

confidence of prediction: 0.757184
Y_true: [13 14 18 21 24 26 36 38]
Y_pred: [4 13 14 18 20 24 26 38]
top three important windows for true positive code 26 (427.31:

Atrial fibrillation)
amiodarone mg tablet sig, score: 0.082678355
develop post op atrial fibrillation and was treated, score: 0.05885203
furosemide mg tablet sig, score: 0.0061825835

confidence of prediction: 0.917784
Y_true: [13 14 18 21 24 26 36 38]
Y_pred: [4 13 14 18 20 24 26 38]
top three important windows for true positive code 38 (88.56: Coronary arteriography using two catheters)
iabp setting the ai, score: 0.016907496
emergent coronary artery bypass, score: 0.015030376
heart rrr x irregular, score: 0.01201336

confidence of prediction: 0.770102
Y_true: [2 4 11]
Y_pred: [4 11]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
ulcerative colitis hyperlipidemia social history lives with, score: 0.27655393
mirtazapine mg hs doxepin mg, score: 0.10973466
mg daily simvastatin mg daily ibuprofen mg, score: 0.025121823

confidence of prediction: 0.589919
Y_true: [2 4 11]
Y_pred: [4 11]
top three important windows for true positive code 11 (311: Depressive disorder, not elsewhere classified)
continued balsalazide depression no evidence, score: 0.7961522
mg hs doxepin mg q8h omeprazole mg, score: 0.021576568
luck in dealing with your, score: 0.007298622

confidence of prediction: 0.952101
Y_true: [4 20 26]
Y_pred: [4 20]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
history pmh psh htn hl pelvic fracture social, score: 0.014107344
warfarin or plavix clopidogrel, score: 0.006796783
discharge medications simvastatin mg tablet sig, score: 0.0035746165

confidence of prediction: 0.996563
Y_true: [4 20 26]
Y_pred: [4 20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
pmh psh htn hl pelvic fracture social, score: 0.8007256
htn sent by her, score: 0.03163348
hctz mg po daily, score: 0.011084695

confidence of prediction: 0.707321
Y_true: [42]

Y_pred: [40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated electively for transport he, score: 0.53788334
he was intubated and was on an, score: 0.008395916
the icu intubated imaging on, score: 0.0024227302

confidence of prediction: 0.933303
Y_true: [26 42]
Y_pred: [20 26 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation s p maze, score: 0.054970607
fib left chest tube, score: 0.046466235
amiodarone mg tablet sig, score: 0.008919517

confidence of prediction: 0.974192
Y_true: [6 27 33]
Y_pred: [27 30 33]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
secondary chf discharge condition mentating, score: 0.05592093
hx of dchf ef per records pt, score: 0.02969791
copd with hx of, score: 0.0028150927

confidence of prediction: 0.600745
Y_true: [6 27 33]
Y_pred: [27 30 33]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
high carbon dioxide levels, score: 0.0259982
with hypercarbic respiratory failure requiring cpap, score:
0.02250661
of hypercarbic respiratory failure complete records, score:
0.01789219

confidence of prediction: 0.734563
Y_true: [0   3 17 26 29 34 35]
Y_pred: [1   2   4 20 26 34 35 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation not on coumadin, score: 0.18921776
fibrillation not anticoagulated and, score: 0.1664756
pneumonia if clinically feasible, score: 0.023243738

confidence of prediction: 0.793284
Y_true: [0   3 17 26 29 34 35]
Y_pred: [1   2   4 20 26 34 35 37]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
of hypertension gerd atrial fibrillation not, score: 0.063077845
medical history gerd htn atrial fibrillation, score: 0.04728224
hr92 bp100 rr25 [UNK] on admission, score: 0.028840618

confidence of prediction: 0.601052
Y_true: [0 3 17 26 29 34 35]
Y_pred: [1 2 4 20 26 34 35 37]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
hr92 bp100 rr25 [UNK] on, score: 0.036505446
to and bolstered her, score: 0.031565063
and elevated lactate in the, score: 0.024076473

confidence of prediction: 0.737494
Y_true: [4 20 24 42]
Y_pred: [4 20 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
seizure hypertension dyslipidemia coronary artery disease social,
score: 0.09053491
carvedilol mg daily coenzyme q10 cyanocobalamin mcg daily, score:
0.025560139
atorvastatin mg tablet sig, score: 0.01637027

confidence of prediction: 0.988147
Y_true: [4 20 24 42]
Y_pred: [4 20 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
accident seizure hypertension dyslipidemia coronary artery disease
social history, score: 0.32324004
mg daily carvedilol mg daily coenzyme q10 cyanocobalamin mcg, score:
0.014966665

confidence of prediction: 0.749010
Y_true: [4 20 24 42]
Y_pred: [4 20 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
general intubated sedated heent et, score: 0.20479633
already intubated and was, score: 0.05271446
bp intubated r o2, score: 0.05052761

confidence of prediction: 0.868041
Y_true: [8 21 23 26 30 36 48]
Y_pred: [4 17 20 24 26 35 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation chronic ileus chemical, score: 0.72037643
atrial fibrillation and lower extremity, score: 0.053914767
nutritious food options high, score: 0.02376833

confidence of prediction: 0.679194
Y_true: [8 21 23 26 30 36 48]
Y_pred: [4 17 20 24 26 35 48]
top three important windows for true positive code 48 (V45.81:

Aortocoronary bypass status)
ivc filter placement retroperitoneal, score: 0.0027015295
history cad s p vessel cabg lima to lad svg to ramus svg to om svg,
score: 0.0016857217

confidence of prediction: 0.833845
Y_true: [4 8 20 47]
Y_pred: [4 12 20 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history htn hld h o mrsa bacteremia, score: 0.18341833
he smoked 2ppd x30 years but, score: 0.0070699533
uti s p nasal, score: 0.006425372

confidence of prediction: 0.988770
Y_true: [4 8 20 47]
Y_pred: [4 12 20 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn hld h o mrsa, score: 0.37928283
a retired critical care nurse he, score: 0.074387826
atrial fibrillation he remained, score: 0.03844132

confidence of prediction: 0.915929
Y_true: [2 3 20]
Y_pred: [4 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history of htn not, score: 0.122031435
history dmii htn hld social history smokes, score: 0.092855096
of htn dmii and hld he, score: 0.056306392

confidence of prediction: 0.710740
Y_true: [2 19 20]
Y_pred: [2 7 19 37 40 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
hemodialysis since then underwent, score: 0.045836978
on allopurinol dm on glipizide social history lives, score:
0.014729908
temporary dialysis line was removed, score: 0.010024443

confidence of prediction: 0.870763
Y_true: [2 19 20]
Y_pred: [2 7 19 37 40 42]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
temporary dialysis line was, score: 0.102152504
glomerulonephritis on hemodialysis since then, score: 0.059846003
intubation and cvvh many blood, score: 0.03731864

confidence of prediction: 0.918260
Y_true: [4 21 36]

Y_pred: [4 20 21 24 36]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
hyperlipidemia home niacin and atorvastatin, score: 0.35213554
secondary hypertension hyperlipidemia discharge condition mental, score: 0.07565771
htn hl recently started on, score: 0.061313774

confidence of prediction: 0.594041
Y_true: [4 21 36]
Y_pred: [4 20 21 24 36]
top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified)
renal insufficiency cr of not far, score: 0.6962674
federal bank job but still, score: 0.04241229
called famotidine which is, score: 0.021005804

confidence of prediction: 0.895850
Y_true: [4 21 36]
Y_pred: [4 20 21 24 36]
top three important windows for true positive code 36 (585.9: Chronic kidney disease, unspecified)
federal bank job but still, score: 0.02811678
niacin while having these, score: 0.0045243436
chronic renal insufficiency cr of not far from, score: 0.0027183755

confidence of prediction: 0.764943
Y_true: [2 9 20]
Y_pred: [9 20]
top three important windows for true positive code 9 (287.5: Thrombocytopenia, unspecified)
anemia and thrombocytopenia likely related, score: 0.63709694
vs blast crisis or, score: 0.031890318
of following leukophoresis and, score: 0.0239524

confidence of prediction: 0.990856
Y_true: [2 9 20]
Y_pred: [9 20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
htn on hctz and acei at, score: 0.5309241
medical history hypertension hyperglycemia hgba1c no, score: 0.037581507
vs blast crisis or, score: 0.0254202

confidence of prediction: 0.980405
Y_true: [5 8 15 18 20 25 27 38 49]
Y_pred: [18 20 25 38]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies patient recorded, score: 0.010577743
washing incisions gently with mild soap, score: 0.006967078
mitral valve repair with, score: 0.003711555

confidence of prediction: 0.995483
Y_true: [5 8 15 18 20 25 27 38 49]
Y_pred: [18 20 25 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension with symptom observation, score: 0.136538
regurgitation htn ehlers danlos syndrome history, score: 0.025932614
scallops with wide open, score: 0.025878694

confidence of prediction: 0.853178
Y_true: [5 8 15 18 20 25 27 38 49]
Y_pred: [18 20 25 38]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve prolapse the mitral regurgitation vena contracta,
score: 0.29294962
mitral valve regurgitation htn ehlers, score: 0.13953598
severe mitral regurgitation given these, score: 0.065054394

confidence of prediction: 0.698894
Y_true: [5 8 15 18 20 25 27 38 49]
Y_pred: [18 20 25 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization selective coronary angiography of this,
score: 0.2138454
urgent mitral valve repair with, score: 0.09235302
catheterization history of present, score: 0.06817203

confidence of prediction: 0.752577
Y_true: [6 20 30]
Y_pred: [6 20 30]
top three important windows for true positive code 6 (276.2:
Acidosis)
bs metabolic acidosis patient had marked anion, score: 0.19431335
medicaiton cachexia suspect this, score: 0.014551911
of the diaphragms consistent, score: 0.00858011

confidence of prediction: 0.579255
Y_true: [6 20 30]
Y_pred: [6 20 30]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
longstanding undiagnosed htn no, score: 0.8382427
metabolic acidosis patient had, score: 0.03634396
banana bags x 4l he, score: 0.02128855

confidence of prediction: 0.668539
Y_true: [6 20 30]
Y_pred: [6 20 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
consistent with copd emphysema there is no, score: 0.31769302

as above copd per patient self diagnosis, score: 0.011645723
ra bs pleasant oriented, score: 0.0003837941

confidence of prediction: 0.637874
Y_true: [1 2 4 7 10 11 17 30 34]
Y_pred: [2 7 17 30 34 44]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
on treatment dm diet controlled hiatal hernia, score: 0.0050924695
falls were unprovoked the, score: 0.0027590937
1000mg intravenous q 24h every, score: 0.002599806

confidence of prediction: 0.835252
Y_true: [1 2 4 7 10 11 17 30 34]
Y_pred: [2 7 17 30 34 44]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia her vancomycin dose, score: 0.23046936
anemia discharge condition stable, score: 0.10493227
femur fracture [UNK] left, score: 0.057773247

confidence of prediction: 0.686925
Y_true: [1 2 4 7 10 11 17 30 34]
Y_pred: [2 7 17 30 34 44]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
had a picc line placed for long, score: 0.112047225
femoral component plate and, score: 0.04924761
hernia gerd on ppi chronic lbp, score: 0.027701527

confidence of prediction: 0.765878
Y_true: [1 2 4 7 10 11 17 30 34]
Y_pred: [2 7 17 30 34 44]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
medical history copd 30pack years hypothyroidism, score: 0.85036623
with global hip precautions, score: 0.0038935794
replacement on who fell, score: 0.001910128

confidence of prediction: 0.652253
Y_true: [1 2 4 7 10 11 17 30 34]
Y_pred: [2 7 17 30 34 44]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
therapy to improve her, score: 0.011488587
femur fracture [UNK] left, score: 0.0082432395
dm diet controlled hiatal hernia gerd on ppi chronic lbp, score:
0.008224449

confidence of prediction: 0.992651
Y_true: [4 13 18 20 24]
Y_pred: [13 18 20 24]
top three important windows for true positive code 13 (36.15: Single

internal mammary-coronary artery bypass)
coronary artery bypass x lima lad svg diag, score: 0.44494045
descending reverse saphenous vein graft, score: 0.10167159
wires were discontinued without, score: 0.017721444

confidence of prediction: 0.986647
Y_true: [4 13 18 20 24]
Y_pred: [13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.6686953
diuresed towards his preoperative, score: 0.117608346
bypass x lima lad, score: 0.005265444

confidence of prediction: 0.961268
Y_true: [4 13 18 20 24]
Y_pred: [13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
of lipitor hypertension past surgical history, score: 0.32529297
history of hypertension and severe hyperlipidemia intolerant, score:
0.07749538
exertional angina major surgical, score: 0.05313817

confidence of prediction: 0.999353
Y_true: [4 13 18 20 24]
Y_pred: [13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass x lima lad, score: 0.54848045
coronary artery disease exertional angina severe, score: 0.11611685
coronary artery disease exertional angina severe, score: 0.045368355

confidence of prediction: 0.813951
Y_true: [3 10 11 34]
Y_pred: [4 7 20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
gerd tobacco etoh day spinal, score: 0.14079136
anxiety hld gerd st depressions intraop on, score: 0.083287954
orthopaedics allergies patient recorded, score: 0.01120541

confidence of prediction: 0.924762
Y_true: [31 42]
Y_pred: [31 40 42]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
to aspiration pneumonitis he never, score: 0.22384402
for aspiration pneumonia his pneumonitis should, score: 0.14794326
status aspiration pneumonitis on imaging, score: 0.021113712

confidence of prediction: 0.692098
Y_true: [31 42]
Y_pred: [31 40 42]

top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
and intubation this was, score: 0.22754931
was intubated for airway protection given, score: 0.104687005
he was intubated for airway protection, score: 0.05325048

confidence of prediction: 0.883411
Y_true: [4 20]
Y_pred: [4 20]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
breast reconstruction harvest of deep inferior, score: 0.01598867
pedicle left harvest of, score: 0.013785665
lumpectomy x hypertension hyperlipidemia social history she works,
score: 0.007740351

confidence of prediction: 0.999651
Y_true: [4 20]
Y_pred: [4 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
lumpectomy x hypertension hyperlipidemia social history she, score:
0.24343759
lumpectomies which found invasive, score: 0.0021510366
breast reconstruction harvest of deep inferior, score: 0.0019692054

confidence of prediction: 0.839442
Y_true: [4 11 20]
Y_pred: [4 20 41]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
depression anxiety htn hyperlipidemia social history widowed works,
score: 0.015382098
eager for d c, score: 0.009906161
[UNK] trazodone qhs proair, score: 0.0064622117

confidence of prediction: 0.975473
Y_true: [4 11 20]
Y_pred: [4 20 41]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
stumbling difficulty writing pt, score: 0.14621127
depression anxiety htn hyperlipidemia social history widowed, score:
0.08760491
eager for d c her, score: 0.043698158

confidence of prediction: 0.989223
Y_true: [26 47 49]
Y_pred: [26 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
rectus diastasis ext 10x10, score: 0.0008757875
resumed your coumadin and, score: 0.00069589604

rectus diastasis prior h, score: 0.00068903336

confidence of prediction: 0.701255
Y_true: [26 47 49]
Y_pred: [26 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
on admission coumadin 3mg, score: 0.08792379
resumed your coumadin and, score: 0.064999506
coumadin was resumed at, score: 0.020279743

confidence of prediction: 0.724081
Y_true: [4 28 34]
Y_pred: [4 7 20 28 34]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
as htn hyperlipidemia arthritis gout gerd bph, score: 0.06197995
mild as hld htn bph pancreatic cancer, score: 0.010999062
suspected recurrent ugib mr known, score: 0.0077859582

confidence of prediction: 0.662933
Y_true: [4 28 34]
Y_pred: [4 7 20 28 34]
top three important windows for true positive code 28 (45.13: Other endoscopy of small intestine)
had an endoscopy which showed a bleeding, score: 0.10034682
complaint melena major surgical, score: 0.057725374
by hospital1 egd no other, score: 0.0411067

confidence of prediction: 0.929214
Y_true: [4 28 34]
Y_pred: [4 7 20 28 34]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
arthritis gout gerd bph metastatic pancreatic ca, score: 0.08687296
gastroduodenal artery embolization blood, score: 0.006353756
having multiple falls hit his, score: 0.002819403

confidence of prediction: 0.978209
Y_true: [20]
Y_pred: [20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
medical history hypertension latent tb infection s, score: 0.10240274
significant for hypertension recently started on, score: 0.08299705
retired assembly line worker, score: 0.075205475

confidence of prediction: 0.584288
Y_true: [40 42]
Y_pred: [40]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
and somnolence intubated in ed bay sustained, score: 0.6960066

but protecting airway heent lacerations, score: 0.037194926
bp palp resp o, score: 0.0038894669

confidence of prediction: 0.794512
Y_true: [17 20 29 33 41 42]
Y_pred: [20 41 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history pmhx hypertension diastolic dysfunction distant history of,
score: 0.09396458
significant for hypertension diastolic dysfunction distant history
of, score: 0.05873132
mg hospital1 diovan mg day, score: 0.018517118

confidence of prediction: 0.915887
Y_true: [17 20 29 33 41 42]
Y_pred: [20 41 42]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
her tube feeds and was transferred, score: 0.42247692
a peg tube she tolerated, score: 0.020656405
plegic moves rue spont, score: 0.0069418815

confidence of prediction: 0.527564
Y_true: [17 20 29 33 41 42]
Y_pred: [20 41 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
she was intubated and transferred, score: 0.18076071
her tube feeds and was, score: 0.12701814
gen intubated heent pupils 2mm min, score: 0.0926013

confidence of prediction: 0.961453
Y_true: [45 46]
Y_pred: [17 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
his tpn was weaned off and, score: 0.3906253
his tpn continued as he began, score: 0.35600808
since for tpn his picc line was, score: 0.0069521624

confidence of prediction: 0.851487
Y_true: [1 8 13 18 21 24 34 36 47]
Y_pred: [1 2 4 5 13 18 21 24 34 35 36]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
disease hypothyroidism vitreous hemorrhage hemorrhoids colonic,
score: 0.32132664
daily levothyroxine mcg tablet sig one, score: 0.038110867
kidney disease hypothyroidism gastric esophageal reflux, score:
0.00089220586

confidence of prediction: 0.988423

Y_true: [1 8 13 18 21 24 34 36 47]
Y_pred: [1 2 4 5 13 18 21 24 34 35 36]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass times with, score: 0.72944295
coronary artery bypass graft surgery see, score: 0.04119991
artery and reverse saphenous vein graft, score: 0.030184425

confidence of prediction: 0.986051
Y_true: [1 8 13 18 21 24 34 36 47]
Y_pred: [1 2 4 5 13 18 21 24 34 35 36]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.74433196
cardiothoracic allergies no known, score: 0.006686207
washing incisions gently with mild soap, score: 0.0024708891

confidence of prediction: 0.838376
Y_true: [1 8 13 18 21 24 34 36 47]
Y_pred: [1 2 4 5 13 18 21 24 34 35 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic kidney disease which peaked, score: 0.087886184
diabetes mellitus type neuropathy, score: 0.013569942
un kidney disease hypothyroidism gastric, score: 0.010920749

confidence of prediction: 0.999306
Y_true: [1 8 13 18 21 24 34 36 47]
Y_pred: [1 2 4 5 13 18 21 24 34 35 36]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass times with left, score: 0.64283836
coronary artery disease s p cabg diabetes, score: 0.13609304
coronary artery disease and, score: 0.010881411

confidence of prediction: 0.868692
Y_true: [1 8 13 18 21 24 34 36 47]
Y_pred: [1 2 4 5 13 18 21 24 34 35 36]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
adenoma diverticulosis gerd pancytopenia without bone marrow, score:
0.113705404
gastric esophageal reflux disease discharge condition alert, score:
0.010042474
notch and fatigue after, score: 0.007743921

confidence of prediction: 0.732345
Y_true: [1 8 13 18 21 24 34 36 47]
Y_pred: [1 2 4 5 13 18 21 24 34 35 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic kidney disease which peaked, score: 0.11289023
widespread st depression with, score: 0.013091069

un kidney disease hypothyroidism gastric, score: 0.01270955

confidence of prediction: 0.928351
Y_true: [28 34]
Y_pred: [7 28 34]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.512298
had an endoscopy which showed, score: 0.050316047
hematemasis had egd which showed, score: 0.021880219

confidence of prediction: 0.887148
Y_true: [28 34]
Y_pred: [7 28 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hemophilia a gerd hx of hip and, score: 0.28308603
history of present illness, score: 0.007740884
villi in duodenum otherwise normal, score: 0.004611062

confidence of prediction: 0.934565
Y_true: [4 5 8 13 18 24 25 26]
Y_pred: [4 13 18 24 25 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
mitral regurgitation hyperlipidemia emphysema coronary artery
disease, score: 0.13934198
on admission simvastatin mg tablet tablet, score: 0.0041775294
simvastatin mg tablet sig, score: 0.003881208

confidence of prediction: 0.997246
Y_true: [4 5 8 13 18 24 25 26]
Y_pred: [4 13 18 24 25 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting x4 see, score: 0.025621181
wires were discontinued without, score: 0.015987024
artery bypass grafts x4 mitral, score: 0.01189123

confidence of prediction: 0.988424
Y_true: [4 5 8 13 18 24 25 26]
Y_pred: [4 13 18 24 25 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.65942425
incisions gently with mild soap, score: 0.17285898
diuresed toward the preoperative, score: 0.018605672

confidence of prediction: 0.957340
Y_true: [4 5 8 13 18 24 25 26]
Y_pred: [4 13 18 24 25 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease major, score: 0.17911784

coronary artery disease s p coronary artery bypass grafts x4 mitral,
score: 0.17911784
coronary artery disease social, score: 0.103047974

confidence of prediction: 0.794954
Y_true: [4 5 8 13 18 24 25 26]
Y_pred: [4 13 18 24 25 26]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve repair resection, score: 0.20059161
severe mitral regurgitation coronary artery, score: 0.14726558
mitral regurgitation he had, score: 0.070638314

confidence of prediction: 0.981457
Y_true: [4 5 8 13 18 24 25 26]
Y_pred: [4 13 18 24 25 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation was ambulating freely, score: 0.18688439
atrial fibrillation on two other, score: 0.030208964
atrial fibrillation which converted to, score: 0.023320783

confidence of prediction: 0.714421
Y_true: [4 20 23 42 48]
Y_pred: [4 20 23 31 40 42 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
pancreatitis htn hl dementia h o hysterectomy, score: 0.30318773
cabg h o mi in, score: 0.04034318
p cabg gallstones pancreatitis and, score: 0.028995244

confidence of prediction: 0.998304
Y_true: [4 20 23 42 48]
Y_pred: [4 20 23 31 40 42 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
gallstones pancreatitis htn hl dementia h o, score: 0.3793818
which they agreed to, score: 0.009856776
p cabg dementia presenting initially, score: 0.00862289

confidence of prediction: 0.744070
Y_true: [4 20 23 42 48]
Y_pred: [4 20 23 31 40 42 48]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
medical history cad s p cabg h o mi in the past gallstones, score:
0.015480989
history of cad s p cabg gallstones, score: 0.004675683
history of cad s p cabg dementia, score: 0.004675683

confidence of prediction: 0.844135
Y_true: [4 20 23 42 48]
Y_pred: [4 20 23 31 40 42 48]
top three important windows for true positive code 42 (96.71:

Continuous invasive mechanical ventilation for less than 96
consecutive hours)
intubation and extubation history of, score: 0.3649935
was intubated for airway protection, score: 0.21624511
seizures intubated for airway protection, score: 0.12773961

confidence of prediction: 0.884847
Y_true: [4 20 23 42 48]
Y_pred: [4 20 23 31 40 42 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg gallstones pancreatitis and, score: 0.3290973
s p cabg dementia presenting initially, score: 0.3290973
cad s p cabg h o mi, score: 0.0007311247

confidence of prediction: 0.952085
Y_true: [6 8 17 26 34 35 49]
Y_pred: [26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation post op hiatal, score: 0.18021034
fib with rvr on which, score: 0.06759422
showed afib with rvr she, score: 0.017984765

confidence of prediction: 0.615008
Y_true: [17 27 33 35 40 42 45]
Y_pred: [33 45]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
was called intubated the patient three, score: 0.054862387
pneumonia difficult crossmatch due, score: 0.0439687
vanc and cefepime after, score: 0.02151772

confidence of prediction: 0.953337
Y_true: [17 27 33 35 40 42 45]
Y_pred: [33 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
given this limitation pt, score: 0.0010788344
her oncologist stopped taking, score: 0.00014456022
pca for pain control and tpn to maintain adequate nutrition, score:
0.00013713133

confidence of prediction: 0.862798
Y_true: [2 4 8 20 26 35 45]
Y_pred: [4 20 26 40 43]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
unknown details psh b l tkr, score: 0.007605389
medications pravastatin lisinopril amlodipine, score: 0.005932256
history former pipe smoker, score: 0.005593874

confidence of prediction: 0.997289
Y_true: [2 4 8 20 26 35 45]

Y_pred: [4 20 26 40 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history pmh htn hemorrhoids oa dm hld htn constipation prostate,
score: 0.026180174
extremely deconditioned he was evaluated, score: 0.008641773
he became delirious on, score: 0.0038310955

confidence of prediction: 0.934725
Y_true: [2 4 8 20 26 35 45]
Y_pred: [4 20 26 40 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation he was rate, score: 0.27329725
amiodarone mg tablet sig, score: 0.006089322
he was sent to, score: 0.0013286509

confidence of prediction: 0.955235
Y_true: [4 20 30]
Y_pred: [4 20 30 41]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
fronal brain tumor diagnosed to, score: 0.009276992
medical history copd htn hyperlipidemia shingles social history
patient, score: 0.0014274464
admission metoprolol prilosec decadron, score: 0.0010226134

confidence of prediction: 0.987211
Y_true: [4 20 30]
Y_pred: [4 20 30 41]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
fronal brain tumor diagnosed, score: 0.05397494
tobacco etoh ivd family history non contributory, score:
0.0022001858
medical history copd htn hyperlipidemia shingles social history,
score: 0.0017884825

confidence of prediction: 0.942075
Y_true: [4 20 30]
Y_pred: [4 20 30 41]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
medical history copd htn hyperlipidemia shingles social history
patient denies, score: 0.12120863
service who was discharged, score: 0.001002679
frontal surgical cavity has filled with fluid, score: 0.00054238364

confidence of prediction: 0.995612
Y_true: [3 8 20 29 33]
Y_pred: [11 20 29 33]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
thickening suggesting multifocal pneumonia, score: 0.04224548

carcinoma recurrent multifocal bronchioalveolar carcinoma cannot, score: 0.023701016
schizophrenia depression htn hypercholesterolemia social history location, score: 0.018665062

confidence of prediction: 0.825953
Y_true: [3 8 20 29 33]
Y_pred: [11 20 29 33]
top three important windows for true positive code 29 (486: Pneumonia, organism unspecified)
community acquired pneumonia she presented, score: 0.086667955
multilobar pna discharge condition, score: 0.062367268
pna persistent hypoxia hx, score: 0.055619158

confidence of prediction: 0.838867
Y_true: [3 8 20 29 33]
Y_pred: [11 20 29 33]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
multilobar pna discharge condition stable, score: 0.030002791
pneumonia persistent hypoxia history, score: 0.021785513
pna persistent hypoxia hx, score: 0.020536164

confidence of prediction: 0.837440
Y_true: [0 4 17 21 24 29 35 36 46 47]
Y_pred: [4 17 21 29 35 36]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
radical prostatectomy hld aaa sick sinus syndrome, score: 0.4686836
daily rosuvastatin mg tablet sig, score: 0.014547238
mg qd rosuvastatin mg, score: 0.014482538

confidence of prediction: 0.945051
Y_true: [0 4 17 21 24 29 35 36 46 47]
Y_pred: [4 17 21 29 35 36]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
venous catheter placement history of, score: 0.5820656
venous catheter and foley, score: 0.10753325
instructions dear mr known lastname it, score: 0.009200928

confidence of prediction: 0.771389
Y_true: [0 4 17 21 24 29 35 36 46 47]
Y_pred: [4 17 21 29 35 36]
top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified)
chronic renal failure resolved with, score: 0.17424989
cad ckd bl htn hd and, score: 0.13974424
p ppm ckd htn s p l, score: 0.011723295

confidence of prediction: 0.846668
Y_true: [0 4 17 21 24 29 35 36 46 47]
Y_pred: [4 17 21 29 35 36]

top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
community acquired pneumonia the patient, score: 0.13019744
community acquired pneumonia discharge condition, score: 0.10047488
to pneumonia he had, score: 0.04758893

confidence of prediction: 0.643259
Y_true: [0 4 17 21 24 29 35 36 46 47]
Y_pred: [4 17 21 29 35 36]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure resolved with fluid, score: 0.423137
recorded as having no, score: 0.03709034
myelos 00pm hypochrom normal, score: 0.0151337795

confidence of prediction: 0.724951
Y_true: [0 4 17 21 24 29 35 36 46 47]
Y_pred: [4 17 21 29 35 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal failure resolved with, score: 0.20241614
cad ckd bl htn hd and, score: 0.18676624
p ppm ckd htn s p l, score: 0.007655272

confidence of prediction: 0.666872
Y_true: [3 10 16 20 23 24 41 42]
Y_pred: [10 20 23 24]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
from incisions bleeding from groin, score: 0.007721699
social history smokes ppd x years drinks, score: 0.0051283557
history htn hypercholesterol cad, score: 0.0007994405

confidence of prediction: 0.799123
Y_true: [3 10 16 20 23 24 41 42]
Y_pred: [10 20 23 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn hypercholesterol cad s p mi, score: 0.14664301
history of htn and cad who presents, score: 0.1336502
cocaine retired defense planner family, score: 0.08161264

confidence of prediction: 0.706998
Y_true: [3 10 16 20 23 24 41 42]
Y_pred: [10 20 23 24]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
htn hypercholesterol cad s p mi years ago social history, score:
0.0014116996
htn and cad who presents with acute, score: 0.00037348337

confidence of prediction: 0.818071
Y_true: [3 10 16 20 23 24 41 42]
Y_pred: [10 20 23 24]

top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
htn hypercholesterol cad s p mi years ago social history, score:
0.026569508
htn and cad who presents with acute, score: 0.017430477

confidence of prediction: 0.867686
Y_true: [3 5 7 27 30 35 48]
Y_pred: [2 7 27 35 36 48]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia acute renal failure, score: 0.6754721
anemia secondary to hematuria, score: 0.059196334
placed a way foley, score: 0.033649024

confidence of prediction: 0.977367
Y_true: [3 5 7 27 30 35 48]
Y_pred: [2 7 27 35 36 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf exacerbation thought to, score: 0.10000218
systolic heart failure stable history, score: 0.058638126
systolic chf ef s p, score: 0.04143866

confidence of prediction: 0.938125
Y_true: [3 5 7 27 30 35 48]
Y_pred: [2 7 27 35 36 48]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
renal failure cr baseline, score: 0.3998669
related to arf resolved acute blood, score: 0.083443284
acute renal failure secondary anemia, score: 0.0709958

confidence of prediction: 0.874605
Y_true: [3 5 7 27 30 35 48]
Y_pred: [2 7 27 35 36 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg cva, score: 0.84084433
p 4v cabg in dm2 with, score: 0.044022717
history 4v cabg lima lad svg d1, score: 0.021848314

confidence of prediction: 0.858985
Y_true: [4 34]
Y_pred: [4 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history asthma hyperlipidemia gerd h o [UNK], score: 0.2915234
prn simvastatin omeprazole discharge medications fluticasone, score:
0.009546409
identified although wide mediastinum is noted, score: 0.004184284

confidence of prediction: 0.970226
Y_true: [4 34]

Y_pred: [4 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
asthma hyperlipidemia gerd h o [UNK] social, score: 0.07467755
celsius any change in, score: 0.0029845475
surgery allergies patient recorded as having no, score: 0.0012736267

confidence of prediction: 0.894677
Y_true: [1 2 20 24]
Y_pred: [1 2 4 20 24]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
limits hypothyroidism pt noted to, score: 0.08349628
showed hypothyroidism ruling out, score: 0.07699881
on levothyroxine 25mcg which you, score: 0.04804049

confidence of prediction: 0.658322
Y_true: [1 2 20 24]
Y_pred: [1 2 4 20 24]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
dmii chronic headaches followed by, score: 0.068587415
hypomagnesemia diabetes mellitus type controlled with, score:
0.037093155
metformin mg tablet sig, score: 0.026148595

confidence of prediction: 0.960935
Y_true: [1 2 20 24]
Y_pred: [1 2 4 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
lad stent hypertension hyperlipidemia dmii chronic, score:
0.11361235
upon discharge htn his bp was, score: 0.052901708
75m w cad s p, score: 0.040593788

confidence of prediction: 0.907832
Y_true: [1 2 20 24]
Y_pred: [1 2 4 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
w cad s p lad stent dmii, score: 0.029324524
cad s p lad stent hypertension, score: 0.025793929
cad s p lad stent dmii, score: 0.024591876

confidence of prediction: 0.939028
Y_true: [10 11 20 27]
Y_pred: [20 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
chf ef htn and depression brought by, score: 0.05713348
chf ef htn and depression coming, score: 0.05713348
ef htn depression osteoporosis eating, score: 0.052166782

confidence of prediction: 0.796196
Y_true: [10 11 20 27]
Y_pred: [20 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
emphysema chf ef htn and depression, score: 0.17580765
last year chf ef htn depression, score: 0.02781392
severe emphysema chf ef htn and depression, score: 0.010782783

confidence of prediction: 0.858995
Y_true: [34]
Y_pred: [34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hemophilia a gerd hx of hip and, score: 0.19127256
history of gerd he was asked to, score: 0.05191487
acid blocker omeprazole we, score: 0.006809835

confidence of prediction: 0.530322
Y_true: [2 4 20 27]
Y_pred: [2 4 20 27 29]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
dmii the patient s blood, score: 0.11083096
type ii diabetes mellitus discharge condition stable, score:
0.06238313
diet controlled dmii htn and hl, score: 0.026611267

confidence of prediction: 0.842726
Y_true: [2 4 20 27]
Y_pred: [2 4 20 27 29]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
htn hl dmii chf, score: 0.20767154
her admission hyperlipidemia she was continued, score: 0.072257504
htn and hl who presents with cold, score: 0.056042276

confidence of prediction: 0.925358
Y_true: [2 4 20 27]
Y_pred: [2 4 20 27 29]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
controlled dmii htn and hl who, score: 0.14957453
of dmii htn hl and asthma who, score: 0.10788119
htn hl dmii chf ef, score: 0.07554213

confidence of prediction: 0.969043
Y_true: [2 4 20 27]
Y_pred: [2 4 20 27 29]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
mg chf ef has diastolic dysfunction appeared dry on exam, score:

0.0062955343
dmii chf ef with mild pah, score: 0.003945996

confidence of prediction: 0.894873
Y_true: [0 3 34 37]
Y_pred: [34 37]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
and c septicum bacteroides, score: 0.020941295
past medical history pmh ibs gerd high cholesterol high blood,
score: 0.006486486
30pm plt smr normal, score: 0.0047818865

confidence of prediction: 0.970386
Y_true: [0 3 34 37]
Y_pred: [34 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
a urinary infection which was, score: 0.04483698
cholecystitis urinary tract infection discharge condition, score:
0.029575624
a klebsiella uti she had problems, score: 0.017202662

confidence of prediction: 0.848266
Y_true: [7 17 42 44]
Y_pred: [17 41 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
a picc line was placed for, score: 0.12276622
extubated a dobbhoff was placed and, score: 0.10924653
subarachnoid hemorrhage multiple subdural, score: 0.020482624

confidence of prediction: 0.841360
Y_true: [7 17 42 44]
Y_pred: [17 41 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
rr o2sats intubated gen intubated sedated paralyzed with, score:
0.038149714
was intubated after he, score: 0.033686113
status intubated and sedated cranial nerves, score: 0.011643296

confidence of prediction: 0.958194
Y_true: [20 35 40 42]
Y_pred: [33 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
intubated intubated 45am lactate 47am, score: 0.6041881
tube projects cm above, score: 0.03343006
therefore were intubated had a tube in, score: 0.010851588

confidence of prediction: 0.998066

Y_true: [21 22 24 25 36 37]
Y_pred: [2 4 17 24 27 35 36 37]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cad vessel cad lmca lad occlusion after d1, score: 0.08437645
cad vessel cad lmca lad occlusion after, score: 0.08437645
rca ostial disease no, score: 0.048748538

confidence of prediction: 0.608611
Y_true: [21 22 24 25 36 37]
Y_pred: [2 4 17 24 27 35 36 37]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
as above ckd baseline cr likely now, score: 0.08621361
and nephropathy ckd pvd s p b, score: 0.039371867
nph units qam units qpm, score: 0.028935924

confidence of prediction: 0.771010
Y_true: [21 22 24 25 36 37]
Y_pred: [2 4 17 24 27 35 36 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
day urinary tract infection the patient, score: 0.14599276
events as above ckd baseline, score: 0.093324795
mg qday flexeril mg tid acidophilus cap tid, score: 0.009823285

confidence of prediction: 0.933780
Y_true: [4 7 13 18 20 24 34 47]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia sleep apnea unable, score:
0.108084224
seasonal allergic rhinitis general, score: 0.013672016
mg hospital1 aspirin mg, score: 0.006195984

confidence of prediction: 0.987140
Y_true: [4 7 13 18 20 24 34 47]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft x3 left internal mammary artery to
left, score: 0.5920492
coronary artery bypass graft x please, score: 0.033439726
coronary artery bypass graft x past, score: 0.014473404

confidence of prediction: 0.977694
Y_true: [4 7 13 18 20 24 34 47]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed towards his pre, score: 0.23242591
cardiothoracic allergies no known, score: 0.010685864
mcg spray spray hospital1, score: 0.006973662

confidence of prediction: 0.999424
Y_true: [4 7 13 18 20 24 34 47]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hyperlipidemia sleep apnea unable,
score: 0.11584286
ef was he was, score: 0.008537625
bypass the patient is, score: 0.0043618255

confidence of prediction: 0.999214
Y_true: [4 7 13 18 20 24 34 47]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.6368203
coronary artery disease s p coronary artery bypass graft, score:
0.13481897
coronary artery disease and, score: 0.020763187

confidence of prediction: 0.872021
Y_true: [4 7 13 18 20 24 34 47]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
duodenal ulcer gerd seasonal allergic rhinitis general, score:
0.083184816
social history race caucasian, score: 0.0041686785
oral analgesics incisions sternal, score: 0.001217121

confidence of prediction: 0.976993
Y_true: [2 3 15 18 20 25 27 33 38 39 42]
Y_pred: [14 18 25 33 38 42]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
pacing wires and foley were, score: 0.014539492
cardiothoracic allergies patient recorded, score: 0.013207387
pressors were weaned off, score: 0.008707782

confidence of prediction: 0.865955
Y_true: [2 3 15 18 20 25 27 33 38 39 42]
Y_pred: [14 18 25 33 38 42]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve prolapse presented, score: 0.32028875
mitral valve regurgitation atrial septal, score: 0.15255798
mitral valve regurgitation she underwent, score: 0.11142311

confidence of prediction: 0.573004
Y_true: [2 3 15 18 20 25 27 33 38 39 42]
Y_pred: [14 18 25 33 38 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)

she was intubated for respiratory distress, score: 0.047652245
intubated on arrival family history unknown intubated on arrival
physical, score: 0.035719685
subsequetly was intubated for increasing work, score: 0.026446506

confidence of prediction: 0.902365
Y_true: [2 3 15 18 20 25 27 33 38 39 42]
Y_pred: [14 18 25 33 38 42]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
catheterization coronary angiogram left ventriculogram, score:
0.754505
urgent mitral valve replacement st, score: 0.056767974
pump history of present, score: 0.026940763

confidence of prediction: 0.625756
Y_true: [2 3 15 18 20 25 27 33 38 39 42]
Y_pred: [14 18 25 33 38 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
general intubated skin dry x, score: 0.13919917
was intubated for increasing work, score: 0.10911602
unknown intubated on arrival, score: 0.049331024

confidence of prediction: 0.869380
Y_true: [4 7 20 23 48]
Y_pred: [4 7 20]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
above htn hyperlipidemia social history patient is, score:
0.13161269
of mi cabg x melanoma as, score: 0.010508383
simvastatin mg tablet sig, score: 0.006967958

confidence of prediction: 0.934758
Y_true: [4 7 20 23 48]
Y_pred: [4 7 20]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia resolving paraplegia discharge condition, score: 0.73792416
m service orthopaedics allergies septra attending first, score:
0.009024536
with retropulsion into the, score: 0.0055101737

confidence of prediction: 0.999494
Y_true: [4 7 20 23 48]
Y_pred: [4 7 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
his l axilla he then had, score: 0.05913584
as above htn hyperlipidemia social history patient, score:
0.029578065
simvastatin famotidine discharge medications, score: 0.016134566

confidence of prediction: 0.926658
Y_true: [37 40 42]
Y_pred: [11 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
ml escherichia coli ampicillin, score: 0.01441274
a burst suppression pattern, score: 0.012306603
to have uti and completed a, score: 0.006895147

confidence of prediction: 0.981824
Y_true: [9 14 20 27 31 33 38 42 47]
Y_pred: [17 20 31 33]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn anxiety depression has had, score: 0.10639413
cad and htn who presented from, score: 0.07630979
failure secondary hypertension discharge condition mental, score:
0.017354285

confidence of prediction: 0.953719
Y_true: [9 14 20 27 31 33 38 42 47]
Y_pred: [17 20 31 33]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
primary aspiration pneumonia respiratory failure secondary, score:
0.35002553
monitor aspiration pna pt with fever, score: 0.13535404
of aspiration pneumonia we treated your, score: 0.061816864

confidence of prediction: 0.885289
Y_true: [9 14 20 27 31 33 38 42 47]
Y_pred: [17 20 31 33]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
respiratory failure secondary hypertension, score: 0.1825437
for respiratory failure in, score: 0.16175054
with respiratory failure requiring intubation likely secondary to,
score: 0.11708596

confidence of prediction: 0.801867
Y_true: [9 28 33 42]
Y_pred: [7 28 40 42 44]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.25893772
otherwise normal egd to antrum recommendations successful, score:
0.10585943
visualization to antrum no, score: 0.037148878

confidence of prediction: 0.806679
Y_true: [9 28 33 42]
Y_pred: [7 28 40 42 44]
top three important windows for true positive code 42 (96.71:

Continuous invasive mechanical ventilation for less than 96 consecutive hours)
was intubated in the, score: 0.28679138
pt intubated for airway protection he, score: 0.056039352
ranging ventilator settings were ac vt, score: 0.049940877

confidence of prediction: 0.816863
Y_true: [17 24 30 34 40]
Y_pred: [17 19 30 34 40 42]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
of femoral central venous line history of, score: 0.0654176
a femoral line placed for access, score: 0.039441086
femoral cvl skin cyanotic, score: 0.035647925

confidence of prediction: 0.568232
Y_true: [17 24 30 34 40]
Y_pred: [17 19 30 34 40 42]
top three important windows for true positive code 30 (496: Chronic airway obstruction, not elsewhere classified)
anemia gout copd recent left brachial vein, score: 0.40819317
morphine mg ml syringe, score: 0.017471878
to micu patient once, score: 0.0056722183

confidence of prediction: 0.542678
Y_true: [17 24 30 34 40]
Y_pred: [17 19 30 34 40 42]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
guiac positive brown stool, score: 0.012058133
sepsis as well as, score: 0.008616113
venous line history of, score: 0.008267509

confidence of prediction: 0.683996
Y_true: [17 24 30 34 40]
Y_pred: [17 19 30 34 40 42]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
cool neuro intubated no spontaneous, score: 0.18702662
and updates family in, score: 0.025930464
skin heent intubated and sedated, score: 0.02427777

confidence of prediction: 0.950577
Y_true: [2 4 13 18 20 23 24 26 49]
Y_pred: [2 4 13 18 20 24 26]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
noninsulin dependent diabetes mellitus dyslipidemia hypertension, score: 0.10209703
daily metformin 1000mg hospital1 lisinopril 40mg, score: 0.0702311
diabetes mellitus dyslipidemia hypertension, score: 0.03748831

confidence of prediction: 0.823715

Y_true: [2 4 13 18 20 23 24 26 49]
Y_pred: [2 4 13 18 20 24 26]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
diabetes mellitus dyslipidemia hypertension left and right, score: 0.25156656
diabetes mellitus dyslipidemia hypertension s p bilateral, score: 0.05710407
simvastatin 40mg daily metformin, score: 0.01332815

confidence of prediction: 0.990086
Y_true: [2 4 13 18 20 23 24 26 49]
Y_pred: [2 4 13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass x, score: 0.53577834
coronary artery bypass graft x please, score: 0.08196587
descending saphenous vein graft to, score: 0.05724023

confidence of prediction: 0.977085
Y_true: [2 4 13 18 20 23 24 26 49]
Y_pred: [2 4 13 18 20 24 26]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
marginal saphenous vein graft, score: 0.028907808
cardiothoracic allergies plavix attending, score: 0.025225235
washing incisions gently with mild soap, score: 0.008873147

confidence of prediction: 0.961305
Y_true: [2 4 13 18 20 23 24 26 49]
Y_pred: [2 4 13 18 20 24 26]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
mellitus dyslipidemia hypertension left and right, score: 0.06368932
mellitus dyslipidemia hypertension s p bilateral, score: 0.06368932
glyburide mg tablet sig, score: 0.059683576

confidence of prediction: 0.998079
Y_true: [2 4 13 18 20 23 24 26 49]
Y_pred: [2 4 13 18 20 24 26]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery bypass x, score: 0.48241597
coronary artery disease s, score: 0.10213058
coronary artery disease s p non stemi s p stent to, score: 0.039903738

confidence of prediction: 0.915826
Y_true: [2 4 13 18 20 23 24 26 49]
Y_pred: [2 4 13 18 20 24 26]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
paroxysmal atrial fibrillation with ventricular rates in, score: 0.014600415

amiodarone mg tablet sig, score: 0.006870728
resumed he continued to be, score: 0.003429014

confidence of prediction: 0.889551
Y_true: [2 3 13 18 20 24 26 32]
Y_pred: [2 18 20 24 26]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
noninsulin dependent diabetes mellitus hyperlipidemia discharge
condition, score: 0.09063685
residua noninsulin dependent diabetes mellitus hypercholesterolemia
social history, score: 0.0012085078
radiata likely from an, score: 0.0008706606

confidence of prediction: 0.976459
Y_true: [2 3 13 18 20 24 26 32]
Y_pred: [2 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.59747803
cardiothoracic allergies penicillins attending, score: 0.01326443
cabg x2 lima lad svg om history, score: 0.0025837363

confidence of prediction: 0.972019
Y_true: [2 3 13 18 20 24 26 32]
Y_pred: [2 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
dense coronary calcifications are, score: 0.16664547
medical history hypertension s p right, score: 0.112950705
artery disease hypertension s p right, score: 0.069328174

confidence of prediction: 0.719849
Y_true: [2 3 13 18 20 24 26 32]
Y_pred: [2 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease major surgical, score: 0.15227035
aortic stenosis coronary artery disease hypertension s, score:
0.030984152
disease and critical aortic, score: 0.028274499

confidence of prediction: 0.819736
Y_true: [2 3 13 18 20 24 26 32]
Y_pred: [2 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation which was treated, score: 0.0761441
amiodarone mg tablet sig, score: 0.056389887
amiodarone with conversion to, score: 0.026516004

confidence of prediction: 0.810824
Y_true: [10 12 16 17 22 33 37 41 43]

Y_pred: [17]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
left subclavian tlc placement right axillar a line history of, score: 0.23703998
requiring vasopressor support an, score: 0.022735914
and sedation she eventually developed fevers, score: 0.02186946

confidence of prediction: 0.734463
Y_true: [17 28 34 44]
Y_pred: [17 28 29]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
micafungin and acylovir her hickmann line was, score: 0.1625174
placement removal picc line placement endoscopy intubation, score: 0.0759882
pas and gms stains, score: 0.033685155

confidence of prediction: 0.871076
Y_true: [17 28 34 44]
Y_pred: [17 28 29]
top three important windows for true positive code 28 (45.13: Other endoscopy of small intestine)
otherwise normal egd to second part of, score: 0.6357557
gms stains endoscopy doctor first, score: 0.09714851
usually is susceptible to, score: 0.022050897

confidence of prediction: 0.792125
Y_true: [0 2 6 17 20 26 46]
Y_pred: [2 20 26 31 37]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
type ii dm and paget dz, score: 0.12908627
type ii dm htn paget disease presents, score: 0.046550345
htn dm2 social history currently, score: 0.046241105

confidence of prediction: 0.927234
Y_true: [0 2 6 17 20 26 46]
Y_pred: [2 20 26 31 37]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
s disease htn dm2 social history currently, score: 0.16845539
htn type ii dm and, score: 0.03747829
ii dm htn paget disease presents with, score: 0.035592996

confidence of prediction: 0.514083
Y_true: [0 2 6 17 20 26 46]
Y_pred: [2 20 26 31 37]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
pleural effusions note is, score: 0.06188876
daughter who lives in, score: 0.0505065
a fib with rvr and received, score: 0.022801718

confidence of prediction: 0.958230
Y_true: [2 4 18 20]
Y_pred: [2 4 18]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
diabetes mellitus fibromyalgia kidney stone, score: 0.016721297
prn metformin glucophage xr prescribed by, score: 0.015002456
weekly glipizide glucotrol xl prescribed by, score: 0.012901318

confidence of prediction: 0.795508
Y_true: [2 4 18 20]
Y_pred: [2 4 18]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
medical history hyperlipidemia diabetes mellitus fibromyalgia
kidney, score: 0.11172426
valve replacement presents today for, score: 0.006081572

confidence of prediction: 0.976864
Y_true: [2 4 18 20]
Y_pred: [2 4 18]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies no known, score: 0.026030898
diuresed towards her preoperative, score: 0.012147662
washing incisions gently with mild soap, score: 0.009619725

confidence of prediction: 0.882515
Y_true: [34]
Y_pred: [34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
migraine headache gerd social history she lives, score: 0.0636403
and has gerd her paternal grandfather, score: 0.048154328
progressive neoplastic disease and likely, score: 0.009359289

confidence of prediction: 0.977462
Y_true: [1 2 4 8 17 26 31 32 33 34 35 40 41 42 43 48]
Y_pred: [1 4 26 27 31 33 34 40 42 48]
top three important windows for true positive code 1 (244.9:
Unspecied acquired hypothyroidism)
daily levothyroxine 150mcg po daily lisinopril, score: 0.0049280412
chronic pancreatitis hypothyroidism hyperlipidemia cad s, score:
0.0038139683
aspiration pneumonia hypothyroidism history of hodgkin s, score:
0.00038205629

confidence of prediction: 0.841104
Y_true: [1 2 4 8 17 26 31 32 33 34 35 40 41 42 43 48]
Y_pred: [1 4 26 27 31 33 34 40 42 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)

pancreatitis hypothyroidism hyperlipidemia cad s p cabg degenerative, score: 0.053199466
prn prilosec 40mg po bid, score: 0.013414674
small vessel infarcts without, score: 0.0049237018

confidence of prediction: 0.879700
Y_true: [1 2 4 8 17 26 31 32 33 34 35 40 41 42 43 48]
Y_pred: [1 4 26 27 31 33 34 40 42 48]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib satting on 3l, score: 0.3981786
atrial fibrillation on the monitor, score: 0.14776674
zosyn augmentin diltiazem metoprolol, score: 0.0035280455

confidence of prediction: 0.896117
Y_true: [1 2 4 8 17 26 31 32 33 34 35 40 41 42 43 48]
Y_pred: [1 4 26 27 31 33 34 40 42 48]
top three important windows for true positive code 31 (507.0: Pneumonitis due to inhalation of food or vomitus)
chronic aspiration pneumonia hypothyroidism, score: 0.21583742
to an aspiration event the patient was, score: 0.025769403
lobe pneumonia bilateral pleural, score: 0.006676792

confidence of prediction: 0.736375
Y_true: [1 2 4 8 17 26 31 32 33 34 35 40 41 42 43 48]
Y_pred: [1 4 26 27 31 33 34 40 42 48]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
unresponsiveness etomidate succ for intubation propofol, score: 0.06567097
he was intubated and, score: 0.0628783
he was called out, score: 0.04891362

confidence of prediction: 0.832289
Y_true: [1 2 4 8 17 26 31 32 33 34 35 40 41 42 43 48]
Y_pred: [1 4 26 27 31 33 34 40 42 48]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
iron neutraphos lansoprazole medications at home, score: 0.0033782036
temporal horns nph should, score: 0.0033560342
joint disease gerd zenker s diverticulum social history, score: 0.0021114508

confidence of prediction: 0.800429
Y_true: [1 2 4 8 17 26 31 32 33 34 35 40 41 42 43 48]
Y_pred: [1 4 26 27 31 33 34 40 42 48]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
was intubated for airway protection, score: 0.24525303
fi02 gen intubated sedated and, score: 0.13581176
he was intubated and transferred, score: 0.11455272

confidence of prediction: 0.831719

Y_true: [1 2 4 8 17 26 31 32 33 34 35 40 41 42 43 48]
Y_pred: [1 4 26 27 31 33 34 40 42 48]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated for airway protection, score: 0.24358103
and intubated on arrival, score: 0.12410706
he was intubated and transferred, score: 0.0530149

confidence of prediction: 0.882392
Y_true: [1 2 4 8 17 26 31 32 33 34 35 40 41 42 43 48]
Y_pred: [1 4 26 27 31 33 34 40 42 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
appears to correspond roughly, score: 0.0027790193
small vessel infarcts without acute, score: 0.0009879812
consistent with chf digoxin, score: 0.00060485036

confidence of prediction: 0.516126
Y_true: [0 2 5 6 8 17 21 24 26 27 30 33 36 46 47]
Y_pred: [2 5 21 24 26 27 30 35 36 46]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
turned off and she was, score: 0.009237672
on arimidex copd sacral decubitus, score: 0.00695562
lantus insulin unknown dose, score: 0.006668364

confidence of prediction: 0.829880
Y_true: [0 2 5 6 8 17 21 24 26 27 30 33 36 46 47]
Y_pred: [2 5 21 24 26 27 30 35 36 46]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
also had hyponatremia that improved with fluid, score: 0.6635134
recorded as having no, score: 0.03548504
diuresis with ionotropic support in the micu, score: 0.012364552

confidence of prediction: 0.964547
Y_true: [0 2 5 6 8 17 21 24 26 27 30 33 36 46 47]
Y_pred: [2 5 21 24 26 27 30 35 36 46]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic kidney disease basline obesity hypertension diverticulosis
anemia, score: 0.016323522
injury with cr and baseline cr which, score: 0.0075042206
shock shock felt to, score: 0.0043378463

confidence of prediction: 0.935603
Y_true: [0 2 5 6 8 17 21 24 26 27 30 33 36 46 47]
Y_pred: [2 5 21 24 26 27 30 35 36 46]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
versus viral cardiomyopathy per notes, score: 0.023909833

history cad s p stenting in, score: 0.0064313975
vessel ischemic disease ruq u s, score: 0.0043260097

confidence of prediction: 0.992114
Y_true: [0 2 5 6 8 17 21 24 26 27 30 33 36 46 47]
Y_pred: [2 5 21 24 26 27 30 35 36 46]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib hr lad q waves, score: 0.92560184
atrial fibrillation diabetes and heart, score: 0.0117086945
expired, score: 0.0016887555

confidence of prediction: 0.947848
Y_true: [0 2 5 6 8 17 21 24 26 27 30 33 36 46 47]
Y_pred: [2 5 21 24 26 27 30 35 36 46]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure either, score: 0.4889752
chf tricuspid regurgitation atrial fibrillation, score: 0.19018888
congestive heart failure other, score: 0.020945553

confidence of prediction: 0.520248
Y_true: [0 2 5 6 8 17 21 24 26 27 30 33 36 46 47]
Y_pred: [2 5 21 24 26 27 30 35 36 46]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
on arimidex copd sacral decubitus ulcer noted, score: 0.3056278
so po metolazone alternating, score: 0.02607449
sludge surgery felt no, score: 0.0012536008

confidence of prediction: 0.940259
Y_true: [0 2 5 6 8 17 21 24 26 27 30 33 36 46 47]
Y_pred: [2 5 21 24 26 27 30 35 36 46]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic kidney disease basline obesity hypertension, score:
0.017606776
shock shock felt to, score: 0.007563131
renal failure attending pcp, score: 0.0024329273

confidence of prediction: 0.546048
Y_true: [0 2 5 6 8 17 21 24 26 27 30 33 36 46 47]
Y_pred: [2 5 21 24 26 27 30 35 36 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
shock she was transferred, score: 0.0516316
was afebrile and labs, score: 0.04060107
shock the patient reviewed, score: 0.031643406

confidence of prediction: 0.747027
Y_true: [5 19 35 41]
Y_pred: [17 19 35 41]
top three important windows for true positive code 19 (39.95:
Hemodialysis)

perfusion started cvvh on swithed to hd on last hd on, score:
0.045696195
required a tunneled line for hemodialysis as he developed acute,
score: 0.020286331
and glipizide he will, score: 0.003994875

confidence of prediction: 0.565150
Y_true: [5 19 35 41]
Y_pred: [17 19 35 41]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure secondary diagnosis, score: 0.21421537
renal artery injury with no, score: 0.074763976
by the renal service, score: 0.029199688

confidence of prediction: 0.897820
Y_true: [5 19 35 41]
Y_pred: [17 19 35 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
g tube feedings post op, score: 0.08534501
and gastrostomy feeding tube placement ercp history, score:
0.034194548
a feeding tube right into your, score: 0.02859231

confidence of prediction: 0.979038
Y_true: [20]
Y_pred: [10 20 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn social history lives with, score: 0.17860232
a furniture store she smokes about cigarettes, score: 0.03368067
t2 hyper iso to, score: 0.0120840585

confidence of prediction: 0.541123
Y_true: [4 20 22 27]
Y_pred: [4 20 22 27 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
advair hospital1 crestor 40mg daily, score: 0.1989824
amaryl [UNK] prilosec 20mg, score: 0.07757942
januvia 50mg daily mgoxide 400mg, score: 0.064301364

confidence of prediction: 0.866337
Y_true: [4 20 22 27]
Y_pred: [4 20 22 27 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
fem pt bpg with toe amputation historyof htn historyof systolic,
score: 0.09049622
compensated historyof dyslipdemia history, score: 0.06296658
januvia 50mg daily mgoxide, score: 0.054945864

confidence of prediction: 0.708259

Y_true: [4 20 22 27]
Y_pred: [4 20 22 27 48]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
non st elevation myocardial infarction discharge condition unstable,
score: 0.029015323
catheterization our attending dr, score: 0.010782469
emergent stemi that required intervention, score: 0.0071315495

confidence of prediction: 0.968895
Y_true: [4 20 22 27]
Y_pred: [4 20 22 27 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf exacerbation with iv, score: 0.122115396
systolic [UNK] chf chronic compensated historyof dyslipdemia, score:
0.013941647
chf with iv diuresis amt, score: 0.0127878655

confidence of prediction: 0.925661
Y_true: [12 20 30 34 47]
Y_pred: [12 30]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
involved the region of, score: 0.0084380265
fh of lung disease, score: 0.005930191
at university college no, score: 0.004275228

confidence of prediction: 0.647405
Y_true: [12 20 30 34 47]
Y_pred: [12 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
medical history copd rll lung mass found, score: 0.60930353
infection yrs ago chronic rhinitis osteoarthritis s p, score:
0.0034738528
pathology on brushings washings, score: 0.0032703616

confidence of prediction: 0.575767
Y_true: [4 20 27 44 48]
Y_pred: [4 20 23 24 27 38 44 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
rosuvastatin mg tablet sig, score: 0.09026988
[UNK] hospital1 rosuvastatin 20mgm daily spirolactone, score:
0.06411592
mirtazapine [UNK] hs lasix, score: 0.060688984

confidence of prediction: 0.874023
Y_true: [4 20 27 44 48]
Y_pred: [4 20 23 24 27 38 44 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history of htn history, score: 0.055095322

fem pt bpg with toe amputation historyof htn historyof systolic,
score: 0.055043835
fem pt bpg and, score: 0.055043835

confidence of prediction: 0.983572
Y_true: [4 20 27 44 48]
Y_pred: [4 20 23 24 27 38 44 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systloic diastoic chf compensated ef postoperative hypotension,
score: 0.01667781
systolic [UNK] chf chronic compensated historyof dyslipdemia, score:
0.0041209906
40mg hospital1 ntg patch, score: 0.003681347

confidence of prediction: 0.558821
Y_true: [4 20 27 44 48]
Y_pred: [4 20 23 24 27 38 44 48]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
gtt iv transfused 4units prbc [UNK] to icu, score: 0.13635255
p transfusion corrected discharge condition, score: 0.021501549
rt femoral and graft pulse dopperable, score: 0.0156056145

confidence of prediction: 0.861668
Y_true: [4 20 27 44 48]
Y_pred: [4 20 23 24 27 38 44 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg [UNK], score: 0.6091382
s p cabg [UNK] s p, score: 0.2907592
coronary artery diseas he presents, score: 0.018492067

confidence of prediction: 0.995992
Y_true: [16 17 20 42]
Y_pred: [20 40 41 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn cocaine abuse social history, score: 0.16500631
[UNK] embo therapy study, score: 0.0038245255
abuse family history unknown, score: 0.0025320647

confidence of prediction: 0.967987
Y_true: [4 14 24 27 38]
Y_pred: [15 20 24 38 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lad lesion then had xience, score: 0.12918805
rca stenosis lcx had, score: 0.06911054
cardiac catheterization with name, score: 0.050944664

confidence of prediction: 0.882727
Y_true: [4 14 24 27 38]
Y_pred: [15 20 24 38 49]

top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization with name prefix, score: 0.6052031
rca stenosis lcx had, score: 0.13988644
rca history of present, score: 0.0583139

confidence of prediction: 0.621611
Y_true: [3 8 13 18 20 24 34]
Y_pred: [3 13 18 20 24 34]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
hypertension and hypercholesterolemia who was referred, score:
0.2471573
history hypertension hypercholesterolemia gastroesphogeal reflux
disease, score: 0.16918454
hypertension dyslipidemia gastric reflux, score: 0.027372459

confidence of prediction: 0.990185
Y_true: [3 8 13 18 20 24 34]
Y_pred: [3 13 18 20 24 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary–coronary artery bypass)
bypass grafting x3 with a, score: 0.13513918
bypass grafting x3 hypertension dyslipidemia, score: 0.13513918
coronary artery reverse saphenous vein graft, score: 0.12260204

confidence of prediction: 0.985521
Y_true: [3 8 13 18 20 24 34]
Y_pred: [3 13 18 20 24 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
incisions gently with mild soap, score: 0.53952277
bypass grafting x3 with a, score: 0.024177633
bypass grafting x3 hypertension dyslipidemia, score: 0.024177633

confidence of prediction: 0.990005
Y_true: [3 8 13 18 20 24 34]
Y_pred: [3 13 18 20 24 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hypercholesterolemia gastroesphogeal
reflux, score: 0.28413904
history of hypertension and hypercholesterolemia who was, score:
0.13442066
and ibuprofen incisions sternal healing well, score: 0.07673716

confidence of prediction: 0.996903
Y_true: [3 8 13 18 20 24 34]
Y_pred: [3 13 18 20 24 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p coronary artery bypass grafting, score:
0.15345055
coronary artery reverse saphenous, score: 0.15092471

three vessel coronary artery bypass grafting, score: 0.10260315

confidence of prediction: 0.832937
Y_true: [3 8 13 18 20 24 34]
Y_pred: [3 13 18 20 24 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
retired tobacco 1ppd x50 yrs, score: 0.016636154
dyslipidemia gastric reflux ventral, score: 0.011415102
hypercholesterolemia gastroesphogeal reflux disease social history
race hispanic lives, score: 0.006672539

confidence of prediction: 0.544723
Y_true: [0 9 37]
Y_pred: [0 33 37]
top three important windows for true positive code 0 (038.9:
Unspecfied septicemia)
patient with uti growing enterococcus sensitive, score: 0.5862326
precipitating present decompensation on, score: 0.02888163
uti causing sepsis and triggering his altered, score: 0.022424199

confidence of prediction: 0.824726
Y_true: [0 9 37]
Y_pred: [0 33 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
patient with uti growing enterococcus sensitive, score: 0.064794764
likely has uti causing sepsis, score: 0.03699039
precipitating present decompensation on abx, score: 0.019871786

confidence of prediction: 0.831020
Y_true: [10 31 34 35 44]
Y_pred: [34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
injury and gerd with h o esophageal, score: 0.09897694
with renal recovery we addressed his, score: 0.025333459
asthma copd gerd barrett s esophagus cocaine, score: 0.0068108677

confidence of prediction: 0.856442
Y_true: [4 15 18 38]
Y_pred: [4 8 18 24 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
aortic stenosis hyperlipidemia past surgical history s, score:
0.15720153
medical history hyperlipidemia s p appendectomy s, score: 0.11441029
simvastatin mg tablet sig, score: 0.025670646

confidence of prediction: 0.979890
Y_true: [4 15 18 38]
Y_pred: [4 8 18 24 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)

diuresed towards her pre, score: 0.02161486
cardiothoracic allergies aspirin levaquin, score: 0.021344468
csru pm chest portable, score: 0.01570824

confidence of prediction: 0.664828
Y_true: [4 15 18 38]
Y_pred: [4 8 18 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cath selective coronary angiography of this, score: 0.2929783
lmca lad lcx and rca, score: 0.04939331
cardiac cath history of present, score: 0.041954778

confidence of prediction: 0.772909
Y_true: [4 10 30 34 41 42]
Y_pred: [17 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
medical history copd oa meniere s anxiety, score: 0.65920967
on her leukocytosis resolved, score: 0.0006033061
that night and had, score: 0.00048519237

confidence of prediction: 0.707906
Y_true: [4 20 24 26 27]
Y_pred: [4 20 24 26 27]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
qsun tues thurs sat warfarin mg, score: 0.0522257
cad who presents with, score: 0.0246535
cardioversion x hypertension mitral, score: 0.013182072

confidence of prediction: 0.922158
Y_true: [4 20 24 26 27]
Y_pred: [4 20 24 26 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
qsun tues thurs sat warfarin mg, score: 0.2355035
three medications hypertension discharged, score: 0.043936107
cardioversion x hypertension mitral, score: 0.020574223

confidence of prediction: 0.527696
Y_true: [4 20 24 26 27]
Y_pred: [4 20 24 26 27]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
pacemaker placement history of, score: 0.07748481
who presented with dizziness, score: 0.052942194
bradycardia coronary artery disease chronic diastolic, score:
0.038303588

confidence of prediction: 0.942078
Y_true: [4 20 24 26 27]
Y_pred: [4 20 24 26 27]
top three important windows for true positive code 26 (427.31:

Atrial fibrillation)
afib he will need, score: 0.1723364
fib cad who presents with, score: 0.14091748
fib cad who presented with, score: 0.14091748

confidence of prediction: 0.952536
Y_true: [4 20 24 26 27]
Y_pred: [4 20 24 26 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic congestive heart failure discharge condition good, score:
0.22997546
chronic congestive heart failure no, score: 0.01449127
medical history chf lvef pna colon ca, score: 0.0074285357

confidence of prediction: 0.919174
Y_true: [4 7 9 18 21 25 26 35 36]
Y_pred: [4 18 21 25 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
regurgitation anemia hyperlipidemia hypertension hearing loss
benign, score: 0.20649743
50mg daily zocor 20mg, score: 0.011439114
cabg in her late, score: 0.0048224395

confidence of prediction: 0.985401
Y_true: [4 7 9 18 21 25 26 35 36]
Y_pred: [4 18 21 25 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7065975
cardiothoracic allergies codeine metformin, score: 0.039107874
diuresed toward their preoperative, score: 0.038757563

confidence of prediction: 0.513980
Y_true: [4 7 9 18 21 25 26 35 36]
Y_pred: [4 18 21 25 26]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
coronary artery disease mother, score: 0.003037859
was incraesed coumadin therapy, score: 0.002744741
hypertrophy chronic kidney disease peripheral neuropathy, score:
0.0026085745

confidence of prediction: 0.802764
Y_true: [4 7 9 18 21 25 26 35 36]
Y_pred: [4 18 21 25 26]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve regurgitation s, score: 0.1663622
severe mitral regurgitation with bileaflet, score: 0.11496647
mitral valve regurgitation tricuspid, score: 0.10366859

confidence of prediction: 0.803102
Y_true: [4 7 9 18 21 25 26 35 36]
Y_pred: [4 18 21 25 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation and was loaded, score: 0.23430626
amiodarone mg tablet s, score: 0.1646394
furosemide mg tablet s, score: 0.025701353

confidence of prediction: 0.942711
Y_true: [4 7 14 20 22 38]
Y_pred: [4 14 20 22 24 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hyperlipidemia macular degeneration social history, score:
0.43552098
factors diabetes dyslipidemia hypertension cardiac history, score:
0.1042803
htn hld who presented with, score: 0.027086029

confidence of prediction: 0.516394
Y_true: [4 7 14 20 22 38]
Y_pred: [4 14 20 22 24 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catherization with balloon [UNK], score: 0.7091885
cardiac cath with balloon angioplasty to, score: 0.018620651
catheterization and a balloon, score: 0.013709707

confidence of prediction: 0.998924
Y_true: [4 7 14 20 22 38]
Y_pred: [4 14 20 22 24 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
40mg hospital1 hypertension started metoprolol succinate, score:
0.054288596
diovan discontinued his home hctz medications on admission, score:
0.032596394
ibs hypertension hyperlipidemia macular degeneration social, score:
0.03206182

confidence of prediction: 0.951406
Y_true: [4 7 14 20 22 38]
Y_pred: [4 14 20 22 24 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
catherization with balloon [UNK] of, score: 0.007671133
non st elevation mi discharge condition, score: 0.00296447
to have nstemi nstemi patient with chest, score: 0.0025830725

confidence of prediction: 0.893768
Y_true: [4 7 14 20 22 38]
Y_pred: [4 14 20 22 24 38]
top three important windows for true positive code 38 (88.56:

Coronary arteriography using two catheters)
cardiac catherization with balloon [UNK], score: 0.82026786
catheterization and a balloon, score: 0.009931102
cardiac cath with balloon angioplasty to, score: 0.009476043

confidence of prediction: 0.998879
Y_true: [20 42]
Y_pred: [4 20 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn hyperlipidemia social history lives, score:
0.24247447
records patient was helmeted driver, score: 0.04366201
with vague curvilinear areas, score: 0.0071572335

confidence of prediction: 0.816669
Y_true: [20 42]
Y_pred: [4 20 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
to painful stimuli reflexes, score: 0.12447661
3t gen intubated large r, score: 0.075118236
was subsequently intubated for airway protection transferred, score:
0.055316973

confidence of prediction: 0.992244
Y_true: [3 13 17 18 20 24 34]
Y_pred: [2 13 18 20 24 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting x4 left, score: 0.48465133
coronary artery bypass grafting to four, score: 0.07414422
artery and reverse saphenous vein graft, score: 0.020054923

confidence of prediction: 0.979180
Y_true: [3 13 17 18 20 24 34]
Y_pred: [2 13 18 20 24 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires and chest tubes, score: 0.104977384
bypass grafting x4 left internal, score: 0.060345158
washing incisions gently with mild soap, score: 0.007486236

confidence of prediction: 0.986435
Y_true: [3 13 17 18 20 24 34]
Y_pred: [2 13 18 20 24 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pmh diabetes hypertension high cholesterol obesity gout, score:
0.15483168
known diabetes hypertension high cholesterol, score: 0.053337276
occupation disabled cigarettes smoked, score: 0.014809181

confidence of prediction: 0.999211
Y_true: [3 13 17 18 20 24 34]
Y_pred: [2 13 18 20 24 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting x4 left, score: 0.5776038
coronary artery disease pmh, score: 0.12228245
coronary artery disease pmh, score: 0.047777336

confidence of prediction: 0.731266
Y_true: [3 13 17 18 20 24 34]
Y_pred: [2 13 18 20 24 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
gout gastroesophageal reflux hx of renal stone, score: 0.16272847
occupation disabled cigarettes smoked no, score: 0.014663601

confidence of prediction: 0.622635
Y_true: [20 34]
Y_pred: [20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
fe gerd htn social history social history, score: 0.34731412
cords of nonbleeding grade, score: 0.065118
records the patient was, score: 0.059458204

confidence of prediction: 0.859610
Y_true: [20 34]
Y_pred: [20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
on discharge gerd she was initially on, score: 0.015694182
iv fe gerd htn social history social, score: 0.00401681
egd showed cords of nonbleeding grade, score: 0.0027486286

confidence of prediction: 0.636174
Y_true: [6 7 9 14 15 16 18 26 27 33 34 38 39 40 41 43]
Y_pred: [6 17 19 34 39 41 43]
top three important windows for true positive code 6 (276.2:
Acidosis)
ac [UNK] peep fi02, score: 0.039034784
patient remined intubated and critically ill, score: 0.020428827
reintubation a repeat echo, score: 0.019580537

confidence of prediction: 0.514836
Y_true: [6 7 9 14 15 16 18 26 27 33 34 38 39 40 41 43]
Y_pred: [6 17 19 34 39 41 43]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
pressors and inotropes the patient, score: 0.08654733
medical history gerd arthitis rheumatoid s p, score: 0.059242096
intubated comments cath lab, score: 0.0064707417

confidence of prediction: 0.776077

Y_true: [6 7 9 14 15 16 18 26 27 33 34 38 39 40 41 43]
Y_pred: [6 17 19 34 39 41 43]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
cardiothoracic allergies no known allergies, score: 0.048931837
leaflet no ps physiologic, score: 0.015388703
diuresed over several days, score: 0.014834483

confidence of prediction: 0.882890
Y_true: [6 7 9 14 15 16 18 26 27 33 34 38 39 40 41 43]
Y_pred: [6 17 19 34 39 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
line feeding tube are unchanged, score: 0.029500332
anuric and required reintubation a repeat echo, score: 0.0263698
patient remined intubated and, score: 0.008326938

confidence of prediction: 0.973315
Y_true: [6 7 9 14 15 16 18 26 27 33 34 38 39 40 41 43]
Y_pred: [6 17 19 34 39 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
anuric and required reintubation a repeat echo, score: 0.09329703
ac [UNK] peep fi02, score: 0.03851316
patient remined intubated and critically, score: 0.02336988

confidence of prediction: 0.892748
Y_true: [1 4 13 17 18 24 26 33 34 35 43]
Y_pred: [1 4 13 18 20 24 34]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
left kidney hypothyroidism mild dementia social history, score:
0.0016215821
left kidney hypothyroidism mild dementia discharge condition, score:
0.0016215821
inotropic support post cpb, score: 0.00038261584

confidence of prediction: 0.901401
Y_true: [1 4 13 17 18 24 26 33 34 35 43]
Y_pred: [1 4 13 18 20 24 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
disease hypertension hyperlipidemia h o non hodgkins, score:
0.07717901
grafts hypertension hyperlipidemia h o non hodgkins, score:
0.070721224
lipitor simvastatin pravastatin cocaine aricept, score: 0.01686029

confidence of prediction: 0.918896
Y_true: [1 4 13 17 18 24 26 33 34 35 43]
Y_pred: [1 4 13 18 20 24 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)

coronary artery bypass grafts x lima to lad svg, score: 0.07773715
coronary artery bypass grafts hypertension, score: 0.037046935
cardiothoracic allergies lipitor simvastatin, score: 0.028996008

confidence of prediction: 0.978362
Y_true: [1 4 13 17 18 24 26 33 34 35 43]
Y_pred: [1 4 13 18 20 24 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies lipitor simvastatin, score: 0.106391184
washing incisions gently with mild soap, score: 0.008440776
bypass grafts x lima to, score: 0.0075549637

confidence of prediction: 0.971677
Y_true: [1 4 13 17 18 24 26 33 34 35 43]
Y_pred: [1 4 13 18 20 24 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease with a, score: 0.25319538
coronary artery bypass grafts, score: 0.1094621
daughter spending much time, score: 0.0870174

confidence of prediction: 0.856989
Y_true: [1 4 13 17 18 24 26 33 34 35 43]
Y_pred: [1 4 13 18 20 24 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
therapy gastroesophageal reflux s p splenectomy, score: 0.030702014
sterile dressings and ace wrap, score: 0.0036997763
hypothyroidism mild dementia social, score: 0.0031914844

confidence of prediction: 0.957831
Y_true: [5 20 35]
Y_pred: [5 20 35]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
failure and hyponatremia altered mental status anion, score:
0.49719062
for hydronephrosis hyponatremia na hypovolemia given poor, score:
0.1922444
detecting influenza infection by dfa, score: 0.008792945

confidence of prediction: 0.878816
Y_true: [5 20 35]
Y_pred: [5 20 35]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
per patient htn anxiety social history tobacco, score: 0.39553544
hydrochlorothiazide mg tablet sig, score: 0.06463917
failure baseline cr cr on admission renal was, score: 0.0122272475

confidence of prediction: 0.896020
Y_true: [5 20 35]
Y_pred: [5 20 35]

top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
and acute renal failure this resolved, score: 0.031548202
discharge acute renal failure baseline cr, score: 0.026211035
hypotension acute renal failure and hyponatremia, score: 0.017532375

confidence of prediction: 0.677234
Y_true: [7 17 20 26]
Y_pred: [7 17 26 40 42]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
anemia secondary diagnoses hepatitis, score: 0.38926345
of the t12 vertebral, score: 0.06587434
of packed red bloos cells post, score: 0.034185883

confidence of prediction: 0.504015
Y_true: [7 17 20 26]
Y_pred: [7 17 26 40 42]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
floor she developed asymptomatic, score: 0.23398489
r scapula fx and multiple rib fractures were identified, score: 0.10236508
liver laceration she was, score: 0.03319952

confidence of prediction: 0.914089
Y_true: [7 17 20 26]
Y_pred: [7 17 26 40 42]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation resolved acute blood, score: 0.36265075
atrial fibrillation to 120bpm again she, score: 0.15777646
amiodarone her current dose is, score: 0.056041393

confidence of prediction: 0.917967
Y_true: [1 4 12 26 29 30 34 36 41 43 44]
Y_pred: [1 4 6 12 17 21 26 29 30 33 34 35 36 40 41 42 43]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
hypotension hypothyroidism osteoporosis anasarca hyperlipidemia, score: 0.2370364
discontinued hypothyroidism continue synthroid hyperlipidemia lipitor, score: 0.17605095
disease hypothyroidism hyperlipidemia chronic, score: 0.03844233

confidence of prediction: 0.851429
Y_true: [1 4 12 26 29 30 34 36 41 43 44]
Y_pred: [1 4 6 12 17 21 26 29 30 33 34 35 36 40 41 42 43]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
osteoporosis anasarca hyperlipidemia chronic kidney disease gastroesophageal, score: 0.1465229
disease hypothyroidism hyperlipidemia chronic kidney disease cr, score: 0.06755102

synthroid hyperlipidemia lipitor currently held due, score: 0.026364097

confidence of prediction: 0.737577
Y_true: [1 4 12 26 29 30 34 36 41 43 44]
Y_pred: [1 4 6 12 17 21 26 29 30 33 34 35 36 40 41 42 43]
top three important windows for true positive code 12 (33.24: Closed [endoscopic] biopsy of bronchus)
pm bronchoalveolar lavage gram stain final, score: 0.15305993
support sputum gram stain, score: 0.031764463
and a tracheostomy was performed steroids were, score: 0.023564873

confidence of prediction: 0.941512
Y_true: [1 4 12 26 29 30 34 36 41 43 44]
Y_pred: [1 4 6 12 17 21 26 29 30 33 34 35 36 40 41 42 43]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation on she developed atrial fibrillation with rapid ventricular, score: 0.041061603
expired followup instructions expired first name8 namepattern2, score: 0.003120137
pneumonia atrial fibrillation with rapid ventricular, score: 0.0020005063

confidence of prediction: 0.795472
Y_true: [1 4 12 26 29 30 34 36 41 43 44]
Y_pred: [1 4 6 12 17 21 26 29 30 33 34 35 36 40 41 42 43]
top three important windows for true positive code 29 (486: Pneumonia, organism unspecified)
community acquired pneumonia her pneumonia had initally, score: 0.10068498
community acquired pneumonia and hypotension, score: 0.08083927
bronchoalveolar lavage gram stain final, score: 0.05955113

confidence of prediction: 0.605889
Y_true: [1 4 12 26 29 30 34 36 41 43 44]
Y_pred: [1 4 6 12 17 21 26 29 30 33 34 35 36 40 41 42 43]
top three important windows for true positive code 30 (496: Chronic airway obstruction, not elsewhere classified)
obstructive pulmonary disease pseudomonas, score: 0.13696761
medical history copd w preserved fev1 of, score: 0.052640546
history of copd intersitial lung disease who, score: 0.01274538

confidence of prediction: 0.533011
Y_true: [1 4 12 26 29 30 34 36 41 43 44]
Y_pred: [1 4 6 12 17 21 26 29 30 33 34 35 36 40 41 42 43]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
disease gastroesophageal reflux disease discharge condition expired, score: 0.16286995
fractures gerd intersitial lung disease pulmonary, score: 0.028536886
issues gerd ppi fen on, score: 0.011851352

confidence of prediction: 0.847047
Y_true: [1 4 12 26 29 30 34 36 41 43 44]
Y_pred: [1 4 6 12 17 21 26 29 30 33 34 35 36 40 41 42 43]
top three important windows for true positive code 36 (585.9: Chronic kidney disease, unspecified)
chronic kidney disease cr osteoporosis hx, score: 0.055947606
chronic kidney disease cr improved from, score: 0.0410099
hyperlipidemia chronic kidney disease gastroesophageal reflux, score: 0.018033203

confidence of prediction: 0.923820
Y_true: [1 4 12 26 29 30 34 36 41 43 44]
Y_pred: [1 4 6 12 17 21 26 29 30 33 34 35 36 40 41 42 43]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
on tube feeds at osh, score: 0.59213316
ventilatory support sputum gram stain, score: 0.024650015
aeruginosa ventilator associated pneumonia atrial, score: 0.014524527

confidence of prediction: 0.981539
Y_true: [1 4 12 26 29 30 34 36 41 43 44]
Y_pred: [1 4 6 12 17 21 26 29 30 33 34 35 36 40 41 42 43]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
and a tracheostomy was, score: 0.05615688
aeruginosa ventilator associated pneumonia atrial, score: 0.045310747
ventilator associated pneumonia with increased, score: 0.04101607

confidence of prediction: 0.872254
Y_true: [2 4 8 18 26]
Y_pred: [2 4 11 18 20 26]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
type ii diabetes erectile dysfunction depression, score: 0.08158346
daily metformin 500mg twice daily, score: 0.028476387
hours metformin mg tablet sig, score: 0.023391536

confidence of prediction: 0.789323
Y_true: [2 4 8 18 26]
Y_pred: [2 4 11 18 20 26]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
branch block dyslipidemia type ii diabetes erectile dysfunction depression mgus monoclonal, score: 0.13514161

confidence of prediction: 0.986603
Y_true: [2 4 8 18 26]
Y_pred: [2 4 11 18 20 26]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)

wires were discontinued without, score: 0.75167245
diuresed toward the preoperative, score: 0.021208456
cardiothoracic allergies paxil attending, score: 0.0027529995

confidence of prediction: 0.864818
Y_true: [2 4 8 18 26]
Y_pred: [2 4 11 18 20 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation which was managed, score: 0.3759188
irregular murmur systolic ejection murmur abdomen, score:
0.027399281
amiodarone due to a, score: 0.0045032217

confidence of prediction: 0.686460
Y_true: [7 16 17 41 42]
Y_pred: [17 35 41 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
of metallic fixation devices, score: 0.16235097
right cvl placed increased dilantin dosing, score: 0.09708989
discontinued vanc ceftaz flagyl and started, score: 0.06245758

confidence of prediction: 0.563351
Y_true: [7 16 17 41 42]
Y_pred: [17 35 41 42]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
restarted tfs goal changed right a, score: 0.2583938
with manipulation washout and closure right, score: 0.1258387
r thigh oozing blood, score: 0.057594612

confidence of prediction: 0.674564
Y_true: [7 16 17 41 42]
Y_pred: [17 35 41 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
he was intubated by rsi, score: 0.10774656
normal constitutional intubated heent pupils mm, score: 0.077398576
with manipulation washout and closure right, score: 0.0632715

confidence of prediction: 0.952461
Y_true: [4 20 26 30]
Y_pred: [4 20 30]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
statin unknown asa mg po, score: 0.001993539
lobe tumor with air, score: 0.0019607558
history copd htn hyperlipidemia shingles social history patient,
score: 0.0017323059

confidence of prediction: 0.980164
Y_true: [4 20 26 30]

Y_pred: [4 20 30]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
history copd htn hyperlipidemia shingles social history, score: 0.14217517
lung disease elevated pulmonary, score: 0.023522891
tumor with air fluid, score: 0.009535224

confidence of prediction: 0.942709
Y_true: [4 20 26 30]
Y_pred: [4 20 30]
top three important windows for true positive code 30 (496: Chronic airway obstruction, not elsewhere classified)
medical history copd htn hyperlipidemia shingles social history patient denies, score: 0.121238485
on admission combivent advair antihypertensive medication unknown, score: 0.00017220415

confidence of prediction: 0.921111
Y_true: [4 18 20 27 32]
Y_pred: [4 18 20]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
aortic stenosis hyperlipidemia hypertension social history ms, score: 0.10583878
aortic stenosis hyperlipidemia hypertension s p avr, score: 0.06813359
incisions sternal healing well, score: 0.0019143167

confidence of prediction: 0.986034
Y_true: [4 18 20 27 32]
Y_pred: [4 18 20]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7357032
diuresed toward the preoperative, score: 0.020757882
cardiothoracic allergies erythromycin base, score: 0.018663833

confidence of prediction: 0.991520
Y_true: [4 18 20 27 32]
Y_pred: [4 18 20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
stenosis hyperlipidemia hypertension social history ms, score: 0.06335625
stenosis hyperlipidemia hypertension s p avr replacement porcine aortotomy discharge, score: 0.06335625
avr replacement porcine aortotomy, score: 0.027256256

confidence of prediction: 0.618117
Y_true: [2 16 17 27 35 48]
Y_pred: [2 17 21 27 35 36 37 48]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or

unspecified type, not stated as uncontrolled)
ii diabetes mellitus hold glipizide monitor, score: 0.1473405
type ii diabetes mellitus cad s p, score: 0.030287772
dialysis torsemide and valsartan, score: 0.025516577

confidence of prediction: 0.649614
Y_true: [2 16 17 27 35 48]
Y_pred: [2 17 21 27 35 36 37 48]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line a line history of, score: 0.30062494
cxr post picc placement impression left picc line terminating at
the, score: 0.034936655
given positive ua but, score: 0.021855013

confidence of prediction: 0.857884
Y_true: [2 16 17 27 35 48]
Y_pred: [2 17 21 27 35 36 37 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
h o chf ef p w falls, score: 0.0373703
impression moderate chf kub portable ap, score: 0.020153565
unless acute drop [UNK], score: 0.009239127

confidence of prediction: 0.951395
Y_true: [2 16 17 27 35 48]
Y_pred: [2 17 21 27 35 36 37 48]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
hyperkalemia likely arf on cri he, score: 0.19790989
arf on cri baseline cr, score: 0.049016662
was continued renal diet, score: 0.048035346

confidence of prediction: 0.881332
Y_true: [2 16 17 27 35 48]
Y_pred: [2 17 21 27 35 36 37 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg single chamber ppm ef p, score: 0.32745525
s p cabg in, score: 0.32745525
chf ef p w, score: 0.0006075496

confidence of prediction: 0.906308
Y_true: [28 31]
Y_pred: [31]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
aspiration pneumonia on ct scan, score: 0.10725567
secondary aspiration pneumonia discharge condition, score:
0.09290498
of aspiration pneumonia upon arrival to, score: 0.056372724

confidence of prediction: 0.641613
Y_true: [8 11 40 41 42 43 47]

Y_pred: [11 33 37 40 42]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
110s depression continued venlafaxine osteoporosis continued, score:
0.05991803
oxygen osteoporosis depression social history per pcp, score:
0.059646025
depression osteoporosis discharge condition mental, score:
0.010345776

confidence of prediction: 0.865041
Y_true: [8 11 40 41 42 43 47]
Y_pred: [11 33 37 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
she was intubated due to her, score: 0.032295715
s p intubation and successful, score: 0.019210769
failed an extubation attempt on, score: 0.00830943

confidence of prediction: 0.793906
Y_true: [8 11 40 41 42 43 47]
Y_pred: [11 33 37 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
s p intubation and successful, score: 0.01748499
she was intubated due to her, score: 0.0077980855
failed an extubation attempt on and was, score: 0.005839204

confidence of prediction: 0.803099
Y_true: [4 13 20 24]
Y_pred: [4 13 18 20 24 30]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
daily coenzyme q10 prescribed by, score: 0.158838
patient hypertension hyperlipidemia non hodgkin, score: 0.05127457
daily ezetimibe zetia prescribed, score: 0.032058857

confidence of prediction: 0.940690
Y_true: [4 13 20 24]
Y_pred: [4 13 18 20 24 30]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
off pump coronary artery bypass graft x3 left internal mammary
artery to left, score: 0.086308315
wires were discontinued without, score: 0.060886607
artery and saphenous vein graft, score: 0.025280107

confidence of prediction: 0.817520
Y_true: [4 13 20 24]
Y_pred: [4 13 18 20 24 30]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
per patient hypertension hyperlipidemia non hodgkin, score:

0.20343733
of pvd hypertension hyperlipidemia and recent abnormal, score:
0.06472501
ezetimibe zetia prescribed by, score: 0.03635359

confidence of prediction: 0.993900
Y_true: [4 13 20 24]
Y_pred: [4 13 18 20 24 30]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
off pump coronary artery bypass graft, score: 0.30584183
coronary artery disease pmh pvd, score: 0.29726633
descending artery and saphenous, score: 0.021141458

confidence of prediction: 0.717676
Y_true: [1 7 11 20 24]
Y_pred: [1 2 7 11 20 28]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
wet hypothyroidism varicose veins osteomyelitis, score: 0.37730315
daily levothyroxine mcg daily lovastatin mg, score: 0.0731272
daily levothyroxine mcg tablet sig, score: 0.052220695

confidence of prediction: 0.539265
Y_true: [1 7 11 20 24]
Y_pred: [1 2 7 11 20 28]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
a scope egd revealed a, score: 0.19578347
a 1u prbc in the er and, score: 0.11841371
of packed red blood, score: 0.030682515

confidence of prediction: 0.723233
Y_true: [1 7 11 20 24]
Y_pred: [1 2 7 11 20 28]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
cont [UNK] depression cont venlafaxine code full, score: 0.15466991
mg daily triamterene hydrochlorothiazid, score: 0.01054356
defic depression obesity breast cancer [UNK], score: 0.009590673

confidence of prediction: 0.970010
Y_true: [1 7 11 20 24]
Y_pred: [1 2 7 11 20 28]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
ii neuropathy htn coronary artery dx in, score: 0.11011833
maxide and hctz this, score: 0.06622805
cad dm htn recurrent [UNK] osa, score: 0.05010698

confidence of prediction: 0.986372
Y_true: [8 9 14 18 20 26 38]
Y_pred: [18 26 27 49]
top three important windows for true positive code 18 (39.61:

Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.75012606
diuresed toward the preoperative, score: 0.021164825
cardiothoracic allergies penicillins attending, score: 0.004030154

confidence of prediction: 0.933772
Y_true: [8 9 14 18 20 26 38]
Y_pred: [18 26 27 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
coagulated with coumadin coreg, score: 0.23623435
afib and hypotensive admitted, score: 0.08606149
fibrillation just prior to, score: 0.0743894

confidence of prediction: 0.796388
Y_true: [6 19 21 23 27 35 36 40 48]
Y_pred: [2 4 19 21 24 25 36 48]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
started on cvvh his device, score: 0.17296539
start on cvvh and a, score: 0.03372128
thereafter despite multiple attempts, score: 0.024024788

confidence of prediction: 0.511813
Y_true: [6 19 21 23 27 35 36 40 48]
Y_pred: [2 4 19 21 24 25 36 48]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
x in hospital1 s, score: 0.035717018
crt d [UNK] s p, score: 0.025085637
neuropathy chronic renal insufficiency history of, score:
0.009783158

confidence of prediction: 0.738902
Y_true: [6 19 21 23 27 35 36 40 48]
Y_pred: [2 4 19 21 24 25 36 48]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal insufficiency discharge condition expired, score:
0.12568349
x in hospital1 s, score: 0.014672462
md crt d [UNK] s p, score: 0.0071396595

confidence of prediction: 0.788568
Y_true: [6 19 21 23 27 35 36 40 48]
Y_pred: [2 4 19 21 24 25 36 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg x in hospital1, score: 0.6985146
sternotomy and cabg surgical, score: 0.14993952
saphenous vein harvest right, score: 0.03662674

confidence of prediction: 0.791172

Y_true: [3 7 10 20]
Y_pred: [20 28]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
of essential hypertension and etoh abuse, score: 0.20357007
patient was scoped urgently in the, score: 0.084284894
on discharge hypertension patient, score: 0.08166965

confidence of prediction: 0.935091
Y_true: [5 20 35]
Y_pred: [5 6 17 35]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
a [UNK] hyponatremia the patient responded well, score: 0.8954805
his last bm was, score: 0.005306282
acid base disorder with, score: 0.0031650483

confidence of prediction: 0.839414
Y_true: [5 20 35]
Y_pred: [5 6 17 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure secondary to, score: 0.57209724
sodium elevated cr teh patient s, score: 0.038528167
his last bm was, score: 0.007921576

confidence of prediction: 0.907011
Y_true: [4 10 18 20 26]
Y_pred: [4 18 20 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
insufficiency hypertension dyslipidemia discharge condition alert,
score: 0.2792317
history hypertension dyslipidemia social history lives with, score:
0.12713547
mg tid hydrochlorathiazide mg, score: 0.0071074395

confidence of prediction: 0.986513
Y_true: [4 10 18 20 26]
Y_pred: [4 18 20 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without complication, score: 0.7692722
cardiothoracic allergies patient recorded, score: 0.0034900436
washing incisions gently with mild soap, score: 0.0022987325

confidence of prediction: 0.997940
Y_true: [4 10 18 20 26]
Y_pred: [4 18 20 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
aortic insufficiency hypertension dyslipidemia discharge condition
alert, score: 0.27601272
medical history hypertension dyslipidemia social history lives,

score: 0.21036999
amiodarone mg tablet sig, score: 0.009080958

confidence of prediction: 0.936245
Y_true: [4 10 18 20 26]
Y_pred: [4 18 20 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation and junctional rhythm, score: 0.034119673
atrial fibrillation tablets twice daily, score: 0.010257317
urges to smoke for, score: 0.010055244

confidence of prediction: 0.800974
Y_true: [20 34]
Y_pred: [20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
of her ibs but, score: 0.0454725
bowel syndrome hypertension b12 deficiency social history, score:
0.007464224
initiation of metoprolol she is, score: 0.0034691049

confidence of prediction: 0.887749
Y_true: [20 34]
Y_pred: [20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
of dementia gerd who presents from osh, score: 0.06145698
medical history gerd alzheimers irritable bowel syndrome, score:
0.03475725
converses and arrousable skin, score: 0.003712793

confidence of prediction: 0.715012
Y_true: [1 49]
Y_pred: [1 38 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
of hypothyroidism continue thyroxine anxiety continue, score:
0.42687166
medications levothyroxine sodium mcg po daily, score: 0.10003355
patient levothyroxine sodium mcg po daily, score: 0.03666011

confidence of prediction: 0.570986
Y_true: [1 49]
Y_pred: [1 38 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
increase her warfarin dose, score: 0.2347519
on chronic coumadin and svt s, score: 0.21397164
was stopped coumadin to, score: 0.20519641

confidence of prediction: 0.790373
Y_true: [7 17 18 25 27 33 40 43 48]
Y_pred: [13 17 18 24 25 27]

top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
[UNK] annuloplasty ring model serial, score: 0.08923228
following days picc was placed for access, score: 0.05330844
norepi and milrinone severe, score: 0.03920004

confidence of prediction: 0.986308
Y_true: [7 17 18 25 27 33 40 43 48]
Y_pred: [13 17 18 24 25 27]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7439274
diuresed toward the preoperative, score: 0.02098993
cardiothoracic allergies patient recorded, score: 0.003375059

confidence of prediction: 0.797419
Y_true: [7 17 18 25 27 33 40 43 48]
Y_pred: [13 17 18 24 25 27]
top three important windows for true positive code 25 (424.0: Mitral valve disorders)
mitral valve repair with, score: 0.18503726
severe mitral regurgitation severe cardiomyopathy dyslipidemia, score: 0.09549387
severe mitral regurgitation is seen, score: 0.08830004

confidence of prediction: 0.955036
Y_true: [7 17 18 25 27 33 40 43 48]
Y_pred: [13 17 18 24 25 27]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
systolic heart failure s p, score: 0.10897847
cardiomyopathy congestive heart failure and, score: 0.086826235
congestive heart failure severe mitral regurgitation severe cardiomyopathy dyslipidemia, score: 0.06414743

confidence of prediction: 0.918597
Y_true: [12 16 17 28 41]
Y_pred: [12 41 43]
top three important windows for true positive code 12 (33.24: Closed [endoscopic] biopsy of bronchus)
bronchoscopy and bal were performed and patient, score: 0.14330101
positive bal cultures on the patient, score: 0.12629873
collar for continuous hours, score: 0.027144542

confidence of prediction: 0.902100
Y_true: [12 16 17 28 41]
Y_pred: [12 41 43]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
fiber tube feeds on and was, score: 0.18905227
trach and peg history, score: 0.042764906
trach and peg discharge, score: 0.042764906

confidence of prediction: 0.965018

Y_true: [20 26 27 32]
Y_pred: [17 20 26 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
secondary diagnoses htn diverticulitis lactose, score: 0.24109796
medical history hypertension diverticulitis lactose, score:
0.1446694
atenolol hctz qday prednisone 10mg, score: 0.13642249

confidence of prediction: 0.751019
Y_true: [20 26 27 32]
Y_pred: [17 20 26 27]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
rapid atrial fibrillation unresponsive to lopressor she, score:
0.015039682
ejection fraction diastolic heart, score: 0.0045260587
chronic right sided rib, score: 0.0039836518

confidence of prediction: 0.836834
Y_true: [20 26 27 32]
Y_pred: [17 20 26 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
acutely from chf her echo from demonstrated, score: 0.07414365
a poor historian but, score: 0.016677916
scan but appeared to, score: 0.0097945025

confidence of prediction: 0.910500
Y_true: [7 12 20 26 28 32 41]
Y_pred: [12 26 28 41]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
bronchoscopy with bronchoalveolar lavage he transfer to, score:
0.095344156
low s bal pmn, score: 0.03098319
sennosides docusate sodium mg tablet, score: 0.004512699

confidence of prediction: 0.791856
Y_true: [7 12 20 26 28 32 41]
Y_pred: [12 26 28 41]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation with hypotension amiodarone mg bolus converted
to, score: 0.3517645
fat pmns gpcs from, score: 0.04755222
amiodarone load of g, score: 0.018278876

confidence of prediction: 0.888933
Y_true: [7 12 20 26 28 32 41]
Y_pred: [12 26 28 41]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.6357305

of lung esophagogastroduodenoscopy and bronchoscopy with bronchoalveolar, score: 0.033404358
and esophagogastroduodenoscopy he was extubated in, score: 0.023518752

confidence of prediction: 0.943979
Y_true: [7 12 20 26 28 32 41]
Y_pred: [12 26 28 41]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
tolerated tube feeds replete full strength, score: 0.04839139
log feed tube site leave, score: 0.011746089
low s bal pmn, score: 0.0066736853

confidence of prediction: 0.644344
Y_true: [0 12 16 17 26 29 30 33 35 40 41 42 46]
Y_pred: [0 17 26 27 33 35 40 42 43 46]
top three important windows for true positive code 0 (038.9: Unspecified septicemia)
and renal hypoperfusion as above there, score: 0.24022283
despite the levophed requiring, score: 0.096489586
progressing to sepsis and thus on the, score: 0.04429513

confidence of prediction: 0.945574
Y_true: [0 12 16 17 26 29 30 33 35 40 41 42 46]
Y_pred: [0 17 26 27 33 35 40 42 43 46]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
vein arterial line placement, score: 0.04480517
right subclavian cvl was placed and he, score: 0.02936793
and thus on the, score: 0.022956971

confidence of prediction: 0.710702
Y_true: [0 12 16 17 26 29 30 33 35 40 41 42 46]
Y_pred: [0 17 26 27 33 35 40 42 43 46]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation this was a, score: 0.06737632
a fib and lung ca, score: 0.060069706
amiodarone daily until metoprolol, score: 0.023876345

confidence of prediction: 0.697250
Y_true: [0 12 16 17 26 29 30 33 35 40 41 42 46]
Y_pred: [0 17 26 27 33 35 40 42 43 46]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
was made cmo per above, score: 0.055123884
he was intubated in the late, score: 0.047834426
acute renal failure his, score: 0.04160914

confidence of prediction: 0.722870
Y_true: [0 12 16 17 26 29 30 33 35 40 41 42 46]
Y_pred: [0 17 26 27 33 35 40 42 43 46]
top three important windows for true positive code 35 (584.9: Acute

kidney failure, unspecified)
hypoperfusion acute renal failure his creatinine rose, score:
0.06251617
death the arf was likely, score: 0.05631222
q4 albuterol q2 xopenex, score: 0.03180938

confidence of prediction: 0.783388
Y_true: [0 12 16 17 26 29 30 33 35 40 41 42 46]
Y_pred: [0 17 26 27 33 35 40 42 43 46]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
day once intubated he maintained, score: 0.11391581
he was intubated in the, score: 0.06882944
rebreather hypoxemia respiratory distress, score: 0.0098017845

confidence of prediction: 0.690620
Y_true: [0 12 16 17 26 29 30 33 35 40 41 42 46]
Y_pred: [0 17 26 27 33 35 40 42 43 46]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
he was intubated in the, score: 0.038815424
day once intubated he maintained, score: 0.03188474
a sputum culture which had, score: 0.03130484

confidence of prediction: 0.832168
Y_true: [0 12 16 17 26 29 30 33 35 40 41 42 46]
Y_pred: [0 17 26 27 33 35 40 42 43 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
despite the levophed requiring, score: 0.10226162
and renal hypoperfusion as above there, score: 0.04972068
on three pressors with, score: 0.039996747

confidence of prediction: 0.626359
Y_true: [6 8 20 29]
Y_pred: [6 8 29]
top three important windows for true positive code 6 (276.2:
Acidosis)
ll rml sating speaking full sentences, score: 0.14440492
she was aggressively hydrated, score: 0.10696964
returning by car from, score: 0.021527901

confidence of prediction: 0.574811
Y_true: [6 8 20 29]
Y_pred: [6 8 29]
top three important windows for true positive code 8 (285.9: Anemia,
unspecified)
discharge anemia normocytic anemia with no previous, score:
0.1898072
on anemia outstanding labs, score: 0.025863247
ll rml sating speaking, score: 0.025368389

confidence of prediction: 0.866242

Y_true: [6 8 20 29]
Y_pred: [6 8 29]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
with pneumonia pneumonia the fevers rigors, score: 0.52640295
have bilateral pneumonia you were, score: 0.013103861
the pneumonia followup instructions, score: 0.012755311

confidence of prediction: 0.947567
Y_true: [2 21 27 35 36]
Y_pred: [27 41]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
pancreatic leak chf iddm anxiety discharge condition, score:
0.008470566
cholangitis unchanged appearance of the, score: 0.0026664499
anxiety acute renal failure chf c diff colitis, score: 0.0016383306

confidence of prediction: 0.986049
Y_true: [26 27]
Y_pred: [14 24 26 27 38]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation who was admitted, score: 0.26040792
atrial fibrillation with lbbb st, score: 0.22131431
afib dx d s, score: 0.15917902

confidence of prediction: 0.957821
Y_true: [26 27]
Y_pred: [14 24 26 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure ef the pt, score: 0.28976777
cardiomyopathy with ef chronic, score: 0.021938404
amiodarone cozaar coreg given, score: 0.014595659

confidence of prediction: 0.716029
Y_true: [4 11 34 47]
Y_pred: [4 8 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
age gerd hld possible sleep apnea depression, score: 0.53821015
p traumatic amputation social history the, score: 0.011534829
ezetimibe mg tablet sig, score: 0.011368103

confidence of prediction: 0.854056
Y_true: [4 11 34 47]
Y_pred: [4 8 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
at age gerd hld possible sleep apnea, score: 0.027720714
spreads slightly to the, score: 0.019090299
kidney stones thought to be, score: 0.009957416

confidence of prediction: 0.508900
Y_true: [3 20]
Y_pred: [3 20]
top three important windows for true positive code 3 (272.0: Pure hypercholesterolemia)
medical history hypercholesterolemia diet control mild hypertension social history assistant manager, score: 0.4189073
which showed xanthochromia he, score: 0.0015802627
to sequela of previous, score: 0.001362308

confidence of prediction: 0.990855
Y_true: [3 20]
Y_pred: [3 20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
on the gradient echo, score: 0.0074122343
discoloration at right ac, score: 0.0049109664
planes was repeated following the, score: 0.0025514693

confidence of prediction: 0.777258
Y_true: [2 9 13 14 17 18 20 24 26 27 37 38 39 49]
Y_pred: [2 13 14 15 18 20 24 26 27 37 38]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
noninsulin dependent diabetes mellitus gout h o, score: 0.12880507
noninsulin dependent diabetes mellitus gout h o, score: 0.05755088
metformin mg oral tablet, score: 0.046430543

confidence of prediction: 0.991680
Y_true: [2 9 13 14 17 18 20 24 26 27 37 38 39 49]
Y_pred: [2 13 14 15 18 20 24 26 27 37 38]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass grafts x4 lima lad svg dg svg, score: 0.51059455
quadruple bypass grafting was performed, score: 0.015702374
coronary artery bypass grafts chronic, score: 0.01248214

confidence of prediction: 0.772131
Y_true: [2 9 13 14 17 18 20 24 26 27 37 38 39 49]
Y_pred: [2 13 14 15 18 20 24 26 27 37 38]
top three important windows for true positive code 14 (37.22: Left heart cardiac catheterization)
catheterization past medical history, score: 0.043838985
balloon pump was removed due, score: 0.016056515
iabp left heart catheterization coronary angiogram history of, score: 0.015670085

confidence of prediction: 0.978239
Y_true: [2 9 13 14 17 18 20 24 26 27 37 38 39 49]
Y_pred: [2 13 14 15 18 20 24 26 27 37 38]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)

bypass grafting was performed an, score: 0.022217903
cardiothoracic allergies penicillins attending, score: 0.016049465
bypass grafts x4 lima lad, score: 0.013385119

confidence of prediction: 0.814323
Y_true: [2 9 13 14 17 18 20 24 26 27 37 38 39 49]
Y_pred: [2 13 14 15 18 20 24 26 27 37 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension glaucoma social history tobacco, score: 0.34063035
hypertension glaucoma discharge condition, score: 0.056607604
noninsulin dependent diabetes mellitus, score: 0.02956774

confidence of prediction: 0.998856
Y_true: [2 9 13 14 17 18 20 24 26 27 37 38 39 49]
Y_pred: [2 13 14 15 18 20 24 26 27 37 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafts x4 lima lad, score: 0.58584434
coronary artery disease s p coronary artery bypass grafts, score:
0.124027036
coronary artery disease major, score: 0.032847725

confidence of prediction: 0.976463
Y_true: [2 9 13 14 17 18 20 24 26 27 37 38 39 49]
Y_pred: [2 13 14 15 18 20 24 26 27 37 38]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation on postoperative day, score: 0.1904772
afib levofloxacin mg tablet sig, score: 0.14007188
atrial fibrillation and recently diagnosed, score: 0.07841772

confidence of prediction: 0.884001
Y_true: [2 9 13 14 17 18 20 24 26 27 37 38 39 49]
Y_pred: [2 13 14 15 18 20 24 26 27 37 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure noninsulin dependent diabetes, score:
0.23497096
severe systolic dysfunction with an ef, score: 0.007115417
left heart catheterization coronary angiogram history, score:
0.0067737717

confidence of prediction: 0.882332
Y_true: [2 9 13 14 17 18 20 24 26 27 37 38 39 49]
Y_pred: [2 13 14 15 18 20 24 26 27 37 38]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
a urinary tract infection given his, score: 0.021257518
eye drops instill drop left eye, score: 0.0070452443
potassium chloride meq one, score: 0.006082884

confidence of prediction: 0.939275
Y_true: [2 9 13 14 17 18 20 24 26 27 37 38 39 49]

Y_pred: [2 13 14 15 18 20 24 26 27 37 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
catheterization past medical history, score: 0.07535765
iabp left heart catheterization coronary angiogram history of,
score: 0.022635989
balloon pump was removed due, score: 0.015301005

confidence of prediction: 0.979309
Y_true: [15 18 25 38]
Y_pred: [18 25]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed toward the preoperative, score: 0.08128238
conclusions pre bypass the, score: 0.010078581
washing incisions gently with mild soap, score: 0.008608438

confidence of prediction: 0.867323
Y_true: [15 18 25 38]
Y_pred: [18 25]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve regurgitation with anterior, score: 0.59064114
mitral valve regurgitation who developed, score: 0.06155062
diagnosis mitral regurgitation bph raynauds, score: 0.027308598

confidence of prediction: 0.621882
Y_true: [3 10 13 18 20 24]
Y_pred: [3 10 11 13 18 20 24]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
x hypertension hypercholesterolemia childhood concussions childhood,
score: 0.29328066
history hypertension hypercholesterolemia childhood concussions
childhood, score: 0.24858548
x full rom x chest, score: 0.009079361

confidence of prediction: 0.790096
Y_true: [3 10 13 18 20 24]
Y_pred: [3 10 11 13 18 20 24]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
driver tobacco smokes ppd etoh bottle of wine, score: 0.046532884
history race hispanic last, score: 0.00062301854
x hypertension hypercholesterolemia childhood concussions childhood,
score: 0.00056586164

confidence of prediction: 0.979091
Y_true: [3 10 13 18 20 24]
Y_pred: [3 10 11 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypas graft x lima [UNK], score: 0.46353585
coronary artery bypass graft x on, score: 0.14022188

coronary artery bypass graft x hypertension, score: 0.022406846

confidence of prediction: 0.982428
Y_true: [3 10 13 18 20 24]
Y_pred: [3 10 11 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed towards his pre, score: 0.2359922
cardiothoracic allergies no known, score: 0.010849824
pacing wires were removed per, score: 0.006331411

confidence of prediction: 0.973244
Y_true: [3 10 13 18 20 24]
Y_pred: [3 10 11 13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hypercholesterolemia childhood
concussions childhood, score: 0.37448812
hydrochlorothiazide mg tablet sig, score: 0.16263421
on admission hctz mg, score: 0.028151209

confidence of prediction: 0.999917
Y_true: [3 10 13 18 20 24]
Y_pred: [3 10 11 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypas graft x lima, score: 0.78160274
coronary artery disease s p coronary artery bypass graft, score:
0.07848284
coronary artery bypass graft, score: 0.015832756

confidence of prediction: 0.826870
Y_true: [4 13 18 20 22 24 34 39]
Y_pred: [3 4 13 18 20 22 24 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension dyslipidemia h o palpitations with, score:
0.13768373
episode hypertension dyslipidemia hiatal hernia gerd colonic, score:
0.096946776
discharge medications simvastatin mg tablet sig, score: 0.005031197

confidence of prediction: 0.990864
Y_true: [4 13 18 20 22 24 34 39]
Y_pred: [3 4 13 18 20 22 24 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)
coronary artery bypass grafting x3 with the, score: 0.5191923
coronary artery bypass grafting times three lima to, score:
0.029324671
mammary artery to the, score: 0.0152162695

confidence of prediction: 0.984757
Y_true: [4 13 18 20 22 24 34 39]

Y_pred: [3 4 13 18 20 22 24 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed and, score: 0.7034802
lotions powders or ointments to, score: 0.08944455
incisions no baths or, score: 0.07779864

confidence of prediction: 0.993911
Y_true: [4 13 18 20 22 24 34 39]
Y_pred: [3 4 13 18 20 22 24 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension dyslipidemia hiatal hernia gerd, score: 0.20000297
medical history hypertension dyslipidemia h o, score: 0.13784531
history of hypertension hypercholesterolemia palpitations and
coronary, score: 0.065211944

confidence of prediction: 0.755638
Y_true: [4 13 18 20 22 24 34 39]
Y_pred: [3 4 13 18 20 22 24 34]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
non st elevation myocardial infarction vasovagal episode, score:
0.021820981
for myocardial infarction based, score: 0.014731804
left circumflex coronary arteries ruled in, score: 0.006988093

confidence of prediction: 0.998949
Y_true: [4 13 18 20 22 24 34 39]
Y_pred: [3 4 13 18 20 22 24 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.6022565
coronary artery disease s p cabg non st, score: 0.12750158
coronary artery disease who, score: 0.030346874

confidence of prediction: 0.951827
Y_true: [4 13 18 20 22 24 34 39]
Y_pred: [3 4 13 18 20 22 24 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hiatal hernia gerd colonic polyps s p, score: 0.08389473
hiatal hernia gerd colonic polyps s p, score: 0.020826131
listing of medications conclusions pre, score: 0.0077907294

confidence of prediction: 0.593167
Y_true: [2 12 16 17 26 31 35 37 40 42]
Y_pred: [17 26 29 37]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
on picc line care heparin, score: 0.17358425
day picc line care heparin, score: 0.068020314
illness 73m with history, score: 0.026989797

confidence of prediction: 0.982162
Y_true: [2 12 16 17 26 31 35 37 40 42]
Y_pred: [17 26 29 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib lopressor mg iv given, score: 0.4105787
afib hospital hospital acquired pneumonia, score: 0.2912461
afib has not been on, score: 0.24801086

confidence of prediction: 0.881254
Y_true: [2 12 16 17 26 31 35 37 40 42]
Y_pred: [17 26 29 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
lumen pepcid mg tablet sig, score: 0.032928344
vac dressing pt put, score: 0.011861882
hospital acquired pneumonia vesicular rectal fistula, score:
0.011013579

confidence of prediction: 0.537995
Y_true: [10 17 20 23 40 42]
Y_pred: [17 20 23 24 40 42 44]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
morning hd6 pod6 vss, score: 0.12765945
line and central line were d c, score: 0.058493987
[UNK] and required re, score: 0.05007884

confidence of prediction: 0.783218
Y_true: [10 17 20 23 40 42]
Y_pred: [17 20 23 24 40 42 44]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history of htn cad h o mi, score: 0.17115739
infrarenal fusiform aaa extending to, score: 0.13981362
medical history htn cad h o mi, score: 0.12081019

confidence of prediction: 0.622062
Y_true: [10 17 20 23 40 42]
Y_pred: [17 20 23 24 40 42 44]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
history htn cad h o mi carotid, score: 0.0011483525
of htn cad h o mi carotid, score: 0.0007278387
to d c to, score: 0.00038396602

confidence of prediction: 0.865032
Y_true: [10 17 20 23 40 42]
Y_pred: [17 20 23 24 40 42 44]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
required re intubation and steroids, score: 0.08768277
and intubated and was, score: 0.0191027
control and pre op, score: 0.009658437

confidence of prediction: 0.735540
Y_true: [10 17 20 23 40 42]
Y_pred: [17 20 23 24 40 42 44]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
required re intubation and steroids patient, score: 0.063328356
and intubated and was, score: 0.02626206
on sips hd3 pod2 no, score: 0.01568073

confidence of prediction: 0.875897
Y_true: [4 18 20 24 34]
Y_pred: [4 13 18 20 24 34 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
pda hypertension hyperlipidemia cervical radiculopathy benign
essential, score: 0.16571212
cath hypertension hyperlipidemia cervical radiculopathy benign ess
tremor, score: 0.056527175
cabg in 60s physical, score: 0.018788986

confidence of prediction: 0.970527
Y_true: [4 18 20 24 34]
Y_pred: [4 13 18 20 24 34 40 42]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
lotions powders or ointments to, score: 0.31414202
incisions no baths or, score: 0.27323994
cardiothoracic allergies lisinopril attending, score: 0.038098704

confidence of prediction: 0.993268
Y_true: [4 18 20 24 34]
Y_pred: [4 13 18 20 24 34 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
ramus pda hypertension hyperlipidemia cervical radiculopathy benign,
score: 0.3478278
lipitor sertraline atenolol lithium mirapex isosorbide asa, score:
0.07575415
disease cath hypertension hyperlipidemia cervical radiculopathy
benign, score: 0.04429591

confidence of prediction: 0.987153
Y_true: [4 18 20 24 34]
Y_pred: [4 13 18 20 24 34 40 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s, score: 0.14304994
coronary artery disease since, score: 0.13617495
coronary artery disease cath, score: 0.13617495

confidence of prediction: 0.814757
Y_true: [4 18 20 24 34]

Y_pred: [4 13 18 20 24 34 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
dementia gastroesophageal reflux disease bipolar d o, score:
0.03155352
gastroesophageal reflux disease s p appendectomy, score: 0.022530982
[UNK] machine echocardiographic measurements, score: 0.0019980464

confidence of prediction: 0.732401
Y_true: [10 16 17 28 31 33 37 40 41 43]
Y_pred: [17 26 30 31 33 40 41 42 43 45]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
central line placed on right, score: 0.1365356
given picc line for nutrition and, score: 0.07027229
subclavian line placement that required emergent, score: 0.05585229

confidence of prediction: 0.638749
Y_true: [10 16 17 28 31 33 37 40 41 43]
Y_pred: [17 26 30 31 33 40 41 42 43 45]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
possible aspiration pna with recent left, score: 0.1927773
recent aspiration pneumonia would be very, score: 0.07855329
until made cmo code, score: 0.025605347

confidence of prediction: 0.917810
Y_true: [10 16 17 28 31 33 37 40 41 43]
Y_pred: [17 26 30 31 33 40 41 42 43 45]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
her respiratory failure multifocal atrial, score: 0.081117675
acute respiratory failure requiring intubation, score: 0.05080548
patient required reintubation arterial line, score: 0.03195678

confidence of prediction: 0.897571
Y_true: [10 16 17 28 31 33 37 40 41 43]
Y_pred: [17 26 30 31 33 40 41 42 43 45]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
patient required reintubation arterial line placed, score:
0.061142422
patient re intubated on patient, score: 0.03316618
failed extubations hypoxic respiratory failure, score: 0.01217729

confidence of prediction: 0.889960
Y_true: [10 16 17 28 31 33 37 40 41 43]
Y_pred: [17 26 30 31 33 40 41 42 43 45]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
feeding tube she was, score: 0.09301833
feeding gastrotomy tube inserted, score: 0.082403384
a feeding gastrostomy or, score: 0.062915884

confidence of prediction: 0.727473
Y_true: [10 16 17 28 31 33 37 40 41 43]
Y_pred: [17 26 30 31 33 40 41 42 43 45]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
reintubation arterial line placed on, score: 0.045821954
a feeding gastrotomy tube inserted, score: 0.039498165
a feeding gastrostomy or, score: 0.027438888

confidence of prediction: 0.833057
Y_true: [4 7 21 28]
Y_pred: [4 7 20 28]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
pmh htn hld dm pvd p, score: 0.21362308
pmh htn hld dm pvd p w, score: 0.21362308
simvastatin mg tablet daily, score: 0.031805974

confidence of prediction: 0.547396
Y_true: [4 7 21 28]
Y_pred: [4 7 20 28]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
noticed bright red blood, score: 0.20615174
after his endoscopy per, score: 0.18691286
history of present illness, score: 0.10278168

confidence of prediction: 0.771971
Y_true: [4 7 21 28]
Y_pred: [4 7 20 28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.68930167
upper endoscopy revealed likely doctor, score: 0.06827206
after his endoscopy per, score: 0.041824818

confidence of prediction: 0.988771
Y_true: [13 14 17 18 20 23 24 26 27 38 49]
Y_pred: [4 13 18 20 24 26 27 38 44]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)
coronary artery reverse saphenous vein single, score: 0.16888838
coronary artery reverse saphenous vein graft, score: 0.14807017
coronary artery reverse saphenous vein single, score: 0.10271752

confidence of prediction: 0.932025
Y_true: [13 14 17 18 20 23 24 26 27 38 49]
Y_pred: [4 13 18 20 24 26 27 38 44]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders on, score: 0.6977933
bypass grafting x4 left internal, score: 0.0783677
grafting and maze procedure, score: 0.040791083

confidence of prediction: 0.834132
Y_true: [13 14 17 18 20 23 24 26 27 38 49]
Y_pred: [4 13 18 20 24 26 27 38 44]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
qd digoxin tues and, score: 0.1255283
quinapril qd zetia qd vitamin, score: 0.087203994
atrial fibrillation hypertension dyslipidemia prior pacemaker for,
score: 0.0833051

confidence of prediction: 0.996339
Y_true: [13 14 17 18 20 23 24 26 27 38 49]
Y_pred: [4 13 18 20 24 26 27 38 44]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery reverse saphenous, score: 0.12735003
coronary artery reverse saphenous, score: 0.12329017
coronary artery disease and, score: 0.11932902

confidence of prediction: 0.923290
Y_true: [13 14 17 18 20 23 24 26 27 38 49]
Y_pred: [4 13 18 20 24 26 27 38 44]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation and was restarted, score: 0.17480068
atrial fibrillation history disp tablet, score: 0.058100726
atrial fibrillation hypertension dyslipidemia prior, score:
0.031940352

confidence of prediction: 0.923493
Y_true: [13 14 17 18 20 23 24 26 27 38 49]
Y_pred: [4 13 18 20 24 26 27 38 44]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic congestive heart failure coronary artery disease, score:
0.30320874
moderate mitral regurgitation is, score: 0.0046395026
mitral regurgitation and mild, score: 0.0037580223

confidence of prediction: 0.768419
Y_true: [13 14 17 18 20 23 24 26 27 38 49]
Y_pred: [4 13 18 20 24 26 27 38 44]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization aortic valve, score: 0.39522347
cath coronary angiography of this, score: 0.1000048
sdu on postoperative day, score: 0.048870582

confidence of prediction: 0.771031
Y_true: [4 10 20]
Y_pred: [4 20]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)

history htn hyperlipidemia long term tobacco, score: 0.18559007
o htn hyperlipidemia but denies cad and, score: 0.08975364
fat low cholesterol to maintain your, score: 0.01599873

confidence of prediction: 0.974036
Y_true: [4 10 20]
Y_pred: [4 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
coreg qd zocor qd valium, score: 0.22502218
wish assistance on pod, score: 0.026211223
hyperlipidemia but denies cad and dm past medical history htn
hyperlipidemia long term, score: 0.02410499

confidence of prediction: 0.850838
Y_true: [1 7 15 18 27 30 38 39]
Y_pred: [1 18 30]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
s levothyroxine mcg tablet sig, score: 0.0024769243
syndrome osteoarthritis hypothyroidism skin ca psoriasis s, score:
0.0014262031

confidence of prediction: 0.966976
Y_true: [1 7 15 18 27 30 38 39]
Y_pred: [1 18 30]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies codeine attending, score: 0.16536942
descending thoracic aorta the, score: 0.005159425
gently diuresed towards her preoperative, score: 0.0035374637

confidence of prediction: 0.673136
Y_true: [1 7 15 18 27 30 38 39]
Y_pred: [1 18 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
p bilat cataract surgs, score: 0.0012153754
disease chronic obstructive pulmonary disease stage i, score:
0.000778091

confidence of prediction: 0.550676
Y_true: [0 6 17 29 33 35 46]
Y_pred: [0 6 30 33 35 44 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
septic shock coagulopathy labs on, score: 0.07151303
status deteriorated goals of care, score: 0.035891924
and sepsis hyperkalemia related to last, score: 0.027434407

confidence of prediction: 0.725226
Y_true: [0 6 17 29 33 35 46]
Y_pred: [0 6 30 33 35 44 46]
top three important windows for true positive code 6 (276.2:

Acidosis)
metabolic acidosis abg secondary to hypovolemic, score: 0.12772249
hr100 [UNK] rr29 on, score: 0.046434272
a dirty femoral catheter, score: 0.02205593

confidence of prediction: 0.764871
Y_true: [0 6 17 29 33 35 46]
Y_pred: [0 6 30 33 35 44 46]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
hypoxemic respiratory failure resulting in, score: 0.22708298
hypoxemic respiratory failure patient was, score: 0.11986966
deteriorated the family iniitally, score: 0.0111313965

confidence of prediction: 0.638825
Y_true: [0 6 17 29 33 35 46]
Y_pred: [0 6 30 33 35 44 46]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
carboplatin etoposide c2d1 carboplatin, score: 0.061361898
after decompensation patient was, score: 0.044383693
morphine acute kidney injury on admission cr up from, score: 0.036652498

confidence of prediction: 0.819200
Y_true: [0 6 17 29 33 35 46]
Y_pred: [0 6 30 33 35 44 46]
top three important windows for true positive code 46 (995.92: Severe sepsis)
septic shock coagulopathy labs on, score: 0.06884843
and sepsis hyperkalemia related to last, score: 0.03178632
status deteriorated goals of care, score: 0.030899648

confidence of prediction: 0.864840
Y_true: [4 20 23 24 26 27 37]
Y_pred: [4 10 20 23 24 26 27 34 37]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
zocor spiriva coumadin discharge, score: 0.01475796
w stable coumadin dose, score: 0.014275485
neuropathy deafness hypertension hyperlipidemia urinary incontinence social history, score: 0.013818228

confidence of prediction: 0.976377
Y_true: [4 20 23 24 26 27 37]
Y_pred: [4 10 20 23 24 26 27 34 37]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
copd gerd hyperparathyroidism chol psh s p, score: 0.12591383
neuropathy deafness hypertension hyperlipidemia urinary incontinence social, score: 0.064426504
zocor spiriva coumadin discharge, score: 0.029922625

confidence of prediction: 0.694024

Y_true: [4 20 23 24 26 27 37]
Y_pred: [4 10 20 23 24 26 27 34 37]
top three important windows for true positive code 23 (412: Old myocardial infarction)
medical history cad s p mi in lcx and lad stent wandering, score: 0.0053648786
be managed medically no, score: 0.0020539602
psh s p ptca, score: 0.0007769139

confidence of prediction: 0.804485
Y_true: [4 20 23 24 26 27 37]
Y_pred: [4 10 20 23 24 26 27 34 37]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
and lad stent wandering atrial pacemaker, score: 0.13782242
history cad s p mi in lcx, score: 0.03427295
psh s p ptca, score: 0.017122222

confidence of prediction: 0.510820
Y_true: [4 20 23 24 26 27 37]
Y_pred: [4 10 20 23 24 26 27 34 37]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
chf afib copd gerd hyperparathyroidism, score: 0.07237344
amiodarone mg tablet sig, score: 0.02249375
zocor spiriva coumadin discharge medications, score: 0.012631689

confidence of prediction: 0.597272
Y_true: [4 20 23 24 26 27 37]
Y_pred: [4 10 20 23 24 26 27 34 37]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
history of chf afib copd gerd hyperparathyroidism, score: 0.08482101
sublingual every minutes x as, score: 0.021527542
that will increase your, score: 0.013766269

confidence of prediction: 0.927296
Y_true: [4 20 23 24 26 27 37]
Y_pred: [4 10 20 23 24 26 27 34 37]
top three important windows for true positive code 37 (599.0: Urinary tract infection, site not specified)
kcl zocor spiriva coumadin discharge, score: 0.023989312
mg tablet chewable sig, score: 0.010381554
days mg warfarin mg, score: 0.009598036

confidence of prediction: 0.707008
Y_true: [3 17 20 39]
Y_pred: [17 24 41]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
had picc line placed for longterm, score: 0.12541312
po q8h every hours, score: 0.034451835
scan normal tracer distribution, score: 0.033065084

confidence of prediction: 0.857343
Y_true: [4 20 32 47]
Y_pred: [2 20 35 40]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pmh of htn pvd and dm s, score: 0.18332522
chronic cholecystitis and cholelithiasis, score: 0.054342344
type ii hypertension hyperlipidemia necrotizing pancreatitis with,
score: 0.047565065

confidence of prediction: 0.679311
Y_true: [3 5 20]
Y_pred: [3 5 20]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
htn and hypercholesterolemia presents after the, score: 0.15390053
medical history hypercholesterolemia htn social history lawyer,
score: 0.07248542
a pica aneurysm medications, score: 0.009305896

confidence of prediction: 0.552261
Y_true: [3 5 20]
Y_pred: [3 5 20]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
hr repeat tcd s on, score: 0.8848905
vert tcd s impression, score: 0.022477856
mild vasospasm in the, score: 0.014286523

confidence of prediction: 0.971110
Y_true: [3 5 20]
Y_pred: [3 5 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history hypercholesterolemia htn social history lawyer drink, score:
0.07088541
hctz lorazepam nortriptyline percocet, score: 0.06973649
htn and hypercholesterolemia presents after, score: 0.05170544

confidence of prediction: 0.949518
Y_true: [2 20 24 40 42]
Y_pred: [2 7 20 40 41 42 43]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
daily metformin 500mg po daily, score: 0.006439308
htn and niddm who had a mechanical, score: 0.004560948
cad htn niddm b l cataract surgery, score: 0.0039821267

confidence of prediction: 0.804125
Y_true: [2 20 24 40 42]
Y_pred: [2 7 20 40 41 42 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

residue with solids brief, score: 0.18628782
pmh cad htn niddm b l cataract, score: 0.0776991
pmh cad htn and niddm who had, score: 0.0754629

confidence of prediction: 0.798048
Y_true: [2 20 24 40 42]
Y_pred: [2 7 20 40 41 42 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
she was intubated easily, score: 0.10057363
she was intubated in the, score: 0.0826867
was intubated is unclear, score: 0.033250317

confidence of prediction: 0.627643
Y_true: [2 20 24 40 42]
Y_pred: [2 7 20 40 41 42 43]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
her intubation and sedation she was, score: 0.2138298
she was intubated easily, score: 0.07953432
her intubation she received etomidate, score: 0.045730118

confidence of prediction: 0.544677
Y_true: [17]
Y_pred: [9 17]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
and initially continued to, score: 0.24979284
history of present illness, score: 0.11704942
erythematous 2mm maculopapular rough rash, score: 0.08673032

confidence of prediction: 0.625875
Y_true: [2 13 17 18 20 24 25 30]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
hyperlipidemia diabetes mellitus coronary artery disease, score:
0.01622387
dependent diabetes mellitus s p rca, score: 0.01229355
his 1st marriage occupation retired tobacco quit, score:
0.0065702507

confidence of prediction: 0.999397
Y_true: [2 13 17 18 20 24 25 30]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
procedure cabg x lima to lad svg, score: 0.00041483104
washing incisions gently with mild, score: 0.00034913077
ointments to incisions each, score: 0.00027275606

confidence of prediction: 0.983586

Y_true: [2 13 17 18 20 24 25 30]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed toward his preop, score: 0.11751456
cabg x lima to, score: 0.10162503
cardiothoracic allergies cephalosporins attending, score:
0.027631598

confidence of prediction: 0.874938
Y_true: [2 13 17 18 20 24 25 30]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
kidney stones prostate ca, score: 0.14940512
medical history hypertension hyperlipidemia diabetes mellitus
coronary, score: 0.0734511
p cabg double valve, score: 0.06830305

confidence of prediction: 0.999541
Y_true: [2 13 17 18 20 24 25 30]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cabg x lima to, score: 0.7167818
coronary artery disease s, score: 0.035780318
s p angioplasty and, score: 0.035393324

confidence of prediction: 0.628843
Y_true: [4 7 9 13 18 24 25 27]
Y_pred: [9 13 18 24 25 26]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
developed a thrombocytopenia hit screen, score: 0.46478325
please wear bra to, score: 0.10090662
history coronray artery disease, score: 0.035806432

confidence of prediction: 0.989478
Y_true: [4 7 9 13 18 24 25 27]
Y_pred: [9 13 18 24 25 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass x lima lad mitral valve, score: 0.58226013
cabg x and mitral, score: 0.010638695
effusion post bypass the, score: 0.009322352

confidence of prediction: 0.985685
Y_true: [4 7 9 13 18 24 25 27]
Y_pred: [9 13 18 24 25 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7530941
bypass x lima lad, score: 0.0059300177
cardiothoracic allergies penicillins attending, score: 0.0040461

confidence of prediction: 0.999485
Y_true: [4 7 9 13 18 24 25 27]
Y_pred: [9 13 18 24 25 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass x lima lad, score: 0.7954075
coronray artery disease mild, score: 0.03960597
coronray artery disease mild, score: 0.013131565

confidence of prediction: 0.724456
Y_true: [4 7 9 13 18 24 25 27]
Y_pred: [9 13 18 24 25 26]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
severely thickened deformed there, score: 0.11541819
mitral regurgitation she is, score: 0.102989346
mitral regurgitation vena contracta, score: 0.074786134

confidence of prediction: 0.985558
Y_true: [4 7 18 20 23 24 26 32 42]
Y_pred: [4 18 20 23 24 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
and hypertension hyperlipidemia herniated disc lumbar left, score:
0.0071385116
sl mg sl prn, score: 0.0054314747
squamous cell carcinoma renal, score: 0.0038241243

confidence of prediction: 0.986534
Y_true: [4 7 18 20 23 24 26 32 42]
Y_pred: [4 18 20 23 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7651584
cardiothoracic allergies no known, score: 0.006187088
washing incisions gently with mild soap, score: 0.0022864398

confidence of prediction: 0.951875
Y_true: [4 7 18 20 23 24 26 32 42]
Y_pred: [4 18 20 23 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
lad and hypertension hyperlipidemia herniated disc lumbar, score:
0.06046947
on pft s incidental, score: 0.03949397
itchiness albuterol neb soln neb ih, score: 0.03733421

confidence of prediction: 0.713077
Y_true: [4 7 18 20 23 24 26 32 42]
Y_pred: [4 18 20 23 24 26]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
disease prior mi and s p pci stenting to, score: 0.4714154

sl mg sl prn, score: 0.0074842446
artery disease prior mi and s p pci stenting to, score: 0.002579496

confidence of prediction: 0.680613
Y_true: [4 7 18 20 23 24 26 32 42]
Y_pred: [4 18 20 23 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease prior mi and, score: 0.05519544
mg sl prn cp, score: 0.026679311
s p pci stenting to, score: 0.023421435

confidence of prediction: 0.981534
Y_true: [4 7 18 20 23 24 26 32 42]
Y_pred: [4 18 20 23 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation discharge condition alert, score: 0.0947758
atrial fibrillation furosemide mg iv bid, score: 0.0074883
developed atrial fibrillation he converted to sinus, score:
0.0016240884

confidence of prediction: 0.908061
Y_true: [2 20 29 30 49]
Y_pred: [2 20 29]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
chol pvd dm diet controlled location un, score: 0.05542886
line is in mid, score: 0.0015161609
cilostazol univasc advair kcl wellbutrin, score: 0.001206894

confidence of prediction: 0.993611
Y_true: [2 20 29 30 49]
Y_pred: [2 20 29]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn increase chol, score: 0.0571941
filter vena cava clipping, score: 0.03879902
hydrochlorothiazide mg tablet sig, score: 0.031042684

confidence of prediction: 0.698990
Y_true: [2 20 29 30 49]
Y_pred: [2 20 29]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
for pneumonia upper lungs, score: 0.07462752
lower lobe pneumonia brief hospital course, score: 0.04028964
a developing pneumonia he was started, score: 0.024284564

confidence of prediction: 0.710434
Y_true: [21 27 35 36 37]
Y_pred: [11 21 27 35 36 37]
top three important windows for true positive code 21 (403.90:

Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic renal failure creatinine was, score: 0.18685447
chronic renal failure discharge condition, score: 0.18685447
s renal function remained, score: 0.02294544

confidence of prediction: 0.883822
Y_true: [21 27 35 36 37]
Y_pred: [11 21 27 35 36 37]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cta bilat heart rrr ii vi, score: 0.009466086
hypertrophic cardiomyopathy chf anxiety depression g6pd deficiency,
score: 0.0077569466
renal failure discharge condition stable, score: 0.0038490598

confidence of prediction: 0.720487
Y_true: [21 27 35 36 37]
Y_pred: [11 21 27 35 36 37]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure creatinine was, score: 0.15141179
on chronic renal failure discharge condition, score: 0.15141179
acute renal failure hypertensive urgency, score: 0.11079964

confidence of prediction: 0.738102
Y_true: [21 27 35 36 37]
Y_pred: [11 21 27 35 36 37]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal failure creatinine was up, score: 0.17008397
chronic renal failure discharge condition, score: 0.17008397
s renal function remained, score: 0.028523436

confidence of prediction: 0.938420
Y_true: [21 27 35 36 37]
Y_pred: [11 21 27 35 36 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
given prn uti bacterial finished course, score: 0.057768542
function remained relatively stable, score: 0.01763392
resolved with improved blood, score: 0.00656833

confidence of prediction: 0.635200
Y_true: [37]
Y_pred: [37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
dip for leukocytes lg blood, score: 0.13277388
urinary tract that involved your, score: 0.12443158
leuk sm 00pm urine rbc, score: 0.036747474

confidence of prediction: 0.926079
Y_true: [2 47]

Y_pred: [2 15 20]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
caregiver metformin glucophage mg po daily, score: 0.08372103
metformin was held transitional, score: 0.06414675
refills metformin glucophage mg po daily, score: 0.046586297

confidence of prediction: 0.681423
Y_true: [1 7 20 24 34]
Y_pred: [1 7]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
admission levothyroxine mcg po daily omeprazole, score: 0.2271302
medications levothyroxine mcg tablet sig two, score: 0.1143044
pmh hypertension hypothyroidism cad and two, score: 0.008950985

confidence of prediction: 0.994273
Y_true: [1 7 20 24 34]
Y_pred: [1 7]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia requiring transfusion postoperative respiratory insufficiency
discharge, score: 0.90361077
bleeding with acute blood, score: 0.01565736
low hematocrits which required further, score: 0.010270453

confidence of prediction: 0.887777
Y_true: [0 2 3 8 9 16 17 27 29 33 37 40 42 46 47]
Y_pred: [2 4 17 27 33 40 41 42 43]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
hypoxia dm2 qid fingersticks were, score: 0.059721008
ablation dm ii history of rectal, score: 0.017118579
of glipizide metformin recently stopped at rehab, score:
0.0075096725

confidence of prediction: 0.605649
Y_true: [0 2 3 8 9 16 17 27 29 33 37 40 42 46 47]
Y_pred: [2 4 17 27 33 40 41 42 43]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
had significantly improved and, score: 0.23024328
and became oliguric renal was consulted, score: 0.101426125
and rapid recovery cardiology, score: 0.08324778

confidence of prediction: 0.987526
Y_true: [0 2 3 8 9 16 17 27 29 33 37 40 42 46 47]
Y_pred: [2 4 17 27 33 40 41 42 43]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
copd diastolic chf ef osa who presents, score: 0.008572854
copd diastolic chf ef osa and anxiety, score: 0.008572854

diastolic chf and pulmonary hypertension, score: 0.004960064

confidence of prediction: 0.772374
Y_true: [0 2 3 8 9 16 17 27 29 33 37 40 42 46 47]
Y_pred: [2 4 17 27 33 40 41 42 43]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
respiratory was called and, score: 0.10310197
s respiratory status improved, score: 0.10297482
family discussion pressors were, score: 0.05200406

confidence of prediction: 0.695591
Y_true: [0 2 3 8 9 16 17 27 29 33 37 40 42 46 47]
Y_pred: [2 4 17 27 33 40 41 42 43]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
and required paralytics due to dysynchronous, score: 0.58792496
was subsequently intubated she struggled with the, score: 0.08188926
to hypoxemia she again, score: 0.0059296233

confidence of prediction: 0.775154
Y_true: [0 2 3 8 9 16 17 27 29 33 37 40 42 46 47]
Y_pred: [2 4 17 27 33 40 41 42 43]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
and required paralytics due to dysynchronous, score: 0.8156075
was subsequently intubated she struggled with the, score: 0.015462078
elevated lfts up to, score: 0.001684785

confidence of prediction: 0.777978
Y_true: [0 4 30]
Y_pred: [2 4 30]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
hl stable continued statin and, score: 0.17693552
constipation copd hl djd atypical chest pain, score: 0.13292526
diabetes mellitus hyperlipidemia discharge condition mental, score: 0.056294534

confidence of prediction: 0.779856
Y_true: [0 4 30]
Y_pred: [2 4 30]
top three important windows for true positive code 30 (496: Chronic airway obstruction, not elsewhere classified)
obesity constipation copd hl djd atypical chest, score: 0.8060156
of dmii copd schizoaffective disorder and substance, score: 0.007969223

confidence of prediction: 0.621954
Y_true: [7 11 28]
Y_pred: [28]
top three important windows for true positive code 28 (45.13: Other

endoscopy of small intestine)
history of present illness, score: 0.47358733
performed an endoscopy to determine, score: 0.07118777
otherwise normal egd to, score: 0.035505623

confidence of prediction: 0.981192
Y_true: [13 14 18 20 24 26 38 39 44 49]
Y_pred: [13 14 18 20 24 26 38]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass grafting to four, score: 0.14403868
coronary artery bypass grafting x4 with the, score: 0.06311043
mammary artery to the, score: 0.027593777

confidence of prediction: 0.565697
Y_true: [13 14 18 20 24 26 38 39 44 49]
Y_pred: [13 14 18 20 24 26 38]
top three important windows for true positive code 14 (37.22: Left heart cardiac catheterization)
cardiac catheterization coronary angiography in, score: 0.13686855
iabp unchanged intially later, score: 0.058060836
balloon pump was placed, score: 0.023447279

confidence of prediction: 0.982328
Y_true: [13 14 18 20 24 26 38 39 44 49]
Y_pred: [13 14 18 20 24 26 38]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were removed and, score: 0.40222302
bypass grafting x4 with the, score: 0.040034417
cardiothoracic allergies patient recorded, score: 0.0075404444

confidence of prediction: 0.627654
Y_true: [13 14 18 20 24 26 38 39 44 49]
Y_pred: [13 14 18 20 24 26 38]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
artery disease hypertension deep vein thrombosis, score: 0.20724902
significant for hypertension prior, score: 0.11613609
post bypass patient is, score: 0.082429975

confidence of prediction: 0.996179
Y_true: [13 14 18 20 24 26 38 39 44 49]
Y_pred: [13 14 18 20 24 26 38]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery disease elevated, score: 0.29526353
coronary artery disease hypertension deep vein thrombosis, score: 0.0961385
vessel total occlusion the, score: 0.08580306

confidence of prediction: 0.982935
Y_true: [13 14 18 20 24 26 38 39 44 49]
Y_pred: [13 14 18 20 24 26 38]

top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation discharge condition alert, score: 0.064967796
atrial fibrillation which converted back, score: 0.007686651
amiodarone mg tablet sig, score: 0.0042542545

confidence of prediction: 0.777785
Y_true: [13 14 18 20 24 26 38 39 44 49]
Y_pred: [13 14 18 20 24 26 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization coronary angiography in, score: 0.1313154
pump past medical history, score: 0.060294885
iabp unchanged intially later, score: 0.058875244

confidence of prediction: 0.802454
Y_true: [6 11 20 26 30 49]
Y_pred: [1 4 17 20 26 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
[UNK] q6prn advair amlodipine, score: 0.14992265
hypertension hyperlipidemia copd vocal chord, score: 0.11902297
2qhs metoprolol omeprazole quetiapine, score: 0.08518219

confidence of prediction: 0.984750
Y_true: [6 11 20 26 30 49]
Y_pred: [1 4 17 20 26 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib metoprolol succinate mg tablet, score: 0.121236235
atrial fibrillation current smoking pack, score: 0.07931108
fib she has held, score: 0.043703713

confidence of prediction: 0.656220
Y_true: [6 11 20 26 30 49]
Y_pred: [1 4 17 20 26 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fibrillation on coumadin shingles depression peripheral, score:
0.71445906
placed on coumadin for a fib she has held, score: 0.068789236
coumadin was resumed and, score: 0.024258917

confidence of prediction: 0.880162
Y_true: [7 20 41]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
p cva hypertension psh umbilical hernia repair, score: 0.13917115
secondary diagnosis hypertension sleep apnea s, score: 0.018165002
organ injury fully calcified, score: 0.013670789

confidence of prediction: 0.888180
Y_true: [1 4 28]

Y_pred: [3 28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.6207511
performed an egd which revealed a mass, score: 0.050233375
you have iodinated contrast, score: 0.021256285

confidence of prediction: 0.869077
Y_true: [6 8 11 20 30 37]
Y_pred: [20 30 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
ccy appy perforated ulcers x3 hysterectomy bilateral total, score:
0.19911747
hypertension pvd copd not, score: 0.052889224

confidence of prediction: 0.714419
Y_true: [6 8 11 20 30 37]
Y_pred: [20 30 40 42]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
history htn copd not on home, score: 0.11100312
of htn copd not on home, score: 0.0702434
hypertension pvd copd not on home, score: 0.054004684

confidence of prediction: 0.674650
Y_true: [0 2 10]
Y_pred: [2]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
diabetes type ii diagnosed year, score: 0.1936074
lantus qpm 5qam metformin 500bid neurontin asa discharge, score:
0.042902913
type ii diabetes mellitus who two, score: 0.03025433

confidence of prediction: 0.538776
Y_true: [10 33]
Y_pred: [10 27]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
abuse tobacco abuse h o, score: 0.027856575
smoking cig day she had, score: 0.006882955
infection got albuterol and, score: 0.0061554858

confidence of prediction: 0.845225
Y_true: [3 4 5 8 13 14 24 38]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
medical history hyperlipidemia hypertension pilonidal cyst removed,
score: 0.120183036
of htn hyperlipidemia and negative cardiac, score: 0.104544975
hypertension and hyperlipidemia presenting with exertional

substernal, score: 0.0873623

confidence of prediction: 0.984952
Y_true: [3 4 5 8 13 14 24 38]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass grafting, score: 0.3233147
coronary artery bypass grafting, score: 0.059414577
coronary artery bypass graft x3 left internal mammary artery, score: 0.059414577

confidence of prediction: 0.996044
Y_true: [3 4 5 8 13 14 24 38]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery disease discharge, score: 0.17704144
coronary artery bypass grafting, score: 0.15959561
off pump coronary artery bypass graft, score: 0.06551634

confidence of prediction: 0.972879
Y_true: [4 15 20 26 27 33 38 40 42 47 49]
Y_pred: [4 14 15 20 22 24 26 27 29 38 42 49]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
dyslipidemia htn originally presents to, score: 0.087603256
factors diabetes dyslipidemia hypertension, score: 0.034176856
hyperlipidemia history of hyperlipidemia on statin last, score: 0.024564145

confidence of prediction: 0.698162
Y_true: [4 15 20 26 27 33 38 40 42 47 49]
Y_pred: [4 14 15 20 22 24 26 27 29 38 42 49]
top three important windows for true positive code 15 (37.23: Combined right and left heart cardiac catheterization)
cardiac catherization swan ganz, score: 0.7768363
comments coronary angiography in, score: 0.044883043
lmca lad lcx and rca, score: 0.013292274

confidence of prediction: 0.991253
Y_true: [4 15 20 26 27 33 38 40 42 47 49]
Y_pred: [4 14 15 20 22 24 26 27 29 38 42 49]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
on discharge htn history of hypertension managed with atenolol normotensive, score: 0.054606743
afib dyslipidemia htn discharge, score: 0.044198
coumadin dyslipidemia htn originally, score: 0.03998626

confidence of prediction: 0.997350
Y_true: [4 15 20 26 27 33 38 40 42 47 49]
Y_pred: [4 14 15 20 22 24 26 27 29 38 42 49]
top three important windows for true positive code 26 (427.31:

Atrial fibrillation)
afib on warfarin htn, score: 0.5893969
afib on coumadin dyslipidemia htn, score: 0.15628608
afib dyslipidemia htn discharge, score: 0.03845345

confidence of prediction: 0.867233
Y_true: [4 15 20 26 27 33 38 40 42 47 49]
Y_pred: [4 14 15 20 22 24 26 27 29 38 42 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic congestive heart failure secondary diagnosis chronic,
score: 0.06581589
afib on warfarin htn, score: 0.021726856
yourself every morning call, score: 0.014674288

confidence of prediction: 0.939273
Y_true: [4 15 20 26 27 33 38 40 42 47 49]
Y_pred: [4 14 15 20 22 24 26 27 29 38 42 49]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catherization swan ganz, score: 0.698912
comments coronary angiography in this, score: 0.1407129
lmca lad lcx and rca, score: 0.018898586

confidence of prediction: 0.985891
Y_true: [4 15 20 26 27 33 38 40 42 47 49]
Y_pred: [4 14 15 20 22 24 26 27 29 38 42 49]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
con intubated intubated 06pm k 06pm, score: 0.008671255
tidal vol peep po2 pco2 ph, score: 0.0032793346
ganz catheter intubation history of present illness, score:
0.0005926425

confidence of prediction: 0.870615
Y_true: [4 15 20 26 27 33 38 40 42 47 49]
Y_pred: [4 14 15 20 22 24 26 27 29 38 42 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on warfarin htn, score: 0.7138704
afib on warfarin at, score: 0.1652707
afib on coumadin dyslipidemia, score: 0.04532833

confidence of prediction: 0.761923
Y_true: [4 17 20 44]
Y_pred: [4 7 17 20 44]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
last placed hyperlipidemia hypertension gout anxiety medications,
score: 0.19269982
last placed hyperlipidemia hypertension gout anxiety discharge,
score: 0.19269982
metastatic cholangiocarcinoma presents with transient, score:

0.06437241

confidence of prediction: 0.914581
Y_true: [4 17 20 44]
Y_pred: [4 7 17 20 44]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line placed rij on, score: 0.15059613
femoral line placed in field, score: 0.10468044
performed access rij placed and removed, score: 0.068412334

confidence of prediction: 0.543916
Y_true: [4 17 20 44]
Y_pred: [4 7 17 20 44]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
[UNK] cisplatin gemcitabine on who presents, score: 0.21870674
placed hyperlipidemia hypertension gout anxiety, score: 0.1763704
coded in clinic in, score: 0.03105817

confidence of prediction: 0.659535
Y_true: [4 17 20 44]
Y_pred: [4 7 17 20 44]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
received units prbcs in ed plus, score: 0.20760973
transfusions of prbc no more, score: 0.15523876
scheduled prbc transfusion emergency, score: 0.06991651

confidence of prediction: 0.537434
Y_true: [0 2 4 11 20 29 33 41 42 46]
Y_pred: [2 4 17 20 40 42 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
and type diabetes psh cabg left carotid, score: 0.08263106
po qam glyburide mg po daily, score: 0.005448147
coronary artery disease left, score: 0.004763065

confidence of prediction: 0.880868
Y_true: [0 2 4 11 20 29 33 41 42 46]
Y_pred: [2 4 17 20 40 42 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
diabetes psh cabg left carotid endarterectomy, score: 0.031616874
pmh depression coronary artery disease left, score: 0.012325759
stenosis in hypertension hyperlipidemia peripheral vascular disease,
score: 0.009970746

confidence of prediction: 0.933043
Y_true: [0 2 4 11 20 29 33 41 42 46]
Y_pred: [2 4 17 20 40 42 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

coronary artery disease left, score: 0.14090513
stenosis in hypertension hyperlipidemia peripheral vascular disease,
score: 0.08654474
talked to both daughters, score: 0.06054063

confidence of prediction: 0.793881
Y_true: [0 2 4 11 20 29 33 41 42 46]
Y_pred: [2 4 17 20 40 42 48]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated upon arrival and, score: 0.4177109
neuro intubated and sedated mental, score: 0.35921228
hospital1 intubated and sedated, score: 0.030157901

confidence of prediction: 0.826940
Y_true: [6 11 20 34 40 42]
Y_pred: [4 8 11 20 33 34 40]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
therapy wbat cpm advancing as tolerated to, score: 0.011581097
therapy wbat cpm advancing as tolerated, score: 0.011581097
machine advancing as tolerated, score: 0.008642773

confidence of prediction: 0.507367
Y_true: [6 11 20 34 40 42]
Y_pred: [4 8 11 20 33 34 40]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
aneurysm clipping htn asthma depression gerd, score: 0.15103108
hct albuterol effexor pantoprazole, score: 0.08602716
wbat cpm advancing as tolerated, score: 0.077895865

confidence of prediction: 0.835621
Y_true: [6 11 20 34 40 42]
Y_pred: [4 8 11 20 33 34 40]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
therapy wbat cpm advancing as, score: 0.024846649
htn asthma depression gerd obesity smokes 1ppd social, score:
0.015601548
physical therapy wbat cpm advancing as, score: 0.0060122386

confidence of prediction: 0.848398
Y_true: [6 11 20 34 40 42]
Y_pred: [4 8 11 20 33 34 40]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was tolerating a regular, score: 0.027237413
and dry it is, score: 0.004726497
your surgeon s office, score: 0.0025935436

confidence of prediction: 0.681777
Y_true: [7 17 41]

Y_pred: [7 17]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
anemia he was taken, score: 0.08855265
closure the volar wound was, score: 0.07857283
service orthopaedics allergies patient recorded as having no, score: 0.07402736

confidence of prediction: 0.718898
Y_true: [7 17 41]
Y_pred: [7 17]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
septic necrotizing fasciitis upon admission, score: 0.061907575
on saturdays sundays or, score: 0.05395515
on broad spectrum antibiotics, score: 0.027293969

confidence of prediction: 0.846539
Y_true: [4 7 26 34 49]
Y_pred: [4 20 23 26 34 49]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
alone hld statin was initially held, score: 0.023090983
pilocarpine eye drops q6h, score: 0.019541051
af dm depression hyperlipidemia recent admission for, score: 0.014230678

confidence of prediction: 0.922773
Y_true: [4 7 26 34 49]
Y_pred: [4 20 23 26 34 49]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
af on coumadin dm, score: 0.63456327
af with rvr non, score: 0.13761958
fib were discussed in, score: 0.03172547

confidence of prediction: 0.551984
Y_true: [4 7 26 34 49]
Y_pred: [4 20 23 26 34 49]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
gerd atrial fibrillation diabetes mellitus, score: 0.18613264
multiple discussions were held with, score: 0.0133062
aphasia gerd af dm depression hyperlipidemia, score: 0.011189172

confidence of prediction: 0.688967
Y_true: [4 7 26 34 49]
Y_pred: [4 20 23 26 34 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
af on coumadin dm, score: 0.77274495
daily atrovent coumadin mg, score: 0.09924915
new medication warfarin asa, score: 0.021966813

confidence of prediction: 0.962805
Y_true: [2 4 13 14 18 20 24 38]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
couple days including today, score: 0.003718859
inotropic support post cpb, score: 0.0034866184
and tardus in cartoid with bilateral, score: 0.0027240065

confidence of prediction: 0.893266
Y_true: [2 4 13 14 18 20 24 38]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
avr hypertension hyperlipidemia arthritis atrial and ventricular,
score: 0.1604001
history hypertension hyperlipidemia diabetes mellitus borderline
arthritis, score: 0.09264844
vit d 1000u daily, score: 0.027596487

confidence of prediction: 0.867207
Y_true: [2 4 13 14 18 20 24 38]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)
coronary artery bypass graft, score: 0.35207197
coronary artery bypass grafting x1, score: 0.08171083
effusion post bypass the, score: 0.036846135

confidence of prediction: 0.979126
Y_true: [2 4 13 14 18 20 24 38]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies patient recorded, score: 0.014558338
grafting x1 with left, score: 0.012169354
tee was performed in, score: 0.009843762

confidence of prediction: 0.868555
Y_true: [2 4 13 14 18 20 24 38]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
p avr hypertension hyperlipidemia arthritis atrial and, score:
0.12293494
medical history hypertension hyperlipidemia diabetes mellitus
borderline, score: 0.10713814
d 1000u daily moexipril 15mg, score: 0.07335572

confidence of prediction: 0.964547
Y_true: [2 4 13 14 18 20 24 38]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 24 (414.01:

Coronary atherosclerosis of native coronary artery)
coronary artery disease s p cabg aortic, score: 0.40917405
coronary artery bypass graft, score: 0.08254483
coronary artery disease and, score: 0.063016035

confidence of prediction: 0.971728
Y_true: [2 17 18 19 20 26 32 35 39 41]
Y_pred: [18 19 26 40 42]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies heparin agents, score: 0.0479426
washing incisions gently with mild soap, score: 0.009024
had to lie down in, score: 0.005892293

confidence of prediction: 0.592543
Y_true: [2 17 18 19 20 26 32 35 39 41]
Y_pred: [18 19 26 40 42]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
on dialysis and his bun and, score: 0.08275709
fluid overloaded cvvh was started a renal, score: 0.05166181
failure requiring hemodialysis discharge condition alert, score:
0.045641676

confidence of prediction: 0.970446
Y_true: [2 17 18 19 20 26 32 35 39 41]
Y_pred: [18 19 26 40 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on which was treated, score: 0.5461492
atrial fibrillation social history no, score: 0.2879797
atrial fibrillation renal failure requiring, score: 0.0028978833

confidence of prediction: 0.941585
Y_true: [2 20]
Y_pred: [2 4 20]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
and dm s p fall, score: 0.06903498
daily metformin glucophage mg po bid, score: 0.062808074
lantus nf insulin glargine, score: 0.025292879

confidence of prediction: 0.980035
Y_true: [2 20]
Y_pred: [2 4 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn and dm s p, score: 0.12669589
history dm htn hl social history married, score: 0.12613006
metformin glucophage mg po, score: 0.030531563

confidence of prediction: 0.664728
Y_true: [4 13 18 20 24 26 34]

Y_pred: [4 13 18 20 24 26 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
x hypertension dyslipidemia arthritis gastroesophageal reflux
disease, score: 0.046105616
omeprazole simvastatin asa discharge medications, score: 0.020633953
htn borderline recently diagnosed dyslipidemia recently diagnosed
mild, score: 0.010508056

confidence of prediction: 0.988643
Y_true: [4 13 18 20 24 26 34]
Y_pred: [4 13 18 20 24 26 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting to, score: 0.5767341
coronary artery bypass grafting to three, score: 0.08823148
descending artery saphenous vein graft, score: 0.04356414

confidence of prediction: 0.965234
Y_true: [4 13 18 20 24 26 34]
Y_pred: [4 13 18 20 24 26 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.4099557
cardiothoracic allergies patient recorded, score: 0.010103946
bypass graft x hypertension, score: 0.0059627215

confidence of prediction: 0.953925
Y_true: [4 13 18 20 24 26 34]
Y_pred: [4 13 18 20 24 26 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension dyslipidemia arthritis gastroesophageal reflux, score:
0.037231676
extremely active walking on, score: 0.03105441
started stopped isosorbide mononitrate metoprolol tartrate, score:
0.022230893

confidence of prediction: 0.998932
Y_true: [4 13 18 20 24 26 34]
Y_pred: [4 13 18 20 24 26 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.5860515
coronary artery disease s p coronary artery bypass graft, score:
0.1240709
coronary artery disease he, score: 0.040655196

confidence of prediction: 0.943847
Y_true: [4 13 18 20 24 26 34]
Y_pred: [4 13 18 20 24 26 34]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation titrate coumadin dose, score: 0.31261486

atrial fibrillation he was placed, score: 0.14443333
atrial fibrillation with a controlled, score: 0.12570469

confidence of prediction: 0.923097
Y_true: [4 13 18 20 24 26 34]
Y_pred: [4 13 18 20 24 26 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
arthritis gastroesophageal reflux disease discharge condition good,
score: 0.060026247
medical history gerd recently diagnosed htn borderline, score:
0.027157888
extremely active walking on, score: 0.003026946

confidence of prediction: 0.785325
Y_true: [4 8 26 34 40 42]
Y_pred: [4 20 24 26 33 34 40 42 43]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
coronary intervention hyperlipidemia peripheral, score: 0.20122193
factors diabetes dyslipidemia hypertension cardiac history cabg,
score: 0.1552913
81mg daily hld continued on home rosuvastatin, score: 0.14958535

confidence of prediction: 0.933344
Y_true: [4 8 26 34 40 42]
Y_pred: [4 20 24 26 33 34 40 42 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation s p pvi, score: 0.3110874
atrial fibrillation coronary artery disease, score: 0.12189993
paf diagnosed in failed, score: 0.066008516

confidence of prediction: 0.877116
Y_true: [4 8 26 34 40 42]
Y_pred: [4 20 24 26 33 34 40 42 43]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
and zetia gerd he was initially transition, score: 0.048386503
550x20 peep fio2 general, score: 0.0018291319
history of present illness, score: 0.0016069933

confidence of prediction: 0.725464
Y_true: [4 8 26 34 40 42]
Y_pred: [4 20 24 26 33 34 40 42 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was reintubated in the, score: 0.24837802
requiring re intubation somnolence given, score: 0.113742754
general sedated intubated heent ncat, score: 0.07000367

confidence of prediction: 0.798809
Y_true: [4 8 26 34 40 42]
Y_pred: [4 20 24 26 33 34 40 42 43]

top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was reintubated in the, score: 0.14069253
requiring re intubation somnolence given, score: 0.074849755
was intubated and sedated, score: 0.05916158

confidence of prediction: 0.894064
Y_true: [4 13 18 20 24]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
daily coenzyme q10 prescribed, score: 0.08200756
colectomy htn hyperlipidemia found to, score: 0.073399745
infection hypertension hyperlipidemia arthritis in knees hernia,
score: 0.060280614

confidence of prediction: 0.988275
Y_true: [4 13 18 20 24]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft x left, score: 0.49220562
descending saphenous vein graft, score: 0.05258511
tee conclusions prebypass no, score: 0.03846752

confidence of prediction: 0.986373
Y_true: [4 13 18 20 24]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7291557
diuresed toward the preoperative, score: 0.020573147
tee conclusions prebypass no, score: 0.0065851873

confidence of prediction: 0.995719
Y_true: [4 13 18 20 24]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension hyperlipidemia arthritis in knees, score: 0.059222545
coenzyme q10 prescribed by, score: 0.03685696
colectomy htn hyperlipidemia found to have, score: 0.03135707

confidence of prediction: 0.999302
Y_true: [4 13 18 20 24]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.6183326
coronary artery disease s p coronary artery bypass graft, score:
0.130905
descending saphenous vein graft, score: 0.02619466

confidence of prediction: 0.818781
Y_true: [4 8 10 13 18 20 24 34]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
medical history dyslipidemia hypertension gout gerd hepatitis, score: 0.09974687
valsartan 40mg daily asprin, score: 0.015130817
simvastatin mg tablet sig, score: 0.013813449

confidence of prediction: 0.985336
Y_true: [4 8 10 13 18 20 24 34]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass graft x3 left internal mammary artery, score: 0.5130839
coronary artery bypass graft x3 left internal mammary artery to the, score: 0.03134838
saphenous vein grafts to, score: 0.023953693

confidence of prediction: 0.979317
Y_true: [4 8 10 13 18 20 24 34]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies lisinopril attending, score: 0.023690341
pacing wires were removed per, score: 0.008053341
washing incisions gently with mild soap, score: 0.0051000183

confidence of prediction: 0.969282
Y_true: [4 8 10 13 18 20 24 34]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
history dyslipidemia hypertension gout gerd hepatitis a, score: 0.07549408
fibrinoge 39am pt ptt, score: 0.029976733
vein catheter brief hospital, score: 0.020638965

confidence of prediction: 0.999132
Y_true: [4 8 10 13 18 20 24 34]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.6174857
coronary artery disease s p coronary artery bypass graft, score: 0.13072571
coronary artery disease he, score: 0.020132791

confidence of prediction: 0.899563
Y_true: [4 8 10 13 18 20 24 34]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 34 (530.81:

Esophageal reflux)
hypertension gout gerd hepatitis a s p, score: 0.060499094
social history race caucasian, score: 0.000797674
fibrinoge 39am pt ptt, score: 0.00077766663

confidence of prediction: 0.942842
Y_true: [4 20]
Y_pred: [4 20]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
ischemic attack hyperlipidemia hypertension discharge condition
mental, score: 0.7776376
140s systolic hyperlipidemia patient had an ldl, score: 0.0037735114
warfarin mg every night, score: 0.0034557204

confidence of prediction: 0.848734
Y_true: [4 20]
Y_pred: [4 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension the patient wa [UNK] to have, score: 0.14432988
attack hyperlipidemia hypertension discharge condition mental,
score: 0.09349801
changed started coumadin warfarin mg every night, score: 0.06173616

confidence of prediction: 0.762969
Y_true: [6 34 40 42]
Y_pred: [40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
he was intubated briefly and extubated within, score: 0.16078287
and was intubated without difficulty patient, score: 0.041319344
young male intubated frothing at, score: 0.03727047

confidence of prediction: 0.693337
Y_true: [6 34 40 42]
Y_pred: [40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
he was intubated briefly and extubated within, score: 0.070783734
and was intubated without difficulty patient, score: 0.010465923
male intubated frothing at, score: 0.0029348305

confidence of prediction: 0.565254
Y_true: [6 20 35]
Y_pred: [6 35]
top three important windows for true positive code 6 (276.2:
Acidosis)
hydration metabolic acidosis likely due to starvation, score:
0.14443941
pints of vodka family history, score: 0.033230007
at q2 4hours withdrawal symptoms, score: 0.019027779

confidence of prediction: 0.878704
Y_true: [6 20 35]
Y_pred: [6 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
ketoacidosis alcohol arf resolving upon transfer, score: 0.03765432
at q2 4hours withdrawal symptoms, score: 0.03240298
somewhat prerenal in the, score: 0.025692174

confidence of prediction: 0.572094
Y_true: [41 43]
Y_pred: [17 29 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
several foreign bodies no underlying, score: 0.14349526
monitor placement tracheostomy and peg placement history, score:
0.12926605
with an icp of his icp was, score: 0.023769766

confidence of prediction: 0.937115
Y_true: [41 43]
Y_pred: [17 29 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
monitor placement tracheostomy and peg placement history, score:
0.28250617
several foreign bodies no underlying, score: 0.023611808
parents arrive to the emergency, score: 0.022574395

confidence of prediction: 0.549350
Y_true: [0 1 8 21 29 35 36 46]
Y_pred: [0 1 21 27 29 35 36 37 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
pneumonia septic shock discharge condition hemodynamically, score:
0.038150735
concerning for sepsis with pneumonia as source, score: 0.031130359
required pressors briefly while in micu, score: 0.027853612

confidence of prediction: 0.860602
Y_true: [0 1 8 21 29 35 36 46]
Y_pred: [0 1 21 27 29 35 36 37 46]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
anxiety hypothyroidism has wrist, score: 0.4599917
inpatient hypothyroidism continued on synthroid depression anxiety
continued, score: 0.24386467
admission levothyroxine aricept aspirin ec, score: 0.095848195

confidence of prediction: 0.712044
Y_true: [0 1 8 21 29 35 36 46]
Y_pred: [0 1 21 27 29 35 36 37 46]
top three important windows for true positive code 21 (403.90:

Hypertensive chronic kidney disease, unspecfied, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic renal failure unknown baseline renal function but, score:
0.22391206
aox1 coarse b l, score: 0.015424571
interstitial lung disease recommend, score: 0.014761982

confidence of prediction: 0.704002
Y_true: [0 1 8 21 29 35 36 46]
Y_pred: [0 1 21 27 29 35 36 37 46]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
course pneumonia hypoxia patient presented with, score: 0.3521649
cxr done pna got, score: 0.113175206
a pneumonia was found, score: 0.10750476

confidence of prediction: 0.837212
Y_true: [0 1 8 21 29 35 36 46]
Y_pred: [0 1 21 27 29 35 36 37 46]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
from pre renal failure given hypotension, score: 0.33152574
on chronic renal failure unknown baseline renal function but, score:
0.11466411
of likely arf however given that, score: 0.045653954

confidence of prediction: 0.725337
Y_true: [0 1 8 21 29 35 36 46]
Y_pred: [0 1 21 27 29 35 36 37 46]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal failure unknown baseline renal function but admission,
score: 0.20841391
dementia at baseline with, score: 0.007952408
interstitial lung disease recommend, score: 0.0077568307

confidence of prediction: 0.655226
Y_true: [0 1 8 21 29 35 36 46]
Y_pred: [0 1 21 27 29 35 36 37 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
briefly while in micu, score: 0.038999103
pna got vanco levaquin, score: 0.027227528
rods was empirically started, score: 0.026591176

confidence of prediction: 0.779414
Y_true: [20 24]
Y_pred: [20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
lipitor nadolol lisinopril norvasc, score: 0.11124558
kidney stones [UNK] ocular arterial occlusions carotid, score:
0.05283334
coenzyme q10 discharge medications acetaminophen, score: 0.015874729

confidence of prediction: 0.774477
Y_true: [20 24]
Y_pred: [20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
extremity dvt mri l, score: 0.009826369
p falls x3 over, score: 0.0094390325
patient was clinically symptomatic, score: 0.007855286

confidence of prediction: 0.971708
Y_true: [4 11 13 18 24]
Y_pred: [4 13 18 19 24 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
m2 indication cabg icd, score: 0.5306758
fistulas and revisions social, score: 0.033897825
htn hyperlipidemia rbbb cad depression restless leg syndrome, score:
0.021709632

confidence of prediction: 0.987433
Y_true: [4 11 13 18 24]
Y_pred: [4 13 18 19 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting times two, score: 0.59495974
coronary artery bypass grafting times two, score: 0.09101971
wires were discontinued on, score: 0.023696532

confidence of prediction: 0.986555
Y_true: [4 11 13 18 24]
Y_pred: [4 13 18 19 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
pacing wires were discontinued on, score: 0.0035460747
cardiothoracic allergies patient recorded, score: 0.0034094625
bypass grafting times two, score: 0.0031272252

confidence of prediction: 0.998514
Y_true: [4 11 13 18 24]
Y_pred: [4 13 18 19 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.6037871
cad and pci was not, score: 0.061012767
coronary artery bypass grafting, score: 0.025786934

confidence of prediction: 0.617524
Y_true: [10]
Y_pred: [10]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
ago he smokes 2ppd cigarettes and drinks, score: 0.021565642
tubes and xanthocromia was judged negative, score: 0.000983467

tubes and xanthocromia was, score: 0.000983467

confidence of prediction: 0.902179
Y_true: [2 4 20 23 24 27 35]
Y_pred: [2 21 23 24 27 35]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
schf dm hpl htn who is, score: 0.13313648
dm ii continued home regimen, score: 0.13167524
novolog mix units qam, score: 0.04244229

confidence of prediction: 0.567026
Y_true: [2 4 20 23 24 27 35]
Y_pred: [2 21 23 24 27 35]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
h o mi likely nstemi chronic schf, score: 0.14714484
history of mi h o schf morbid, score: 0.031148484
h o mi in and h o, score: 0.0058505507

confidence of prediction: 0.948882
Y_true: [2 4 20 23 24 27 35]
Y_pred: [2 21 23 24 27 35]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease history, score: 0.12721129
coronary artery disease chronic, score: 0.05896183
likely nstemi chronic schf, score: 0.0580165

confidence of prediction: 0.942849
Y_true: [2 4 20 23 24 27 35]
Y_pred: [2 21 23 24 27 35]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure discharge condition good, score: 0.32670274
lasix and metolazone which, score: 0.1458771
nstemi chronic schf dm hpl, score: 0.020418465

confidence of prediction: 0.721544
Y_true: [2 4 20 23 24 27 35]
Y_pred: [2 21 23 24 27 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
his baseline cr is, score: 0.029939305
qpm novolog 100u ml solution, score: 0.014091928
have bun cr there, score: 0.009509181

confidence of prediction: 0.933786
Y_true: [2 4 20 31 33 40 41 42]
Y_pred: [2 4 20 31 41]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)

psychosis diabetes mellitus hyperlipidemia discharge condition,
score: 0.07811694
1000mg hospital1 metformin lovastatin discharge medications
lisinopril, score: 0.053894624
schizophrenia dm hyperlipidemia tardive dyskinesias [UNK], score:
0.03231824

confidence of prediction: 0.514049
Y_true: [2 4 20 31 33 40 41 42]
Y_pred: [2 4 20 31 41]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
schizophrenia dm hyperlipidemia tardive dyskinesias [UNK] to, score:
0.1739204
semirhythmic theta range activity, score: 0.042887103
hypertension psychosis diabetes mellitus hyperlipidemia discharge
condition stable discharge, score: 0.023728402

confidence of prediction: 0.959860
Y_true: [2 4 20 31 33 40 41 42]
Y_pred: [2 4 20 31 41]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hospital1 metformin lovastatin discharge medications, score:
0.042709462
htn [UNK] schizophrenia dm hyperlipidemia tardive dyskinesias [UNK]
to longterm, score: 0.025024325
multiple sclerosis hypertension psychosis diabetes mellitus
hyperlipidemia, score: 0.021480212

confidence of prediction: 0.917746
Y_true: [2 4 20 31 33 40 41 42]
Y_pred: [2 4 20 31 41]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
epilepticus aspiration pneumonia dysphagia secondary diagnosis,
score: 0.31300935
a video swallow study, score: 0.033055235
an aspiration pneumonia after a swallowing, score: 0.032293253

confidence of prediction: 0.884938
Y_true: [2 4 20 31 33 40 41 42]
Y_pred: [2 4 20 31 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
on tube feeds with a speech, score: 0.15919635
on feeds were restarted, score: 0.14021917
gj tube was placed, score: 0.092827246

confidence of prediction: 0.972045
Y_true: [20 23 24 47]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

p cva htn b l rotator cuff psh bl, score: 0.52046335
pmh mi s p ptci, score: 0.0038744942
the patient tolerated the, score: 0.0019171835

confidence of prediction: 0.692115
Y_true: [8 19 33 35 43 47]
Y_pred: [19 27 35 40 41 43]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
team on hemodialysis was initiated and he, score: 0.1959735
remained on hemodialysis throughout and, score: 0.05914399
with end stage renal disease status, score: 0.011459784

confidence of prediction: 0.598821
Y_true: [8 19 33 35 43 47]
Y_pred: [19 27 35 40 41 43]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure and fluid, score: 0.17491685
to renal osteodystrophy in status, score: 0.051167566
acute renal failure secondary to, score: 0.05035953

confidence of prediction: 0.851529
Y_true: [8 19 33 35 43 47]
Y_pred: [19 27 35 40 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
he was bronched on hospital day which, score: 0.06966365
and was intubated as, score: 0.044323877
pending respiratory failure and, score: 0.03232117

confidence of prediction: 0.968420
Y_true: [4 20 26 28 44]
Y_pred: [4 20 26 28]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
regurgitation cholilithiasis hyperlipidemia homocystinemia basal
cell carcinoma hemorrhoidectomy hypertension, score: 0.12037335
simvastatin mg tablet sig, score: 0.005114179
mg oral qdaily atenolol, score: 0.0024196075

confidence of prediction: 0.939146
Y_true: [4 20 26 28 44]
Y_pred: [4 20 26 28]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
carcinoma hemorrhoidectomy hypertension cataracts social history,
score: 0.091348894
irregular with mechanical valve, score: 0.033598322
cholilithiasis hyperlipidemia homocystinemia basal cell, score:
0.030538656

confidence of prediction: 0.932207

Y_true: [4 20 26 28 44]
Y_pred: [4 20 26 28]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation was well rate, score: 0.22177804
atrial fibrillation hospital3 mitral valve repair in, score: 0.14387359
irregular irregular with mechanical valve, score: 0.03844626

confidence of prediction: 0.637034
Y_true: [4 20 26 28 44]
Y_pred: [4 20 26 28]
top three important windows for true positive code 28 (45.13: Other endoscopy of small intestine)
otherwise normal egd to stomach body brief, score: 0.27873585
had an endoscopy performed on hospital day, score: 0.052655023
to his satisfaction upon, score: 0.05103719

confidence of prediction: 0.827291
Y_true: [2 13 18 20 24 26 49]
Y_pred: [2 13 18 20 24 26 49]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
daily metformin hospital1 pravachol daily coumadin, score: 0.17182343
daily metformin mg tablet sig, score: 0.0707338
history diabetes hypertension mi x3, score: 0.048096046

confidence of prediction: 0.999827
Y_true: [2 13 18 20 24 26 49]
Y_pred: [2 13 18 20 24 26 49]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
cabg x3 lima lad svg diag, score: 0.9783053
coronary artery reverse saphenous vein graft, score: 0.004014643
coronary artery reverse saphenous vein single, score: 0.0024416964

confidence of prediction: 0.989552
Y_true: [2 13 18 20 24 26 49]
Y_pred: [2 13 18 20 24 26 49]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.6421768
incisions gently with mild soap, score: 0.1683378
cabg x3 lima lad svg diag, score: 0.08915041

confidence of prediction: 0.766158
Y_true: [2 13 18 20 24 26 49]
Y_pred: [2 13 18 20 24 26 49]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
diagnosis diabetes hypertension cva mi x3 s, score: 0.10120227
history diabetes hypertension mi x3, score: 0.100673825

occupation retired engineer family history, score: 0.055045836

confidence of prediction: 0.999951
Y_true: [2 13 18 20 24 26 49]
Y_pred: [2 13 18 20 24 26 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cabg x3 lima lad, score: 0.69656944
coronary artery reverse saphenous, score: 0.054629352
vessel coronary disease major, score: 0.013170007

confidence of prediction: 0.998658
Y_true: [2 13 18 20 24 26 49]
Y_pred: [2 13 18 20 24 26 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin cva factor, score: 0.49132708
afib on coumadin osteoarthritis right, score: 0.49132708
afib tablet po once, score: 0.0058942153

confidence of prediction: 0.858485
Y_true: [2 13 18 20 24 26 49]
Y_pred: [2 13 18 20 24 26 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin cva, score: 0.494758
afib on coumadin osteoarthritis right, score: 0.494758
instructions for coumadin and, score: 0.001890127

confidence of prediction: 0.877619
Y_true: [5 35]
Y_pred: [4 5 6 10 35]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
known baseline hyponatremia na on admission most, score: 0.7165128
recorded as having no, score: 0.036506012
polyuria and occas blurry, score: 0.012820573

confidence of prediction: 0.956744
Y_true: [5 35]
Y_pred: [4 5 6 10 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure leukocytosis no, score: 0.16644411
acute renal failure creatinine on, score: 0.049921453
and acute renal failure diabetic ketoacidosis, score: 0.015263134

confidence of prediction: 0.986491
Y_true: [4 18 20 23 24 34]
Y_pred: [2 18 24 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without complication, score: 0.75125486
diuresed toward the preoperative, score: 0.021196675

cardiothoracic allergies naprosyn attending, score: 0.0036567051

confidence of prediction: 0.899101
Y_true: [4 18 20 23 24 34]
Y_pred: [2 18 24 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease aortic, score: 0.32927954
coronary artery disease aortic, score: 0.12865378
rca pci was deferred, score: 0.033416495

confidence of prediction: 0.941579
Y_true: [4 18 20 23 24 34]
Y_pred: [2 18 24 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
moderate arthritis gerd hiatal hernia past surgical, score:
0.0024509593
and om lesion and is, score: 0.0011989897

confidence of prediction: 0.622308
Y_true: [5 10]
Y_pred: [5 6 30 42]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
her sats hyponatremia felt to be due, score: 0.7933965
mg intramuscular every weeks, score: 0.016196592
admission with pressured and, score: 0.0069982545

confidence of prediction: 0.762575
Y_true: [4 8 14 20 24 38]
Y_pred: [4 20 24 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia cad s p poba, score: 0.121279314
readded accupril hyperlipidemia continue statin anemia, score:
0.05469472
disease hypotension hyperlipidemia discharge condition stable on,
score: 0.028321384

confidence of prediction: 0.878542
Y_true: [4 8 14 20 24 38]
Y_pred: [4 20 24 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hyperlipidemia cad s p, score:
0.18573098
multivessel ptca recently underwent, score: 0.16389352
continued statin hypertension restarted lower dose, score:
0.05759368

confidence of prediction: 0.991339
Y_true: [4 8 14 20 24 38]
Y_pred: [4 20 24 38]

top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery disease complex, score: 0.0671832
rca lesion with an, score: 0.052435063
vessel coronary artery disease the, score: 0.04478316

confidence of prediction: 0.611770
Y_true: [4 8 14 20 24 38]
Y_pred: [4 20 24 38]
top three important windows for true positive code 38 (88.56: Coronary arteriography using two catheters)
coronary angiography of this, score: 0.11851332
catheterization for angina on demonstrating, score: 0.072830476
weaned off dopamine after, score: 0.058312133

confidence of prediction: 0.708474
Y_true: [4 13 17 18 20 22 24 26 39 44]
Y_pred: [4 13 18 20 22 23 24 26]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
hctz asa simvastatin qhs lisinopril multivitamin, score: 0.049659017
herniated nucleus [UNK] in lumbar, score: 0.009364351
nstemi hypertension hyperlipidemia s p cva s, score: 0.00897031

confidence of prediction: 0.995296
Y_true: [4 13 17 18 20 22 24 26 39 44]
Y_pred: [4 13 18 20 22 23 24 26]
top three important windows for true positive code 13 (36.15: Single internal mammary–coronary artery bypass)
cabg x3 lima lad svg diag om rf, score: 0.37485147
s p cabg x3 lima lad svg diag om rf, score: 0.02043647
wires were discontinued without, score: 0.016864872

confidence of prediction: 0.983073
Y_true: [4 13 17 18 20 22 24 26 39 44]
Y_pred: [4 13 18 20 22 23 24 26]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.8087481
creams or powders to, score: 0.14887096
cabg x3 lima lad svg diag, score: 0.005723458

confidence of prediction: 0.925565
Y_true: [4 13 17 18 20 22 24 26 39 44]
Y_pred: [4 13 18 20 22 23 24 26]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
artery disease hypertension icd codes test, score: 0.27608162
400mg amiodarone 50mg toprol, score: 0.06315998
metoprolol triamterene hctz asa simvastatin qhs, score: 0.043802354

confidence of prediction: 0.724528
Y_true: [4 13 17 18 20 22 24 26 39 44]
Y_pred: [4 13 18 20 22 23 24 26]

top three important windows for true positive code 22 (410.71: Subendocardial infarction, initial episode of care)
for nstemi cardiac cath revealed coronary artery disease, score: 0.22524422
history cad nstemi hypertension hyperlipidemia, score: 0.07063228
non tender non distended, score: 0.014459159

confidence of prediction: 0.922090
Y_true: [4 13 17 18 20 22 24 26 39 44]
Y_pred: [4 13 18 20 22 23 24 26]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
s p cabg x3 lima lad, score: 0.3980053
coronary artery disease and, score: 0.07154281
coronary artery disease hypertension, score: 0.05095376

confidence of prediction: 0.851141
Y_true: [4 13 17 18 20 22 24 26 39 44]
Y_pred: [4 13 18 20 22 23 24 26]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation chest pain, score: 0.27561808
atrial fibrillation new dx herniated, score: 0.06736451
amiodarone 50mg toprol xl, score: 0.06118935

confidence of prediction: 0.760718
Y_true: [6 20 49]
Y_pred: [20 24]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
for perforated diverticulitis vs perforated sigmoid, score: 0.032334812
history pmh htn asthma myasthenia psh radical prostatectomy for, score: 0.02469202
colectomy and hartmanns history, score: 0.019918088

confidence of prediction: 0.941346
Y_true: [1 4 7 25 27 28]
Y_pred: [1 4 7 27 28 44]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
hypertension hypothyroidism hyperlipidemia discharge condition, score: 0.37559748
hyperlipidemia hypothyroidism history of, score: 0.3138487
restarted hypothyroidism stable the, score: 0.108408645

confidence of prediction: 0.686411
Y_true: [1 4 7 25 27 28]
Y_pred: [1 4 7 27 28 44]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
hypothyroidism hyperlipidemia discharge condition afebrile, score: 0.07018002
transfusions diverticulosis hyperlipidemia hypothyroidism history of

glaucoma, score: 0.03992621
grafts taken from her, score: 0.024185475

confidence of prediction: 0.755965
Y_true: [1 4 7 25 27 28]
Y_pred: [1 4 7 27 28 44]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
the bleeding aka colon cancer was, score: 0.086416155
unit and transfused blood, score: 0.08435083
history of present illness, score: 0.06672964

confidence of prediction: 0.989176
Y_true: [1 4 7 25 27 28]
Y_pred: [1 4 7 27 28 44]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure ef in echo, score: 0.28388008
diastolic heart failure ef in, score: 0.28388008
diastolic heart failure right leg swelling, score: 0.13390441

confidence of prediction: 0.709755
Y_true: [1 4 7 25 27 28]
Y_pred: [1 4 7 27 28 44]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.48627204
performed an egd to rule, score: 0.026896155
body and antrum on endoscopy mild diverticulosis, score: 0.013489762

confidence of prediction: 0.633405
Y_true: [4 13 15 18 20 24 30 38]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
cva htn hyperlipidemia and ai as who, score: 0.48540628
daily asprin 325mg daily benadryl 25mg daily, score: 0.013700336
s p turp social history tobacco, score: 0.0064107366

confidence of prediction: 0.979798
Y_true: [4 13 15 18 20 24 30 38]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
descending coronary reverse saphenous vein single, score: 0.11887368
wires were discontinued without, score: 0.030108746
mammary artery to left, score: 0.022155184

confidence of prediction: 0.986457
Y_true: [4 13 15 18 20 24 30 38]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7395064

diuresed toward the preoperative, score: 0.02086519
cardiothoracic allergies nitroglycerin diltiazem, score: 0.008182046

confidence of prediction: 0.992274
Y_true: [4 13 15 18 20 24 30 38]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
irregular murmur iii iv, score: 0.019919604
catch his falling roommate he, score: 0.0176626
managed with incisions sternal, score: 0.014332873

confidence of prediction: 0.996796
Y_true: [4 13 15 18 20 24 30 38]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
descending coronary reverse saphenous vein, score: 0.2598364
his falling roommate he sustained, score: 0.04455331
coronary artery disease discharge, score: 0.031138273

confidence of prediction: 0.581037
Y_true: [0 17 20 31 35 46]
Y_pred: [17 20 31 35]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
tachycardic febrile elevated wbc count, score: 0.12344264
a rij placed and was given, score: 0.11270319
access r ij removed psych continued geodon, score: 0.046970356

confidence of prediction: 0.933121
Y_true: [0 17 20 31 35 46]
Y_pred: [17 20 31 35]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
bipolar disorder htn bph discharge condition, score: 0.15574302
reversal in htn social history living, score: 0.11795302
colostomy with reversal and htn admitted for, score: 0.070340216

confidence of prediction: 0.923097
Y_true: [0 17 20 31 35 46]
Y_pred: [17 20 31 35]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
leading to pneumonia the, score: 0.73472416
aspiration pneumonitis chronic non occlusive, score: 0.030158252
an aspiration event his oxygen, score: 0.027979953

confidence of prediction: 0.945306
Y_true: [0 17 20 31 35 46]
Y_pred: [17 20 31 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
cellulitis acute renal failure aspiration pneumonitis, score:

0.13306068
he cellulitis arf on admission, score: 0.049205218
bilateral infrahilar consolidation left, score: 0.0345744

confidence of prediction: 0.606953
Y_true: [2 4 13 18 20 24 27 33 35 42 47]
Y_pred: [2 3 13 15 18 24 25 27 38 40 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
failure diabetes mellitus type acute systolic, score: 0.120367624
metformin mg hospital1 amlodipine, score: 0.09579268
hypercholesterolemia type dm on metformin as outpatient, score:
0.017370075

confidence of prediction: 0.989743
Y_true: [2 4 13 18 20 24 27 33 35 42 47]
Y_pred: [2 3 13 15 18 24 25 27 38 40 42]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting to four, score: 0.5987806
coronary artery bypass grafting to four, score: 0.09160425
descending artery saphenous vein graft, score: 0.04522944

confidence of prediction: 0.982869
Y_true: [2 4 13 18 20 24 27 33 35 42 47]
Y_pred: [2 3 13 15 18 24 25 27 38 40 42]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.80921495
creams or powders to, score: 0.1489569
cardiothoracic allergies patient recorded, score: 0.0036712564

confidence of prediction: 0.999196
Y_true: [2 4 13 18 20 24 27 33 35 42 47]
Y_pred: [2 3 13 15 18 24 25 27 38 40 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.6162412
coronary artery disease per records, score: 0.042749494
coronary artery disease as, score: 0.031051546

confidence of prediction: 0.877569
Y_true: [2 4 13 18 20 24 27 33 35 42 47]
Y_pred: [2 3 13 15 18 24 25 27 38 40 42]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
depressed lvef with mild, score: 0.022757683
service in preparation for, score: 0.013601951
his mitral regurgitation after a panorex was obtained mr, score:
0.008079964

confidence of prediction: 0.796614
Y_true: [2 4 13 18 20 24 27 33 35 42 47]

Y_pred: [2 3 13 15 18 24 25 27 38 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated and underwent diagnostic, score: 0.13835415
patient was intubated but awake, score: 0.110977784
was subsequently intubated due to dyspnea, score: 0.037503522

confidence of prediction: 0.712813
Y_true: [4 10 20 34]
Y_pred: [2 4 20 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history htn hyperlipidemia gerd diabetes mellitus on omr, score:
0.22777072
daily atorvastatin mg tablet sig, score: 0.00787935
citalopram mg tablet sig, score: 0.0045965156

confidence of prediction: 0.990793
Y_true: [4 10 20 34]
Y_pred: [2 4 20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn hyperlipidemia gerd diabetes mellitus, score:
0.39601913
a sterile fashion access was gained, score: 0.042937502
artery arteriogram shows that, score: 0.021099748

confidence of prediction: 0.888900
Y_true: [4 10 20 34]
Y_pred: [2 4 20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
htn hyperlipidemia gerd diabetes mellitus on omr, score: 0.015819881
underwent a cerbral angiogram, score: 0.0034615465
used to enter the, score: 0.003411833

confidence of prediction: 0.916476
Y_true: [1 7 11 20 34 37 47]
Y_pred: [1 20 34 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
through levothyroxine 112mcg metoprolol succinate mirtazapine,
score: 0.06855875
hernia hypothyroid lung ca depression pvd, score: 0.015611458
day levothyroxine mcg tablet sig one, score: 0.014698046

confidence of prediction: 0.760203
Y_true: [1 7 11 20 34 37 47]
Y_pred: [1 20 34 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn gerd hiatal hernia hypothyroid, score: 0.26093212
retired silk finisher her daughter lives, score: 0.08619473

mirtazapine [UNK] omeprazole pravastatin tramadol, score: 0.017982947

confidence of prediction: 0.914034
Y_true: [1 7 11 20 34 37 47]
Y_pred: [1 20 34 37]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
cdiff htn gerd hiatal hernia hypothyroid lung ca depression pvd thrombocytosis, score: 0.0309238
and became hypotensive her, score: 0.001143676
was transfused another unit, score: 0.0009934581

confidence of prediction: 0.863208
Y_true: [1 7 11 20 34 37 47]
Y_pred: [1 20 34 37]
top three important windows for true positive code 37 (599.0: Urinary tract infection, site not specified)
retired silk finisher her daughter, score: 0.16149034
a uti on pod she was, score: 0.05215932
she was extubated overnight, score: 0.02374691

confidence of prediction: 0.905890
Y_true: [19 33 40 42]
Y_pred: [17 19 27 33 40 42]
top three important windows for true positive code 19 (39.95: Hemodialysis)
missed hd sessions htn, score: 0.10526824
sided dialysis catheter tip, score: 0.08081413
normal dialysis tomorrow as, score: 0.07859649

confidence of prediction: 0.700185
Y_true: [19 33 40 42]
Y_pred: [17 19 27 33 40 42]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
diagnosis respiratory failure flash, score: 0.123390466
[UNK] gen intubated and, score: 0.08526842
she had hd x2, score: 0.06287249

confidence of prediction: 0.767610
Y_true: [19 33 40 42]
Y_pred: [17 19 27 33 40 42]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
neuro intubated and sedated, score: 0.4943007
hysterical and intubated for airway protection with, score: 0.060459774
[UNK] gen intubated and sedated, score: 0.043133844

confidence of prediction: 0.827849
Y_true: [19 33 40 42]
Y_pred: [17 19 27 33 40 42]
top three important windows for true positive code 42 (96.71:

Continuous invasive mechanical ventilation for less than 96
consecutive hours)
neuro intubated and sedated pertinent, score: 0.59060764
gen intubated and sedated, score: 0.045084916
extubation hemodialysis x2 history, score: 0.035770323

confidence of prediction: 0.876215
Y_true: [7 12 17 40 41 43]
Y_pred: [17 41]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
ivc filter picc right, score: 0.122031376
cultures grew mrsa kept, score: 0.022336237
fixation of patella fracture with, score: 0.01953825

confidence of prediction: 0.581645
Y_true: [7 12 17 40 41 43]
Y_pred: [17 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
his trach tube was plugged with, score: 0.10271175
pulmonary contusions and small, score: 0.016042843
with your trach tube plugged and hopefully, score: 0.014686872

confidence of prediction: 0.665643
Y_true: [4 14 20 24 38]
Y_pred: [14 24 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac cath bms to mid lcx, score: 0.6373206
catheterization found to have, score: 0.023093836
cardiac catheterization on with revealed, score: 0.018150033

confidence of prediction: 0.984336
Y_true: [4 14 20 24 38]
Y_pred: [14 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cardiac cath bms to, score: 0.080222465
coronary artery disease hyperlipidemia, score: 0.07578914
coronary artery disease patent, score: 0.0721467

confidence of prediction: 0.936526
Y_true: [4 14 20 24 38]
Y_pred: [14 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac cath bms to mid, score: 0.79939127
vessel and the lcx, score: 0.019487748
lcx the cath was, score: 0.015526529

confidence of prediction: 0.935127
Y_true: [4 13 14 18 22 24 38]
Y_pred: [4 13 18 24 38]

top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
cabg x3 hyperlipidemia erectile dysfunction rhinitis nstemi, score: 0.14933038
factors diabetes dyslipidemia hypertension cardiac history cabg, score: 0.12174282
erectile dysfunction rhinitis social history, score: 0.006693282

confidence of prediction: 0.992374
Y_true: [4 13 14 18 22 24 38]
Y_pred: [4 13 18 24 38]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass grafting x3 left internal mammary artery, score: 0.08103574
cardiac catheterization cabg x lima to, score: 0.06652292
descending artery saphenous vein to, score: 0.040011257

confidence of prediction: 0.980117
Y_true: [4 13 14 18 22 24 38]
Y_pred: [4 13 18 24 38]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
incisions gently with mild soap, score: 0.57522833
wires removed per protocol, score: 0.13479888
cabg x lima to, score: 0.043201864

confidence of prediction: 0.997637
Y_true: [4 13 14 18 22 24 38]
Y_pred: [4 13 18 24 38]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
cardiac catheterization cabg x lima to, score: 0.19559984
coronary artery disease s p cabg x3, score: 0.17413111
coronary artery bypass grafting, score: 0.03512838

confidence of prediction: 0.513130
Y_true: [4 13 14 18 22 24 38]
Y_pred: [4 13 18 24 38]
top three important windows for true positive code 38 (88.56: Coronary arteriography using two catheters)
catherization lab were severe two, score: 0.07596637
obtuse marginal please see, score: 0.061383273
catheterization cabg x lima, score: 0.049509235

confidence of prediction: 0.972287
Y_true: [20 28]
Y_pred: [7 20 28]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
abuse issues hypertension started nadolol on, score: 0.2883512
seizures hypertension social history lives, score: 0.0745683
f u htn management substance abuse, score: 0.058038097

confidence of prediction: 0.887537
Y_true: [20 28]
Y_pred: [7 20 28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.38594657
otherwise normal egd to, score: 0.32397848
also revealed columns of, score: 0.05007862

confidence of prediction: 0.953732
Y_true: [4 20 26 49]
Y_pred: [3 20 24 26 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
qd allopurinol lovastatin coumadin mg q, score: 0.03649891
valve replacement hypertension gout social history social, score:
0.022460952
history pmhx hypercholesteremia aortic, score: 0.004042503

confidence of prediction: 0.907664
Y_true: [4 20 26 49]
Y_pred: [3 20 24 26 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation he was seen by, score: 0.22360836
atrial fibrillation discharge condition aox3, score: 0.06971328
started on coumadin 10mg, score: 0.0022336966

confidence of prediction: 0.829883
Y_true: [4 20 26 49]
Y_pred: [3 20 24 26 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
who takes coumadin for a, score: 0.79173505
a day warfarin mg tablet sig, score: 0.061294626
allopurinol lovastatin coumadin mg, score: 0.054669507

confidence of prediction: 0.988563
Y_true: [13 17 18 22 24]
Y_pred: [13 18 22 24 25]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting, score: 0.40133083
left internal mammary artery grafted to, score: 0.06284837
coronary artery bypass grafting x left, score: 0.06139746

confidence of prediction: 0.970112
Y_true: [13 17 18 22 24]
Y_pred: [13 18 22 24 25]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
lotions powders or ointments to, score: 0.22664097
incisions no baths or, score: 0.19713175
cardiothoracic doctor first name, score: 0.13406166

confidence of prediction: 0.678516
Y_true: [13 17 18 22 24]
Y_pred: [13 18 22 24 25]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
chief complaint nstemi major surgical or invasive, score: 0.04101432
have non stemi with trop i had, score: 0.013620588
3vessel coronary disease ef55, score: 0.0049749445

confidence of prediction: 0.999264
Y_true: [13 17 18 22 24]
Y_pred: [13 18 22 24 25]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.54749334
coronary artery disease s p coronary artery bypass grafting, score:
0.11590788
3vessel coronary disease ef55 she, score: 0.05973423

confidence of prediction: 0.849829
Y_true: [1 8 19 26 49]
Y_pred: [1 19 26 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
daily levothyroxine 75mcg daily omeprazole 40mg, score: 0.26460147
year hypothyroidism mr tr tte systolic, score: 0.07410565
dose levoxyl during this, score: 0.04293217

confidence of prediction: 0.956628
Y_true: [1 8 19 26 49]
Y_pred: [1 19 26 49]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
was emergently dialyzed in the, score: 0.20537964
discharge diagnosis esrd now s, score: 0.034823153
round of hemodialysis when transferred, score: 0.034494624

confidence of prediction: 0.992145
Y_true: [1 8 19 26 49]
Y_pred: [1 19 26 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib a tsh was sent, score: 0.4425293
paf on coumadin and amiodarone, score: 0.3177573
afib and was complaining, score: 0.09276837

confidence of prediction: 0.532267
Y_true: [1 8 19 26 49]
Y_pred: [1 19 26 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
paf on coumadin and, score: 0.38933688
every hours warfarin mg tablet sig, score: 0.28739733

of on coumadin morphine, score: 0.06360103

confidence of prediction: 0.864909
Y_true: [2 4 8 13 18 20 24 26 47 49]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
lad diabetes mellitus type hypertension hyperlipidemia, score:
0.038638968
artery diabetes mellitus type hypertension hyperlipidemia, score:
0.02026139
daily metformin er mg daily tramadol, score: 0.019774504

confidence of prediction: 0.784247
Y_true: [2 4 8 13 18 20 24 26 47 49]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
type hypertension hyperlipidemia atrial flutter at hospital1, score:
0.075608835
amputation d t osteomyelitis, score: 0.071921155
hctz daily [UNK] daily, score: 0.008107239

confidence of prediction: 0.988072
Y_true: [2 4 8 13 18 20 24 26 47 49]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary–coronary artery bypass)
coronary artery bypass [UNK], score: 0.4684037
descending artery reverse spahenous, score: 0.09792993
coronary artery bypass grafting please see, score: 0.028618515

confidence of prediction: 0.962237
Y_true: [2 4 8 13 18 20 24 26 47 49]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
lotions powders or ointments to, score: 0.31790403
incisions no baths or, score: 0.27651212
bypass grafting please see or, score: 0.026267057

confidence of prediction: 0.966307
Y_true: [2 4 8 13 18 20 24 26 47 49]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hctz daily [UNK] daily metformin er mg daily, score: 0.12856467
history occupation retired music director last, score: 0.07980514
mellitus type hypertension hyperlipidemia atrial flutter at, score:
0.062041152

confidence of prediction: 0.999328
Y_true: [2 4 8 13 18 20 24 26 47 49]

Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass [UNK], score: 0.30799174
descending artery reverse spahenous, score: 0.12981637
coronary artery disease in, score: 0.110405326

confidence of prediction: 0.808429
Y_true: [5 9 35 44]
Y_pred: [5 35 44]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
to be hyponatremic and hypokalemic on, score: 0.51665723
renal failure hyponatremia hypokalemia anemia discharge condition,
score: 0.24567445
recorded as having no, score: 0.041707538

confidence of prediction: 0.526472
Y_true: [5 9 35 44]
Y_pred: [5 35 44]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
recorded as having no, score: 0.01986517
diagnoses acute renal failure hyponatremia hypokalemia, score:
0.018296061
an acute renal failure he was, score: 0.013866444

confidence of prediction: 0.680630
Y_true: [5 9 35 44]
Y_pred: [5 35 44]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
he was transfused units prbcs in the micu, score: 0.034055673
ilicit drug use family history, score: 0.020743418
prbcs x3 units history, score: 0.009496331

confidence of prediction: 0.658351
Y_true: [4 10 20 23 24 41]
Y_pred: [10 23 24 41]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
crani evacuation duraplasty and kept, score: 0.005669489
social history smokes ppd x years drinks, score: 0.005099699
htn discharge medications acetaminophen, score: 0.0009516037

confidence of prediction: 0.703976
Y_true: [4 10 20 23 24 41]
Y_pred: [10 23 24 41]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
htn hypercholesterol cad s p mi years ago social history, score:
0.0014084425
right sided lesion frozen section it, score: 0.00084610615
right sided lesion it, score: 0.00084610615

confidence of prediction: 0.570458
Y_true: [4 10 20 23 24 41]
Y_pred: [10 23 24 41]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
sided lesion frozen section it consists, score: 0.049192626
hypercholesterol cad s p mi years ago social history, score:
0.036880065
sided lesion it consists of, score: 0.028241448

confidence of prediction: 0.954954
Y_true: [4 10 20 23 24 41]
Y_pred: [10 23 24 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
placed tube feeds were started pt, score: 0.14339016
dobhoff tube because of his, score: 0.008542349
discharged to said facility, score: 0.0073997243

confidence of prediction: 0.974448
Y_true: [4 14 18 20 24 38]
Y_pred: [13 18 20 24 38 40 42 48]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires and chest tubes, score: 0.11350387
cardiothoracic allergies patient recorded, score: 0.01228912
avr 23mm doctor last, score: 0.012215669

confidence of prediction: 0.627261
Y_true: [4 14 18 20 24 38]
Y_pred: [13 18 20 24 38 40 42 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension recently underwent xrt, score:
0.08259357
witnessed vfib arrest major surgical, score: 0.047788993
placement for chb after cabg htn severe, score: 0.042192757

confidence of prediction: 0.860010
Y_true: [4 14 18 20 24 38]
Y_pred: [13 18 20 24 38 40 42 48]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cardiac catherization re do, score: 0.25116554
coronary artery disease s p cabg in lima to, score: 0.052211355
s p cabg in, score: 0.04442829

confidence of prediction: 0.658897
Y_true: [4 14 18 20 24 38]
Y_pred: [13 18 20 24 38 40 42 48]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catherization re do sternotomy, score: 0.6456007

varicosities none x neuro, score: 0.052587472
prebypass mild spontaneous echo, score: 0.039916117

confidence of prediction: 0.737001
Y_true: [2 4 13 14 18 20 23 24]
Y_pred: [2 4 13 14 18 20 22 24 38]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
diabetes mellitus type sleep apnea, score: 0.0808061
diabetes mellitus and previous, score: 0.066596024
metformin mg hospital1 humulin, score: 0.04178864

confidence of prediction: 0.747315
Y_true: [2 4 13 14 18 20 23 24]
Y_pred: [2 4 13 14 18 20 22 24 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
of hypertension hyperlipidemia diabetes mellitus and previous,
score: 0.06947124
cad hypertension dyslipidemia diabetes mellitus type, score:
0.037580922

confidence of prediction: 0.988294
Y_true: [2 4 13 14 18 20 23 24]
Y_pred: [2 4 13 14 18 20 22 24 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
bypass grafting x4 with, score: 0.22131276
bypass graft x4 lima lad svg, score: 0.06993925
coronary artery bypass x4 please, score: 0.029601408

confidence of prediction: 0.589422
Y_true: [2 4 13 14 18 20 23 24]
Y_pred: [2 4 13 14 18 20 22 24 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac cath coronary artery bypass, score: 0.37832507
cardiac cath selective coronary angiography of this, score:
0.07839702
cath on which revealed, score: 0.01831792

confidence of prediction: 0.945383
Y_true: [2 4 13 14 18 20 23 24]
Y_pred: [2 4 13 14 18 20 22 24 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders on, score: 0.69369835
bypass grafting x4 with left, score: 0.09077396
bypass x4 please see, score: 0.023562955

confidence of prediction: 0.923791
Y_true: [2 4 13 14 18 20 23 24]
Y_pred: [2 4 13 14 18 20 22 24 38]

top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
cad hypertension dyslipidemia diabetes, score: 0.13648325
history occupation retired last dental exam, score: 0.06445759
cad patient recently saw, score: 0.045588575

confidence of prediction: 0.988667
Y_true: [2 4 13 14 18 20 23 24]
Y_pred: [2 4 13 14 18 20 22 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p coronary artery bypass graft, score:
0.14891401
coronary artery disease do, score: 0.14175718
cardiac cath coronary artery bypass graft, score: 0.10728667

confidence of prediction: 0.780789
Y_true: [4 13 15 18 20 24 26 38 49]
Y_pred: [4 13 18 24 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia coronary artery disease s,
score: 0.15008321
artery disease hyperlipidemia hypertension discharge condition good,
score: 0.09895429
atenolol daily plavix daily, score: 0.016961625

confidence of prediction: 0.984925
Y_true: [4 13 15 18 20 24 26 38 49]
Y_pred: [4 13 18 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)
descending artery reverse saphenous vein graft, score: 0.15322089
artery reverse saphenous vein graft, score: 0.03612311
bypass graft times three, score: 0.018741345

confidence of prediction: 0.976940
Y_true: [4 13 15 18 20 24 26 38 49]
Y_pred: [4 13 18 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.5723416
cardiothoracic allergies shellfish derived, score: 0.14206035
bypass grafting x3 pmh coronary artery, score: 0.027782135

confidence of prediction: 0.993354
Y_true: [4 13 15 18 20 24 26 38 49]
Y_pred: [4 13 18 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
descending artery reverse saphenous vein, score: 0.26151186
coronary artery disease s p coronary artery, score: 0.13135153
coronary artery disease s, score: 0.08788946

confidence of prediction: 0.949060
Y_true: [4 13 15 18 20 24 26 38 49]
Y_pred: [4 13 18 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
amiodarone mg tablet sig, score: 0.005362695
developed atrial fibrillation which responded to, score: 0.002683152
furosemide mg tablet sig, score: 0.0013963261

confidence of prediction: 0.667869
Y_true: [3 11]
Y_pred: [3]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
secondary diagnosis hypercholesterolemia rheumatoid arthritis
depression discharge, score: 0.15171932
medical history hypercholesterolemia rheumatoid arthritis depression
social, score: 0.07958452
planned hip surgery for, score: 0.0033847813

confidence of prediction: 0.797344
Y_true: [3 12 16 17 20 33 35 40 42]
Y_pred: [19 27 33 35 40]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
intubated with increasing sedation, score: 0.17634256
and required increasing peep and increasing, score: 0.04188501
fio2 po2 pco2 ph, score: 0.037051883

confidence of prediction: 0.586870
Y_true: [3 12 16 17 20 33 35 40 42]
Y_pred: [19 27 33 35 40]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
and cr hyperkalemia and, score: 0.07820086
hemorrhage renal failure shock discharge, score: 0.072921395
in renal failure requiring, score: 0.060395606

confidence of prediction: 0.557994
Y_true: [3 12 16 17 20 33 35 40 42]
Y_pred: [19 27 33 35 40]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
she was intubated for concern, score: 0.0699844
intubat intubated reports cxr et tube left, score: 0.052514464
aline bronchoscopy r and, score: 0.03200906

confidence of prediction: 0.675332
Y_true: [11]
Y_pred: [11 20]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
myoclonus depression etoh abuse transferred, score: 0.14380422
etoh abuse depression social history homeless currently, score:

0.06150706
etoh abuse depression discharge condition afebrile, score:
0.06150706

confidence of prediction: 0.845678
Y_true: [1 4 16 20 26 29 33 34 37 41]
Y_pred: [4 26 29 34 37 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
starting hypertension dyslipidemia doctor last name disease, score:
0.033724017
with apple sauce if, score: 0.018734416
laryngitis from gerd social history, score: 0.005929052

confidence of prediction: 0.841723
Y_true: [1 4 16 20 26 29 33 34 37 41]
Y_pred: [4 26 29 34 37 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation requiring three prior, score: 0.4626739
atrial fibrillation after the 2nd, score: 0.02941415
hyponatremia rheumatoid arthritis tia, score: 0.020182513

confidence of prediction: 0.622803
Y_true: [1 4 16 20 26 29 33 34 37 41]
Y_pred: [4 26 29 34 37 49]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
developed a pneumonia and urinary tract infection, score:
0.052747756
made cmo and hospice, score: 0.022848297
to find mention of this, score: 0.016954426

confidence of prediction: 0.860719
Y_true: [1 4 16 20 26 29 33 34 37 41]
Y_pred: [4 26 29 34 37 49]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
tah gerd cervical spondylosis hx of, score: 0.051936503
laryngitis from gerd social history has her, score: 0.036233302
kinase musk antibodies that, score: 0.029306615

confidence of prediction: 0.564745
Y_true: [1 4 16 20 26 29 33 34 37 41]
Y_pred: [4 26 29 34 37 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
and urinary tract infection a family, score: 0.03517968
[UNK] days wk [UNK], score: 0.022576217
20mg hospital1 warfarin 2mg, score: 0.012854601

confidence of prediction: 0.981945
Y_true: [10 14 16 18 26 27 38 39]
Y_pred: [18 26 27 38]

top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed towards his pre, score: 0.24005292
cardiothoracic allergies no known, score: 0.011036518
pacing wires were removed per, score: 0.0064403564

confidence of prediction: 0.965423
Y_true: [10 14 16 18 26 27 38 39]
Y_pred: [18 26 27 38]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation past surgical history, score: 0.062131844
fib disp tablet s, score: 0.007674362
atrial fibrillation was admitted to, score: 0.006014598

confidence of prediction: 0.927026
Y_true: [10 14 16 18 26 27 38 39]
Y_pred: [18 26 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic congestive heart failure mitral valve regurgitation
atrial, score: 0.21045302
congestive heart failure mitral valve regurgitation atrial, score:
0.06693192
aortic stenosis atrial fibrillation, score: 0.023522137

confidence of prediction: 0.659660
Y_true: [10 14 16 18 26 27 38 39]
Y_pred: [18 26 27 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac cath selective coronary angiography of this, score:
0.20673901
cath history of present, score: 0.0556719
cardiac catheterization to evaluate, score: 0.05278936

confidence of prediction: 0.974704
Y_true: [34]
Y_pred: [20 34 37 46]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
doc q lace mg twice, score: 0.009691488
diazepam fluoxetine gerd continued omeprazole chronic pain, score:
0.0077015013
sepsis patient with cp, score: 0.001884841

confidence of prediction: 0.849349
Y_true: [1 21 25 27 30 35 36 37 39]
Y_pred: [25 27]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve prolapse presenting with, score: 0.5249599
mitral valve prolapse cataracts, score: 0.1488296
mitral valve prolapse partial, score: 0.050087754

confidence of prediction: 0.902856
Y_true: [1 21 25 27 30 35 36 37 39]
Y_pred: [25 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf less than one, score: 0.045553543
congestive heart failure with lvef history, score: 0.039016217
diastolic chf and severe mitral valve, score: 0.028755806

confidence of prediction: 0.779303
Y_true: [3 13 14 18 20 24 25 26 38]
Y_pred: [13 14 18 20 24 26 34 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
cardiac catheterization coronary artery bypass graft x1, score:
0.09529889
cabg than pci cabg, score: 0.04970857
for cabg today he has, score: 0.022383602

confidence of prediction: 0.609337
Y_true: [3 13 14 18 20 24 25 26 38]
Y_pred: [13 14 18 20 24 26 34 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catheterization coronary artery bypass, score: 0.81678134
catheterization which showed a, score: 0.007601775
diag mid to distal lcx no, score: 0.006126955

confidence of prediction: 0.979802
Y_true: [3 13 14 18 20 24 25 26 38]
Y_pred: [13 14 18 20 24 26 34 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
washing incisions gently with mild soap, score: 0.009997619
cardiothoracic allergies ciprofloxacin attending, score: 0.00596161
incisions each morning you, score: 0.0047562607

confidence of prediction: 0.920240
Y_true: [3 13 14 18 20 24 25 26 38]
Y_pred: [13 14 18 20 24 26 34 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
possibly mild hypertension and, score: 0.064182006
fibrillation hypercholesterolemia social history, score: 0.028135883
s p cabg atrial, score: 0.02057175

confidence of prediction: 0.979659
Y_true: [3 13 14 18 20 24 25 26 38]
Y_pred: [13 14 18 20 24 26 34 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p cabg atrial fibrillation, score:
0.32289556

cardiac catheterization coronary artery bypass graft, score:
0.16705711
lesion therefore will be, score: 0.07495993

confidence of prediction: 0.935226
Y_true: [3 13 14 18 20 24 25 26 38]
Y_pred: [13 14 18 20 24 26 34 38]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation s p laa, score: 0.09563165
fibrillation hypercholesterolemia who presented, score: 0.046822462
paf was referred to, score: 0.038996693

confidence of prediction: 0.905055
Y_true: [3 13 14 18 20 24 25 26 38]
Y_pred: [13 14 18 20 24 26 34 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization coronary artery bypass, score: 0.9178116
catheterization which showed a, score: 0.0036952987
multi vessel or proximal, score: 0.0036674351

confidence of prediction: 0.812543
Y_true: [3 7 11 20 37]
Y_pred: [3 4 7 11 20 28 37]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
work hypertension hypercholesterolemia erectile dysfunction
depression, score: 0.05742825
htn hld multiple cvas, score: 0.000947835
and deceased of stroke, score: 0.0007969302

confidence of prediction: 0.597355
Y_true: [3 7 11 20 37]
Y_pred: [3 4 7 11 20 28 37]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
small melenotic bowel movements, score: 0.07544459
a repeat endoscopy that showed bleeding in, score: 0.06490854
was performed by gi, score: 0.05681728

confidence of prediction: 0.669398
Y_true: [3 7 11 20 37]
Y_pred: [3 4 7 11 20 28 37]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
his egd depression continued patient s sertraline, score:
0.006046233
erectile dysfunction depression elevated psa social history, score:
0.004184823
showed the above findings, score: 0.0029626018

confidence of prediction: 0.994755
Y_true: [3 7 11 20 37]

Y_pred: [3 4 7 11 20 28 37]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
htn hld multiple cvas and, score: 0.16841711
continuing to complain of, score: 0.007785836
had small melenotic bowel, score: 0.0026271495

confidence of prediction: 0.933258
Y_true: [3 7 11 20 37]
Y_pred: [3 4 7 11 20 28 37]
top three important windows for true positive code 37 (599.0: Urinary tract infection, site not specified)
discharge urinary tract infection pan sensitive e coli uti noted on previous, score: 0.048935983
dysfunction depression elevated psa, score: 0.0032141309

confidence of prediction: 0.808310
Y_true: [2 4 13 17 18 20 24 47]
Y_pred: [2 4 18 20 24 26 40]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
noninsulin dependent diabetes mellitus hypertension hyperlipidemia social, score: 0.1143896
diabetes mellitus hypertension hyperlipidemia discharge, score: 0.07585823
daily metformin 500mg hospital1 fish oil, score: 0.022942131

confidence of prediction: 0.843462
Y_true: [2 4 13 17 18 20 24 47]
Y_pred: [2 4 18 20 24 26 40]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
mellitus hypertension hyperlipidemia social history last dental, score: 0.08373102
mellitus hypertension hyperlipidemia discharge condition alert, score: 0.08373102
atorvastatin mg hospital1 sig, score: 0.0068949754

confidence of prediction: 0.977171
Y_true: [2 4 13 17 18 20 24 47]
Y_pred: [2 4 18 20 24 26 40]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were removed in, score: 0.124073416
cardiothoracic allergies norvasc attending, score: 0.054576922
washing incisions gently with mild soap, score: 0.008008192

confidence of prediction: 0.943640
Y_true: [2 4 13 17 18 20 24 47]
Y_pred: [2 4 18 20 24 26 40]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
diabetes mellitus hypertension hyperlipidemia social history last,

score: 0.15389378
diabetes mellitus hypertension hyperlipidemia discharge condition
alert, score: 0.15389378
mechanical cabg x2 lima, score: 0.06543657

confidence of prediction: 0.860216
Y_true: [2 4 13 17 18 20 24 47]
Y_pred: [2 4 18 20 24 26 40]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease noninsulin, score: 0.10268743
lm mid lad 2nd diagonal lesions, score: 0.075609736
on the surgery was, score: 0.036255796

confidence of prediction: 0.539242
Y_true: [1 4 11 26 47 49]
Y_pred: [1 26]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
of hypothyroidism and paroxysmal af admitted, score: 0.5009956
daily levothyroxine mcg tablet sig, score: 0.06245551
daily synthroid 100mcg dialy metoprolol xl, score: 0.060510438

confidence of prediction: 0.970561
Y_true: [1 4 11 26 47 49]
Y_pred: [1 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
paf s p pvi, score: 0.38325256
paf on holter with, score: 0.20222355
af admitted for elective, score: 0.07674311

confidence of prediction: 0.985496
Y_true: [10 11 18 34]
Y_pred: [18 27 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued per, score: 0.7359662
cardiothoracic allergies codeine morphine, score: 0.040733337
washing incisions gently with mild soap, score: 0.0021992077

confidence of prediction: 0.938433
Y_true: [10 11 18 34]
Y_pred: [18 27 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
p avr gerd asthma depression left tibial, score: 0.023003224
aerosol prn omeprazole 20mg, score: 0.007748998
occupation retired cigarettes smoked, score: 0.0006934051

confidence of prediction: 0.993472
Y_true: [4 8 13 18 20 24 34 47]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 4 (272.4: Other

and unspecified hyperlipidemia)
cabg x4 dyslipidemia hypertension cardiac history percutaneous,
score: 0.4411118
for hypertension hyperlipidemia and single vessel, score:
0.009984517

confidence of prediction: 0.999708
Y_true: [4 8 13 18 20 24 34 47]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
[UNK] x4 lima lad svg, score: 0.0041652215
wires were discontinued without, score: 0.0016111811
p cabg x4 dyslipidemia, score: 0.0009260802

confidence of prediction: 0.987566
Y_true: [4 8 13 18 20 24 34 47]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.72236705
cabg x4 lima to, score: 0.033064693
diuresed toward the preoperative, score: 0.020381603

confidence of prediction: 0.952609
Y_true: [4 8 13 18 20 24 34 47]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
significant for hypertension hyperlipidemia and single vessel,
score: 0.19819154
occupation retired cigarettes smoked no, score: 0.10445973
x4 dyslipidemia hypertension cardiac history percutaneous, score:
0.030899374

confidence of prediction: 0.999895
Y_true: [4 8 13 18 20 24 34 47]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cabg x4 lima to, score: 0.5269309
vessel cad s p bare metal, score: 0.079262316
single vessel cad s p bare metal, score: 0.02901281

confidence of prediction: 0.928916
Y_true: [4 8 13 18 20 24 34 47]
Y_pred: [4 13 18 20 24 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
rca in gerd gout h o ulcer, score: 0.04959056
occupation retired cigarettes smoked, score: 0.0012761699
allergies penicillins percocet percodan, score: 0.00080779934

confidence of prediction: 0.972604

Y_true: [26]
Y_pred: [26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with rates in the, score: 0.71871316
af on postoperative day, score: 0.16777144
atrial fibrillation delerium tremens chronic, score: 0.015019392

confidence of prediction: 0.990525
Y_true: [3 13 18 22 24 37]
Y_pred: [2 13 18 20 22 24 29]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting x3 with the, score: 0.51304847
coronary artery bypass graft surgery see, score: 0.07848855
obtuse marginal coronary artery endoscopic left, score: 0.02410298

confidence of prediction: 0.981410
Y_true: [3 13 18 22 24 37]
Y_pred: [2 13 18 20 22 24 29]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
bypass grafting x3 with the, score: 0.03168296
cardiothoracic allergies penicillins beta, score: 0.01449046
tee was performed in, score: 0.008273605

confidence of prediction: 0.786020
Y_true: [3 13 18 22 24 37]
Y_pred: [2 13 18 20 22 24 29]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
non st elevation myocardial infarction community acquired, score:
0.010656714
non st elevation myocardial infarction and cardiac, score:
0.010650512
for myocardial infarction troponin street, score: 0.0071945726

confidence of prediction: 0.999131
Y_true: [3 13 18 22 24 37]
Y_pred: [2 13 18 20 22 24 29]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.60442793
coronary artery disease s p cabg non st, score: 0.1279613
coronary artery bypass graft, score: 0.025814304

confidence of prediction: 0.903560
Y_true: [20 31 47]
Y_pred: [20 27 33]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension lower extremity edema hypertension social history
smoked 3pks, score: 0.28545085
[UNK] serevent 50mcg discus lasix 20mg, score: 0.031636428

advair spiriva singulair and, score: 0.029085275

confidence of prediction: 0.684610
Y_true: [1 4 10 20 33 34]
Y_pred: [1 2 4]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
hypoglycemics hypothyroidism bipolar disease obesity, score: 0.3577754
disorder hypothyroidism and diabetic neuropathy, score: 0.1618518
pm levothyroxine mcg tablet tablet s, score: 0.10662913

confidence of prediction: 0.763470
Y_true: [1 4 10 20 33 34]
Y_pred: [1 2 4]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
disease obesity hyperlipidemia osteoarthritis of the knees, score: 0.10380099
day rosuvastatin crestor mg tablet tablet, score: 0.024471236
daily daily rosuvastatin mg tablet sig, score: 0.010763451

confidence of prediction: 0.952320
Y_true: [4 20 32]
Y_pred: [4 20]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
history pmh hypertension hyperlipidemia sleep apnea social history, score: 0.0023940466
statin atenolol 25mg discharge, score: 0.0017180975
controlled with prn dilaudid, score: 0.0015446901

confidence of prediction: 0.999727
Y_true: [4 20 32]
Y_pred: [4 20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
history pmh hypertension hyperlipidemia sleep apnea social, score: 0.11846261
off a ladder onto concrete onto, score: 0.011810794
non steroidal antiinflammatory drugs, score: 0.0030144777

confidence of prediction: 0.944447
Y_true: [17 21 33 35 37 42]
Y_pred: [4 17 37 43]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
line placement intubated supported, score: 0.3743946
by a ventilator history of present illness, score: 0.027363207
a picc line was placed for, score: 0.021506341

confidence of prediction: 0.974269
Y_true: [17 21 33 35 37 42]
Y_pred: [4 17 37 43]

top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
both a uti with klebsiella and pna with staph, score: 0.015848361
mg tablet chewable sig, score: 0.005546544
excoriations on her abdomen, score: 0.0040052934

confidence of prediction: 0.991502
Y_true: [4 5 16 17 20 37 41 42]
Y_pred: [20 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension s p melanoma, score: 0.30946028
hctz gabapentin [UNK] crestor discharge medications staples, score:
0.031116102
a holocaust survivor her son, score: 0.019496264

confidence of prediction: 0.904542
Y_true: [4 5 16 17 20 37 41 42]
Y_pred: [20 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
illness 78f found down with uti troponin bradycardia with 4th,
score: 0.027148595
vermis urinary tract infection myocardial infarction, score:
0.0073169414
a tract in the, score: 0.005647657

confidence of prediction: 0.657845
Y_true: [0 11 16 17 19 21 33 36 40 42 43 44 45 46]
Y_pred: [0 17 33 40 42 44 45]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
related to sepsis fluids restricted lasix continued, score:
0.33923462
[UNK] with sepsis secondary diagnosis renal failure, score:
0.03184951
a widespread encephalopathy affecting both cortical, score:
0.01743534

confidence of prediction: 0.889442
Y_true: [0 11 16 17 19 21 33 36 40 42 43 44 45 46]
Y_pred: [0 17 33 40 42 44 45]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
a widespread encephalopathy affecting both cortical, score:
0.052911077
[UNK] gallbladder central line changed ef hepatic, score:
0.046451353
patient had respiratory distress, score: 0.027817672

confidence of prediction: 0.548341
Y_true: [0 11 16 17 19 21 33 36 40 42 43 44 45 46]
Y_pred: [0 17 33 40 42 44 45]
top three important windows for true positive code 33 (518.81: Acute

respiratory failure)
intubated for airway protection while percutaneous drain placed,
score: 0.12651746
intubated for tachypnea ptc, score: 0.10404506
intubated for airway protection eeg done neuro consulted, score:
0.07707942

confidence of prediction: 0.722155
Y_true: [0 11 16 17 19 21 33 36 40 42 43 44 45 46]
Y_pred: [0 17 33 40 42 44 45]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
today intubated started on, score: 0.10813475
monitoring intubated for tachypnea, score: 0.07516774
and was intubated for airway protection while percutaneous drain
placed, score: 0.038721938

confidence of prediction: 0.531203
Y_true: [0 11 16 17 19 21 33 36 40 42 43 44 45 46]
Y_pred: [0 17 33 40 42 44 45]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
while percutaneous drain placed past, score: 0.22529341
today intubated started on, score: 0.13637812
eeg abnormal eeg due to, score: 0.064363785

confidence of prediction: 0.718286
Y_true: [0 11 16 17 19 21 33 36 40 42 43 44 45 46]
Y_pred: [0 17 33 40 42 44 45]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
bun 2u prbc r uq us, score: 0.18050933
bun 2u prbc given r uq us, score: 0.18050933
multiple medical conditions depressive d, score: 0.020948565

confidence of prediction: 0.745290
Y_true: [0 11 16 17 19 21 33 36 40 42 43 44 45 46]
Y_pred: [0 17 33 40 42 44 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
collection surrounding decompressed gb c w, score: 0.08558367
us decompressed gb non, score: 0.02946302
duplex us tpn ordered insulin gtt extubated, score: 0.0267933

confidence of prediction: 0.975601
Y_true: [4 18 20 24 44 47]
Y_pred: [13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires are still in, score: 0.5788758
lotions or ointments to, score: 0.2423316
effusion electronically signed by, score: 0.027374828

confidence of prediction: 0.639755
Y_true: [4 18 20 24 44 47]
Y_pred: [13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
exertional dyspnea major surgical, score: 0.33134463
ischemic cardiomyopathy hypertension dyslipidemia elevated psa,
score: 0.20570448
machine vivid echocardiographic measurements, score: 0.04839754

confidence of prediction: 0.977327
Y_true: [4 18 20 24 44 47]
Y_pred: [13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s, score: 0.17955233
three vessel coronary artery bypass grafting, score: 0.12005584
coronary artery disease ischemic cardiomyopathy hypertension, score:
0.07015342

confidence of prediction: 0.990950
Y_true: [20 27 34 37]
Y_pred: [4 20 27 30 34 37 41 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
sbo gallstones htn hld gerd emphysema on, score: 0.33184206
40mg daily zocor 40mg daiyl flomax qhs, score: 0.030920612

confidence of prediction: 0.906523
Y_true: [20 27 34 37]
Y_pred: [4 20 27 30 34 37 41 43]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diagnosis of chf though ef shown to, score: 0.028085351
diastolic dysfunction he carries, score: 0.022835134
medical history chf ef unknown sbo gallstones, score: 0.017670419

confidence of prediction: 0.831324
Y_true: [20 27 34 37]
Y_pred: [4 20 27 30 34 37 41 43]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
htn hld gerd emphysema on l suppl, score: 0.0072989594
substantial baseline requirement of 5lnc so he, score: 0.0067915507
pursued and revealed no, score: 0.0055627786

confidence of prediction: 0.938483
Y_true: [20 27 34 37]
Y_pred: [4 20 27 30 34 37 41 43]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
and uti ct head, score: 0.117007114
urinary tract infection that grew, score: 0.073703766
urinary tract infection there, score: 0.073703766

confidence of prediction: 0.698148
Y_true: [7 11 17 20 22 26 27 33 37 40 41 43 46]
Y_pred: [0 6 17 25 26 27 33 35 37 40 42 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
supported with vasopressors from, score: 0.052369997
fem cvl was placed she was, score: 0.04343232
management of cervical cancer, score: 0.033184696

confidence of prediction: 0.846097
Y_true: [7 11 17 20 22 26 27 33 37 40 41 43 46]
Y_pred: [0 6 17 25 26 27 33 35 37 40 42 46]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with rvr with conversion, score: 0.28585923
fib with rvr and flash, score: 0.23057267
atrial fibrillation dccv on and, score: 0.1564761

confidence of prediction: 0.941056
Y_true: [7 11 17 20 22 26 27 33 37 40 41 43 46]
Y_pred: [0 6 17 25 26 27 33 35 37 40 42 46]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chronic systolic chf which improved with diuresis, score: 0.09316711
systolic murmur loudest at, score: 0.01766881
flash pulmonary edema treated, score: 0.015328581

confidence of prediction: 0.958936
Y_true: [7 11 17 20 22 26 27 33 37 40 41 43 46]
Y_pred: [0 6 17 25 26 27 33 35 37 40 42 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
required endotracheal intubation following intubation patient had,
score: 0.08158679
percutaneous nephrostomy tube endotracheal intubation extubation
cervical biopsy, score: 0.05755126
supported with vasopressors from to, score: 0.03257939

confidence of prediction: 0.532101
Y_true: [7 11 17 20 22 26 27 33 37 40 41 43 46]
Y_pred: [0 6 17 25 26 27 33 35 37 40 42 46]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
palliative treatment following resolution, score: 0.03339077
cipro monotherapy began to, score: 0.017487884
for complicated uti respiratory failure intubated, score:
0.013940248

confidence of prediction: 0.850398
Y_true: [7 11 17 20 22 26 27 33 37 40 41 43 46]
Y_pred: [0 6 17 25 26 27 33 35 37 40 42 46]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)

required endotracheal intubation following intubation patient had,
score: 0.12883992
tube endotracheal intubation extubation cervical biopsy endotracheal
intubation history of, score: 0.07976488
intubate for airway protection, score: 0.010169944

confidence of prediction: 0.920576
Y_true: [7 11 17 20 22 26 27 33 37 40 41 43 46]
Y_pred: [0 6 17 25 26 27 33 35 37 40 42 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
supported with vasopressors from to, score: 0.5198243
shock treated empirically with, score: 0.025715439
then cr up to, score: 0.023505237

confidence of prediction: 0.543195
Y_true: [1 8 34]
Y_pred: [1 20 34]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
gerd hypothyroidism c section in, score: 0.014285562
on admission levothyroxine mcg tablet tablet s, score: 0.0056001153
discharge medications levothyroxine mcg tablet sig one, score:
0.002249387

confidence of prediction: 0.746213
Y_true: [1 8 34]
Y_pred: [1 20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
ohms sensing mv and, score: 0.021166937
femoral line was placed and, score: 0.014129059
line somewhat distant heart sounds, score: 0.008642347

confidence of prediction: 0.503174
Y_true: [0 6 9 12 19 21 26 27 29 35 39 43 45 46 49]
Y_pred: [0 1 19 21 26 27 29 33 39 40 42 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
septic shock atn requiring transient, score: 0.052879523
and was started on broad spectrum antibiotics he was, score:
0.035934947
gbs sepsis shock atn w transient, score: 0.03407289

confidence of prediction: 0.808007
Y_true: [0 6 9 12 19 21 26 27 29 35 39 43 45 46 49]
Y_pred: [0 1 19 21 26 27 29 33 39 40 42 46]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
initiated on cvvh this was, score: 0.26720247
dm ckd iii htn, score: 0.02641695
then developed acute hypercapnea hypoxia and, score: 0.006169727

confidence of prediction: 0.681353

Y_true: [0 6 9 12 19 21 26 27 29 35 39 43 45 46 49]
Y_pred: [0 1 19 21 26 27 29 33 39 40 42 46]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
ckd stage iii cr new basline since last, score: 0.29760855
chronic renal failure and possible, score: 0.08436725
cv [UNK] diminished s1, score: 0.045217775

confidence of prediction: 0.984075
Y_true: [0 6 9 12 19 21 26 27 29 35 39 43 45 46 49]
Y_pred: [0 1 19 21 26 27 29 33 39 40 42 46]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib since admission here, score: 0.30138978
atrial fibrilation he continued to, score: 0.054868367
atrial fibrillation and prior to, score: 0.010438624

confidence of prediction: 0.915204
Y_true: [0 6 9 12 19 21 26 27 29 35 39 43 45 46 49]
Y_pred: [0 1 19 21 26 27 29 33 39 40 42 46]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf lvef rv dilation, score: 0.16874115
chf lower extremity ulcers major, score: 0.15305588
acute systolic chf, score: 0.10211991

confidence of prediction: 0.792074
Y_true: [0 6 9 12 19 21 26 27 29 35 39 43 45 46 49]
Y_pred: [0 1 19 21 26 27 29 33 39 40 42 46]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
developed a pneumonia with respiratory failure and, score:
0.16037937
acute hypercapnea hypoxia and, score: 0.02310745
bibasilar rales and massive, score: 0.017600916

confidence of prediction: 0.894882
Y_true: [0 6 9 12 19 21 26 27 29 35 39 43 45 46 49]
Y_pred: [0 1 19 21 26 27 29 33 39 40 42 46]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee no spontaneous echo, score: 0.91353863
transesophageal echocardiogram history of, score: 0.059214894
mitral valve prolapse mild mitral, score: 0.0009937095

confidence of prediction: 0.775699
Y_true: [0 6 9 12 19 21 26 27 29 35 39 43 45 46 49]
Y_pred: [0 1 19 21 26 27 29 33 39 40 42 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
septic shock atn requiring transient, score: 0.077459775
sepsis shock atn w transient, score: 0.03285535
and was started on broad spectrum antibiotics he, score: 0.028419541

confidence of prediction: 0.650149
Y_true: [1 4 18 27 32 34 37]
Y_pred: [1 4 15 18 25 27 34 38 39 44]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
arthropathy hypothyroidism thyroid nodule benign, score: 0.15079136
protonix hospital1 levoxyl qd atenolol qd aspirin, score:
0.008955431
facility hospital1 vna discharge, score: 0.002947913

confidence of prediction: 0.973725
Y_true: [1 4 18 27 32 34 37]
Y_pred: [1 4 15 18 25 27 34 38 39 44]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
[UNK] 1000mg tid feso4 325mg qd, score: 0.0037223871
field deficit dyslipidemia asthma restrictive lung disease, score:
0.002562519
levoxyl qd atenolol qd, score: 0.0010398541

confidence of prediction: 0.971448
Y_true: [1 4 18 27 32 34 37]
Y_pred: [1 4 15 18 25 27 34 38 39 44]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic doctor first name, score: 0.2850428
cardiothoracic allergies remicade attending, score: 0.014404167
tee was performed in, score: 0.012915766

confidence of prediction: 0.658472
Y_true: [1 4 18 27 32 34 37]
Y_pred: [1 4 15 18 25 27 34 38 39 44]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
25mm st male first, score: 0.023659062
heart cardiac catheterization have, score: 0.018113809
implantation difficult intubation followed cardiac, score:
0.01178201

confidence of prediction: 0.753763
Y_true: [1 4 18 27 32 34 37]
Y_pred: [1 4 15 18 25 27 34 38 39 44]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
and women s hospital, score: 0.010999198
and women s with, score: 0.010999198
incontinence gastroesophageal reflux disease ulcerative colitis,
score: 0.009538587

confidence of prediction: 0.815981
Y_true: [2 4 13 18 20 24 26 39 49]
Y_pred: [2 4 13 18 20 24 25 26 48]
top three important windows for true positive code 2 (250.00:

Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
noninsulin dependent diabetes mellitus gastric reflux dyslipidemia, score: 0.15922791
noninsulin dependent diabetes mellitus hypertension s p, score: 0.15922791
admission metformin triamterene hctz, score: 0.021667456

confidence of prediction: 0.752628
Y_true: [2 4 13 18 20 24 26 39 49]
Y_pred: [2 4 13 18 20 24 25 26 48]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
artery disease dyslipidemia atrial fibrillation noninsulin, score: 0.09442324
sternotomy for cabg avr, score: 0.061636824
cabg follow up since, score: 0.04719263

confidence of prediction: 0.961438
Y_true: [2 4 13 18 20 24 26 39 49]
Y_pred: [2 4 13 18 20 24 25 26 48]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
effusion post bypass left, score: 0.026462536
coronary artery bypass grafts x lima lad history of, score: 0.024083821
redosternotomy cabgx lima lad avr street, score: 0.012069809

confidence of prediction: 0.920690
Y_true: [2 4 13 18 20 24 26 39 49]
Y_pred: [2 4 13 18 20 24 25 26 48]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.8196653
cardiothoracic allergies patient recorded, score: 0.020201826
lima lad avr street, score: 0.016141174

confidence of prediction: 0.956121
Y_true: [2 4 13 18 20 24 26 39 49]
Y_pred: [2 4 13 18 20 24 25 26 48]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
repair hypertension atrial fibrillation noninsulin dependent diabetes mellitus, score: 0.045604106
metformin triamterene hctz toprol xl glipizide amiodarone, score: 0.04225498
noninsulin dependent diabetes mellitus hypertension s p mitral, score: 0.030833125

confidence of prediction: 0.746095
Y_true: [2 4 13 18 20 24 26 39 49]
Y_pred: [2 4 13 18 20 24 25 26 48]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)

coronary artery disease h o, score: 0.16151124
coronary artery disease major surgical, score: 0.09774111
aortic insufficiency coronary artery disease dyslipidemia, score: 0.03077965

confidence of prediction: 0.981023
Y_true: [2 4 13 18 20 24 26 39 49]
Y_pred: [2 4 13 18 20 24 25 26 48]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation recently he ha, score: 0.67614603
atrial fibrillation chest pain coronary, score: 0.058576785
af workup and cardiac, score: 0.039006338

confidence of prediction: 0.826271
Y_true: [2 21 24 27 34 36]
Y_pred: [21 24 27 30 34 36 38]
top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified)
ace inhibitor cri patient received several, score: 0.05701009
and chronic kidney failure diabetes physical exam, score: 0.011600123
daily pyridoxine 100mg daily vitamin, score: 0.007396157

confidence of prediction: 0.955599
Y_true: [2 21 24 27 34 36]
Y_pred: [21 24 27 30 34 36 38]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery disease gerd, score: 0.05649738
vessel coronary artery disease and, score: 0.048766274
coronary artery disease known mid, score: 0.038777493

confidence of prediction: 0.987351
Y_true: [2 21 24 27 34 36]
Y_pred: [21 24 27 30 34 36 38]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
diastolic heart failure he was continued, score: 0.43852967
failure and chronic kidney, score: 0.012139914
pulmonary edema with development, score: 0.0068635666

confidence of prediction: 0.906773
Y_true: [2 21 24 27 34 36]
Y_pred: [21 24 27 30 34 36 38]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
artery disease gerd discharge condition good, score: 0.060445614
oxygen gerd continued on ppi medications, score: 0.03679691
wrist surgery gerd social history he is, score: 0.025434379

confidence of prediction: 0.817487
Y_true: [2 21 24 27 34 36]

Y_pred: [21 24 27 30 34 36 38]
top three important windows for true positive code 36 (585.9: Chronic kidney disease, unspecified)
ace inhibitor cri patient received several, score: 0.07821727
and chronic kidney failure diabetes physical exam, score: 0.00811077
daily pyridoxine 100mg daily vitamin, score: 0.006542152

confidence of prediction: 0.912040
Y_true: [4 20 30]
Y_pred: [4 20 30]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
aerosol inhaler hospital1 one puff, score: 0.009397799
history asthma copd htn hyperlipidemia h o prostate ca, score: 0.003112237

confidence of prediction: 0.917004
Y_true: [4 20 30]
Y_pred: [4 20 30]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
asthma copd htn hyperlipidemia h o prostate, score: 0.12023603
colonic polyps lichen simplex chronicus, score: 0.088852964
cholecystostomy tube placement history, score: 0.03095344

confidence of prediction: 0.742775
Y_true: [4 20 30]
Y_pred: [4 20 30]
top three important windows for true positive code 30 (496: Chronic airway obstruction, not elsewhere classified)
history asthma copd htn hyperlipidemia h o prostate, score: 0.25675446
every hours tiotropium bromide, score: 0.0031214429
elderly male in no, score: 0.0027198254

confidence of prediction: 0.985774
Y_true: [4 13 18 19 24 25 26 38]
Y_pred: [13 18 19 22 24 26]
top three important windows for true positive code 13 (36.15: Single internal mammary–coronary artery bypass)
coronary artery bypass grafting x4 with, score: 0.049952395
artery and reverse saphenous vein graft, score: 0.030837415
wires were discontinued without, score: 0.029681347

confidence of prediction: 0.986627
Y_true: [4 13 18 19 24 25 26 38]
Y_pred: [13 18 19 22 24 26]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.73090816
bypass grafting x4 with left, score: 0.017605573
cardiothoracic allergies no known, score: 0.0059101395

confidence of prediction: 0.618496

Y_true: [4 13 18 19 24 25 26 38]
Y_pred: [13 18 19 22 24 26]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
he was dialyzed on pod, score: 0.11226026
stage renal disease spinal, score: 0.054675512
labile with dialysis midodrine was started he, score: 0.054209128

confidence of prediction: 0.988764
Y_true: [4 13 18 19 24 25 26 38]
Y_pred: [13 18 19 22 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease acute, score: 0.15288523
coronary artery disease balloon, score: 0.14553754
and sequential reverse saphenous vein graft, score: 0.07929854

confidence of prediction: 0.978665
Y_true: [4 13 18 19 24 25 26 38]
Y_pred: [13 18 19 22 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation for which he, score: 0.13776192
afib well and he, score: 0.016423827
afib discharge disposition extended, score: 0.013781856

confidence of prediction: 0.500716
Y_true: [2 12 17 24 25 26 30 33 40 41 42]
Y_pred: [17 20 24 26 33 39 40 42 43]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line placement history of, score: 0.040165655
gerd multinodular goiter social history, score: 0.03464434
had progressive supplementary o2 requirements and, score: 0.0292426

confidence of prediction: 0.897057
Y_true: [2 12 17 24 25 26 30 33 40 41 42]
Y_pred: [17 20 24 26 33 39 40 42 43]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
above cad cardiomyopathy patient had an, score: 0.19477765
cad s p bms to rca in upper lobe bronchiectasis, score: 0.017752195
of cad hypotension initially, score: 0.01600904

confidence of prediction: 0.927490
Y_true: [2 12 17 24 25 26 30 33 40 41 42]
Y_pred: [17 20 24 26 33 39 40 42 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib rr o2sat on, score: 0.32656127
atrial fibrillation patient was well, score: 0.14738429
atrial fibrillation who was transferred, score: 0.090347685

confidence of prediction: 0.903337

Y_true: [2 12 17 24 25 26 30 33 40 41 42]
Y_pred: [17 20 24 26 33 39 40 42 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxic respiratory failure after an, score: 0.22073588
progressive respiratory failure she was intubated at, score:
0.120179266
hypoxemic respiratory failure her ventilator requirements continued,
score: 0.08398647

confidence of prediction: 0.805624
Y_true: [2 12 17 24 25 26 30 33 40 41 42]
Y_pred: [17 20 24 26 33 39 40 42 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
of intubation she also, score: 0.07017027
she was intubated at the, score: 0.06615702
she was intubated for hypoxemic respiratory, score: 0.05769622

confidence of prediction: 0.574440
Y_true: [2 12 17 24 25 26 30 33 40 41 42]
Y_pred: [17 20 24 26 33 39 40 42 43]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
arterial line placement history, score: 0.266591
her ventilator requirements continued, score: 0.042837966
she was intubated at the, score: 0.03027166

confidence of prediction: 0.897878
Y_true: [2 3 20 29]
Y_pred: [2 4 20 29]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
problems type dm on metformin home patient kept, score: 0.018962542
obesity type dm hypertension high cholesterol, score: 0.015602261
metformin mg hospital1 ibuprofen mg, score: 0.0066282433

confidence of prediction: 0.953197
Y_true: [2 3 20 29]
Y_pred: [2 4 20 29]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
type dm hypertension high cholesterol sleep apnea, score: 0.2466829
htn patient on lisinopril 20mg, score: 0.12704709
hctz metformin mg hospital1 ibuprofen, score: 0.11964053

confidence of prediction: 0.791868
Y_true: [2 3 20 29]
Y_pred: [2 4 20 29]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
community acquired pneumonia discharge condition mental, score:

0.19081317
have pneumonia with bandemia, score: 0.08503364
given hypoxia pneumonia was felt, score: 0.03722141

confidence of prediction: 0.985590
Y_true: [3 13 18 20 24 26 30]
Y_pred: [13 18 20 24 26 30]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass surgery, score: 0.61924237
coronary artery bypass graft x cross, score: 0.09473458
wires were discontinued without, score: 0.02466368

confidence of prediction: 0.986162
Y_true: [3 13 18 20 24 26 30]
Y_pred: [13 18 20 24 26 30]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7565426
washing incisions gently with mild soap, score: 0.002260694
marginal history of present, score: 0.002176967

confidence of prediction: 0.996320
Y_true: [3 13 18 20 24 26 30]
Y_pred: [13 18 20 24 26 30]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
[UNK] copd hypertension hypercholesterolemia gluten sensitivity
social history, score: 0.14623436
[UNK] copd hypertension hypercholesterolemia gluten sensitivity
discharge, score: 0.14623436
occupation recently retired banking, score: 0.028964806

confidence of prediction: 0.998486
Y_true: [3 13 18 20 24 26 30]
Y_pred: [13 18 20 24 26 30]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass surgery, score: 0.5117184
coronary artery disease s p coronary artery bypass graft, score:
0.108334094
coronary artery disease s, score: 0.04232753

confidence of prediction: 0.969861
Y_true: [3 13 18 20 24 26 30]
Y_pred: [13 18 20 24 26 30]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation coumadin was stopped physical, score:
0.035216905
atrial fibrillation with amiodarone and, score: 0.02282346
amiodarone dosing mg twice a, score: 0.009559869

confidence of prediction: 0.742385

Y_true: [3 13 18 20 24 26 30]
Y_pred: [13 18 20 24 26 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
hospital1 [UNK] copd hypertension hypercholesterolemia gluten
sensitivity, score: 0.32097754
hospital1 [UNK] copd hypertension hypercholesterolemia gluten,
score: 0.32097754
systolic function lvef right, score: 0.0026546235

confidence of prediction: 0.990309
Y_true: [6 7 10 13 18 24 25]
Y_pred: [13 18 20 24 25]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
cabg x lima lad svg om mitral, score: 0.532739
descending coronary reverse saphenous vein single, score: 0.08559796
wires were discontinued without, score: 0.021680554

confidence of prediction: 0.985875
Y_true: [6 7 10 13 18 24 25]
Y_pred: [13 18 20 24 25]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.72585976
diuresed toward the preoperative, score: 0.02048015
cabg x lima lad, score: 0.017117012

confidence of prediction: 0.994829
Y_true: [6 7 10 13 18 24 25]
Y_pred: [13 18 20 24 25]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
descending coronary reverse saphenous vein, score: 0.33975026
coronary artery disease type, score: 0.12153083
cabg x lima lad, score: 0.049523097

confidence of prediction: 0.707920
Y_true: [6 7 10 13 18 24 25]
Y_pred: [13 18 20 24 25]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
severe mitral regurgitation is seen, score: 0.1605046
mitral valve replacement with, score: 0.10055756
diagnosis mitral regurgitation coronary artery, score: 0.050198935

confidence of prediction: 0.840243
Y_true: [20]
Y_pred: [20 44]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
diagnosis perforated diverticulitis discharge condition, score:
0.2805525
uses inhaler social history no, score: 0.09800496

medical history htn depression anxiety chronic back pain perforated
diverticulitis s p, score: 0.08085893

confidence of prediction: 0.965645
Y_true: [20 35]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension h o scoliosis, score: 0.45964074
fluticasone gabapentin hctz lidocaine patch metop, score: 0.2143652
hypotension and orthostatic symptoms, score: 0.046321746

confidence of prediction: 0.605231
Y_true: [4 13 14 18 20 22 24 26 27 34 35]
Y_pred: [4 13 18 20 23 24 26 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history htn hyperlipidemia sciatica seasonal allergies elevated,
score: 0.17764322
mi age fatal mi age, score: 0.08347036
x5 hypertension hyperlipidemia sciatica elev psa, score: 0.038265247

confidence of prediction: 0.999401
Y_true: [4 13 14 18 20 22 24 26 27 34 35]
Y_pred: [4 13 18 20 23 24 26 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
cabg x lima lad svg diag svg om svg, score: 0.97843313
coronary artery bypass pre, score: 0.0042904834
cabg x5 hypertension hyperlipidemia sciatica elev, score:
0.0015713637

confidence of prediction: 0.967653
Y_true: [4 13 14 18 20 22 24 26 27 34 35]
Y_pred: [4 13 18 20 23 24 26 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.46884313
creams or powders on, score: 0.3566182
cabg x lima lad, score: 0.07900313

confidence of prediction: 0.996051
Y_true: [4 13 14 18 20 22 24 26 27 34 35]
Y_pred: [4 13 18 20 23 24 26 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn hyperlipidemia sciatica seasonal allergies,
score: 0.19390747
cabg x5 hypertension hyperlipidemia sciatica elev psa, score:
0.02333516
protocol diureses betablockade and, score: 0.019756239

confidence of prediction: 0.999768
Y_true: [4 13 14 18 20 22 24 26 27 34 35]

Y_pred: [4 13 18 20 23 24 26 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
diagnosis cad s p cabg x5, score: 0.01239666
smoked years ago no, score: 0.008660418
multi vessel disease he, score: 0.0073029893

confidence of prediction: 0.912989
Y_true: [4 13 14 18 20 22 24 26 27 34 35]
Y_pred: [4 13 18 20 23 24 26 34]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation he was treated, score: 0.15685573
atrial fibrillation additionally low dose, score: 0.03166176
amiodarone and did convert, score: 0.010718254

confidence of prediction: 0.785679
Y_true: [4 13 14 18 20 22 24 26 27 34 35]
Y_pred: [4 13 18 20 23 24 26 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
gerd social history married worked, score: 0.16578142
initial pre gerd sleep apnea discharge, score: 0.026779752
sciatica seasonal allergies elevated psa, score: 0.0122658145

confidence of prediction: 0.585652
Y_true: [2 4 8 9 10 12 13 18 20 24 30 34 43]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
pmh diabetes mellitus murmur and, score: 0.12120949
daily metformin mg tablet sig, score: 0.0444737
furniture mover cigarettes smoked, score: 0.040568806

confidence of prediction: 0.921070
Y_true: [2 4 8 9 10 12 13 18 20 24 30 34 43]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
stenosis hypertension hyperlipidemia obesity copd erectile
dysfunction low back, score: 0.06375659
disease hypertension hyperlipidemia obesity copd erectile
dysfunction low back, score: 0.034372836

confidence of prediction: 0.946928
Y_true: [2 4 8 9 10 12 13 18 20 24 30 34 43]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
descending reverse saphenous vein graft, score: 0.24216637
coronary artery bypass grafting to two, score: 0.040474772
coronary artery bypass grafting x2, score: 0.037628092

confidence of prediction: 0.973899
Y_true: [2 4 8 9 10 12 13 18 20 24 30 34 43]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
reverse saphenous vein graft, score: 0.017033456
mammary artery grafted to, score: 0.012882737
grafting x2 with a, score: 0.012879396

confidence of prediction: 0.981343
Y_true: [2 4 8 9 10 12 13 18 20 24 30 34 43]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
mover cigarettes smoked no, score: 0.09179519
artery disease hypertension hyperlipidemia obesity copd erectile,
score: 0.051642034
aortic stenosis hypertension hyperlipidemia obesity copd erectile,
score: 0.039343413

confidence of prediction: 0.983385
Y_true: [2 4 8 9 10 12 13 18 20 24 30 34 43]
Y_pred: [2 4 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease presents today, score: 0.29647398
anterior descending reverse saphenous vein graft, score: 0.07688131
coronary artery disease pmh, score: 0.07412684

confidence of prediction: 0.769780
Y_true: [20 37]
Y_pred: [20 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn dm and large, score: 0.17322724
seizure disorder hypertension benign prostatic hypertrophy, score:
0.068101026
a caudet catheter on, score: 0.055779252

confidence of prediction: 0.842263
Y_true: [20 37]
Y_pred: [20 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection the infection, score: 0.260743
urinary tract infection per patient, score: 0.1068082
after a foley catheter, score: 0.065198444

confidence of prediction: 0.929622
Y_true: [1 4 20 34]
Y_pred: [1 2 4 20 34]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
prediabetes hypothyroidism who presents, score: 0.17591953

bradycardia hypothyroid continued levothyroxine macular degeneration glaucoma, score: 0.09312036
degeneration hypothyroid eczema hypercalcemia, score: 0.028025696

confidence of prediction: 0.713441
Y_true: [1 4 20 34]
Y_pred: [1 2 4 20 34]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
and timolol dyslipidemia continued fenofibrate fish, score: 0.09894129
factors prediabetes dyslipidemia hypertension cardiac history cabg, score: 0.08212182
diabetes hypertension dyslipidemia renal failure, score: 0.054086965

confidence of prediction: 0.965554
Y_true: [1 4 20 34]
Y_pred: [1 2 4 20 34]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
history of htn dyslipidemia prediabetes hypothyroidism who, score: 0.19718601
conducted p waves noted, score: 0.16783962
hypertension discharge condition mental, score: 0.112834275

confidence of prediction: 0.843315
Y_true: [1 4 20 34]
Y_pred: [1 2 4 20 34]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
her worsening gerd medications on admission preadmission, score: 0.112586275
gerd along with mild, score: 0.030684646
renal failure physical exam, score: 0.01010716

confidence of prediction: 0.991654
Y_true: [2 7 9 13 14 18 20 23 24 26 34 38]
Y_pred: [13 18 20 24 26 34]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
bypass grafting x4 with, score: 0.20101054
coronary artery reverse saphenous vein single, score: 0.14110795
coronary artery reverse saphenous vein single, score: 0.12371411

confidence of prediction: 0.986829
Y_true: [2 7 9 13 14 18 20 23 24 26 34 38]
Y_pred: [13 18 20 24 26 34]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.71905124
diuresed toward the preoperative, score: 0.020288048
bypass grafting x4 with left, score: 0.017319974

confidence of prediction: 0.998419

Y_true: [2 7 9 13 14 18 20 23 24 26 34 38]
Y_pred: [13 18 20 24 26 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
p cabg pmh hypertension diet controlled diabetes poor, score:
0.008170609

confidence of prediction: 0.992750
Y_true: [2 7 9 13 14 18 20 23 24 26 34 38]
Y_pred: [13 18 20 24 26 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p cabg pmh, score: 0.1355238
coronary artery reverse saphenous vein single, score: 0.13329305
coronary artery reverse saphenous, score: 0.13329305

confidence of prediction: 0.838287
Y_true: [2 7 9 13 14 18 20 23 24 26 34 38]
Y_pred: [13 18 20 24 26 34]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
develop post op rapid atrial fibrillation which resolved with,
score: 0.04228356
amiodarone mg tablet sig, score: 0.027134016
cabg in her late, score: 0.012588182

confidence of prediction: 0.860980
Y_true: [2 7 9 13 14 18 20 23 24 26 34 38]
Y_pred: [13 18 20 24 26 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
and minor gerd he did develop post, score: 0.056136362
with prilosec he underwent stress testing, score: 0.0035124733
protocol reaching greater than, score: 0.0030808307

confidence of prediction: 0.655044
Y_true: [4 7 9 11 13 14 18 21 24 25 36 38 47]
Y_pred: [2 11 13 18 21 24 25 38]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
valerian 450mg capsules hs prn discharge, score: 0.15456825
anxiety depression social history retired he, score: 0.054621086
anxiety depression discharge condition alert, score: 0.05391874

confidence of prediction: 0.991126
Y_true: [4 7 9 11 13 14 18 21 24 25 36 38 47]
Y_pred: [2 11 13 18 21 24 25 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting x2, score: 0.484508
descending reverse saphenous vein graft, score: 0.11071303
coronary artery bypass grafting the, score: 0.029602455

confidence of prediction: 0.986227

Y_true: [4 7 9 11 13 14 18 21 24 25 36 38 47]
Y_pred: [2 11 13 18 21 24 25 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7217156
diuresed towards pre op, score: 0.04511243
reverse saphenous vein graft, score: 0.0040147235

confidence of prediction: 0.745569
Y_true: [4 7 9 11 13 14 18 21 24 25 36 38 47]
Y_pred: [2 11 13 18 21 24 25 38]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
mellitus chronic kidney disease hypertension anxiety, score:
0.0757945
valerian 450mg capsules hs prn, score: 0.06967272
ace inhibitors nickel attending first, score: 0.012475577

confidence of prediction: 0.997866
Y_true: [4 7 9 11 13 14 18 21 24 25 36 38 47]
Y_pred: [2 11 13 18 21 24 25 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.3203654
descending artery stent of, score: 0.07828978
s p lad stent, score: 0.06405976

confidence of prediction: 0.691922
Y_true: [4 7 9 11 13 14 18 21 24 25 36 38 47]
Y_pred: [2 11 13 18 21 24 25 38]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
angina mitral regurgitation coronary artery, score: 0.103828885
mitral valve repair with, score: 0.04929805
mitral valve repair overall, score: 0.028842773

confidence of prediction: 0.770652
Y_true: [4 7 9 11 13 14 18 21 24 25 36 38 47]
Y_pred: [2 11 13 18 21 24 25 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
catheterization comments selective coronary angiography in, score:
0.10501808
cardiac catheterization past medical history, score: 0.05046825
angina mitral regurgitation coronary artery, score: 0.024712812

confidence of prediction: 0.702283
Y_true: [20 29 42]
Y_pred: [20 29 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn social history lives alone, score: 0.2967952
htn patient has baseline severe hypertension and, score: 0.05690202

reflects redistribution opacification of the, score: 0.036634997

confidence of prediction: 0.665126
Y_true: [20 29 42]
Y_pred: [20 29 40 42]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
acquired pneumonia discharge condition mental, score: 0.4006014
hospital acquired pna he remained, score: 0.05726693
for pneumonia cxr there, score: 0.041914172

confidence of prediction: 0.729518
Y_true: [20 29 42]
Y_pred: [20 29 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
used for intubation rather than, score: 0.105482034
sedatives intubation icu delirium that, score: 0.10486849
he was intubated for airway protection, score: 0.09109029

confidence of prediction: 0.788092
Y_true: [10 33 40 42]
Y_pred: [6 20 33 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
fio2 peep tv he has, score: 0.11312828
by respiratory failure and bacteremia, score: 0.09970899
patient was intubated with etomidate, score: 0.08955313

confidence of prediction: 0.789278
Y_true: [10 33 40 42]
Y_pred: [6 20 33 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
general sedated intubated nad heent, score: 0.2227499
anicteric mmm intubated neck supple, score: 0.16372797
patient was intubated with etomidate, score: 0.045995545

confidence of prediction: 0.899160
Y_true: [4 20 24 34]
Y_pred: [4 20 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history htn hld born with kidney gerd h o migraines, score:
0.11416398
of htn hld cad diverticulosis and migraine, score: 0.06768003

confidence of prediction: 0.992278
Y_true: [4 20 24 34]
Y_pred: [4 20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

medical history htn hld born with kidney gerd h o, score: 0.23246983
history of htn hld cad diverticulosis and migraine, score:
0.21187261

confidence of prediction: 0.871803
Y_true: [4 20 24 34]
Y_pred: [4 20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
exerting minimal mass effect, score: 0.0035254753
although ground glass opacity, score: 0.0025740576
kidney punctate splenic calcifications likely, score: 0.0017272516

confidence of prediction: 0.953776
Y_true: [8 20 26 34 42]
Y_pred: [20 26 33 34 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
with dementia psychosis old, score: 0.16174282
occasionally would refuse to, score: 0.071920194
plavix miralax risperidol hospital1, score: 0.007529837

confidence of prediction: 0.939425
Y_true: [8 20 26 34 42]
Y_pred: [20 26 33 34 40 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation discharge condition mental, score: 0.2129775
fib at this time, score: 0.072424635
developed atrial fibrillation she was started, score: 0.006253163

confidence of prediction: 0.847733
Y_true: [8 20 26 34 42]
Y_pred: [20 26 33 34 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
stroke dementia gerd psychosis htn anemia lipids, score: 0.15812449
plavix miralax risperidol hospital1 colace, score: 0.01848333
placement in a nursing, score: 0.008207426

confidence of prediction: 0.815046
Y_true: [8 20 26 34 42]
Y_pred: [20 26 33 34 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated upon arrival she, score: 0.3670054
initially intubated for protection of, score: 0.16505434
was intubated at the, score: 0.10600039

confidence of prediction: 0.946579
Y_true: [2 3 13 18 20 24 39]
Y_pred: [2 3 13 18 20 24]
top three important windows for true positive code 2 (250.00:

Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
hypertension hypercholesterolemia diabetes mellitus type uterine fibroids, score: 0.011155289
hypertension hypercholesterolemia diabetes mellitus type uterine fibroids, score: 0.006714085
she received cefazolin for, score: 0.0013304891

confidence of prediction: 0.649179
Y_true: [2 3 13 18 20 24 39]
Y_pred: [2 3 13 18 20 24]
top three important windows for true positive code 3 (272.0: Pure hypercholesterolemia)
cabg hypertension hypercholesterolemia diabetes mellitus type uterine, score: 0.22116576
with exertional angina that occurs, score: 0.030126384
medical history hypertension hypercholesterolemia diabetes mellitus type, score: 0.0068935617

confidence of prediction: 0.990158
Y_true: [2 3 13 18 20 24 39]
Y_pred: [2 3 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single internal mammary–coronary artery bypass)
coronary artery bypass graft x left, score: 0.672452
descending saphenous vein graft to, score: 0.07184185
coronary artery bypass graft surgery please, score: 0.037980985

confidence of prediction: 0.975552
Y_true: [2 3 13 18 20 24 39]
Y_pred: [2 3 13 18 20 24]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
diuresed towards her pre, score: 0.17760584
lotions powders or ointments to, score: 0.1684644
incisions no baths or, score: 0.14652993

confidence of prediction: 0.987360
Y_true: [2 3 13 18 20 24 39]
Y_pred: [2 3 13 18 20 24]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
medical history hypertension hypercholesterolemia diabetes mellitus type, score: 0.23384951
20mg qd hctz 25mg, score: 0.06035475
s p cabg hypertension hypercholesterolemia diabetes mellitus type, score: 0.019814061

confidence of prediction: 0.999363
Y_true: [2 3 13 18 20 24 39]
Y_pred: [2 3 13 18 20 24]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.64475286

coronary artery disease s p cabg hypertension, score: 0.13649835
coronary artery disease left, score: 0.031855453

confidence of prediction: 0.932499
Y_true: [20]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
rheumatoid arthritis rectal bleeding htn seasonal allergies social
history, score: 0.0017526905
of l sdh history, score: 0.000784061
diagnosis l sdh with, score: 0.00073576876

confidence of prediction: 0.971533
Y_true: [4 5 13 14 18 21 23 24 26 35 36 38]
Y_pred: [13 18 23 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary–coronary artery bypass)
cornary artery bypass surgery x with, score: 0.30506107
lima lad reverse saphenous vein graft, score: 0.1938622
artery obtuse marginal artery history of, score: 0.029140806

confidence of prediction: 0.979444
Y_true: [4 5 13 14 18 21 23 24 26 35 36 38]
Y_pred: [13 18 23 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.4283083
cardiothoracic allergies patient recorded, score: 0.008029463
reverse saphenous vein graft, score: 0.007769864

confidence of prediction: 0.612234
Y_true: [4 5 13 14 18 21 23 24 26 35 36 38]
Y_pred: [13 18 23 24 26]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
history of imi s p pci to, score: 0.011060596
p cardiac catherization and, score: 0.009401883
medical history cad s p imi pci with, score: 0.009383574

confidence of prediction: 0.970158
Y_true: [4 5 13 14 18 21 23 24 26 35 36 38]
Y_pred: [13 18 23 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cornary artery bypass surgery, score: 0.17242531
coronary artery disease discharge, score: 0.12861204
s p imi pci, score: 0.11901999

confidence of prediction: 0.954641
Y_true: [4 5 13 14 18 21 23 24 26 35 36 38]
Y_pred: [13 18 23 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)

irregularly irregular s1 s2 no, score: 0.41315642
paf not on coumadin, score: 0.3112138
fib post operatively per, score: 0.109464794

confidence of prediction: 0.885947
Y_true: [2 17 20]
Y_pred: [2 4 20]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
medical history t2dm htn hepatitis b carrier, score: 0.007296745
of dmii htn and h o, score: 0.0070252796

confidence of prediction: 0.782171
Y_true: [2 17 20]
Y_pred: [2 4 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
of dmii htn and h o, score: 0.13896714
history t2dm htn hepatitis b carrier, score: 0.12059835
mrx1 prn prochloperazine 5mg, score: 0.025456209

confidence of prediction: 0.611900
Y_true: [0 6 22 26 29]
Y_pred: [0 2 22 26]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
broad spectrum antibiotics vanc cefepime, score: 0.044900898
continued to spike fevers and, score: 0.014572082
presented with sepsis from a suspected pulmonary, score: 0.014522797

confidence of prediction: 0.526110
Y_true: [0 6 22 26 29]
Y_pred: [0 2 22 26]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
indx ctropnt 56pm ck, score: 0.20058528
indx ctropnt 04pm ck, score: 0.058018457
she also nstemi d with positive, score: 0.03716902

confidence of prediction: 0.959194
Y_true: [0 6 22 26 29]
Y_pred: [0 2 22 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
amiodarone loading and infusion she, score: 0.12749667
atrial fibrillation with rapid ventricular, score: 0.02299919
developed afib with rvr and was, score: 0.006596898

confidence of prediction: 0.754082
Y_true: [2 4 13 18 24 26 30 39]
Y_pred: [4 13 18 24 26 30]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)

heart disease hyperlipidemia osteoarthritis in hips mild, score:
0.10567866
rosuvastatin mg tablet sig, score: 0.009621972
crestor mg daily asa mg, score: 0.009055048

confidence of prediction: 0.935678
Y_true: [2 4 13 18 24 26 30 39]
Y_pred: [4 13 18 24 26 30]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
descending artery saphenous vein graft, score: 0.09431329
coronary artery bypass graft x and, score: 0.07052195
coronary artery bypass graft x left, score: 0.06404844

confidence of prediction: 0.962466
Y_true: [2 4 13 18 24 26 30 39]
Y_pred: [4 13 18 24 26 30]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders on, score: 0.3896386
pacing wires were removed per, score: 0.009987988
cardiothoracic allergies patient recorded, score: 0.009603201

confidence of prediction: 0.931463
Y_true: [2 4 13 18 24 26 30 39]
Y_pred: [4 13 18 24 26 30]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease mitral, score: 0.14378528
coronary artery bypass graft, score: 0.12690896
coronary artery disease mitral, score: 0.12048487

confidence of prediction: 0.941683
Y_true: [2 4 13 18 24 26 30 39]
Y_pred: [4 13 18 24 26 30]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation that was treated, score: 0.13715398
atrial fibrilation despite treatment with bblockers, score:
0.030048214
regurgitation vena contracta is, score: 0.0042675

confidence of prediction: 0.655606
Y_true: [2 4 13 18 24 26 30 39]
Y_pred: [4 13 18 24 26 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
regurgitation stenosis hypertension rheumatic, score: 0.01234247
wall thickness cavity size, score: 0.005312692
chronic obstructive pulmonary disease obesity amaurosis, score:
0.0025131088

confidence of prediction: 0.543197
Y_true: [1 8 32 41]

Y_pred: [1 41]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
hemiparesis hypothyroidism htn chronic anemia poor, score:
0.38698536
daily levothyroxine mcg tablet sig one, score: 0.13170324
daily synthroid [UNK] daily dulcolax, score: 0.023491677

confidence of prediction: 0.804467
Y_true: [1 8 32 41]
Y_pred: [1 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
implanted feeding tube placed at this, score: 0.29335254
associated subarachnoid hemorrhage unchanged, score: 0.04544097
with contusions and pre, score: 0.013503673

confidence of prediction: 0.825219
Y_true: [16 17 23 24]
Y_pred: [17 20 23 24]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
so a picc line was placed on and, score: 0.013919567
underwent a diagnositic cerebral, score: 0.013060756
qt qtc p qrs, score: 0.008940983

confidence of prediction: 0.713975
Y_true: [16 17 23 24]
Y_pred: [17 20 23 24]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
history pmhx cad s p mi psych, score: 0.0034515178
diagnositic cerebral angiogram which, score: 0.000300922
cerebral angiogram history of, score: 0.00023540907

confidence of prediction: 0.823059
Y_true: [16 17 23 24]
Y_pred: [17 20 23 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
history pmhx cad s p mi psych, score: 0.01327739
s were pressed to, score: 0.0051522446
complications she was maintained, score: 0.0043660128

confidence of prediction: 0.607663
Y_true: [2 6 27 35 37 48]
Y_pred: [2 4 24 26 27 35 37 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
continued home lantus units qam in, score: 0.24062471
cancer and diabetes in, score: 0.07402674
of t2dm cad ischemic, score: 0.027493155

confidence of prediction: 0.605089
Y_true: [2 6 27 35 37 48]
Y_pred: [2 4 24 26 27 35 37 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cardiomyopathy lvef coronary artery, score: 0.19622798
core antibody igm negative hepatitis, score: 0.08777909
isosorbide mononitrate on month, score: 0.029276345

confidence of prediction: 0.900750
Y_true: [2 6 27 35 37 48]
Y_pred: [2 4 24 26 27 35 37 48]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
kidney injury improved with fluids, score: 0.10616096
have kidney injury low blood, score: 0.03719367
ivf etiology prerenal azotemia in, score: 0.030426692

confidence of prediction: 0.885753
Y_true: [2 6 27 35 37 48]
Y_pred: [2 4 24 26 27 35 37 48]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection your blood, score: 0.18762651
urinary tract infection date range, score: 0.09645441
have uti last name un, score: 0.07618081

confidence of prediction: 0.584557
Y_true: [2 6 27 35 37 48]
Y_pred: [2 4 24 26 27 35 37 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg paternal, score: 0.88792366
cad ischemic cardiomyopathy with lvef, score: 0.01739918
w ischemic cardiomyopathy lvef, score: 0.010253238

confidence of prediction: 0.803403
Y_true: [12 17 19 32 33 39 40 43 45 46]
Y_pred: [17 19 39 45 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
and picc line were, score: 0.08357051
abdominal wall abscess drainage, score: 0.08111062
ex lap gastrostomy closure umbo hernia, score: 0.0427006

confidence of prediction: 0.890585
Y_true: [12 17 19 32 33 39 40 43 45 46]
Y_pred: [17 19 39 45 46]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
esrd on hd m w, score: 0.11078255
esrd on hd chronic, score: 0.11078255
esrd on hd patient was, score: 0.085004635

confidence of prediction: 0.764267
Y_true: [12 17 19 32 33 39 40 43 45 46]
Y_pred: [17 19 39 45 46]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
yeast tee showed no evidence of, score: 0.015142773
cath i d abdominal, score: 0.013102521
line were removed and, score: 0.00697745

confidence of prediction: 0.790891
Y_true: [12 17 19 32 33 39 40 43 45 46]
Y_pred: [17 19 39 45 46]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
ex lap gastrostomy closure umbo hernia, score: 0.13636203
patient s tpn was held in, score: 0.11853215
concomitant tpn of note, score: 0.108182274

confidence of prediction: 0.772327
Y_true: [12 17 19 32 33 39 40 43 45 46]
Y_pred: [17 19 39 45 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
leukocytosis hypotension major surgical, score: 0.038887855
renal made aware on, score: 0.034337703
changed to vanco 250mg, score: 0.026187724

confidence of prediction: 0.678116
Y_true: [2 4 11 20 26 35]
Y_pred: [2 4 20 26 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
discharge diabetes patient is on, score: 0.080967486
bid metformin mg po bid, score: 0.038802736
amaryl januvia and metformin as an, score: 0.0342978

confidence of prediction: 0.685448
Y_true: [2 4 11 20 26 35]
Y_pred: [2 4 20 26 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
diabetes depression dyslipidemia ataxia peripheral vascular, score:
0.23886043
on amaryl januvia and, score: 0.09704382
150mg amaryl mg tablet sig, score: 0.022136947

confidence of prediction: 0.865175
Y_true: [2 4 11 20 26 35]
Y_pred: [2 4 20 26 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
s dementia hypertension diabetes depression dyslipidemia, score:
0.14625528

januvia mg qam multivitamin, score: 0.1378122
nuring home records tylenol, score: 0.04423863

confidence of prediction: 0.987218
Y_true: [2 4 11 20 26 35]
Y_pred: [2 4 20 26 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib on coumadin who, score: 0.23154481
atrial fibrillation with rvr, score: 0.06746079
atrial fibrillation on coumadin alzheimer, score: 0.03698338

confidence of prediction: 0.734004
Y_true: [3 20 35]
Y_pred: [35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
worsening kidney funtion of his, score: 0.26966175
on chronic renal failure left arm, score: 0.1698065
chief complaint arf hypocalcemia abdominal, score: 0.057106774

confidence of prediction: 0.666112
Y_true: [3 8 20]
Y_pred: [3]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
medical history hypercholesterolemia htn elective admission for,
score: 0.10194069
pica artery aneurysm was, score: 0.013225481
r pica aneurysm coiling, score: 0.010506631

confidence of prediction: 0.684272
Y_true: [3 20 41]
Y_pred: [3 20]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
the liver spleen and kidneys extensive atherosclerotic disease,
score: 0.0068486338
medical history hypertension hypercholesterolemia bph depression
anxiety family, score: 0.0044272346
fractures l1 transverse process, score: 0.0023010175

confidence of prediction: 0.929900
Y_true: [3 20 41]
Y_pred: [3 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hypercholesterolemia bph depression
anxiety, score: 0.21297008
celexa and zocor discharge medications, score: 0.08620958
kidneys extensive atherosclerotic disease without evidence, score:
0.0401387

confidence of prediction: 0.989378

Y_true: [4 13 18 20 24 26 34 47]
Y_pred: [13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass x lima lad svg diag om svg, score: 0.5182297
coronary artery bypass x as, score: 0.0792812
wires were discontinued without, score: 0.020640468

confidence of prediction: 0.985648
Y_true: [4 13 18 20 24 26 34 47]
Y_pred: [13 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.73769706
diuresed toward the preoperative, score: 0.020814141
cardiothoracic allergies no known, score: 0.005965035

confidence of prediction: 0.896267
Y_true: [4 13 18 20 24 26 34 47]
Y_pred: [13 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
cabg x social history, score: 0.17598769
arrest [UNK] hypertension degenerative, score: 0.10190753
fatigue a perfusion study, score: 0.06135105

confidence of prediction: 0.998749
Y_true: [4 13 18 20 24 26 34 47]
Y_pred: [13 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass x lima lad, score: 0.58289266
coronary artery disease cardiac, score: 0.12340214
coronary artery disease cardiac, score: 0.04821481

confidence of prediction: 0.942687
Y_true: [4 13 18 20 24 26 34 47]
Y_pred: [13 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation again and ep, score: 0.27341166
amiodarone was resumed at, score: 0.009432675
was discontinued coumadin was, score: 0.0072060693

confidence of prediction: 0.604998
Y_true: [10]
Y_pred: [10]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
smoking cessation with your, score: 0.05095616
spiriva with handihaler mcg capsule, score: 0.027663672
counseled about smoking cessation elevated bicarbonate has, score:
0.006053222

confidence of prediction: 0.958772
Y_true: [26 33 41 42]
Y_pred: [17 25 26 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation while sedated and, score: 0.14399667
afib leaky valve presents, score: 0.13590895
fibrillation the patient s, score: 0.12043931

confidence of prediction: 0.509865
Y_true: [26 33 41 42]
Y_pred: [17 25 26 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
sedated intubated heent unreactive, score: 0.23434392
extubation central venous line, score: 0.1441441
continuous video eeg was taken, score: 0.03252133

confidence of prediction: 0.819667
Y_true: [25 37]
Y_pred: [25 37]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
fibromyalgia mitral valve prolapse seizure disorder, score:
0.0062977113
her shoulder blades upon waking, score: 0.0061463476
her shoulder blades fine, score: 0.0014511655

confidence of prediction: 0.787758
Y_true: [25 37]
Y_pred: [25 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
a urinary tract infection and were, score: 0.11522473
uti seizure disorder right, score: 0.05094961
positive for uti and she was, score: 0.04634268

confidence of prediction: 0.905322
Y_true: [4 6 15 17 20 30 43 48]
Y_pred: [4 6 11 18 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
disease hypertension dyslipidemia left nephrectomy secondary to,
score: 0.0631532
replacement pmh cabg x, score: 0.011214265

confidence of prediction: 0.802750
Y_true: [4 6 15 17 20 30 43 48]
Y_pred: [4 6 11 18 24]
top three important windows for true positive code 6 (276.2:
Acidosis)
he developed acidosis with rising lactate immediately, score:
0.116850846

history usually stays with, score: 0.011905503
and ventilation improved echo, score: 0.00922807

confidence of prediction: 0.606071
Y_true: [0 6 8 17 21 24 26 35 36 46 47 49]
Y_pred: [0 4 21 24 26 33 35 36 46 49]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
septic shock pyelonephritis was the, score: 0.088335566
derrangements and septic shock her baseline was, score: 0.06284623
have septic shock with pyelonephritis as, score: 0.018249944

confidence of prediction: 0.772908
Y_true: [0 6 8 17 21 24 26 35 36 46 47 49]
Y_pred: [0 4 21 24 26 33 35 36 46 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic anemia baseline chronic kidney disease baseline venous,
score: 0.013406762
renal u s she, score: 0.011125058
became cmo hyperkalemia secondary, score: 0.010526706

confidence of prediction: 0.921751
Y_true: [0 6 8 17 21 24 26 35 36 46 47 49]
Y_pred: [0 4 21 24 26 33 35 36 46 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p stent chronic anemia, score: 0.42791882
h h baseline na, score: 0.0068530403
coronary artery disease s p stent chronic anemia, score:
0.0047913343

confidence of prediction: 0.812901
Y_true: [0 6 8 17 21 24 26 35 36 46 47 49]
Y_pred: [0 4 21 24 26 33 35 36 46 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation with rvr new, score: 0.5112744
af with rvr and, score: 0.02557907
mg qhs warfarin mg, score: 0.020017143

confidence of prediction: 0.756199
Y_true: [0 6 8 17 21 24 26 35 36 46 47 49]
Y_pred: [0 4 21 24 26 33 35 36 46 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
rvr and arf patient was monitored, score: 0.12998596
underlying renal failure atrial, score: 0.046280146
cardiopulmonary process renal u s, score: 0.037580285

confidence of prediction: 0.652385
Y_true: [0 6 8 17 21 24 26 35 36 46 47 49]
Y_pred: [0 4 21 24 26 33 35 36 46 49]

top three important windows for true positive code 36 (585.9: Chronic kidney disease, unspecified)
hyperglycemia t2dm patient presented with, score: 0.01809252
chronic anemia baseline chronic kidney disease baseline venous, score: 0.017923908
renal u s she, score: 0.015621186

confidence of prediction: 0.940074
Y_true: [0 6 8 17 21 24 26 35 36 46 47 49]
Y_pred: [0 4 21 24 26 33 35 36 46 49]
top three important windows for true positive code 46 (995.92: Severe sepsis)
septic shock pyelonephritis was the, score: 0.11454518
septic shock with pyelonephritis as, score: 0.06900493
derrangements and septic shock her baseline was, score: 0.03429961

confidence of prediction: 0.948649
Y_true: [0 6 8 17 21 24 26 35 36 46 47 49]
Y_pred: [0 4 21 24 26 33 35 36 46 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
embolism on warfarin urinary incontinence, score: 0.580325
mg qhs warfarin mg on wednesday, score: 0.2714717
pe on warfarin and, score: 0.043611087

confidence of prediction: 0.957567
Y_true: [5 9 20 26]
Y_pred: [20 26]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
htn dementia s p facial, score: 0.3125431
hypertension dementia discharge condition, score: 0.29106265
float was called to, score: 0.06778451

confidence of prediction: 0.884313
Y_true: [5 9 20 26]
Y_pred: [20 26]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation which was rate, score: 0.2500563
fib with a rate, score: 0.20961289
expired on night float, score: 0.020213379

confidence of prediction: 0.806610
Y_true: [6 10 35 37]
Y_pred: [35 37]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
patient was delirius and aggitated on, score: 0.011076457
aggitation acute kidney injury likely pre renal in the setting, score: 0.010261233

confidence of prediction: 0.953321
Y_true: [6 10 35 37]

Y_pred: [35 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection secondary diagnosis, score: 0.21100062
a uti urine cultures grew out, score: 0.07285643
of uti and she, score: 0.032073606

confidence of prediction: 0.983154
Y_true: [4 20 27 34 48]
Y_pred: [2 24 27 34 35]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure patient had, score: 0.31199375
diastolic heart failure ef cabg cad, score: 0.11470923
dchf s p avr years, score: 0.102218404

confidence of prediction: 0.900344
Y_true: [4 20 27 34 48]
Y_pred: [2 24 27 34 35]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
history nash gerd reducible umbilical hernia social, score:
0.013818337
and correct placment of, score: 0.007972519
donepezil 10mg gerd stable we continued omeprazole, score:
0.0036887045

confidence of prediction: 0.835324
Y_true: [1 4 8 18 20 34]
Y_pred: [4 18 20 24 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia asthma anxiety depression gerd,
score: 0.12806027
aneurysm hypertension hyperlipidemia asthma anxiety depression gerd,
score: 0.061295874
atorvastatin mg tablet sig, score: 0.007928805

confidence of prediction: 0.970607
Y_true: [1 4 8 18 20 34]
Y_pred: [4 18 20 24 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed toward her preop, score: 0.08614307
cardiothoracic allergies aspirin bupropion, score: 0.03511635
washing incisions gently with mild soap, score: 0.008506262

confidence of prediction: 0.978968
Y_true: [1 4 8 18 20 34]
Y_pred: [4 18 20 24 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension hyperlipidemia asthma anxiety depression, score:
0.25649622

medical history hypertension hyperlipidemia asthma anxiety
depression, score: 0.15949246
nefazodone paroxetine penicillins progesterone, score: 0.14417209

confidence of prediction: 0.945117
Y_true: [1 4 8 18 20 34]
Y_pred: [4 18 20 24 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
anxiety depression gerd insomnia chronic cystitis, score: 0.06634459
nefazodone paroxetine penicillins progesterone sulfa, score:
0.011691115
hypothermic circulatory arrest history of, score: 0.0076847384

confidence of prediction: 0.859551
Y_true: [0 20 28 30 31 37]
Y_pred: [20 30 31 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
initiation of anitbiotics had ua, score: 0.057028007
history copd htn cva with residual, score: 0.049584914
airspace opacification proximally suggests, score: 0.0155637385

confidence of prediction: 0.719573
Y_true: [0 20 28 30 31 37]
Y_pred: [20 30 31 37]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
medical history copd htn cva with residual, score: 0.2001517
history of copd cva with residual, score: 0.0982322

confidence of prediction: 0.871805
Y_true: [0 20 28 30 31 37]
Y_pred: [20 30 31 37]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
and aspiration pneumonitis h o, score: 0.17158023
to aspiration age indeterminate, score: 0.0769908
had an aspiration pneumonia as he already, score: 0.020690959

confidence of prediction: 0.944954
Y_true: [0 20 28 30 31 37]
Y_pred: [20 30 31 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection please, score: 0.06991187
wbcs and leuk est however, score: 0.044353396
a urinary tract infection which we, score: 0.03143248

confidence of prediction: 0.571309
Y_true: [6 35]
Y_pred: [5 6]
top three important windows for true positive code 6 (276.2:
Acidosis)

elevated inr lactate hyponatremia and hypoalbuminemia along, score: 0.046062782
gap metabolic acidosis which may suggest, score: 0.042327654
suggesting pre renal etiology to, score: 0.01785586

confidence of prediction: 0.725436
Y_true: [7 9]
Y_pred: [9 21]
top three important windows for true positive code 9 (287.5: Thrombocytopenia, unspecified)
despite comorbid thrombocytopenia anemia thought to be, score: 0.6055327
stabilized after prbc transfusions and gyn, score: 0.018336888
illness 43f g1p1 with history of, score: 0.01108642

confidence of prediction: 0.722805
Y_true: [4 14 24 27 34 38 39]
Y_pred: [4 14 15 24 27 34 38]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
factors diabetes dyslipidemia hypertension cardiac history cabg, score: 0.22242595
medical history dyslipidemia gerd social history lives, score: 0.054757096
of hematoma hyperlipidemia per history not, score: 0.03873535

confidence of prediction: 0.518017
Y_true: [4 14 24 27 34 38 39]
Y_pred: [4 14 15 24 27 34 38]
top three important windows for true positive code 14 (37.22: Left heart cardiac catheterization)
cardiac catheterization with placement, score: 0.32547867
cath comments coronary angiography in this, score: 0.043413546
catheterization which showed vessel, score: 0.030025404

confidence of prediction: 0.993316
Y_true: [4 14 24 27 34 38 39]
Y_pred: [4 14 15 24 27 34 38]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
s p bms to, score: 0.11816179
single vessel cad s p bms to, score: 0.07426963
coronary artery disease the, score: 0.050413813

confidence of prediction: 0.874869
Y_true: [4 14 24 27 34 38 39]
Y_pred: [4 14 15 24 27 34 38]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
pump better weigh yourself every morning name8, score: 0.5238332
failure on cardiac catheterization or, score: 0.20704249
ef on tte pacing, score: 0.009823943

confidence of prediction: 0.927133

Y_true: [4 14 24 27 34 38 39]
Y_pred: [4 14 15 24 27 34 38]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
history dyslipidemia gerd social history lives with, score:
0.03079736
325mg daily prilosec daily, score: 0.0053743403
asa mg atorvostatin 80mg daily, score: 0.0043663485

confidence of prediction: 0.871261
Y_true: [4 14 24 27 34 38 39]
Y_pred: [4 14 15 24 27 34 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization with placement, score: 0.56923753
lad history of present, score: 0.054813325
lab found to have, score: 0.025385302

confidence of prediction: 0.769496
Y_true: [4 6 11 18 20 25 26 34]
Y_pred: [4 18 20 25 26 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
medical history hyperlipidemia hypertension mitral regurgitation
depression, score: 0.17069472
mg daily simvastatin mg daily discharge, score: 0.02933229
secondary hyperlipidemia hypertension depression skin cancer, score:
0.022930736

confidence of prediction: 0.975417
Y_true: [4 6 11 18 20 25 26 34]
Y_pred: [4 18 20 25 26 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies no known, score: 0.025454834
washing incisions gently with mild soap, score: 0.00940684
mitral valve prolapse torn, score: 0.007172533

confidence of prediction: 0.991609
Y_true: [4 6 11 18 20 25 26 34]
Y_pred: [4 18 20 25 26 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hospital1 occupation retired teacher cigarettes smoked, score:
0.080127865
history hyperlipidemia hypertension mitral regurgitation depression
skin, score: 0.04933301
on secondary hyperlipidemia hypertension depression skin cancer,
score: 0.030799912

confidence of prediction: 0.754913
Y_true: [4 6 11 18 20 25 26 34]
Y_pred: [4 18 20 25 26 34]
top three important windows for true positive code 25 (424.0: Mitral

valve disorders)
severe mitral regurgitation mild left, score: 0.18679859
mitral valve prolapse torn, score: 0.08067236
mitral valve repair gortex, score: 0.055906337

confidence of prediction: 0.973801
Y_true: [4 6 11 18 20 25 26 34]
Y_pred: [4 18 20 25 26 34]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation on pod and, score: 0.8139901
atrial fibrillation heart rate s, score: 0.051365655
fibrillation goal inr take, score: 0.0048613474

confidence of prediction: 0.660001
Y_true: [4 6 11 18 20 25 26 34]
Y_pred: [4 18 20 25 26 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
retired teacher cigarettes smoked no, score: 0.010617232
pilonidal cyst gerd past surgical history neck, score: 0.008875633
pilonidal cyst gerd discharge condition alert, score: 0.008875633

confidence of prediction: 0.825158
Y_true: [4 5 13 14 18 21 22 23 24 26 27 29 35 36]
Y_pred: [2 4 13 18 23 24 27 36 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
infarction hypertension hyperlipidemia diabetes mellitus mi years,
score: 0.078511894
history hypertension hyperlipidemia diabetes mellitus mi years,
score: 0.07715552
chronic renal insuffiency gout, score: 0.030639637

confidence of prediction: 0.982806
Y_true: [4 5 13 14 18 21 22 23 24 26 27 29 35 36]
Y_pred: [2 4 13 18 23 24 27 36 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting to four, score: 0.101794526
artery obtuse marginal and, score: 0.02278948
mammary artery to left, score: 0.01950098

confidence of prediction: 0.982257
Y_true: [4 5 13 14 18 21 22 23 24 26 27 29 35 36]
Y_pred: [2 4 13 18 23 24 27 36 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed towards his preoperative, score: 0.34817418
cardiothoracic allergies patient recorded, score: 0.008981264
washing incisions gently with mild soap, score: 0.0059155496

confidence of prediction: 0.676575
Y_true: [4 5 13 14 18 21 22 23 24 26 27 29 35 36]

```
Y_pred: [ 2  4 13 18 23 24 27 36 38]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
diabetes mellitus mi years ago chronic renal, score: 0.14211352
failure myocardial infarction hypertension, score: 0.018597724
coronary artery disease the, score: 0.0073645934

confidence of prediction: 0.975853
Y_true: [ 4  5 13 14 18 21 22 23 24 26 27 29 35 36]
Y_pred: [ 2  4 13 18 23 24 27 36 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p cabg acute, score: 0.14095353
coronary artery disease the, score: 0.13417928
years ago chronic renal, score: 0.075412065

confidence of prediction: 0.936947
Y_true: [ 4  5 13 14 18 21 22 23 24 26 27 29 35 36]
Y_pred: [ 2  4 13 18 23 24 27 36 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure myocardial infarction hypertension, score:
0.32470816
bnp revealed chf chest ct showed, score: 0.07070505
pulmonary infiltrates chf vs pna no, score: 0.019084157

confidence of prediction: 0.737413
Y_true: [ 4  5 13 14 18 21 22 23 24 26 27 29 35 36]
Y_pred: [ 2  4 13 18 23 24 27 36 38]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
ago chronic renal insuffiency gout past surgical, score:
0.0090990625
pm pre drug post, score: 0.0060833287
dental exam edentulous lives, score: 0.004182309

confidence of prediction: 0.985784
Y_true: [10 13 18 24]
Y_pred: [ 4 13 18 24 30]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft, score: 0.6634107
coronary artery bypass graft x please, score: 0.037470322
coronary artery bypass graft x past, score: 0.016217928

confidence of prediction: 0.979666
Y_true: [10 13 18 24]
Y_pred: [ 4 13 18 24 30]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic doctor first name, score: 0.16408677
cardiothoracic allergies aspirin wellbutrin, score: 0.02989941
tee was performed in, score: 0.007435046
```

confidence of prediction: 0.999104
Y_true: [10 13 18 24]
Y_pred: [4 13 18 24 30]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.6000691
coronary artery disease s p coronary artery bypass graft, score:
0.12703851
coronary artery disease shortness, score: 0.029647755

confidence of prediction: 0.746719
Y_true: [4 13 14 16 18 21 24 34 37 38]
Y_pred: [4 13 18 20 24 34 37]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
disease htn hl mild renal impairment l4, score: 0.08602603
of hypertension hyperlipidemia and spinal stenosis, score:
0.08446461

confidence of prediction: 0.878833
Y_true: [4 13 14 16 18 21 24 34 37 38]
Y_pred: [4 13 18 20 24 34 37]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary bypass grafting x3 with left, score: 0.06420067
artery and reverse saphenous vein graft, score: 0.052700832
wires were discontinued without, score: 0.05072512

confidence of prediction: 0.982409
Y_true: [4 13 14 16 18 21 24 34 37 38]
Y_pred: [4 13 18 20 24 34 37]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.70488816
incisions gently with mild soap, score: 0.18477671
diuresed toward the preoperative, score: 0.019888436

confidence of prediction: 0.973660
Y_true: [4 13 14 16 18 21 24 34 37 38]
Y_pred: [4 13 18 20 24 34 37]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease htn hl, score: 0.36887607
coronary artery disease htn hl, score: 0.14412466
descending artery and reverse saphenous vein, score: 0.026234314

confidence of prediction: 0.917362
Y_true: [4 13 14 16 18 21 24 34 37 38]
Y_pred: [4 13 18 20 24 34 37]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
pain clinic gerd social history lives with, score: 0.013158019
pain clinic gerd past surgical history none, score: 0.013158019
hypotensive requiring neosynepherine chest tubes, score: 0.009650282

confidence of prediction: 0.760615
Y_true: [4 13 14 16 18 21 24 34 37 38]
Y_pred: [4 13 18 20 24 34 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
started for uti he was transferred back, score: 0.105300434
on phenylepherine infusion preseved biventricular function lvef
aortic, score: 0.021353815
sb resp o2 sat, score: 0.019351035

confidence of prediction: 0.722672
Y_true: [9 20 28 31]
Y_pred: [28 31 40 42]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.40128705
otherwise normal egd to, score: 0.2807673
had an egd two, score: 0.026601313

confidence of prediction: 0.972653
Y_true: [9 20 28 31]
Y_pred: [28 31 40 42]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
likely aspiration pneumonia secondary [UNK] c, score: 0.12400874
aspiration possibly due to aspiration but worsening chest, score:
0.008976984
possible aspiration he was commenced on, score: 0.008504824

confidence of prediction: 0.811990
Y_true: [4 13 14 18 20 24 34 38 47]
Y_pred: [4 13 18 20 24 34 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia coronary artery disease status,
score: 0.14512844
secondary hypertension hyperlipidemia [UNK] reflux disease mild,
score: 0.055059083
sl prn omeprazole 20mg, score: 0.011036642

confidence of prediction: 0.989283
Y_true: [4 13 14 18 20 24 34 38 47]
Y_pred: [4 13 18 20 24 34 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)
coronary artery bypass graft x left, score: 0.5698481
descending saphenous vein graft to, score: 0.060880095
coronary artery bypass graft x please, score: 0.032185778

confidence of prediction: 0.962159
Y_true: [4 13 14 18 20 24 34 38 47]
Y_pred: [4 13 18 20 24 34 38]
top three important windows for true positive code 18 (39.61:

Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.50618315
creams or powders to, score: 0.38502032
marginal saphenous vein graft, score: 0.02036258

confidence of prediction: 0.910171
Y_true: [4 13 14 18 20 24 34 38 47]
Y_pred: [4 13 18 20 24 34 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
systemic arterial hypertension with a central, score: 0.25378072
disease secondary hypertension hyperlipidemia [UNK] reflux disease,
score: 0.12522149
medical history hypertension hyperlipidemia, score: 0.09419416

confidence of prediction: 0.998050
Y_true: [4 13 14 18 20 24 34 38 47]
Y_pred: [4 13 18 20 24 34 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.34174407
coronary artery disease secondary, score: 0.07234943
coronary artery disease the, score: 0.068872295

confidence of prediction: 0.748751
Y_true: [4 13 14 18 20 24 34 38 47]
Y_pred: [4 13 18 20 24 34 38]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
in gastroesophageal reflux disease mild emphysema arthritis, score:
0.1514903
hyperlipidemia [UNK] reflux disease mild emphysema arthritis, score:
0.023130564
the rca has instent, score: 0.0065993303

confidence of prediction: 0.627101
Y_true: [4 13 14 18 20 24 34 38 47]
Y_pred: [4 13 18 20 24 34 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cath selective coronary angiography of this, score: 0.26040465
cath history of present, score: 0.047978994
marginal saphenous vein graft, score: 0.0470398

confidence of prediction: 0.990566
Y_true: [3 6 10 13 18 24 39]
Y_pred: [13 18 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft surgery x4 left, score: 0.539867
obtuse marginal saphenous vein graft obtuse, score: 0.07321678
descending saphenous vein graft diagonal, score: 0.05767704

confidence of prediction: 0.979551

Y_true: [3 6 10 13 18 24 39]
Y_pred: [13 18 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
lotions powders or ointments to, score: 0.222239
obtuse marginal saphenous vein graft, score: 0.01600951
cardiothoracic allergies patient recorded, score: 0.0088094175

confidence of prediction: 0.999167
Y_true: [3 6 10 13 18 24 39]
Y_pred: [13 18 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.5736656
coronary artery disease s p coronary artery bypas graft, score:
0.12144872
descending saphenous vein graft, score: 0.024302416

confidence of prediction: 0.562946
Y_true: [0 4 5 16 24 26 29 30 33 35 36 40 43 46]
Y_pred: [0 4 7 12 17 19 21 26 29 30 31 33 35 36 40 42 43 44 46
49]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
septic shock influenza pneumonia anuric, score: 0.045172494
pneumonia multisystem organ failure in, score: 0.03522622
septic shock discussed with family, score: 0.03226203

confidence of prediction: 0.938857
Y_true: [0 4 5 16 24 26 29 30 33 35 36 40 43 46]
Y_pred: [0 4 7 12 17 19 21 26 29 30 31 33 35 36 40 42 43 44 46
49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
baseline creatinine hyperlipidemia social history lives with, score:
0.09731448
velcade prilosec advair inh, score: 0.0065647378
ppm placement copd not, score: 0.0040662494

confidence of prediction: 0.998631
Y_true: [0 4 5 16 24 26 29 30 33 35 36 40 43 46]
Y_pred: [0 4 7 12 17 19 21 26 29 30 31 33 35 36 40 42 43 44 46
49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with as resolved, score: 0.047839414
afib and baseline cardiomyopathy, score: 0.009969244
atrial fibrillation sick sinus syndrome, score: 0.0018819161

confidence of prediction: 0.701766
Y_true: [0 4 5 16 24 26 29 30 33 35 36 40 43 46]
Y_pred: [0 4 7 12 17 19 21 26 29 30 31 33 35 36 40 42 43 44 46
49]
top three important windows for true positive code 29 (486:

Pneumonia, organism unspecified)
associated pneumonia multisystem organ, score: 0.17966504
for pneumonia given question, score: 0.15718485
bronchial lavage gram stain final, score: 0.07754869

confidence of prediction: 0.533462
Y_true: [0 4 5 16 24 26 29 30 33 35 36 40 43 46]
Y_pred: [0 4 7 12 17 19 21 26 29 30 31 33 35 36 40 42 43 44 46
49]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
baseline with copd but no, score: 0.09394368
ppm placement copd not on home, score: 0.028919404
multiple myeloma copd pe who by report, score: 0.02519121

confidence of prediction: 0.914547
Y_true: [0 4 5 16 24 26 29 30 33 35 36 40 43 46]
Y_pred: [0 4 7 12 17 19 21 26 29 30 31 33 35 36 40 42 43 44 46
49]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxic respiratory failure multiple myeloma, score: 0.26536572
influenza respiratory failure pt triggered, score: 0.12529914
of respiratory failure he, score: 0.033736385

confidence of prediction: 0.688546
Y_true: [0 4 5 16 24 26 29 30 33 35 36 40 43 46]
Y_pred: [0 4 7 12 17 19 21 26 29 30 31 33 35 36 40 42 43 44 46
49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal insufficiency, score: 0.10112167
acute renal failure hypoxic respiratory, score: 0.04614285
renal failure in the, score: 0.03402352

confidence of prediction: 0.833331
Y_true: [0 4 5 16 24 26 29 30 33 35 36 40 43 46]
Y_pred: [0 4 7 12 17 19 21 26 29 30 31 33 35 36 40 42 43 44 46
49]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal insufficiency baseline creatinine in creatinine,
score: 0.11008973
cri baseline creatinine hyperlipidemia social, score: 0.0331431
admission velcade prilosec advair inh hospital1, score: 0.027400786

confidence of prediction: 0.791617
Y_true: [0 4 5 16 24 26 29 30 33 35 36 40 43 46]
Y_pred: [0 4 7 12 17 19 21 26 29 30 31 33 35 36 40 42 43 44 46
49]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
intubation central venous line, score: 0.121273495
patient was intubated for respiratory distress, score: 0.088881075

oncologist poor prognosis was established, score: 0.022865614

confidence of prediction: 0.719837
Y_true: [0 4 5 16 24 26 29 30 33 35 36 40 43 46]
Y_pred: [0 4 7 12 17 19 21 26 29 30 31 33 35 36 40 42 43 44 46
49]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
fungus isolated respiratory viral identification, score: 0.07477595
intubated for respiratory distress, score: 0.029379286
oncologist poor prognosis was, score: 0.029127736

confidence of prediction: 0.804737
Y_true: [0 4 5 16 24 26 29 30 33 35 36 40 43 46]
Y_pred: [0 4 7 12 17 19 21 26 29 30 31 33 35 36 40 42 43 44 46
49]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
septic shock discussed with family, score: 0.04542611
septic shock influenza pneumonia anuric, score: 0.04294628
hypotensive with increasing pressor, score: 0.030206755

confidence of prediction: 0.693034
Y_true: [3 20 47]
Y_pred: [1 3 5 20]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
caths hospital1 htn hyponatremia, score: 0.0075300955
tobacco use hypertension essential osteoporosis unspec social,
score: 0.0052286247
fracture thoracic compression myopathy other hypercholesterolemia
osteoarthritis r cmc joint, score: 0.0041283052

confidence of prediction: 0.995475
Y_true: [3 20 47]
Y_pred: [1 3 5 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
caths hospital1 htn hyponatremia who presents with, score:
0.37288913
hypertension essential osteoporosis unspec social, score: 0.33422387
hypertension continue home meds, score: 0.006197584

confidence of prediction: 0.784181
Y_true: [3 20 48 49]
Y_pred: [24 48 49]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg and, score: 0.50137013
quadruple vessel cabg his last dose, score: 0.07539198
cad s p vessel cabg echo showed no, score: 0.003760328

confidence of prediction: 0.789839

Y_true: [3 20 48 49]
Y_pred: [24 48 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
for constipation coumadin mg tablet sig, score: 0.3958089
patient on coumadin at, score: 0.20739734
on admission warfarin toprol xl hctz lisinopril, score: 0.1657123

confidence of prediction: 0.727755
Y_true: [0 1 6 16 19 23 24 26 27 33 40 42 46]
Y_pred: [1 6 17 19 23 26 33 40 42 46]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
ago hypothyroidism hypercholesterolemia s p, score: 0.1702189
aaa hypothyroidism hypercholesterolemia s p, score: 0.14023459
with meals levothyroxine mcg daily amlodipine mg, score: 0.011128664

confidence of prediction: 0.806877
Y_true: [0 1 6 16 19 23 24 26 27 33 40 42 46]
Y_pred: [1 6 17 19 23 26 33 40 42 46]
top three important windows for true positive code 6 (276.2: Acidosis)
septic in etiology potential sources, score: 0.033498406
settings with wean fio2 by, score: 0.03153525
vasopressors as necessary surgery, score: 0.022636486

confidence of prediction: 0.941433
Y_true: [0 1 6 16 19 23 24 26 27 33 40 42 46]
Y_pred: [1 6 17 19 23 26 33 40 42 46]
top three important windows for true positive code 19 (39.95: Hemodialysis)
esrd on hd and sdh, score: 0.12242683
esrd on hd renal team, score: 0.07904855
esrd on hd l avf dialyzed mwf left, score: 0.073912784

confidence of prediction: 0.708105
Y_true: [0 1 6 16 19 23 24 26 27 33 40 42 46]
Y_pred: [1 6 17 19 23 26 33 40 42 46]
top three important windows for true positive code 23 (412: Old myocardial infarction)
s p mi and pacemaker placement cabg, score: 0.4906371
years ago aaa hypothyroidism, score: 0.0036007548
45pm alt sgpt ast, score: 0.000655496

confidence of prediction: 0.997764
Y_true: [0 1 6 16 19 23 24 26 27 33 40 42 46]
Y_pred: [1 6 17 19 23 26 33 40 42 46]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation aggressive volume repletion, score: 0.0035721487
ekg afib ivcd lad no ischemic, score: 0.00042211014
cabg years ago aaa, score: 0.00015762915

confidence of prediction: 0.939572

Y_true: [0 1 6 16 19 23 24 26 27 33 40 42 46]
Y_pred: [1 6 17 19 23 26 33 40 42 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
following respiratory failure intubated for airway protection,
score: 0.31559238
he was intubated and, score: 0.05710778
was taken intubated and, score: 0.03376836

confidence of prediction: 0.794964
Y_true: [0 1 6 16 19 23 24 26 27 33 40 42 46]
Y_pred: [1 6 17 19 23 26 33 40 42 46]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
he was intubated and sedated, score: 0.28542015
respiratory failure intubated for airway protection during, score:
0.18500236
he was intubated with mg, score: 0.039487965

confidence of prediction: 0.688698
Y_true: [0 1 6 16 19 23 24 26 27 33 40 42 46]
Y_pred: [1 6 17 19 23 26 33 40 42 46]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
respiratory failure intubated for airway protection during, score:
0.098527536
he was intubated and sedated with, score: 0.08887081
family meeting was conducted, score: 0.019578

confidence of prediction: 0.668756
Y_true: [0 1 6 16 19 23 24 26 27 33 40 42 46]
Y_pred: [1 6 17 19 23 26 33 40 42 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
meeting was conducted all, score: 0.06589257
pressors with increasing acidosis a, score: 0.045735188
liver from sepsis fen npo access right, score: 0.033500504

confidence of prediction: 0.749256
Y_true: [4 12 24 27 36]
Y_pred: [4 21 24 27 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
interventional pulmonology concurrently replaced, score: 0.017181817
p turp coronary artery disease hyperlipidemia hypertension bilateral
claudication status, score: 0.010355444
the brain tumor clinic and with, score: 0.009795834

confidence of prediction: 0.523854
Y_true: [4 12 24 27 36]
Y_pred: [4 21 24 27 36]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)

coronary artery disease hyperlipidemia, score: 0.25105786
htn cad pvd sibling w dm, score: 0.14752612
and pulmonary stent placement, score: 0.05103223

confidence of prediction: 0.861488
Y_true: [4 12 24 27 36]
Y_pred: [4 21 24 27 36]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cell ca chf systolic dysfn w ef bph, score: 0.07232964
isosorbide mononitrate imdur mg tablet, score: 0.015297633
status post repair in, score: 0.010437998

confidence of prediction: 0.889432
Y_true: [4 12 24 27 36]
Y_pred: [4 21 24 27 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
stents chronic renal insufficiency baseline cr mgus social history
current, score: 0.011259805
excessively prolonged coughing fit, score: 0.0030504721
allergies zetia attending first, score: 0.0025217605

confidence of prediction: 0.813734
Y_true: [1 4 11 20 24 26 27 49]
Y_pred: [1 20 26 30 37 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
daily levothyroxine mcg tablet sig one, score: 0.052237302
digoxin levothyroxine diovan sertraline advair spiriva, score:
0.03814078
pleural effusions hypothyroidism depression anxiety carotid disease,
score: 0.003725844

confidence of prediction: 0.756820
Y_true: [1 4 11 20 24 26 27 49]
Y_pred: [1 20 26 30 37 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
ceas r l who presented, score: 0.060293652
elderly female in nad, score: 0.055846427
diovan sertraline advair spiriva combivent, score: 0.030527469

confidence of prediction: 0.930026
Y_true: [1 4 11 20 24 26 27 49]
Y_pred: [1 20 26 30 37 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with difficulty controlling and, score: 0.21405332
afib with poor rate, score: 0.14874797
fib she was transferred, score: 0.13945329

confidence of prediction: 0.539361
Y_true: [1 4 11 20 24 26 27 49]

Y_pred: [1 20 26 30 37 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
toprol lasix coumadin digoxin, score: 0.44830856
with her coumadin until, score: 0.19539276
a day warfarin mg, score: 0.113571115

confidence of prediction: 0.842224
Y_true: [6 7 12 26 40 41 43]
Y_pred: [12 26 33 40 43]
top three important windows for true positive code 12 (33.24: Closed [endoscopic] biopsy of bronchus)
echo bal klebsiella pan sensitive blood, score: 0.17479615
and his bal grew out klebsiella he, score: 0.08150478
to wean him to trach mask, score: 0.0122011695

confidence of prediction: 0.918068
Y_true: [6 7 12 26 40 41 43]
Y_pred: [12 26 33 40 43]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation worsening hypernatremia worsening, score: 0.1490102
af which broke after, score: 0.036981743
af after this was, score: 0.013826443

confidence of prediction: 0.862795
Y_true: [6 7 12 26 40 41 43]
Y_pred: [12 26 33 40 43]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
was reintubated for presumed fluid, score: 0.8002236
pain chlorhexidine gluconate mouthwash month, score: 0.020533517
peg perc tracheostomy past medical, score: 0.018051727

confidence of prediction: 0.763480
Y_true: [6 7 12 26 40 41 43]
Y_pred: [12 26 33 40 43]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
perc and peg d, score: 0.06998214
perc tracheostomy past medical, score: 0.06107011
was reintubated for presumed, score: 0.04832492

confidence of prediction: 0.998245
Y_true: [3 16 20]
Y_pred: [4 20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
illness 54f presented to an, score: 0.08154723
redistribution of subarachnoid hemorrhage, score: 0.03241708
discontinued now dod she, score: 0.009011777

confidence of prediction: 0.915537
Y_true: [4 7 13 18 24 27]
Y_pred: [4 13 18 20 24 27]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
avr cabg hyperlipidemia idiopathic hyper ck, score: 0.3843903
aortic stenosis hyperlipidemia and a remote history, score:
0.10349662
hyperlipidemia idiopathic hyper ck, score: 0.08094535

confidence of prediction: 0.999387
Y_true: [4 7 13 18 24 27]
Y_pred: [4 13 18 20 24 27]
top three important windows for true positive code 13 (36.15: Single
internal mammary–coronary artery bypass)
tee conclusions prebypass no, score: 0.0054686405
incisions gently with mild, score: 0.0010038011
procedure cabg x lima lad rsvg om, score: 0.00041117158

confidence of prediction: 0.987033
Y_true: [4 7 13 18 24 27]
Y_pred: [4 13 18 20 24 27]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7186502
cabg x lima lad, score: 0.029305901
diuresed toward the preoperative, score: 0.020276735

confidence of prediction: 0.999841
Y_true: [4 7 13 18 24 27]
Y_pred: [4 13 18 20 24 27]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease aortic, score: 0.0753071
coronary artery disease aortic, score: 0.02942346
from prebypass rv systolic, score: 0.01345183

confidence of prediction: 0.964382
Y_true: [4 7 13 18 24 27]
Y_pred: [4 13 18 20 24 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure ace inhibitor should, score: 0.40742734
severely thickened deformed there, score: 0.0036205987
unchanged from prebypass rv systolic function remains, score:
0.003073004

confidence of prediction: 0.860461
Y_true: [20 24 27 34 35 37 46]
Y_pred: [0 6 20 24 27 34 35 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension home atenolol was held, score: 0.4242657
of oxygen hypertension diastolic, score: 0.06359667

native hypertension dementia discharge condition mental, score:
0.033595156

confidence of prediction: 0.715795
Y_true: [20 24 27 34 35 37 46]
Y_pred: [0 6 20 24 27 34 35 37]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
hypertension diastolic chf sinus, score: 0.13843407
coronary artery disease ekg, score: 0.13723879
coronary artery disease osteopenia, score: 0.076402225

confidence of prediction: 0.982170
Y_true: [20 24 27 34 35 37 46]
Y_pred: [0 6 20 24 27 34 35 37]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure pt presented, score: 0.7158269
diastolic chf cad and mild vascular, score: 0.04559831
[UNK] chf cad native hypertension dementia, score: 0.009376161

confidence of prediction: 0.793453
Y_true: [20 24 27 34 35 37 46]
Y_pred: [0 6 20 24 27 34 35 37]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
unknown etiology gerd osteoarthritis pulmonary nodules coronary,
score: 0.03551125
the illumigene dna amplification reference, score: 0.0025435917
suggesting pre renal etiology ivf, score: 0.0022897632

confidence of prediction: 0.919643
Y_true: [20 24 27 34 35 37 46]
Y_pred: [0 6 20 24 27 34 35 37]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure creatinine vs baseline in, score: 0.09551139
on chronic [UNK] chf, score: 0.0033281047
discharge diagnosis sepsis due, score: 0.0030920156

confidence of prediction: 0.873180
Y_true: [20 24 27 34 35 37 46]
Y_pred: [0 6 20 24 27 34 35 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuk lg 25am urine, score: 0.14096417
to uti patient is septic, score: 0.13729796
uti of note patient, score: 0.09885223

confidence of prediction: 0.721489
Y_true: [5 10 11 13 14 18 22 24 34 37 38]
Y_pred: [5 13 14 15 18 24 34 38]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)

applied for hyponatremia he continued to make, score: 0.5870841
the staff radiologist dr, score: 0.021548864
service facility vna of, score: 0.02119474

confidence of prediction: 0.990704
Y_true: [5 10 11 13 14 18 22 24 34 37 38]
Y_pred: [5 13 14 15 18 24 34 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting to three, score: 0.5986189
coronary artery bypass grafting to three vessels, score: 0.09157951
descending artery saphenous vein graft, score: 0.045217227

confidence of prediction: 0.554097
Y_true: [5 10 11 13 14 18 22 24 34 37 38]
Y_pred: [5 13 14 15 18 24 34 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catheterization selective coronary angiography of this,
score: 0.14849393
catheterization and he was, score: 0.02417735
mid vessel stenosis limited, score: 0.02416398

confidence of prediction: 0.962152
Y_true: [5 10 11 13 14 18 22 24 34 37 38]
Y_pred: [5 13 14 15 18 24 34 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.4027078
diuresed towards his preoperative, score: 0.3847718
cardiothoracic allergies penicillins attending, score: 0.011753866

confidence of prediction: 0.999092
Y_true: [5 10 11 13 14 18 22 24 34 37 38]
Y_pred: [5 13 14 15 18 24 34 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.49029443
coronary artery disease past, score: 0.09880991
coronary artery disease the, score: 0.09880991

confidence of prediction: 0.881414
Y_true: [5 10 11 13 14 18 22 24 34 37 38]
Y_pred: [5 13 14 15 18 24 34 38]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
infarction depression gerd discharge condition stable discharge,
score: 0.100829735
flexeril mg prn discharge, score: 0.0033217845
mg daily paroxetine mg, score: 0.0024860422

confidence of prediction: 0.853448
Y_true: [5 10 11 13 14 18 22 24 34 37 38]
Y_pred: [5 13 14 15 18 24 34 38]

top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization selective coronary angiography of this,
score: 0.22215512
vessel stenosis the lcx, score: 0.12174454
mid vessel stenosis limited resting, score: 0.025434785

confidence of prediction: 0.894876
Y_true: [17 21 33 36 42 49]
Y_pred: [21 33 35 36 40 42 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic kidney failure thought to, score: 0.076783314
chronic renal failure discharge condition, score: 0.058083393
ckd and left bka, score: 0.047797505

confidence of prediction: 0.776623
Y_true: [17 21 33 36 42 49]
Y_pred: [21 33 35 36 40 42 49]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
fio2 peep abg pending unable, score: 0.310174
vent settings tidal volume, score: 0.06789558
facility newbridge on the, score: 0.035412256

confidence of prediction: 0.811474
Y_true: [17 21 33 36 42 49]
Y_pred: [21 33 35 36 40 42 49]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
hypertension chronic kidney disease baseline creatinine gout, score:
0.11546337
chronic renal failure discharge condition, score: 0.09295883
chronic kidney failure thought to, score: 0.08438322

confidence of prediction: 0.777978
Y_true: [17 21 33 36 42 49]
Y_pred: [21 33 35 36 40 42 49]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated for airway protection, score: 0.32091364
general intubated sedated but, score: 0.081433944
of intubation with sedation levophed was, score: 0.055897836

confidence of prediction: 0.910729
Y_true: [17 21 33 36 42 49]
Y_pred: [21 33 35 36 40 42 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
pe on coumadin diagnosed, score: 0.37212795
mg daily coumadin mg, score: 0.17945378
for pain warfarin mg tablet sig, score: 0.04216734

confidence of prediction: 0.972812
Y_true: [8 18 20 25 26 30 39 49]
Y_pred: [18 20 25 26 30 39]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires removed on post, score: 0.0620507
diuresed coumadin was started, score: 0.0274613
transesophageal echocardiogram for evaluation, score: 0.01810498

confidence of prediction: 0.983029
Y_true: [8 18 20 25 26 30 39 49]
Y_pred: [18 20 25 26 30 39]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension obstructive sleep apnea, score: 0.14962496
fibrillation flutter hypertension obstructive sleep apnea, score:
0.14601503
obesity gout psoriatic arthritis colon, score: 0.08967913

confidence of prediction: 0.696784
Y_true: [8 18 20 25 26 30 39 49]
Y_pred: [18 20 25 26 30 39]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
severe mitral regurgitation directed posteriorly, score: 0.234048
mitral regurgitation hypertension obstructive sleep, score:
0.09286297
diagnosis mitral regurgitation s p, score: 0.063583635

confidence of prediction: 0.917424
Y_true: [8 18 20 25 26 30 39 49]
Y_pred: [18 20 25 26 30 39]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation and her digoxin, score: 0.027779125
atrial fibrillation flutter hypertension obstructive, score:
0.010171827
copd atrial fibrillation flutter newly diagnosed, score: 0.003984287

confidence of prediction: 0.639643
Y_true: [8 18 20 25 26 30 39 49]
Y_pred: [18 20 25 26 30 39]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
name un copd atrial fibrillation flutter newly, score: 0.29477128
regurgitation hypertension obstructive sleep apnea obesity, score:
0.020519804
chronic obstructive pulmonary disease on, score: 0.005947296

confidence of prediction: 0.538334
Y_true: [8 18 20 25 26 30 39 49]
Y_pred: [18 20 25 26 30 39]
top three important windows for true positive code 39 (88.72:

Diagnostic ultrasound of heart)
transesophageal echocardiogram redo sternotomy, score: 0.48192948
transesophageal echocardiogram for evaluation, score: 0.049824785
wires removed on post, score: 0.035329916

confidence of prediction: 0.974963
Y_true: [1 3 20 24 33 37 40 41 43 49]
Y_pred: [20 33]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
mg daily hctz mg daily levothyroxine mcg, score: 0.14723082
discharge condition expired discharge, score: 0.071871206
episode of hypertension when, score: 0.036201254

confidence of prediction: 0.981151
Y_true: [1 3 20 24 33 37 40 41 43 49]
Y_pred: [20 33]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
fracture respiratory failure dysphagia pancytopenia, score:
0.8704062
subtle ground glass opacities, score: 0.013038747
endotracheal tube tip projecting, score: 0.0065682475

confidence of prediction: 0.715527
Y_true: [4 5 20 24 29 44]
Y_pred: [4 5 20 29 44]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
gold hypertension hyperlipidemia social history pt was, score:
0.085214294
added morphine concentrate solution, score: 0.010181403
burr pappenh acantho 30pm, score: 0.007876347

confidence of prediction: 0.703003
Y_true: [4 5 20 24 29 44]
Y_pred: [4 5 20 29 44]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
admission for hyponatremia see below he went, score: 0.39396837
admission for hyponatremia now presents with altered, score:
0.23808883
for worsening hyponatremia his diuretic, score: 0.1444847

confidence of prediction: 0.981161
Y_true: [4 5 20 24 29 44]
Y_pred: [4 5 20 29 44]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
name gold hypertension hyperlipidemia social history pt, score:
0.087297626
ace inhibitors attending first, score: 0.027233178
schisto burr pappenh acantho, score: 0.02656398

confidence of prediction: 0.552790
Y_true: [4 5 20 24 29 44]
Y_pred: [4 5 20 29 44]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
floor pneumonia pt with, score: 0.10490982
possible pulmonary infiltrate on chest, score: 0.047114305
healthcare acquired pneumonia initialy covered with, score:
0.03319771

confidence of prediction: 0.745445
Y_true: [4 5 20 24 29 44]
Y_pred: [4 5 20 29 44]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
received 2u prbcs during that admission, score: 0.39763054
then had bleeding from the, score: 0.076937824
a hematocrit drop with oozing from a, score: 0.026291803

confidence of prediction: 0.512709
Y_true: [1 20 34]
Y_pred: [1 20 34 44]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
lopressor levoxyl lescol remeron discharge medications, score:
0.10569195
hh hypothyroidism dep pvd claudication, score: 0.068498775
day levothyroxine mcg tablet sig, score: 0.06685545

confidence of prediction: 0.992924
Y_true: [1 20 34]
Y_pred: [1 20 34 44]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
supra clavicular nodes lungs cta, score: 0.3651558
history pmh htn gerd hh hypothyroidism, score: 0.07248497
retired silk finisher daughter lives, score: 0.028037665

confidence of prediction: 0.717945
Y_true: [1 20 34]
Y_pred: [1 20 34 44]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
pmh htn gerd hh hypothyroidism dep pvd, score: 0.09324683
stent via l cca, score: 0.040411357
remeron discharge medications hydrochlorothiazide, score:
0.025332822

confidence of prediction: 0.775202
Y_true: [4 8 13 16 17 20 24 26 47]
Y_pred: [4 13 18 20 24 26 40 42 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
dvt tb hyperlipidemia htn atrial fibrillation past, score: 0.1374551

fibrillation and hyperlipidemia further cardiac work, score:
0.050532367

confidence of prediction: 0.974947
Y_true: [4 8 13 16 17 20 24 26 47]
Y_pred: [4 13 18 20 24 26 40 42 49]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
left internal mammary artery, score: 0.06293108
coronary artery bypass graft, score: 0.057672936
off pump coronary artery bypass graft, score: 0.021986619

confidence of prediction: 0.998148
Y_true: [4 8 13 16 17 20 24 26 47]
Y_pred: [4 13 18 20 24 26 40 42 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
tb hyperlipidemia htn atrial fibrillation past surgical, score:
0.2653222
cv irreg irreg no, score: 0.034243852
positive for hypertension atrial, score: 0.03126141

confidence of prediction: 0.994085
Y_true: [4 8 13 16 17 20 24 26 47]
Y_pred: [4 13 18 20 24 26 40 42 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
urgent off pump coronary artery, score: 0.046663765
s p urgent off pump coronary artery, score: 0.030850971
s p urgent off pump coronary artery bypass graft, score: 0.030850971

confidence of prediction: 0.982508
Y_true: [4 8 13 16 17 20 24 26 47]
Y_pred: [4 13 18 20 24 26 40 42 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib rx warfarin mg, score: 0.37807134
atrial fibrillation past surgical history, score: 0.05433928
fibrillation and anticoagulation was, score: 0.023489336

confidence of prediction: 0.812985
Y_true: [7 20 34 40 42]
Y_pred: [7 20 28 34 40 42]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia requiring 2u prbc and, score: 0.11689125
polyp in the antrum, score: 0.06259465
history of present illness, score: 0.04431057

confidence of prediction: 0.572974
Y_true: [7 20 34 40 42]
Y_pred: [7 20 28 34 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

anemia gerd hypertension social history she lives, score: 0.3694225
melenotic stools x2 on, score: 0.084496886
monitoring emergent egd deferred, score: 0.074742995

confidence of prediction: 0.735648
Y_true: [7 20 34 40 42]
Y_pred: [7 20 28 34 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
deficiency anemia gerd hypertension social history she, score:
0.05025015
octreotide and protonix hepatology, score: 0.010499303
hd1 and melenotic stools x2 on hd3, score: 0.0068865884

confidence of prediction: 0.502089
Y_true: [7 20 34 40 42]
Y_pred: [7 20 28 34 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was intubated for airway protection and, score: 0.44381815
plans for intubation and emergent, score: 0.07308137
illicit ivdu family history per, score: 0.03109385

confidence of prediction: 0.528627
Y_true: [7 20 34 40 42]
Y_pred: [7 20 28 34 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated for airway protection and, score: 0.4057242
were intubated and had, score: 0.06115561
illicit ivdu family history per, score: 0.03750194

confidence of prediction: 0.940998
Y_true: [7 20 28 34]
Y_pred: [7 20 28 34]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
friable duodenum with multiple polyps antral, score: 0.4627678
performed and endoscopy and, score: 0.21083944
bleeding and death it, score: 0.047538377

confidence of prediction: 0.865296
Y_true: [7 20 28 34]
Y_pred: [7 20 28 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
anemia gerd hypertension social history she lives, score: 0.4172388
ama upper gi bleed, score: 0.050123405
moderate ascites endoscopy impression, score: 0.036378454

confidence of prediction: 0.755731
Y_true: [7 20 28 34]
Y_pred: [7 20 28 34]

top three important windows for true positive code 28 (45.13: Other endoscopy of small intestine)
history of present illness 53f with history, score: 0.39858747
performed and endoscopy and this, score: 0.2821099
medical advice 53f with history, score: 0.023791831

confidence of prediction: 0.890201
Y_true: [7 20 28 34]
Y_pred: [7 20 28 34]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
deficiency anemia gerd hypertension social history she, score: 0.11615991
friable duodenum with multiple polyps, score: 0.0051176264
illness 53f with history, score: 0.0035636819

confidence of prediction: 0.598987
Y_true: [0 2 46]
Y_pred: [2]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
diabetes type ii controlled without, score: 0.21123922
diabetes type ii without complications, score: 0.06141343
chemo diabetes type ii asthma social, score: 0.022957617

confidence of prediction: 0.875341
Y_true: [9 19 49]
Y_pred: [18 19]
top three important windows for true positive code 19 (39.95: Hemodialysis)
consulted and hemodialysis was continued, score: 0.08959845
at dialysis every tuesday, score: 0.07035967
at dialysis results to, score: 0.052495215

confidence of prediction: 0.987080
Y_true: [13 18 20 24 25 26]
Y_pred: [13 18 20 24]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass grafting x left, score: 0.5292115
coronary artery bypass graft x left, score: 0.02989057
bypass graft x past, score: 0.023398882

confidence of prediction: 0.979828
Y_true: [13 18 20 24 25 26]
Y_pred: [13 18 20 24]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
bypass grafting x left internal, score: 0.035321992
cardiothoracic allergies motrin attending, score: 0.024379719
diuresed towards his pre, score: 0.013149878

confidence of prediction: 0.982093

Y_true: [13 18 20 24 25 26]
Y_pred: [13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
cluster headaches hypertension renal insufficiency impaired fasting,
score: 0.18116994
artery disease hypertension mitral, score: 0.030988107
complaint exertional angina burning, score: 0.0050286744

confidence of prediction: 0.999010
Y_true: [13 18 20 24 25 26]
Y_pred: [13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.56437236
coronary artery disease s p coronary artery bypass graft, score:
0.119481266
coronary artery disease hypertension, score: 0.027884075

confidence of prediction: 0.719977
Y_true: [2 27 35 48]
Y_pred: [2 21 27 35 36 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
flomax diabetes mellitus type ii held glipizide and treatd with,
score: 0.096093506
dm2 who presents with, score: 0.06916825
type ii diabetes mellitus cad s p, score: 0.01885631

confidence of prediction: 0.958101
Y_true: [2 27 35 48]
Y_pred: [2 21 27 35 36 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure acute, score: 0.068463765
and systolic chf cad status post cabg, score: 0.046564993
chf flare and pulmonary, score: 0.039662916

confidence of prediction: 0.559743
Y_true: [2 27 35 48]
Y_pred: [2 21 27 35 36 48]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure the, score: 0.09474831
on chronic renal failure discharge, score: 0.09474831
acute renal failure was attributed, score: 0.072692215

confidence of prediction: 0.866063
Y_true: [2 27 35 48]
Y_pred: [2 21 27 35 36 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg ckd dm2, score: 0.41025364

status post cabg ckd, score: 0.13746743
lad heart pacemaker in, score: 0.0031111254

confidence of prediction: 0.904185
Y_true: [4 13 17 18 20 24]
Y_pred: [4 13 17 18 20 24 26 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension hyperlipidemia breast cancer s p, score: 0.14476226
cabg hypertension dyslipidemia history of endovascular, score:
0.078950755
of hypertension hyperlipidemia s p aaa repair, score: 0.0534164

confidence of prediction: 0.848133
Y_true: [4 13 17 18 20 24]
Y_pred: [4 13 17 18 20 24 26 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting left internal mammary artery to
left, score: 0.09336431
wires were discontinued without, score: 0.056932315
coronary artery bypass grafting past medical, score: 0.054592118

confidence of prediction: 0.593639
Y_true: [4 13 17 18 20 24]
Y_pred: [4 13 17 18 20 24 26 34]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
picc line flush ml intravenous, score: 0.057101443
resection gerd hypertension hyperlipidemia, score: 0.04357299
niacin lovastatin advicor mg mg, score: 0.035240255

confidence of prediction: 0.985804
Y_true: [4 13 17 18 20 24]
Y_pred: [4 13 17 18 20 24 26 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7016909
grafting left internal mammary, score: 0.03243138
diuresed toward the preoperative, score: 0.019798227

confidence of prediction: 0.994673
Y_true: [4 13 17 18 20 24]
Y_pred: [4 13 17 18 20 24 26 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hydrochlorothiazide mg mg tablet, score: 0.34532192
duodenal ulcer arthritis and, score: 0.077165514
of perforated duodenal ulcer, score: 0.065701865

confidence of prediction: 0.919267
Y_true: [4 13 17 18 20 24]
Y_pred: [4 13 17 18 20 24 26 34]
top three important windows for true positive code 24 (414.01:

Coronary atherosclerosis of native coronary artery)
descending with vein grafts to, score: 0.11349167
coronary artery bypass grafting, score: 0.10995595
coronary artery bypass grafting, score: 0.038008984

confidence of prediction: 0.857929
Y_true: [4 10 17 30]
Y_pred: [4 30 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
disease copd hyperlipidemia discharge condition mental, score:
0.15100119
artery disease hyperlipidemia hypertension chronic obstructive
pulmonary, score: 0.06560519
simvastatin mg daily senna, score: 0.011872351

confidence of prediction: 0.611568
Y_true: [4 10 17 30]
Y_pred: [4 30 48]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
since discharge copd hx with 3l nighttime, score: 0.065008715
chronic obstructive pulmonary disease psh coronary, score:
0.014984751
disease copd hyperlipidemia discharge condition mental, score:
0.0064862375

confidence of prediction: 0.637133
Y_true: [0 16 33 34 40 42 46]
Y_pred: [17 29 33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
acute respiratory failure and sepsis, score: 0.17427059
she was intubated the morning, score: 0.07481175
to be intubated for a short, score: 0.028882043

confidence of prediction: 0.717760
Y_true: [0 16 33 34 40 42 46]
Y_pred: [17 29 33 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
term intubation she was intubated the morning, score: 0.066975825
to be intubated for a short time, score: 0.019206462
be intubated should she fail on bipap, score: 0.015434496

confidence of prediction: 0.770489
Y_true: [0 16 33 34 40 42 46]
Y_pred: [17 29 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
be intubated should she fail on, score: 0.024562895
term intubation she was intubated the morning, score: 0.010781315
became resistant to clarithromycin, score: 0.0050906204

confidence of prediction: 0.958250
Y_true: [1 4 17 33 34 40 42]
Y_pred: [1 21 36 42]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
ss hypothyroidism last tsh in, score: 0.6788997
home levothyroxine hypertension patient on, score: 0.13134639
hypertension hypothyroidism gerd past surgical, score: 0.055884693

confidence of prediction: 0.643541
Y_true: [1 4 17 33 34 40 42]
Y_pred: [1 21 36 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
recommending that you take, score: 0.036013164
pe gen intubated sedation heent anicteric cv, score: 0.03386823
lead to intubation for airway protection although, score:
0.023483833

confidence of prediction: 0.506832
Y_true: [4 20 25 26 49]
Y_pred: [4 20 25 26 27]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
50mg hospital1 while in, score: 0.03677112
capped hypertension hyperlipidemia bph s p turp, score: 0.020512892
carvedilol mg twice a, score: 0.019712273

confidence of prediction: 0.818098
Y_true: [4 20 25 26 49]
Y_pred: [4 20 25 26 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension hyperlipidemia bph s p, score: 0.22325495
chronic atrial fibrillation ventricular tachycardia, score:
0.08557116
pulmonary artery hypertension brief hospital course, score:
0.03006644

confidence of prediction: 0.745450
Y_true: [4 20 25 26 49]
Y_pred: [4 20 25 26 27]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
severe mitral regurgitation is seen, score: 0.13154253
severe mitral regurgitation moderate to severe, score: 0.13154253
severe mitral regurgitation moderate to, score: 0.13154253

confidence of prediction: 0.969143
Y_true: [4 20 25 26 49]
Y_pred: [4 20 25 26 27]
top three important windows for true positive code 26 (427.31:

Atrial fibrillation)
atrial fibrillation on dofetilide for, score: 0.112022825
afib with rvr palpitations, score: 0.09577636
afib vt on dofetilide, score: 0.09319189

confidence of prediction: 0.972925
Y_true: [18]
Y_pred: [4 18 20 27 49]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were eventually removed, score: 0.13590296
cardiothoracic allergies no known, score: 0.022723928
washing incisions gently with mild soap, score: 0.008397632

confidence of prediction: 0.558055
Y_true: [4 8 9 13 14 18 22 24 38 39 47]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
medical history hl psoriasis s p bilateral, score: 0.09839325
h o hl and psoriasis transferred from, score: 0.08022564
and home simvastatin was continued patient, score: 0.029983634

confidence of prediction: 0.996587
Y_true: [4 8 9 13 14 18 22 24 38 39 47]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)
cabg x4 lima lad, score: 0.38769597
coronary artery bypass grafting x4 with, score: 0.20371075
coronary artery reverse saphenous vein single, score: 0.05294359

confidence of prediction: 0.985239
Y_true: [4 8 9 13 14 18 22 24 38 39 47]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.70861965
incisions gently with mild soap, score: 0.18575487
cabg x4 lima lad, score: 0.0191915

confidence of prediction: 0.999565
Y_true: [4 8 9 13 14 18 22 24 38 39 47]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.4225354
descending coronary reverse saphenous vein, score: 0.13855234
coronary artery reverse saphenous vein graft, score: 0.090878196

confidence of prediction: 0.804276
Y_true: [4 19 27 30 47 48]
Y_pred: [4 19 24 27 34 37 48]
top three important windows for true positive code 4 (272.4: Other

and unspecified hyperlipidemia)
hld continued atorvastatin transitional issues, score: 0.28609788
rle htn hyperlipidemia seizure disorder sensorineural hearing,
score: 0.0614329
carvedilol mg hospital1 clopidogrel, score: 0.022165416

confidence of prediction: 0.911347
Y_true: [4 19 27 30 47 48]
Y_pred: [4 19 24 27 34 37 48]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
of dialysis catheter resides, score: 0.1465888
on hd mwf and, score: 0.08565711
non dialysis days ttss, score: 0.05529814

confidence of prediction: 0.981786
Y_true: [4 19 27 30 47 48]
Y_pred: [4 19 24 27 34 37 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure this, score: 0.24840444
dchf echo lvef who presents, score: 0.14646976
dchf echo lvef who presented, score: 0.14646976

confidence of prediction: 0.616426
Y_true: [4 19 27 30 47 48]
Y_pred: [4 19 24 27 34 37 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
dialysis history of present, score: 0.048020896
s p bypass in, score: 0.03279297
and urgent dialysis with liter of, score: 0.0113264965

confidence of prediction: 0.767758
Y_true: [4 6 17 26 40 42]
Y_pred: [4 6 17 26 33 35 40 42 43]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
risk factors dyslipidemia cardiac history cabg none, score:
0.056704964
prior provoked dvt prior, score: 0.009624985
dermatitis ulcers scars or, score: 0.008899143

confidence of prediction: 0.633253
Y_true: [4 6 17 26 40 42]
Y_pred: [4 6 17 26 33 35 40 42 43]
top three important windows for true positive code 6 (276.2:
Acidosis)
comment recta 16am blood, score: 0.04137998
resuscitated and intubated at, score: 0.03449529
significant metabolic acidosis with arterial ph she, score:
0.024499955

confidence of prediction: 0.922413

Y_true: [4 6 17 26 40 42]
Y_pred: [4 6 17 26 33 35 40 42 43]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
hypothermia protocol central venous line placement history of, score: 0.059349984
ventilate dyssynchrony cvl was placed and the, score: 0.0443803
she underwent cta chest, score: 0.023212623

confidence of prediction: 0.925837
Y_true: [4 6 17 26 40 42]
Y_pred: [4 6 17 26 33 35 40 42 43]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib she does not, score: 0.20030518
afib rvr which was, score: 0.18137963
afib with rvr she, score: 0.107210316

confidence of prediction: 0.670930
Y_true: [4 6 17 26 40 42]
Y_pred: [4 6 17 26 33 35 40 42 43]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
being intubated family history, score: 0.14244846
was intubated and sedated, score: 0.12134677
being intubated physical exam, score: 0.10812607

confidence of prediction: 0.753396
Y_true: [4 6 17 26 40 42]
Y_pred: [4 6 17 26 33 35 40 42 43]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
was intubated and sedated, score: 0.11961758
was intubated paralyzed sedated, score: 0.11414969
being intubated family history, score: 0.078269646

confidence of prediction: 0.926765
Y_true: [4 7 10 13 18 20 22 24 26 34 35]
Y_pred: [4 10 13 18 20 26 34]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
with hypertension hyperlipidemia last name un syndrome, score: 0.13866654
and underwent cabg x, score: 0.031671118
s p cabg icd, score: 0.018445415

confidence of prediction: 0.681280
Y_true: [4 7 10 13 18 20 22 24 26 34 35]
Y_pred: [4 10 13 18 20 26 34]
top three important windows for true positive code 10 (305.1: Tobacco use disorder)
lifestyle tobacco smokes ppd [UNK] least 20yrs, score: 0.009783989
underwent cardiac catheterization that, score: 0.0010545502

om diag rsvg pda, score: 0.00089176325

confidence of prediction: 0.965225
Y_true: [4 7 10 13 18 20 22 24 26 34 35]
Y_pred: [4 10 13 18 20 26 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary–coronary artery bypass)
wires were discontinued without, score: 0.04170658
cardiothoracic doctor first name, score: 0.019229867
underwent cabg x with dr, score: 0.016140196

confidence of prediction: 0.986110
Y_true: [4 7 10 13 18 20 22 24 26 34 35]
Y_pred: [4 10 13 18 20 26 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.70288295
incisions gently with mild soap, score: 0.18425108
cardiothoracic doctor first name, score: 0.047585323

confidence of prediction: 0.977200
Y_true: [4 7 10 13 18 20 22 24 26 34 35]
Y_pred: [4 10 13 18 20 26 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
56yom with hypertension hyperlipidemia last name un, score:
0.40175968
hypertrophic cardiomyopathy htn hyperlipidemia kidney stones gerd,
score: 0.06065678
right cath perclose left, score: 0.035144377

confidence of prediction: 0.947316
Y_true: [4 7 10 13 18 20 22 24 26 34 35]
Y_pred: [4 10 13 18 20 26 34]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib s p remote ear, score: 0.09512609
atrial fibrillation pt was found, score: 0.050991338
amiodarone per cardiology with, score: 0.001397046

confidence of prediction: 0.971970
Y_true: [4 7 10 13 18 20 22 24 26 34 35]
Y_pred: [4 10 13 18 20 26 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
kidney stones gerd obesity nstemi afib, score: 0.39456773
om diag rsvg pda plv, score: 0.007195642
illness 56yom with hypertension hyperlipidemia, score: 0.0022671716

confidence of prediction: 0.532699
Y_true: [6 29 33 42]
Y_pred: [20 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96

consecutive hours)
exacerbation requiring intubation for day, score: 0.064962335
she remained intubated for day, score: 0.048049968
post intubation discharged on, score: 0.02997548

confidence of prediction: 0.673732
Y_true: [34 37 46]
Y_pred: [37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuk mod 40pm urine rbc, score: 0.2243428
urinary tract and c diff, score: 0.0883281
urosepsis a severe infection of, score: 0.052132603

confidence of prediction: 0.641814
Y_true: [4 21 23 24 27 29 34 35 36]
Y_pred: [2 4 21 23 24 27 29 34 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension diabetes dyslipidemia schizoaffective disorder
discharge, score: 0.25425526
hyperlipidemia patient s statin was, score: 0.2334356
back pain hyperlipidemia gastroesophageal reflux s p, score:
0.014796976

confidence of prediction: 0.787083
Y_true: [4 21 23 24 27 29 34 35 36]
Y_pred: [2 4 21 23 24 27 29 34 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic kidney disease h o, score: 0.08604347
patient has cri at, score: 0.061872523
htn dmii ckd asthma presents to, score: 0.021608641

confidence of prediction: 0.699775
Y_true: [4 21 23 24 27 29 34 35 36]
Y_pred: [2 4 21 23 24 27 29 34 36]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi htn dmii, score: 0.4737072
s p mi schizoaffective disorder htn dmii, score: 0.4737072
likely require dialysis within, score: 0.002080681

confidence of prediction: 0.853505
Y_true: [4 21 23 24 27 29 34 35 36]
Y_pred: [2 4 21 23 24 27 29 34 36]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
bypass with atherectomy in after, score: 0.3897303
s p mi htn, score: 0.081961446
coronary artery disease hypertension, score: 0.035377253

confidence of prediction: 0.945145

Y_true: [4 21 23 24 27 29 34 35 36]
Y_pred: [2 4 21 23 24 27 29 34 36]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure coronary artery disease, score: 0.10164943
chf and this may have, score: 0.06792788
congestive heart failure we gave you, score: 0.06700186

confidence of prediction: 0.586602
Y_true: [4 21 23 24 27 29 34 35 36]
Y_pred: [2 4 21 23 24 27 29 34 36]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
primary asthma pneumonia secondary systolic, score: 0.15820873
with pneumonia she was, score: 0.14959233
a lll infiltrate and though she, score: 0.08412419

confidence of prediction: 0.841806
Y_true: [4 21 23 24 27 29 34 35 36]
Y_pred: [2 4 21 23 24 27 29 34 36]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hyperlipidemia gastroesophageal reflux s p exploratory, score:
0.13920274
and hypertensive nephropathy a, score: 0.01085614
revisions of her aorto, score: 0.009321288

confidence of prediction: 0.636885
Y_true: [4 21 23 24 27 29 34 35 36]
Y_pred: [2 4 21 23 24 27 29 34 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
patient has cri at, score: 0.102521084
chronic kidney disease h o, score: 0.083212964
renal failure renal was, score: 0.024980038

confidence of prediction: 0.702213
Y_true: [24 35]
Y_pred: [17 29 31 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute kidney injury mr known, score: 0.12198891
in renal function aspiration, score: 0.043367337
ag legionella urinary antigen, score: 0.025553152

confidence of prediction: 0.938181
Y_true: [4 10 14 20 24 34 38]
Y_pred: [4 20 24 25 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
simvastatin gemfibrozil 600mg prilosec 40mg qd, score: 0.1459544
hld p w inferior stemi, score: 0.14057378
chronic issues hld his simvastatin was discontinued, score:
0.04333747

confidence of prediction: 0.987939
Y_true: [4 10 14 20 24 34 38]
Y_pred: [4 20 24 25 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
smoking obestiy hypertension cardiac history percutaneous coronary
interventions des x2, score: 0.56645894
gemfibrozil 600mg prilosec 40mg qd celexa 20mg, score: 0.086103916
chronic issues hld his, score: 0.02014798

confidence of prediction: 0.957824
Y_true: [4 10 14 20 24 34 38]
Y_pred: [4 20 24 25 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p des to, score: 0.14380036
pci with placement of, score: 0.08114488
vessel disease the lmca, score: 0.06869212

confidence of prediction: 0.968008
Y_true: [4 10 14 20 24 34 38]
Y_pred: [4 20 24 25 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
medical history gerd anxiety osa social history, score: 0.010316683
and celexa gerd stable he was continued, score: 0.0052054715
high dose atorvastatin captopril, score: 0.0038163466

confidence of prediction: 0.796164
Y_true: [4 8 20 27 33 47 49]
Y_pred: [4 20 29 33]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
on hypertension hyperlipidemia history of cvas tias, score:
0.29495734
oupatient furosemide hyperlipidemia discontinued atorvastatin given
evidence, score: 0.015134423
potentially nonsmall cell lung cancer, score: 0.008138342

confidence of prediction: 0.758474
Y_true: [4 8 20 27 33 47 49]
Y_pred: [4 20 29 33]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
multiple cores status post prostate, score: 0.15279625
continued enoxaparin htn continued oupatient furosemide
hyperlipidemia, score: 0.101447284
on hypertension hyperlipidemia history of cvas, score: 0.028765872

confidence of prediction: 0.748156
Y_true: [4 8 20 27 33 47 49]
Y_pred: [4 20 29 33]
top three important windows for true positive code 33 (518.81: Acute

respiratory failure)
rare 55am lactate 45am, score: 0.07237282
and superimposed pna rather than, score: 0.058333937
pneumonia lung infection and progression, score: 0.04076864

confidence of prediction: 0.823147
Y_true: [7 9 20 25]
Y_pred: [1 2 7 20]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia secondary to lower, score: 0.16634987
and a tagged rbc, score: 0.08861169
recorded as having no, score: 0.05696918

confidence of prediction: 0.949725
Y_true: [7 9 20 25]
Y_pred: [1 2 7 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn and dm on no, score: 0.1557334
to diverticulosis htn dm hypothyroidism on no, score: 0.09711072
to diverticulosis htn not, score: 0.09711072

confidence of prediction: 0.631492
Y_true: [4 13 17 18 20 24 26 48]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
stenosis hypertension hyperlipidemia malignant melanoma excised
from, score: 0.34255898
fibrillation hypertension hyperlipidemia malignant melanoma excised
from, score: 0.06541948
social history race caucasian, score: 0.015175837

confidence of prediction: 0.970163
Y_true: [4 13 17 18 20 24 26 48]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
x irregular x murmur, score: 0.016810248
incisions gently with mild, score: 0.012804263
avr stjude tissue cabg x2 lima lad svg rca, score: 0.011894774

confidence of prediction: 0.978451
Y_true: [4 13 17 18 20 24 26 48]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires removed per protocol, score: 0.1446416
cabg x2 lima lad, score: 0.027883442
washing incisions gently with mild soap, score: 0.0070360443

confidence of prediction: 0.818344
Y_true: [4 13 17 18 20 24 26 48]

Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
echocardiograms his echocardiograms have shown, score: 0.33699232
own practice in hospital1 cigarettes, score: 0.034804452
aortic stenosis hypertension hyperlipidemia malignant melanoma
excised, score: 0.032100927

confidence of prediction: 0.924897
Y_true: [4 13 17 18 20 24 26 48]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cabg x2 lima lad, score: 0.15190928
coronary artery disease postop atrial fibrillation, score:
0.10307767
lad proximal mid vessel with stenosis and, score: 0.0907437

confidence of prediction: 0.883906
Y_true: [4 13 17 18 20 24 26 48]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib dose held for, score: 0.3025788
fib and amiodarone and coumadin started, score: 0.123442076
fib we will follow, score: 0.108278036

confidence of prediction: 0.989098
Y_true: [24 26 32 34]
Y_pred: [26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
paf of note aspirin is, score: 0.68751264
afib with rvr of, score: 0.1380528
afib but was in, score: 0.017588023

confidence of prediction: 0.878364
Y_true: [31]
Y_pred: [20 31]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
episodes aspiration pneumonia discharge condition improved, score:
0.1306592
mild aspiration pneumonia on atelectasis, score: 0.08150919
of aspiration pneumonia and pt started, score: 0.048937123

confidence of prediction: 0.936872
Y_true: [4 7 11 19 34 47]
Y_pred: [4 7 19 26 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
as above hyperlipidemia continued simvastatin oa continued, score:
0.09240704
simvastatin mg po qhs, score: 0.005118966

heart block hyperlipidemia htn gerd depression anemia atrial fib, score: 0.0044722627

confidence of prediction: 0.847202
Y_true: [4 7 11 19 34 47]
Y_pred: [4 7 19 26 34]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
anemia hyperkalemia discharge condition, score: 0.5259355
anemia patient presented with, score: 0.3045452
anemia and gib with, score: 0.05542693

confidence of prediction: 0.695351
Y_true: [4 7 11 19 34 47]
Y_pred: [4 7 19 26 34]
top three important windows for true positive code 19 (39.95: Hemodialysis)
esrd on hd hcv, score: 0.110385925
esrd on hd m w, score: 0.094870694
esrd on hd hcv, score: 0.06784132

confidence of prediction: 0.779333
Y_true: [4 7 11 19 34 47]
Y_pred: [4 7 19 26 34]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
htn gerd depression anemia atrial fib, score: 0.18919301
in past gerd on ppi as above, score: 0.052809663
continued home lantus plus, score: 0.029885797

confidence of prediction: 0.783372
Y_true: [31 49]
Y_pred: [29 31]
top three important windows for true positive code 31 (507.0: Pneumonitis due to inhalation of food or vomitus)
as aspiration pneumonia she was transitioned, score: 0.047982916
criteria so she was, score: 0.020781765
have pneumonia who improved, score: 0.017186005

confidence of prediction: 0.933912
Y_true: [1 12 17 40 42]
Y_pred: [1 33 40 42]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
refills levothyroxine mcg tablet sig one, score: 0.010349042
schizoid disorder hypothyroidism social history no, score: 0.0018052035
commensal respiratory bacteria and 2k gnrs, score: 0.000910627

confidence of prediction: 0.897057
Y_true: [1 12 17 40 42]
Y_pred: [1 33 40 42]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)

required re intubation she was successfully extubated, score:
0.18633217
she was intubated for her, score: 0.044128634
medication while intubated she was, score: 0.018389693

confidence of prediction: 0.759761
Y_true: [1 12 17 40 42]
Y_pred: [1 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
required re intubation she was successfully extubated, score:
0.16451201
while intubated she was maintained, score: 0.07083364
decompensation requiring intubation although initially, score:
0.061671298

confidence of prediction: 0.750327
Y_true: [4 5 17 20 24 31 33 41 42]
Y_pred: [4 5 20 24 31 41 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia cad preserved ef, score:
0.17860214
cardiovascular hypertension hyperlipidemia as above home
antihypertensives, score: 0.10502287
and valsartan simvastatin therapy was continued, score: 0.044407763

confidence of prediction: 0.966026
Y_true: [4 5 17 20 24 31 33 41 42]
Y_pred: [4 5 20 24 31 41 42]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
continued renal hyponatremia mrs known, score: 0.80125844
lastname was hyponatremic na on arrival but, score: 0.10035386
so trileptal therapy was initiated, score: 0.007335797

confidence of prediction: 0.962655
Y_true: [4 5 17 20 24 31 33 41 42]
Y_pred: [4 5 20 24 31 41 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension hyperlipidemia as above home, score: 0.45969737
records and discussions with, score: 0.10511965
medical history hypertension hyperlipidemia cad preserved, score:
0.06673855

confidence of prediction: 0.963556
Y_true: [4 5 17 20 24 31 33 41 42]
Y_pred: [4 5 20 24 31 41 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
hyperlipidemia cad preserved ef per latest, score: 0.00822329
her daughter says all, score: 0.004898489

a stable appearing intraparenchymal, score: 0.0038107964

confidence of prediction: 0.817990
Y_true: [4 5 17 20 24 31 33 41 42]
Y_pred: [4 5 20 24 31 41 42]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
for presumed aspiration pneumonia these should be, score: 0.0452874
received pna on the, score: 0.007936462
all eeg and imaging, score: 0.007813957

confidence of prediction: 0.621445
Y_true: [4 5 17 20 24 31 33 41 42]
Y_pred: [4 5 20 24 31 41 42]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
on tube feeds should continue, score: 0.5691841
angiopathy an mri was, score: 0.030359568
radiopaque foreign bodies irregularity, score: 0.018456405

confidence of prediction: 0.628990
Y_true: [4 5 17 20 24 31 33 41 42]
Y_pred: [4 5 20 24 31 41 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
general intubated off sedation nad, score: 0.11288729
the patient intubated and sedated on, score: 0.042271335
on tube feeds should, score: 0.023592496

confidence of prediction: 0.730149
Y_true: [16 42]
Y_pred: [42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
and attempting to roll, score: 0.054490972
language intubated but follows, score: 0.04604407
of mannitol was administered, score: 0.042405568

confidence of prediction: 0.983932
Y_true: [20 49]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history pmh htn pe yrs ago, score: 0.19829749
losartan hctz coumadin discharge medications oxycodone, score:
0.11881659
ulna with volar and radial angulation mm, score: 0.022369064

confidence of prediction: 0.520811
Y_true: [1 6 17 30 32 33 35 41 43 46]
Y_pred: [0 1 6 26 30 33 35 37 40 42 46]
top three important windows for true positive code 1 (244.9:

Unspecified acquired hypothyroidism)
in hypothyroidism tobacco etoh copd, score: 0.2960512
metabolic acidosis in addition, score: 0.019114101
transaminitis uti the patient, score: 0.004383503

confidence of prediction: 0.556626
Y_true: [1 6 17 30 32 33 35 41 43 46]
Y_pred: [0 1 6 26 30 33 35 37 40 42 46]
top three important windows for true positive code 6 (276.2:
Acidosis)
to maintain adequate blood, score: 0.11391068
metabolic acidosis in addition to, score: 0.0790586
and metabolic acidosis the patient was, score: 0.049749635

confidence of prediction: 0.574340
Y_true: [1 6 17 30 32 33 35 41 43 46]
Y_pred: [0 1 6 26 30 33 35 37 40 42 46]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
post mortem autopsy medications on admission no, score: 0.013592595
bnp abg post intubation, score: 0.0023190517
igm neg varicella zoster, score: 0.0018988658

confidence of prediction: 0.990373
Y_true: [1 6 17 30 32 33 35 41 43 46]
Y_pred: [0 1 6 26 30 33 35 37 40 42 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
with respiratory failure and, score: 0.17631151
post intubation abg pre intubation 42am, score: 0.16372104
post intubated abg was worsened, score: 0.045765225

confidence of prediction: 0.524556
Y_true: [1 6 17 30 32 33 35 41 43 46]
Y_pred: [0 1 6 26 30 33 35 37 40 42 46]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure and, score: 0.08589188
to have arf transaminitis uti, score: 0.07376389
b19 antibodies varicella zoster antibody, score: 0.058616873

confidence of prediction: 0.552713
Y_true: [1 6 17 30 32 33 35 41 43 46]
Y_pred: [0 1 6 26 30 33 35 37 40 42 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
to maintain adequate blood, score: 0.14844048
septic and hypotensive already, score: 0.066057384
discharge diagnosis sepsis discharge condition expired discharge,
score: 0.034138445

confidence of prediction: 0.822766
Y_true: [26 29 35]
Y_pred: [20 26 31 35]

top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib and received [UNK], score: 0.16513029
af and complained of, score: 0.14418243
afib with rvr onc history, score: 0.13665663

confidence of prediction: 0.961703
Y_true: [26 29 35]
Y_pred: [20 26 31 35]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
family arf patient had had, score: 0.43151352
thought her arf was multifactorial, score: 0.07754052
new arf with creatinine of, score: 0.06525955

confidence of prediction: 0.785436
Y_true: [2 10 11 27 35]
Y_pred: [2 20 27]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
metformin 500mg hospital1 hydroxyzine, score: 0.22106849
ii dm home [UNK] was, score: 0.1734659
continue metformin continue hydroxyzine, score: 0.052609418

confidence of prediction: 0.933126
Y_true: [2 10 11 27 35]
Y_pred: [2 20 27]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
diastolic congestive heart failure discharge condition mental, score: 0.2641579
chf presentation and cxr, score: 0.131553
chf pt says she took, score: 0.033954423

confidence of prediction: 0.929516
Y_true: [4 13 14 18 20 22 24 34 37 38 44]
Y_pred: [4 13 14 18 20 22 24 34 37 38 40 42]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
history hypertension hyperlipidemia gerd s p tonsillectomy, score: 0.07867071
myocardial infarction hyperlipidemia s p coronary artery, score: 0.028114546
and underwent coronary artery, score: 0.0027510752

confidence of prediction: 0.996189
Y_true: [4 13 14 18 20 22 24 34 37 38 44]
Y_pred: [4 13 14 18 20 22 24 34 37 38 40 42]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass grafting x4 lima lad svg, score: 0.064787164
bypass grafts x gastric, score: 0.02982383
coronary artery bypass grafts x lima lad sv dg sv, score:

0.014395122

confidence of prediction: 0.782310
Y_true: [4 13 14 18 20 22 24 34 37 38 44]
Y_pred: [4 13 14 18 20 22 24 34 37 38 40 42]
top three important windows for true positive code 14 (37.22: Left heart cardiac catheterization)
left heart catheterization coronary angiogram coronary artery, score: 0.030918948
mitral regurgitation is seen, score: 0.002608596
chf small bilateral effusions, score: 0.002064532

confidence of prediction: 0.973568
Y_true: [4 13 14 18 20 22 24 34 37 38 44]
Y_pred: [4 13 14 18 20 22 24 34 37 38 40 42]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.51628876
bypass grafting x4 lima lad, score: 0.06755902
tee was performed in, score: 0.008603914

confidence of prediction: 0.943759
Y_true: [4 13 14 18 20 22 24 34 37 38 44]
Y_pred: [4 13 14 18 20 22 24 34 37 38 40 42]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
medical history hypertension hyperlipidemia gerd s p, score: 0.22705011
hypertension and [UNK] who, score: 0.1173584
cabg with expected prominence, score: 0.04269149

confidence of prediction: 0.753149
Y_true: [4 13 14 18 20 22 24 34 37 38 44]
Y_pred: [4 13 14 18 20 22 24 34 37 38 40 42]
top three important windows for true positive code 22 (410.71: Subendocardial infarction, initial episode of care)
non st elevation myocardial infarction hyperlipidemia, score: 0.018629376
non st elevation myocardial infarction major surgical, score: 0.01353656
heart catheterization coronary angiogram coronary, score: 0.008820115

confidence of prediction: 0.906221
Y_true: [4 13 14 18 20 22 24 34 37 38 44]
Y_pred: [4 13 14 18 20 22 24 34 37 38 40 42]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
sv dg sv om1 sv om2 history, score: 0.13175789
coronary angiogram coronary artery bypass grafts, score: 0.053112283
coronary artery bypass grafting, score: 0.05273234

confidence of prediction: 0.922242
Y_true: [4 13 14 18 20 22 24 34 37 38 44]

Y_pred: [4 13 14 18 20 22 24 34 37 38 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hypertension hyperlipidemia gerd s p tonsillectomy social, score:
0.025061533
x gastric reflux discharge condition stable, score: 0.019178592
conclusions for listing of medications conclusions pre, score:
0.01098651

confidence of prediction: 0.889345
Y_true: [4 13 14 18 20 22 24 34 37 38 44]
Y_pred: [4 13 14 18 20 22 24 34 37 38 40 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
significant interval change the, score: 0.018224357
days for uti disp tablet s, score: 0.0141153205
mis in 60s brother, score: 0.00599658

confidence of prediction: 0.934610
Y_true: [4 13 14 18 20 22 24 34 37 38 44]
Y_pred: [4 13 14 18 20 22 24 34 37 38 40 42]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
left heart catheterization coronary angiogram coronary artery,
score: 0.11607768
cardiac catheterization revealed a totally, score: 0.0032292882
op tee for cabg, score: 0.0029092587

confidence of prediction: 0.965016
Y_true: [1 2 4 18 21 23 24 35 36]
Y_pred: [1 2 4 8 18 20 23 24 30 34 48]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
home cri hypothyroidism anxiety depression anemia gerd, score:
0.001196384
avr 21mm ce pericardial, score: 0.00017839827
500mcg 50mcg one puff, score: 0.00014346903

confidence of prediction: 0.912197
Y_true: [1 2 4 18 21 23 24 35 36]
Y_pred: [1 2 4 8 18 20 23 24 30 34 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
htn iddm cad copd asthma emphysema, score: 0.19777007
pcis copd iddm and sleep apnea, score: 0.01770743
stenosis htn iddm cad copd asthma emphysema, score: 0.016543

confidence of prediction: 0.556737
Y_true: [1 2 4 18 21 23 24 35 36]
Y_pred: [1 2 4 8 18 20 23 24 30 34 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
of htn hyperlipidemia s p multiple pcis, score: 0.07428469

trusopt one drop right, score: 0.06755753
avr cad s p, score: 0.041447747

confidence of prediction: 0.960761
Y_true: [1 2 4 18 21 23 24 35 36]
Y_pred: [1 2 4 8 18 20 23 24 30 34 48]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.503993
cardiothoracic allergies patient recorded, score: 0.009448318
tolerated the operation well, score: 0.0043692766

confidence of prediction: 0.703932
Y_true: [1 2 4 18 21 23 24 35 36]
Y_pred: [1 2 4 8 18 20 23 24 30 34 48]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
medical history mi s p pci cad s p pci at, score: 0.114512816
cabg x3 mi s p pci cad s p pci at, score: 0.032640863
iddm cad copd asthma, score: 0.011695086

confidence of prediction: 0.934312
Y_true: [1 2 4 18 21 23 24 35 36]
Y_pred: [1 2 4 8 18 20 23 24 30 34 48]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p cabg x3, score: 0.066443525
s p pci cad s p pci at, score: 0.04976997
copd asthma emphysema chronic, score: 0.023896275

confidence of prediction: 0.863354
Y_true: [34]
Y_pred: [34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hiatal hernia gerd l3, score: 0.07122047
reflux and extensive motrin, score: 0.046785332
us gerd barrett s esophagus, score: 0.045844644

confidence of prediction: 0.926293
Y_true: [0 1 20]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
fe deficiency htn allergic rhinitis s p, score: 0.37013713
protonix [UNK] niferex cymbalta, score: 0.10766144
bypass roux en y, score: 0.032335237

confidence of prediction: 0.804046
Y_true: [4 17 20 34 42]
Y_pred: [42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)

was intubated and sedated on, score: 0.28349695
decadron intubated and placed on, score: 0.061777532
and intubated her her, score: 0.04185063

confidence of prediction: 0.907876
Y_true: [34]
Y_pred: [34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
migraine headache gerd social history she lives, score: 0.066094585
and has gerd her paternal grandfather, score: 0.0500114
lesion was shown to, score: 0.0021912153

confidence of prediction: 0.954067
Y_true: [3 20]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hydrochlorothiazide mg daily which, score: 0.25358728
to be hypertension underlying vascular malformation, score:
0.12767027
started on hctz mg daily speech, score: 0.050420813

confidence of prediction: 0.811665
Y_true: [2 5 17 20 35 46]
Y_pred: [0 2 5 17 20 35 46]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
diabetes type ii controlled without, score: 0.1858756
type diabetes last a1c hypertension, score: 0.03270258
metformin mg tablet sig, score: 0.032612927

confidence of prediction: 0.983691
Y_true: [2 5 17 20 35 46]
Y_pred: [0 2 5 17 20 35 46]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
renal failure hyponatremia diabetes type ii controlled, score:
0.39177302
staples scant serosanguinous drainage, score: 0.038870607
she was having some, score: 0.004372651

confidence of prediction: 0.797284
Y_true: [2 5 17 20 35 46]
Y_pred: [0 2 5 17 20 35 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
required transfusion of 3u, score: 0.09501655
picc line placement history of, score: 0.08026239
arthritis of the left, score: 0.020537566

confidence of prediction: 0.992044
Y_true: [2 5 17 20 35 46]

Y_pred: [0 2 5 17 20 35 46]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
without complications hypertension morbid obesity edema anasarca
secondary, score: 0.073417015
without complications hypertension morbid obesity edema, score:
0.073417015
a1c hypertension osteoarthritis obesity asthma, score: 0.034999

confidence of prediction: 0.690142
Y_true: [2 5 17 20 35 46]
Y_pred: [0 2 5 17 20 35 46]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure hyponatremia diabetes type, score: 0.09953569
staples scant serosanguinous drainage, score: 0.024168696
subsequent acute renal failure on pod, score: 0.008405501

confidence of prediction: 0.999097
Y_true: [2 5 17 20 35 46]
Y_pred: [0 2 5 17 20 35 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
diagnosis severe sepsis septic shock septic arthritis of, score:
0.01599619
anemai required transfusion of 3u, score: 0.012536236
sepsis septic shock septic arthritis of, score: 0.0076326546

confidence of prediction: 0.767117
Y_true: [2 6 10 27]
Y_pred: [2 4 6 27]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
type ii dm held orals while, score: 0.39417198
ef hypertension diabetes melitus type ii migraines, score:
0.010765577
metformin mg tablet tablet, score: 0.009182648

confidence of prediction: 0.547534
Y_true: [2 6 10 27]
Y_pred: [2 4 6 27]
top three important windows for true positive code 6 (276.2:
Acidosis)
chronic respiratory acidosis i e co2, score: 0.581689
continued home methodone dose, score: 0.038589325
had ongoing cellulitis hypercarbia hypoxia pt, score: 0.021775011

confidence of prediction: 0.962922
Y_true: [2 6 10 27]
Y_pred: [2 4 6 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
dchf echo in ef hypertension, score: 0.1929125

dchf exascerbation who presents, score: 0.14276132
of her dchf and hypertension she, score: 0.13950029

confidence of prediction: 0.573367
Y_true: [3 4 48]
Y_pred: [4 24 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
and stent hld prior tia three, score: 0.13790405
artery disease hyperlipidemia hypercholesterolemia, score:
0.09218314
trigeminal neuralgia memory loss, score: 0.050541494

confidence of prediction: 0.854362
Y_true: [3 4 48]
Y_pred: [4 24 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg and, score: 0.4459527
s p cabg x stent x, score: 0.4459527
followed by cabgx5 hospital1 stents and, score: 0.04799146

confidence of prediction: 0.702836
Y_true: [7 9 11 28]
Y_pred: [28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.70291257
abuse and depression presenting, score: 0.039337248
with an appt if, score: 0.014530976

confidence of prediction: 0.582480
Y_true: [0 6 10 16 24 26 29 30 33 46]
Y_pred: [0 10 22 24 26 27 29 33 35 46 49]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
urosepsis and multiple orthopedic injuries, score: 0.05451278
septic shock either from a, score: 0.051262666
profound septic shock and hypercarbic hypoxemic, score: 0.038190294

confidence of prediction: 0.600972
Y_true: [0 6 10 16 24 26 29 30 33 46]
Y_pred: [0 10 22 24 26 27 29 33 35 46 49]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
history currently smokes ppd x years family, score: 0.045626096
heart failure hypercholesterolemia vitamin, score: 0.016611068
by ams simvastatin mg, score: 0.0044172728

confidence of prediction: 0.965596
Y_true: [0 6 10 16 24 26 29 30 33 46]
Y_pred: [0 10 22 24 26 27 29 33 35 46 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)

of cad chf and a fib, score: 0.06743038
stenosis occlusion coronary artery disease social history, score:
0.044626303
k to reverse supratherapeutic inr, score: 0.023138417

confidence of prediction: 0.984901
Y_true: [0 6 10 16 24 26 29 30 33 46]
Y_pred: [0 10 22 24 26 27 29 33 35 46 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib on coumadin admitted, score: 0.3594679
irregularly irregular s1 s2 no, score: 0.05163905
afib with hr street, score: 0.04298775

confidence of prediction: 0.612614
Y_true: [0 6 10 16 24 26 29 30 33 46]
Y_pred: [0 10 22 24 26 27 29 33 35 46 49]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
had worsening pneumonia as above she, score: 0.20173894
hip fracture pneumonia discharge condition patient, score:
0.017151615
became increasingly obtunded and, score: 0.01096677

confidence of prediction: 0.798749
Y_true: [0 6 10 16 24 26 29 30 33 46]
Y_pred: [0 10 22 24 26 27 29 33 35 46 49]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxemic respiratory failure on hypercarbic, score: 0.2177304
hypoxemic respiratory failure patient admitted, score: 0.14678831
hypoxemic respiratory failure septic shocks, score: 0.14678831

confidence of prediction: 0.917013
Y_true: [0 6 10 16 24 26 29 30 33 46]
Y_pred: [0 10 22 24 26 27 29 33 35 46 49]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
septic shock either from a, score: 0.04275757
urosepsis and multiple orthopedic injuries, score: 0.032192044
profound septic shock and hypercarbic hypoxemic, score: 0.024345418

confidence of prediction: 0.668031
Y_true: [3 9 10 20]
Y_pred: [3 10 20]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
htn and hypercholesterolemia who was referred, score: 0.24115634
smokes ppd x years, score: 0.02700737
smoking hypertension remained stable with, score: 0.013667174

confidence of prediction: 0.642674
Y_true: [3 9 10 20]
Y_pred: [3 10 20]

top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
above smokes ppd x years remote, score: 0.3361284
abuse tobacco abuse social history lives, score: 0.06417918
management thrombocytopenia patient remained, score: 0.007936564

confidence of prediction: 0.998606
Y_true: [3 9 10 20]
Y_pred: [3 10 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hypercholesterolemia depression with
psychotic, score: 0.16755378
hypertension remained stable with, score: 0.0289457
transaminitis thrombocytopenia discharge condition stable, score:
0.019931518

confidence of prediction: 0.956383
Y_true: [4 14 22 24 27 36 38]
Y_pred: [2 4 21 22 24 27 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
toe amputation hyperlipidemia hypertension cataracts glaucoma,
score: 0.11627383
as above hld simvastatin in lieu of, score: 0.02424154
htn and hl who, score: 0.023760855

confidence of prediction: 0.763903
Y_true: [4 14 22 24 27 36 38]
Y_pred: [2 4 21 22 24 27 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
st elevation myocardial infarction coronary artery, score:
0.30375862
an nstemi with elevated troponins she, score: 0.08921298
nstemi and acute chf exacerbation nstemi cardiac cath showed, score:
0.052560914

confidence of prediction: 0.961976
Y_true: [4 14 22 24 27 36 38]
Y_pred: [2 4 21 22 24 27 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease the, score: 0.14067544
coronary artery disease severely elevated lvedp, score: 0.14067544
coronary artery disease the, score: 0.0839426

confidence of prediction: 0.960076
Y_true: [4 14 22 24 27 36 38]
Y_pred: [2 4 21 22 24 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure type, score: 0.32191712
systolic heart failure type diabetes, score: 0.12500611

heart failure tte at, score: 0.03543603

confidence of prediction: 0.783365
Y_true: [4 14 22 24 27 36 38]
Y_pred: [2 4 21 22 24 27 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization history of present, score: 0.6898412
rca and tortuous proximal, score: 0.067824684
cardiac cath showed lcx and, score: 0.012762721

confidence of prediction: 0.941687
Y_true: [1 4 10]
Y_pred: [1 4 6 24]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
hyperlipidemia hypothyroidism osteopenia descending aortic
disection, score: 0.17465015
lipitor hypothyroidism continued synthroid tsh checked, score:
0.13478354
daily levothyroxine mcg tablet sig, score: 0.012632532

confidence of prediction: 0.862413
Y_true: [1 4 10]
Y_pred: [1 4 6 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
oa pud hyperlipidemia hypothyroidism osteopenia descending aortic,
score: 0.6127795
depression asthma copd cataracts, score: 0.01218751
atorvastatin mg tablet sig, score: 0.0073172534

confidence of prediction: 0.959668
Y_true: [2 20 24 37 42]
Y_pred: [2 17 20 37 41]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
keppra metformin metoprolol timolol vit d, score: 0.015033122
cad htn niddm b l cataract surgery, score: 0.00630107
intubated but interacting on exam, score: 0.0006448383

confidence of prediction: 0.953018
Y_true: [2 20 24 37 42]
Y_pred: [2 17 20 37 41]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
keppra metformin metoprolol timolol vit d senna, score: 0.07238872
however developed hypertension and, score: 0.04722698
history cad htn niddm b l cataract, score: 0.03414333

confidence of prediction: 0.585848
Y_true: [2 20 24 37 42]
Y_pred: [2 17 20 37 41]

top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
a uti pt remained lethargic and, score: 0.26626703
holes and sdh evacuation placement, score: 0.17426512
cosopt lisinopril attending first, score: 0.025550801

confidence of prediction: 0.858097
Y_true: [19 26 34]
Y_pred: [4 19 26 34]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
w f dialysis schedule electrolytes were routinely, score:
0.028247157
his normal dialysis schedule on friday am, score: 0.013476972
end organ ischemia prophylaxis, score: 0.008355268

confidence of prediction: 0.973312
Y_true: [19 26 34]
Y_pred: [4 19 26 34]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib oa hep c psh, score: 0.8763112
graft with nonreversed saphenous, score: 0.011054594
was a pleasure to take, score: 0.0046323338

confidence of prediction: 0.863959
Y_true: [19 26 34]
Y_pred: [4 19 26 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
fistula creation multiple foot, score: 0.0057548326
healing r hallux amputation site, score: 0.0051285387
right hallux amputation site, score: 0.005111337

confidence of prediction: 0.867728
Y_true: [0 2 3 11 17 20 27 31 35 37 41 46]
Y_pred: [2 4 11 20 31 35 37]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
htn dm2 and recent admission for, score: 0.06505183
htn and diabetes physical exam admission, score: 0.019077985
htn and dm2 with recent admission for, score: 0.007707328

confidence of prediction: 0.706822
Y_true: [0 2 3 11 17 20 27 31 35 37 41 46]
Y_pred: [2 4 11 20 31 35 37]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
depression social history had children, score: 0.26453707
chronic issues depression stable on home duloxetine hld stable,
score: 0.08514619
qd duloxetine mg capsule, score: 0.0036395395

confidence of prediction: 0.978389
Y_true: [0 2 3 11 17 20 27 31 35 37 41 46]
Y_pred: [2 4 11 20 31 35 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
of cva htn and dm2 with recent, score: 0.117716305
for cva htn dm2 and recent admission, score: 0.10085786
history of htn and diabetes physical, score: 0.06552894

confidence of prediction: 0.950948
Y_true: [0 2 3 11 17 20 27 31 35 37 41 46]
Y_pred: [2 4 11 20 31 35 37]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
have aspiration pna active issues aspiration pna presented with,
score: 0.17354819
multifocal aspiration pna on chest, score: 0.16761826
diagnosis aspiration pneumonia g tube leak, score: 0.10873156

confidence of prediction: 0.842916
Y_true: [0 2 3 11 17 20 27 31 35 37 41 46]
Y_pred: [2 4 11 20 31 35 37]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
w pre renal etiology creatinine on discharge, score: 0.01918174
of and creatinine of, score: 0.011955357
years now resides in, score: 0.008945477

confidence of prediction: 0.892351
Y_true: [0 2 3 11 17 20 27 31 35 37 41 46]
Y_pred: [2 4 11 20 31 35 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
and uti presents with fever and, score: 0.4029483
of uti patient was treated, score: 0.16818869
source with vanc and, score: 0.04531824

confidence of prediction: 0.552188
Y_true: [4 21 23 36 39 44 47 48]
Y_pred: [4 21 24 27 30 36 39 44]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
niaspan qhs crestor spiriva w handihaler, score: 0.4166773
fenofibrate micronized mg tablet, score: 0.033201724
daily daily rosuvastatin mg tablet sig, score: 0.011140844

confidence of prediction: 0.526793
Y_true: [4 21 23 36 39 44 47 48]
Y_pred: [4 21 24 27 30 36 39 44]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic renal failure discharge disposition, score: 0.25958177
acute renal failure on chronic renal failure first name11, score:

0.014301644
4v cabg s w, score: 0.011071354

confidence of prediction: 0.527595
Y_true: [4 21 23 36 39 44 47 48]
Y_pred: [4 21 24 27 30 36 39 44]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal failure discharge disposition, score: 0.26789835
4v cabg s w, score: 0.013363644
4v cabg s with, score: 0.013363644

confidence of prediction: 0.525932
Y_true: [4 21 23 36 39 44 47 48]
Y_pred: [4 21 24 27 30 36 39 44]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee history of hyperlipdemia, score: 0.47629926
diuresed postop tee progressive as history, score: 0.11340915
lad graft by cath lima lad svg dg om rca, score: 0.011541732

confidence of prediction: 0.778033
Y_true: [4 21 23 36 39 44 47 48]
Y_pred: [4 21 24 27 30 36 39 44]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
hct units prbc iv [UNK] continued insulin, score: 0.07922823
loss anemia transfused postoperative, score: 0.032597955
enzymes cycled transfused unit prbcs hct swan, score: 0.0037696287

confidence of prediction: 0.901690
Y_true: [4 14 20 22 24 27 38]
Y_pred: [4 22 24 27 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
in hospital hld chronic stable issue trig, score: 0.09476627
and plavix 600mg on, score: 0.016946599
hypertension dyslipidemia discharge condition mental, score:
0.013308541

confidence of prediction: 0.789775
Y_true: [4 14 20 22 24 27 38]
Y_pred: [4 22 24 27 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
with nstemi pt was in, score: 0.05854192
non st elevation myocardial infarction diabetes mellitus, score:
0.014269814
coronary ischemia nstemi was thought to be, score: 0.012964116

confidence of prediction: 0.959737
Y_true: [4 14 20 22 24 27 38]
Y_pred: [4 22 24 27 38]
top three important windows for true positive code 24 (414.01:

Coronary atherosclerosis of native coronary artery)
coronary artery disease tortuous right, score: 0.09137311
s p multiple pci, score: 0.072462775
unstable angina cad chf ef by, score: 0.0343024

confidence of prediction: 0.855657
Y_true: [4 14 20 22 24 27 38]
Y_pred: [4 22 24 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
angina cad chf ef by cardiac cath, score: 0.20175026
nitrostat mg tablet sublingual sig, score: 0.031234862
80mg daily nitrostat sl for chest pain, score: 0.016455239

confidence of prediction: 0.821349
Y_true: [4 14 20 22 24 27 38]
Y_pred: [4 22 24 27 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac cath history of present, score: 0.4557736
mid vessel the previously placed, score: 0.030786011
cardiac catheterization was done this, score: 0.019502232

confidence of prediction: 0.688925
Y_true: [1 8 17 26 32]
Y_pred: [1 26 27 44]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
medications levothyroxine mcg tablet sig, score: 0.05702161
hyponatremia anemia hypothyroid chronic back pain, score:
0.029689837
prilosec senokot synthroid 50mcg tylenol 1gram daily, score:
0.012404694

confidence of prediction: 0.978378
Y_true: [1 8 17 26 32]
Y_pred: [1 26 27 44]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation discharge condition hemodynamically, score:
0.13591671
atrial fibrillation several recommendations were, score:
0.0026301031
endocarditis prophylaxis recommendations the, score: 0.0022903834

confidence of prediction: 0.937642
Y_true: [14 20 22 24 38]
Y_pred: [15 20 24 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
diagnosed with hypertension past medical history somewhat, score:
0.14207238
tall r waves and, score: 0.13456114
tall r waves persisted, score: 0.11393511

confidence of prediction: 0.958934
Y_true: [14 20 22 24 38]
Y_pred: [15 20 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p bms to, score: 0.07487687
stemi std resolved in, score: 0.058896344
cardiac catheterization with bms, score: 0.032649413

confidence of prediction: 0.871324
Y_true: [14 20 22 24 38]
Y_pred: [15 20 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization with bms to lcx, score: 0.79217386
cath lab and received bms to, score: 0.019807642
lmca normal lcx total, score: 0.015405786

confidence of prediction: 0.637469
Y_true: [3 20 27]
Y_pred: [3 20 27]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
dvt htn hypercholesterolemia fibromyalgia social history married,
score: 0.33962741
metformin they will set, score: 0.005616088
history cad htn no myasthenia, score: 0.0027656683

confidence of prediction: 0.912315
Y_true: [3 20 27]
Y_pred: [3 20 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
able to sustain upgaze greater than seconds, score: 0.2469418
history cad htn no myasthenia or, score: 0.18645865
metformin mg tablet sig, score: 0.04416519

confidence of prediction: 0.845917
Y_true: [3 20 27]
Y_pred: [3 20 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cardiomyopathy c b chf r dvt htn hypercholesterolemia, score:
0.008320966
mg hospital1 lasix mg, score: 0.0069146995
was arranged it should be considered, score: 0.004477767

confidence of prediction: 0.769390
Y_true: [10 29 33]
Y_pred: [29 33]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
possible atypical pneumonia asthma smoking, score: 0.108272605

shows rll pneumonia the, score: 0.05908999
community acquired pneumonia and oseltamivir for, score: 0.056574777

confidence of prediction: 0.889225
Y_true: [10 29 33]
Y_pred: [29 33]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxic respiratory failure in setting, score: 0.23559196
acute hypoxic respiratory failure possible atypical, score:
0.026318412
sputum gram stain and, score: 0.018198743

confidence of prediction: 0.988556
Y_true: [3 13 18 21 24 26 36 49]
Y_pred: [4 13 18 21 24 26 35 36]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting times left, score: 0.49051157
descending reverse saphenous vein grafts, score: 0.11208487
coronary artery bypass graft x please, score: 0.027704746

confidence of prediction: 0.979393
Y_true: [3 13 18 21 24 26 36 49]
Y_pred: [4 13 18 21 24 26 35 36]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
reverse saphenous vein grafts, score: 0.009573668
cardiothoracic allergies penicillins isosorbide, score: 0.009246477
pacing wires were removed per, score: 0.0081208525

confidence of prediction: 0.814295
Y_true: [3 13 18 21 24 26 36 49]
Y_pred: [4 13 18 21 24 26 35 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
in chronic kidney disease fall transurethral, score: 0.029441673
failure d t left, score: 0.024295567
acute renal failure obstruction, score: 0.0051887105

confidence of prediction: 0.999057
Y_true: [3 13 18 21 24 26 36 49]
Y_pred: [4 13 18 21 24 26 35 36]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.53139096
coronary artery disease s p coronary artery bypass graft, score:
0.112498894
coronary artery disease and, score: 0.10709217

confidence of prediction: 0.930166
Y_true: [3 13 18 21 24 26 36 49]
Y_pred: [4 13 18 21 24 26 35 36]

top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib acetaminophen mg tablet, score: 0.09833837
atrial fibrillation post op history, score: 0.0717635
atrial fibrillation and underwent usual, score: 0.01904432

confidence of prediction: 0.743414
Y_true: [3 13 18 21 24 26 36 49]
Y_pred: [4 13 18 21 24 26 35 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
in chronic kidney disease fall transurethral, score: 0.022241037
renal failure d t left, score: 0.009365862

confidence of prediction: 0.931851
Y_true: [2 11 18 20 26 34 39 49]
Y_pred: [2 18 20 26 34 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
htn dm type ii as afib, score: 0.1124662
mdi metformin 500mg hospital1 protonix mg, score: 0.020721387
diagnosis hypertension niddm aortic stenosis arthritis depression,
score: 0.008512231

confidence of prediction: 0.986165
Y_true: [2 11 18 20 26 34 39 49]
Y_pred: [2 18 20 26 34 49]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
pacing wires were discontinued on pod, score: 0.0036029767
hypertension electronically signed by, score: 0.0032130703
washing incisions gently with mild soap, score: 0.0022816923

confidence of prediction: 0.937650
Y_true: [2 11 18 20 26 34 39 49]
Y_pred: [2 18 20 26 34 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
metformin 500mg hospital1 protonix, score: 0.08681089
medical history htn dm type ii as, score: 0.08675012
discharge diagnosis hypertension niddm aortic stenosis arthritis,
score: 0.06741842

confidence of prediction: 0.994483
Y_true: [2 11 18 20 26 34 39 49]
Y_pred: [2 18 20 26 34 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin last dose, score: 0.9166484
afib tablet po daily, score: 0.046107385
atrial fibrillation she has had, score: 0.00762136

confidence of prediction: 0.849798

Y_true: [2 11 18 20 26 34 39 49]
Y_pred: [2 18 20 26 34 49]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
p cva gerd discharge condition discharge condition, score:
0.081080884
for reflux metoprolol tartrate mg, score: 0.043987297
gerd cholecystectomy social history lives, score: 0.039870832

confidence of prediction: 0.553970
Y_true: [2 11 18 20 26 34 39 49]
Y_pred: [2 18 20 26 34 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin last dose, score: 0.8078543
40mg daily coumadin 5mg, score: 0.06998835
anticoagulated with coumadin she, score: 0.03475206

confidence of prediction: 0.956305
Y_true: [37 41]
Y_pred: [37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
escherichia coli organisms ml presumptive, score: 0.12576112
urinary tract infection sepsis, score: 0.099576674
urinary tract infection you, score: 0.08103318

confidence of prediction: 0.512329
Y_true: [0 6 27 29]
Y_pred: [0 4 17 22 27 31 33 40 42 43]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
vt discharge condition death, score: 0.08263669
for presumed sepsis from an abdominal catastrophe, score:
0.057721183
complicated by sepsis from hypoperfusion causing visceral ischemia
medications, score: 0.054245397

confidence of prediction: 0.984221
Y_true: [0 6 27 29]
Y_pred: [0 4 17 22 27 31 33 40 42 43]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf acute systolic chf with globally depressed, score: 0.10638649
from her chf caused ischemia of, score: 0.008331261
congestive heart failure she presented, score: 0.0060043056

confidence of prediction: 0.506508
Y_true: [8 9 20 26 27 34 37 49]
Y_pred: [9 20 37 49]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
surgery allergies darvon morphine penicillins attending first,
score: 0.2429994

management was agreed upon, score: 0.008642727
ra gerd h o, score: 0.004825827

confidence of prediction: 0.761244
Y_true: [8 9 20 26 27 34 37 49]
Y_pred: [9 20 37 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn chf a fib ra gerd h o, score: 0.24817862
surgery allergies darvon morphine penicillins attending first,
score: 0.13865241
chronic ischemia of the, score: 0.006506677

confidence of prediction: 0.725288
Y_true: [8 9 20 26 27 34 37 49]
Y_pred: [9 20 37 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
treatment of uti dispo physical therapy, score: 0.12581119
wbcs and bacteria culture pending, score: 0.059281226
home with vna services, score: 0.019986441

confidence of prediction: 0.541026
Y_true: [8 9 20 26 27 34 37 49]
Y_pred: [9 20 37 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
her home coumadin was held due, score: 0.52557516
dvt on coumadin past, score: 0.14306457
s refills warfarin mg tablet sig, score: 0.06346412

confidence of prediction: 0.767405
Y_true: [2 4 11 20 26 27 30 34 47]
Y_pred: [4 27 29 30 34 37]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
stenosis htn hld dmii psoriasis h o, score: 0.21834508
2lnc baseline obstructive sleep apnea, score: 0.017880866
depression continued duloxetine gerd continued omeprazole
transitional, score: 0.016755529

confidence of prediction: 0.982193
Y_true: [2 4 11 20 26 27 30 34 47]
Y_pred: [4 27 29 30 34 37]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure moderate aortic, score: 0.4023133
dchf [UNK] currently appearing euvolemic, score: 0.10596506
dchf p w fever cough, score: 0.08763099

confidence of prediction: 0.676663
Y_true: [2 4 11 20 26 27 30 34 47]
Y_pred: [4 27 29 30 34 37]
top three important windows for true positive code 30 (496: Chronic

airway obstruction, not elsewhere classified)
obstructive pulmonary disease without, score: 0.23224802
copd on 3l home o2, score: 0.1851046
copd on 3l home o2, score: 0.13491416

confidence of prediction: 0.968178
Y_true: [2 4 11 20 26 27 30 34 47]
Y_pred: [4 27 29 30 34 37]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
continued duloxetine gerd continued omeprazole transitional issues,
score: 0.1545653
metformin at home although, score: 0.0018512605
[UNK] na134 k4 [UNK], score: 0.0017572992

confidence of prediction: 0.679235
Y_true: [2 5 13 15 18 21 22 24 26 27 36 38 41 43]
Y_pred: [2 13 14 18 20 22 24 26 38 41]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
noninsulin dependent diabetes mellitus chronic hepatitis c, score:
0.088072084
glyburide 5mg hospital1 discharge, score: 0.008286526
glyburide mg tablet sig, score: 0.0065209805

confidence of prediction: 0.971931
Y_true: [2 5 13 15 18 21 22 24 26 27 36 38 41 43]
Y_pred: [2 13 14 18 20 22 24 26 38 41]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery reverse saphenous vein single, score: 0.14908484
coronary artery reverse saphenous vein single, score: 0.13070773
coronary artery reverse saphenous vein single, score: 0.09067305

confidence of prediction: 0.947441
Y_true: [2 5 13 15 18 21 22 24 26 27 36 38 41 43]
Y_pred: [2 13 14 18 20 22 24 26 38 41]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed towards her preoperative, score: 0.23265779
bypass grafting x4 left internal, score: 0.03986133
grafting to four vessels, score: 0.025154134

confidence of prediction: 0.734226
Y_true: [2 5 13 15 18 21 22 24 26 27 36 38 41 43]
Y_pred: [2 13 14 18 20 22 24 26 38 41]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
st elevation myocardial infarction aortic valve, score: 0.34589714
intraaortic balloon was placed, score: 0.019183567
heart catheterization coronary angiogram placement, score:
0.008057517

confidence of prediction: 0.995187
Y_true: [2 5 13 15 18 21 22 24 26 27 36 38 41 43]
Y_pred: [2 13 14 18 20 22 24 26 38 41]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery reverse saphenous vein single, score: 0.14244692
coronary artery disease s p coronary artery bypass grafts, score:
0.14021374
coronary artery reverse saphenous vein single, score: 0.13790579

confidence of prediction: 0.923861
Y_true: [2 5 13 15 18 21 22 24 26 27 36 38 41 43]
Y_pred: [2 13 14 18 20 22 24 26 38 41]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
developed atrial fibrillation and was treated, score: 0.01321346
diuresed towards her preoperative, score: 0.004808401
irregular murmur iii vi, score: 0.0034448998

confidence of prediction: 0.892643
Y_true: [2 5 13 15 18 21 22 24 26 27 36 38 41 43]
Y_pred: [2 13 14 18 20 22 24 26 38 41]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
heart catheterization coronary angiogram placement, score:
0.04284414
pump history of present, score: 0.023000736
varicosities none x neuro, score: 0.01729122

confidence of prediction: 0.870312
Y_true: [2 5 13 15 18 21 22 24 26 27 36 38 41 43]
Y_pred: [2 13 14 18 20 22 24 26 38 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
was tube fed transiently and was, score: 0.16321322
time tube feeds were stopped physical, score: 0.043752685
cephalexin mg capsule sig, score: 0.017572135

confidence of prediction: 0.928432
Y_true: [2 4 18 20 24 26 34]
Y_pred: [4 13 18 20 24 26 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
pain hypertension hyperlipidemia benign prostatic hypertrophy,
score: 0.037553623
pci with des to, score: 0.0071297074
ciprofloxacin lipitor atorvastatin attending, score: 0.0062617916

confidence of prediction: 0.978262
Y_true: [2 4 18 20 24 26 34]
Y_pred: [4 13 18 20 24 26 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies lisinopril oxycodone, score: 0.037397947

bypass grafting x past medical, score: 0.033482123
grafting x2 with saphenous, score: 0.011332403

confidence of prediction: 0.819872
Y_true: [2 4 18 20 24 26 34]
Y_pred: [4 13 18 20 24 26 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension hyperlipidemia benign prostatic hypertrophy, score:
0.15199518
branch block diabetes mellitus, score: 0.12359459
schatzki s ring per egd, score: 0.052108068

confidence of prediction: 0.946555
Y_true: [2 4 18 20 24 26 34]
Y_pred: [4 13 18 20 24 26 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p pci with des to, score: 0.30779138
5x15mm promus des gastroesophageal, score: 0.035237674
coronary artery disease s, score: 0.029541813

confidence of prediction: 0.922747
Y_true: [2 4 18 20 24 26 34]
Y_pred: [4 13 18 20 24 26 34]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib dr last name stitle, score: 0.5685875
atrial fibrillation and was placed, score: 0.057750758
furosemide mg daily disp, score: 0.01481191

confidence of prediction: 0.799503
Y_true: [2 4 18 20 24 26 34]
Y_pred: [4 13 18 20 24 26 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
des gastroesophageal reflux disease left bundle branch, score:
0.02910314
history gastroesophageal reflux disease left bundle branch, score:
0.02840272
coa reductase inhibitors ciprofloxacin lipitor, score: 0.0042246175

confidence of prediction: 0.517266
Y_true: [20 26 27 35]
Y_pred: [20 26 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension significant anxiety osteoarthritis, score: 0.035880167
amiodarone 200mg twice daily, score: 0.033693645
hf and leukocytosis on, score: 0.032973517

confidence of prediction: 0.989346
Y_true: [20 26 27 35]
Y_pred: [20 26 27]

top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib dilt discontinued started, score: 0.7356178
irregularly irregular tachycardic sem, score: 0.030884273
atrial fibrilation we gave you, score: 0.01945502

confidence of prediction: 0.891180
Y_true: [20 26 27 35]
Y_pred: [20 26 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure discharge condition medically, score:
0.25445697
chf exacerbation he had, score: 0.15743445
chf exacerbation and new, score: 0.117602214

confidence of prediction: 0.614547
Y_true: [4 8 9 13 18 21 24 34 36]
Y_pred: [2 4 13 17 18 21 24 27 34 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
rca diabetes dyslipidemia hypertension chronic renal insufficiency,
score: 0.14150321
travatan z drops ophthalmic, score: 0.020265345
cabg anemia diabetes mellitus dyslipidemia hypertension chronic
renal insufficiency, score: 0.016690783

confidence of prediction: 0.983124
Y_true: [4 8 9 13 18 21 24 34 36]
Y_pred: [2 4 13 17 18 21 24 27 34 36]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft x left internal mammary artery to left,
score: 0.6623247
descending saphenous vein graft to, score: 0.07075989
coronary artery bypass graft surgery please, score: 0.040466692

confidence of prediction: 0.971196
Y_true: [4 8 9 13 18 21 24 34 36]
Y_pred: [2 4 13 17 18 21 24 27 34 36]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies codeine iodine iodine, score: 0.15113723
washing incisions gently with mild soap, score: 0.008159955
bypass graft x left, score: 0.0073111155

confidence of prediction: 0.686317
Y_true: [4 8 9 13 18 21 24 34 36]
Y_pred: [2 4 13 17 18 21 24 27 34 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
hypertension chronic renal insufficiency b l cre gerd pud, score:
0.06913169

hypertension chronic renal insufficiency creatinine gastroesophageal, score: 0.06913169
anemia diabetes mellitus dyslipidemia, score: 0.014229758

confidence of prediction: 0.998758
Y_true: [4 8 9 13 18 21 24 34 36]
Y_pred: [2 4 13 17 18 21 24 27 34 36]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.5758095
coronary artery disease s p cabg anemia, score: 0.12190258
coronary artery disease s p, score: 0.047628913

confidence of prediction: 0.716201
Y_true: [4 8 9 13 18 21 24 34 36]
Y_pred: [2 4 13 17 18 21 24 27 34 36]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
creatinine gastroesophageal reflux disease hiatal hernia spinal, score: 0.045605585
l cre gerd pud hiatal hernia spinal, score: 0.045125775
history race immigrant from country, score: 0.0074449624

confidence of prediction: 0.808813
Y_true: [4 8 9 13 18 21 24 34 36]
Y_pred: [2 4 13 17 18 21 24 27 34 36]
top three important windows for true positive code 36 (585.9: Chronic kidney disease, unspecified)
anemia diabetes mellitus dyslipidemia, score: 0.013779251
history race immigrant from, score: 0.011009826
hypertension chronic renal insufficiency b l cre, score: 0.010725148

confidence of prediction: 0.934071
Y_true: [1 7 11 21 24 26 27 28 49]
Y_pred: [1 11 23 24 26 27 49]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
outpt hypothyroidism synthroid was continued code, score: 0.25233588
daily levothyroxine mcg tablet sig one, score: 0.00891595
day levothyroxine mcg tablet sig one, score: 0.0065729395

confidence of prediction: 0.669698
Y_true: [1 7 11 21 24 26 27 28 49]
Y_pred: [1 11 23 24 26 27 49]
top three important windows for true positive code 11 (311: Depressive disorder, not elsewhere classified)
deal of survivor guilt extending, score: 0.021756211
necrosis requiring toe amputation, score: 0.007006148
social history retired engineer, score: 0.004316507

confidence of prediction: 0.739064
Y_true: [1 7 11 21 24 26 27 28 49]
Y_pred: [1 11 23 24 26 27 49]
top three important windows for true positive code 24 (414.01:

Coronary atherosclerosis of native coronary artery)
pmhx cad aicd chf ef ckd, score: 0.06805516
asa was decreased from, score: 0.06068641
cad s p mi medically managed ppm aicd placed, score: 0.033987544

confidence of prediction: 0.998063
Y_true: [1 7 11 21 24 26 27 28 49]
Y_pred: [1 11 23 24 26 27 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin r colostomy, score: 0.48097405
afib with aberrancy now presenting, score: 0.032987908
atrial fibrillation his digoxin was, score: 0.0020662076

confidence of prediction: 0.979956
Y_true: [1 7 11 21 24 26 27 28 49]
Y_pred: [1 11 23 24 26 27 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cad aicd chf ef ckd cr, score: 0.09262004
chronic systolic chf w ef s p, score: 0.016231395
placed about chf ef reported by patient, score: 0.0052564326

confidence of prediction: 0.726278
Y_true: [1 7 11 21 24 26 27 28 49]
Y_pred: [1 11 23 24 26 27 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin r, score: 0.46905774
afib on coumadin s p long hospitalization in summer of, score:
0.46905774
noted above coumadin should, score: 0.026282199

confidence of prediction: 0.929957
Y_true: [4 8 13 20 24 30 34]
Y_pred: [4 13 18 20 24 30 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension hyperlipidemia copd gerd h o, score: 0.076759405
history hypertension hyperlipidemia chronic obstructive pulmonary
disease, score: 0.0536266
for hypertension hyperlipidemia and chronic obstructive pulmonry,
score: 0.042113885

confidence of prediction: 0.975477
Y_true: [4 8 13 20 24 30 34]
Y_pred: [4 13 18 20 24 30 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
descending saphenous vein graft, score: 0.087012745
coronary artery bypass grafting times four, score: 0.046001457
off pump coronary artery bypass graft x4 left, score: 0.04598273

confidence of prediction: 0.975208

Y_true: [4 8 13 20 24 30 34]
Y_pred: [4 13 18 20 24 30 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hyperlipidemia chronic obstructive
pulmonary, score: 0.11537255
artery disease hypertension shortness, score: 0.070814684
hypertension hyperlipidemia copd gerd h, score: 0.048855405

confidence of prediction: 0.995767
Y_true: [4 8 13 20 24 30 34]
Y_pred: [4 13 18 20 24 30 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
off pump coronary artery bypass graft x4 left, score: 0.33647835
descending saphenous vein graft, score: 0.0654429
coronary artery disease hypertension, score: 0.05248505

confidence of prediction: 0.695848
Y_true: [4 8 13 20 24 30 34]
Y_pred: [4 13 18 20 24 30 34]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
hypertension hyperlipidemia copd gerd, score: 0.028987318
hyperlipidemia chronic obstructive pulmonary disease gastro, score:
0.0014851522
that he would benefit, score: 0.0009822685

confidence of prediction: 0.613504
Y_true: [4 8 13 20 24 30 34]
Y_pred: [4 13 18 20 24 30 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
gastro esophageal reflux disease stomach ulcer treated, score:
0.1075641
copd gerd h o stomach ulcer, score: 0.026203718
pressors and extubated by the, score: 0.0031619512

confidence of prediction: 0.666708
Y_true: [2 20 23 24 34]
Y_pred: [2 20 24 34]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
diabetes a1c in normal range, score: 0.20147078
glaucoma borderline dm asthma gerd coronary artery, score:
0.14032072
glaucoma borderline dm asthma gerd coronary artery, score:
0.052124918

confidence of prediction: 0.939799
Y_true: [2 20 23 24 34]
Y_pred: [2 20 24 34]
top three important windows for true positive code 20 (401.9:

Unspecified essential hypertension)
away the patient ended, score: 0.10330278
hypertension and diabetes can, score: 0.07477827
hypertension glaucoma borderline dm asthma, score: 0.074550435

confidence of prediction: 0.731713
Y_true: [2 20 23 24 34]
Y_pred: [2 20 24 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease history of, score: 0.17577472
coronary artery disease status post multiple mis, score: 0.16042337
coronary artery disease discharge condition, score: 0.16042337

confidence of prediction: 0.918760
Y_true: [2 20 23 24 34]
Y_pred: [2 20 24 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
borderline dm asthma gerd coronary artery disease status, score:
0.0015402104
borderline dm asthma gerd coronary artery disease discharge, score:
0.0015402104

confidence of prediction: 0.877517
Y_true: [2 4 18 20 24 27 34 37]
Y_pred: [2 18 20 24 27 34]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
diet controlled diabetes hypertension dyslipidemia nonalcoholic
steatohepatitis gastroesophageal reflux, score: 0.18326455
diet controlled diabetes hypertension dyslipidemia nonalcoholic
steatohepatitis gerd diastolic, score: 0.044638224

confidence of prediction: 0.925934
Y_true: [2 4 18 20 24 27 34 37]
Y_pred: [2 18 20 24 27 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders on, score: 0.65345585
csru am chest port, score: 0.2339911
cardiothoracic allergies pneumovax attending, score: 0.022298275

confidence of prediction: 0.931916
Y_true: [2 4 18 20 24 27 34 37]
Y_pred: [2 18 20 24 27 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
85f with critical aortic, score: 0.2122885
controlled diabetes hypertension dyslipidemia nonalcoholic
steatohepatitis gerd diastolic and, score: 0.10343839
controlled diabetes hypertension dyslipidemia nonalcoholic
steatohepatitis gastroesophageal, score: 0.10343839

confidence of prediction: 0.833315
Y_true: [2 4 18 20 24 27 34 37]
Y_pred: [2 18 20 24 27 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease totally occluded rca severe, score:
0.124944665
coronary artery disease saphenous vein graft, score: 0.09265188
coronary artery disease s p coronary artery bypass graft, score:
0.08727677

confidence of prediction: 0.986532
Y_true: [2 4 18 20 24 27 34 37]
Y_pred: [2 18 20 24 27 34]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure secondary to aortic, score: 0.41286287
diastolic heart failure secondary diet controlled, score: 0.41286287
diastolic heart failure and coronary artery, score: 0.08764016

confidence of prediction: 0.879787
Y_true: [2 4 18 20 24 27 34 37]
Y_pred: [2 18 20 24 27 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
nonalcoholic steatohepatitis gerd diastolic and systolic, score:
0.16145061
nonalcoholic steatohepatitis gastroesophageal reflux diseae
discharge condition deconditioned, score: 0.013438316
cvl in the right, score: 0.012813506

confidence of prediction: 0.947602
Y_true: [4 20 23 24]
Y_pred: [4 20 22 23 24 27]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
un atenolol hyperlipidemia recent lipid panel showed, score:
0.07530272
ef dyslipidemia hypertension social history works, score: 0.01697796
cardiomyopathy ef hyperlipidemia htn who presents s, score:
0.010131895

confidence of prediction: 0.959894
Y_true: [4 20 23 24]
Y_pred: [4 20 22 23 24 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
ef dyslipidemia hypertension social history works, score:
0.085170224
artery disease hypertension discharge condition mental, score:
0.0715949
mi in vt with, score: 0.07139995

confidence of prediction: 0.620992
Y_true: [4 20 23 24]
Y_pred: [4 20 22 23 24 27]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi in, score: 0.21983226
s p mi in s p cardiac, score: 0.21983226
s p nstemi with discharge, score: 0.2088944

confidence of prediction: 0.852957
Y_true: [4 20 23 24]
Y_pred: [4 20 22 23 24 27]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p mi in, score: 0.1022593
s p nstemi with discharge, score: 0.05775249
coronary artery disease hypertension, score: 0.056355987

confidence of prediction: 0.702040
Y_true: [4 17 22 24 26 27 33 40 42]
Y_pred: [4 21 22 23 24 26 27 29 33 36 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
endobronchial stent placement for, score: 0.014578319
p turp coronary artery disease hyperlipidemia hypertension bilateral
claudication status, score: 0.009659183
mg qhs lipitor mg daily colace, score: 0.0086584855

confidence of prediction: 0.767222
Y_true: [4 17 22 24 26 27 33 40 42]
Y_pred: [4 21 22 23 24 26 27 29 33 36 40 42]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
consulted nstemi cad pt has a, score: 0.05006662
and statin nstemi felt to be due, score: 0.019797692
demand ischemia in setting of, score: 0.008900944

confidence of prediction: 0.554533
Y_true: [4 17 22 24 26 27 33 40 42]
Y_pred: [4 21 22 23 24 26 27 29 33 36 40 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease hyperlipidemia, score: 0.12706135
s p stent removal, score: 0.07893257
htn cad pvd sibling, score: 0.07466354

confidence of prediction: 0.942968
Y_true: [4 17 22 24 26 27 33 40 42]
Y_pred: [4 21 22 23 24 26 27 29 33 36 40 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation transferred to, score: 0.12104372
atrial fibrillation pt had initial, score: 0.10707692
afib w rvr and, score: 0.1010688

confidence of prediction: 0.976696
Y_true: [4 17 22 24 26 27 33 40 42]
Y_pred: [4 21 22 23 24 26 27 29 33 36 40 42]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chronic systolic chf ef on tte this, score: 0.019171188
cell ca chf systolic dysfn w ef, score: 0.00700384
nstemi felt to be, score: 0.0024164182

confidence of prediction: 0.908462
Y_true: [4 17 22 24 26 27 33 40 42]
Y_pred: [4 21 22 23 24 26 27 29 33 36 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
for respiratory failure and, score: 0.36223763
neuro sedated intubated brief hospital, score: 0.062841214
gen sedated intubated heent perrl right sided, score: 0.024593432

confidence of prediction: 0.691696
Y_true: [4 17 22 24 26 27 33 40 42]
Y_pred: [4 21 22 23 24 26 27 29 33 36 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
neuro sedated intubated brief hospital, score: 0.15412828
gen sedated intubated heent perrl right sided, score: 0.0995858
was then intubated he was, score: 0.047202103

confidence of prediction: 0.829756
Y_true: [4 17 22 24 26 27 33 40 42]
Y_pred: [4 21 22 23 24 26 27 29 33 36 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
neuro sedated intubated brief hospital, score: 0.10285043
was then intubated he was started, score: 0.022819139
primary oncologist for his, score: 0.018186273

confidence of prediction: 0.506066
Y_true: [4 19 23 24 26 29 30 47 48]
Y_pred: [4 19 24 26 29 30]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
anticoagulation hypertension dyslipidemia peripheral vascular
disease, score: 0.08111412
hyperlipidemia she was continued on, score: 0.045194753
coronary artery disease s, score: 0.008403211

confidence of prediction: 0.914152
Y_true: [4 19 23 24 26 29 30 47 48]
Y_pred: [4 19 24 26 29 30]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
esrd on hd lung cancer, score: 0.09273616

esrd on hd mwf non small, score: 0.08198498
the dialysis catheter ends, score: 0.050441373

confidence of prediction: 0.982594
Y_true: [4 19 23 24 26 29 30 47 48]
Y_pred: [4 19 24 26 29 30]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p nstemi des in, score: 0.124587536
mid lad stent h o, score: 0.045983255
hemodialysis history of present, score: 0.034547664

confidence of prediction: 0.721561
Y_true: [4 19 23 24 26 29 30 47 48]
Y_pred: [4 19 24 26 29 30]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with rvr her pneumonia, score: 0.37691545
atrial fibrillation not on anticoagulation, score: 0.067106344
pathogens after ct demonstrated, score: 0.010063403

confidence of prediction: 0.729556
Y_true: [4 19 23 24 26 29 30 47 48]
Y_pred: [4 19 24 26 29 30]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
associated pneumonia lung cancer, score: 0.41482788
associated pneumonia possibly from aspiration vs, score: 0.20261008
be aspiration in etiology, score: 0.042320944

confidence of prediction: 0.547203
Y_true: [4 19 23 24 26 29 30 47 48]
Y_pred: [4 19 24 26 29 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
recurrence severe copd on 3l o2 at, score: 0.12718447
in severe copd on 5l o2, score: 0.09814229
copd pt had limited, score: 0.0814852

confidence of prediction: 0.960157
Y_true: [20 42]
Y_pred: [20 37 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
secondary dementia hypertension discharge condition oriented, score:
0.1802998
remarkable for htn colon ca s, score: 0.13554125
hydrochlorothiazide mg tablet sig, score: 0.09001214

confidence of prediction: 0.717809
Y_true: [20 42]
Y_pred: [20 37 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96

consecutive hours)
osh requiring intubation she was reportedly, score: 0.075941294
at osh extubation at hospital1, score: 0.074278034
to noxious stimuli with, score: 0.015903197

confidence of prediction: 0.982515
Y_true: [20]
Y_pred: [2 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pmhx dementia htn neuropathy dm borderline glaucoma psh bilateral,
score: 0.110703625
drop qid cosopt l eye hospital1, score: 0.021999594
qid l diamox discharge, score: 0.019327372

confidence of prediction: 0.901289
Y_true: [1 4 17 20 26 31 41 49]
Y_pred: [1 3 20 26 31 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
day levothyroxine 112mcg qd clonazepam 5mg, score: 0.19546987
hours levothyroxine mcg tablet sig one, score: 0.0067960247
medical history hypothyroidism hypertension bp at pcp, score:
0.002038992

confidence of prediction: 0.996284
Y_true: [1 4 17 20 26 31 41 49]
Y_pred: [1 3 20 26 31 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
of thrombus hypertension antihypertensives were initally held,
score: 0.042634252
breast cancer hypertension hypercholesterolemia who was found,
score: 0.033948
hypothyroidism hypertension bp at, score: 0.032849856

confidence of prediction: 0.996810
Y_true: [1 4 17 20 26 31 41 49]
Y_pred: [1 3 20 26 31 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin inr, score: 0.86687285
fibrillation prescribed coumadin anxiety, score: 0.06559904
atrial fibrillation discharge condition left, score: 0.014500728

confidence of prediction: 0.961145
Y_true: [1 4 17 20 26 31 41 49]
Y_pred: [1 3 20 26 31 49]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
have an aspiration pna she was started, score: 0.015830737
mca stroke aspiration pneumonia secondary atrial fibrillation,
score: 0.003456422
also have pneumonia and should, score: 0.0013286102

```
confidence of prediction: 0.770300
Y_true: [ 1  4 17 20 26 31 41 49]
Y_pred: [ 1  3 20 26 31 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin inr, score: 0.83589804
fibrillation prescribed coumadin anxiety, score: 0.05202809
subtherapeutic on coumadin prior, score: 0.02311279

confidence of prediction: 0.527934
Y_true: [17 24 26 27 33 47]
Y_pred: [17 20 24 26 30 33 37 40 42 43]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
to pursue a conservative, score: 0.08331858
vulnerable subject prisoner [UNK] enrollment in, score: 0.055635218
experimental protocols in the, score: 0.029837161

confidence of prediction: 0.639963
Y_true: [17 24 26 27 33 47]
Y_pred: [17 20 24 26 30 33 37 40 42 43]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease hepatitis c, score: 0.2007925
coronary artery disease status post pci in, score: 0.12696862
coronary artery disease status post pci in, score: 0.064833485

confidence of prediction: 0.935320
Y_true: [17 24 26 27 33 47]
Y_pred: [17 20 24 26 30 33 37 40 42 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation complicated by rapid, score: 0.036014542
af was eventually brought, score: 0.02028402
af c rvr respiratory, score: 0.011176103

confidence of prediction: 0.745859
Y_true: [17 24 26 27 33 47]
Y_pred: [17 20 24 26 30 33 37 40 42 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
by respiratory failure gastrointestinal bleeding, score: 0.11942521
further respiratory impairment and, score: 0.0979615
despite aggressive attempts at, score: 0.09633923

confidence of prediction: 0.821146
Y_true: [ 2 10 20 37 39 41 42]
Y_pred: [ 2 20 39]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
history including dm hypertension and tobacco, score: 0.10384442
on metformin hospital1 infectious disease sputum, score: 0.10245369
```

admission metformin mg po, score: 0.03552905

confidence of prediction: 0.898519
Y_true: [2 10 20 37 39 41 42]
Y_pred: [2 20 39]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
history dm htn social history recently widowed, score: 0.086494766
history including dm hypertension and tobacco use, score: 0.04631791
on metformin hospital1 infectious disease, score: 0.009623468

confidence of prediction: 0.686377
Y_true: [2 10 20 37 39 41 42]
Y_pred: [2 20 39]
top three important windows for true positive code 39 (88.72: Diagnostic ultrasound of heart)
transesophageal echo which showed you, score: 0.61427045
riss increased riss d c d on, score: 0.03140561
floor tee showed no thrombus, score: 0.009439364

confidence of prediction: 0.855164
Y_true: [2 4 5 8 17 21 26 29 30 32 36 44]
Y_pred: [4 17 21 26 29 30 36 44]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
failure anemia hyperlipidemia copd social history tob, score: 0.041921645
failure anemia hyperlipidemia copd discharge condition vital, score: 0.041921645
although metastatic disease cannot, score: 0.004891366

confidence of prediction: 0.717547
Y_true: [2 4 5 8 17 21 26 29 30 32 36 44]
Y_pred: [4 17 21 26 29 30 36 44]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
puff q6hours prn atenolol 75mg po, score: 0.058539893
central venous line history of present illness, score: 0.0437697
was placed and neo, score: 0.021072282

confidence of prediction: 0.836446
Y_true: [2 4 5 8 17 21 26 29 30 32 36 44]
Y_pred: [4 17 21 26 29 30 36 44]
top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified)
htn af cri who presents, score: 0.07445472
htn chronic renal failure anemia hyperlipidemia copd, score: 0.045201845

confidence of prediction: 0.959061
Y_true: [2 4 5 8 17 21 26 29 30 32 36 44]
Y_pred: [4 17 21 26 29 30 36 44]
top three important windows for true positive code 26 (427.31:

Atrial fibrillation)
afib with rvr hr, score: 0.15061022
afib with rvr on, score: 0.1322799
afib for years vs, score: 0.11466414

confidence of prediction: 0.671733
Y_true: [2 4 5 8 17 21 26 29 30 32 36 44]
Y_pred: [4 17 21 26 29 30 36 44]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
diagnosis primary pneumonia atrial fibrillation with, score:
0.14370471
to a pneumonia you were, score: 0.023139477
dehydration neutropenia secondary stage, score: 0.011301504

confidence of prediction: 0.700187
Y_true: [2 4 5 8 17 21 26 29 30 32 36 44]
Y_pred: [4 17 21 26 29 30 36 44]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
anemia hyperlipidemia copd social history tob quit, score: 0.1498644
anemia hyperlipidemia copd discharge condition vital signs, score:
0.1498644
in general patient is, score: 0.007020886

confidence of prediction: 0.824606
Y_true: [2 4 5 8 17 21 26 29 30 32 36 44]
Y_pred: [4 17 21 26 29 30 36 44]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
htn af cri who presents, score: 0.10422807
htn chronic renal failure anemia hyperlipidemia copd, score:
0.035400648

confidence of prediction: 0.642593
Y_true: [2 4 5 8 17 21 26 29 30 32 36 44]
Y_pred: [4 17 21 26 29 30 36 44]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
he was transfused units prbcs over his course, score: 0.0747859
you said you had already, score: 0.04197854
pos ambulatory discharge instructions, score: 0.017374335

confidence of prediction: 0.800034
Y_true: [1 2 4 13 18 24 30]
Y_pred: [1 2 4 13 18 20 23 24 30]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
pain hypothyroidism gout anemia erosive gastritis, score: 0.15826651
pain hypothyroidism gout anemia erosive, score: 0.15826651
qd synthroid 75mcg qd ferrous sulfate, score: 0.134931

confidence of prediction: 0.660270
Y_true: [1 2 4 13 18 24 30]

Y_pred: [1 2 4 13 18 20 23 24 30]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
lad diabetes mellitus type ii hyperlipidemia chronic, score:
0.022867782
actos 30mg qd omeprazole, score: 0.0023876058
to lad diabetes mellitus type ii hyperlipidemia chronic, score:
0.0019118121

confidence of prediction: 0.941759
Y_true: [1 2 4 13 18 24 30]
Y_pred: [1 2 4 13 18 20 23 24 30]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
type ii hyperlipidemia chronic obstructive pulmonary disease, score:
0.03154443
valsartan mg tablet sig, score: 0.009031347
[UNK] eye gtts discharge, score: 0.0043074912

confidence of prediction: 0.980214
Y_true: [1 2 4 13 18 24 30]
Y_pred: [1 2 4 13 18 20 23 24 30]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting times four, score: 0.600103
coronary artery bypass grafting times four, score: 0.033894617
coronary artery bypass grafting with dr, score: 0.02291892

confidence of prediction: 0.971678
Y_true: [1 2 4 13 18 24 30]
Y_pred: [1 2 4 13 18 20 23 24 30]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.41234383
lotions powders or ointments to, score: 0.19501254
incisions no baths or, score: 0.16962142

confidence of prediction: 0.997670
Y_true: [1 2 4 13 18 24 30]
Y_pred: [1 2 4 13 18 20 23 24 30]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.5085757
[UNK] eye gtts discharge, score: 0.063567325
coronary artery disease s p pci cypher, score: 0.042067576

confidence of prediction: 0.676453
Y_true: [1 2 4 13 18 24 30]
Y_pred: [1 2 4 13 18 20 23 24 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
chronic obstructive pulmonary disease prior, score: 0.012047366
obesity chronic low back, score: 0.0015024643

systolic function lvef right, score: 0.0011748285

confidence of prediction: 0.991291
Y_true: [24 47]
Y_pred: [4 14 20 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
one vessel coronary artery disease of, score: 0.03478683
lad with a cypher, score: 0.031864703
code stemi was called, score: 0.029802948

confidence of prediction: 0.810854
Y_true: [2 4 20 29 30 34 37 41]
Y_pred: [4 29 37]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
type ii hyperlipidemia tardive dyskinesias secondary, score:
0.09748712
simvastatin 10mg daily vitamin, score: 0.013102244
simvastatin for cad hld stopped heparin for, score: 0.006289901

confidence of prediction: 0.603372
Y_true: [2 4 20 29 30 34 37 41]
Y_pred: [4 29 37]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
infiltrate on cxr concerning for pneumonia gave pt, score:
0.17086923
lobe pneumonia brief hospital course, score: 0.095384955
and for pneumonia palliative care, score: 0.04807115

confidence of prediction: 0.877433
Y_true: [2 4 20 29 30 34 37 41]
Y_pred: [4 29 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection and for, score: 0.26226655
for uti with sepsis who was, score: 0.20519428
urinary tract infection pneumonia discharge condition, score:
0.08366366

confidence of prediction: 0.782466
Y_true: [42]
Y_pred: [42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
hospital1 intubated and sedated, score: 0.04815977
[UNK] intubated and sedated, score: 0.03700745
patient was intubated after etomidate, score: 0.022349454

confidence of prediction: 0.732021
Y_true: [3 5 6 8 17 21 35 36 37]
Y_pred: [3 21 35 36 37]

top three important windows for true positive code 3 (272.0: Pure hypercholesterolemia)
hydrochlorothiazide was discontinued during, score: 0.009079678
hydrochlorothiazide mg by mouth daily, score: 0.006093346
recon soln injection q6h, score: 0.004542992

confidence of prediction: 0.576071
Y_true: [3 5 6 8 17 21 35 36 37]
Y_pred: [3 21 35 36 37]
top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified)
chronic renal failure he was, score: 0.2230616
chronic renal failure urinary tract, score: 0.2230616
kidney injury hyperkalemia bilateral hydronephrosis, score: 0.036365237

confidence of prediction: 0.880186
Y_true: [3 5 6 8 17 21 35 36 37]
Y_pred: [3 21 35 36 37]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
kidney injury patient s, score: 0.18874155
on chronic renal failure he, score: 0.07247961
on chronic renal failure urinary, score: 0.07247961

confidence of prediction: 0.556470
Y_true: [3 5 6 8 17 21 35 36 37]
Y_pred: [3 21 35 36 37]
top three important windows for true positive code 36 (585.9: Chronic kidney disease, unspecified)
chronic renal failure he was, score: 0.22543149
chronic renal failure urinary tract, score: 0.22543149
kidney injury hyperkalemia bilateral hydronephrosis, score: 0.04809603

confidence of prediction: 0.930984
Y_true: [3 5 6 8 17 21 35 36 37]
Y_pred: [3 21 35 36 37]
top three important windows for true positive code 37 (599.0: Urinary tract infection, site not specified)
urinary tract infection secondary diagnosis, score: 0.15143771
urinary tract infection acute kidney, score: 0.11953615
culture escherichia coli ampicillin, score: 0.10895967

confidence of prediction: 0.795250
Y_true: [3 7 11 20 28 37]
Y_pred: [0 3 4 10 11 20 28 37]
top three important windows for true positive code 3 (272.0: Pure hypercholesterolemia)
work hypertension hypercholesterolemia erectile dysfunction depression, score: 0.05659253
multiple strokes hypertension hyperlipidemia, score: 0.0020980234
tear sepsis secondary to, score: 0.0013974883

confidence of prediction: 0.559210
Y_true: [3 7 11 20 28 37]
Y_pred: [0 3 4 10 11 20 28 37]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
hyperlipidemia and depression presenting to, score: 0.03542198
in the antrum compatible, score: 0.010235496
erectile dysfunction depression elevated psa social history, score:
0.005949257

confidence of prediction: 0.970780
Y_true: [3 7 11 20 28 37]
Y_pred: [0 3 4 10 11 20 28 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
multiple cvas htn and hl who, score: 0.18463734
multiple strokes hypertension hyperlipidemia and depression
presenting, score: 0.04436912
to discharge htn initialy his antihypertensives were, score:
0.028934246

confidence of prediction: 0.648575
Y_true: [3 7 11 20 28 37]
Y_pred: [0 3 4 10 11 20 28 37]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.46319947
in the antrum compatible, score: 0.16533907
otherwise normal egd to second part of, score: 0.116218954

confidence of prediction: 0.935629
Y_true: [3 7 11 20 28 37]
Y_pred: [0 3 4 10 11 20 28 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
a urinary tract infection and were, score: 0.062094986
a urinary tract infection he was, score: 0.043748315
to urinary tract infection secondary diagnosis, score: 0.032955658

confidence of prediction: 0.962791
Y_true: [35]
Y_pred: [20 24 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure pre renal with creatinine of on, score:
0.0071775396
of progressive short term, score: 0.0023512149
chronic in nature with, score: 0.0011928891

confidence of prediction: 0.984027
Y_true: [11 24 27 30]
Y_pred: [10 20 27 30]
top three important windows for true positive code 27 (428.0:

Congestive heart failure, unspecified)
diastolic heart failure differential, score: 0.18328208
diastolic heart failure pulmonary, score: 0.18328208
diastolic heart failure patient, score: 0.18328208

confidence of prediction: 0.785960
Y_true: [11 24 27 30]
Y_pred: [10 20 27 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
chronic issues copd pt did not, score: 0.25857246
aortic stenosis copd obstructive sleep apnea discharge, score:
0.04330701
to her copd and took her, score: 0.03452914

confidence of prediction: 0.913493
Y_true: [4 16 17 20 23 24 28 34 40 42]
Y_pred: [4 20 34 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
disease hypertension dyslipidemia gerd sleep apnea treated, score:
0.06497976
plavix mg simvastatin qhs ventolin inh lisinopril 20mg, score:
0.016201705
ezetimibe mg po daily, score: 0.008953034

confidence of prediction: 0.711458
Y_true: [4 16 17 20 23 24 28 34 40 42]
Y_pred: [4 20 34 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
according to urology presumably, score: 0.29346004
artery disease hypertension dyslipidemia gerd sleep apnea, score:
0.20461297
hemorrhage hypertension obstructive sleep apnea, score: 0.033420607

confidence of prediction: 0.737007
Y_true: [4 16 17 20 23 24 28 34 40 42]
Y_pred: [4 20 34 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
according to urology presumably, score: 0.05871608
artery disease hypertension dyslipidemia gerd sleep apnea treated,
score: 0.026951136
carotid stent registry and this, score: 0.02342198

confidence of prediction: 0.856012
Y_true: [4 16 17 20 23 24 28 34 40 42]
Y_pred: [4 20 34 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
patient was intubated for a upper gi, score: 0.0759575
lle and rue rle, score: 0.0008931345
increase your activities and distance, score: 0.00079150166

confidence of prediction: 0.796380
Y_true: [4 16 17 20 23 24 28 34 40 42]
Y_pred: [4 20 34 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
patient was intubated for a upper gi, score: 0.028056392
patient developed two episodes of, score: 0.0024173185
lle and rue rle, score: 0.0010600708

confidence of prediction: 0.627768
Y_true: [8 9 17 46]
Y_pred: [0 9 17 46]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
the uterus thrombocytopenia her initial thrombocytopenia raised
concern, score: 0.40286928
continued to downtrend c, score: 0.03763848
anemia with a likely, score: 0.022653483

confidence of prediction: 0.542631
Y_true: [8 9 17 46]
Y_pred: [0 9 17 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
gnrs x unspeciated upon transfer, score: 0.13981234
diagnosed as septic shock she required one, score: 0.06847149
continued to downtrend c, score: 0.044854023

confidence of prediction: 0.763142
Y_true: [8 9 17 46]
Y_pred: [0 9 17 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
consistent with sepsis discharge, score: 0.15749311
gnrs x unspeciated upon transfer, score: 0.048188075
myelos 15pm hypochrom normal, score: 0.03520332

confidence of prediction: 0.667804
Y_true: [2 4 8 9 13 18 20 23 24 26 27]
Y_pred: [2 4 13 18 20 24 26 27]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
on diabetes mellitus atrial fibrillation, score: 0.05743549
history diabetes mellitus atrial fibrillation, score: 0.04713799
lispro protam lispro unit, score: 0.016602505

confidence of prediction: 0.667236
Y_true: [2 4 8 9 13 18 20 23 24 26 27]
Y_pred: [2 4 13 18 20 24 26 27]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)

atrial fibrillation dyslipidemia hypertension coronary artery dz, score: 0.12258232
myocardial infarction developmental delay, score: 0.018915927

confidence of prediction: 0.983742
Y_true: [2 4 8 9 13 18 20 23 24 26 27]
Y_pred: [2 4 13 18 20 24 26 27]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass graft x3 left internal mammary artery to left, score: 0.48731503
coronary artery bypass graft x3 left internal mammary artery to left, score: 0.02977396
coronary artery bypass graft x3 on, score: 0.011913043

confidence of prediction: 0.975225
Y_true: [2 4 8 9 13 18 20 23 24 26 27]
Y_pred: [2 4 13 18 20 24 26 27]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires removed coreg for, score: 0.23189628
cardiothoracic allergies no known, score: 0.018107932
washing incisions gently with mild soap, score: 0.0066917907

confidence of prediction: 0.840347
Y_true: [2 4 8 9 13 18 20 23 24 26 27]
Y_pred: [2 4 13 18 20 24 26 27]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
fibrillation dyslipidemia hypertension coronary artery dz s, score: 0.10438518
continued gi aggressive bowel, score: 0.08430875
dm chol htn and family hx, score: 0.059810832

confidence of prediction: 0.998570
Y_true: [2 4 8 9 13 18 20 23 24 26 27]
Y_pred: [2 4 13 18 20 24 26 27]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.60326934
coronary artery disease major, score: 0.033824727
s p coronary artery bypass graft, score: 0.024273608

confidence of prediction: 0.930812
Y_true: [2 4 8 9 13 18 20 23 24 26 27]
Y_pred: [2 4 13 18 20 24 26 27]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation were continued ace, score: 0.24343526
atrial fibrillation dyslipidemia hypertension coronary, score: 0.11686224
atrial fibrillation on pod the, score: 0.07117641

confidence of prediction: 0.943199

Y_true: [2 4 8 9 13 18 20 23 24 26 27]
Y_pred: [2 4 13 18 20 24 26 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
sl ntg coumadin 6mg 7mg, score: 0.015056713
for systolic heart failure ef and amiodarone for chronic atrial
fibrillation, score: 0.0067437175
heart rrr irregular x, score: 0.0060462975

confidence of prediction: 0.758200
Y_true: [1 4 8 23 26 29 47 49]
Y_pred: [1 4 20 26 29]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
gout hypothyroidism prostate cancer arthritis, score: 0.2886911
mg levothyroxine mcg primidone mg, score: 0.16190551
hyperlipidemia hypothyroidism prostate cancer, score: 0.15826407

confidence of prediction: 0.920739
Y_true: [1 4 8 23 26 29 47 49]
Y_pred: [1 4 20 26 29]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
nf coenzyme q10 br coenzyme q10 vitamin e, score: 0.15289202
tia history hyperlipidemia hypothyroidism prostate cancer, score:
0.036099985
tia hyperlipidemia atrial fibrillation gout hypothyroidism, score:
0.017438807

confidence of prediction: 0.982536
Y_true: [1 4 8 23 26 29 47 49]
Y_pred: [1 4 20 26 29]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fib compared to tracing, score: 0.2671183
atrial fibrillation as an outpatient, score: 0.002185558
hyperlipidemia atrial fibrillation gout hypothyroidism prostate,
score: 0.00047932178

confidence of prediction: 0.782880
Y_true: [1 4 8 23 26 29 47 49]
Y_pred: [1 4 20 26 29]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
diagnosis primary pneumonia coagulopathy super therapeutic, score:
0.103720926
for pneumonia and the, score: 0.04798404
pneumonia given that the, score: 0.022508048

confidence of prediction: 0.882160
Y_true: [2 7 17 20 32 33 40 42]
Y_pred: [20 40 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

htn cva with residual, score: 0.59697765
hctz hydralazine insulin nph 20u sc metoprolol oxycodone, score: 0.088047884
dm ii discharge condition, score: 0.047845542

confidence of prediction: 0.702066
Y_true: [2 7 17 20 32 33 40 42]
Y_pred: [20 40 43]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
she was intubated and transferred, score: 0.19772081
see attached scale famotidine mg tablet, score: 0.008823987
she was bronched which showed thick tan, score: 0.0043565687

confidence of prediction: 0.918674
Y_true: [7 20 28]
Y_pred: [20 28]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
hypertension her antihypertensives were initially, score: 0.179823
history of htn and, score: 0.14592603
medical history hypertension osteopenia h o, score: 0.09268122

confidence of prediction: 0.752955
Y_true: [7 20 28]
Y_pred: [20 28]
top three important windows for true positive code 28 (45.13: Other endoscopy of small intestine)
history of present illness, score: 0.36442754
underwent an endoscopy which revealed likely, score: 0.14680906
to definitively establish a, score: 0.06804737

confidence of prediction: 0.959182
Y_true: [3 10 15 20 22 24 27 30 38]
Y_pred: [4 20 22 24 27 30 38]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
on oa htn social history lives, score: 0.2747858
diagnosis copd htn oa discharge condition alert, score: 0.05888293
patient was managed with, score: 0.0558758

confidence of prediction: 0.716744
Y_true: [3 10 15 20 22 24 27 30 38]
Y_pred: [4 20 22 24 27 30 38]
top three important windows for true positive code 22 (410.71: Subendocardial infarction, initial episode of care)
an nstemi she refused cardiac, score: 0.16102602
nstemi pt with a, score: 0.081608444
history nstemi in other, score: 0.06821106

confidence of prediction: 0.995200
Y_true: [3 10 15 20 22 24 27 30 38]
Y_pred: [4 20 22 24 27 30 38]
top three important windows for true positive code 24 (414.01:

Coronary atherosclerosis of native coronary artery)
cad nstemi secondary diagnosis copd, score: 0.15561524
cardiac catherization history of, score: 0.08257431
showed left circumflex lesion, score: 0.056981623

confidence of prediction: 0.980737
Y_true: [3 10 15 20 22 24 27 30 38]
Y_pred: [4 20 22 24 27 30 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
and possible chf dysnpea likely multifactorial, score: 0.045030385
chronic systolic chf w ef of and, score: 0.016773954
ntg and was brought, score: 0.0072917086

confidence of prediction: 0.636209
Y_true: [3 10 15 20 22 24 27 30 38]
Y_pred: [4 20 22 24 27 30 38]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
history neuropathy copd on oa htn social, score: 0.16666022
diagnosis copd htn oa discharge condition, score: 0.13236418
hyperlipidemia copd on home o2 and, score: 0.061176997

confidence of prediction: 0.804512
Y_true: [3 10 15 20 22 24 27 30 38]
Y_pred: [4 20 22 24 27 30 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catherization history of present, score: 0.5079812
catheterization catherization showed left circumflex, score:
0.055271007
cath lab most of the, score: 0.0470685

confidence of prediction: 0.516805
Y_true: [2 14 20 24 38]
Y_pred: [14 15 20 24 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catheterization with des to, score: 0.25864482
lab trops peaked at, score: 0.04037744
cath lab cath showed proximal, score: 0.03606053

confidence of prediction: 0.851109
Y_true: [2 14 20 24 38]
Y_pred: [14 15 20 24 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
was administered htn he was hypertensive, score: 0.10898206
hypertension range [UNK] systolic, score: 0.05112309
htn multiple basal squamous cell, score: 0.040914953

confidence of prediction: 0.993610
Y_true: [2 14 20 24 38]
Y_pred: [14 15 20 24 38]

top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
rca occlusion with thrombus, score: 0.13856393
coronary artery disease the, score: 0.094613
coronary artery disease distal, score: 0.094613

confidence of prediction: 0.882901
Y_true: [2 14 20 24 38]
Y_pred: [14 15 20 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization with des, score: 0.45390016
cath lab cath showed proximal, score: 0.042535733
lab trops peaked at, score: 0.036463294

confidence of prediction: 0.519320
Y_true: [20 28]
Y_pred: [7 20 28]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
esophageal varices hypertension benign pulmonary, score: 0.56464046
bled causing hematemesis and, score: 0.12580416
developed hematemesis with subsequent, score: 0.05394384

confidence of prediction: 0.858407
Y_true: [20 28]
Y_pred: [7 20 28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.60724247
otherwise normal egd to, score: 0.03009331
name endoscopy suite after having found, score: 0.019464308

confidence of prediction: 0.668023
Y_true: [9]
Y_pred: [9]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
by discharge thrombocytopenia the patient s platelet, score:
0.66572666
health park plaza fourth floor location, score: 0.01090209
anemia prosthetic left eye, score: 0.0037321094

confidence of prediction: 0.586626
Y_true: [3 13 18 20 24 26]
Y_pred: [3 13 18 20 24 26]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
obesity hypertension hypercholesterolemia s p carpal tunnel, score:
0.14517179
coronary stents obesity insulin, score: 0.0014480496
zyrtec 10mg d cozaar, score: 0.0009903713

confidence of prediction: 0.975047

Y_true: [3 13 18 20 24 26]
Y_pred: [3 13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
cornary artery bypass grafts x lima lad, score: 0.29441917
coronary artery bypass grafts x lima lad svg dg svg, score:
0.020074092
tee for cabg procedure, score: 0.019265577

confidence of prediction: 0.923570
Y_true: [3 13 18 20 24 26]
Y_pred: [3 13 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.76555175
tee was performed in, score: 0.012757863
bypass grafts x lima lad, score: 0.011123367

confidence of prediction: 0.961323
Y_true: [3 13 18 20 24 26]
Y_pred: [3 13 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
humalog ssi zyrtec 10mg d cozaar, score: 0.1772498
diabetes mellitus hypertension hypercholesterolemia s p, score:
0.10891947
mellitus obesity hypertension hypercholesterolemia s p, score:
0.08839359

confidence of prediction: 0.966072
Y_true: [3 13 18 20 24 26]
Y_pred: [3 13 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cornary artery bypass grafts, score: 0.21637931
coronary artery disease s p coronary artery bypass grafts, score:
0.16139732
coronary artery disease s p coronary stents obesity insulin, score:
0.06306002

confidence of prediction: 0.948957
Y_true: [3 13 18 20 24 26]
Y_pred: [3 13 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation and was begun, score: 0.102377824
atrial fibrillation depression s p, score: 0.028089218
amiodarone mg tablet sig, score: 0.009914187

confidence of prediction: 0.533737
Y_true: [4 6 20]
Y_pred: [4 7 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)

surgeries hypertension hyperlipidemia insomnia hx h, score:
0.118262745
her hypotension hyperlipidemia the patient s home, score:
0.054108426
squamous carcinoma [UNK] further, score: 0.051477928

confidence of prediction: 0.531849
Y_true: [15 24 25 27 38]
Y_pred: [15 20 27 38]
top three important windows for true positive code 15 (37.23:
Combined right and left heart cardiac catheterization)
cardiac catheterization history of present, score: 0.7774383
cardiac catheterization selective angiography in this, score:
0.0074294405
cardiac catheterization was performed which, score: 0.0057600457

confidence of prediction: 0.941861
Y_true: [15 24 25 27 38]
Y_pred: [15 20 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure secondary diagnoses congenital, score:
0.40135565
systolic heart failure with an ef, score: 0.06941034
diastolic filling pressures but, score: 0.02330058

confidence of prediction: 0.860228
Y_true: [15 24 25 27 38]
Y_pred: [15 20 27 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization history of present, score: 0.49667022
cardiac catheterization selective angiography in this, score:
0.0128397215
cardiac catheterization was performed which, score: 0.012106985

confidence of prediction: 0.841104
Y_true: [39]
Y_pred: [4 24 39]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
vegetation is seen on, score: 0.019086739
left carotid stent and, score: 0.016170382
transformation the areas of ischemia, score: 0.014831986

confidence of prediction: 0.882178
Y_true: [4 18 25 26]
Y_pred: [4 18 20 25 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history asthma hyperlipidemia hypertension [UNK] vertigo h, score:
0.19012277
valve repair hyperlipidemia asthma hypertension paroxysmal atrial
fibrillation, score: 0.026603393

incisions sternal healing well, score: 0.0028287577

confidence of prediction: 0.985867
Y_true: [4 18 25 26]
Y_pred: [4 18 20 25 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed physical, score: 0.7390383
cardiothoracic allergies xopenex attending, score: 0.0032516306
washing incisions gently with mild soap, score: 0.0024533162

confidence of prediction: 0.875438
Y_true: [4 18 25 26]
Y_pred: [4 18 20 25 26]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
severe mitral regurgitation is seen, score: 0.3759595
mitral valve repair 33mm, score: 0.074818574
mitral valve prolapse the, score: 0.015018571

confidence of prediction: 0.945361
Y_true: [4 18 25 26]
Y_pred: [4 18 20 25 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation h o vertigo, score: 0.3715486
atrial fibrillation peripheral neuropathy social, score: 0.051867884
severe mitral regurgitation is, score: 0.017479178

confidence of prediction: 0.652990
Y_true: [4 10 14 22 23 24 38]
Y_pred: [4 10 15 22 27 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
factors diabetes dyslipidemia hypertension cardiac history
percutaneous, score: 0.2428439
myocardial infarction hyperlipidemia and lyme disease, score:
0.16153672
artery disease dyslipidemia discharge condition mental, score:
0.06850489

confidence of prediction: 0.608963
Y_true: [4 10 14 22 23 24 38]
Y_pred: [4 10 15 22 27 38]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
social history smokes one ppd family history no, score: 0.041181058
lmca and lad had, score: 0.001623989
cath comments selective coronary, score: 0.0015964459

confidence of prediction: 0.689179
Y_true: [4 10 14 22 23 24 38]
Y_pred: [4 10 15 22 27 38]
top three important windows for true positive code 22 (410.71:

Subendocardial infarction, initial episode of care)
indx ctropnt 37am ck, score: 0.1367631
cardiac cath comments selective coronary, score: 0.011389884
vessel and filled from, score: 0.010474197

confidence of prediction: 0.794331
Y_true: [4 10 14 22 23 24 38]
Y_pred: [4 10 15 22 27 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac cath comments selective coronary angiography of this, score:
0.079994686
mid vessel and filled from, score: 0.0212532
vessel cad total occlusion, score: 0.007920241

confidence of prediction: 0.615515
Y_true: [0 6 12 16 17 29 37 39 40 42]
Y_pred: [4 17 33 39 40 43]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
prn line flush picc heparin dependent flush with, score: 0.06068932
illness and developed ards requiring intubation, score: 0.019163784
illness and developed acute, score: 0.019163784

confidence of prediction: 0.788396
Y_true: [0 6 12 16 17 29 37 39 40 42]
Y_pred: [4 17 33 39 40 43]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
vegetation or partial flail leaflet this is best, score: 0.1856796
transesophageal echocardiogram tee history of present, score:
0.16260758
tee showed a growth, score: 0.14226872

confidence of prediction: 0.607822
Y_true: [0 6 12 16 17 29 37 39 40 42]
Y_pred: [4 17 33 39 40 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
ards requiring intubation extubated successfully, score: 0.23299417
your respiratory failure incidentally, score: 0.01728355
capsule capsule s by, score: 0.014490445

confidence of prediction: 0.687671
Y_true: [17 24 29 35 45]
Y_pred: [17 20]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line placement history of present illness, score: 0.6538289
the superior vena cava there is, score: 0.08923943
[UNK] tube sbo copd, score: 0.012851188

confidence of prediction: 0.931996
Y_true: [6 20 34 46]

Y_pred: [34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
history hypertension gerd s p ccy s, score: 0.045273367
9pm levoquin and flagyl, score: 0.002902264
pigtail stent placed pt, score: 0.002733498

confidence of prediction: 0.917133
Y_true: [1 4 6 20 32 49]
Y_pred: [1 4 44]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
medications levothyroxine mcg tablet sig, score: 0.06928976
wekk levothyroxine mcg tablet tablet s, score: 0.035267916
anhydrase the tumor was, score: 0.016487628

confidence of prediction: 0.623328
Y_true: [1 4 6 20 32 49]
Y_pred: [1 4 44]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension hypothyroidism hyperlipidemia anxiety with panic
agoraphobia, score: 0.07594452
female with cholangiocarcinoma scheduled, score: 0.07337953
rosuvastatin mg tablet sig, score: 0.032469373

confidence of prediction: 0.511657
Y_true: [2 6 7 9 16 17 20 27 28 33 35 42 46]
Y_pred: [0 4 6 7 9 17 20 28 33 35 37 40 42 43 44 46]
top three important windows for true positive code 6 (276.2:
Acidosis)
11am blood lactate 04am, score: 0.08346798
central ve po2 pco2 ph, score: 0.068110794
crystalloid and colloid fluid, score: 0.060488574

confidence of prediction: 0.503731
Y_true: [2 6 7 9 16 17 20 27 28 33 35 42 46]
Y_pred: [0 4 6 7 9 17 20 28 33 35 37 40 42 43 44 46]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
is black about 500cc melenotic stools, score: 0.07389743
bleeding and klebsiella bacteremia, score: 0.059131447
inr klebsiella pneumoniae bacteremia, score: 0.056181673

confidence of prediction: 0.679213
Y_true: [2 6 7 9 16 17 20 27 28 33 35 42 46]
Y_pred: [0 4 6 7 9 17 20 28 33 35 37 40 42 43 44 46]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
inr and thrombocytopenia also likely exacerbated this, score:
0.23560987
cirrhosis including thrombocytopenia splenomegaly coagulopathy,
score: 0.14872776
splenomegaly with thrombocytopenia new, score: 0.08917865

confidence of prediction: 0.793399
Y_true: [2 6 7 9 16 17 20 27 28 33 35 42 46]
Y_pred: [0 4 6 7 9 17 20 28 33 35 37 40 42 43 44 46]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
venous line placement arterial line placement, score: 0.29409453
soon thereafter respiratory failure, score: 0.051722497
crystalloid and colloid fluid from, score: 0.036917966

confidence of prediction: 0.921109
Y_true: [2 6 7 9 16 17 20 27 28 33 35 42 46]
Y_pred: [0 4 6 7 9 17 20 28 33 35 37 40 42 43 44 46]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
retired truck salesman family, score: 0.6769173
medical history hypertension hl diabetes diet controlled, score: 0.03367113
cvl ogt ouptut is black about 500cc melenotic stools, score: 0.018453296

confidence of prediction: 0.785051
Y_true: [2 6 7 9 16 17 20 27 28 33 35 42 46]
Y_pred: [0 4 6 7 9 17 20 28 33 35 37 40 42 43 44 46]
top three important windows for true positive code 28 (45.13: Other endoscopy of small intestine)
previously normal egd years, score: 0.11566011
on admission egd showed an esophageal ulcer, score: 0.09748551
coffee ground emesis and, score: 0.06335411

confidence of prediction: 0.895162
Y_true: [2 6 7 9 16 17 20 27 28 33 35 42 46]
Y_pred: [0 4 6 7 9 17 20 28 33 35 37 40 42 43 44 46]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
he was intubated for airway protection, score: 0.0964378
respiratory failure intubated for airway protection, score: 0.09249878
he is intubated and, score: 0.07350836

confidence of prediction: 0.929121
Y_true: [2 6 7 9 16 17 20 27 28 33 35 42 46]
Y_pred: [0 4 6 7 9 17 20 28 33 35 37 40 42 43 44 46]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
kidney injury pre renal hypovolemic etiology likely, score: 0.4541758
shock acute renal failure hypoglycemia and, score: 0.033805147
to acute kidney injury gi bleed, score: 0.013837267

confidence of prediction: 0.676751
Y_true: [2 6 7 9 16 17 20 27 28 33 35 42 46]
Y_pred: [0 4 6 7 9 17 20 28 33 35 37 40 42 43 44 46]
top three important windows for true positive code 42 (96.71:

Continuous invasive mechanical ventilation for less than 96
consecutive hours)
general intubated sedated overbreathing, score: 0.091169454
respiratory failure intubated for airway protection, score:
0.0899633
he was intubated for airway protection, score: 0.07970116

confidence of prediction: 0.876106
Y_true: [2 6 7 9 16 17 20 27 28 33 35 42 46]
Y_pred: [0 4 6 7 9 17 20 28 33 35 37 40 42 43 44 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
ve po2 pco2 ph, score: 0.1398137
shock leading to acute, score: 0.042930037
septic shock cultures from hospital, score: 0.036576584

confidence of prediction: 0.976508
Y_true: [4 20 27]
Y_pred: [4]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
years ago hyperlipidemia gout social history lives, score:
0.109570496
gentleman with history that includes, score: 0.0014638252
keppra 1500mg hospital1 and gabapentin, score: 0.000392343

confidence of prediction: 0.735101
Y_true: [4 21 36]
Y_pred: [4 21 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
undetected bph hyperlipidemia htn aortic dissection stable, score:
0.2516432
history hypertension dyslipidemia chronic kidney disease ocular,
score: 0.07735685
mentions global events memory registration items, score: 0.00926698

confidence of prediction: 0.822677
Y_true: [4 21 36]
Y_pred: [4 21 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
dyslipidemia chronic kidney disease ocular migraines, score:
0.019486846
fistula chronic renal insufficiency hypertension discharge
condition, score: 0.015914693
parent heavy smokers with, score: 0.015068207

confidence of prediction: 0.628545
Y_true: [4 21 36]
Y_pred: [4 21 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)

chronic kidney disease ocular migraines, score: 0.2747659
parent heavy smokers with, score: 0.03271497
fistula chronic renal insufficiency hypertension discharge
condition, score: 0.026374577

confidence of prediction: 0.760565
Y_true: [10 12 30 34 41 43]
Y_pred: [20 33 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
oliguria secondary gerd discharge condition mental status, score:
0.124713
intrapulmonary shunting left ventricular, score: 0.007054031
quart of vodka several, score: 0.004848086

confidence of prediction: 0.658573
Y_true: [3 10 12 16 17 33 41 43]
Y_pred: [6 17 27 33 35 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line placement arterial line placement history of, score: 0.22067496
a line placed review, score: 0.04868985
ed femoral cvl placed regarding ecgs, score: 0.029403972

confidence of prediction: 0.574558
Y_true: [3 10 12 16 17 33 41 43]
Y_pred: [6 17 27 33 35 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
normalized respiratory failure pt was intubated in field due, score:
0.24976535
had gtc en route to, score: 0.10115716
overdose respiratory failure pancreatitis pneumonia, score:
0.070838846

confidence of prediction: 0.991052
Y_true: [11 20 29]
Y_pred: [20 29 35]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn anxiety depression add, score: 0.4378088
medical history hypertension anxiety depression add, score:
0.04518089
unstable and become off, score: 0.04309912

confidence of prediction: 0.722158
Y_true: [11 20 29]
Y_pred: [20 29 35]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
community acquired pneumonia curb score, score: 0.13018139
diagnosis pneumonia seconary hypertension, score: 0.07710904
community acquired pneumonia with day, score: 0.06768461

confidence of prediction: 0.815543
Y_true: [9 35]
Y_pred: [5 9 35]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
cirrhosis diagnosis thrombocytopenia etoh abuse, score: 0.17706156
anemia and thrombocytopenia patient continues, score: 0.14652798
anemia and thrombocytopenia euvolemic hyponatremia it, score:
0.14652798

confidence of prediction: 0.525413
Y_true: [9 35]
Y_pred: [5 9 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
s departure arf baseline unknown cr at, score: 0.3738066
t97 hr86 bp122 rr16 o2sat98 he, score: 0.023077397
recorded as having no, score: 0.017838247

confidence of prediction: 0.612063
Y_true: [6 16 33 35 41 42]
Y_pred: [17 26 35 40 42]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
pretreatment for arf see below, score: 0.2059
of discharge arf likely hypovolemia due, score: 0.17401597
to protect airway due, score: 0.019218007

confidence of prediction: 0.664202
Y_true: [6 16 33 35 41 42]
Y_pred: [17 26 35 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated and sedated, score: 0.11755797
puncture and intubation at doctor, score: 0.050512183
intubated sedated opens eyes, score: 0.048283715

confidence of prediction: 0.516072
Y_true: [7 28 44]
Y_pred: [44]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
you were transfused units of, score: 0.12794182
patient was transfused with u prbc with improvement, score:
0.019918386
source of bleeding colonoscopy showed, score: 0.01651261

confidence of prediction: 0.914021
Y_true: [0 4 6 16 20 23 24 26 32 34]
Y_pred: [4 20 24 34 37]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
cad htn hld who presented with abdominal, score: 0.025497245

reflux disease hyperlipidemia memory difficulties past surgical, score: 0.018004784
simvastatin mg tablet sig, score: 0.016512578

confidence of prediction: 0.982350
Y_true: [0 4 6 16 20 23 24 26 32 34]
Y_pred: [4 20 24 34 37]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
cva cad hypertension gastroesophageal reflux, score: 0.18807407
of cad htn hld who presented with, score: 0.08883812
glucagon human recombinant mg, score: 0.026611168

confidence of prediction: 0.878739
Y_true: [0 4 6 16 20 23 24 26 32 34]
Y_pred: [4 20 24 34 37]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
pci with stents 5yrs, score: 0.15925092
endoscopic retrograde cholangiopancreatography ercp, score: 0.053448267
w pad cad she, score: 0.041081633

confidence of prediction: 0.909653
Y_true: [0 4 6 16 20 23 24 26 32 34]
Y_pred: [4 20 24 34 37]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
cad htn gerd h o cva with, score: 0.027747672
hypertension gastroesophageal reflux disease hyperlipidemia memory, score: 0.026420569
per lumen glucagon human recombinant mg, score: 0.0024934001

confidence of prediction: 0.814503
Y_true: [1 8 25 26 27]
Y_pred: [1 4 20 26 27 44]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
synthroid 88mcg qd [UNK] po, score: 0.59531444
home synthroid anemia hct remained, score: 0.09446954
day levothyroxine mcg tablet sig, score: 0.023594018

confidence of prediction: 0.907002
Y_true: [1 8 25 26 27]
Y_pred: [1 4 20 26 27 44]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib pt remained rate, score: 0.31129876
atrial fibrillation severe pulmonary htn, score: 0.09959009
atrial fibrillation severe pulmonary hypertension, score: 0.070044294

confidence of prediction: 0.955771
Y_true: [1 8 25 26 27]

Y_pred: [1 4 20 26 27 44]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
dchf and afib were, score: 0.18038714
chf w ef severe, score: 0.14098775
chf with diastolic dysfunction ef, score: 0.11273922

confidence of prediction: 0.553975
Y_true: [0 3 20 24 37 46 49]
Y_pred: [2 3 11 20 24 30 49]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
disease hypertension hypercholesteremia hyperthyroidism depression
social history, score: 0.26555
temp of 3c on, score: 0.0027050704
6units of nph and, score: 0.0025260996

confidence of prediction: 0.996567
Y_true: [0 3 20 24 37 46 49]
Y_pred: [2 3 11 20 24 30 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypotension secondary diabetes mellitus discharge, score: 0.11138814
artery disease hypertension hypercholesteremia hyperthyroidism
depression social history, score: 0.046765164
coumadin cad diabetes on home insulin, score: 0.03727454

confidence of prediction: 0.782917
Y_true: [0 3 20 24 37 46 49]
Y_pred: [2 3 11 20 24 30 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
alzheimer s disease her, score: 0.029482406
type coronary artery disease hypertension hypercholesteremia, score:
0.012031135
coumadin cad diabetes on home insulin, score: 0.010524571

confidence of prediction: 0.924833
Y_true: [0 3 20 24 37 46 49]
Y_pred: [2 3 11 20 24 30 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
embolism on coumadin inr, score: 0.8153232
s on coumadin cad, score: 0.049013622
of ciprofloxacin coumadin was, score: 0.020645792

confidence of prediction: 0.932953
Y_true: [4 13 14 18 20 22 24 32 38 39]
Y_pred: [4 13 18 20 22 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
pmh hypertension hyperlipidemia actinic keratosis discharge
condition, score: 0.2559764
history hypertension hyperlipidemia actinic keratosis exposure to,

score: 0.08646447
and underwent coronary artery, score: 0.0030236184

confidence of prediction: 0.967279
Y_true: [4 13 14 18 20 22 24 32 38 39]
Y_pred: [4 13 18 20 22 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)
coronary artery bypass graft, score: 0.17624384
descending saphenous vein graft ramus, score: 0.12307852
coronary artery bypass graft, score: 0.028163

confidence of prediction: 0.973703
Y_true: [4 13 14 18 20 22 24 32 38 39]
Y_pred: [4 13 18 20 22 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
lotions powders or ointments to, score: 0.27359968
incisions no baths or, score: 0.23797631
cardiothoracic doctor first name, score: 0.16183847

confidence of prediction: 0.999740
Y_true: [4 13 14 18 20 22 24 32 38 39]
Y_pred: [4 13 18 20 22 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hyperlipidemia actinic keratosis
exposure, score: 0.06982572
32yrs retired lawyer computer, score: 0.011701428
peak pmh hypertension hyperlipidemia actinic keratosis discharge,
score: 0.007719721

confidence of prediction: 0.785792
Y_true: [4 13 14 18 20 22 24 32 38 39]
Y_pred: [4 13 18 20 22 24]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
st elevation myocardial infarction he reports, score: 0.26025158
st elevation myocardial infarction troponin peak, score: 0.26025158
non st elevation myocardial infarction with peak, score: 0.012205094

confidence of prediction: 0.979494
Y_true: [4 13 14 18 20 22 24 32 38 39]
Y_pred: [4 13 18 20 22 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p coronary artery bypass non, score:
0.20295988
coronary artery disease on, score: 0.1932056
s p coronary artery bypass graft, score: 0.08465929

confidence of prediction: 0.712368
Y_true: [4 10 20]
Y_pred: [4 20]

top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
injury hypertension hyperlipidemia he describes his, score:
0.13727853
history dm2 hl father, score: 0.08738907
600mg hospital1 nexium 20mg, score: 0.051223475

confidence of prediction: 0.893096
Y_true: [4 10 20]
Y_pred: [4 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
diabetes mellitus hypertension [UNK] discharge condition, score:
0.2685228
controlled dm2 htn hl bipolar disorder who, score: 0.0860368
hypertension hyperlipidemia he describes, score: 0.071860254

confidence of prediction: 0.762115
Y_true: [47 49]
Y_pred: [30 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
female on coumadin came to hospital1, score: 0.06800791
q6h prn warfarin discharge medications famotidine, score:
0.016768878
and had been placed on coumadin on she underwent, score: 0.001794659

confidence of prediction: 0.967624
Y_true: [2 4 11 20 26 31]
Y_pred: [4 20 23 26 31]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
dm depression hyperlipidemia psh open cholecystectomy social, score:
0.03831321
travatan z nf travoprost ou qpm, score: 0.010785438
pilocarpine hcl drops sig, score: 0.001957271

confidence of prediction: 0.669059
Y_true: [2 4 11 20 26 31]
Y_pred: [4 20 23 26 31]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
afib dm htn [UNK] from hospital, score: 0.20470299
htn who presented with, score: 0.10901053
fib dm depression hyperlipidemia, score: 0.0614374

confidence of prediction: 0.984650
Y_true: [2 4 11 20 26 31]
Y_pred: [4 20 23 26 31]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib h o cva htn, score: 0.7124586
afib with hr 130s, score: 0.1030026
afib with rvr likely, score: 0.06485887

confidence of prediction: 0.958539
Y_true: [2 4 11 20 26 31]
Y_pred: [4 20 23 26 31]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
and aspiration pneumonia he will be, score: 0.24220733
to aspiration pneumonia and pulmonary edema, score: 0.15444273
for aspiration pneumonia and was satting, score: 0.12544514

confidence of prediction: 0.879723
Y_true: [7 28 47]
Y_pred: [28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
esophagogastroduodenoscopy history of present illness, score:
0.050090022
had an egd esophagogastroduodenoscopy or [UNK] endoscopy which,
score: 0.041458003
egd was performed which showed, score: 0.025165608

confidence of prediction: 0.726205
Y_true: [2 20 26 35 36 48]
Y_pred: [2 21 26 35 36 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
diabetes mellitus cad s p, score: 0.15562224
diabetes on glargine and, score: 0.09267337
htn dm s p mvc, score: 0.07361506

confidence of prediction: 0.895481
Y_true: [2 20 26 35 36 48]
Y_pred: [2 21 26 35 36 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation patient with what, score: 0.16955836
atrial fibrillation secondary cad s, score: 0.04943374
atrial fibrillation with rvr for, score: 0.04653912

confidence of prediction: 0.805386
Y_true: [2 20 26 35 36 48]
Y_pred: [2 21 26 35 36 48]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure medications were, score: 0.17557248
renal function improved with, score: 0.08004683
approached baseline arf on cri patient with, score: 0.04034029

confidence of prediction: 0.861614
Y_true: [2 20 26 35 36 48]
Y_pred: [2 21 26 35 36 48]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)

htn dementia cri discharge condition hemodynamically, score: 0.3496151
insufficiency with baseline creatinine appearing, score: 0.12063129
approached baseline arf on cri patient with history of, score: 0.010478885

confidence of prediction: 0.886103
Y_true: [2 20 26 35 36 48]
Y_pred: [2 21 26 35 36 48]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
s p cabg who initially, score: 0.24778742
s p cabg patient without, score: 0.24778742
s p cabg htn dementia, score: 0.24778742

confidence of prediction: 0.814731
Y_true: [17 35]
Y_pred: [17 27 35]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
a picc line the tip of, score: 0.20278212
bilateral emboli suspected portable, score: 0.07322497
the picc line projects over the, score: 0.04951603

confidence of prediction: 0.774585
Y_true: [17 35]
Y_pred: [17 27 35]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
pt and strengthening medications, score: 0.014816458
overlap acute renal failure patient was, score: 0.0145808915
due to renal failure revealed multiple bilateral, score: 0.0072643696

confidence of prediction: 0.972699
Y_true: [20 35]
Y_pred: [20 35 40]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
sbo with colostomy and reversal in htn social history patient lives, score: 0.09381111
correction in cr to, score: 0.009113916
infrarenal aorta is normal, score: 0.0071633486

confidence of prediction: 0.827155
Y_true: [20 35]
Y_pred: [20 35 40]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
with pre renal azotemia and this, score: 0.14856151
in cr to after, score: 0.022509111
discharge acute kidney injury peak cr of at, score: 0.018882561

confidence of prediction: 0.500431

Y_true: [8 17 20 27 30 33 34 37 40 42]
Y_pred: [20 27 29 30 33 37 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
on steroids htn as unknown valve, score: 0.12865144
medical history htn dchf copd right hemidiaphragm, score: 0.08020618
suggesting pulmonary hypertension aortic, score: 0.034922905

confidence of prediction: 0.972565
Y_true: [8 17 20 27 30 33 34 37 40 42]
Y_pred: [20 27 29 30 33 37 40 42]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf exacerbation bipap lasix 40mg, score: 0.31852937
chf the patient did, score: 0.09425036
diastolic heart failure compensated hypertension, score: 0.05727012

confidence of prediction: 0.902688
Y_true: [8 17 20 27 30 33 34 37 40 42]
Y_pred: [20 27 29 30 33 37 40 42]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
htn dchf copd right hemidiaphragm paralysis dermatomyositis, score:
0.053875886
htn dchf copd presents with sob her, score: 0.02131535
chf exacerbation bipap lasix 40mg, score: 0.00030192884

confidence of prediction: 0.947862
Y_true: [8 17 20 27 30 33 34 37 40 42]
Y_pred: [20 27 29 30 33 37 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypercarbic respiratory failure dermatomyositis, score: 0.24065305
to respiratory failure most, score: 0.14797938
hypoxic hypercarbic respiratory failure respiratory failure
initially thought, score: 0.03298868

confidence of prediction: 0.915086
Y_true: [8 17 20 27 30 33 34 37 40 42]
Y_pred: [20 27 29 30 33 37 40 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
a urinary tract infection you were, score: 0.07529219
dermatomyositis urinary tract infection avn of, score: 0.05556003
bisphosphonate urinary tract infection positive ua, score:
0.033537548

confidence of prediction: 0.778365
Y_true: [8 17 20 27 30 33 34 37 40 42]
Y_pred: [20 27 29 30 33 37 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
she was intubated for respiratory distress, score: 0.1758057
to be reintubated dermatomyositis diffuse, score: 0.07168269

heent ett ogt in place, score: 0.018789528

confidence of prediction: 0.628049
Y_true: [8 17 20 27 30 33 34 37 40 42]
Y_pred: [20 27 29 30 33 37 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
she was intubated for respiratory distress and, score: 0.13464956
be reintubated dermatomyositis diffuse, score: 0.047716863
extubation history of present, score: 0.018852176

confidence of prediction: 0.628946
Y_true: [2 11 21 23 24 27 34 35 36]
Y_pred: [21 24 27 34 36 48]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
aicd diabetes bpv and hypertension, score: 0.024956027
was added chronic utis, score: 0.018725675
urgency ckd baseline cr renal cell carcinoma s, score: 0.01870359

confidence of prediction: 0.613340
Y_true: [2 11 21 23 24 27 34 35 36]
Y_pred: [21 24 27 34 36 48]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p prior cabg s, score: 0.106855
and experienced intermittent chest, score: 0.041764468
hypertension who presents with, score: 0.019687522

confidence of prediction: 0.983343
Y_true: [2 11 21 23 24 27 34 35 36]
Y_pred: [21 24 27 34 36 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure hypertension discharge, score: 0.48333386
chronic diastolic chf ef pt has worsening, score: 0.012131813
of her dchf she presented this admission, score: 0.0033254025

confidence of prediction: 0.864463
Y_true: [2 11 21 23 24 27 34 35 36]
Y_pred: [21 24 27 34 36 48]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
cipro bactrim gerd depression h pylori reportedly, score: 0.1595927
bpv and hypertension who, score: 0.0034680848
diaphragmatic irritation accounting for, score: 0.0028368866

confidence of prediction: 0.784675
Y_true: [2 11 21 23 24 27 34 35 36]
Y_pred: [21 24 27 34 36 48]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)

aicd diabetes bpv and hypertension, score: 0.020314725
prove social history the, score: 0.015516225
urgency ckd baseline cr renal cell carcinoma s, score: 0.0138071235

confidence of prediction: 0.927752
Y_true: [2 4 17 20 41]
Y_pred: [2 4 11 17 20 40 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
htn type dm hld fatty liver depression, score: 0.117743246
admission metformin mg hospital1 citalopram, score: 0.02861425
history type diabetes mellitus hypertension hyperlipidemia benign,
score: 0.017611742

confidence of prediction: 0.874908
Y_true: [2 4 17 20 41]
Y_pred: [2 4 11 17 20 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
mellitus hypertension hyperlipidemia benign prostatic hypertrophy
depression, score: 0.08707626
type dm hld fatty liver depression and, score: 0.057225257
simvastatin mg discharge medications, score: 0.004955639

confidence of prediction: 0.582206
Y_true: [2 4 17 20 41]
Y_pred: [2 4 11 17 20 40 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
of picc line residual per radiology, score: 0.15276033
d his picc line and it was, score: 0.03720558
multiple attempts were made to, score: 0.030046528

confidence of prediction: 0.970510
Y_true: [2 4 17 20 41]
Y_pred: [2 4 11 17 20 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pt had hypertension bradycardia and, score: 0.45068058
pmh of htn type dm hld fatty, score: 0.10682732
diabetes mellitus hypertension hyperlipidemia benign prostatic
hypertrophy, score: 0.053564884

confidence of prediction: 0.956721
Y_true: [17 31 34]
Y_pred: [31]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
an aspiration pneumonia that happens, score: 0.11071259
developing aspiration pneumonia but the, score: 0.027194366
alcohol withdrawal aspiration pneumonia secondary diagnoses gerd,
score: 0.018302131

confidence of prediction: 0.556263
Y_true: [4 19 27 48]
Y_pred: [4 19 27 29 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
cabg and des to, score: 0.064956784
month copd hl pvd htn recent admission, score: 0.06400001
neuropathy hyperlipidemia pt was discharged, score: 0.03751257

confidence of prediction: 0.924909
Y_true: [4 19 27 48]
Y_pred: [4 19 27 29 48]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
she received dialysis this morning, score: 0.17348
on hd started last, score: 0.116802596
esrd on hd cad s, score: 0.08330837

confidence of prediction: 0.961013
Y_true: [4 19 27 48]
Y_pred: [4 19 27 29 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chronic diastolic chf diabetic neuropathy who, score: 0.23122048
to lmca dchf dmii esrd on hd, score: 0.023241818
chronic diastolic chf cva subacute stroke, score: 0.014546521

confidence of prediction: 0.877235
Y_true: [4 19 27 48]
Y_pred: [4 19 27 29 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg and des to, score: 0.4287828
s p cabg chronic diastolic, score: 0.4287828
p 5v cabg echo cath showed 3v disease cath, score: 0.106310084

confidence of prediction: 0.928840
Y_true: [1 2 7 12 20 27 33 34 40 41 42]
Y_pred: [1 2 7 12 20 34 40 42]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
htn hypothyroidism cervical spondylosis and, score: 0.45258334
anemia hypothyroidism diabetes mellitus type, score: 0.38531247
daily levothyroxine mcg tablet sig, score: 0.012503841

confidence of prediction: 0.792237
Y_true: [1 2 7 12 20 27 33 34 40 41 42]
Y_pred: [1 2 7 12 20 34 40 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
hypothyroidism diabetes mellitus type gerd chronic low, score:
0.03158363
of discharge dm2 hb discussed with patient, score: 0.00890387

extension ankle dorsiflexion and, score: 0.002035327

confidence of prediction: 0.967047
Y_true: [1   2   7 12 20 27 33 34 40 41 42]
Y_pred: [1   2   7 12 20 34 40 42]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
extension ankle dorsiflexion and plantar, score: 0.43372852
laminectomy fusion instrumentation on recovering well occasional, score: 0.009459228
fusion with instrumentation c4, score: 0.009011025

confidence of prediction: 0.923010
Y_true: [1   2   7 12 20 27 33 34 40 41 42]
Y_pred: [1   2   7 12 20 34 40 42]
top three important windows for true positive code 12 (33.24: Closed [endoscopic] biopsy of bronchus)
am bronchoalveolar lavage right bronchial lavage final report, score: 0.22071354
am bronchoalveolar lavage left bronchial lavage final report gram, score: 0.09894554

confidence of prediction: 0.971789
Y_true: [1   2   7 12 20 27 33 34 40 41 42]
Y_pred: [1   2   7 12 20 34 40 42]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
history obesity htn hypothyroidism cervical spondylosis and, score: 0.4014651
picture she developed low, score: 0.020560391
pulmonary edema hypertension delerium pneumonia anemia, score: 0.011612936

confidence of prediction: 0.809858
Y_true: [1   2   7 12 20 27 33 34 40 41 42]
Y_pred: [1   2   7 12 20 34 40 42]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
hypothyroidism diabetes mellitus type gerd chronic low back pain, score: 0.00562142
picture she developed low, score: 0.0032573047
she was delerious and, score: 0.0028137905

confidence of prediction: 0.893770
Y_true: [1   2   7 12 20 27 33 34 40 41 42]
Y_pred: [1   2   7 12 20 34 40 42]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
emergently re intubated she remained, score: 0.16550289
was subsequently reintubated for a similar, score: 0.08178639
requiring additional intubation high blood, score: 0.039730504

confidence of prediction: 0.623705
Y_true: [1   2   7 12 20 27 33 34 40 41 42]

Y_pred: [1 2 7 12 20 34 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was subsequently reintubated for a similar clinical, score:
0.088340834
requiring additional intubation high blood pressure, score:
0.059340347
emergently re intubated she remained, score: 0.044903133

confidence of prediction: 0.681488
Y_true: [2 6 7 20]
Y_pred: [6 20 24 35 40]
top three important windows for true positive code 6 (276.2:
Acidosis)
a respiratory acidosis resulting in a, score: 0.06236795
glucagon human recombinant mg, score: 0.02971525
icu metabolic acidosis abg showed an acidemic, score: 0.018748162

confidence of prediction: 0.684106
Y_true: [2 6 7 20]
Y_pred: [6 20 24 35 40]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
dmii htn hysterectomy and bilateral oophorectomy, score: 0.085940465
triamterene hydrochlorothiazide mwf effexor 150mg folic, score:
0.03786479
numeric identifier mwf pentasa, score: 0.0330714

confidence of prediction: 0.966281
Y_true: [4 24 29]
Y_pred: [4 9 20 24 29]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
cea in hypertension dyslipidemia untreated obstructive sleep apnea,
score: 0.002651822
pravastatin mg tablet sig, score: 0.002039715
consumption hypertension antihypertensives were held while, score:
0.0019892175

confidence of prediction: 0.744842
Y_true: [4 24 29]
Y_pred: [4 9 20 24 29]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
grand daughter with cold on, score: 0.086076416
decompensated liver disease viral hepatitis, score: 0.051808715
his cad with h o des, score: 0.02955404

confidence of prediction: 0.744049
Y_true: [4 24 29]
Y_pred: [4 9 20 24 29]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)

and lingular pneumonia mildly nodular, score: 0.21844174
community acquired pneumonia based on, score: 0.18689585
possibly pneumonia underlying atelectasis, score: 0.048922304

confidence of prediction: 0.988806
Y_true: [10 11 22 26 27 33 35 40 42 49]
Y_pred: [26 27 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with rvr given, score: 0.04305497
atrial fibrillation on coumadin who, score: 0.041153926
atrial fibrillation on coumadin copd, score: 0.033332866

confidence of prediction: 0.944592
Y_true: [10 11 22 26 27 33 35 40 42 49]
Y_pred: [26 27 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf and copd exacerbation bronchitis, score: 0.2961675
diastolic congestive heart failure copd exacerbation discharge,
score: 0.11599547
combination of chf and copd exacerbation bronchitis, score:
0.010746385

confidence of prediction: 0.716322
Y_true: [10 11 22 26 27 33 35 40 42 49]
Y_pred: [26 27 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fibrillation on coumadin mild, score: 0.30757564
fibrillation on coumadin copd a, score: 0.30757564
fibrillation on coumadin who, score: 0.30757564

confidence of prediction: 0.888723
Y_true: [1 4 5 35]
Y_pred: [1 4 5 21 35]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
nephropathy hypothyroidism social history retired, score: 0.34781948
multiinfarct hypothyroidism hyperlipidemia benign, score: 0.17921177
driving hypothyroidism tsh was, score: 0.059909075

confidence of prediction: 0.900468
Y_true: [1 4 5 35]
Y_pred: [1 4 5 21 35]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hyperlipidemia continued home statin full, score: 0.1884425
complications hypertension hyperlipidemia ckd, score: 0.050630976
multiinfarct hypothyroidism hyperlipidemia benign hypertension
discharge condition, score: 0.026110442

confidence of prediction: 0.931917
Y_true: [1 4 5 35]

Y_pred: [1 4 5 21 35]
top three important windows for true positive code 5 (276.1: Hyposmolality and/or hyponatremia)
discharge diagnosis hyponatremia acute renal failure ckd, score: 0.29465735
the hospital1 hyponatremia the patient presented with, score: 0.20215431
has had hyponatremia previously with, score: 0.12199443

confidence of prediction: 0.887364
Y_true: [1 4 5 35]
Y_pred: [1 4 5 21 35]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
partially pre renal in the setting, score: 0.121221356
acute renal failure ckd stage, score: 0.083745845
demented with inability to, score: 0.038949974

confidence of prediction: 0.790166
Y_true: [3 8 21 26 29]
Y_pred: [21 26 36]
top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified)
anemia chronic kidney disease discharge condition mr, score: 0.1372372
at home ckd and htn being transferred, score: 0.009099131
asbestosis hypertension colonic polyps hearing, score: 0.005967709

confidence of prediction: 0.895367
Y_true: [3 8 21 26 29]
Y_pred: [21 26 36]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation after an urgent, score: 0.2898
fib and heparin he, score: 0.18166861
fib found to be, score: 0.13290685

confidence of prediction: 0.974901
Y_true: [18 20 26 38 39 49]
Y_pred: [18 20 49]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies no known, score: 0.025751406
tee was performed in, score: 0.00976936
washing incisions gently with mild soap, score: 0.0095164385

confidence of prediction: 0.980111
Y_true: [18 20 26 38 39 49]
Y_pred: [18 20 49]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
borderline hypertension chronic back pain djd, score: 0.07930864
social history race caucasian, score: 0.010148723

[UNK] bilateral elbows anxiety, score: 0.0077526425

confidence of prediction: 0.598620
Y_true: [18 20 26 38 39 49]
Y_pred: [18 20 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
resumed with coumadin for, score: 0.28642946
thrombosis on coumadin for, score: 0.10446888
started on warfarin and, score: 0.065730855

confidence of prediction: 0.819809
Y_true: [2 8 9 13 18 20 22 24 25 27 38 43 47]
Y_pred: [2 6 13 14 15 18 22 24 27 38]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
diabetes hypertension myocardial infarction cardiac, score: 0.040816024
admission metformin mg hospital1 albuterol inhaler, score: 0.039503083
with dm htn le claudication presenting, score: 0.038227532

confidence of prediction: 0.993674
Y_true: [2 8 9 13 18 20 22 24 25 27 38 43 47]
Y_pred: [2 6 13 14 15 18 22 24 27 38]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary bypass grafting x5 with the, score: 0.6218326
coronary artery bypass grafting, score: 0.054618895
artery and reverse saphenous vein graft, score: 0.014773607

confidence of prediction: 0.981036
Y_true: [2 8 9 13 18 20 22 24 25 27 38 43 47]
Y_pred: [2 6 13 14 15 18 22 24 27 38]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
diuresed and weaned from, score: 0.10584805
grafting to five vessels, score: 0.040980283
grafting x5 with the, score: 0.034479972

confidence of prediction: 0.798607
Y_true: [2 8 9 13 18 20 22 24 25 27 38 43 47]
Y_pred: [2 6 13 14 15 18 22 24 27 38]
top three important windows for true positive code 22 (410.71: Subendocardial infarction, initial episode of care)
possible nstemi cardiac review of, score: 0.12025029
diagnosis nstemi acute heart failure discharge, score: 0.06606063
pump on impression severe, score: 0.026689433

confidence of prediction: 0.998262
Y_true: [2 8 9 13 18 20 22 24 25 27 38 43 47]
Y_pred: [2 6 13 14 15 18 22 24 27 38]
top three important windows for true positive code 24 (414.01:

Coronary atherosclerosis of native coronary artery)
coronary bypass grafting x5, score: 0.11902361
vessel ulcerated stenosis before om2, score: 0.10859959
mid vessel lesion the lad, score: 0.100894205

confidence of prediction: 0.666432
Y_true: [2 8 9 13 18 20 22 24 25 27 38 43 47]
Y_pred: [2 6 13 14 15 18 22 24 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
edema and benadryl solumedrol, score: 0.21522918
nstemi acute heart failure discharge condition alert, score:
0.039072424
pump on impression severe, score: 0.021806695

confidence of prediction: 0.949091
Y_true: [2 8 9 13 18 20 22 24 25 27 38 43 47]
Y_pred: [2 6 13 14 15 18 22 24 27 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
catheterization selective coronary angiography in, score:
0.031876035
iabp was weaned and, score: 0.020492405
ulcerated mid vessel lesion the lad, score: 0.019692153

confidence of prediction: 0.786623
Y_true: [21 36]
Y_pred: [21 30 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
osa chronic kidney disease with baseline cr bladder ca diagnosed,
score: 0.014004266
day chronic kidney disease his creatinine had, score: 0.0069096973

confidence of prediction: 0.663026
Y_true: [21 36]
Y_pred: [21 30 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic kidney disease his creatinine had, score: 0.06521239
osa chronic kidney disease with baseline cr bladder ca diagnosed,
score: 0.01682626

confidence of prediction: 0.853896
Y_true: [29]
Y_pred: [10 29]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
community acquired pneumonia altered mental, score: 0.11752834
and rml pna ct, score: 0.077402584
consistent with pneumonia patient, score: 0.066206165

confidence of prediction: 0.712317

Y_true: [9 11 41]
Y_pred: [9]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
alcohol again thrombocytopenia he had thrombocytopenia on admission
felt to, score: 0.35182524
lateral costophrenic sulcus from the, score: 0.009837203
improved a dobhoff was, score: 0.004018449

confidence of prediction: 0.980857
Y_true: [6 9 20 28 34]
Y_pred: [20 28 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
inactive issues htn home nadolol was, score: 0.72988725
approximately cups worth of emesis she, score: 0.01139816
withdrawal counseled patient on, score: 0.010079294

confidence of prediction: 0.694338
Y_true: [6 9 20 28 34]
Y_pred: [20 28 34]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.3577096
in the antrum compatible, score: 0.11104782
egd was performed on and, score: 0.036576867

confidence of prediction: 0.827760
Y_true: [6 9 20 28 34]
Y_pred: [20 28 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
transfusions gerd hypertension social history she, score: 0.0925265
stable gerd pt was maintained on, score: 0.05422076
underneath the clot could, score: 0.04873905

confidence of prediction: 0.992622
Y_true: [5 8 17 18 20 26 27 39 49]
Y_pred: [5 18 20 26 27 49]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
morphine mild hyponatremia likely hypervolemic hyponatremia from
chf, score: 0.11285306
ra pressure pcw on, score: 0.001263421
drips pod found the, score: 0.00085141516

confidence of prediction: 0.984016
Y_true: [5 8 17 18 20 26 27 39 49]
Y_pred: [5 18 20 26 27 49]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.73176634
diuresed toward the preoperative, score: 0.020646805
tee which was negative, score: 0.010729058

confidence of prediction: 0.942875
Y_true: [5 8 17 18 20 26 27 39 49]
Y_pred: [5 18 20 26 27 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
p ppm hypertension aortic root dilation, score: 0.18026707
htn prior aaa s p, score: 0.069613375
d 1000u daily kcl, score: 0.065056324

confidence of prediction: 0.974068
Y_true: [5 8 17 18 20 26 27 39 49]
Y_pred: [5 18 20 26 27 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
af on coumadin ppm, score: 0.514539
afib md to dose, score: 0.10901608
afib and is s, score: 0.08502084

confidence of prediction: 0.847942
Y_true: [5 8 17 18 20 26 27 39 49]
Y_pred: [5 18 20 26 27 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cardiac tachycardic irregular rhythm, score: 0.030150844
hyponatremia from chf or, score: 0.014894986
with iv lasix boluses, score: 0.014145952

confidence of prediction: 0.799584
Y_true: [5 8 17 18 20 26 27 39 49]
Y_pred: [5 18 20 26 27 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
af on coumadin ppm for sinus, score: 0.87000144
mg hospital1 coumadin mg, score: 0.047120545
amiodarone and coumadin were, score: 0.022119472

confidence of prediction: 0.516163
Y_true: [1 4 30]
Y_pred: [4 39]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
surgery in hyperlipidemia bleeding peptic ulcer in, score:
0.54709536
lobectomy metastatic adenocarcinoma morphologically, score:
0.0077999756
pyridostigmine bromide mg p, score: 0.0061001326

confidence of prediction: 0.888960
Y_true: [13 18 20 24 26]
Y_pred: [4 10 13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
descending saphenous vein graft ramus saphenous vein graft, score:

0.18849209
coronary artery bypass graft surgery see, score: 0.10779625
diagonal saphenous vein graft, score: 0.07516676

confidence of prediction: 0.977047
Y_true: [13 18 20 24 26]
Y_pred: [4 10 13 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies patient recorded, score: 0.014508113
washing incisions gently with mild soap, score: 0.009555833
graft surgery x4 left, score: 0.00874479

confidence of prediction: 0.942044
Y_true: [13 18 20 24 26]
Y_pred: [4 10 13 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hyperlipidemia prostate adenocarcinoma
t1c, score: 0.24388625
urinary catheter attached to, score: 0.104862615
pacing remaing wall motion, score: 0.09858654

confidence of prediction: 0.959333
Y_true: [13 18 20 24 26]
Y_pred: [4 10 13 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p cabg post, score: 0.3430737
s p coronary artery bypass graft surgery x4 left, score: 0.14310403
descending saphenous vein graft, score: 0.068650536

confidence of prediction: 0.913153
Y_true: [13 18 20 24 26]
Y_pred: [4 10 13 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation post operative urinary, score: 0.51732266
atrial fibrillation with results to, score: 0.041134313
atrial fibrillation with rate controlled, score: 0.030671187

confidence of prediction: 0.826133
Y_true: [4 8 9 13 18 20 23 24 25 26 49]
Y_pred: [4 13 18 20 24 25 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension and dyslipidemia he was referred, score: 0.08010439
atrial fibrillation dyslipidemia hypertension prostate cancer s,
score: 0.0637243
fibrillation hypertension dyslipidemia s p radiation, score:
0.037160065

confidence of prediction: 0.984835
Y_true: [4 8 9 13 18 20 23 24 25 26 49]

Y_pred: [4 13 18 20 24 25 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft x lima lad svg dg svg, score: 0.5773154
coronary artery bypass graft x and, score: 0.088320404
coronary artery bypass graft x mitral, score: 0.014113218

confidence of prediction: 0.978623
Y_true: [4 8 9 13 18 20 23 24 25 26 49]
Y_pred: [4 13 18 20 24 25 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies no known, score: 0.013995761
pacing wires were removed per, score: 0.008167221
washing incisions gently with mild soap, score: 0.0051721367

confidence of prediction: 0.992771
Y_true: [4 8 9 13 18 20 23 24 25 26 49]
Y_pred: [4 13 18 20 24 25 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
timolol combigan prescribed by, score: 0.23951127
atrial fibrillation hypertension dyslipidemia s p radiation, score:
0.18803453
fibrillation dyslipidemia hypertension prostate cancer, score:
0.09630975

confidence of prediction: 0.999160
Y_true: [4 8 9 13 18 20 23 24 25 26 49]
Y_pred: [4 13 18 20 24 25 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.6529786
coronary artery disease s p coronary artery bypass graft, score:
0.13823979
coronary artery bypass graft, score: 0.027887838

confidence of prediction: 0.741794
Y_true: [4 8 9 13 18 20 23 24 25 26 49]
Y_pred: [4 13 18 20 24 25 26]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve regurgitation s p, score: 0.26457667
mitral valve repair 28mm, score: 0.18840402
mitral valve repair please, score: 0.060740847

confidence of prediction: 0.950044
Y_true: [4 8 9 13 18 20 23 24 25 26 49]
Y_pred: [4 13 18 20 24 25 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation hypertension dyslipidemia s, score: 0.3942619
atrial fibrillation dyslipidemia hypertension prostate, score:
0.09760951

atrial fibrillation and cardiac risk, score: 0.021561636

confidence of prediction: 0.902947
Y_true: [10 20 33 37 40 42]
Y_pred: [9 33 40 42]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
acute respiratory failure resolved pt, score: 0.17731535
intubated seizure major surgical, score: 0.08279203
that required intubation for airway protection, score: 0.042757165

confidence of prediction: 0.865153
Y_true: [10 20 33 37 40 42]
Y_pred: [9 33 40 42]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
patient intubated and sedated, score: 0.41122538
that required intubation active, score: 0.108425274
pt required intubated given altered, score: 0.056814816

confidence of prediction: 0.814080
Y_true: [10 20 33 37 40 42]
Y_pred: [9 33 40 42]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
patient intubated and sedated, score: 0.30229008
that required intubation active issues, score: 0.12521447
after intubation was on, score: 0.09087645

confidence of prediction: 0.848752
Y_true: [2]
Y_pred: [2]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
admission micronase glucophage discharge medications docusate, score: 0.024240615
of diabetes medications as previously, score: 0.01885685
metformin mg tablet sig, score: 0.013687561

confidence of prediction: 0.881357
Y_true: [1]
Y_pred: [1 6 9 17]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
diagnoses hypothyroidism stable she, score: 0.52429384
history hypothyroidism acne alopecia, score: 0.14218368
home levothyroxine alopecia stable and, score: 0.046035044

confidence of prediction: 0.774662
Y_true: [4 11 13 17 18 24 30 35 37]
Y_pred: [4 13 18 23 24 35 37]
top three important windows for true positive code 4 (272.4: Other

and unspecified hyperlipidemia)
with hyperlipidemia s p nstemi after, score: 0.033859372
lipoma on pathology he, score: 0.0154235875
wall suspected lipoma aicd history, score: 0.01377756

confidence of prediction: 0.974358
Y_true: [4 11 13 17 18 24 30 35 37]
Y_pred: [4 13 18 23 24 35 37]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
wires were discontinued without, score: 0.027211906
mammary artery to left, score: 0.020023579
coronary artery bypass graft x acute, score: 0.016702237

confidence of prediction: 0.985493
Y_true: [4 11 13 17 18 24 30 35 37]
Y_pred: [4 13 18 23 24 35 37]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7393636
cardiothoracic allergies avelox attending, score: 0.011154957
bypass graft x4 left, score: 0.0036634973

confidence of prediction: 0.999638
Y_true: [4 11 13 17 18 24 30 35 37]
Y_pred: [4 13 18 23 24 35 37]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease with, score: 0.085766055
urgent coronary artery bypass graft, score: 0.041969534
coronary artery disease st, score: 0.035201706

confidence of prediction: 0.612742
Y_true: [4 11 13 17 18 24 30 35 37]
Y_pred: [4 13 18 23 24 35 37]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
x acute renal failure past medical, score: 0.01915618
of yellow white somewhat, score: 0.014248363
to be lipoma on, score: 0.010064428

confidence of prediction: 0.871240
Y_true: [4 11 13 17 18 24 30 35 37]
Y_pred: [4 13 18 23 24 35 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
op klebsiella uti sleep medicine was, score: 0.028974269
and made recommendations he had a, score: 0.0137740625
age sex pathology hospital1, score: 0.009365259

confidence of prediction: 0.851439
Y_true: [0 2 12 15 16 17 19 26 27 29 33 35 36 38 40 41 42 43 46]
Y_pred: [7 17 26 33 40 43 44]
top three important windows for true positive code 17 (38.93: Venous

catheterization, not elsewhere classified)
cnetral line and picc were placed extubated on, score: 0.16383387
zosyn fluc was started the, score: 0.06644669
gallops abdomen morbidly obese, score: 0.037670508

confidence of prediction: 0.887959
Y_true: [0 2 12 15 16 17 19 26 27 29 33 35 36 38 40 41 42 43 46]
Y_pred: [7 17 26 33 40 43 44]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib prior to hospitalization, score: 0.27209756
atrial fibrillation with rapid ventricular, score: 0.21478355
afib with rvr after tips, score: 0.14239262

confidence of prediction: 0.854270
Y_true: [0 2 12 15 16 17 19 26 27 29 33 35 36 38 40 41 42 43 46]
Y_pred: [7 17 26 33 40 43 44]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
requiring repeated paracentesis insulin dependent diabetes, score:
0.15302014
by repeated paracentesis electively admitted for, score: 0.074350156
patient was intubated and started on, score: 0.03405351

confidence of prediction: 0.841651
Y_true: [0 2 12 15 16 17 19 26 27 29 33 35 36 38 40 41 42 43 46]
Y_pred: [7 17 26 33 40 43 44]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was intubated for concern, score: 0.18904687
patient was intubated and started on, score: 0.056400526
repeated paracentesis electively admitted for, score: 0.05430885

confidence of prediction: 0.698081
Y_true: [0 2 12 15 16 17 19 26 27 29 33 35 36 38 40 41 42 43 46]
Y_pred: [7 17 26 33 40 43 44]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
and respiratory support after discussion between, score: 0.15332672
ventilator support was discontinued, score: 0.053996015
was intubated for concern, score: 0.045137692

confidence of prediction: 0.918353
Y_true: [11 34 39]
Y_pred: [18 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
recurrence depression gerd social history lives with, score:
0.04058792
recurrence depression gerd discharge condition alert, score:
0.04058792
of the ventricle there, score: 0.003888308

confidence of prediction: 0.945360
Y_true: [8 21 23 24 36]
Y_pred: [20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
htn cad aspirin once, score: 0.016646678
htn cad s p stent in, score: 0.0113172345
showed a gradual increase to, score: 0.008971048

confidence of prediction: 0.967257
Y_true: [2 8 10 20 31]
Y_pred: [2 4 20 31]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
daily metformin 1000mg hospital1 discharge medications lisinopril,
score: 0.08387623
glyburide mg tablet sig, score: 0.02009034
history cholelithiasis dmii htn h o billroth, score: 0.019991834

confidence of prediction: 0.909387
Y_true: [2 8 10 20 31]
Y_pred: [2 4 20 31]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
metformin 1000mg hospital1 discharge medications, score: 0.0470694
history cholelithiasis dmii htn h o billroth, score: 0.029070001
broad spectrum atbx with, score: 0.024697425

confidence of prediction: 0.876273
Y_true: [2 8 10 20 31]
Y_pred: [2 4 20 31]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
possible aspiration pna he was started, score: 0.3873305
until you follow up, score: 0.008416959
eomi perrl dry mm, score: 0.0049238405

confidence of prediction: 0.855429
Y_true: [2 4 20]
Y_pred: [2 4 20]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
diabetes mellitus type hyperlipidemia nsvt, score: 0.09968248
hospital1 metformin 200mg daily terazosin, score: 0.050901897
metformin oral glipizide mg tablet, score: 0.046714187

confidence of prediction: 0.785777
Y_true: [2 4 20]
Y_pred: [2 4 20]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
mellitus type hyperlipidemia nsvt status post unsuccessful, score:

0.11324082
150mg daily hctz 25mg, score: 0.010644086
hydrochlorothiazide mg tablet sig, score: 0.009473883

confidence of prediction: 0.889946
Y_true: [2 4 20]
Y_pred: [2 4 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
diabetes mellitus hypertension who presented with, score: 0.22041297
htn the patient was, score: 0.07835071
medical history hypertension diabetes mellitus type hyperlipidemia,
score: 0.065375656

confidence of prediction: 0.705954
Y_true: [28 35]
Y_pred: [4 28 34]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.6119748
otherwise normal egd to, score: 0.10494903
history of endoscopy but, score: 0.05056047

confidence of prediction: 0.946029
Y_true: [2 10 20 23 24 35]
Y_pred: [4 20 23 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn and dm who presents, score: 0.26913646
of cad htn hyperlipidemia and bradycardia p, score: 0.086096026
was discontinued htn atenolol was held on, score: 0.033016194

confidence of prediction: 0.685245
Y_true: [2 10 20 23 24 35]
Y_pred: [4 20 23 24]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi approximately years ago htn, score: 0.86178106
hypertension prior mi cardiac history cabg negative, score:
0.040634446
a prior mi while in country years, score: 0.02776087

confidence of prediction: 0.775777
Y_true: [2 10 20 23 24 35]
Y_pred: [4 20 23 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease diabetes, score: 0.18471648
cardiac history cabg negative, score: 0.041393865
of cad htn hyperlipidemia and bradycardia, score: 0.03700755

confidence of prediction: 0.900479
Y_true: [1 15 20 34 38]
Y_pred: [1 15 27 34 38]

top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
continued levothyroxine 112mcg daily osteopenia continued, score:
0.42531803
daily levothyroxine mcg tablet sig one, score: 0.0214577
lbbb hypothyroidism pneumonia as a child, score: 0.019244645

confidence of prediction: 0.516635
Y_true: [1 15 20 34 38]
Y_pred: [1 15 27 34 38]
top three important windows for true positive code 15 (37.23:
Combined right and left heart cardiac catheterization)
cardiac catheterization temporary transvenous, score: 0.5270973
selective coronary angiography of this, score: 0.073572464
heart catheterization she initially, score: 0.06842297

confidence of prediction: 0.609965
Y_true: [1 15 20 34 38]
Y_pred: [1 15 27 34 38]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
expansion gerd bladder cancer s p, score: 0.06740125
continued to improve until, score: 0.01701517
drug abuse retired public health nurse, score: 0.01271527

confidence of prediction: 0.778682
Y_true: [1 15 20 34 38]
Y_pred: [1 15 27 34 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
selective coronary angiography of this, score: 0.26319382
cardiac catheterization temporary transvenous, score: 0.20532301
heart catheterization she initially, score: 0.07636781

confidence of prediction: 0.915639
Y_true: [4 18 20 26 27]
Y_pred: [4 18 20 26 27]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
stenosis hypertension hyperlipidemia heart failure, score:
0.12894472
nourished elderly gentleman in no, score: 0.017142227
10mg daily zocor 40mg daily lasix, score: 0.0059628207

confidence of prediction: 0.960919
Y_true: [4 18 20 26 27]
Y_pred: [4 18 20 26 27]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
amiodarone was discontinued he, score: 0.018423283
cardiothoracic allergies patient recorded, score: 0.014780566
amiodarone but remained in, score: 0.011746955

confidence of prediction: 0.978822

Y_true: [4 18 20 26 27]
Y_pred: [4 18 20 26 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
zocor 40mg daily lasix, score: 0.10207084
aortic stenosis hypertension hyperlipidemia heart failure arthritis
sleep apnea, score: 0.0947612
machine vivid echocardiographic measurements, score: 0.07468926

confidence of prediction: 0.923963
Y_true: [4 18 20 26 27]
Y_pred: [4 18 20 26 27]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation he was discharged, score: 0.1376802
atrial fibrillation he was started, score: 0.12953633
atrial fibrillation with rate not, score: 0.07444277

confidence of prediction: 0.986078
Y_true: [4 18 20 26 27]
Y_pred: [4 18 20 26 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
heart failure arthritis sleep apnea, score: 0.00644224
chronic diastolic heart failure hypertension hyperlipidemia, score:
0.003127291
25mm st male first, score: 0.00297132

confidence of prediction: 0.950110
Y_true: [26 27 36]
Y_pred: [26 27 35]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
af s p av, score: 0.15170628
af s p av, score: 0.1271703
amiodarone load admitted for, score: 0.009200055

confidence of prediction: 0.922542
Y_true: [26 27 36]
Y_pred: [26 27 35]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
ef s p biv, score: 0.12233945
systolic heart failure with lvef of, score: 0.06086945
failure tte on this, score: 0.05039615

confidence of prediction: 0.668192
Y_true: [4 14 20 22 24 25 30 34 38]
Y_pred: [20 22 24 25 27 30 34 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension chronic obstructive pulmonary disease, score:
0.22825389
continued flovent osteoporosis started, score: 0.16829076

history of htn carotid disease status post, score: 0.1501642

confidence of prediction: 0.747482
Y_true: [4 14 20 22 24 25 30 34 38]
Y_pred: [20 22 24 25 27 30 34 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
for nstemi mi with elevated troponin, score: 0.11868356
an nstemi and is status, score: 0.057285372
non st elevation myocardial infarction mitral regurgitation, score:
0.011425262

confidence of prediction: 0.990215
Y_true: [4 14 20 22 24 25 30 34 38]
Y_pred: [20 22 24 25 27 30 34 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
bare metal stent via right, score: 0.1887023
bare metal stent to the, score: 0.10335798
bare metal stent to your, score: 0.10335798

confidence of prediction: 0.626854
Y_true: [4 14 20 22 24 25 30 34 38]
Y_pred: [20 22 24 25 27 30 34 38]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve that could, score: 0.037238773
infarction mitral regurgitation hypertension chronic obstructive,
score: 0.034955207
mitral regugitation most likely, score: 0.025306152

confidence of prediction: 0.671832
Y_true: [4 14 20 22 24 25 30 34 38]
Y_pred: [20 22 24 25 27 30 34 38]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
clopidogrel interaction copd continued flovent osteoporosis started,
score: 0.14716265
records brief hospital course, score: 0.103981204
surgery osteoporosis copd anxiety social history patient, score:
0.10119512

confidence of prediction: 0.845345
Y_true: [4 14 20 22 24 25 30 34 38]
Y_pred: [20 22 24 25 27 30 34 38]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
than hours gerd switched to ranitidine daily, score: 0.032561116
cea in gerd s p eye surgery, score: 0.022558229
diminished clinical correlation is, score: 0.012710101

confidence of prediction: 0.846921
Y_true: [4 14 20 22 24 25 30 34 38]
Y_pred: [20 22 24 25 27 30 34 38]

top three important windows for true positive code 38 (88.56: Coronary arteriography using two catheters)
cardiac catheterization with bare metal stent, score: 0.76814324
cardiac catheterization of note patient, score: 0.05022857
catheterization demonstated rca proximal, score: 0.021810755

confidence of prediction: 0.792537
Y_true: [4 20 24 26 27 49]
Y_pred: [4 17 18 22 24 26 27]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
on exertion dyslipidemia hypertension coronary artery disease, score: 0.021883015
carvedilol mg tablet last, score: 0.021513125
warfarin mg tablet last, score: 0.011358777

confidence of prediction: 0.918077
Y_true: [4 20 24 26 27 49]
Y_pred: [4 17 18 22 24 26 27]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery disease p a, score: 0.02231565
coronary artery disease p, score: 0.02231565
bare metal stent on she, score: 0.021750407

confidence of prediction: 0.988674
Y_true: [4 20 24 26 27 49]
Y_pred: [4 17 18 22 24 26 27]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib no malignant arrhythmias, score: 0.10543267
fib s p pci, score: 0.08632098
fib insulin ss per, score: 0.031230818

confidence of prediction: 0.984742
Y_true: [4 20 24 26 27 49]
Y_pred: [4 17 18 22 24 26 27]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
congestive heart failure and, score: 0.14426157
lad systolic chf with lvef and paroxysmal, score: 0.036042374
chf dyspnea on exertion, score: 0.021859867

confidence of prediction: 0.931049
Y_true: [26 32 47 49]
Y_pred: [7 20 26 27 44]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation dementia orthostatic hypotension, score: 0.11567607
atrial fibrillation s p cardioversion, score: 0.07344878
fibrillation with a rate, score: 0.055602696

confidence of prediction: 0.765491

Y_true: [2 4 16 17 19 20 35 40 41 42]
Y_pred: [4 17 19 33 35 40 41 42 43]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
incontinence dm hyperlipidemia obesity social history lives, score:
0.22210814
his creatinine settled out, score: 0.012690904
daily atorvastatin mg tablet sig, score: 0.0056600557

confidence of prediction: 0.839333
Y_true: [2 4 16 17 19 20 35 40 41 42]
Y_pred: [4 17 19 33 35 40 41 42 43]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line and a line, score: 0.07400364
lithium levels accumulated and resulted in, score: 0.073762834
has anticholinergic properties haldol, score: 0.04354078

confidence of prediction: 0.997785
Y_true: [2 4 16 17 19 20 35 40 41 42]
Y_pred: [4 17 19 33 35 40 41 42 43]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
emergent dialysis begun because, score: 0.024886562
line emergent hemodialysis history of, score: 0.021678496
emergency dialysis to remove, score: 0.0108454265

confidence of prediction: 0.876482
Y_true: [2 4 16 17 19 20 35 40 41 42]
Y_pred: [4 17 19 33 35 40 41 42 43]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
became pre renal in the, score: 0.20483093
multiple dialysis courses were required, score: 0.05413957
renal failure improved but, score: 0.0483862

confidence of prediction: 0.857331
Y_true: [2 4 16 17 19 20 35 40 41 42]
Y_pred: [4 17 19 33 35 40 41 42 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
he required intubation for airway protection, score: 0.2748894
requiring intubation for airway protection, score: 0.06888429
to be intubated due to, score: 0.016878922

confidence of prediction: 0.680838
Y_true: [2 4 16 17 19 20 35 40 41 42]
Y_pred: [4 17 19 33 35 40 41 42 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
a ventilator associated pneumonia you were, score: 0.28008908
he required intubation for airway, score: 0.11760856
an ileus so he, score: 0.025536131

confidence of prediction: 0.510838
Y_true: [2 4 16 17 19 20 35 40 41 42]
Y_pred: [4 17 19 33 35 40 41 42 43]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
he required intubation for airway protection, score: 0.30982706
a ventilator associated pneumonia you, score: 0.19192648
be intubated due to, score: 0.083018266

confidence of prediction: 0.931074
Y_true: [7 16 17 20 40 41 42]
Y_pred: [20 31 33 41 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
withh l htn prostate ca early, score: 0.24095732
history pmh hypertension parkinson s disease dementia, score:
0.06334338
the news badly he, score: 0.061538246

confidence of prediction: 0.829532
Y_true: [7 16 17 20 40 41 42]
Y_pred: [20 31 33 41 42]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
a dobhoff feeding tube was placed and, score: 0.048675925
keep him calm his chest, score: 0.030292243
sig ten mls po, score: 0.011793496

confidence of prediction: 0.726547
Y_true: [7 16 17 20 40 41 42]
Y_pred: [20 31 33 41 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
eventually required intubation and sedation to, score: 0.0743764
gen intubated and sedated, score: 0.038065497
sedated language intubated and sedated cranial nerves, score:
0.031228175

confidence of prediction: 0.831054
Y_true: [11 34]
Y_pred: [34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
infection gerd hx esophageal ulcer age, score: 0.03516345
virus vca igg ab final, score: 0.020300787
virus ebna igg ab, score: 0.01885131

confidence of prediction: 0.874899
Y_true: [21 26 34 36]
Y_pred: [21 23 26 34 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic

kidney disease stage I through stage IV, or unspecified)
chronic renal insufficiency s p, score: 0.059071932
cv irreg irreg normal, score: 0.03250202
has chronic renal insufficiency month only, score: 0.01972906

confidence of prediction: 0.959741
Y_true: [21 26 34 36]
Y_pred: [21 23 26 34 36]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib do consider conversion, score: 0.20775437
atrial fibrillation discharge condition, score: 0.18533137
afib given h o, score: 0.07714209

confidence of prediction: 0.955420
Y_true: [21 26 34 36]
Y_pred: [21 23 26 34 36]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
an outpatient gerd continued omeprazole communication son, score:
0.0054434594
pause as a possible, score: 0.00088349613
cr renally dosed medications and, score: 0.00087802514

confidence of prediction: 0.875130
Y_true: [21 26 34 36]
Y_pred: [21 23 26 34 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal insufficiency s p, score: 0.08629546
cv irreg irreg normal, score: 0.025126154
chronic kidney failure baseline cr based, score: 0.014738744

confidence of prediction: 0.725002
Y_true: [3 6 20 33 35 40 42 49]
Y_pred: [3 20 33 35]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
detailed hx hypertension hypercholesterolemia pvd s p fem, score:
0.012453816
melanoma secondary hypertension peripheral, score: 0.004623887
filter placed on he, score: 0.0027488836

confidence of prediction: 0.644653
Y_true: [3 6 20 33 35 40 42 49]
Y_pred: [3 20 33 35]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
melanoma secondary hypertension peripheral vascular disease, score:
0.19453157
detailed hx hypertension hypercholesterolemia pvd s p, score:
0.09716103
placement who developed b, score: 0.090670615

confidence of prediction: 0.882838
Y_true: [3 6 20 33 35 40 42 49]
Y_pred: [3 20 33 35]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
hypoxic respiratory failure hypoxic respiratory failure acute onset, score: 0.20919332
hypoxic respiratory failure and tachycardia, score: 0.13529293
acute ich in the setting, score: 0.04359824

confidence of prediction: 0.670478
Y_true: [3 6 20 33 35 40 42 49]
Y_pred: [3 20 33 35]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
[UNK] acute renal failure we are, score: 0.016765434
at approximately 2am he had an, score: 0.004384901
respiratory infection recently with, score: 0.004141228

confidence of prediction: 0.697440
Y_true: [1 4 12 17 20 32 33 35 40 43]
Y_pred: [1 4 12 17 20 33 40 41 42 43]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
day levothyroxine mcg tablet sig two, score: 0.08510857
commensal respiratory flora bal, score: 0.00657939
history hld hypothyroid since iodine treatment remote, score: 0.005928751

confidence of prediction: 0.607591
Y_true: [1 4 12 17 20 32 33 35 40 43]
Y_pred: [1 4 12 17 20 33 40 41 42 43]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
medical history hld hypothyroid since iodine treatment, score: 0.42201877
simvastatin mg tablet sig, score: 0.014354525
prn [UNK] simvastatin ibuprofen prn discharge medications, score: 0.011371962

confidence of prediction: 0.817195
Y_true: [1 4 12 17 20 32 33 35 40 43]
Y_pred: [1 4 12 17 20 33 40 41 42 43]
top three important windows for true positive code 12 (33.24: Closed [endoscopic] biopsy of bronchus)
temporoparietal sah cxr interval, score: 0.028054923
ucx ngtd bal ngtd cxr multiple r, score: 0.02021913
growth bal r commensal respiratory flora bal l commensal respiratory flora, score: 0.019586893

confidence of prediction: 0.910635
Y_true: [1 4 12 17 20 32 33 35 40 43]
Y_pred: [1 4 12 17 20 33 40 41 42 43]
top three important windows for true positive code 17 (38.93: Venous

catheterization, not elsewhere classified)
a picc catheter was placed for, score: 0.12619744
line flush picc heparin, score: 0.047383565
per lumen nafcillin g, score: 0.043180395

confidence of prediction: 0.800845
Y_true: [1 4 12 17 20 32 33 35 40 43]
Y_pred: [1 4 12 17 20 33 40 41 42 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
casts in spite of multiple, score: 0.06910582
his highest cr was on he, score: 0.053906858
net positive recently obstruction, score: 0.037725933

confidence of prediction: 0.767098
Y_true: [1 4 12 17 20 32 33 35 40 43]
Y_pred: [1 4 12 17 20 33 40 41 42 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
ucx ngtd bal ngtd cxr multiple, score: 0.16562253
cxr interval development of, score: 0.16149317
cx gs 25pmns oropharyngeal, score: 0.041688744

confidence of prediction: 0.889888
Y_true: [1 4 12 17 20 32 33 35 40 43]
Y_pred: [1 4 12 17 20 33 40 41 42 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
ucx ngtd bal ngtd cxr, score: 0.19621277
required re intubation he remained, score: 0.12497021
and scapular fractures were, score: 0.05184915

confidence of prediction: 0.616674
Y_true: [1 4 12 17 20 32 33 35 40 43]
Y_pred: [1 4 12 17 20 33 40 41 42 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
temporoparietal sah cxr interval, score: 0.059494685
sputum cx gs 25pmns oropharyngeal, score: 0.052323412
r commensal respiratory flora bal l commensal respiratory flora,
score: 0.045891806

confidence of prediction: 0.597132
Y_true: [4 8 13 18 20 24]
Y_pred: [4 7 13 18 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia bicuspid aortic valve, score:
0.25596663
with [UNK] xenograft history of present, score: 0.034551986
with [UNK] xenograft his bypass time was, score: 0.034551986

confidence of prediction: 0.939821

Y_true: [4 8 13 18 20 24]
Y_pred: [4 7 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
descending coronary reverse saphenous vein graft, score: 0.15540513
coronary artery bypass grafting x2, score: 0.0440821
a reverse saphenous vein single, score: 0.038092162

confidence of prediction: 0.975669
Y_true: [4 8 13 18 20 24]
Y_pred: [4 7 13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed toward the preoperative, score: 0.07970522
cardiothoracic allergies no known, score: 0.022842377
grafting x2 with left, score: 0.011881974

confidence of prediction: 0.961565
Y_true: [4 8 13 18 20 24]
Y_pred: [4 7 13 18 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension hyperlipidemia bicuspid aortic valve,
score: 0.3110445
at and htn physical, score: 0.16709259
with [UNK] xenograft history of, score: 0.05605702

confidence of prediction: 0.991628
Y_true: [4 8 13 18 20 24]
Y_pred: [4 7 13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
descending coronary reverse saphenous vein, score: 0.37082583
vessel coronary disease discharge condition, score: 0.058637533
coronary artery bypass grafting, score: 0.05595825

confidence of prediction: 0.823778
Y_true: [2 4 7 9 20 26 34 39 40 41 43]
Y_pred: [2 4 20 26 34 39 40 43]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
history hypertension dm hyperlipidemia gerd social history, score:
0.028284952
on admission glyburide simvastatin omeprazole metformin discharge
medications bisacodyl, score: 0.016914863

confidence of prediction: 0.721762
Y_true: [2 4 7 9 20 26 34 39 40 41 43]
Y_pred: [2 4 20 26 34 39 40 43]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension dm hyperlipidemia gerd social history lives, score:
0.16208997

diabettes m hyperlipidemia gerd discharge condition mental, score:
0.1350715
glyburide simvastatin omeprazole metformin, score: 0.023771431

confidence of prediction: 0.947761
Y_true: [2 4 7 9 20 26 34 39 40 41 43]
Y_pred: [2 4 20 26 34 39 40 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension diabettes m hyperlipidemia gerd, score: 0.42521313
ruptured aaa major surgical, score: 0.08504587
medical history hypertension dm hyperlipidemia gerd social, score:
0.07210347

confidence of prediction: 0.973655
Y_true: [2 4 7 9 20 26 34 39 40 41 43]
Y_pred: [2 4 20 26 34 39 40 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib rate controlled tube, score: 0.57798105
afib on telemetry lungs cta, score: 0.22333513
afib with a goal, score: 0.10612926

confidence of prediction: 0.941159
Y_true: [2 4 7 9 20 26 34 39 40 41 43]
Y_pred: [2 4 20 26 34 39 40 43]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
dm hyperlipidemia gerd social history lives with, score: 0.020835752
metformin discharge medications bisacodyl, score: 0.017176205
m hyperlipidemia gerd discharge condition mental, score: 0.008834149

confidence of prediction: 0.589365
Y_true: [2 4 7 9 20 26 34 39 40 41 43]
Y_pred: [2 4 20 26 34 39 40 43]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee was done which showed, score: 0.63132876
vegetation is seen on, score: 0.04396116
descending thoracic aorta the, score: 0.031556204

confidence of prediction: 0.713002
Y_true: [2 4 7 9 20 26 34 39 40 41 43]
Y_pred: [2 4 20 26 34 39 40 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
neo and intubated and requiring, score: 0.075295284
tube with incomplete visualization, score: 0.056476768
and intubated for several, score: 0.021871738

confidence of prediction: 0.501833
Y_true: [2 4 7 9 20 26 34 39 40 41 43]
Y_pred: [2 4 20 26 34 39 40 43]
top three important windows for true positive code 43 (96.72:

Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
sputum source endotracheal final report, score: 0.13084924
support while intubated on continued, score: 0.10093179
induced pneumonia oob to, score: 0.03885745

confidence of prediction: 0.912161
Y_true: [2 21 23 27 36 48]
Y_pred: [26 27 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf who presents with, score: 0.14941354
numeric identifier 56am calcium, score: 0.10592491
heart failure diastolic and systolic acute, score: 0.1005969

confidence of prediction: 0.917724
Y_true: [2 21 23 27 36 48]
Y_pred: [26 27 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg and, score: 0.27081552
s p cabg years ago he, score: 0.27081552
sl nitro x3 aspirin and, score: 0.003536111

confidence of prediction: 0.984960
Y_true: [3 8 11 13 14 18 20 24 27 38 47]
Y_pred: [2 4 13 18 20 24 27]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)
coronary artery bypass grafting times four, score: 0.5704076
coronary artery bypass grafting but, score: 0.034850746
coronary artery bypass grafting times four, score: 0.032217383

confidence of prediction: 0.968912
Y_true: [3 8 11 13 14 18 20 24 27 38 47]
Y_pred: [2 4 13 18 20 24 27]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.11649876
cardiothoracic allergies no known, score: 0.02034715
bypass grafting times four with, score: 0.010471108

confidence of prediction: 0.955843
Y_true: [3 8 11 13 14 18 20 24 27 38 47]
Y_pred: [2 4 13 18 20 24 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
diabetes type hypertension hyperlipidemia depression chf, score:
0.18538387
om1 in dm type htn and hld presenting, score: 0.0269258
continued to make steady, score: 0.019715391

confidence of prediction: 0.996127
Y_true: [3 8 11 13 14 18 20 24 27 38 47]

```
Y_pred: [ 2  4 13 18 20 24 27]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.3508921
s p pci des to ostial cx, score: 0.18421516
coronary artery disease s p pci des x2, score: 0.07428612

confidence of prediction: 0.887685
Y_true: [ 3  8 11 13 14 18 20 24 27 38 47]
Y_pred: [ 2  4 13 18 20 24 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf with ef social history, score: 0.27488777
chf with ef discharge condition, score: 0.27488777
80mg daily lasix 40mg daily, score: 0.0075254105

confidence of prediction: 0.966253
Y_true: [ 1 34 35]
Y_pred: [ 1 34 35]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
lyrica hypothyroidism continued home levothyroxine chronic
interstitial cystitis, score: 0.7077656
daily levothyroxine 50mcg m tu, score: 0.026118658
levothyroxine mcg tablet sig, score: 0.005053734

confidence of prediction: 0.918301
Y_true: [ 1 34 35]
Y_pred: [ 1 34 35]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
[UNK] hernia gerd ibs chronic abdominal pain, score: 0.10178307
8mg qpm gerd continued home protonix code, score: 0.022881066
kidney stones osteoporosis chronic interstitial, score: 0.015150358

confidence of prediction: 0.914932
Y_true: [ 1 34 35]
Y_pred: [ 1 34 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure transaminitis pituitary, score: 0.093934216
has sons owned name2, score: 0.040283296
ibuprofen acute kidney injury cr elevated to on, score: 0.01502814

confidence of prediction: 0.554105
Y_true: [34 40]
Y_pred: [ 4 33 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
neuro intubated and sedated, score: 0.48100495
was emergently intubated no epinephrine, score: 0.16249026
pip gen intubated sedated heent, score: 0.076828204

confidence of prediction: 0.925172
```

Y_true: [11 14 20 24 26 27 34 37 40 42]
Y_pred: [24 26 30 34 37 40 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease severe, score: 0.11352368
coronary artery disease not, score: 0.11352368
cad s p angioplasty in, score: 0.0596037

confidence of prediction: 0.912735
Y_true: [11 14 20 24 26 27 34 37 40 42]
Y_pred: [24 26 30 34 37 40 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with rvr that progressed, score: 0.3996632
afib vt s p icd, score: 0.20721713
atrial fibrillation coronary artery disease, score: 0.16332795

confidence of prediction: 0.635351
Y_true: [11 14 20 24 26 27 34 37 40 42]
Y_pred: [24 26 30 34 37 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
flutter gastroesophageal reflux disease chronic obstructive
pulmonary, score: 0.035851516
in detail potential amiodarone, score: 0.013404935
albuterol mcg aerosol fluticasone salmeterol puff, score:
0.011307414

confidence of prediction: 0.948570
Y_true: [11 14 20 24 26 27 34 37 40 42]
Y_pred: [24 26 30 34 37 40 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
the uti and the, score: 0.14505456
leuks lg 07am urine, score: 0.10470939
uti for days last, score: 0.08659747

confidence of prediction: 0.913962
Y_true: [11 14 20 24 26 27 34 37 40 42]
Y_pred: [24 26 30 34 37 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was initially intubated due to multiple icd, score: 0.0998438
sedated and intubated because of, score: 0.021923248
ext warm dps no, score: 0.0015562034

confidence of prediction: 0.852869
Y_true: [11 14 20 24 26 27 34 37 40 42]
Y_pred: [24 26 30 34 37 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
sedated and intubated because of multiple icd, score: 0.02075655
was initially intubated due to multiple icd, score: 0.0206748

to transition to once, score: 0.002078675

confidence of prediction: 0.869634
Y_true: [7 9 10 11 17 20 28 40 42]
Y_pred: [7 17 20 28 33 40 42]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
to have melanic stools her hct, score: 0.1631017
hypovolemic shock patient presented, score: 0.1161092
of consciousnes and was, score: 0.10226651

confidence of prediction: 0.750022
Y_true: [7 9 10 11 17 20 28 40 42]
Y_pred: [7 17 20 28 33 40 42]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
venous access line brief hospital, score: 0.56010395
course of ceftriaxone in, score: 0.06445819
she was trasnferred to, score: 0.023531446

confidence of prediction: 0.746084
Y_true: [7 9 10 11 17 20 28 40 42]
Y_pred: [7 17 20 28 33 40 42]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
cirrhosis migraines hypertension chronic low back, score: 0.24407311
liver bx hypertension alcoholic cirrhosis low grade, score: 0.07596307
liver bx hypertension social history lives, score: 0.07596307

confidence of prediction: 0.695887
Y_true: [7 9 10 11 17 20 28 40 42]
Y_pred: [7 17 20 28 33 40 42]
top three important windows for true positive code 28 (45.13: Other endoscopy of small intestine)
otherwise normal egd to, score: 0.16821726
had an egd after, score: 0.08275224
had an egd performed by gi which, score: 0.05135886

confidence of prediction: 0.752128
Y_true: [7 9 10 11 17 20 28 40 42]
Y_pred: [7 17 20 28 33 40 42]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
she was intubated and sedated review, score: 0.54573494
intoxicated to bal social work, score: 0.115664765
sclera anicteric intubated with blood, score: 0.06968513

confidence of prediction: 0.791187
Y_true: [7 9 10 11 17 20 28 40 42]
Y_pred: [7 17 20 28 33 40 42]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)

she was intubated and sedated review, score: 0.39145038
intoxicated to bal social work, score: 0.07168191
[UNK] and intubated in nad, score: 0.016704312

confidence of prediction: 0.758513
Y_true: [2 4 20 23 24 35 47]
Y_pred: [2 4 20 24]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
ii diabetes patient was monitored, score: 0.1947947
ii diabetes coronary artery disease, score: 0.08654145
type ii diabetes hyperlipidemia social, score: 0.058168553

confidence of prediction: 0.949152
Y_true: [2 4 20 23 24 35 47]
Y_pred: [2 4 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
ii diabetes hyperlipidemia social history patient lives, score:
0.06375976
hypertension and hyperlipidemia who presents with one, score:
0.046264533
mg daily glimepiride mg daily lisinopril, score: 0.004946322

confidence of prediction: 0.978921
Y_true: [2 4 20 23 24 35 47]
Y_pred: [2 4 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
blades which reminded her, score: 0.10015368
diabetes hypertension and hyperlipidemia, score: 0.0718544
hctz for now as, score: 0.0707771

confidence of prediction: 0.979177
Y_true: [2 4 20 23 24 35 47]
Y_pred: [2 4 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p lad stents in type, score: 0.12698671
and lad stents in ekg, score: 0.11410063
coronary artery stent is, score: 0.08530808

confidence of prediction: 0.885205
Y_true: [19 39 48]
Y_pred: [0 19 39 46 48]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
to dialysis tomorrow for, score: 0.11158966
esrd hd mwf htn, score: 0.10789201
esrd on hd chronic, score: 0.090185665

confidence of prediction: 0.848419
Y_true: [19 39 48]

Y_pred: [0 19 39 46 48]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
transesophageal echocardiogram history of, score: 0.21583608
tee the left atrium, score: 0.067566074
a tee that was negative for, score: 0.034111917

confidence of prediction: 0.873498
Y_true: [19 39 48]
Y_pred: [0 19 39 46 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg pvd, score: 0.29494172
s p cabg he, score: 0.29494172
status post cabg cardiac mediastinal and, score: 0.10410726

confidence of prediction: 0.895847
Y_true: [2 4 13 14 18 20 24 26 37 38]
Y_pred: [2 4 13 18 20 24 26 34 37]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
daily metformin mg tablet sig, score: 0.032979578
dyslipidemia diabetes mellitus gerd turp in, score: 0.028237367
hypertension dyslipidemia diabetes mellitus discharge condition
alert, score: 0.003951902

confidence of prediction: 0.815279
Y_true: [2 4 13 14 18 20 24 26 37 38]
Y_pred: [2 4 13 18 20 24 26 34 37]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension dyslipidemia diabetes mellitus gerd turp in,
score: 0.11731363
disease hypertension dyslipidemia diabetes mellitus discharge,
score: 0.093193136
htn pmibi in demostrating mild, score: 0.016226115

confidence of prediction: 0.810897
Y_true: [2 4 13 14 18 20 24 26 37 38]
Y_pred: [2 4 13 18 20 24 26 34 37]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
cardiac catherization cabg history of present, score: 0.33299482
intraop tee conclusions pre, score: 0.016165985
and pacing wires were discontinued without, score: 0.014174201

confidence of prediction: 0.985868
Y_true: [2 4 13 14 18 20 24 26 37 38]
Y_pred: [2 4 13 18 20 24 26 34 37]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.72744924
cabg x please see, score: 0.024675468

diuresed toward the preoperative, score: 0.020525

confidence of prediction: 0.957233
Y_true: [2 4 13 14 18 20 24 26 37 38]
Y_pred: [2 4 13 18 20 24 26 34 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension dyslipidemia diabetes mellitus gerd,
score: 0.18529534
artery disease hypertension dyslipidemia diabetes mellitus
discharge, score: 0.1137327
pmibi in demostrating mild, score: 0.050220124

confidence of prediction: 0.998062
Y_true: [2 4 13 14 18 20 24 26 37 38]
Y_pred: [2 4 13 18 20 24 26 34 37]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cardiac catherization cabg history of present, score: 0.7273153
coronary artery disease hypertension dyslipidemia, score:
0.113949105
showed vessel coronary disease cardiac surgery was, score:
0.007905028

confidence of prediction: 0.863782
Y_true: [2 4 13 14 18 20 24 26 37 38]
Y_pred: [2 4 13 18 20 24 26 34 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation he was started, score: 0.24695766
atrial fibrillation hours there was, score: 0.23713236
amiodarone mg tablet sig, score: 0.0060386164

confidence of prediction: 0.745203
Y_true: [2 4 13 14 18 20 24 26 37 38]
Y_pred: [2 4 13 18 20 24 26 34 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
treatment of uti the patient was brought, score: 0.045146614
a reversible medium sized moderate severity perfusion, score:
0.032598536
[UNK] [UNK] acid flomax, score: 0.02017176

confidence of prediction: 0.967901
Y_true: [1 2 4 11 20 24 35]
Y_pred: [1 2 4 11 20 24 35]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
continued hypothyroidism home levothyroxine continued depression
home bupropion, score: 0.089038484
daily levothyroxine mcg daily divalproex, score: 0.0056014075
daily levothyroxine mcg tablet sig, score: 0.004000008

confidence of prediction: 0.895942

Y_true: [1 2 4 11 20 24 35]
Y_pred: [1 2 4 11 20 24 35]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
issues dm2 glipizide and metformin were held, score: 0.16319638
admission glipizide mg daily metformin mg hospital1 asa mg, score:
0.0072576874
history dm2 htn hl, score: 0.0054623503

confidence of prediction: 0.830411
Y_true: [1 2 4 11 20 24 35]
Y_pred: [1 2 4 11 20 24 35]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
mirtazapine divalproex continued bph, score: 0.02517929
dm2 htn hl cad last cardiac cath, score: 0.02515102
hypotension hl home atorvastatin continued cad, score: 0.021643387

confidence of prediction: 0.813118
Y_true: [1 2 4 11 20 24 35]
Y_pred: [1 2 4 11 20 24 35]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
depression home bupropion mirtazapine divalproex continued, score:
0.07981703
obesity bph depression gerd arthritis, score: 0.06604554
mg tid prn nausea, score: 0.026950894

confidence of prediction: 0.991192
Y_true: [1 2 4 11 20 24 35]
Y_pred: [1 2 4 11 20 24 35]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
chronic issues dm2 glipizide and, score: 0.092978254
insulin ss htn lisinopril was held, score: 0.041739553
history dm2 htn hl cad, score: 0.024185237

confidence of prediction: 0.685462
Y_true: [1 2 4 11 20 24 35]
Y_pred: [1 2 4 11 20 24 35]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
ntg mg sl prn chest, score: 0.033187803
hl cad last cardiac cath unknown, score: 0.028081872
continued cad home asa sl ntg prn chest, score: 0.027945112

confidence of prediction: 0.960400
Y_true: [1 2 4 11 20 24 35]
Y_pred: [1 2 4 11 20 24 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
syndrome prerenal arf high spec, score: 0.2138389
renal failure hyperkalemia discharge, score: 0.17608228

acute renal failure hyperkalemia major, score: 0.037667595

confidence of prediction: 0.836083
Y_true: [5 16 26 33 40 42]
Y_pred: [5 26 33 40 42]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
that she wasn t, score: 0.2123595
recorded as having no, score: 0.02784192
hyponatremia the patient s hyponatremia was likely related to,
score: 0.02758771

confidence of prediction: 0.944257
Y_true: [5 16 26 33 40 42]
Y_pred: [5 26 33 40 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation was noted this, score: 0.19628248
atrial fibrillation on the second, score: 0.14579062
atrial arrhythmia mat vs, score: 0.03467641

confidence of prediction: 0.959554
Y_true: [5 16 26 33 40 42]
Y_pred: [5 26 33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
to respiratory failure and intubation respiratory failure on
admission, score: 0.3866027
s respiratory failure was, score: 0.078901745
was intubated in the, score: 0.020956226

confidence of prediction: 0.830291
Y_true: [5 16 26 33 40 42]
Y_pred: [5 26 33 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
patient was intubated in the, score: 0.038996175
is intubated and appears, score: 0.037392687
she was intubated without difficulty, score: 0.0348189

confidence of prediction: 0.770365
Y_true: [5 16 26 33 40 42]
Y_pred: [5 26 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
is intubated and appears, score: 0.025604367
she was intubated without difficulty, score: 0.022225209
to respiratory failure and intubation respiratory failure on
admission, score: 0.01635744

confidence of prediction: 0.972625
Y_true: [8 18 20 32 48]
Y_pred: [18 20 48]

top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires according to protocol, score: 0.091475286
diuresed towards her preoperative, score: 0.033654187
cardiothoracic allergies bactrim ds, score: 0.021679947

confidence of prediction: 0.989255
Y_true: [8 18 20 32 48]
Y_pred: [18 20 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
gouty arthritis hypertension s p cholecystectomy, score: 0.17818558
medical history hypertension aortic insufficiency aortic, score:
0.087044224
50mg qpm hctz mg daily lisinopril, score: 0.059288926

confidence of prediction: 0.533245
Y_true: [8 18 20 32 48]
Y_pred: [18 20 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
years post cabg pre, score: 0.5584659
ointments to incisions each, score: 0.009680228
coronary artery disease s, score: 0.006968139

confidence of prediction: 0.823514
Y_true: [2 3 12 20 26 30 37 41 43]
Y_pred: [2 17 20 26 30 33 40 41 43]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
type ii dm basal cell and, score: 0.06544922
qd metformin glipizide insulin simvastatin 20mg, score: 0.012563084
lantus hospital1 with sliding, score: 0.007455343

confidence of prediction: 0.861259
Y_true: [2 3 12 20 26 30 37 41 43]
Y_pred: [2 17 20 26 30 33 40 41 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
a retired salesman he is married, score: 0.28662533
p dorzolamide timolol lumigan, score: 0.07752379
past years hypertension hypercholesterolemia type ii dm, score:
0.060893405

confidence of prediction: 0.938366
Y_true: [2 3 12 20 26 30 37 41 43]
Y_pred: [2 17 20 26 30 33 40 41 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation copd with progressively, score: 0.4422092
atrial fibrillation hypertension hypercholesterolemia, score:
0.10020034
atrial fibrillation past medical history, score: 0.065131254

confidence of prediction: 0.655053
Y_true: [2 3 12 20 26 30 37 41 43]
Y_pred: [2 17 20 26 30 33 40 41 43]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
medical history copd with progressively worsening symptoms, score:
0.15048783
atrial fibrillation copd with progressively worsening symptoms,
score: 0.0879482
for constipation bisacodyl mg, score: 0.0020087922

confidence of prediction: 0.872710
Y_true: [2 3 12 20 26 30 37 41 43]
Y_pred: [2 17 20 26 30 33 40 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
nutrition tube feeds novasource renal, score: 0.23036698
percutaneous tracheostomy tube placement percutaneous tracheostomy
portex nonfenestrated, score: 0.042795997
percutaneous tracheostomy tube placement portex, score: 0.042795997

confidence of prediction: 0.860606
Y_true: [2 3 12 20 26 30 37 41 43]
Y_pred: [2 17 20 26 30 33 40 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
for percutaneous tracheostomy tube placement percutaneous
tracheostomy portex nonfenestrated flexible bronchoscopy history,
score: 0.028304452
for percutaneous tracheostomy tube, score: 0.028304452
on flexible bronchoscopy with, score: 0.028073788

confidence of prediction: 0.814778
Y_true: [1 3 11 20 26 49]
Y_pred: [1 20]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
htn hypothyroid social history not, score: 0.19519973
synthroid mcg tab oral tablet, score: 0.03632451
s synthroid and put her, score: 0.030067537

confidence of prediction: 0.998129
Y_true: [1 3 11 20 26 49]
Y_pred: [1 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
daily rosuvastatin mg tablet sig, score: 0.014460458
was on coumadin on, score: 0.0063348156
complaint l sided weakness, score: 0.0044544227

confidence of prediction: 0.552885
Y_true: [5 7 20 26 49]

Y_pred: [20 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
afib thyroid htn social history nc family, score: 0.10876279
t7 compression fx old, score: 0.05025633
branch block non specific, score: 0.030153232

confidence of prediction: 0.974590
Y_true: [5 7 20 26 49]
Y_pred: [20 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
history afib thyroid htn social history, score: 0.0004983129
pleural effusions small to, score: 0.0004924285
ekg atrial fibrillation right bundle branch, score: 0.0003969685

confidence of prediction: 0.784888
Y_true: [4 8 19]
Y_pred: [19 37]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
esrd on hd sevelamer stopped, score: 0.11029194
esrd on hd hypertension, score: 0.10097112
esrd on hd htn, score: 0.10097112

confidence of prediction: 0.569383
Y_true: [2 35 37 46]
Y_pred: [0 2 17 20 37 46]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
metformin mg tablet sig, score: 0.0503661
hypertension diabetes bph epididymitis orchitis, score: 0.022153534
qd metformin 100mg tab in, score: 0.021047488

confidence of prediction: 0.972836
Y_true: [2 35 37 46]
Y_pred: [0 2 17 20 37 46]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuks lg 20pm urine rbc, score: 0.6388671
below urinary tract infection although, score: 0.039086137
urinary tract infection right nephrolithiasis, score: 0.035788305

confidence of prediction: 0.986799
Y_true: [2 35 37 46]
Y_pred: [0 2 17 20 37 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
from a urinary source, score: 0.08896145
urosepsis major surgical or, score: 0.07012924
septic shock sepsis due to uti his, score: 0.063931115

confidence of prediction: 0.822019

Y_true: [1 24 26 27]
Y_pred: [20 26 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib she was given, score: 0.24116829
rhythym f e n, score: 0.12781239
atrial fibrillation bp was stable, score: 0.089015536

confidence of prediction: 0.587767
Y_true: [6 15 20 24 27 38 42]
Y_pred: [0 6 15 17 20 24 38 42 46]
top three important windows for true positive code 6 (276.2:
Acidosis)
with metabolic acidosis patient s blood pressure, score: 0.039645065
on comfort and withdraw supportive, score: 0.039162975
was intubated and unresponsive with, score: 0.008920128

confidence of prediction: 0.574299
Y_true: [6 15 20 24 27 38 42]
Y_pred: [0 6 15 17 20 24 38 42 46]
top three important windows for true positive code 15 (37.23:
Combined right and left heart cardiac catheterization)
cardiac catheterization aortic balloon, score: 0.5412659
cath lab cardiogenic shock remained, score: 0.07889373
cath lab to evaluate, score: 0.025889765

confidence of prediction: 0.978419
Y_true: [6 15 20 24 27 38 42]
Y_pred: [0 6 15 17 20 24 38 42 46]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
p appendectomy hypertension social history patient is, score:
0.18661611
history of htn amyloid, score: 0.18226515
mg daily hctz mg daily oxcarbazepine, score: 0.023373628

confidence of prediction: 0.955873
Y_true: [6 15 20 24 27 38 42]
Y_pred: [0 6 15 17 20 24 38 42 46]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
a 40cc iabp was placed the, score: 0.03227938
the lad had a, score: 0.029443178
vessel coronary disease the lmca, score: 0.027892742

confidence of prediction: 0.815339
Y_true: [6 15 20 24 27 38 42]
Y_pred: [0 6 15 17 20 24 38 42 46]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization aortic balloon, score: 0.33183938
cath lab cardiogenic shock remained, score: 0.09915471
vessel stenosis these latter, score: 0.036989834

confidence of prediction: 0.627362
Y_true: [6 15 20 24 27 38 42]
Y_pred: [0 6 15 17 20 24 38 42 46]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
general intubated and sedated not, score: 0.15686941
patient was intubated and unresponsive, score: 0.08782859
to intubation however patient, score: 0.0708851

confidence of prediction: 0.841226
Y_true: [15 16 19 25 27 38 39 40 43]
Y_pred: [4 7 19 24 25 33 42]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
on mwf hd given the, score: 0.09683632
and amyloidosis esrd on hd with recent, score: 0.06826249
medical history esrd amyloidosis hyperlipidemia, score: 0.015335708

confidence of prediction: 0.831446
Y_true: [15 16 19 25 27 38 39 40 43]
Y_pred: [4 7 19 24 25 33 42]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral regurgitation hypertension discharge, score: 0.18543415
severe mitral regurgitation not, score: 0.10200664
mitral regurgitation thanks to, score: 0.058213048

confidence of prediction: 0.790728
Y_true: [19 29 49]
Y_pred: [29 49]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
hospital acquired pneumonia for week and, score: 0.19424818
community acquired pneumonia was made and he, score: 0.09970749
sputum culture sent but, score: 0.034516506

confidence of prediction: 0.962657
Y_true: [19 29 49]
Y_pred: [29 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
embolism on warfarin presents, score: 0.4560969
s on warfarin discharge, score: 0.028612169
ago his warfarin was, score: 0.012013177

confidence of prediction: 0.811981
Y_true: [2 7 18 20 27 34]
Y_pred: [2 18 20 25 34]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
noninsulin dependent diabetes mellitus obstructive sleep apnea,
score: 0.09121413

noninsulin dependent diabetes mellitus s p femoral, score:
0.09121413
smokes 10cig per day, score: 0.0022270237

confidence of prediction: 0.985237
Y_true: [2 7 18 20 27 34]
Y_pred: [2 18 20 25 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued and, score: 0.7241327
wires were cut without, score: 0.043199316
cardiothoracic allergies motrin naproxen, score: 0.00621119

confidence of prediction: 0.997978
Y_true: [2 7 18 20 27 34]
Y_pred: [2 18 20 25 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension noninsulin dependent diabetes mellitus,
score: 0.08840097
away from mi physical, score: 0.054550745
sleep apnea hypertension noninsulin dependent diabetes mellitus,
score: 0.01702515

confidence of prediction: 0.805479
Y_true: [2 7 18 20 27 34]
Y_pred: [2 18 20 25 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
x congested l conjunctiva, score: 0.02486832
rodding bipolar disorder s, score: 0.024454653
gastroesophageal reflux bipolar disorder h o, score: 0.020121846

confidence of prediction: 0.631450
Y_true: [0 2 5 6 22 23 27 35 37 47]
Y_pred: [0 2 4 20 27 30 31 37 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
urosepsis from multi drug resistant, score: 0.13108097
outpatient sepsis resolved likely secondary to, score: 0.0069617806
a few months ago, score: 0.006726906

confidence of prediction: 0.500719
Y_true: [0 2 5 6 22 23 27 35 37 47]
Y_pred: [0 2 4 20 27 30 31 37 46]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
nh records januvia nf, score: 0.0015313417
anemia dm chf ef in hx, score: 0.0015267048
the past diabetes mellitus type ii started on, score: 0.0012645142

confidence of prediction: 0.966516
Y_true: [0 2 5 6 22 23 27 35 37 47]

Y_pred: [0 2 4 20 27 30 31 37 46]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
of copd chf alzheimer s and expressive, score: 0.015596889
cover manor discharge diagnosis, score: 0.014083515
dementia nstemi discharge condition, score: 0.008440127

confidence of prediction: 0.774996
Y_true: [0 2 5 6 22 23 27 35 37 47]
Y_pred: [0 2 4 20 27 30 31 37 46]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection copd, score: 0.12260784
a uti grossly positive, score: 0.096960396
treat uti since pna was, score: 0.0708194

confidence of prediction: 0.692879
Y_true: [2 14 20 24 27]
Y_pred: [2 15 20 24 27 38]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
dm on oral medications as, score: 0.101698376
and diabetes mellitus presents with inferior, score: 0.07093302
hypertension diabetes history of, score: 0.032517534

confidence of prediction: 0.946844
Y_true: [2 14 20 24 27]
Y_pred: [2 15 20 24 27 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension and diabetes mellitus, score: 0.10228962
dm2 htn presented with, score: 0.098736644
diabetes mellitus hypertension discharge, score: 0.07040327

confidence of prediction: 0.974154
Y_true: [2 14 20 24 27]
Y_pred: [2 15 20 24 27 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
vessel cad with distal rca occlusion normal cardiac, score:
0.033048555
disease the rca was extremely tortuous with, score: 0.023588246
cardiac catheterization with balloon, score: 0.023331106

confidence of prediction: 0.916276
Y_true: [2 14 20 24 27]
Y_pred: [2 15 20 24 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
heart function it is, score: 0.021345407
optimal heart failure regimen continue aspirin, score: 0.016584225
pump systolic heart failure acute euvolemic, score: 0.011899087

confidence of prediction: 0.924020
Y_true: [4 39]
Y_pred: [4 33 39]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
h o hyperlipidemia psh s p retrograde, score: 0.0733738
m2 indication hypertension left, score: 0.058863364
pmh osteoporosis psh retrograde nailing, score: 0.008750052

confidence of prediction: 0.849453
Y_true: [4 39]
Y_pred: [4 33 39]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee complete son name, score: 0.5738778
tee complete done at, score: 0.10865353
tee related complications regional left, score: 0.022246521

confidence of prediction: 0.602691
Y_true: [2 4 14 26 27 35 38]
Y_pred: [2 4 26 27 35 38]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
pain glyburide lantus units daily albuterol nebulizer, score:
0.08370434
of type dm paroxysmal afib chronic, score: 0.009755325
dm and htn also rising, score: 0.007265942

confidence of prediction: 0.698063
Y_true: [2 4 14 26 27 35 38]
Y_pred: [2 4 26 27 35 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
risk factors hyperlipidemia cardiac history cabg none, score:
0.07414215
amiodarone mg tablet sig, score: 0.03632344
simvastatin mg tablet sig, score: 0.034347773

confidence of prediction: 0.990948
Y_true: [2 4 14 26 27 35 38]
Y_pred: [2 4 26 27 35 38]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib chronic systolic chf severe lv dysfuntion, score: 0.658799
atrial fibrillation chronic back pain, score: 0.08373589
atrial fibrillation coumadin was stopped patient, score: 0.025079928

confidence of prediction: 0.973275
Y_true: [2 4 14 26 27 35 38]
Y_pred: [2 4 26 27 35 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure ef ventricular, score: 0.17822255

systolic heart failure with ef s, score: 0.069206975
chronic systolic chf severe lv dysfuntion, score: 0.025439389

confidence of prediction: 0.867012
Y_true: [2 4 14 26 27 35 38]
Y_pred: [2 4 26 27 35 38]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
with pre renal failure patient was, score: 0.2912352
renal failure cr up to apparent, score: 0.039479487
bun cr checked in, score: 0.010388208

confidence of prediction: 0.615803
Y_true: [2 4 14 26 27 35 38]
Y_pred: [2 4 26 27 35 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cath comments selective coronary angiography of this, score:
0.0783546
heart pcwp 26mmhg filling, score: 0.04421946
vessel without angiographically apparent, score: 0.022583507

confidence of prediction: 0.878893
Y_true: [4 20 23 24 26 27 33 39 41 43]
Y_pred: [4 17 20 21 23 24 25 26 36 39 42 43]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
2nd htn hl atrial fibrillation never on, score: 0.15996057
continued simvastatin transitional issues, score: 0.08986231
in htn hl and recent bout, score: 0.065578386

confidence of prediction: 0.866753
Y_true: [4 20 23 24 26 27 33 39 41 43]
Y_pred: [4 17 20 21 23 24 25 26 36 39 42 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
stent 2nd htn hl atrial fibrillation never, score: 0.18910562
stents in htn hl and recent, score: 0.10461393
brown casts consistent with, score: 0.082418635

confidence of prediction: 0.672496
Y_true: [4 20 23 24 26 27 33 39 41 43]
Y_pred: [4 17 20 21 23 24 25 26 36 39 42 43]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi with stents in htn, score: 0.26462469
s p mi and, score: 0.26462469
transfusions cad mi s p stenting hypertension, score: 0.047567144

confidence of prediction: 0.877020
Y_true: [4 20 23 24 26 27 33 39 41 43]
Y_pred: [4 17 20 21 23 24 25 26 36 39 42 43]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)

s p mi with stents in htn, score: 0.09657801
cad mi s p stenting hypertension, score: 0.030188361
cad s p mi and, score: 0.019885924

confidence of prediction: 0.882240
Y_true: [4 20 23 24 26 27 33 39 41 43]
Y_pred: [4 17 20 21 23 24 25 26 36 39 42 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
irregularly irregular normal s1 s2, score: 0.13484907
atrial fibrillation patient was initially, score: 0.09182377
atrial fibrillation with slower rate, score: 0.07628851

confidence of prediction: 0.646801
Y_true: [4 20 23 24 26 27 33 39 41 43]
Y_pred: [4 17 20 21 23 24 25 26 36 39 42 43]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee demonstrated that patient s, score: 0.329642
mitral valve chordae and, score: 0.042044424
atn a tee demonstrated severe lvot, score: 0.025558911

confidence of prediction: 0.507582
Y_true: [4 20 23 24 26 27 33 39 41 43]
Y_pred: [4 17 20 21 23 24 25 26 36 39 42 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
she was intubated on due, score: 0.1523308
are adopted physical exam, score: 0.030450823
several granular casts and, score: 0.028467195

confidence of prediction: 0.903338
Y_true: [1 10 31 32 42]
Y_pred: [1 31 40 42]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
history hypothyroidism social history patient, score: 0.22933581
of hypothyroidism who presents, score: 0.14130336
levothyroxine 50mcg daily ativan, score: 0.08369305

confidence of prediction: 0.892260
Y_true: [1 10 31 32 42]
Y_pred: [1 31 40 42]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
and aspiration pneumonia was the, score: 0.14286056
hospital acquired pneumonia the, score: 0.11668088
effusion aspiration pneumonia secondary diagnosis hypothyroidism,
score: 0.056479283

confidence of prediction: 0.639900
Y_true: [1 10 31 32 42]
Y_pred: [1 31 40 42]

top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
after intubation she was transfered to, score: 0.24105968
post intubation on was, score: 0.20577832
leading to intubation which was, score: 0.04430239

confidence of prediction: 0.984618
Y_true: [12 41 43]
Y_pred: [17 40 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
tolerated tube feeds throughout the hospitalization, score:
0.01827346
a peg tube placed concurrently, score: 0.005629164
plastics trach peg dr last, score: 0.0050127404

confidence of prediction: 0.705529
Y_true: [12 41 43]
Y_pred: [17 40 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
tube feeds throughout the, score: 0.046282
orbital wall orbital roof, score: 0.03162885
a peg tube placed, score: 0.03142118

confidence of prediction: 0.616612
Y_true: [7 28 34]
Y_pred: [7 20 28 34]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
and her hematocrits then, score: 0.40798205
illness 53f pmhx sig, score: 0.24584283
course 53f pmhx sig, score: 0.06385609

confidence of prediction: 0.817780
Y_true: [7 28 34]
Y_pred: [7 20 28 34]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
otherwise normal egd to, score: 0.48439085
illness 53f pmhx sig, score: 0.12012366
study called endoscopy which showed stomach, score: 0.045817114

confidence of prediction: 0.882142
Y_true: [7 28 34]
Y_pred: [7 20 28 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
deficiency anemia gerd hypertension social history she, score:
0.11412555
illness 53f pmhx sig, score: 0.020989299
course 53f pmhx sig, score: 0.009776058

confidence of prediction: 0.934984
Y_true: [1 7 17 20 24 34 35 37]
Y_pred: [1 20 34 35 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
prn hypothyroidism conitnue home levothyroxine sciatica her right,
score: 0.5301604
gerd hypothyroidism who was, score: 0.13058959
ago hypothyroidism social history, score: 0.062594116

confidence of prediction: 0.645316
Y_true: [1 7 17 20 24 34 35 37]
Y_pred: [1 20 34 35 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn gerd, score: 0.09150769
htn pt on isosorbide mn, score: 0.089651465
significant for htn gerd, score: 0.07162163

confidence of prediction: 0.647734
Y_true: [1 7 17 20 24 34 35 37]
Y_pred: [1 20 34 35 37]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
history htn gerd vaginal spotting right, score: 0.07898861
for htn gerd hypothyroidism who was admitted, score: 0.05678935
picc line with be, score: 0.018738853

confidence of prediction: 0.968710
Y_true: [1 7 17 20 24 34 35 37]
Y_pred: [1 20 34 35 37]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure cr as [UNK] stabilized, score: 0.08302857
nahco3 vancomycin grams q24hours discharge, score: 0.003406756
had worsening renal function during this, score: 0.0016080717

confidence of prediction: 0.875461
Y_true: [1 7 17 20 24 34 35 37]
Y_pred: [1 20 34 35 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
pcp uti patient only received, score: 0.061589226
uti however her antibiotics, score: 0.028760633
to discharge uti on further consideration, score: 0.019283347

confidence of prediction: 0.956339
Y_true: [1 4 11 27 29]
Y_pred: [1 4 8 30 31]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
history dementia hypothyroidism osteoporosis chronic constipation
rectal, score: 0.0010360794

dementia osteoporosis hypothyroidism not on replacement who, score:
0.0006805108
encephalopathy metabolic while in, score: 0.0004492552

confidence of prediction: 0.506025
Y_true: [1 4 11 27 29]
Y_pred: [1 4 8 30 31]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
prolapse cataracts hyperlipidemia anxiety ventral hernia social,
score: 0.6645513
mirtazapine mg po hs guaifenesin, score: 0.009315675
constipation mirtazapine mg po hs sertraline, score: 0.0072725746

confidence of prediction: 0.603184
Y_true: [6 8 10 35 37 42]
Y_pred: [10 17 35 37 40 42]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
social history smokes about ppd unclear alcohol history, score:
0.08488625
and vodka bottles she was discovered, score: 0.0030443163
abuse since on methadone, score: 0.0011745926

confidence of prediction: 0.818671
Y_true: [6 8 10 35 37 42]
Y_pred: [10 17 35 37 40 42]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
kidney injury urinary tract, score: 0.17818436
kidney injury with creatinine, score: 0.13675715
to a peak of, score: 0.032218702

confidence of prediction: 0.914182
Y_true: [6 8 10 35 37 42]
Y_pred: [10 17 35 37 40 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection the, score: 0.1865177
coli organisms ml presumptive, score: 0.17692831
urinary tract infection discharge condition, score: 0.0637509

confidence of prediction: 0.657341
Y_true: [6 8 10 35 37 42]
Y_pred: [10 17 35 37 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
she was intubated in the field then, score: 0.19999367
of ivdu this was decreased, score: 0.026383206
ivdu clean since on, score: 0.0070804646

confidence of prediction: 0.932775
Y_true: [11 20 33 40 42]

Y_pred: [20 33 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension substance abuse prior, score:
0.10785984
history of hypertension and, score: 0.051026408
taking benzos hypertension home medications the, score: 0.038503584

confidence of prediction: 0.683746
Y_true: [11 20 33 40 42]
Y_pred: [20 33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
rapid sequence intubation and put, score: 0.10135185
he was intubated via, score: 0.07851669
you required intubation in the micu, score: 0.0620396

confidence of prediction: 0.690820
Y_true: [11 20 33 40 42]
Y_pred: [20 33 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
thus reintubated he was, score: 0.20634903
he was intubated via rapid, score: 0.1175312
intubated intubated 16am glucose, score: 0.11013723

confidence of prediction: 0.766002
Y_true: [11 20 33 40 42]
Y_pred: [20 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
intubated intubated 16am glucose, score: 0.21917365
sequence intubation and put, score: 0.07298821
was thus reintubated he was given, score: 0.04310216

confidence of prediction: 0.993469
Y_true: [20 26 27 31 37]
Y_pred: [17 26 27 31 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib off coumadin chf anxiety, score: 0.7174145
atrial fibrillation marked left axis, score: 0.1552576
af not on coumadin, score: 0.07916846

confidence of prediction: 0.929935
Y_true: [20 26 27 31 37]
Y_pred: [17 26 27 31 37]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
pulomnary edema in the, score: 0.024011996
flash pulmonary edema with continued, score: 0.02209296
off coumadin chf anxiety dementia psh open, score: 0.021607768

confidence of prediction: 0.846511
Y_true: [20 26 27 31 37]
Y_pred: [17 26 27 31 37]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
death aspiration pneumonia immediate cause respiratory failure,
score: 0.053050295
to transition goals of, score: 0.039462734
spot films and technical, score: 0.0041067787

confidence of prediction: 0.978987
Y_true: [20 26 27 31 37]
Y_pred: [17 26 27 31 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
hcap uti ua and pan sensitive, score: 0.041319333
final escherichia coli swab, score: 0.018694015
final escherichia coli organisms ml presumptive, score: 0.018694015

confidence of prediction: 0.795744
Y_true: [17 40 42]
Y_pred: [31 33 40]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was transiently intubated for airway protection and, score:
0.4663356
eeg monitoring intubation history of, score: 0.07644432
reports confusion following the, score: 0.021819742

confidence of prediction: 0.684822
Y_true: [9 17 23 24 35 37 40 42]
Y_pred: [17 23 24 27 30 35 37 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
picc placement endotracheal intubation done, score: 0.45281744
bacteri rare yeast none, score: 0.063728936
bacteri mod yeast none, score: 0.06272892

confidence of prediction: 0.877593
Y_true: [9 17 23 24 35 37 40 42]
Y_pred: [17 23 24 27 30 35 37 42]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
lad lesion occlusion unknown medically managed prior mi about years
ago copd chf chronic, score: 0.015563985
cad known circ lesions with, score: 0.001183379

confidence of prediction: 0.996099
Y_true: [9 17 23 24 35 37 40 42]
Y_pred: [17 23 24 27 30 35 37 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lad lesion occlusion unknown medically managed prior mi about years
ago copd chf chronic back, score: 0.50556624

ef cad known circ lesions with, score: 0.024039876

confidence of prediction: 0.707508
Y_true: [9 17 23 24 35 37 40 42]
Y_pred: [17 23 24 27 30 35 37 42]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
atenolol with arf and recent out, score: 0.27429974
was having agonal breaths, score: 0.021030055
coronary arterial calcification diverticulosis, score: 0.017718486

confidence of prediction: 0.967421
Y_true: [9 17 23 24 35 37 40 42]
Y_pred: [17 23 24 27 30 35 37 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuks sm 20am urine rbc, score: 0.22770232
citrobacter urinary tract infection pulseless electrical, score:
0.11573157
citrobacter uti though it was not, score: 0.044365864

confidence of prediction: 0.748117
Y_true: [9 17 23 24 35 37 40 42]
Y_pred: [17 23 24 27 30 35 37 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
lightly sedated intubated able to, score: 0.14385277
was intubated in the, score: 0.13692717
was intubated in the, score: 0.12210315

confidence of prediction: 0.982076
Y_true: [4 16 20 42]
Y_pred: [20 33 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension not on medications, score: 0.808562
catheter with decompression of, score: 0.024719445
articular derangement mri could, score: 0.012810748

confidence of prediction: 0.759286
Y_true: [4 16 20 42]
Y_pred: [20 33 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
status intubated opens eyes, score: 0.09695145
r o2sats intubated gen wd wn intubated heent normocephalic
atraumatic, score: 0.05949413
his neurological exam declined, score: 0.038274147

confidence of prediction: 0.789929
Y_true: [6 7 17 20 34 35]
Y_pred: [7 49]

top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
of crystalloid u prbc and u, score: 0.051355172
allergies latex morphine attending, score: 0.0497693
with creation of hartmann, score: 0.043150596

confidence of prediction: 0.579524
Y_true: [2 5 14 35 37 38]
Y_pred: [2 15 24 35 38 39]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
metformin and glyburide at d c, score: 0.3208745
ef diabetes mellitus type new diagnosis, score: 0.07947265
diabetes center last name, score: 0.031473923

confidence of prediction: 0.597514
Y_true: [2 5 14 35 37 38]
Y_pred: [2 15 24 35 38 39]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
to 1st degree conduction, score: 0.1950021
renal failure suspect acute renal failure in setting, score: 0.07496382
hyperglycemia likely represents longstanding undiagnosed diabetes, score: 0.039639343

confidence of prediction: 0.876586
Y_true: [2 5 14 35 37 38]
Y_pred: [2 15 24 35 38 39]
top three important windows for true positive code 38 (88.56: Coronary arteriography using two catheters)
cardiac catheterization with pacer, score: 0.8311297
cardiac catheterization was done which, score: 0.016412234
bare metal stent to, score: 0.007854144

confidence of prediction: 0.577845
Y_true: [5 9 17 20 39 40 43 47]
Y_pred: [17 39 40 42]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
emboli on ct and, score: 0.15174091
emboli to the brain, score: 0.12991592
strep pneumo meningitis right, score: 0.050352965

confidence of prediction: 0.704350
Y_true: [5 9 17 20 39 40 43 47]
Y_pred: [17 39 40 42]
top three important windows for true positive code 39 (88.72: Diagnostic ultrasound of heart)
tee was negative for vegetations, score: 0.47157997
vegetation however this was, score: 0.16429622
tee as such it, score: 0.03501246

confidence of prediction: 0.859866
Y_true: [5 9 17 20 39 40 43 47]
Y_pred: [17 39 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was eventually intubated in order to, score: 0.5124176
husband called oncologist who told, score: 0.017655013
noted continuous eeg while at, score: 0.016989999

confidence of prediction: 0.797758
Y_true: [6 7 9 10 11 42]
Y_pred: [7 11 28 40 42]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
cc bright red blood, score: 0.0792472
cc bright red blood, score: 0.07260164
the endoscopy showed no, score: 0.06811681

confidence of prediction: 0.959609
Y_true: [6 7 9 10 11 42]
Y_pred: [7 11 28 40 42]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
asthma alcohol abuse presented, score: 0.010012401
of wretching ngt was, score: 0.002506354
history alcohol abuse back pain depression bilateral hip
replacements social history lives, score: 0.002497983

confidence of prediction: 0.602113
Y_true: [6 7 9 10 11 42]
Y_pred: [7 11 28 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
elective intubation family history, score: 0.023296675
sedation when intubated once extubated he, score: 0.0069567375
to sedation required liters, score: 0.00442418

confidence of prediction: 0.960467
Y_true: [4 8 13 14 18 20 24 38 39 44]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
cabg hypertension dyslipidemia hernia discharge condition, score:
0.46806607
medical history dyslipidemia hypertension prior cholecystectomy
left, score: 0.03869209
m2 indication coronary artery, score: 0.023937147

confidence of prediction: 0.962462
Y_true: [4 8 13 14 18 20 24 38 39 44]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)

descending saphenous vein graft ramus saphenous vein graft, score: 0.1647804
coronary artery bypass graft surgery see, score: 0.09423584
obtuse marginal saphenous vein graft distal, score: 0.0723715

confidence of prediction: 0.963271
Y_true: [4 8 13 14 18 20 24 38 39 44]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
lotions powders or ointments to, score: 0.35345057
incisions no baths or, score: 0.30743042
pleural drains postoperative enlargement, score: 0.015740594

confidence of prediction: 0.927267
Y_true: [4 8 13 14 18 20 24 38 39 44]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
pressors and inotropes for, score: 0.07265589
history dyslipidemia hypertension prior cholecystectomy, score: 0.06549255
s p cabg hypertension dyslipidemia hernia discharge condition, score: 0.02482664

confidence of prediction: 0.968414
Y_true: [4 8 13 14 18 20 24 38 39 44]
Y_pred: [4 13 18 20 24]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery disease s p cabg hypertension, score: 0.2739693
s p coronary artery bypass graft, score: 0.11427897
descending saphenous vein graft, score: 0.05482245

confidence of prediction: 0.985178
Y_true: [6 13 15 18 23 24 35 38 42]
Y_pred: [13 14 15 18 20 24 38]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass graft x5 lima lad svg om1, score: 0.39271036
coronary artery bypass x overall, score: 0.07692889
wires were discontinued without, score: 0.020028055

confidence of prediction: 0.646342
Y_true: [6 13 15 18 23 24 35 38 42]
Y_pred: [13 14 15 18 20 24 38]
top three important windows for true positive code 15 (37.23: Combined right and left heart cardiac catheterization)
cardiac cath selective coronary angiography of this, score: 0.06415492
heart catheterization coronary angiogram history of, score: 0.058896575
cardiac catheterization lab and was found, score: 0.038060084

confidence of prediction: 0.985535
Y_true: [6 13 15 18 23 24 35 38 42]
Y_pred: [13 14 15 18 20 24 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.73546404
diuresed toward the preoperative, score: 0.020751135
cardiothoracic allergies tetanus attending, score: 0.0069804606

confidence of prediction: 0.980838
Y_true: [6 13 15 18 23 24 35 38 42]
Y_pred: [13 14 15 18 20 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p coronary artery bypass grafts, score:
0.20510688
coronary artery bypass graft, score: 0.18489546
coronary artery disease myocardial infarction asthma, score:
0.080137916

confidence of prediction: 0.923760
Y_true: [6 13 15 18 23 24 35 38 42]
Y_pred: [13 14 15 18 20 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac cath selective coronary angiography of this, score:
0.06410229
heart catheterization coronary angiogram history of, score:
0.03883639
cardiac catheterization lab and was found, score: 0.015474486

confidence of prediction: 0.629531
Y_true: [8 16 17 21 24 27 33 35 40 42 46]
Y_pred: [0 24 27 29 33 36 40 42 46]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
o cad dchf symptomatic bradycardia s, score: 0.36727273
std thought demand from increased, score: 0.011615622
s p pacemaker implantation htn renal, score: 0.0048057837

confidence of prediction: 0.971993
Y_true: [8 16 17 21 24 27 33 35 40 42 46]
Y_pred: [0 24 27 29 33 36 40 42 46]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
o cad dchf symptomatic bradycardia s p, score: 0.0050528147
component chf admitted to the micu, score: 0.0047280733
an echo was done, score: 0.004560156

confidence of prediction: 0.941515
Y_true: [8 16 17 21 24 27 33 35 40 42 46]
Y_pred: [0 24 27 29 33 36 40 42 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)

hypoxic respiratory failure likely multifactorial, score: 0.32907924
hypoxia requiring intubation and hypotension, score: 0.07051207
peep general intubated sedated heent sclera, score: 0.063010916

confidence of prediction: 0.610865
Y_true: [8 16 17 21 24 27 33 35 40 42 46]
Y_pred: [0 24 27 29 33 36 40 42 46]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
peep general intubated sedated heent sclera, score: 0.23868234
and then intubated and a cvl, score: 0.1289546
as intubated sedated past, score: 0.04516153

confidence of prediction: 0.712100
Y_true: [8 16 17 21 24 27 33 35 40 42 46]
Y_pred: [0 24 27 29 33 36 40 42 46]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
and then intubated and a cvl, score: 0.05439722
hypoxia requiring intubation and hypotension requiring, score:
0.04902892
peep general intubated sedated heent sclera, score: 0.0393533

confidence of prediction: 0.654808
Y_true: [8 16 17 21 24 27 33 35 40 42 46]
Y_pred: [0 24 27 29 33 36 40 42 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
was thought sepsis vs, score: 0.14203641
and thoguht sepsis vs, score: 0.087367594
vanc and levoquin as, score: 0.046641145

confidence of prediction: 0.925977
Y_true: [1 16 34]
Y_pred: [1]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
q24h levothyroxine sodium mcg po daily, score: 0.033737753
rll bronchoscopy showed metastatic disease, score: 0.0022228798
past medical hypothyroidism social history she is, score:
0.0015808184

confidence of prediction: 0.879053
Y_true: [1 17 19 26 29]
Y_pred: [1 19 26 29 33 40]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
discharge hypothyroidism stable the, score: 0.7439364
klebsiella hypothyroidism biliary stricture, score: 0.023790156
daily levothyroxine mcg daily omeprazole, score: 0.02207621

confidence of prediction: 0.929268
Y_true: [1 17 19 26 29]

Y_pred: [1 19 26 29 33 40]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
esrd on dialysis who was, score: 0.11525833
vancomycin with hemodialysis and levofloxacin, score: 0.06518701
on dialysis esophageal varices, score: 0.059379656

confidence of prediction: 0.965918
Y_true: [1 17 19 26 29]
Y_pred: [1 19 26 29 33 40]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
irregularly irregular s1 s2 no, score: 0.7285211
atrial fibrillation with rvr requiring, score: 0.07751647
afib status post ablation x2, score: 0.051345948

confidence of prediction: 0.669012
Y_true: [1 17 19 26 29]
Y_pred: [1 19 26 29 33 40]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
primary diagnosis pneumonia secondary diagnoses atrial, score:
0.17309219
of pneumonia and quickly, score: 0.15593481
your pneumonia required use, score: 0.060042996

confidence of prediction: 0.912108
Y_true: [4 20 26 41]
Y_pred: [4 20 26 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
gerd chronic stable continue, score: 0.040874843
this time hyperlipidemia chronic stable no medications, score:
0.020692386
pmh cholangiocarcinoma recurrent pancreatitis, score: 0.016549643

confidence of prediction: 0.596132
Y_true: [4 20 26 41]
Y_pred: [4 20 26 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
intermittent afib htn hld anxiety r pulmonary, score: 0.115057416
aspirin hypertension chronic stable no, score: 0.08447107
with intermittent hyperglycemia was, score: 0.04692468

confidence of prediction: 0.976914
Y_true: [4 20 26 41]
Y_pred: [4 20 26 34]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib htn hld anxiety r, score: 0.53920907
afib currently in regular, score: 0.41520676
was a pleasure taking care, score: 0.00796943

confidence of prediction: 0.928353
Y_true: [4 20 24 42]
Y_pred: [4 11 20 23 24 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
aura htn hld depression no other, score: 0.3057472
stenting htn hld and migraines presents as, score: 0.16459532
clopidogrel htn hld and migraines presented, score: 0.04363865

confidence of prediction: 0.986132
Y_true: [4 20 24 42]
Y_pred: [4 11 20 23 24 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
p stenting htn hld and migraines presents, score: 0.19013737
htn hld and migraines presented, score: 0.0252202
54am blood lactate 18am, score: 0.018724848

confidence of prediction: 0.961172
Y_true: [4 20 24 42]
Y_pred: [4 11 20 23 24 40 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
5a motor arm left, score: 0.00778981
s p stents on, score: 0.004503128
of cad s p stenting htn, score: 0.004432242

confidence of prediction: 0.671077
Y_true: [4 20 24 42]
Y_pred: [4 11 20 23 24 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated with succinylcholine, score: 0.11068166
general intubated off sedation heent nc, score: 0.06992571
she was intubated [UNK] was, score: 0.053014003

confidence of prediction: 0.872947
Y_true: [8 20 23 24 26 27 29 32 42 49]
Y_pred: [20 26 27 29 33 40 42 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
surgery and radiotherapy hypertension retinal hemorrhage of, score:
0.006619717
surgery and radiotherapy hypertension history of retinal hemorrhage,
score: 0.006619717
mg hospital1 irbesartan mg, score: 0.0029145116

confidence of prediction: 0.976322
Y_true: [8 20 23 24 26 27 29 32 42 49]
Y_pred: [20 26 27 29 33 40 42 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation on coumadin coronary, score: 0.47845402

atrial fibrillation with rapid, score: 0.105424844
fibrillation was better controlled, score: 0.06462906

confidence of prediction: 0.894529
Y_true: [8 20 23 24 26 27 29 32 42 49]
Y_pred: [20 26 27 29 33 40 42 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure social history retired, score: 0.42015567
daughter and her husband, score: 0.006031236
statin congestive heart failure she had cardiomegaly, score:
0.005513648

confidence of prediction: 0.745112
Y_true: [8 20 23 24 26 27 29 32 42 49]
Y_pred: [20 26 27 29 33 40 42 49]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
of lll pneumonia and left pleural, score: 0.046164177
of lll pna she was also, score: 0.039176937
healthcare associated pneumonia please complete, score: 0.031929743

confidence of prediction: 0.647646
Y_true: [8 20 23 24 26 27 29 32 42 49]
Y_pred: [20 26 27 29 33 40 42 49]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
she was intubated and transfered to hospital1, score: 0.060789634
became dyspneic she was given, score: 0.010130175
with unsteadiness vomiting and hypertension, score: 0.009562397

confidence of prediction: 0.648961
Y_true: [8 20 23 24 26 27 29 32 42 49]
Y_pred: [20 26 27 29 33 40 42 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fibrillation on coumadin coronary, score: 0.6153004
on admission coumadin mg, score: 0.0712566
and her coumadin induced, score: 0.047466133

confidence of prediction: 0.891067
Y_true: [1 21 24 29 36]
Y_pred: [1 20 41]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
admission levothyroxine mcg daily hctz mg, score: 0.09034757
agitation levothyroxine mcg tablet sig one, score: 0.011828282
medical history hypothyroidism htn memory loss social, score:
0.0036989343

confidence of prediction: 0.987460
Y_true: [8 16 26 48 49]
Y_pred: [24 26 49]

top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation otherwise normal rate, score: 0.06340365
atrial fibrillation a ct scan, score: 0.02251007
atrial fibrillation on pod he, score: 0.01588587

confidence of prediction: 0.822041
Y_true: [8 16 26 48 49]
Y_pred: [24 26 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
with meals warfarin mg, score: 0.02889057
his home coumadin was, score: 0.025816286
continued on coumadin in, score: 0.015751258

confidence of prediction: 0.839249
Y_true: [0 1 2 4 8 17 29 46 47]
Y_pred: [1 2 4 6 7 17 20 29 30 33 35 46]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
o2 hypothyroidism anxiety irritable bowel syndrome, score: 0.31963378
cessation hypothyroidism continue levothyroxine pending labs none, score: 0.08218532
levothyroxine mcg tablet sig, score: 0.030874781

confidence of prediction: 0.732502
Y_true: [0 1 2 4 8 17 29 46 47]
Y_pred: [1 2 4 6 7 17 20 29 30 33 35 46]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
for diabetes metoprolol succinate, score: 0.050811112
secondary diabetes mellitus managed by oral, score: 0.019167002
diabetes mellitus ii oral hypoglycemics, score: 0.009545201

confidence of prediction: 0.897849
Y_true: [0 1 2 4 8 17 29 46 47]
Y_pred: [1 2 4 6 7 17 20 29 30 33 35 46]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
hypoglycemics hypertension hyperlipidemia breast ca lumpectomy in, score: 0.08661033
to discharge hyperlipidemia continued statin gout, score: 0.058585674

confidence of prediction: 0.763379
Y_true: [0 1 2 4 8 17 29 46 47]
Y_pred: [1 2 4 6 7 17 20 29 30 33 35 46]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
venous line placement and removal, score: 0.55045766
in place lungs increased, score: 0.045810092
5f bp115 hr103 r16 [UNK], score: 0.027937489

confidence of prediction: 0.795660
Y_true: [0 1 2 4 8 17 29 46 47]
Y_pred: [1 2 4 6 7 17 20 29 30 33 35 46]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
community acquired pneumonia complicated by, score: 0.08899878
lobe pna empirically started on, score: 0.076085284
community acquired pneumonia complicated by, score: 0.047262378

confidence of prediction: 0.722807
Y_true: [0 1 2 4 8 17 29 46 47]
Y_pred: [1 2 4 6 7 17 20 29 30 33 35 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
was elevated lactate to, score: 0.15215252
septic shock presented with shortness, score: 0.08536731
from sepsis creatinine intiially but was, score: 0.07186582

confidence of prediction: 0.814488
Y_true: [20]
Y_pred: [4 20 37]
top three important windows for true positive code 20 (401.9:
Unspecfied essential hypertension)
remarkable for htn and migraines who, score: 0.30340734
cad af dm hld osa seizures migraine, score: 0.19720963
medical history htn migraines cns, score: 0.15818332

confidence of prediction: 0.711124
Y_true: [1 8 20 25 32 33]
Y_pred: [1 6 33]
top three important windows for true positive code 1 (244.9:
Unspecfied acquired hypothyroidism)
down hypothyroidism continued on levothyroxine mcg daily
hypertension, score: 0.28224522
prn levothyroxine mcg dialy acetaminophen, score: 0.16102232
hypertension hypothyroidism mitral regurgitation, score: 0.16036588

confidence of prediction: 0.725410
Y_true: [1 8 20 25 32 33]
Y_pred: [1 6 33]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypercarbic respiratory failure requiring intubation who, score:
0.3285468
respiratory acidosis hypoxia hypercarbia she initially, score:
0.11697959
bed cachetic frail elderly, score: 0.027470661

confidence of prediction: 0.909068
Y_true: [2 6 11 18 25 26 27 35 39 40 42]
Y_pred: [2 4 18 25 26 27 40 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or

unspecified type, not stated as uncontrolled)
noninsulin dependent diabetes mellitus hypertension dyslipidemia
restless, score: 0.26106954
daily glipizide mg twice a, score: 0.005992137

confidence of prediction: 0.974611
Y_true: [2 6 11 18 25 26 27 35 39 40 42]
Y_pred: [2 4 18 25 26 27 40 42]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed per, score: 0.4271711
lotions powders or ointments to, score: 0.20202492
csru sched chest portable, score: 0.054705806

confidence of prediction: 0.739999
Y_true: [2 6 11 18 25 26 27 35 39 40 42]
Y_pred: [2 4 18 25 26 27 40 42]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve replacement mm, score: 0.06345766
revealed mitral regurgitation and she, score: 0.026285505
failure tricuspid regurgitation mitral regurgitation mitral valve
replacement tricuspid, score: 0.006163727

confidence of prediction: 0.688734
Y_true: [2 6 11 18 25 26 27 35 39 40 42]
Y_pred: [2 4 18 25 26 27 40 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
mitral valve bioprosthetic mitral, score: 0.020098697
amiodarone mg tablet sig, score: 0.01898601
csru sched chest portable, score: 0.008430867

confidence of prediction: 0.983844
Y_true: [2 6 11 18 25 26 27 35 39 40 42]
Y_pred: [2 4 18 25 26 27 40 42]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure tricuspid regurgitation mitral, score:
0.012636591
systolic heart failure and was admitted, score: 0.0084872255
systolic heart failure heart failure service was, score:
0.0084872255

confidence of prediction: 0.845199
Y_true: [2 6 11 18 25 26 27 35 39 40 42]
Y_pred: [2 4 18 25 26 27 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
however required reintubation on the next, score: 0.10842923
was shut off on she, score: 0.025239576
tricuspid annuloplasty ring well, score: 0.0058107874

confidence of prediction: 0.512186

Y_true: [2 6 11 18 25 26 27 35 39 40 42]
Y_pred: [2 4 18 25 26 27 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
however required reintubation on the next, score: 0.029785706
was shut off on she, score: 0.008729173
annuloplasty ring ligation of, score: 0.004666983

confidence of prediction: 0.912919
Y_true: [5 14 20 24 27]
Y_pred: [15 20 24 27 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
bms was deployed she, score: 0.06472143
fatigue stemi major surgical, score: 0.042619966
a child hypertension social history tobacco, score: 0.025214346

confidence of prediction: 0.996949
Y_true: [5 14 20 24 27]
Y_pred: [15 20 24 27 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
single vessel cad s p bms to, score: 0.08519141
coronary artery disease acute, score: 0.062303293
vessel coronary artery disease the, score: 0.0415303

confidence of prediction: 0.984912
Y_true: [5 14 20 24 27]
Y_pred: [15 20 24 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
showed systolic chf with ef pt was, score: 0.023458892
shock was able to, score: 0.01578134
pump better atorvastatin lipitor, score: 0.010081098

confidence of prediction: 0.505484
Y_true: [17 34]
Y_pred: [17 34]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
flush per picc line care protocol disp, score: 0.13188483
post ictal examinations serial, score: 0.037498824
migraine headache gerd s p lt craniotomy, score: 0.021195311

confidence of prediction: 0.876336
Y_true: [17 34]
Y_pred: [17 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
migraine headache gerd s p lt craniotomy, score: 0.044080522
and has gerd her paternal grandfather, score: 0.033354152
protracted post ictal examinations serial, score: 0.011004698

confidence of prediction: 0.577510
Y_true: [3 20 34]
Y_pred: [3 20]
top three important windows for true positive code 3 (272.0: Pure hypercholesterolemia)
medical history hyperchol htn reflux social history social, score: 0.12780394
was surgically drained by plastics and, score: 0.002770767
fractures l1 compression fractures left, score: 0.0018721541

confidence of prediction: 0.995565
Y_true: [3 20 34]
Y_pred: [3 20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
eventually was talked into it he, score: 0.18171701
history hyperchol htn reflux social history social, score: 0.14935578
service has met with, score: 0.018443415

confidence of prediction: 0.952799
Y_true: [4 21 26 27 36]
Y_pred: [4 20 26 27]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
hyperlipidemia continued home simvastatin bph, score: 0.1537677
avr htn hyperlipidemia osa not on, score: 0.11241041
repair hypertension hyperlipidemia obstructive sleep apnea, score: 0.040156517

confidence of prediction: 0.942155
Y_true: [4 21 26 27 36]
Y_pred: [4 20 26 27]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation with a mean, score: 0.35576355
atrial fibrillation status post pacemaker, score: 0.15850696
af of which he, score: 0.030069066

confidence of prediction: 0.841398
Y_true: [4 21 26 27 36]
Y_pred: [4 20 26 27]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
chf the patient has three, score: 0.26064718
cardiac pmi located in, score: 0.063822456
status post bovine prosthetic, score: 0.018849777

confidence of prediction: 0.993323
Y_true: [12 41 43]
Y_pred: [12 17 29 33 41 43]
top three important windows for true positive code 12 (33.24: Closed [endoscopic] biopsy of bronchus)
bronchoscopy with bal bronchus intermedius bal and rll bal with left

bal performed, score: 0.030514278
pneumonia bal cultures were, score: 0.013564164
from sputum bal showed, score: 0.012946787

confidence of prediction: 0.933879
Y_true: [12 41 43]
Y_pred: [12 17 29 33 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
tube feeds were held, score: 0.14401694
tracheostomy tube whose tip, score: 0.056909442
his tube feedings were resumed, score: 0.04650797

confidence of prediction: 0.967126
Y_true: [12 41 43]
Y_pred: [12 17 29 33 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
trach and ivc filter, score: 0.04553072
from sputum bal showed mssa additionally, score: 0.03853666
bronchus intermedius bal and, score: 0.037453067

confidence of prediction: 0.640411
Y_true: [4 26 41]
Y_pred: [2 4 20 26 34 41]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
type dm hyperlipidemia glaucoma spinal stenosis gerd, score:
0.08153508
recent hypotension hyperlipidemia continued simvastatin glaucoma
continued, score: 0.049168006
squamous cell carcinoma of, score: 0.034653526

confidence of prediction: 0.970361
Y_true: [4 26 41]
Y_pred: [2 4 20 26 34 41]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib he was given, score: 0.20168355
fibrillation the diarrhea stopped, score: 0.12529255
afib resolved with iv, score: 0.09739246

confidence of prediction: 0.886415
Y_true: [4 26 41]
Y_pred: [2 4 20 26 34 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
until tube feeds restarted, score: 0.14184263
tube feeds given timing, score: 0.124327175
tube feeds so the, score: 0.098559245

confidence of prediction: 0.947643
Y_true: [0 2 8 16 26 27 28 33 40 43 45 46]

Y_pred: [17 26 27 44 45]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on he was, score: 0.3695613
afib recently at lgh, score: 0.14581536
atrial fibrillation patient was diagnosed, score: 0.13773197

confidence of prediction: 0.931245
Y_true: [0 2 8 16 26 27 28 33 40 43 45 46]
Y_pred: [17 26 27 44 45]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
amiodarone was discontinued acute, score: 0.009766777
grade diastolic dysfunction nl rv, score: 0.008062634
amiodarone now resolved chronic diastolic congestive heart failure
benign hypertension bph, score: 0.0076405364

confidence of prediction: 0.959975
Y_true: [0 2 8 16 26 27 28 33 40 43 45 46]
Y_pred: [17 26 27 44 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
prn tpn per nutrition home medications, score: 0.015969677
started on tpn in the setting, score: 0.00413121
started on tpn at the osh, score: 0.00413121

confidence of prediction: 0.702038
Y_true: [2 3 11 12 16 17 18 21 24 26 29 35 36 37 39 40 41 43]
Y_pred: [1 2 3 17 18 24 25 26 29 37 40 41]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
disease diabetes mellitus type hypercholesterolemia hyperthyroidism,
score: 0.023963157
daily glipizide xl mg daily imdur, score: 0.02312908
metformin attending first name3, score: 0.008097969

confidence of prediction: 0.581466
Y_true: [2 3 11 12 16 17 18 21 24 26 29 35 36 37 39 40 41 43]
Y_pred: [1 2 3 17 18 24 25 26 29 37 40 41]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
full rom x no, score: 0.010956527
mellitus type hypercholesterolemia hyperthyroidism treated with
radioactive, score: 0.008195652
mellitus type hypercholesterolemia hyperthyroidism s p ablative,
score: 0.008195652

confidence of prediction: 0.781031
Y_true: [2 3 11 12 16 17 18 21 24 26 29 35 36 37 39 40 41 43]
Y_pred: [1 2 3 17 18 24 25 26 29 37 40 41]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
continued via dobhoff tube a swallowing, score: 0.024637604

resolved a picc line was placed for, score: 0.023091324
recommendations she required reintubation, score: 0.011898413

confidence of prediction: 0.854313
Y_true: [2 3 11 12 16 17 18 21 24 26 29 35 36 37 39 40 41 43]
Y_pred: [1 2 3 17 18 24 25 26 29 37 40 41]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders on, score: 0.85851616
cardiothoracic allergies metformin attending, score: 0.01982309
amiodarone was changed to, score: 0.0051925024

confidence of prediction: 0.788839
Y_true: [2 3 11 12 16 17 18 21 24 26 29 35 36 37 39 40 41 43]
Y_pred: [1 2 3 17 18 24 25 26 29 37 40 41]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p pda stent aortic, score: 0.36083534
cornary artery disease s p pda stent mitral, score: 0.032798737
this revealed critical aortic, score: 0.020068578

confidence of prediction: 0.812936
Y_true: [2 3 11 12 16 17 18 21 24 26 29 35 36 37 39 40 41 43]
Y_pred: [1 2 3 17 18 24 25 26 29 37 40 41]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation postoperative respiratory failure, score:
0.18343282
amiodarone was continued she, score: 0.16547848
amiodarone mg tablet sig, score: 0.019021587

confidence of prediction: 0.603900
Y_true: [2 3 11 12 16 17 18 21 24 26 29 35 36 37 39 40 41 43]
Y_pred: [1 2 3 17 18 24 25 26 29 37 40 41]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
to multifocal pneumonia moderate partially, score: 0.07781281
abx for pna ards and, score: 0.045256145
urinary tract infection was treated, score: 0.024792345

confidence of prediction: 0.922757
Y_true: [2 3 11 12 16 17 18 21 24 26 29 35 36 37 39 40 41 43]
Y_pred: [1 2 3 17 18 24 25 26 29 37 40 41]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
a urinary tract infection was treated, score: 0.053887732
hypothyroidism depression urinary tract infection postoperative,
score: 0.014264108
returning home she was, score: 0.0058940076

confidence of prediction: 0.696527
Y_true: [2 3 11 12 16 17 18 21 24 26 29 35 36 37 39 40 41 43]
Y_pred: [1 2 3 17 18 24 25 26 29 37 40 41]
top three important windows for true positive code 40 (96.04:

Insertion of endotracheal tube)
she required reintubation and pressors support, score: 0.28241292
oral formulation bronchoscopy was performed, score: 0.037578285
spared lung parenchyma based upon correlation, score: 0.0041393195

confidence of prediction: 0.759523
Y_true: [2 3 11 12 16 17 18 21 24 26 29 35 36 37 39 40 41 43]
Y_pred: [1 2 3 17 18 24 25 26 29 37 40 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
weekend tube feeds continued via, score: 0.19169602
removed tube feedings were instituted she remained, score:
0.08269216
she required reintubation and pressors support, score: 0.021709051

confidence of prediction: 0.862610
Y_true: [5 28]
Y_pred: [5 7 44]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
infection [UNK] hyponatremia most likely secondary to, score:
0.74649817
recorded as having no, score: 0.047995526
awaiting stem cell protocol at, score: 0.0350699

confidence of prediction: 0.874087
Y_true: [28 35]
Y_pred: [7 28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
otherwise normal egd to, score: 0.23951003
endoscopy paracentesis history of, score: 0.1880004
was performed which was, score: 0.16962458

confidence of prediction: 0.984909
Y_true: [4 23 24 26 33 40 41 42 47]
Y_pred: [24 27]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p stenting months, score: 0.47290024
s p bms bladder, score: 0.14381918
lad lesion with an ostial d1, score: 0.08747725

confidence of prediction: 0.994177
Y_true: [4 13 14 17 18 20 22 24 26 34 38]
Y_pred: [13 18 22 24 26 34 37]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting x4 with, score: 0.24813662
coronary artery reverse saphenous vein single, score: 0.07355674
coronary artery reverse saphenous vein from, score: 0.07355674

confidence of prediction: 0.985101
Y_true: [4 13 14 17 18 20 22 24 26 34 38]

Y_pred: [13 18 22 24 26 34 37]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
bypass grafting x4 with left, score: 0.05348148
wires was attempted and, score: 0.04522064
bypass grafting times x4 left, score: 0.009239321

confidence of prediction: 0.507578
Y_true: [4 13 14 17 18 20 22 24 26 34 38]
Y_pred: [13 18 22 24 26 34 37]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
to have nstemi was taken for, score: 0.080172464
vessel coronary disease on he, score: 0.023427716
from the anesthesioology staff using, score: 0.009111163

confidence of prediction: 0.999439
Y_true: [4 13 14 17 18 20 22 24 26 34 38]
Y_pred: [13 18 22 24 26 34 37]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.34109104
coronary artery reverse saphenous, score: 0.088827364
coronary artery reverse saphenous, score: 0.071022555

confidence of prediction: 0.903073
Y_true: [4 13 14 17 18 20 22 24 26 34 38]
Y_pred: [13 18 22 24 26 34 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation it was treated, score: 0.15534866
atrial fibrillation flutter overdrive pacing, score: 0.0746516
afib first draw results, score: 0.037475765

confidence of prediction: 0.846696
Y_true: [4 13 14 17 18 20 22 24 26 34 38]
Y_pred: [13 18 22 24 26 34 37]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hyperlipidemia gastroesophageal reflux disease benign positional,
score: 0.041983802
gastro esophageal reflux disease benign positional, score:
0.023958126
his usual gerd but it did not, score: 0.0067638475

confidence of prediction: 0.895498
Y_true: [4 20 41 47]
Y_pred: [4 26 35 45]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
on coumadin hypertension hyperlipidemia anxiety r pulmonary nodule,
score: 0.0135414535
x3 surgeries social history, score: 0.007107198
with focal chronic inactive duodenitis eight lymph, score:

0.0040202835

confidence of prediction: 0.995414
Y_true: [20]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn social history lives in, score: 0.19055237
hypertension based on outpatient, score: 0.07559119
hypertension presenting with a, score: 0.07336995

confidence of prediction: 0.870633
Y_true: [2 4 20 48]
Y_pred: [2 4 20 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
daily metformin mg tablet sig, score: 0.12368843
medical history dm htn hyperlipidemia s p, score: 0.05478553
day glyburide mg tablet sig, score: 0.017282166

confidence of prediction: 0.727025
Y_true: [2 4 20 48]
Y_pred: [2 4 20 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
dm htn hyperlipidemia s p cva s p cabg s p appendectomy, score:
0.05685457
simvastatin mg tablet sig, score: 0.05200825
carvedilol mg tablet sig, score: 0.039452232

confidence of prediction: 0.961090
Y_true: [2 4 20 48]
Y_pred: [2 4 20 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history dm htn hyperlipidemia s p cva, score: 0.22357276
bilateral sdh evacuation via burr holes, score: 0.05623142
metformin mg tablet sig, score: 0.030705677

confidence of prediction: 0.542542
Y_true: [2 4 20 48]
Y_pred: [2 4 20 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg s p appendectomy, score: 0.74207103
dm htn hyperlipidemia s, score: 0.011051449
l however sl increase in hematoma, score: 0.007348662

confidence of prediction: 0.569237
Y_true: [2 4 8 10 11 37]
Y_pred: [2 4 11 20]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or

unspecified type, not stated as uncontrolled)
on metformin lantus and riss close, score: 0.07047178
type dm on insulin, score: 0.05519575
type dm she was continued, score: 0.047828916

confidence of prediction: 0.806391
Y_true: [2 4 8 10 11 37]
Y_pred: [2 4 11 20]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension depression hyperlipidemia mild dementia discharge,
score: 0.15524244
on steroids hyperlipidemia continued atorvastatin chronic low,
score: 0.04558391
female breathing comfortably on, score: 0.017160071

confidence of prediction: 0.770104
Y_true: [2 4 8 10 11 37]
Y_pred: [2 4 11 20]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
insulin htn depression s p aortic, score: 0.11075228
and morphine depression continued [UNK] dementia continued, score:
0.075510144
uncomplicated hypertension depression hyperlipidemia mild dementia
discharge, score: 0.035965916

confidence of prediction: 0.757072
Y_true: [0 2 4 17 29 33 35 39 43 45 46]
Y_pred: [1 20 34 40 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
the tpn please follow up, score: 0.18223877
care tpn and monitoring, score: 0.145108
monitoring tpn outpatient lab, score: 0.13170215

confidence of prediction: 0.822389
Y_true: [2 4 6 12 26 29 30 49]
Y_pred: [2 4 20 26 30 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
metformin mg hospital1 gemfibrozil, score: 0.103596084
metformin mg tablet sig, score: 0.052301526
dm2 htn copd hl lung, score: 0.052068092

confidence of prediction: 0.832103
Y_true: [2 4 6 12 26 29 30 49]
Y_pred: [2 4 20 26 30 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
o2 tank hyperlipidemia we continued his home, score: 0.124755844
htn copd hl lung cancer s, score: 0.095913574
actual pred chg fvc fev1 mmf, score: 0.009794106

confidence of prediction: 0.844370
Y_true: [2 4 6 12 26 29 30 49]
Y_pred: [2 4 20 26 30 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib in the bronchoscopy, score: 0.34358156
atrial fibrillation patient found to, score: 0.111097336
atrial fibrillation rate controlled with, score: 0.020024264

confidence of prediction: 0.544417
Y_true: [2 4 6 12 26 29 30 49]
Y_pred: [2 4 20 26 30 49]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
in house copd patient found to have, score: 0.099062346
cancer and copd ipratropium, score: 0.016541235
dm2 htn copd hl lung cancer s, score: 0.012303332

confidence of prediction: 0.611696
Y_true: [2 4 6 12 26 29 30 49]
Y_pred: [2 4 20 26 30 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
ago on coumadin h, score: 0.25705716
on admission warfarin mg, score: 0.21225104
pes on coumadin who presented, score: 0.15405656

confidence of prediction: 0.948953
Y_true: [4 6 13 19 21 23 24 26 35 36 42]
Y_pred: [4 6 13 18 19 21 24 26 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
myocardial infarction hyperlipidemia hypertension chronic renal
insufficiency, score: 0.07269216
cabg cerebrovascular disease carotid, score: 0.011879695
left cea hypertension dyslipidemia abdominal aortic aneurysm, score:
0.01136787

confidence of prediction: 0.819885
Y_true: [4 6 13 19 21 23 24 26 35 36 42]
Y_pred: [4 6 13 18 19 21 24 26 36]
top three important windows for true positive code 6 (276.2:
Acidosis)
a profound metabolic acidosis which kept, score: 0.015709722
placement of tunneled french, score: 0.012719865
and sedated in critical, score: 0.012488016

confidence of prediction: 0.907707
Y_true: [4 6 13 19 21 23 24 26 35 36 42]
Y_pred: [4 6 13 18 19 21 24 26 36]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting along with, score: 0.13297267

coronary artery bypass grafting utilizing the, score: 0.060517825
coronary artery bypass grafting surgery but, score: 0.056609694

confidence of prediction: 0.970779
Y_true: [4 6 13 19 21 23 24 26 35 36 42]
Y_pred: [4 6 13 18 19 21 24 26 36]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
requiring dialysis discharge condition, score: 0.039261967
on a tunneled line was placed in, score: 0.008448941
placement of tunneled french, score: 0.008258688

confidence of prediction: 0.689221
Y_true: [4 6 13 19 21 23 24 26 35 36 42]
Y_pred: [4 6 13 18 19 21 24 26 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic renal insufficiency the exact, score: 0.106350556
hypertension chronic renal insufficiency renal artery stenosis,
score: 0.034919694
his renal function improved with, score: 0.017265325

confidence of prediction: 0.964631
Y_true: [4 6 13 19 21 23 24 26 35 36 42]
Y_pred: [4 6 13 18 19 21 24 26 36]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p cabg cerebrovascular, score: 0.1515704
coronary artery disease he, score: 0.14428589
coronary artery disease prior silent myocardial infarction
hyperlipidemia, score: 0.05922051

confidence of prediction: 0.874205
Y_true: [4 6 13 19 21 23 24 26 35 36 42]
Y_pred: [4 6 13 18 19 21 24 26 36]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation with a rapid, score: 0.53880495
af would convert to, score: 0.010507188
amiodarone and diltiazem was initiated, score: 0.010328601

confidence of prediction: 0.813372
Y_true: [4 6 13 19 21 23 24 26 35 36 42]
Y_pred: [4 6 13 18 19 21 24 26 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal insufficiency the exact, score: 0.11702227
chronic renal insufficiency renal artery stenosis, score:
0.026265847
his renal function improved with, score: 0.014648927

confidence of prediction: 0.976205
Y_true: [0 4 9 20 31 47]

Y_pred: [4 9 20 25 31]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
chronic issues hyperlipidemia held simvastatin in setting, score: 0.04405862
hld carotid stenosis s, score: 0.02268526
hypertension hyperlipidemia social history lives with, score: 0.022623464

confidence of prediction: 0.760802
Y_true: [0 4 9 20 31 47]
Y_pred: [4 9 20 25 31]
top three important windows for true positive code 9 (287.5: Thrombocytopenia, unspecified)
by discharge thrombocytopenia improved to 122k chronic, score: 0.22554877
leukopenia and thrombocytopenia as, score: 0.09356093
his leukopenia thrombocytopenia mildly, score: 0.08889321

confidence of prediction: 0.700897
Y_true: [0 4 9 20 31 47]
Y_pred: [4 9 20 25 31]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
elevated ldh malaise and, score: 0.19356425
carotid endartectomy htn hld presented with a, score: 0.13160568
statin virus ebv or, score: 0.046634074

confidence of prediction: 0.951366
Y_true: [0 4 9 20 31 47]
Y_pred: [4 9 20 25 31]
top three important windows for true positive code 31 (507.0: Pneumonitis due to inhalation of food or vomitus)
an aspiration pneumonia and are, score: 0.28693694
aspiration pneumonia he was transferred, score: 0.15157278
likely aspiration pna the patient reported, score: 0.11171599

confidence of prediction: 0.919456
Y_true: [4 8 13 14 18 20 22 24 26 38 44 49]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
pmh hypertension hyperlipidemia s p tonsillectomy, score: 0.06587842
history hypertension hyperlipidemia s p tonsillectomy, score: 0.062251043
hypertension and hyperlipidemia who presented to, score: 0.05399966

confidence of prediction: 0.990711
Y_true: [4 8 13 14 18 20 22 24 26 38 44 49]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass grafting, score: 0.23589186
marginal artery reverse saphenous vein, score: 0.057393488

descending artery reverse saphenous vein, score: 0.049318302

confidence of prediction: 0.974624
Y_true: [4 8 13 14 18 20 22 24 26 38 44 49]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic doctor first name, score: 0.37605792
bypass grafting x four post, score: 0.06903001
cardiothoracic allergies patient recorded, score: 0.02520087

confidence of prediction: 0.997714
Y_true: [4 8 13 14 18 20 22 24 26 38 44 49]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hctz asa lovaza simvastatin, score: 0.15805043
medical history hypertension hyperlipidemia s p tonsillectomy,
score: 0.072356164
fibrillation pmh hypertension hyperlipidemia s p tonsillectomy,
score: 0.055738714

confidence of prediction: 0.999068
Y_true: [4 8 13 14 18 20 22 24 26 38 44 49]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.29786298
descending artery reverse saphenous, score: 0.12554716
coronary artery disease s, score: 0.063059516

confidence of prediction: 0.950755
Y_true: [4 8 13 14 18 20 22 24 26 38 44 49]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation pmh hypertension hyperlipidemia, score:
0.43139848
irreg irreg sternum stable incision, score: 0.1277816
atrial fibrillation which were treated, score: 0.10422276

confidence of prediction: 0.561650
Y_true: [7 19 23 24]
Y_pred: [7 19 23 24 28]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
bleeding after ampullectomy the pancreatic, score: 0.39396852
showed enlarged ampulla with, score: 0.09995742
of gastroenterology gi east, score: 0.051583968

confidence of prediction: 0.898905
Y_true: [7 19 23 24]
Y_pred: [7 19 23 24 28]
top three important windows for true positive code 19 (39.95:

Hemodialysis)
esrd on hd ampullary, score: 0.08747221
esrd on hd m w, score: 0.0869985
he received hemodialysis twice while, score: 0.08422852

confidence of prediction: 0.692842
Y_true: [7 19 23 24]
Y_pred: [7 19 23 24 28]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi x esrd, score: 0.4306134
prostatectomy in cad s p mi x with des to, score: 0.01523171
patient had mi and des was placed, score: 0.0065696966

confidence of prediction: 0.703116
Y_true: [7 19 23 24]
Y_pred: [7 19 23 24 28]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p mi x esrd, score: 0.11240717
coronary artery disease end, score: 0.07893197
in cad s p mi x with des to, score: 0.07089127

confidence of prediction: 0.840814
Y_true: [25 26 27 30 39 48]
Y_pred: [4 13 20 24 26 27 39 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib flutter with bp in, score: 0.5370369
afib prior to initiating, score: 0.09746835
atrial flutter ablation on hospital, score: 0.052034948

confidence of prediction: 0.963932
Y_true: [25 26 27 30 39 48]
Y_pred: [4 13 20 24 26 27 39 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic congestive heart failure secondary diagnosis coronary
artery, score: 0.027430566
diuresed lasix 20mg po on, score: 0.018880785
yourself every morning call, score: 0.0070138285

confidence of prediction: 0.664914
Y_true: [25 26 27 30 39 48]
Y_pred: [4 13 20 24 26 27 39 48]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee were done and, score: 0.6188079
descending saphenous vein graft to, score: 0.05698429
obtuse marginal artery and ramus, score: 0.038601615

confidence of prediction: 0.742715
Y_true: [25 26 27 30 39 48]
Y_pred: [4 13 20 24 26 27 39 48]

top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg vessel bypass in, score: 0.18267
s p cabg in, score: 0.18267
coronary artery bypass graft, score: 0.03511876

confidence of prediction: 0.930698
Y_true: [11 34 49]
Y_pred: [34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
the rvot by color, score: 0.0024035203
continued he underwent an, score: 0.0011629062
into the rvot cm, score: 0.0009673189

confidence of prediction: 0.767032
Y_true: [2 4 20 23 26 27 30 35 41 43 47 49]
Y_pred: [2 4 20 22 26 27 29 33 34 40 42 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
noninsulin dependent diabetes mellitus questionable history of,
score: 0.21766022
admission glucotrol xl mg tablet extended, score: 0.07918095
2l home dm2 gerd htn hld, score: 0.016937641

confidence of prediction: 0.678473
Y_true: [2 4 20 23 26 27 30 35 41 43 47 49]
Y_pred: [2 4 20 22 26 27 29 33 34 40 42 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
factors diabetes dyslipidemia hypertension cardiac history atrial,
score: 0.27383533
gerd htn hld cad s p nstemi, score: 0.05364972
valve area cabg n, score: 0.019427815

confidence of prediction: 0.916115
Y_true: [2 4 20 23 26 27 30 35 41 43 47 49]
Y_pred: [2 4 20 22 26 27 29 33 34 40 42 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
dm2 gerd htn hld cad s p, score: 0.4350232
hospital1 aaa infrarenal evaluated, score: 0.04954447
end stage copd on, score: 0.04723088

confidence of prediction: 0.988698
Y_true: [2 4 20 23 26 27 30 35 41 43 47 49]
Y_pred: [2 4 20 22 26 27 29 33 34 40 42 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
af on coumadin who is, score: 0.059953004
atrial fibrillation on coumadin congestive, score: 0.050497722
atrial fibrillation on coumadin coumadin was, score: 0.0099704545

confidence of prediction: 0.947564
Y_true: [2 4 20 23 26 27 30 35 41 43 47 49]
Y_pred: [2 4 20 22 26 27 29 33 34 40 42 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf exacerbation bnp in, score: 0.35670555
chf with likely multifactorial, score: 0.11917084
chf the patient improved on, score: 0.07477004

confidence of prediction: 0.734595
Y_true: [2 4 20 23 26 27 30 35 41 43 47 49]
Y_pred: [2 4 20 22 26 27 29 33 34 40 42 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fibrillation on coumadin coumadin was held and, score: 0.3695571
for insomnia warfarin mg, score: 0.004354933
atrial fibrillation on coumadin congestive, score: 0.002376042

confidence of prediction: 0.912736
Y_true: [2 4 8 11 18 20 26 39]
Y_pred: [2 4 18 20 26]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
hyperlipidemia diabetes mellitus diet controlled spinal, score:
0.021237738
hypertension hyperlipidemia diabetes type depression s p, score:
0.0036378247
pole dry sterile dressing, score: 0.0028992428

confidence of prediction: 0.832615
Y_true: [2 4 8 11 18 20 26 39]
Y_pred: [2 4 18 20 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
appendage hypertension hyperlipidemia diabetes type depression s,
score: 0.08034122
fibrillation hypertension hyperlipidemia diabetes mellitus diet
controlled, score: 0.026404992
sl prn coumadin as, score: 0.0075848117

confidence of prediction: 0.978784
Y_true: [2 4 8 11 18 20 26 39]
Y_pred: [2 4 18 20 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
incisions gently with mild soap, score: 0.3466927
lotions powders or ointments to, score: 0.1513706
avr maze reason for, score: 0.008531954

confidence of prediction: 0.861166
Y_true: [2 4 8 11 18 20 26 39]
Y_pred: [2 4 18 20 26]
top three important windows for true positive code 20 (401.9:

Unspecified essential hypertension)
isosorbide mononitrate 30mg qd lopressor, score: 0.12171859
atrial fibrillation hypertension hyperlipidemia diabetes mellitus
diet, score: 0.051128298
atrial appendage hypertension hyperlipidemia diabetes type
depression, score: 0.04365911

confidence of prediction: 0.958808
Y_true: [2 4 8 11 18 20 26 39]
Y_pred: [2 4 18 20 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation on post op, score: 0.1660821
atrial fibrillation s p maze, score: 0.11352233
atrial fibrillation hypertension hyperlipidemia diabetes, score:
0.0818393

confidence of prediction: 0.692857
Y_true: [5 17 20 40 41 42 47]
Y_pred: [5 20]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
due to hyponatremia keppra was given for, score: 0.17208953
had transient hyponatremia thought to be due, score: 0.088792205
tabs hyponatremia resolved mr known lastname, score: 0.0066352733

confidence of prediction: 0.872005
Y_true: [5 17 20 40 41 42 47]
Y_pred: [5 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
intracranial bleed hypertension thyroid, score: 0.120298214
abuse htn copd and aortic regurgitation, score: 0.08964876
hctz his hctz was changed to, score: 0.035232317

confidence of prediction: 0.762039
Y_true: [4 15 21 24 27 36 38]
Y_pred: [4 21 24 27 36 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
factors diabetes dyslipidemia hypertension cardiac history cabg,
score: 0.20517422
in hypertension hyperlipidemia presenting to hospital3, score:
0.07182259
of hypertension hyperlipidemia and cad s, score: 0.047646463

confidence of prediction: 0.618643
Y_true: [4 15 21 24 27 36 38]
Y_pred: [4 21 24 27 36 38]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic renal failure creatinine on discharge, score: 0.066408314
renal function checked at, score: 0.02070241

beverage every night illicit, score: 0.009190123

confidence of prediction: 0.965614
Y_true: [4 15 21 24 27 36 38]
Y_pred: [4 21 24 27 36 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease the, score: 0.092519894
three vessel coronary artery disease successful pci of, score:
0.030853156
and cad s p des to, score: 0.019283997

confidence of prediction: 0.979958
Y_true: [4 15 21 24 27 36 38]
Y_pred: [4 21 24 27 36 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure arrhythmia ventricular tachycardia, score:
0.6574529
chf exacerbation most likely, score: 0.083860174
diastolic congestive heart failure echo demonstrated, score:
0.07179942

confidence of prediction: 0.757450
Y_true: [4 15 21 24 27 36 38]
Y_pred: [4 21 24 27 36 38]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal failure creatinine on discharge, score: 0.06825556
he does acknowledge dietary indiscretions including salty meals and,
score: 0.0102093415
kidney function checked because, score: 0.007817248

confidence of prediction: 0.709510
Y_true: [4 15 21 24 27 36 38]
Y_pred: [4 21 24 27 36 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac cath history of present, score: 0.67019457
cardiac catheterization which demonstrated cad, score: 0.056764413
catheterization patient to have, score: 0.015309438

confidence of prediction: 0.897202
Y_true: [8 9 20 34]
Y_pred: [20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn held lisinopril given, score: 0.28465956
medical history hypertension gerd s p, score: 0.12803021
pt was called on, score: 0.10149204

confidence of prediction: 0.928210
Y_true: [8 9 20 34]
Y_pred: [20 34]

top three important windows for true positive code 34 (530.81: Esophageal reflux)
history hypertension gerd s p ccy s, score: 0.044744615
mild central peribiliary and extrahepatic bile duct, score: 0.005945075
recurrent stones even post cholecystectomy, score: 0.0050116214

confidence of prediction: 0.940407
Y_true: [10 11 20 34]
Y_pred: [34]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
aspirin 325mg gerd continued famotidine icu course, score: 0.06546515
citalopram and trazodone patient unsure, score: 0.0022616505
symptom management her primary, score: 0.0021127393

confidence of prediction: 0.563957
Y_true: [17 40 42]
Y_pred: [17 41]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
pupillary reflex which resolved after, score: 0.023424365
fixated with plate and, score: 0.014837318
subdural and subarachnoid hematomas, score: 0.012574448

confidence of prediction: 0.919145
Y_true: [1 3 14 24 26 27 34 38]
Y_pred: [1 14 22 24 26 27 34 38 49]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
qd hypothyroidism continued levothyroxine 75mg qd medications, score: 0.09196303
hospital1 levothyroxine mcg tablet omeprazole prilosec, score: 0.05248625
pill levothyroxine mcg tablet sig, score: 0.0042480906

confidence of prediction: 0.508768
Y_true: [1 3 14 24 26 27 34 38]
Y_pred: [1 14 22 24 26 27 34 38 49]
top three important windows for true positive code 14 (37.22: Left heart cardiac catheterization)
cardiac catheterization history of present, score: 0.18870792
lab catherization showed an occluded, score: 0.110837534
comments selective coronary angiography in, score: 0.08505627

confidence of prediction: 0.995000
Y_true: [1 3 14 24 26 27 34 38]
Y_pred: [1 14 22 24 26 27 34 38 49]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
descending artery occlusion atrial fibrillation, score: 0.15481962
coronary artery disease the, score: 0.0981157
coronary artery disease echo, score: 0.0981157

confidence of prediction: 0.946233
Y_true: [1 3 14 24 26 27 34 38]
Y_pred: [1 14 22 24 26 27 34 38 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation with rapid ventricular, score: 0.03445519
atrial fibrillation while you were, score: 0.031191453
atrial fibrillation developed afib with rvr on, score: 0.009553532

confidence of prediction: 0.894685
Y_true: [1 3 14 24 26 27 34 38]
Y_pred: [1 14 22 24 26 27 34 38 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chronic diastolic chf no stress available, score: 0.23632263
chf patient with lvef of, score: 0.08617517
dysfunction with near akinesis, score: 0.023697665

confidence of prediction: 0.896635
Y_true: [1 3 14 24 26 27 34 38]
Y_pred: [1 14 22 24 26 27 34 38 49]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
continued spiriva albuterol and, score: 0.012111281
hearing loss gerd s p appy s, score: 0.010272195
branch and attempted [UNK], score: 0.00959612

confidence of prediction: 0.836949
Y_true: [1 3 14 24 26 27 34 38]
Y_pred: [1 14 22 24 26 27 34 38 49]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization history of present, score: 0.43530443
comments selective coronary angiography in, score: 0.08344472
lab catherization showed an, score: 0.08156928

confidence of prediction: 0.918332
Y_true: [20 34 41 47]
Y_pred: [29 33 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
tube feeds isosource cal full strength, score: 0.10240146
a tracheostomy peg tube placed on, score: 0.07457044
the tube feed schedule he, score: 0.055110447

confidence of prediction: 0.887780
Y_true: [4 20 24 27 30]
Y_pred: [4 20 30]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
with htn hld cad with previous, score: 0.44829264
50mg hospital1 simvastatin 40mg hs albuterol puffs, score:
0.08667816

hld diverticulosis bph old left, score: 0.028565371

confidence of prediction: 0.993509
Y_true: [4 20 24 27 30]
Y_pred: [4 20 30]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
rhm with htn hld cad, score: 0.206763
pmh of htn lipids cad was transfered from, score: 0.16371931
medical history htn cad s p acs, score: 0.056622706

confidence of prediction: 0.714327
Y_true: [4 20 24 27 30]
Y_pred: [4 20 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
acs chf copd on home o2 1l, score: 0.017242635
previous mi copd on home o2 due, score: 0.0017765281
mri study secondary to, score: 0.00102967

confidence of prediction: 0.909307
Y_true: [3 20 33 34 37 40 42 46 47]
Y_pred: [0 2 20 29 33 34 37 40 42 46]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
controlled dm2 htn and le neuropathy, score: 0.08883654
diabetes mellitus hypertension gastroesophageal, score: 0.06894989
htn gerd and le, score: 0.05975157

confidence of prediction: 0.901250
Y_true: [3 20 33 34 37 40 42 46 47]
Y_pred: [0 2 20 29 33 34 37 40 42 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
intubated with presumed sepsis, score: 0.23667726
intubated for airway protection, score: 0.07801794
endotracheal tube ends approximately cm, score: 0.05158119

confidence of prediction: 0.847357
Y_true: [3 20 33 34 37 40 42 46 47]
Y_pred: [0 2 20 29 33 34 37 40 42 46]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
htn gerd and le neuropathy being, score: 0.21244897
hypertension gastroesophageal reflux discharge condition mental,
score: 0.039082795
extremity neuropathy gerd social history lives alone, score:
0.023087822

confidence of prediction: 0.915086
Y_true: [3 20 33 34 37 40 42 46 47]
Y_pred: [0 2 20 29 33 34 37 40 42 46]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)

from uti and pneumonia patient was, score: 0.10726303
a urinary tract infection and treated, score: 0.05293654
diagnosis urinary tract infection community acquired, score:
0.040665332

confidence of prediction: 0.820646
Y_true: [3 20 33 34 37 40 42 46 47]
Y_pred: [0 2 20 29 33 34 37 40 42 46]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
puncture intubation extubation history of, score: 0.5283351
dosing intubated for airway protection, score: 0.023373567
the micu intubated with presumed, score: 0.018251477

confidence of prediction: 0.866590
Y_true: [3 20 33 34 37 40 42 46 47]
Y_pred: [0 2 20 29 33 34 37 40 42 46]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
puncture intubation extubation history of, score: 0.5745544
sedated intubated heent sclera, score: 0.1248998
dosing intubated for airway protection, score: 0.017973319

confidence of prediction: 0.605226
Y_true: [3 20 33 34 37 40 42 46 47]
Y_pred: [0 2 20 29 33 34 37 40 42 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
and underwent a temporal, score: 0.05632126
with presumed sepsis active diagnoses sepsis with hypotension from
uti, score: 0.048787452
patient had central line, score: 0.04086246

confidence of prediction: 0.669510
Y_true: [5 10 17 49]
Y_pred: [33 40 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
was on coumadin at home prior, score: 0.4392951
was on coumadin as outpatient but, score: 0.4392951
valium flexeril coumadin on hold, score: 0.024179753

confidence of prediction: 0.991638
Y_true: [0 20 34]
Y_pred: [20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
colitis itp hypertension admitted to the, score: 0.087276086
colitis diverticulitis hypertension social history lives, score:
0.027173076
idiopathic thrombocytopenia purpura hypertension history of
collagenous, score: 0.014678832

confidence of prediction: 0.602207
Y_true: [0 20 34]
Y_pred: [20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
thrombocytopenia at baseline with, score: 0.03792156
daily prn paroxetine mg, score: 0.021704273
hypertension physical exam admission, score: 0.02022889

confidence of prediction: 0.704202
Y_true: [4 20 23 28 32 48]
Y_pred: [4 20 27 44 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
were continued hyperlipidemia statin was continued bph, score:
0.13161121
disease hypertension hyperlipidemia discharge condition stable,
score: 0.100277066
angioplasty hypertension hyperlipidemia cardiac cath ef, score:
0.04674573

confidence of prediction: 0.985217
Y_true: [4 20 23 28 32 48]
Y_pred: [4 20 27 44 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
replacement angioplasty hypertension hyperlipidemia, score:
0.6516019
artery disease hypertension hyperlipidemia discharge condition
stable, score: 0.037854515
improved clinically hypertension labetalol, score: 0.022175718

confidence of prediction: 0.726819
Y_true: [4 20 23 28 32 48]
Y_pred: [4 20 27 44 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
x vessel cabg polio left hip, score: 0.37354255
status post bypass surgery, score: 0.02424334
asa and plavix were, score: 0.003936807

confidence of prediction: 0.992981
Y_true: [4 20 37]
Y_pred: [20 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn hyperlipidemia discharge condition mental, score: 0.09603257
medical history hypertension arthritis shoulder pain, score:
0.06611545
history of hypertension and elevated bp on, score: 0.0649218

confidence of prediction: 0.672262
Y_true: [4 20 37]
Y_pred: [20 37]

top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
coli uti the foley was, score: 0.08354081
inattentive says dow forwards but, score: 0.016832985
for her uti for dvt prophylaxis, score: 0.015587904

confidence of prediction: 0.972765
Y_true: [2 20 26]
Y_pred: [2 20 26 39 43]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
metformin xr glucophage xr mg po, score: 0.2066472
metformin and glipizide were, score: 0.043761335
metformin 1g hospital1 glipizide 5mg hospital1 atenolol, score:
0.030723566

confidence of prediction: 0.972146
Y_true: [2 20 26]
Y_pred: [2 20 26 39 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn dm social history no, score: 0.3690406
of dm htn presented to the, score: 0.08880002
of dm htn and a prior, score: 0.08880002

confidence of prediction: 0.932012
Y_true: [2 20 26]
Y_pred: [2 20 26 39 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation discharge condition mental, score: 0.17414847
afib the patient was started, score: 0.1665938
atrial fibrillation for approximately minutes, score: 0.021126123

confidence of prediction: 0.673474
Y_true: [2 4 18 20 24 26]
Y_pred: [2 4 18 20 24 26]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
lipitor glipizide novolin unit day, score: 0.029637862
daily glipizide mg tablet sig, score: 0.015662331
dependent diabetes mellitus s p stent, score: 0.011643817

confidence of prediction: 0.643315
Y_true: [2 4 18 20 24 26]
Y_pred: [2 4 18 20 24 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
pacemaker hypertension hyperlipidemia peripheral vascular disease,
score: 0.03157495
paroxysmal atrial fibrillation discharge, score: 0.011620251
tape 2008aw1 machine echocardiographic, score: 0.007007263

confidence of prediction: 0.982484
Y_true: [2 4 18 20 24 26]
Y_pred: [2 4 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.8036456
creams or powders to, score: 0.14793171
diuresed toward her preoperative, score: 0.024319498

confidence of prediction: 0.922734
Y_true: [2 4 18 20 24 26]
Y_pred: [2 4 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
diabetes mellitus hypertension coronary artery disease s, score:
0.23078789
permanent pacemaker hypertension hyperlipidemia peripheral vascular,
score: 0.18858397
s p permanent pacemaker, score: 0.016194941

confidence of prediction: 0.879748
Y_true: [2 4 18 20 24 26]
Y_pred: [2 4 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease aortic, score: 0.15360658
descending coronary artery angioplasty stent to, score: 0.06596429
s p stent to, score: 0.038631264

confidence of prediction: 0.934362
Y_true: [2 4 18 20 24 26]
Y_pred: [2 4 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation discharge condition good, score: 0.1984696
atrial fibrillation heparin drip was, score: 0.15755329
atrial fibrillation insulin dependent diabetes, score: 0.15669812

confidence of prediction: 0.929538
Y_true: [4 17 34]
Y_pred: [4 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
htn hyperlipidemia home meds continued, score: 0.13903336
pmhx htn hld asthma gerd lumbar, score: 0.12939267
gerd htn hld lumbar radiculopathy chronic [UNK], score: 0.044767868

confidence of prediction: 0.957542
Y_true: [4 17 34]
Y_pred: [4 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
asthma gerd htn hld lumbar, score: 0.09047639

hld asthma gerd lumbar radiculopathy who presented, score:
0.034661047

confidence of prediction: 0.718652
Y_true: [4 8 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
since hypertension hyperlipidemia gout pt not aware, score:
0.12421668
since hypertension hyperlipidemia gout pt not, score: 0.12421668
simvastatin mg hospital1 sig, score: 0.044380195

confidence of prediction: 0.984518
Y_true: [4 8 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft x aortic, score: 0.64082336
coronary artery bypass graft x lima lad svg diag svg, score:
0.03619456
coronary artery bypass graft, score: 0.015665751

confidence of prediction: 0.974037
Y_true: [4 8 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires and chest tubes, score: 0.110381015
cardiothoracic allergies no known, score: 0.021300443
tee was performed in, score: 0.008080789

confidence of prediction: 0.917639
Y_true: [4 8 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pradaxa since hypertension hyperlipidemia gout pt not, score:
0.16526596
occupation retired elevator mechanic cigarettes smoked, score:
0.12019494
mg hospital1 indomethacin mg, score: 0.031033764

confidence of prediction: 0.999113
Y_true: [4 8 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.6467125
coronary artery disease s p coronary artery bypass graft, score:
0.13691321
coronary artery disease and, score: 0.021085717

confidence of prediction: 0.959360

Y_true: [4 8 13 18 20 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation on pradaxa since, score: 0.3668351
atrial fibrillation on pradaxa since, score: 0.16449936
afib flutter and went, score: 0.04560578

confidence of prediction: 0.707060
Y_true: [3 21 47]
Y_pred: [21]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
diuretic ckd iii iv cigarette, score: 0.06565144
hl and ckd iii iv who, score: 0.043217883
kidney disease other cancers, score: 0.03955296

confidence of prediction: 0.642276
Y_true: [16 29 33 35 40 42]
Y_pred: [33 35 40 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
her respiratory failure in icu, score: 0.098746926
respiratory failure pneumonia copd, score: 0.09311904
source endotracheal gram stain, score: 0.039225746

confidence of prediction: 0.799526
Y_true: [16 29 33 35 40 42]
Y_pred: [33 35 40 43]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
bun cr ldh ca troponin, score: 0.068686664
treatments acute renal failure dehydration cr, score: 0.023929257
acute renal failure her icu, score: 0.019473815

confidence of prediction: 0.693015
Y_true: [16 29 33 35 40 42]
Y_pred: [33 35 40 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
the intubation cxr bullous, score: 0.12309134
was subsequently intubated her labs, score: 0.08273811
were intubated in the, score: 0.078950234

confidence of prediction: 0.748303
Y_true: [17 29 37 40 41 43]
Y_pred: [7 37 41 43]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
pneumonia urinary tract infection discharge condition, score:
0.066512585
sensitive klebsiella pneumonia imaging ct, score: 0.045643255
present pt extubated doing, score: 0.025774276

confidence of prediction: 0.860234
Y_true: [17 29 37 40 41 43]
Y_pred: [7 37 41 43]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
tube feeding followup instructions, score: 0.25377625
tube feeds running new, score: 0.14323741
hr tube feeds restarted and, score: 0.057463996

confidence of prediction: 0.775267
Y_true: [17 29 37 40 41 43]
Y_pred: [7 37 41 43]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
she was intubated for, score: 0.038354393
and remained intubated facial, score: 0.037645943
percutaneous tracheostomy placement of, score: 0.036126994

confidence of prediction: 0.745643
Y_true: [4 20 27 31 32 33 43 45 46]
Y_pred: [4 17 31 33 35 40 42 44]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
p stent hyperlipidemia surghx cardiac cath tonsillectomy, score: 0.5020811
svd x medhx polymyalgia rheumatica hypertension coronary, score: 0.0073629534
calretinin cea and ck20 p53 shows, score: 0.0064160526

confidence of prediction: 0.786868
Y_true: [4 20 27 31 32 33 43 45 46]
Y_pred: [4 17 31 33 35 40 42 44]
top three important windows for true positive code 31 (507.0: Pneumonitis due to inhalation of food or vomitus)
an aspiration event respiratory failure upon, score: 0.27923334
vanc cefepime flagyl as well, score: 0.016110258
including suctioning and ventalator manipulation and, score: 0.011700561

confidence of prediction: 0.752324
Y_true: [4 20 27 31 32 33 43 45 46]
Y_pred: [4 17 31 33 35 40 42 44]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
event respiratory failure upon transfer, score: 0.14305398
indication respiratory failure post, score: 0.105608925
endotracheal tube ends at, score: 0.036945757

confidence of prediction: 0.625112
Y_true: [0 2 6 8 12 20 29 33 39 41 43 46]
Y_pred: [2 6 12 31 33 35 40 41 42 43 46]
top three important windows for true positive code 2 (250.00:

Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
gout borderline dm h o htn, score: 0.080153175
with gout dm and htn who presented, score: 0.0676579
possibly dm and htn who presented, score: 0.021833653

confidence of prediction: 0.527361
Y_true: [0 2 6 8 12 20 29 33 39 41 43 46]
Y_pred: [2 6 12 31 33 35 40 41 42 43 46]
top three important windows for true positive code 6 (276.2:
Acidosis)
settings were tv 1000ml and peep of, score: 0.09856795
750ml and peep of, score: 0.03306488
central ve temp po2 pco2, score: 0.02608702

confidence of prediction: 0.700862
Y_true: [0 2 6 8 12 20 29 33 39 41 43 46]
Y_pred: [2 6 12 31 33 35 40 41 42 43 46]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
and bal intubation history, score: 0.27541563
fungus isolated respiratory viral panel, score: 0.06288121
further information bal gram stain final no, score: 0.04984827

confidence of prediction: 0.827469
Y_true: [0 2 6 8 12 20 29 33 39 41 43 46]
Y_pred: [2 6 12 31 33 35 40 41 42 43 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxemic respiratory failure and hypotension, score: 0.21049191
primary respiratory failure hypotension, score: 0.19510342
optimize respiratory function he, score: 0.027270816

confidence of prediction: 0.577437
Y_true: [0 2 6 8 12 20 29 33 39 41 43 46]
Y_pred: [2 6 12 31 33 35 40 41 42 43 46]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
fungus isolated respiratory viral panel, score: 0.08009856
effect and continuous eeg was, score: 0.04094963
optimize respiratory function he, score: 0.037458953

confidence of prediction: 0.860699
Y_true: [0 2 6 8 12 20 29 33 39 41 43 46]
Y_pred: [2 6 12 31 33 35 40 41 42 43 46]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
settings were tv 1000ml, score: 0.07432321
fungus isolated respiratory viral panel, score: 0.066967405
effect and continuous eeg, score: 0.0380864

confidence of prediction: 0.610041
Y_true: [0 2 6 8 12 20 29 33 39 41 43 46]

Y_pred: [2 6 12 31 33 35 40 41 42 43 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
ve temp po2 pco2, score: 0.17071563
settings were tv 1000ml, score: 0.0316165
on transfer vasopressors were, score: 0.03089764

confidence of prediction: 0.919020
Y_true: [0 8 12 16 17 29 32 33 41 43 46]
Y_pred: [12 17 29 31 33 40 42]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
empiric tamiflu bal cultures were not revealing, score: 0.018023856
antigen negative bronchoalveolar lavage polys lymphs, score:
0.016200097
bronchial cells macrophages and inflammatory, score: 0.009028763

confidence of prediction: 0.737154
Y_true: [0 8 12 16 17 29 32 33 41 43 46]
Y_pred: [12 17 29 31 33 40 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
macro other pleural totprot glucose, score: 0.15083821
access l ij flouro concerning, score: 0.035700705
placement bronchoscopy history of, score: 0.026550345

confidence of prediction: 0.648962
Y_true: [0 8 12 16 17 29 32 33 41 43 46]
Y_pred: [12 17 29 31 33 40 42]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
of pneumonia major surgical, score: 0.26928663
multifocal aspiration and infection a, score: 0.087164804
primary multifocal pneumonia bilateral upper, score: 0.058656573

confidence of prediction: 0.805960
Y_true: [0 8 12 16 17 29 32 33 41 43 46]
Y_pred: [12 17 29 31 33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxemic respiratory failure given antibiotics, score: 0.09204792
multilobar pneumonia intubated for hypoxemic respiratory failure and
hypotension, score: 0.062378492
sputum endotracheal gram stain, score: 0.045212317

confidence of prediction: 0.991778
Y_true: [2 24 27 29 47]
Y_pred: [20 24 29]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p rca stent in, score: 0.21747844
lesion mid lad lesion of distal, score: 0.09848521
coronary artery disease s, score: 0.07510874

confidence of prediction: 0.944380
Y_true: [2 24 27 29 47]
Y_pred: [20 24 29]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
fibrosis atypical pneumonia pulmonary edema diabetes, score:
0.07398858
possible atypical pneumonia an echo was, score: 0.008559195
when patient appropriately ambulatory, score: 0.0006954973

confidence of prediction: 0.545097
Y_true: [2 3 20 41]
Y_pred: [2 3 20]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
history hypertension diabetes hypercholesterolemia left parietal
hemorrhage, score: 0.091097765
day metformin mg tablet sig one, score: 0.024116404
the business partner ems, score: 0.02325927

confidence of prediction: 0.655537
Y_true: [2 3 20 41]
Y_pred: [2 3 20]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
medical history hypertension diabetes hypercholesterolemia left
parietal hemorrhage, score: 0.017146248
day metformin mg tablet, score: 0.0059317304
scan to attempt to, score: 0.0033874926

confidence of prediction: 0.701786
Y_true: [2 3 20 41]
Y_pred: [2 3 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension diabetes hypercholesterolemia left
parietal, score: 0.35374326
his business partner when he, score: 0.33458266
the business partner ems, score: 0.051253505

confidence of prediction: 0.981539
Y_true: [3 8 20 26 37]
Y_pred: [4 17 20 26 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension hypercholesterolemia depression mental, score:
0.21250746
maker initiation patient likely needs, score: 0.10165199
pmh of htn hyperlipidemia and mr resident, score: 0.077893324

confidence of prediction: 0.922956
Y_true: [3 8 20 26 37]
Y_pred: [4 17 20 26 37]

top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation patient was started, score: 0.27279466
atrial fibrillation uti secondary hypertension, score: 0.18618688
atrial fibrillation flutter anemia unclear, score: 0.01289629

confidence of prediction: 0.952161
Y_true: [3 8 20 26 37]
Y_pred: [4 17 20 26 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
for uti patient was admitted to, score: 0.08843818
for uti fen cardiac, score: 0.04800132
last day coumadin initial, score: 0.042668123

confidence of prediction: 0.675686
Y_true: [3 21 31 36]
Y_pred: [21 31 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
dementia ttp ckd admitted to the, score: 0.28219423
hospital1 chronic renal insufficiency likely secondary, score:
0.014395412
and paroxetine chronic renal failure the patient, score:
0.0133348955

confidence of prediction: 0.955499
Y_true: [3 21 31 36]
Y_pred: [21 31 36]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
primary diagnosis aspiration pneumonitis secondary diagnosis
dementia, score: 0.017555298
transient aspiration pneumonitis hypertension the patient, score:
0.01433229
shortness of breath chest, score: 0.002718931

confidence of prediction: 0.688953
Y_true: [3 21 31 36]
Y_pred: [21 31 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
dementia ttp ckd admitted to the, score: 0.13540973
and paroxetine chronic renal failure the patient, score: 0.018677318
hospital1 chronic renal insufficiency likely secondary, score:
0.018099967

confidence of prediction: 0.933440
Y_true: [3 20 26 34 37 48]
Y_pred: [4 20 26 34 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pmh of htn afib hl cad s, score: 0.16468586

with pmh htn afib hl cad s, score: 0.1603294
medical history hypertension le, score: 0.04822303

confidence of prediction: 0.951083
Y_true: [3 20 26 34 37 48]
Y_pred: [4 20 26 34 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib hl cad s, score: 0.2986076
atrial fibrillation currently her hr, score: 0.116572924
cabg afib hl gerd, score: 0.015669512

confidence of prediction: 0.626334
Y_true: [3 20 26 34 37 48]
Y_pred: [4 20 26 34 48]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hl gerd pernicious anemia physical, score: 0.08429634
50mg qdaily premarin 625mg qdaily diovan, score: 0.015556969
continued to chew and, score: 0.015229845

confidence of prediction: 0.883276
Y_true: [3 20 26 34 37 48]
Y_pred: [4 20 26 34 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg afib hl gerd, score: 0.328544
cad s p cabg who presents from, score: 0.00093348196

confidence of prediction: 0.620217
Y_true: [2 6 35]
Y_pred: [1 2 6 19 35]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
diabetes type ii on insulin, score: 0.1580491
diabetes mellitus chronic issue, score: 0.08545579
aspart novolog flexpen unit ml, score: 0.08285038

confidence of prediction: 0.889569
Y_true: [2 6 35]
Y_pred: [1 2 6 19 35]
top three important windows for true positive code 6 (276.2:
Acidosis)
a hyperchloremic acidosis lithium levels were checked, score:
0.20465544
injury and increasing lithium, score: 0.008863316
consulted recommending dialysis due to her, score: 0.007475521

confidence of prediction: 0.856952
Y_true: [2 6 35]
Y_pred: [1 2 6 19 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)

acute kidney injury insulin dependent, score: 0.16301584
and acute kidney injury it is, score: 0.040332537
acute kidney injury and elevated, score: 0.025177773

confidence of prediction: 0.773433
Y_true: [0 2 6 7 24 26 27 30 40 42 45 46]
Y_pred: [0 1 26 27 30 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
discharge diagnosis sepsis cholangitis acute pancreatitis acute,
score: 0.6698436
likely initially septic and was initially managed, score:
0.009162707
zosyn acetaminophen morphine zofran and, score: 0.0030589595

confidence of prediction: 0.993163
Y_true: [0 2 6 7 24 26 27 30 40 42 45 46]
Y_pred: [0 1 26 27 30 46]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib who presents from hospital, score: 0.8776392
atrial fibrillation diabetes mellitus hypothyroidism, score:
0.012825044
atrial fibrillation unclear cardiac history, score: 0.004238137

confidence of prediction: 0.961686
Y_true: [0 2 6 7 24 26 27 30 40 42 45 46]
Y_pred: [0 1 26 27 30 46]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
ef and dchf noted in had dual, score: 0.33023262
and osh records pt, score: 0.0045157294
chronic lower back pain, score: 0.0038825395

confidence of prediction: 0.962113
Y_true: [0 2 6 7 24 26 27 30 40 42 45 46]
Y_pred: [0 1 26 27 30 46]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
dementia psoriasis copd chronic lower back pain, score: 0.007924166
discharge condition mental status, score: 0.0007037626
that procedure copd history of copd does, score: 0.00035835902

confidence of prediction: 0.733091
Y_true: [0 2 6 7 24 26 27 30 40 42 45 46]
Y_pred: [0 1 26 27 30 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
discharge diagnosis sepsis cholangitis acute pancreatitis acute,
score: 0.38231152
likely initially septic and was initially managed, score:
0.012383254
placed contrast medium was injected, score: 0.008853864

confidence of prediction: 0.942574
Y_true: [4 17 20]
Y_pred: [4 17 20 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension hyperlipidemia social history works as, score:
0.18761258
pmh htn dyslipidemia recent left foot, score: 0.028998107
on discharge hyperlipidemia continued pravastatin mg daily, score:
0.016969265

confidence of prediction: 0.632878
Y_true: [4 17 20]
Y_pred: [4 17 20 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
femoral line placement impression pulmonary, score: 0.080249906
lumen central venous catheter via right, score: 0.036329243
access the patient was, score: 0.025313262

confidence of prediction: 0.992659
Y_true: [4 17 20]
Y_pred: [4 17 20 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
workup hypertension hctz had initially been, score: 0.11597915
pmh obesity htn who developed left, score: 0.11503582
arthrodesis in hypertension hyperlipidemia social history, score:
0.03366624

confidence of prediction: 0.596507
Y_true: [2 7 10 20 24 44]
Y_pred: [2 4 20 24]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
dm2 reportedly off insulin, score: 0.22303557
ii dm hyperlipidemia hypertension, score: 0.081474654
type ii dm iv drug use, score: 0.05773062

confidence of prediction: 0.919355
Y_true: [2 7 10 20 24 44]
Y_pred: [2 4 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
dm hyperlipidemia hypertension was transferred from, score:
0.22150472
pole renal lesion which is, score: 0.08011188
diabetes hyperlipidemia hypertension discharge condition stable,
score: 0.06445351

confidence of prediction: 0.788744
Y_true: [2 7 10 20 24 44]
Y_pred: [2 4 20 24]

top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cancer cad bms in year digits, score: 0.10034091
lcx in pacing icd other, score: 0.07243818
coronary artery disease type, score: 0.04186413

confidence of prediction: 0.891751
Y_true: [2 5 7 17 20 33 35 46 49]
Y_pred: [2 4 20 44]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
daily glyburide mg tablet sig, score: 0.0147362575
medical history t2dm htn hepatitis b carrier hyperlipidemia, score:
0.007615128
for dm2 htn hld who recently, score: 0.0066921837

confidence of prediction: 0.954793
Y_true: [2 5 7 17 20 33 35 46 49]
Y_pred: [2 4 20 44]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
for dm2 htn hld who recently underwent, score: 0.19735244
history t2dm htn hepatitis b carrier, score: 0.1421931
glyburide mg tablet sig, score: 0.027697952

confidence of prediction: 0.539889
Y_true: [2 5 17 19 26 29 34 35 41]
Y_pred: [5 29 41]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
with mild hyponatremia she underwent ir guided, score: 0.63771456
mg tid discharge medications, score: 0.012088595
mtx toxicity and other, score: 0.008275906

confidence of prediction: 0.624370
Y_true: [2 5 17 19 26 29 34 35 41]
Y_pred: [5 29 41]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
hospital acquired pneumonia discharge condition afebrile, score:
0.033363927
with likely pneumonia seen on cxr iv vanco and, score: 0.014330058
and higher pa pressures, score: 0.007111076

confidence of prediction: 0.858248
Y_true: [2 5 17 19 26 29 34 35 41]
Y_pred: [5 29 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
the feeding tube was adjusted on, score: 0.17211601
a feeding tube was placed on, score: 0.025853338
stomach tube feeds were started using, score: 0.020735173

confidence of prediction: 0.752065
Y_true: [1 9 17 18 21 36]
Y_pred: [1 18]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
prn levothyroxine mcg daily lisinopril mg, score: 0.14613609
ai mr hypothyroidism renal insufficiency s p, score: 0.02770768
refills levothyroxine mcg tablet sig, score: 0.024972837

confidence of prediction: 0.977562
Y_true: [1 9 17 18 21 36]
Y_pred: [1 18]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires remained in place, score: 0.32754102
diuresed toward the preoperative, score: 0.055984486
tee was performed in, score: 0.0060867765

confidence of prediction: 0.997748
Y_true: [3 7 20 30 37]
Y_pred: [20 30]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history copd htn hypercholesterolemia on plavix and, score:
0.23601454
hctz daily simvastatin daily, score: 0.080717824
in the wide bore, score: 0.06475696

confidence of prediction: 0.732947
Y_true: [3 7 20 30 37]
Y_pred: [20 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
medical history copd htn hypercholesterolemia on plavix, score:
0.63274777
and plavix copd whom according to, score: 0.014909646
chronic right sdh with associated, score: 0.013685318

confidence of prediction: 0.507369
Y_true: [14 24 38]
Y_pred: [14 24 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac cath history of present, score: 0.15329924
cath comments coronary angiography of this, score: 0.05304842
comments selective angiography of the, score: 0.014175395

confidence of prediction: 0.979641
Y_true: [14 24 38]
Y_pred: [14 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
which was intervened upon, score: 0.14876452
lad with timi iii, score: 0.03943975

one vessel coronary artery disease normal, score: 0.028234733

confidence of prediction: 0.795860
Y_true: [14 24 38]
Y_pred: [14 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac cath history of present, score: 0.38901237
cath comments coronary angiography of this, score: 0.029848408
vessel without significant disease, score: 0.014951093

confidence of prediction: 0.930920
Y_true: [1 4 16 17 20 23 27 29 33 34 37 40 41 42 48]
Y_pred: [1 17 23 24 27 33 34 35 37 42]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
10mg hypothyroidism continued levothyroxine gerd continued, score:
0.35381025
htn hypothyroidism tkr social history daughter, score: 0.10531269
hospital1 levothyroxine mcg daily toprol, score: 0.03993718

confidence of prediction: 0.791084
Y_true: [1 4 16 17 20 23 27 29 33 34 37 40 41 42 48]
Y_pred: [1 17 23 24 27 33 34 35 37 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
venous line placement history of, score: 0.39162466
after receiving sedation normal, score: 0.100398645
after picc placed urinary tract infection, score: 0.045824174

confidence of prediction: 0.651581
Y_true: [1 4 16 17 20 23 27 29 33 34 37 40 41 42 48]
Y_pred: [1 17 23 24 27 33 34 35 37 42]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi in ekgs, score: 0.7316728
h o mi in in setting of, score: 0.031418044
recurrent utis mi ra on, score: 0.025807487

confidence of prediction: 0.794962
Y_true: [1 4 16 17 20 23 27 29 33 34 37 40 41 42 48]
Y_pred: [1 17 23 24 27 33 34 35 37 42]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
resistant utis chf cad s p mi, score: 0.007281424
it difficult to determine, score: 0.0066012265
anemia diastolic dysfunction w ef of, score: 0.0065546976

confidence of prediction: 0.545601
Y_true: [1 4 16 17 20 23 27 29 33 34 37 40 41 42 48]
Y_pred: [1 17 23 24 27 33 34 35 37 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
primary hypercarbic respiratory failure pseudomonas uti, score:

0.05813186
sedation normal lactate ekg, score: 0.03185062
were ultimately intubated to, score: 0.024517566

confidence of prediction: 0.684888
Y_true: [1 4 16 17 20 23 27 29 33 34 37 40 41 42 48]
Y_pred: [1 17 23 24 27 33 34 35 37 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
got subclavian cvl which, score: 0.021221885
venous line placement history of, score: 0.01627403
respiratory failure pseudomonas uti, score: 0.013574204

confidence of prediction: 0.936673
Y_true: [1 4 16 17 20 23 27 29 33 34 37 40 41 42 48]
Y_pred: [1 17 23 24 27 33 34 35 37 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection has h, score: 0.08843067
plus uti improved with, score: 0.07624978
mod leuk few bact outside, score: 0.071913

confidence of prediction: 0.673089
Y_true: [1 4 16 17 20 23 27 29 33 34 37 40 41 42 48]
Y_pred: [1 17 23 24 27 33 34 35 37 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated started ctx, score: 0.23122148
subsequent intubation acute on, score: 0.06441624
miconazole nitrate powder sig, score: 0.03747439

confidence of prediction: 0.826512
Y_true: [2 12 21 26 35 36]
Y_pred: [21 26 27 29 35 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic kidney disease morbid obesity gout, score: 0.036646403
kidney injury patient was admitted, score: 0.008963404
yellow discarge coughing frequently, score: 0.004557224

confidence of prediction: 0.948279
Y_true: [2 12 21 26 35 36]
Y_pred: [21 26 27 29 35 36]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation obstructive sleep apnea, score: 0.16798365
atrial fibrillation controlled on metoprolol, score: 0.049150806
was a pleasure taking care, score: 0.009122197

confidence of prediction: 0.729849
Y_true: [2 12 21 26 35 36]
Y_pred: [21 26 27 29 35 36]

top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
by renal failure and pulmonary, score: 0.058455743
hospitalization acute kidney injury patient was, score: 0.036844984
from renal failure physical exam, score: 0.022402762

confidence of prediction: 0.585907
Y_true: [2 12 21 26 35 36]
Y_pred: [21 26 27 29 35 36]
top three important windows for true positive code 36 (585.9: Chronic kidney disease, unspecified)
chronic kidney disease morbid obesity gout, score: 0.025236385
yellow discarge coughing frequently, score: 0.0127193965
acute kidney injury patient was admitted, score: 0.010864271

confidence of prediction: 0.665290
Y_true: [2 4 8 17 20 39 47]
Y_pred: [2 11 20 24]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
of dm pvd and aneurysm, score: 0.07668686
of iddm pvd htn hld smoking, score: 0.044024814
asthma copd iddm pad past surgical, score: 0.029723855

confidence of prediction: 0.668541
Y_true: [2 4 8 17 20 39 47]
Y_pred: [2 11 20 24]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
htn pvd asthma copd iddm, score: 0.10196529
on cpap htn pvd asthma copd iddm, score: 0.10175057
januvia mg tablet sig, score: 0.05352519

confidence of prediction: 0.953330
Y_true: [3 14 24 38]
Y_pred: [4 15 24 38]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
lesion was in the, score: 0.07483875
coronary artery disease bradycardia, score: 0.06957482
coronary artery disease patent, score: 0.066231035

confidence of prediction: 0.862066
Y_true: [3 14 24 38]
Y_pred: [4 15 24 38]
top three important windows for true positive code 38 (88.56: Coronary arteriography using two catheters)
cardiac catheterization with drug, score: 0.47704303
catheterization comments selective coronary angiography of this, score: 0.04216015
cath lab he was started, score: 0.019604234

confidence of prediction: 0.925776

Y_true: [2 3 14 18 20 24 25 27 38 39]
Y_pred: [2 13 18 20 24 27]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
meds metformin 1000mg hospital1 asa 81mg, score: 0.035619713
daily metformin mg hospital1 calcium daily, score: 0.023908556
dependent diabetes mellitus hypertension ischemic colitis, score:
0.019240588

confidence of prediction: 0.977096
Y_true: [2 3 14 18 20 24 25 27 38 39]
Y_pred: [2 13 18 20 24 27]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies no known, score: 0.023212269
bypass grafting times one, score: 0.011945563
tee was performed in, score: 0.0088060815

confidence of prediction: 0.975063
Y_true: [2 3 14 18 20 24 25 27 38 39]
Y_pred: [2 13 18 20 24 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
diabetes mellitus hypertension ischemic colitis gi bleed, score:
0.27241996
metformin mg hospital1 calcium, score: 0.025296243
cabg in s mother, score: 0.017628882

confidence of prediction: 0.982907
Y_true: [2 3 14 18 20 24 25 27 38 39]
Y_pred: [2 13 18 20 24 27]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease aortic, score: 0.24925405
coronary artery lesion she had, score: 0.20872223
coronary artery disease mitral, score: 0.061202593

confidence of prediction: 0.869156
Y_true: [2 3 14 18 20 24 25 27 38 39]
Y_pred: [2 13 18 20 24 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure coronary artery disease, score: 0.124967605
systolic heart failure and therefore was, score: 0.055222522
systolic heart failure aortic stenosis coronary, score: 0.055222522

confidence of prediction: 0.595910
Y_true: [4 13 18 21 24 25 26 27]
Y_pred: [4 13 18 24 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
prostatic hypertrophy hyperlipidemia h o stroke social, score:
0.29552975

prostatic hypertrophy hyperlipidemia h o stroke discharge, score: 0.29552975
atorvastatin mg tablet sig, score: 0.01041019

confidence of prediction: 0.975969
Y_true: [4 13 18 21 24 25 26 27]
Y_pred: [4 13 18 24 26]
top three important windows for true positive code 13 (36.15: Single internal mammary-coronary artery bypass)
coronary artery bypass grafts x lima lad, score: 0.2265766
wires were discontinued without, score: 0.027754204
coronary artery bypass grafting x3 with a, score: 0.024741594

confidence of prediction: 0.986061
Y_true: [4 13 18 21 24 25 26 27]
Y_pred: [4 13 18 24 26]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7086576
diuresed toward the preoperative, score: 0.019994793
bypass grafting x3 with a, score: 0.008324679

confidence of prediction: 0.936173
Y_true: [4 13 18 21 24 25 26 27]
Y_pred: [4 13 18 24 26]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery disease mitral, score: 0.17274718
coronary artery bypass grafts, score: 0.116330996
coronary artery disease aortic, score: 0.0740442

confidence of prediction: 0.884330
Y_true: [4 13 18 21 24 25 26 27]
Y_pred: [4 13 18 24 26]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
irregular murmur x grade, score: 0.01556671
rapid atrial fibrillation was symptomatic and, score: 0.0080987485
amiodarone iv and po, score: 0.005834144

confidence of prediction: 0.763618
Y_true: [0 17 20 29 33 34 40 42 46]
Y_pred: [0 11 17 20 29 33 34 46]
top three important windows for true positive code 0 (038.9: Unspecified septicemia)
shock requiring pressors and intubation septic shock pt developed hypotension, score: 0.1360132
on levophed lactate was, score: 0.03874924
respiratory failure pneumonia pt, score: 0.029976843

confidence of prediction: 0.658257
Y_true: [0 17 20 29 33 34 40 42 46]
Y_pred: [0 11 17 20 29 33 34 46]
top three important windows for true positive code 17 (38.93: Venous

catheterization, not elsewhere classified)
line arterial line history, score: 0.1616596
left subclavian central line tip over mid, score: 0.06919808
continued pramipexole gerd continued pantoprazole, score: 0.05662477

confidence of prediction: 0.958898
Y_true: [0 17 20 29 33 34 40 42 46]
Y_pred: [0 11 17 20 29 33 34 46]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn and depression who, score: 0.4369449
htn furosemide prn pt not, score: 0.06092539
diastolic function htn initially held propranolol, score: 0.02407652

confidence of prediction: 0.824071
Y_true: [0 17 20 29 33 34 40 42 46]
Y_pred: [0 11 17 20 29 33 34 46]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
acquired pneumonia a total, score: 0.17444184
lll pneumonia and she was, score: 0.12658986
have lll pneumonia which was, score: 0.05332004

confidence of prediction: 0.736122
Y_true: [0 17 20 29 33 34 40 42 46]
Y_pred: [0 11 17 20 29 33 34 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
sputum culture x2 without, score: 0.1230149
rhonchorous mechanical ventilation sounds, score: 0.05890936
intubated this cannot be, score: 0.05452879

confidence of prediction: 0.912690
Y_true: [0 17 20 29 33 34 40 42 46]
Y_pred: [0 11 17 20 29 33 34 46]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
continued pramipexole gerd continued pantoprazole medications on,
score: 0.20674981
apnea hypertension gerd depression anxiety osteoarthritis remote,
score: 0.006158474
osa and hypoxemia requiring oxygen, score: 0.0050938367

confidence of prediction: 0.970258
Y_true: [0 17 20 29 33 34 40 42 46]
Y_pred: [0 11 17 20 29 33 34 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
shock requiring pressors and intubation septic shock pt developed
hypotension, score: 0.055371504
septic shock which was later, score: 0.03674015
on levophed lactate was initially which, score: 0.035560086

confidence of prediction: 0.693996

Y_true: [7 28 47]
Y_pred: [1 5 7 28]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
by a radiologist you, score: 0.13595766
bleeding he underwent ir, score: 0.13174973
history of present illness, score: 0.08880649

confidence of prediction: 0.883733
Y_true: [7 28 47]
Y_pred: [1 5 7 28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
bleeding varix for banding, score: 0.017624216
prostate nodule protruding into, score: 0.016037285
micu where endoscopy was difficult, score: 0.013196139

confidence of prediction: 0.661232
Y_true: [4 8 14 24 47]
Y_pred: [4 24 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
bladder cancer dyslipidemia acute sytolic dysfunction, score:
0.2800761
known cad hld and bladder cancer, score: 0.04599294
dyslipidemia cardiac history percutaneous, score: 0.045846544

confidence of prediction: 0.993369
Y_true: [4 8 14 24 47]
Y_pred: [4 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lad lesion with an ostial d1, score: 0.1559736
bare metal stents x2 to, score: 0.055900924
metal sents x to, score: 0.031613827

confidence of prediction: 0.961058
Y_true: [0 2 6 8 16 20 29 32 33 37 40 42 46]
Y_pred: [11 33 37]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypercarbic respiratory failure with severely, score: 0.09521447
hypercarbic respiratory failure shock, score: 0.09521447
hypoxia hypercarbic respiratory failure major surgical, score:
0.036053717

confidence of prediction: 0.889290
Y_true: [0 2 6 8 16 20 29 32 33 37 40 42 46]
Y_pred: [11 33 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
for uti on arrival, score: 0.05712287
coli uti that was resistant, score: 0.038620964
leuk lg 00pm urine, score: 0.03241745

confidence of prediction: 0.981311
Y_true: [4 14 20 24 27]
Y_pred: [1 15 24 27 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease the, score: 0.09470978
coronary artery disease successful, score: 0.09470978
disease cad who presented, score: 0.0469214

confidence of prediction: 0.667400
Y_true: [4 14 20 24 27]
Y_pred: [1 15 24 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
with heart failure clinic should have, score: 0.031130802
hypertension pulmonic valve pulmonary, score: 0.012171503
and ntg in the, score: 0.011151281

confidence of prediction: 0.736152
Y_true: [28]
Y_pred: [7 28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness 53f with a, score: 0.3840727
had an endoscopy endoscopy did not reveal, score: 0.051597003
an endoscopy liver disease, score: 0.042715594

confidence of prediction: 0.779910
Y_true: [3 7 13 17 18 20 24 26 35]
Y_pred: [3 4 13 18 20 24 26 34]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
stenosis hypertension hypercholesterolemia paroxysmal atrial
fibrillation, score: 0.18428436
x full rom x chest, score: 0.0029689828
significant for hypertension hypercholesterolemia known cad s p,
score: 0.0023020448

confidence of prediction: 0.913820
Y_true: [3 7 13 17 18 20 24 26 35]
Y_pred: [3 4 13 18 20 24 26 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)
coronary artery bypass grafting, score: 0.065735005
left internal mammary artery to left, score: 0.04024584
coronary artery bypass grafting surgery see, score: 0.038436666

confidence of prediction: 0.979521
Y_true: [3 7 13 17 18 20 24 26 35]
Y_pred: [3 4 13 18 20 24 26 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
incisions gently with mild soap, score: 0.51822513

cardiothoracic attending first name3, score: 0.10239142
grafting left internal mammary, score: 0.09137155

confidence of prediction: 0.935738
Y_true: [3 7 13 17 18 20 24 26 35]
Y_pred: [3 4 13 18 20 24 26 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
significant for hypertension hypercholesterolemia, score: 0.19099773
amiodarone was slowly titrated, score: 0.08604771
aortic stenosis hypertension hypercholesterolemia paroxysmal atrial
fibrillation cad s p rca, score: 0.07424635

confidence of prediction: 0.978087
Y_true: [3 7 13 17 18 20 24 26 35]
Y_pred: [3 4 13 18 20 24 26 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease including, score: 0.14972472
coronary artery bypass grafting, score: 0.031589895
coronary artery disease s, score: 0.02919411

confidence of prediction: 0.963961
Y_true: [3 7 13 17 18 20 24 26 35]
Y_pred: [3 4 13 18 20 24 26 34]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation history of deep, score: 0.13097207
atrial fibrillation cad s p, score: 0.068399236
atrial fibrillation and was started, score: 0.05156658

confidence of prediction: 0.781749
Y_true: [10 11 17 37]
Y_pred: [17 37]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
cvl placement r ij cvl placement history of, score: 0.086780295
had a femoral line placed and started, score: 0.069554776
had femoral cvl placed patient was, score: 0.043346994

confidence of prediction: 0.893518
Y_true: [10 11 17 37]
Y_pred: [17 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
repeat uti a urine culture finalized, score: 0.15851164
urinary tract infection in the, score: 0.116251044
a urinary tract infection the psychiatry, score: 0.011225122

confidence of prediction: 0.719454
Y_true: [9 11 17]
Y_pred: [17]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)

maculopapular fading erythematous rash, score: 0.05333988
developed a maculopapular rash, score: 0.029268594
on he continued to, score: 0.020993248

confidence of prediction: 0.689709
Y_true: [5 32]
Y_pred: [5 17 29 32 39]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
on ceftriaxone hyponatremia possibly secondary to hypovolemia,
score: 0.4457183
neutrophil predominance hyponatremia na and hypokalemia, score:
0.09629259
for days ending disp, score: 0.03666431

confidence of prediction: 0.730983
Y_true: [5 32]
Y_pred: [5 17 29 32 39]
top three important windows for true positive code 32 (511.9:
Unspecified pleural effusion)
pleural effusion thoracentesis was performed draining 400cc, score:
0.12106348
of pleural effusion and fibrosis if, score: 0.02118377
pleural effusion ct chest, score: 0.012079229

confidence of prediction: 0.777961
Y_true: [4 13 18 20 23 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
obesity hypertension hyperlipidemia discharge condition good, score:
0.24091123
fibrillation anterior myocardial infarction, score: 0.013224185
mi in inferior wall, score: 0.0063187582

confidence of prediction: 0.992018
Y_true: [4 13 18 20 23 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting x2, score: 0.34485877
descending artery saphenous vein graft, score: 0.026049223
artery bypass grafting x2, score: 0.008648764

confidence of prediction: 0.933207
Y_true: [4 13 18 20 23 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
creams or powders to, score: 0.3654325
cardiothoracic allergies iodine iodine, score: 0.060982835
grafting past medical history, score: 0.034390137

confidence of prediction: 0.974812

Y_true: [4 13 18 20 23 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
obesity hypertension s p l, score: 0.12061343
to be regulated by, score: 0.038150344
appendage obesity hypertension hyperlipidemia discharge condition,
score: 0.02796271

confidence of prediction: 0.999238
Y_true: [4 13 18 20 23 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.29615143
coronary artery disease paroxysmal, score: 0.062697165
disease lad stent after, score: 0.025496515

confidence of prediction: 0.957508
Y_true: [4 13 18 20 23 24 26]
Y_pred: [4 13 18 20 24 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation major surgical or, score: 0.09492527
atrial fibrillation anterior myocardial infarction, score:
0.07003556
atrial fibrillation s p cornary, score: 0.062468767

confidence of prediction: 0.814275
Y_true: [7 11 21 26 30 36 48]
Y_pred: [4 7 21 26 30 34 36 48 49]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
units of prbc and his hematocrit was, score: 0.29072416
requiring [UNK] hematocrit monitoring, score: 0.0669992
bleeding but resumed once, score: 0.038590267

confidence of prediction: 0.706781
Y_true: [7 11 21 26 30 36 48]
Y_pred: [4 7 21 26 30 34 36 48 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
years ckd baseline creatinine aortic stenosis, score: 0.17120463
cabg ckd aortic stenosis discharge, score: 0.06266255
ppi ckd baseline creatinine currently at, score: 0.033677027

confidence of prediction: 0.988121
Y_true: [7 11 21 26 30 36 48]
Y_pred: [4 7 21 26 30 34 36 48 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib prostate ca cll, score: 0.07232405
atrial fibrillation needing coumadin restarted, score: 0.041782852

afib medications on admission, score: 0.028831828

confidence of prediction: 0.680656
Y_true: [7 11 21 26 30 36 48]
Y_pred: [4 7 21 26 30 34 36 48 49]
top three important windows for true positive code 30 (496: Chronic airway obstruction, not elsewhere classified)
copd on 3l nc at, score: 0.39394796
coumadin copd on 3l nc at, score: 0.068452016
iii copd p afib prostate ca, score: 0.028730694

confidence of prediction: 0.781707
Y_true: [7 11 21 26 30 36 48]
Y_pred: [4 7 21 26 30 34 36 48 49]
top three important windows for true positive code 36 (585.9: Chronic kidney disease, unspecified)
years ckd baseline creatinine aortic stenosis, score: 0.17395334
ppi ckd baseline creatinine currently at, score: 0.025287122
p cabg ckd aortic stenosis discharge, score: 0.0075789704

confidence of prediction: 0.871856
Y_true: [7 11 21 26 30 36 48]
Y_pred: [4 7 21 26 30 34 36 48 49]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
s p cabg who presented to, score: 0.21997462
s p cabg and, score: 0.21997462
s p cabg and unstable angina, score: 0.21997462

confidence of prediction: 0.621909
Y_true: [7 9 10 11 17 33 35 40 42]
Y_pred: [7 9 28 31]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
cherry red spots likely bleeding from esophageal, score: 0.19828796
of ffp bags of, score: 0.15399504
cell count consistent with, score: 0.055642664

confidence of prediction: 0.671646
Y_true: [7 9 10 11 17 33 35 40 42]
Y_pred: [7 9 28 31]
top three important windows for true positive code 9 (287.5: Thrombocytopenia, unspecified)
decreased lactulose thrombocytopenia stable from last admission, score: 0.43303376
month only thrombocytopenia and inr, score: 0.056616396
underwent urgent egd which, score: 0.010780489

confidence of prediction: 0.805948
Y_true: [20 29]
Y_pred: [5 20]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
depression bph htn pna s, score: 0.2136793

hctz was stopped bp was, score: 0.17941031
prior to returning home, score: 0.09517222

confidence of prediction: 0.566318
Y_true: [1 5 20 30 47]
Y_pred: [1 20 30]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
daily levothyroxine sodium mcg po daily, score: 0.13590987
po bid levothyroxine sodium mcg po daily, score: 0.0018670806
mg td daily acetaminophen, score: 0.0012777994

confidence of prediction: 0.987420
Y_true: [1 5 20 30 47]
Y_pred: [1 20 30]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hospital1 copd htn social history former smoker, score: 0.11249364
melatonin nf mg oral qhs, score: 0.011338157
with liver function tests, score: 0.003933822

confidence of prediction: 0.619530
Y_true: [1 5 20 30 47]
Y_pred: [1 20 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
at hospital1 copd hospital transferred from hospital3, score:
0.053458065
at hospital1 copd htn social history former, score: 0.053458065

confidence of prediction: 0.901123
Y_true: [4 21 25 27 29 33 35 36]
Y_pred: [4 8 21 27 29 33 35 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
insufficiency hypertension hyperlipidemia discharge condition
mental, score: 0.18404055
be beneficial hld stable on pravastatin anxiety, score: 0.05936024
prednisone hypertension hyperlipidemia mitral valve prolapse, score:
0.052684415

confidence of prediction: 0.557872
Y_true: [4 21 25 27 29 33 35 36]
Y_pred: [4 8 21 27 29 33 35 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic renal failure cr on, score: 0.26029745
and adrenalectomy recurrent rcc, score: 0.10576166
and adrenalectomy adrenal insufficiency bilateral adrenalectomy,
score: 0.021423439

confidence of prediction: 0.915867
Y_true: [4 21 25 27 29 33 35 36]

```
Y_pred: [ 4  8 21 27 29 33 35 36]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf patient was initially on, score: 0.07293397
failure we gave you, score: 0.054086074
pneumonia chf copd secondary diagnosis renal, score: 0.022193577

confidence of prediction: 0.574775
Y_true: [ 4 21 25 27 29 33 35 36]
Y_pred: [ 4  8 21 27 29 33 35 36]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
primary diagnosis pneumonia chf, score: 0.4023884
cxr reveals rll pna and worsening bl pleural, score: 0.019086525
pneumonia and a new, score: 0.010215248

confidence of prediction: 0.953688
Y_true: [ 4 21 25 27 29 33 35 36]
Y_pred: [ 4  8 21 27 29 33 35 36]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
for hypoxic respiratory failure hypoxic respiratory failure likely
multifactorial, score: 0.065083854
became acutely dyspneic in, score: 0.02831424
cxr reveals rll pna and, score: 0.01135863

confidence of prediction: 0.679018
Y_true: [ 4 21 25 27 29 33 35 36]
Y_pred: [ 4  8 21 27 29 33 35 36]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure cr on admission, score: 0.25817513
to renal failure see above, score: 0.12222895
to renal failure and decreased, score: 0.05461218

confidence of prediction: 0.653109
Y_true: [ 4 21 25 27 29 33 35 36]
Y_pred: [ 4  8 21 27 29 33 35 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal failure cr on admission, score: 0.27074838
and adrenalectomy recurrent rcc, score: 0.109400414
and adrenalectomy adrenal insufficiency bilateral adrenalectomy,
score: 0.028557157

confidence of prediction: 0.682705
Y_true: [ 1  3  4  5 13 14 18 20 22 24 27 37 38]
Y_pred: [ 1  4  5 13 14 18 20 22 24 27 37 38]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
neuropathy hypothyroidism obstructive sleep apnea, score: 0.15891896
daily levothyroxine mcg tablet sig, score: 0.06478894
with meals synthroid mcg daily lisinopril mg, score: 0.004225812
```

confidence of prediction: 0.833623
Y_true: [1 3 4 5 13 14 18 20 22 24 27 37 38]
Y_pred: [1 4 5 13 14 18 20 22 24 27 37 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia congestive heart, score:
0.11754815
for hypertension hyperlipidemia diabetes who was transferred, score:
0.09231256
disease hypertension hyperlipidemia congestive heart, score:
0.082852885

confidence of prediction: 0.726156
Y_true: [1 3 4 5 13 14 18 20 22 24 27 37 38]
Y_pred: [1 4 5 13 14 18 20 22 24 27 37 38]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
did develop hyponatremia which improved with free, score: 0.19342735
penicillins bactrim attending first, score: 0.016427437
history of present illness, score: 0.010107224

confidence of prediction: 0.985435
Y_true: [1 3 4 5 13 14 18 20 22 24 27 37 38]
Y_pred: [1 4 5 13 14 18 20 22 24 27 37 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary–coronary artery bypass)
coronary artery bypass graft x lima lad svg to om history, score:
0.66618586
incisions gently with mild, score: 0.009556774
and pacing wires were discontinued without, score: 0.0037081302

confidence of prediction: 0.515761
Y_true: [1 3 4 5 13 14 18 20 22 24 27 37 38]
Y_pred: [1 4 5 13 14 18 20 22 24 27 37 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catheterization today revealed lm, score: 0.036841627
nstemi with trop on pod, score: 0.022414707
plaquing to abdominal aortography, score: 0.017750077

confidence of prediction: 0.986092
Y_true: [1 3 4 5 13 14 18 20 22 24 27 37 38]
Y_pred: [1 4 5 13 14 18 20 22 24 27 37 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7427208
diuresed toward the preoperative, score: 0.020955885
cardiothoracic allergies penicillins bactrim, score: 0.0039903685

confidence of prediction: 0.937068
Y_true: [1 3 4 5 13 14 18 20 22 24 27 37 38]
Y_pred: [1 4 5 13 14 18 20 22 24 27 37 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

systemic arterial hypertension sbp, score: 0.24343349
medical history hypertension hyperlipidemia congestive heart, score:
0.09035364
significant for hypertension hyperlipidemia diabetes who was, score:
0.07323129

confidence of prediction: 0.839281
Y_true: [1 3 4 5 13 14 18 20 22 24 27 37 38]
Y_pred: [1 4 5 13 14 18 20 22 24 27 37 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
for nstemi with trop on pod, score: 0.07281539
presents with nstemi on pod from, score: 0.011796431
cath comments coronary angiography of this, score: 0.0037593788

confidence of prediction: 0.998485
Y_true: [1 3 4 5 13 14 18 20 22 24 27 37 38]
Y_pred: [1 4 5 13 14 18 20 22 24 27 37 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass graft, score: 0.43583527
coronary artery disease hypertension, score: 0.092269145
coronary artery disease the, score: 0.08783467

confidence of prediction: 0.779154
Y_true: [1 3 4 5 13 14 18 20 22 24 27 37 38]
Y_pred: [1 4 5 13 14 18 20 22 24 27 37 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf presents with nstemi on, score: 0.18982096
congestive heart failure insulin dependent diabetes, score:
0.1361291
diastolic dysfunction moderate left, score: 0.034459487

confidence of prediction: 0.827103
Y_true: [1 3 4 5 13 14 18 20 22 24 27 37 38]
Y_pred: [1 4 5 13 14 18 20 22 24 27 37 38]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
for uti discharge disposition extended, score: 0.73428917
penicillins bactrim attending first, score: 0.03813864
did develop hyponatremia which improved with free, score:
0.010687308

confidence of prediction: 0.675743
Y_true: [1 3 4 5 13 14 18 20 22 24 27 37 38]
Y_pred: [1 4 5 13 14 18 20 22 24 27 37 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization today revealed lm, score: 0.04724339
plaquing to abdominal aortography, score: 0.04143553
nstemi with trop on, score: 0.019080449

confidence of prediction: 0.631313

Y_true: [10 30 31 33 34 41 42]
Y_pred: [10 17 34]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
history tobacco ppd x45 yrs currently at, score: 0.12894674
cardiac decompensation neck soft, score: 0.0046633827
aerosol inhaler hospital1 two, score: 0.0026524593

confidence of prediction: 0.594849
Y_true: [10 30 31 33 34 41 42]
Y_pred: [10 17 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
secondary copd gerd discharge condition mental, score: 0.04457641
copd gerd frequent uri s social, score: 0.044574734
hd6 with moderate but, score: 0.0103530735

confidence of prediction: 0.722723
Y_true: [2 24 29 33 36 40 42]
Y_pred: [2 17 20 24 29 44]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
gym [UNK] dm s p right mastectomy, score: 0.124374725
antiarth agents misc classf, score: 0.012399004
female with nonunion from multiple previous, score: 0.0070553147

confidence of prediction: 0.782724
Y_true: [2 24 29 33 36 40 42]
Y_pred: [2 17 20 24 29 44]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
atenolol digoxin diovan glipizide hydrochlorothiazide methotrexate,
score: 0.061787114
for atherectomy of innominate, score: 0.029821532
hypertension ischemic heart disease stent s p median, score:
0.015109057

confidence of prediction: 0.796517
Y_true: [2 24 29 33 36 40 42]
Y_pred: [2 17 20 24 29 44]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
have lll pneumonia and started on, score: 0.13321176
respiratory distress pneumonia discharge condition neurologically,
score: 0.017947448
svc cavoatrial junction the, score: 0.005921187

confidence of prediction: 0.537395
Y_true: [10 17 20 27 33 40 41 42 48]
Y_pred: [17 20 29 30 33 40 41 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
placement of central venous access via the, score: 0.084811725

right ij catheter terminates in superior vena cava, score:
0.08064141
on versed fent drips, score: 0.02699941

confidence of prediction: 0.900044
Y_true: [10 17 20 27 33 40 41 42 48]
Y_pred: [17 20 29 30 33 40 41 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension lower extremity edema hypertension social history
smoked 3pks, score: 0.24389286
secondary diagnosis hypertension discharge, score: 0.07880744
up pursued hypertension with diastolic dysfunction, score:
0.05527391

confidence of prediction: 0.805815
Y_true: [10 17 20 27 33 40 41 42 48]
Y_pred: [17 20 29 30 33 40 41 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypercarbic respiratory failure his respiratory, score: 0.25647607
cxr showed fluffy bilateral, score: 0.1821633
ventilation normal lactate and, score: 0.054625712

confidence of prediction: 0.544657
Y_true: [10 17 20 27 33 40 41 42 48]
Y_pred: [17 20 29 30 33 40 41 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
requiring intubation he did, score: 0.2758519
you were intubated for three, score: 0.08237455
sedation surrounding intubation or, score: 0.06291282

confidence of prediction: 0.526449
Y_true: [10 17 20 27 33 40 41 42 48]
Y_pred: [17 20 29 30 33 40 41 42]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
sedation surrounding intubation or from, score: 0.15030545
distress requiring intubation he did, score: 0.047826435
effusions endotracheal tube ends approximately, score: 0.03280286

confidence of prediction: 0.565091
Y_true: [10 17 20 27 33 40 41 42 48]
Y_pred: [17 20 29 30 33 40 41 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
endotracheal tube ends approximately cm, score: 0.15730335
sedation surrounding intubation or, score: 0.09455675
distress requiring intubation he did, score: 0.045015246

confidence of prediction: 0.845743
Y_true: [4 16 20 24 26 27 30 33 35 40 42 49]

Y_pred: [4 24 26 27 30 35 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
stent hypertension hyperlipidemia tia chf, score: 0.18216024
sickness hypertension hyperlipidemia cholecystectomy gun shot wound,
score: 0.091074035
400mg hospital1 pravastatin 10mg daily quinapril, score: 0.010816066

confidence of prediction: 0.924282
Y_true: [4 16 20 24 26 27 30 33 35 40 42 49]
Y_pred: [4 24 26 27 30 35 40 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cad s p stent years, score: 0.0374723
coronary interventions stent years ago at, score: 0.00753174
icd copd cad s p stent hypertension, score: 0.005089714

confidence of prediction: 0.973647
Y_true: [4 16 20 24 26 27 30 33 35 40 42 49]
Y_pred: [4 24 26 27 30 35 40 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation cabg none percutaneous, score: 0.3873826
afib s p pulmonary, score: 0.21772367
atrial fibrillation subsequently the, score: 0.02088283

confidence of prediction: 0.878859
Y_true: [4 16 20 24 26 27 30 33 35 40 42 49]
Y_pred: [4 24 26 27 30 35 40 42]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure who presents now, score: 0.3265396
congestive heart failure the patient had, score: 0.091088556
pulmonary edema atrial fibrillation, score: 0.036373798

confidence of prediction: 0.673933
Y_true: [4 16 20 24 26 27 30 33 35 40 42 49]
Y_pred: [4 24 26 27 30 35 40 42]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
fibrillation icd copd cad s p stent, score: 0.39502472
hospital1 dx copd initiation of amiodarone, score: 0.079419814
copd initiation of amiodarone, score: 0.032119676

confidence of prediction: 0.539046
Y_true: [4 16 20 24 26 27 30 33 35 40 42 49]
Y_pred: [4 24 26 27 30 35 40 42]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
renal function improved and has, score: 0.2041395
acute kidney injury he had, score: 0.05691934
an elevated cr that was, score: 0.045856997

confidence of prediction: 0.606552

Y_true: [4 16 20 24 26 27 30 33 35 40 42 49]
Y_pred: [4 24 26 27 30 35 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
admission gen intubated male in, score: 0.022952601
isolation ablation intubation history of, score: 0.021128196
were briefly intubated upon discharge, score: 0.014951505

confidence of prediction: 0.704277
Y_true: [4 16 20 24 26 27 30 33 35 40 42 49]
Y_pred: [4 24 26 27 30 35 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
isolation ablation intubation history of, score: 0.008836248
were briefly intubated upon discharge from, score: 0.007108065
he was intubated and diuresed, score: 0.0070251464

confidence of prediction: 0.603997
Y_true: [1 4 14 21 24 27 38 47]
Y_pred: [1 2 4 14 21 24 36 38]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
qid levothyroxine sodium mcg po daily, score: 0.17766543
min hypothyroidism mrsa cellulitis history obesity, score:
0.022487264
metoporol and atrovastatin and, score: 0.0026366706

confidence of prediction: 0.683700
Y_true: [1 4 14 21 24 27 38 47]
Y_pred: [1 2 4 14 21 24 36 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
[UNK] htn hld smoking history and, score: 0.38132605
factors diabetes dyslipidemia hypertension diabetes mellitus type,
score: 0.23390712
sl mg sl prn, score: 0.02600678

confidence of prediction: 0.626060
Y_true: [1 4 14 21 24 27 38 47]
Y_pred: [1 2 4 14 21 24 36 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac cath coronary angiography in this, score: 0.3178449
circumflex artery that was, score: 0.0066984603
cardiac cath coronary angiography in this, score: 0.0059595946

confidence of prediction: 0.716639
Y_true: [1 4 14 21 24 27 38 47]
Y_pred: [1 2 4 14 21 24 36 38]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
neuropathy ckd stage egfr ml min, score: 0.025815375

diabetes mellitus type now, score: 0.0077636284
metoporol and atrovastatin and, score: 0.005642133

confidence of prediction: 0.962189
Y_true: [1 4 14 21 24 27 38 47]
Y_pred: [1 2 4 14 21 24 36 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cardiac cath coronary angiography in this, score: 0.25156826
lcx stemi she had, score: 0.02271694
who presented found to, score: 0.021241836

confidence of prediction: 0.835137
Y_true: [1 4 14 21 24 27 38 47]
Y_pred: [1 2 4 14 21 24 36 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac cath coronary angiography in this, score: 0.61995786
cath coronary angiography in this, score: 0.11842522
120s without this medication, score: 0.011801927

confidence of prediction: 0.916743
Y_true: [3 17 20 45 48 49]
Y_pred: [17 24 45 48 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
antibiotics tpn cvl discontinued picc placed diet advanced, score:
0.065375514
line flush picc heparin, score: 0.054219518
picc line placed flexiseal placed ng, score: 0.04430533

confidence of prediction: 0.904109
Y_true: [3 17 20 45 48 49]
Y_pred: [17 24 45 48 49]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
control tpn pt made, score: 0.31346902
on tpn diet advanced, score: 0.24952729
diet tpn continues as, score: 0.1464459

confidence of prediction: 0.797161
Y_true: [3 17 20 45 48 49]
Y_pred: [17 24 45 48 49]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
htn hypercholesterolemia cad s p vessel cabg echo showed no, score:
0.0042698914
sigmoid colectomy hartmann s, score: 0.0031577288
midline scar sl distended, score: 0.0010538092

confidence of prediction: 0.551669
Y_true: [3 17 20 45 48 49]
Y_pred: [17 24 45 48 49]
top three important windows for true positive code 49 (V58.61: Long-

term (current) use of anticoagulants)
dvt on coumadin reactive, score: 0.55256623
of approximately warfarin dose decreased to, score: 0.087785296
as needed warfarin mg tablet sig, score: 0.032028925

confidence of prediction: 0.735180
Y_true: [9 20 35]
Y_pred: [9 35 37]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
of fluids thrombocytopenia patients platelets were noted, score:
0.60206914
though certainly missing his insulin the, score: 0.028652841
at length about the, score: 0.005715796

confidence of prediction: 0.818107
Y_true: [9 20 35]
Y_pred: [9 35 37]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
was likely pre renal his cr was, score: 0.03475044
acute kidney injury likely prerenal resolving baseline creatinine,
score: 0.01810896
leukocytosis bandemia resolved no, score: 0.0137511315

confidence of prediction: 0.537949
Y_true: [7 9 26 27 35 49]
Y_pred: [6 9 26 27 35 44]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
bleeding resume thrombocytopenia stable pt, score: 0.509337
unsuccessfull she wsa transfered to hospital1 for, score:
0.096812285
cautery and epinepherine injection, score: 0.03618241

confidence of prediction: 0.978559
Y_true: [7 9 26 27 35 49]
Y_pred: [6 9 26 27 35 44]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with episode of, score: 0.26244938
fib last name stitle, score: 0.22411971
atrial fibrillation who is admitted, score: 0.19988921

confidence of prediction: 0.986224
Y_true: [7 9 26 27 35 49]
Y_pred: [6 9 26 27 35 44]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure atrial, score: 0.17141238
diastolic heart failure pt, score: 0.17141238
diastolic heart failure gi, score: 0.17141238

confidence of prediction: 0.867709

Y_true: [7 9 26 27 35 49]
Y_pred: [6 9 26 27 35 44]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
renal failure improved foley, score: 0.25121278
acute renal failure after patient, score: 0.057172142
acute renal failure atrial fibrillation, score: 0.057172142

confidence of prediction: 0.733971
Y_true: [9 19]
Y_pred: [9 19]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
has new thrombocytopenia since her platelets were, score: 0.18311496
relatively new thrombocytopenia the work, score: 0.17458905
polyclonal hypergammaglobulinemia thrombocytopenia the patient,
score: 0.12052192

confidence of prediction: 0.853733
Y_true: [9 19]
Y_pred: [9 19]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
on hemodialysis discharge condition, score: 0.075853184
esrd on hd and presenting, score: 0.073186755
esrd on hd the, score: 0.07313318

confidence of prediction: 0.535183
Y_true: [10 17 40 41 43]
Y_pred: [41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
subfalcine herniation and left, score: 0.19421989
old cantonese speaking man per his, score: 0.025377896
subfalcine herniation and left, score: 0.02185006

confidence of prediction: 0.555615
Y_true: [0 6 8 10 11 17 20 33 35 37 40 41 42 46]
Y_pred: [6 17 20 33 35 40 42]
top three important windows for true positive code 6 (276.2:
Acidosis)
and respiratory acidosis acute renal failure discharge, score:
0.06284278
and respiratory acidosis she was extubated on, score: 0.034951735
intubated for inabilty to, score: 0.022201337

confidence of prediction: 0.815845
Y_true: [0 6 8 10 11 17 20 33 35 37 40 41 42 46]
Y_pred: [6 17 20 33 35 40 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line flush picc heparin, score: 0.0646792
left subclavian picc line that extends, score: 0.03811848
thus a picc line was placed the, score: 0.01935494

confidence of prediction: 0.880365
Y_true: [0 6 8 10 11 17 20 33 35 37 40 41 42 46]
Y_pred: [6 17 20 33 35 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history pmhx htn copd not on, score: 0.12712157
cover bsx4 appopriately tender, score: 0.034213755
cholecystectomy appendectomy perforated ulcers x3 hysterectomy
bilateral total, score: 0.023353547

confidence of prediction: 0.662285
Y_true: [0 6 8 10 11 17 20 33 35 37 40 41 42 46]
Y_pred: [6 17 20 33 35 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxemic respiratory failure beleived to, score: 0.48605216
she was intubated for inabilty to, score: 0.019373644
also later grew e, score: 0.018048516

confidence of prediction: 0.523720
Y_true: [0 6 8 10 11 17 20 33 35 37 40 41 42 46]
Y_pred: [6 17 20 33 35 40 42]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
discharge medications citalopram mg, score: 0.075343944
she was extubated on, score: 0.03515106
acidosis acute renal failure discharge condition mental, score:
0.027221007

confidence of prediction: 0.883714
Y_true: [0 6 8 10 11 17 20 33 35 37 40 41 42 46]
Y_pred: [6 17 20 33 35 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
re intubation due to possible, score: 0.3143558
then re intubated on pod, score: 0.016884435
patient was intubated in the, score: 0.0114388615

confidence of prediction: 0.859770
Y_true: [0 6 8 10 11 17 20 33 35 37 40 41 42 46]
Y_pred: [6 17 20 33 35 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
re intubated on pod, score: 0.50836426
re intubation due to possible, score: 0.21294793
was intubated in the, score: 0.085018195

confidence of prediction: 0.930188
Y_true: [8 35]
Y_pred: [35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)

to the arf as well, score: 0.25904125
with keppra arf ck came, score: 0.048589483
to elevated lactate dehydrogenase, score: 0.02468859

confidence of prediction: 0.896014
Y_true: [2 4 37 41]
Y_pred: [2 20 37 40 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
dm type ii hyperlipidemia tardive, score: 0.11860068
lisinopril diabetes metformin initially held but, score: 0.04293456
hospital1 metformin 1000mg ng hospital1 senna, score: 0.023478987

confidence of prediction: 0.940690
Y_true: [2 4 37 41]
Y_pred: [2 20 37 40 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
proteus mirabilis organisms ml sensitivities, score: 0.09543255
and uti altered mental, score: 0.04468233
her uti she was, score: 0.031565156

confidence of prediction: 0.737033
Y_true: [8 21 27 35 44 48]
Y_pred: [21 27 36 48]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
turp ckd baseline cr gout partial, score: 0.10764115
renal failure likely from, score: 0.04403694
ckd cr reached with baseline, score: 0.04201498

confidence of prediction: 0.941459
Y_true: [8 21 27 35 44 48]
Y_pred: [21 27 36 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
heart failure patient was, score: 0.15335177
congestive heart failure secondary, score: 0.124263875
chf chronic renal failure, score: 0.075072855

confidence of prediction: 0.885216
Y_true: [8 21 27 35 44 48]
Y_pred: [21 27 36 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
chf cad s p cabg ckd dm2, score: 0.00090514956
chf cad s p cabg ckd dm2, score: 0.00068470323
cad s p cabg in single, score: 0.00059433497

confidence of prediction: 0.893326
Y_true: [4 10 14 20 24 26 38]
Y_pred: [4 10 20 24 26 38]

top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hld on simvastatin at, score: 0.21565597
72m with hyperlipidemia and atrial fibrillation, score: 0.079514384
factors dyslipidemia hypertension cardiac history, score:
0.053901058

confidence of prediction: 0.661644
Y_true: [4 10 14 20 24 26 38]
Y_pred: [4 10 20 24 26 38]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
quitting smoking tobacco cessation counseling nicotine, score:
0.033133127
tobacco abuse secondary hyperlipidemia, score: 0.024512997
tobacco abuse patient is, score: 0.016976394

confidence of prediction: 0.892434
Y_true: [4 10 14 20 24 26 38]
Y_pred: [4 10 20 24 26 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
secondary hyperlipidemia hypertension discharge, score: 0.074063174
continued gemfibrozil htn he was somewhat hypotensive, score:
0.051832877
instead of zocor to, score: 0.045398287

confidence of prediction: 0.730994
Y_true: [4 10 14 20 24 26 38]
Y_pred: [4 10 20 24 26 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cabg none percutaneous coronary, score: 0.037548248
ii suggesting rca involvement, score: 0.033261843
rca occlusion s p des stemi he does, score: 0.02669995

confidence of prediction: 0.972772
Y_true: [4 10 14 20 24 26 38]
Y_pred: [4 10 20 24 26 38]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation chads2 score is, score: 0.088159494
atrial fibrillation who presents with, score: 0.08367599
afib in during routing, score: 0.06230422

confidence of prediction: 0.696142
Y_true: [4 10 14 20 24 26 38]
Y_pred: [4 10 20 24 26 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
left heart catheterization with percutaneous, score: 0.33786476
heart cath was performed, score: 0.07819358
cath lab he was chest, score: 0.06446804

confidence of prediction: 0.585099
Y_true: [2 9 21 34 36 45]
Y_pred: [2 4 9 21 29 34 36 45]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
type diabetes acid reflux disease gout, score: 0.19488482
levofloxacin type dm used sliding scale, score: 0.05179302
diabetes and coronary artery, score: 0.028870335

confidence of prediction: 0.504370
Y_true: [2 9 21 34 36 45]
Y_pred: [2 4 9 21 29 34 36 45]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
down to thrombocytopenia antiplatelet antibody, score: 0.2722456
the liver branched radiopaque, score: 0.045168195
reflux disease gout diverticulosis, score: 0.039133716

confidence of prediction: 0.732259
Y_true: [2 9 21 34 36 45]
Y_pred: [2 4 9 21 29 34 36 45]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
kidney disease with baseline creatinine, score: 0.17107216
chronic kidney disease with baseline creatinine, score: 0.1530812
chronic renal insufficiency baseline cr cr elevated today, score:
0.013233919

confidence of prediction: 0.748383
Y_true: [2 9 21 34 36 45]
Y_pred: [2 4 9 21 29 34 36 45]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
atenolol gerd continued protonix gout continued, score: 0.13161841
acid reflux disease gout diverticulosis osteoarthritis, score:
0.067330256
diabetes acid reflux disease gout diverticulosis osteoarthritis,
score: 0.03086626

confidence of prediction: 0.773180
Y_true: [2 9 21 34 36 45]
Y_pred: [2 4 9 21 29 34 36 45]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
kidney disease with baseline creatinine, score: 0.09911031
chronic kidney disease with baseline creatinine, score: 0.0985163
chronic renal insufficiency baseline cr cr elevated today, score:
0.029167635

confidence of prediction: 0.950117
Y_true: [2 9 21 34 36 45]
Y_pred: [2 4 9 21 29 34 36 45]

top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
on tpn his ngt was, score: 0.075355195
following which tpn was discontinued the patient, score: 0.011298973
was on tpn iv antiobiotics and kept, score: 0.0031954031

confidence of prediction: 0.986022
Y_true: [21 26 36 37 47 48 49]
Y_pred: [26 34 36 37 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib patient is rhythm, score: 0.042517826
atrial fibrillation discharge disposition home, score: 0.013215868
atrial fibrillation amiodarone warfarin carpal tunnel, score:
0.012357596

confidence of prediction: 0.648056
Y_true: [21 26 36 37 47 48 49]
Y_pred: [26 34 36 37 48]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
x2 af ckd htn who was transferred, score: 0.3224454
renal insufficiency social history social, score: 0.014654428
nf om dha epa, score: 0.014340887

confidence of prediction: 0.875344
Y_true: [21 26 36 37 47 48 49]
Y_pred: [26 34 36 37 48]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
a uti since and he, score: 0.080163755
urinary incontinece over the, score: 0.043697596
final escherichia coli organisms ml presumptive, score: 0.02887254

confidence of prediction: 0.863128
Y_true: [21 26 36 37 47 48 49]
Y_pred: [26 34 36 37 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg x2 af ckd, score: 0.74754596
lad redo cabg hypertension, score: 0.06770085
coronary artery disease cabg in svg to lad svg to om svg, score:
0.0019468706

confidence of prediction: 0.541280
Y_true: [2 11 16 17 21 27 36 41]
Y_pred: [17 21 27 36 41]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
picc line opacification over the, score: 0.10260093
for methicillin resistant staph aureus general, score: 0.055166796
a dobhoff feeding tube was, score: 0.042616677

confidence of prediction: 0.543163

Y_true: [2 11 16 17 21 27 36 41]
Y_pred: [17 21 27 36 41]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
hypertension chronic renal failure coronary artery, score:
0.26437104
diabetes and depression takes diltiazem, score: 0.06168962
kidney dipstick urinalysis blood, score: 0.009823926

confidence of prediction: 0.969379
Y_true: [2 11 16 17 21 27 36 41]
Y_pred: [17 21 27 36 41]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
decompensation heart shadow and mediastinal, score: 0.5714383
htn crf chf dm requires insulin depression, score: 0.021646412
history of chf and was given, score: 0.006358449

confidence of prediction: 0.586327
Y_true: [2 11 16 17 21 27 36 41]
Y_pred: [17 21 27 36 41]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
hypertension chronic renal failure coronary artery disease, score:
0.29437828
diabetes and depression takes diltiazem, score: 0.06072396
crf chf dm requires insulin depression recent, score: 0.020201284

confidence of prediction: 0.923855
Y_true: [2 11 16 17 21 27 36 41]
Y_pred: [17 21 27 36 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
feeding tube tip is, score: 0.08939893
npo tube feedings were not, score: 0.04324068
the feeding tube and would, score: 0.017062962

confidence of prediction: 0.648552
Y_true: [1 2 4 5 20 23 24 26 37 49]
Y_pred: [1 2 4 5 26 37 49]
top three important windows for true positive code 1 (244.9:
Unspecfied acquired hypothyroidism)
inr hypothyroidism constipation past surgical, score: 0.34479225
20mg levothyroxine 125mg qd metformin 500mg, score: 0.14920132
daily levothyroxine mcg tablet sig, score: 0.05451308

confidence of prediction: 0.824347
Y_true: [1 2 4 5 20 23 24 26 37 49]
Y_pred: [1 2 4 5 26 37 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
qd metformin 500mg hospital1 colace, score: 0.025168795

history dm type pneumonia with pleural, score: 0.01709503
pm metformin mg tablet sig, score: 0.010976432

confidence of prediction: 0.869507
Y_true: [1 2 4 5 20 23 24 26 37 49]
Y_pred: [1 2 4 5 26 37 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
50mg tid simvastatin 10mg qd coumadin 4mg, score: 0.04463231
weeks ago htn hld uti deaf afib, score: 0.014704452
warfarin mg tablet sig, score: 0.010194351

confidence of prediction: 0.940943
Y_true: [1 2 4 5 20 23 24 26 37 49]
Y_pred: [1 2 4 5 26 37 49]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
details regarding hyponatremia she had a foley, score: 0.24065623
her improving hyponatremia her, score: 0.13629118
to her hyponatremia her sodium upon admission, score: 0.10431466

confidence of prediction: 0.995950
Y_true: [1 2 4 5 20 23 24 26 37 49]
Y_pred: [1 2 4 5 26 37 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin last, score: 0.7095575
atrial fibrillation with rapid, score: 0.07006134
atrial fibrillation with a rapid, score: 0.07006134

confidence of prediction: 0.942039
Y_true: [1 2 4 5 20 23 24 26 37 49]
Y_pred: [1 2 4 5 26 37 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
atrial fibrillation urinary tract infection discharge condition,
score: 0.06078216
for uti which was, score: 0.025552519
she was extubated after, score: 0.016167164

confidence of prediction: 0.590111
Y_true: [1 2 4 5 20 23 24 26 37 49]
Y_pred: [1 2 4 5 26 37 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin last, score: 0.6976836
anticoagulated on coumadin she, score: 0.07384607
10mg qd coumadin 4mg, score: 0.061874118

confidence of prediction: 0.703968
Y_true: [1 7 17 19 41 43]
Y_pred: [1 5 17 19 26 35]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)

coagulopathy hypothyroidism h o atrial, score: 0.3334218
outpatient hypothyroidism tsh hyperthyroid, score: 0.14322567
hospital1 levoxyl mcg daily potassium, score: 0.099746004

confidence of prediction: 0.786254
Y_true: [1 7 17 19 41 43]
Y_pred: [1 5 17 19 26 35]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
arterial catheter picc line placement dialysis, score: 0.17789654
she underwent liver transplant, score: 0.06686933
l femoral line with large, score: 0.039482966

confidence of prediction: 0.905297
Y_true: [1 7 17 19 41 43]
Y_pred: [1 5 17 19 26 35]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
started on cvvh she continued, score: 0.076942936
demonstrated right hemodialysis catheter extended, score:
0.045967877
and cellcept cvvhd was, score: 0.03152748

confidence of prediction: 0.563040
Y_true: [4 17 18 24 26 37 38]
Y_pred: [4 13 18 24 26 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
medical history hyperlipidemia coagulopathy has been worked, score:
0.17754334
simvastatin mg tablet sig, score: 0.039836038
warfarin mg tablet sig, score: 0.015955253

confidence of prediction: 0.975666
Y_true: [4 17 18 24 26 37 38]
Y_pred: [4 13 18 24 26 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were pulled per, score: 0.2330097
grafting x1 with reverse, score: 0.008980279
cardiothoracic allergies excedrin extra, score: 0.008425811

confidence of prediction: 0.973524
Y_true: [4 17 18 24 26 37 38]
Y_pred: [4 13 18 24 26 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
vessel coronary artery disease the, score: 0.12475375
coronary artery disease s p coronary artery, score: 0.0536573
coronary artery bypass grafting, score: 0.039661746

confidence of prediction: 0.775432
Y_true: [4 17 18 24 26 37 38]
Y_pred: [4 13 18 24 26 38]

top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation on pod and, score: 0.58522534
amiodarone mg tablet sig, score: 0.0174834
irregular murmur x grade, score: 0.012997778

confidence of prediction: 0.730589
Y_true: [4 17 18 24 26 37 38]
Y_pred: [4 13 18 24 26 38]
top three important windows for true positive code 38 (88.56: Coronary arteriography using two catheters)
cardiac cath selective angiography of this right, score: 0.18999545
cardiac catheterization was performed which, score: 0.024385372
vessel coronary artery disease, score: 0.011441103

confidence of prediction: 0.940853
Y_true: [1 21 27 31 36 37 49]
Y_pred: [1 21 27 31 34 36 37 49]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
dvt hypothyroidism discharge condition mental, score: 0.22596015
qpm levothyroxine 88mcg daily mvi, score: 0.030957514
currently hypothyroid continued home levothyroxine mcg pmr continued, score: 0.027016519

confidence of prediction: 0.844782
Y_true: [1 21 27 31 36 37 49]
Y_pred: [1 21 27 31 34 36 37 49]
top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified)
chronic kidney disease hypertension chronic, score: 0.1254739
chronic kidney disease thiazides and, score: 0.03829337
chronic kidney disease without cp, score: 0.03829337

confidence of prediction: 0.968658
Y_true: [1 21 27 31 36 37 49]
Y_pred: [1 21 27 31 34 36 37 49]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
diastolic chf hyperlipidemia hypothyroidism, score: 0.023889514
chronic diastolic chf ef pt without chest, score: 0.017151022
medical history dchf ef hyperlipidemia hyperparathyroid hypothyroid, score: 0.0134004075

confidence of prediction: 0.861117
Y_true: [1 21 27 31 36 37 49]
Y_pred: [1 21 27 31 34 36 37 49]
top three important windows for true positive code 31 (507.0: Pneumonitis due to inhalation of food or vomitus)
of aspiration pna name ni, score: 0.061976355
events this likely represents an aspiration pneumonia given her recent, score: 0.0417263
with vanc zosyn this, score: 0.018484237

```
confidence of prediction: 0.887410
Y_true: [ 1 21 27 31 36 37 49]
Y_pred: [ 1 21 27 31 34 36 37 49]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic kidney disease hypertension chronic, score: 0.09423793
chronic kidney disease thiazides and, score: 0.026535261
chronic kidney disease without cp, score: 0.026535261

confidence of prediction: 0.664911
Y_true: [ 1 21 27 31 36 37 49]
Y_pred: [ 1 21 27 31 34 36 37 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
diphtheroids organisms ml of, score: 0.1896336
alpha hemolytic colonies consistent with, score: 0.08183911
change uti patient with history, score: 0.06502282

confidence of prediction: 0.726850
Y_true: [ 1 21 27 31 36 37 49]
Y_pred: [ 1 21 27 31 34 36 37 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
ago so warfarin held for days, score: 0.42967537
anticoagulated on warfarin ckd, score: 0.163575
day so warfarin was, score: 0.09415829

confidence of prediction: 0.623235
Y_true: [ 3  9 16 17 20 33 34 35 40 43 46]
Y_pred: [ 0  3  6 17 33 35 40 41 42 46]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
of htn hypercholesterolemia and gerd but, score: 0.13603714
history hypertension hypercholesterolemia hx of malaria, score:
0.08326735
a plastic 10fr by 9cm biliary, score: 0.0030685342

confidence of prediction: 0.865724
Y_true: [ 3  9 16 17 20 33 34 35 40 43 46]
Y_pred: [ 0  3  6 17 33 35 40 41 42 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line was placed zosyn was, score: 0.14303137
line was placed zosyn, score: 0.14303137
subclavian central line placement history of, score: 0.036092296

confidence of prediction: 0.643938
Y_true: [ 3  9 16 17 20 33 34 35 40 43 46]
Y_pred: [ 0  3  6 17 33 35 40 41 42 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
respiratory failure acute renal, score: 0.05692049
vanc and cefepime for, score: 0.05150945
```

was intubated on an arterial line, score: 0.049925704

confidence of prediction: 0.917894
Y_true: [3 9 16 17 20 33 34 35 40 43 46]
Y_pred: [0 3 6 17 33 35 40 41 42 46]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
renal failure improving pt, score: 0.2752168
acute renal failure creatinine was, score: 0.052809212
renal failure with clinical, score: 0.05134042

confidence of prediction: 0.877661
Y_true: [3 9 16 17 20 33 34 35 40 43 46]
Y_pred: [0 3 6 17 33 35 40 41 42 46]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
ercp intubation l subclavian central line, score: 0.1282611
and required intubation due to critical, score: 0.073140025
he was intubated on an arterial line, score: 0.005129074

confidence of prediction: 0.754179
Y_true: [3 9 16 17 20 33 34 35 40 43 46]
Y_pred: [0 3 6 17 33 35 40 41 42 46]
top three important windows for true positive code 46 (995.92: Severe sepsis)
sepsis acute renal failure with, score: 0.10422245
patient was admitted for, score: 0.06601013
and sepsis urine lytes, score: 0.02493745

confidence of prediction: 0.928565
Y_true: [2 4 8 11 14 20 24 38]
Y_pred: [2 4 20 24 38]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
dm2 on metformin glyburide as outpatient hba1c, score: 0.120367624
type diabetes hyperlipidemia discharge, score: 0.022181895
hypertension gout diabetes mellitus type hyperlipidemia nephrolithiasis, score: 0.017572984

confidence of prediction: 0.756910
Y_true: [2 4 8 11 14 20 24 38]
Y_pred: [2 4 20 24 38]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
factors diabetes dyslipidemia hypertension cardiac history, score: 0.14790669
type diabetes hyperlipidemia discharge condition improved, score: 0.07333911
hyperlipidemia patient had fasting, score: 0.061618064

confidence of prediction: 0.876577
Y_true: [2 4 8 11 14 20 24 38]
Y_pred: [2 4 20 24 38]

top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension gout diabetes mellitus type, score: 0.15010038
pmh of htn hyperlipidemia and dm who, score: 0.120125525
htn patient was normotensive, score: 0.06386796

confidence of prediction: 0.891774
Y_true: [2 4 8 11 14 20 24 38]
Y_pred: [2 4 20 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lad with drug eluting, score: 0.18716289
vessel and stent clear, score: 0.051171027
lad with name prefix, score: 0.038180828

confidence of prediction: 0.691191
Y_true: [2 4 8 11 14 20 24 38]
Y_pred: [2 4 20 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterizations and left, score: 0.28023544
lab he received asa, score: 0.05987402
cath comments coronary angiography of this, score: 0.03336948

confidence of prediction: 0.535271
Y_true: [5 8 15 17 21 23 24 25 27 35]
Y_pred: [15 21 23 26 27 35 36 38]
top three important windows for true positive code 15 (37.23:
Combined right and left heart cardiac catheterization)
cardiac catheterization to assess your, score: 0.008720775
lab results on transfer, score: 0.0021245573
procedure cardiac catheterization and history of present, score:
0.0013543452

confidence of prediction: 0.727252
Y_true: [5 8 15 17 21 23 24 25 27 35]
Y_pred: [15 21 23 26 27 35 36 38]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
comfort ckd patient told he had, score: 0.03844717
kidney disease in past social, score: 0.02214586
hypertension chronic kidney disease discharge condition, score:
0.018987665

confidence of prediction: 0.676220
Y_true: [5 8 15 17 21 23 24 25 27 35]
Y_pred: [15 21 23 26 27 35 36 38]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi in, score: 0.3767177
s p mi with chf, score: 0.11520697
s p mi and [UNK] in ny, score: 0.047863644

confidence of prediction: 0.954128
Y_true: [5 8 15 17 21 23 24 25 27 35]
Y_pred: [15 21 23 26 27 35 36 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
implanted in chf pvd and htn, score: 0.24877977
heart failure coronary artery, score: 0.066472776
chf and acute renal, score: 0.052300595

confidence of prediction: 0.700863
Y_true: [5 8 15 17 21 23 24 25 27 35]
Y_pred: [15 21 23 26 27 35 36 38]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure he reports, score: 0.08943548
acute renal failure pump he, score: 0.08943548
stabilized renal function rhythm, score: 0.06040051

confidence of prediction: 0.655861
Y_true: [1 2 4 26 27 35 48]
Y_pred: [1 2 20 26 27 35 48]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
diltiazem hypothyroidism patient was not, score: 0.08583286
secondary hypothyroidism hypertension diabetes mellitis, score:
0.08030195
daily levothyroxine mcg tablet sig, score: 0.06390447

confidence of prediction: 0.952336
Y_true: [1 2 4 26 27 35 48]
Y_pred: [1 2 20 26 27 35 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
hypertension diabetes mellitis type hyperlipidemia coronary, score:
0.20965208
ii diabetes on oral agents, score: 0.031687222
type ii diabetes the patient s, score: 0.010507656

confidence of prediction: 0.979864
Y_true: [1 2 4 26 27 35 48]
Y_pred: [1 2 20 26 27 35 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
paf who presents with, score: 0.2943168
atrial fibrillation chads score of, score: 0.26553527
paf who presented with dyspnea, score: 0.15005217

confidence of prediction: 0.978882
Y_true: [1 2 4 26 27 35 48]
Y_pred: [1 2 20 26 27 35 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
dchf exacerbation in setting, score: 0.21748737

diastolic chf exacerbation respiratory distress, score: 0.045649692
heart failure diastolic acute, score: 0.017442342

confidence of prediction: 0.589001
Y_true: [1 2 4 26 27 35 48]
Y_pred: [1 2 20 26 27 35 48]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
recorded as having no, score: 0.028820055
and renal failure daily attention, score: 0.028096355
improved with diuresis however, score: 0.014051885

confidence of prediction: 0.877811
Y_true: [1 2 4 26 27 35 48]
Y_pred: [1 2 20 26 27 35 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg dchf and, score: 0.35179952
s p cabg had cabg in, score: 0.07640285
course after cabg and, score: 0.014464993

confidence of prediction: 0.610767
Y_true: [2 4 5 27 33 47]
Y_pred: [2 4 5 27 34]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
dm ii history of rectal, score: 0.0842557
hyponatremia diabetes type ii patient on, score: 0.039235666
prn metformin mg po, score: 0.027993146

confidence of prediction: 0.799573
Y_true: [2 4 5 27 33 47]
Y_pred: [2 4 5 27 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
transanal excision hyperlipidemia depression anxiety oa knee, score:
0.1603052
po daily hyperlipidemia she was continued on, score: 0.07118853
female laying in bed, score: 0.0066679656

confidence of prediction: 0.956974
Y_true: [2 4 5 27 33 47]
Y_pred: [2 4 5 27 34]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
to hypovolemic hyponatremia diabetes type ii patient, score:
0.575689
with antibiotics hyponatremia na of in the, score: 0.067092404
on discharge tiotroprium albuterol nebs, score: 0.01994111

confidence of prediction: 0.965445
Y_true: [2 4 5 27 33 47]
Y_pred: [2 4 5 27 34]

top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure discharge condition, score: 0.32864815
dchf and dm ii who, score: 0.10124094
dchf diabetes and remote history, score: 0.08258106

confidence of prediction: 0.683897
Y_true: [7 17 20 31 33]
Y_pred: [17 31 33]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
yeast klebsiella pneumoniae inpatient mrsa, score: 0.091381155
had a picc line while in house, score: 0.086755686
the picc line is better assessed, score: 0.042935435

confidence of prediction: 0.976805
Y_true: [7 17 20 31 33]
Y_pred: [17 31 33]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
aspiration pneumonia hypoxia discharge condition, score: 0.20959964
aspiration pneumonia aspiration pneumonitis pt was, score:
0.06415394
after aspiration event and desat on, score: 0.05119249

confidence of prediction: 0.624259
Y_true: [7 17 20 31 33]
Y_pred: [17 31 33]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
acute respiratory failure aspiration pneumonia, score: 0.22684652
aspiration pneumonia hypoxia discharge condition, score: 0.09569435
above hypoxic event repeat, score: 0.066654876

confidence of prediction: 0.820826
Y_true: [1 11 37 49]
Y_pred: [1 37 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
edema hypothyroidism depression s p cholecystectomy, score:
0.45863533
daily levothyroxine mcg daily lexapro, score: 0.049514644
hs levothyroxine mcg tablet sig, score: 0.044340976

confidence of prediction: 0.943290
Y_true: [1 11 37 49]
Y_pred: [1 37 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
his uti was empirically treated, score: 0.113813415
urinary tract infection and resulting, score: 0.11093064
urinary tract infection multiple, score: 0.10540245

confidence of prediction: 0.825259

Y_true: [1 11 37 49]
Y_pred: [1 37 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
now on warfarin who presents as, score: 0.35961607
mg qhs warfarin mg daily simvastatin, score: 0.32412952
every hours warfarin mg, score: 0.18594226

confidence of prediction: 0.909619
Y_true: [4 39]
Y_pred: [4 18 20 39]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
issues psoriasis hyperlipidemia s p r, score: 0.124013074
who presents with visual, score: 0.0074659856
showed stable hemorrahge with, score: 0.007417252

confidence of prediction: 0.822626
Y_true: [4 39]
Y_pred: [4 18 20 39]
top three important windows for true positive code 39 (88.72: Diagnostic ultrasound of heart)
tee which were normal, score: 0.017558783
transesophageal echocardiogram history of, score: 0.012984453
vegetation is seen on, score: 0.0022430061

confidence of prediction: 0.865908
Y_true: [21 26 27 35 36]
Y_pred: [21 24 26 27 30 35 36]
top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified)
osa chronic kidney disease metastatic melanoma, score: 0.10420655
pre renal etiology patient was, score: 0.008596872
cr improved continued to, score: 0.0071162307

confidence of prediction: 0.902138
Y_true: [21 26 27 35 36]
Y_pred: [21 24 26 27 30 35 36]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
paf moderate as pvd, score: 0.22757134
atrial fibrillation severe pulmonary hypertension, score: 0.181181
paf and prior hospitalizations, score: 0.03726058

confidence of prediction: 0.963432
Y_true: [21 26 27 35 36]
Y_pred: [21 24 26 27 30 35 36]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
congestive heart failure severe, score: 0.22459699
systolic heart failure held diuretic last, score: 0.08721499
systolic chf ef paroxysmal atrial, score: 0.06163349

confidence of prediction: 0.805850
Y_true: [21 26 27 35 36]
Y_pred: [21 24 26 27 30 35 36]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
pre renal etiology patient was, score: 0.11766721
be in arf with creatinine of, score: 0.068281196
with pre renal failure on admission, score: 0.06166328

confidence of prediction: 0.797322
Y_true: [21 26 27 35 36]
Y_pred: [21 24 26 27 30 35 36]
top three important windows for true positive code 36 (585.9: Chronic kidney disease, unspecified)
osa chronic kidney disease metastatic melanoma, score: 0.107659094
pre renal failure on, score: 0.015341691
pre renal etiology patient was, score: 0.014565711

confidence of prediction: 0.948658
Y_true: [6 9 17 19 34 41 43 45 46]
Y_pred: [0 6 17 19 34 35 40 41 45 46]
top three important windows for true positive code 6 (276.2: Acidosis)
support cvvh vasopressors vanco clinda, score: 0.09498067
support cvvh vanco clinda vasopressors weaned, score: 0.035318647

confidence of prediction: 0.899369
Y_true: [6 9 17 19 34 41 43 45 46]
Y_pred: [0 6 17 19 34 35 40 41 45 46]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
clinda tpn levothyroxine started ancef, score: 0.16150694
line was placed and, score: 0.12345608
clinda flagyl tube feeds, score: 0.07347338

confidence of prediction: 0.875642
Y_true: [6 9 17 19 34 41 43 45 46]
Y_pred: [0 6 17 19 34 35 40 41 45 46]
top three important windows for true positive code 19 (39.95: Hemodialysis)
initiated on cvvh she received, score: 0.12152939
support cvvh vasopressors vanco, score: 0.06744036
ventilatory support cvvh vanco clinda, score: 0.013088

confidence of prediction: 0.728161
Y_true: [6 9 17 19 34 41 43 45 46]
Y_pred: [0 6 17 19 34 35 40 41 45 46]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
pmh ibs gerd tbi migraine depression psh, score: 0.077119105
continued fluc last name, score: 0.011682406
edges healing well posterior, score: 0.009779184

confidence of prediction: 0.945793

Y_true: [6 9 17 19 34 41 43 45 46]
Y_pred: [0 6 17 19 34 35 40 41 45 46]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
flagyl tube feeds fluconazole added for, score: 0.17052934
tube placed tube feeds started flagyl started, score: 0.014380786
and imipenem prophylactically for, score: 0.005005307

confidence of prediction: 0.982654
Y_true: [6 9 17 19 34 41 43 45 46]
Y_pred: [0 6 17 19 34 35 40 41 45 46]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
vanco clinda tpn levothyroxine started ancef, score: 0.06427367
cephalexin wellbutrin doxycycline compazine ciprofloxacin, score:
0.0047391145
tube feeds fluconazole added, score: 0.004192917

confidence of prediction: 0.998155
Y_true: [6 9 17 19 34 41 43 45 46]
Y_pred: [0 6 17 19 34 35 40 41 45 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
vanco clinda vasopressors weaned, score: 0.17570998
cvvh vasopressors vanco clinda last, score: 0.071923174
cvvh vasopressors vanco clinda transfused, score: 0.071923174

confidence of prediction: 0.977865
Y_true: [3 10 26]
Y_pred: [26 30]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation with rapid ventricular, score: 0.8625843
atrial fibrillation at a rate, score: 0.013400774
a fib with hr up, score: 0.0022156301

confidence of prediction: 0.875161
Y_true: [2 4 10 12 17 20 26 28 31 33 40 41 43 49]
Y_pred: [17 20 26 40 41]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
picc line placement tracheostomy open, score: 0.11275264
noises with drool coming, score: 0.04155222
pulmonology consult was obtained, score: 0.024351234

confidence of prediction: 0.928913
Y_true: [2 4 10 12 17 20 26 28 31 33 40 41 43 49]
Y_pred: [17 20 26 40 41]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pmh of htn pt last seen, score: 0.28438625
medical history hypertension cataracts s p, score: 0.14134747
diner and helping to, score: 0.020672183

```
confidence of prediction: 0.954890
Y_true: [ 2  4 10 12 17 20 26 28 31 33 40 41 43 49]
Y_pred: [17 20 26 40 41]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation emphysema discharge condition, score: 0.17800632
afib with rvr with, score: 0.16238077
atrial fibrillation major surgical or, score: 0.15244865

confidence of prediction: 0.546615
Y_true: [ 2  4 10 12 17 20 26 28 31 33 40 41 43 49]
Y_pred: [17 20 26 40 41]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
rarely sees a doctor, score: 0.06884948
ed intubated and unable, score: 0.066131
minimal ventilator requirements but, score: 0.053469803

confidence of prediction: 0.529347
Y_true: [ 2  4 10 12 17 20 26 28 31 33 40 41 43 49]
Y_pred: [17 20 26 40 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
tracheostomy open gastrostomy tube placement history, score:
0.14728467
cerebellar arterial territory infarct, score: 0.03497649
minimal ventilator requirements but, score: 0.0240555

confidence of prediction: 0.677488
Y_true: [ 0  6 20 26 35 46]
Y_pred: [ 6  9 20 24 26 27 35]
top three important windows for true positive code 6 (276.2:
Acidosis)
gap metabolic acidosis secondary to increased, score: 0.2808362
and elevated lactate resolved and leukocytosis improved, score:
0.0893923
hypothermia and elevated lactate the, score: 0.015548437

confidence of prediction: 0.823823
Y_true: [ 0  6 20 26 35 46]
Y_pred: [ 6  9 20 24 26 27 35]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
colectomy in hypertension gout spinal stenosis, score: 0.16003391
secondary diagnoses hypertension atrial, score: 0.127613
who agreed hypertension was hypotensive on, score: 0.12196277

confidence of prediction: 0.949916
Y_true: [ 0  6 20 26 35 46]
Y_pred: [ 6  9 20 24 26 27 35]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation noted during hospitalization, score: 0.28018942
fib remained rate controlled, score: 0.07821243
```

atrial fibrillation gout history of, score: 0.05953815

confidence of prediction: 0.559876
Y_true: [0 6 20 26 35 46]
Y_pred: [6 9 20 24 26 27 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
and elevated lactate resolved and leukocytosis improved after,
score: 0.12774105
acute renal failure secondary to, score: 0.11034718
acute renal failure ekg changes, score: 0.069907375

confidence of prediction: 0.843524
Y_true: [4 10 14 24 27 38]
Y_pred: [4 24 27 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
p cholecystomy dyslipidemia social history lives, score: 0.1982202
factors diabetes dyslipidemia hypertension cardiac history cabg,
score: 0.13050234
hld pt continued on, score: 0.084656335

confidence of prediction: 0.951820
Y_true: [4 10 14 24 27 38]
Y_pred: [4 24 27 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p stents in, score: 0.66968477
s p pci to, score: 0.11964483
mid lad stent fracture [UNK], score: 0.015142938

confidence of prediction: 0.969849
Y_true: [4 10 14 24 27 38]
Y_pred: [4 24 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure lvef hiv dx, score: 0.3893005
systolic heart failure as per, score: 0.15117227
systolic heart failure discharge condition mental, score: 0.15117227

confidence of prediction: 0.772450
Y_true: [4 10 14 24 27 38]
Y_pred: [4 24 27 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization history of present, score: 0.67704296
catheterization he had already, score: 0.049373943
cardiac catheterization which did reveal, score: 0.032668125

confidence of prediction: 0.892387
Y_true: [1 2 4 11 17 20 34]
Y_pred: [1 2 4 20 34]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)

formulary hypothyroidism continue levothyroxine gerd continue omeprazole, score: 0.1420153
gerd hypothyroidism chronic osteomyelitis staph infection, score: 0.07128523
daily levothyroxine mcg tablet sig, score: 0.023402786

confidence of prediction: 0.928065
Y_true: [1 2 4 11 17 20 34]
Y_pred: [1 2 4 20 34]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
dm2 htn and multiple surgeries, score: 0.055223975
dm2 hold metformin while inpatient, score: 0.044587865
diabetes mellitus gerd hypothyroidism, score: 0.029644681

confidence of prediction: 0.875452
Y_true: [1 2 4 11 17 20 34]
Y_pred: [1 2 4 20 34]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
history hypertension hyperlipidemia allergic rhinitis diabetes mellitus, score: 0.14320855
hypothyroidism chronic osteomyelitis staph, score: 0.006645547
restart home atenolol as, score: 0.005340489

confidence of prediction: 0.961576
Y_true: [1 2 4 11 17 20 34]
Y_pred: [1 2 4 20 34]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
with dm2 htn and multiple surgeries, score: 0.16512217
with dm2 htn s p mvc, score: 0.070998795
medical history hypertension hyperlipidemia allergic rhinitis diabetes, score: 0.04616601

confidence of prediction: 0.922613
Y_true: [1 2 4 11 17 20 34]
Y_pred: [1 2 4 20 34]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
levothyroxine gerd continue omeprazole sjogren s, score: 0.056482628
diabetes mellitus gerd hypothyroidism chronic osteomyelitis staph, score: 0.04845082
orthopaedics allergies penicillins cipro, score: 0.016585866

confidence of prediction: 0.936755
Y_true: [37]
Y_pred: [11 20 27 37]
top three important windows for true positive code 37 (599.0: Urinary tract infection, site not specified)
and uti on prednisone taper, score: 0.020019732
vna home pt and social, score: 0.004410315
4units qhs uti e coli from last, score: 0.0030399614

confidence of prediction: 0.885654
Y_true: [4 13 14 20 24 34 38 39]
Y_pred: [4 13 14 18 20 24 34 38]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
history hypertension hyperlipidemia spinal stenosis degenerative, score: 0.08696055
hypertension and hyperlipidemia who presented to, score: 0.06071829
x2 hypertension dyslipidemia spinal stenosis degenerative, score: 0.040354818

confidence of prediction: 0.982104
Y_true: [4 13 14 20 24 34 38 39]
Y_pred: [4 13 14 18 20 24 34 38]
top three important windows for true positive code 13 (36.15: Single internal mammary—coronary artery bypass)
coronary artery bypass grafting, score: 0.3793227
descending artery saphenous vein graft, score: 0.036688633
off pump coronary artery bypass graft, score: 0.026574356

confidence of prediction: 0.613154
Y_true: [4 13 14 20 24 34 38 39]
Y_pred: [4 13 14 18 20 24 34 38]
top three important windows for true positive code 14 (37.22: Left heart cardiac catheterization)
cardiac catheterization coronary angiography in this, score: 0.18797947
cardiac catheterization past medical history, score: 0.028724853
cardiac catheterization which revealed a, score: 0.018802492

confidence of prediction: 0.996792
Y_true: [4 13 14 20 24 34 38 39]
Y_pred: [4 13 14 18 20 24 34 38]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
medical history hypertension hyperlipidemia spinal stenosis degenerative, score: 0.16762683
significant for hypertension and hyperlipidemia who presented, score: 0.13586092
x2 hypertension dyslipidemia spinal stenosis, score: 0.041865546

confidence of prediction: 0.992164
Y_true: [4 13 14 20 24 34 38 39]
Y_pred: [4 13 14 18 20 24 34 38]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery disease s, score: 0.15227388
coronary artery bypass grafting, score: 0.13726866
coronary artery disease the, score: 0.08649661

confidence of prediction: 0.626453
Y_true: [4 13 14 20 24 34 38 39]
Y_pred: [4 13 14 18 20 24 34 38]

top three important windows for true positive code 34 (530.81:
Esophageal reflux)
p trauma gerd hemorrhoids mild depression bph, score: 0.18284005
bypass palpable liver edge extremities, score: 0.05573348
trauma hemorrhoids gerd mild depression benign, score: 0.034757692

confidence of prediction: 0.706803
Y_true: [4 13 14 20 24 34 38 39]
Y_pred: [4 13 14 18 20 24 34 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization coronary angiography in, score: 0.17907962
urgent off pump coronary artery, score: 0.11095239
cardiac catheterization past medical history, score: 0.034368925

confidence of prediction: 0.937602
Y_true: [5 6 8 17 21 29 33 35 36 37 40 41 43 46 49]
Y_pred: [31 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
developed urinary tract infection on the, score: 0.04877666
he expired peacefully with his, score: 0.017400086
4grams hospital1 clotrimazole 10mg, score: 0.011013652

confidence of prediction: 0.760400
Y_true: [2 14 22 24 25 27 32 38]
Y_pred: [2 15 20 22 24 27 38]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
htn type dm p w chest, score: 0.06821728
metformin and vitamin c, score: 0.01953706
failure diabetes mellitus type hypertension discharge, score:
0.017170168

confidence of prediction: 0.702014
Y_true: [2 14 22 24 25 27 32 38]
Y_pred: [2 15 20 22 24 27 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
nstemi changes on ekg, score: 0.035947904
non st elevation myocardial infarction acute systolic, score:
0.017958242
ventricular dysfunction nstemi due to ulcerated plaque, score:
0.014919686

confidence of prediction: 0.974284
Y_true: [2 14 22 24 25 27 32 38]
Y_pred: [2 15 20 22 24 27 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease the, score: 0.17260198
coronary artery disease mild, score: 0.17260198
pci with des she, score: 0.044336013

confidence of prediction: 0.953143
Y_true: [2 14 22 24 25 27 32 38]
Y_pred: [2 15 20 22 24 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure diabetes mellitus type, score: 0.7243121
acute heart failure with evidence of, score: 0.009583738
worsening of chf symptoms, score: 0.008086908

confidence of prediction: 0.868376
Y_true: [2 14 22 24 25 27 32 38]
Y_pred: [2 15 20 22 24 27 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization with drug, score: 0.589912
cath lab pt was found, score: 0.019817173
cardiac catheterization selective coronary angiography in, score:
0.01742288

confidence of prediction: 0.683714
Y_true: [7 9 17]
Y_pred: [7 20]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
without significant bleeding in, score: 0.06595742
matched for u more, score: 0.06468045
prbc was hung she was, score: 0.059997726

confidence of prediction: 0.626678
Y_true: [6 9 17 20 35 41 43 47]
Y_pred: [4 6 33 35 40 41 43]
top three important windows for true positive code 6 (276.2:
Acidosis)
had respiratory acidosis after intubation his bps, score: 0.07608768
in standard positions secretions pooling above, score: 0.022683669
decreased to elevated troponin, score: 0.020708533

confidence of prediction: 0.785812
Y_true: [6 9 17 20 35 41 43 47]
Y_pred: [4 6 33 35 40 41 43]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
secondary acute renal failure sinus tachycardia, score: 0.06773721
normalized on arf he had an, score: 0.0567746
a virus ventillator associated, score: 0.020307356

confidence of prediction: 0.844508
Y_true: [6 9 17 20 35 41 43 47]
Y_pred: [4 6 33 35 40 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
trach and peg tube, score: 0.078246854
percutaneous tracheostomy portex percutaneous endoscopic gastrostomy

tube transfusion of, score: 0.061578788
trach and peg goals, score: 0.053071756

confidence of prediction: 0.827385
Y_true: [6 9 17 20 35 41 43 47]
Y_pred: [4 6 33 35 40 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
trach and peg goals of, score: 0.058862902
tracheostomy and peg tube and, score: 0.040327683
trach and peg tube, score: 0.03392455

confidence of prediction: 0.519893
Y_true: [4 15 20 22 27 34 37 38]
Y_pred: [15 20 22 23 24 27 37 38]
top three important windows for true positive code 15 (37.23:
Combined right and left heart cardiac catheterization)
cardiac catheterization w des placed, score: 0.91651213
cath lab she was found, score: 0.015583618
calcification and areas with, score: 0.0090060495

confidence of prediction: 0.809692
Y_true: [4 15 20 22 27 34 37 38]
Y_pred: [15 20 22 23 24 27 37 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn gerd chf listed, score: 0.1120366
history of htn and, score: 0.10210997
to lmca hypertension acute, score: 0.05566059

confidence of prediction: 0.695231
Y_true: [4 15 20 22 27 34 37 38]
Y_pred: [15 20 22 23 24 27 37 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
disease nstemi s p cath cath, score: 0.040749945
indx ctropnt 09am blood, score: 0.03310542
to have nstemi with severe multivessel, score: 0.026007662

confidence of prediction: 0.932611
Y_true: [4 15 20 22 27 34 37 38]
Y_pred: [15 20 22 23 24 27 37 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cad admit to ccu, score: 0.021982346
cardiology name9 pre on, score: 0.010687791
with severe multivessel coronary, score: 0.010118379

confidence of prediction: 0.896517
Y_true: [4 15 20 22 27 34 37 38]
Y_pred: [15 20 22 23 24 27 37 38]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)

failure urinary tract infection discharge condition mental, score: 0.0053561456
disease discussion with cardiothoracic, score: 0.0028662833
home with service facility steward home care and hospice, score: 0.0026059519

confidence of prediction: 0.861866
Y_true: [4 15 20 22 27 34 37 38]
Y_pred: [15 20 22 23 24 27 37 38]
top three important windows for true positive code 38 (88.56: Coronary arteriography using two catheters)
cardiac catheterization w des placed, score: 0.82132167
cath lab she was found, score: 0.019707123
calcification and areas with, score: 0.01386129

confidence of prediction: 0.847550
Y_true: [5 9 17 20 26 29 30 32 37]
Y_pred: [12 26 34 37]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
diuresed the foley was, score: 0.05148448
a fib glaucoma malnutrition chronic myelogenous leukemia ileus, score: 0.034427565
mitral valve mildly thickened, score: 0.012450776

confidence of prediction: 0.928304
Y_true: [5 9 17 20 26 29 30 32 37]
Y_pred: [12 26 34 37]
top three important windows for true positive code 37 (599.0: Urinary tract infection, site not specified)
ecoli uti and staph oxacillin, score: 0.118953735
a uti ucx showed e coli, score: 0.02791822
final escherichia coli organisms ml escherichia coli ampicillin, score: 0.026109831

confidence of prediction: 0.952011
Y_true: [6 19 27]
Y_pred: [0 19 24 27 30 35]
top three important windows for true positive code 19 (39.95: Hemodialysis)
antibiotics and hemodialysis to help, score: 0.07887917
placed tunnelled hemodialysis line history of, score: 0.04920913
temporary hd catheter which, score: 0.04091583

confidence of prediction: 0.979838
Y_true: [6 19 27]
Y_pred: [0 19 24 27 30 35]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
ef echo recent cdiff, score: 0.045432027
chf with poor forward flow, score: 0.027258318
cellulitis copd chf with ef b, score: 0.014837104

confidence of prediction: 0.737179

Y_true: [0 5 7 26 30 32 37 42 46 47]
Y_pred: [2 5 20 26 33]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
of hypovolemic hyponatremia due to diuretics vs, score: 0.60734
100s systolic hyponatremia the patient was noted, score: 0.03665213
cirrhosis sodium improved with, score: 0.033083208

confidence of prediction: 0.861254
Y_true: [0 5 7 26 30 32 37 42 46 47]
Y_pred: [2 5 20 26 33]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib and was occasionally hypotensive, score: 0.4475888
afib with rvr and discharged, score: 0.35631567
malaise ftt major surgical or, score: 0.00908756

confidence of prediction: 0.903712
Y_true: [1 4 5 21 23 24 27 35 36]
Y_pred: [1 4 17 21 23 24 27 35 36]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
daily hypothyroidism continued levothyroxine mcg daily medications
on, score: 0.41952795
daily levothyroxine mcg tablet sig one, score: 0.017918555
htn hld hypothyroidism cad s, score: 0.0012302485

confidence of prediction: 0.919557
Y_true: [1 4 5 21 23 24 27 35 36]
Y_pred: [1 4 17 21 23 24 27 35 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
simvastatin mg hs symbicort, score: 0.19472355
hld continued simvastatin mg daily, score: 0.15501274
history htn hld hypothyroidism cad s p, score: 0.048743244

confidence of prediction: 0.834533
Y_true: [1 4 5 21 23 24 27 35 36]
Y_pred: [1 4 17 21 23 24 27 35 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic kidney injury supraventricular tachycardia, score:
0.31904542
of unclear etiology creatinine, score: 0.010758607
mg hospital1 ciclopirox hospital1, score: 0.010488194

confidence of prediction: 0.701971
Y_true: [1 4 5 21 23 24 27 35 36]
Y_pred: [1 4 17 21 23 24 27 35 36]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi years ago details unknown, score: 0.28517392
s p mi 5yrs, score: 0.28517392

ed suggesting nstemi vs, score: 0.012562931

confidence of prediction: 0.811013
Y_true: [1 4 5 21 23 24 27 35 36]
Y_pred: [1 4 17 21 23 24 27 35 36]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p mi years ago details unknown, score: 0.12245896
s p mi 5yrs, score: 0.12245896
htn documented history of, score: 0.103085585

confidence of prediction: 0.993731
Y_true: [1 4 5 21 23 24 27 35 36]
Y_pred: [1 4 17 21 23 24 27 35 36]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf exacerbation chf exacerbation svt considering, score: 0.9359922
congestive heart failure acute, score: 0.026909247
heart failure metoprolol was continued, score: 0.003941288

confidence of prediction: 0.773305
Y_true: [1 4 5 21 23 24 27 35 36]
Y_pred: [1 4 17 21 23 24 27 35 36]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic kidney injury supraventricular tachycardia, score:
0.19875835
his stay arf baseline cr, score: 0.07042956
creatinine trended downward but, score: 0.025573434

confidence of prediction: 0.828125
Y_true: [1 4 5 21 23 24 27 35 36]
Y_pred: [1 4 17 21 23 24 27 35 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic kidney injury supraventricular tachycardia, score:
0.31368575
quantitative biplane lvef left ventricular, score: 0.041685563
cr was hld continued simvastatin, score: 0.009527112

confidence of prediction: 0.992132
Y_true: [4 20 23 24 38]
Y_pred: [15 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
w cad pda distribution, score: 0.07553134
vessel coronary artery disease the, score: 0.066148676
non obstructive coronary artery disease the, score: 0.042354252

confidence of prediction: 0.854291
Y_true: [4 20 23 24 38]
Y_pred: [15 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)

cardiac catheterization with drug eluting, score: 0.58572435
cath lab immediately for late, score: 0.07149799
segment the lcx had, score: 0.024039328

confidence of prediction: 0.694350
Y_true: [11 31 34 35]
Y_pred: [10 11 29 31 35]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
depression secondary diagnosis history of, score: 0.118720025
depression admitted to micu, score: 0.06677635
hep c depression presenting, score: 0.060662284

confidence of prediction: 0.965412
Y_true: [11 31 34 35]
Y_pred: [10 11 29 31 35]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
multifocal cap aspiration pneumonia or pneumonitis cxr, score:
0.014789974
have aspirated patient given course, score: 0.0027849698
community acquired pneumonia acute renal, score: 0.0026419552

confidence of prediction: 0.732284
Y_true: [11 31 34 35]
Y_pred: [10 11 29 31 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
vasoconstriction infarction resolved with, score: 0.06490557
acute renal failure polysubstance, score: 0.029473817
discharge acute renal failure resolved upon discharge, score:
0.0112526445

confidence of prediction: 0.580121
Y_true: [1 6 26 27 32 33 35 42 48]
Y_pred: [1 4 26 27 33 34 40 42 48]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
delirium hypothyroidism he was continued on levothyroxine gerd he
was, score: 0.19430187
daily levothyroxine 100mcg po daily mvi, score: 0.18622904
daily levothyroxine mcg tablet sig, score: 0.08165532

confidence of prediction: 0.958456
Y_true: [1 6 26 27 32 33 35 42 48]
Y_pred: [1 4 26 27 33 34 40 42 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib when patient was, score: 0.5164488
atrial fibrillation patient has a, score: 0.06983718
atrial fibrillation s p pacer, score: 0.058035646

confidence of prediction: 0.889780
Y_true: [1 6 26 27 32 33 35 42 48]

Y_pred: [1 4 26 27 33 34 40 42 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure patient had, score: 0.17666312
severe as chf discharge condition the, score: 0.07395463
congestive heart failure was admitted from, score: 0.061669808

confidence of prediction: 0.570568
Y_true: [1 6 26 27 32 33 35 42 48]
Y_pred: [1 4 26 27 33 34 40 42 48]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
he was intubated and then, score: 0.047410604
being intubated and sedated family, score: 0.034635264
being intubated and sedated physical, score: 0.034635264

confidence of prediction: 0.626973
Y_true: [1 6 26 27 32 33 35 42 48]
Y_pred: [1 4 26 27 33 34 40 42 48]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
after intubation thoracic surgery, score: 0.1561578
being intubated and sedated family history, score: 0.0592394
being intubated and sedated, score: 0.0592394

confidence of prediction: 0.862484
Y_true: [1 6 26 27 32 33 35 42 48]
Y_pred: [1 4 26 27 33 34 40 42 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg no, score: 0.71883833
p remote cabg and, score: 0.076865196
coronary artery disease s, score: 0.004079357

confidence of prediction: 0.917935
Y_true: [1 2 17 26 27 48]
Y_pred: [1 2 5 20 26 27 31 35 37 41 48]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
of levothyroxine skin tears in, score: 0.004095876
for neutrophillic predominant leukocytosis, score: 0.00093333836
fluctuating creatinine hypothyroidism we continued on home, score:
0.00078111026

confidence of prediction: 0.794002
Y_true: [1 2 17 26 27 48]
Y_pred: [1 2 5 20 26 27 31 35 37 41 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
diabetes mellitus dm type ii dm ii will continue to, score:
0.20683353
ii diabetes on oral agents, score: 0.018208247

ii cad s p, score: 0.011496352

confidence of prediction: 0.884879
Y_true: [1 2 17 26 27 48]
Y_pred: [1 2 5 20 26 27 31 35 37 41 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation t11 vertebral compression, score: 0.07825227
atrial fibrillation amiodarone mg tablet sig, score: 0.030763775
rml otherwise ctab abdomen, score: 0.004070469

confidence of prediction: 0.996589
Y_true: [1 2 17 26 27 48]
Y_pred: [1 2 5 20 26 27 31 35 37 41 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
sided heart failure she was continued, score: 0.0057128575
lasix diastolic chf patient has dchf on prior cath with, score:
0.0032256441

confidence of prediction: 0.853222
Y_true: [1 2 17 26 27 48]
Y_pred: [1 2 5 20 26 27 31 35 37 41 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg and, score: 0.35660124
course after cabg and, score: 0.02024013
history coronary artery disease s p cabg x and mitral, score:
0.0009239062

confidence of prediction: 0.834679
Y_true: [2 5 11 20 29 34]
Y_pred: [5 11 20 34]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
support hypovolemic hyponatremia clinically she appeared
hypervolemic, score: 0.2726379
to be hyponatremic on admission with sodium, score: 0.26556355
the floor hyponatremia the patient was found, score: 0.24819323

confidence of prediction: 0.587694
Y_true: [2 5 11 20 29 34]
Y_pred: [5 11 20 34]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
thoracolumbar spine apex along, score: 0.0113769155
to be hyponatremic on admission with sodium, score: 0.0060845534
day wheat dextrin benefiber clear sf, score: 0.0052976236

confidence of prediction: 0.893881
Y_true: [2 5 11 20 29 34]
Y_pred: [5 11 20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

hypertension the patient s, score: 0.250088
medical history htn ra osteoporosis t9 compression fx gerd, score:
0.09074249
history of htn who presents with, score: 0.082702555

confidence of prediction: 0.958871
Y_true: [2 5 11 20 29 34]
Y_pred: [5 11 20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
compression fx gerd hemorrhoids depression sciatica social history
non, score: 0.1316508
to be hyponatremic on admission with sodium, score: 0.004455047
tablespoon powder s by, score: 0.003182051

confidence of prediction: 0.950895
Y_true: [1 2 20 29 32]
Y_pred: [1 2 20 29 32]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
medications hypothyroidism continued home levoxyl 88mcg daily
follow, score: 0.2801565
hypertension hypothyroidism diabetes social history, score:
0.21045941
q12h levoxyl 88mcg daily discharge medications, score: 0.03194402

confidence of prediction: 0.662251
Y_true: [1 2 20 29 32]
Y_pred: [1 2 20 29 32]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
daily metformin mg tablet sig, score: 0.11241505
hypothyroidism diabetes social history tobacco quit, score:
0.04024196
held home oral medications, score: 0.03570751

confidence of prediction: 0.846992
Y_true: [1 2 20 29 32]
Y_pred: [1 2 20 29 32]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hydrochlorothiazide mg tablet sig, score: 0.33117908
medical history hypertension hypothyroidism diabetes social history,
score: 0.13130565
colonoscopy and mammography elevated lft s have, score: 0.057215873

confidence of prediction: 0.797462
Y_true: [1 2 20 29 32]
Y_pred: [1 2 20 29 32]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
multifocal pneumonia pulmonary embolism discharge, score: 0.21707356
multifocal pneumonia loculated left pleural, score: 0.07773584

hospital for pneumonia and pulmonary embolism at, score: 0.065396495

confidence of prediction: 0.732864
Y_true: [1 2 20 29 32]
Y_pred: [1 2 20 29 32]
top three important windows for true positive code 32 (511.9: Unspecified pleural effusion)
thoracentesis the thoracentesis fluid was reportedly, score: 0.18737787
the pleural effusion please discuss with, score: 0.019620642
bedside thoracentesis on they, score: 0.018854633

confidence of prediction: 0.958788
Y_true: [6 9 12 18 20 26 41 43]
Y_pred: [18 20 26 35 40 41]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies codeine attending, score: 0.14748152
washing incisions gently with mild soap, score: 0.007962582
milrinone mr known lastname, score: 0.007404462

confidence of prediction: 0.613360
Y_true: [6 9 12 18 20 26 41 43]
Y_pred: [18 20 26 35 40 41]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
gi bleed hypertension cataracts s p, score: 0.20689623
dissection pmh htn cataracts past surgical, score: 0.06936993
[UNK] double lumen heparin, score: 0.0492003

confidence of prediction: 0.965194
Y_true: [6 9 12 18 20 26 41 43]
Y_pred: [18 20 26 35 40 41]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib occur he remains on, score: 0.62005216
atrial fibrillation which was treated, score: 0.12554692
thru vancomycin mg iv, score: 0.007350931

confidence of prediction: 0.839536
Y_true: [6 9 12 18 20 26 41 43]
Y_pred: [18 20 26 35 40 41]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
with tube feeds was initiated his, score: 0.36079332
drip tube feeds held and, score: 0.051098447
closure percutaneous tracheostomy cuffed [UNK], score: 0.040112525

confidence of prediction: 0.980969
Y_true: [4 20 24 26 27 34 37 41]
Y_pred: [26 27 37]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
a fib tach brady syndrome, score: 0.017360978

to her sdh continued, score: 0.0011712174
developed afib requiring cardioversions to control, score:
0.0009005352

confidence of prediction: 0.822806
Y_true: [4 20 24 26 27 34 37 41]
Y_pred: [26 27 37]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
brady syndrome chf who presented to osh, score: 0.023996983
independently with daughter in law s, score: 0.0040548528

confidence of prediction: 0.918129
Y_true: [4 20 24 26 27 34 37 41]
Y_pred: [26 27 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
was urinary tract infection patient was, score: 0.058822405
a urinary tract infection growing pseudomonas, score: 0.057340987
a urinary tract infection which may, score: 0.057340987

confidence of prediction: 0.622035
Y_true: [4 5 20 24]
Y_pred: [4 5 9 20]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
gold htn hyperlipidemia social history born in, score: 0.062586285
gold htn hyperlipidemia discharge condition mental status, score:
0.03149698
the inferior pole of, score: 0.012326703

confidence of prediction: 0.983743
Y_true: [4 5 20 24]
Y_pred: [4 5 9 20]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
to hypovolemic hyponatremia which is consistent with, score:
0.25971353
hypotension and hyponatremia hyponatremia thought to be secondary,
score: 0.1922317
discharge diagnosis hyponatremia hypovolemia anemia of chronic,
score: 0.119437404

confidence of prediction: 0.974871
Y_true: [4 5 20 24]
Y_pred: [4 5 9 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
name gold htn hyperlipidemia social history born, score: 0.045215935
liver disease thrombocytopenia the, score: 0.041477397
gold htn hyperlipidemia discharge condition mental, score:
0.033143565

confidence of prediction: 0.874016

Y_true: [21 24 27 36 37 49]
Y_pred: [21 27 36 37 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
kidney failure ckd looks like baseline cr, score: 0.06727592
chronic kidney disease urinary tract, score: 0.059985522
chronic kidney disease ck, score: 0.010221947

confidence of prediction: 0.965847
Y_true: [21 24 27 36 37 49]
Y_pred: [21 27 36 37 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic congestive heart failure chronic kidney, score:
0.081763305
chf exacerbation major surgical, score: 0.040778503
heart failure with associated, score: 0.010847575

confidence of prediction: 0.797665
Y_true: [21 24 27 36 37 49]
Y_pred: [21 27 36 37 49]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
kidney failure ckd looks like baseline cr, score: 0.078899674
chronic kidney disease urinary tract, score: 0.055536006
chronic kidney disease baseline creatinine tophaceous gout on,
score: 0.0194868

confidence of prediction: 0.917455
Y_true: [21 24 27 36 37 49]
Y_pred: [21 27 36 37 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
weight urinary tract infection pt had, score: 0.021468965
final escherichia coli organisms ml sensitivities, score:
0.019728338
disease urinary tract infection discharge condition, score:
0.0093916

confidence of prediction: 0.901530
Y_true: [21 24 27 36 37 49]
Y_pred: [21 27 36 37 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
pe on coumadin diagnosed, score: 0.46358937
murmur at rusb abd, score: 0.0036272153
significant consequences ent recommended, score: 0.0023820992

confidence of prediction: 0.800492
Y_true: [20]
Y_pred: [20 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

history of htn poliomyelitis, score: 0.23658474
medical history hypertension poliomyelitis with right, score:
0.1502608
scc in remission presenting, score: 0.13348146

confidence of prediction: 0.688444
Y_true: [2 10 14 38]
Y_pred: [2 10 11 20 24 29 30 38]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
ii dm htn and schizophrenia who, score: 0.060343135
type ii dm htn schizophrenia depression social, score: 0.045567386
secondary diabetes mellitus type ii schizophrenia, score: 0.02042682

confidence of prediction: 0.676729
Y_true: [2 10 14 38]
Y_pred: [2 10 11 20 24 29 30 38]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
tobacco history smokes cigarettes for many years, score: 0.28432015
also smokes a pipe he denies, score: 0.005443784
smoking cessation apical hypokinesis, score: 0.005265785

confidence of prediction: 0.781287
Y_true: [2 10 14 38]
Y_pred: [2 10 11 20 24 29 30 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization history of present, score: 0.6421393
catheterization revealed stenosis at, score: 0.034766417
cath lab he had an, score: 0.032575462

confidence of prediction: 0.991968
Y_true: [7 26 28]
Y_pred: [26 28]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
contract normally lvef the, score: 0.0029688107
it has been a pleasure taking care, score: 0.0011110327
paroxysmal afib social history divorced daughters, score:
0.00060629816

confidence of prediction: 0.771591
Y_true: [7 26 28]
Y_pred: [26 28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
the endoscopy appt will definitely be, score: 0.11827435
did the endoscopy vs booking it separately, score: 0.022346752
you underwent endoscopy by gastroenterology which demonstrated,
score: 0.021369876

confidence of prediction: 0.977225

Y_true: [5 7 10 35]
Y_pred: [5 35]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
in weeks hyponatremia likely hypervolemic hyponatremia in the
setting, score: 0.10731557
er for hyponatremia na, score: 0.06690161
sheath hematoma hyponatremia hyperkalemia discharge condition
mental, score: 0.061425783

confidence of prediction: 0.953818
Y_true: [5 7 10 35]
Y_pred: [5 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
patient in pre contemplative state, score: 0.051144328
acute renal failure cr he, score: 0.038593285
acute renal failure cr hospital, score: 0.038593285

confidence of prediction: 0.932758
Y_true: [2 4 20 30 37 48]
Y_pred: [4 18 20 24 37 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
cea htn hl and rcc s p, score: 0.23201999
disease hypertension dyslipidemia left nephrectomy secondary to,
score: 0.048157945
cabg x4 significant pulmonary, score: 0.033925228

confidence of prediction: 0.954722
Y_true: [2 4 20 30 37 48]
Y_pred: [4 18 20 24 37 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn hl and rcc s, score: 0.08928166
including pulmonary htn in, score: 0.060912915
disease hypertension dyslipidemia left nephrectomy, score:
0.04824189

confidence of prediction: 0.962548
Y_true: [2 4 20 30 37 48]
Y_pred: [4 18 20 24 37 48]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
hypotension uti discharge condition alert, score: 0.07970492
and uti gram neg rods, score: 0.026198095
a uti past medical history aortic, score: 0.006181067

confidence of prediction: 0.792469
Y_true: [2 4 20 30 37 48]
Y_pred: [4 18 20 24 37 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg x4 significant pulmonary, score: 0.8422008

replacement pmh cabg x hospital3, score: 0.029977515
live independently yes x no, score: 0.0061011324

confidence of prediction: 0.755704
Y_true: [2 10 21 26 27 35 36 49]
Y_pred: [2 9 20 27 35]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
including htn dm cad she reports having, score: 0.060882647
etiology vs cardiorenal prerenal would also explain, score:
0.010355495
left renal pole exophytic nodule concerning, score: 0.00703599

confidence of prediction: 0.802247
Y_true: [2 10 21 26 27 35 36 49]
Y_pred: [2 9 20 27 35]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
pump better and control, score: 0.053970125
systolic heart failure with an ef, score: 0.041203283
for heart failure and found to, score: 0.032971665

confidence of prediction: 0.575919
Y_true: [2 10 21 26 27 35 36 49]
Y_pred: [2 9 20 27 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
renal failure discharge condition stable, score: 0.43874446
systolic hf diuresis at, score: 0.103716865
secondary to prerenal etiology vs, score: 0.06643229

confidence of prediction: 0.945817
Y_true: [1 4 21 24 36]
Y_pred: [1 2 4 15 21 24 36]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
cr hypothyroidism macular degeneration remote, score: 0.73820543
supply levothyroxine mcg tablet tablet s, score: 0.05076287
home synthroid dosing vitamin d, score: 0.035261918

confidence of prediction: 0.798697
Y_true: [1 4 21 24 36]
Y_pred: [1 2 4 15 21 24 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
in htn hld who is presenting, score: 0.10070939
s p cabg and, score: 0.018180395
metoprolol atorvastatin lisinopril for, score: 0.017732292

confidence of prediction: 0.647128
Y_true: [1 4 21 24 36]
Y_pred: [1 2 4 15 21 24 36]
top three important windows for true positive code 21 (403.90:

Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
ckd the patient s baseline creatinine is, score: 0.16060385
with htn t2dm pancreatic, score: 0.015657615
in chronic kidney disease with baseline cr hypothyroidism, score:
0.01010008

confidence of prediction: 0.554137
Y_true: [1 4 21 24 36]
Y_pred: [1 2 4 15 21 24 36]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease the patient, score: 0.053813756
with stemi medically managed without intervention, score: 0.05351684
history none cabg none, score: 0.023471266

confidence of prediction: 0.509323
Y_true: [1 4 21 24 36]
Y_pred: [1 2 4 15 21 24 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
ckd the patient s baseline creatinine is, score: 0.26051098
with htn t2dm pancreatic, score: 0.0115462635
in chronic kidney disease with baseline cr hypothyroidism, score:
0.0066867927

confidence of prediction: 0.915056
Y_true: [10 29 37 40 42]
Y_pred: [33 37 40 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
have uti e coli for, score: 0.33780244
uti peritonitis given persistant fevers, score: 0.06511025
ecoli uti on admission also, score: 0.031181326

confidence of prediction: 0.853948
Y_true: [10 29 37 40 42]
Y_pred: [33 37 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
then intubated for airway protection on, score: 0.05034815
and mechanical ventilation history, score: 0.021821165
eventually was intubated for airway protection she, score:
0.015051803

confidence of prediction: 0.880251
Y_true: [10 29 37 40 42]
Y_pred: [33 37 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated so history obtained, score: 0.45440233
then intubated for airway protection, score: 0.046699505
and mechanical ventilation history, score: 0.04467544

confidence of prediction: 0.703963
Y_true: [2 6 21 26 27 30 33 35 48]
Y_pred: [2 4 21 26 27 30 33 35 36 48 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
glyburide mg hospital1 colchicine, score: 0.07301939
type ii diabetes history of tias, score: 0.06587734
diabetes hypertension gout discharge condition, score: 0.047273006

confidence of prediction: 0.840862
Y_true: [2 6 21 26 27 30 33 35 48]
Y_pred: [2 4 21 26 27 30 33 35 36 48 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
mg hospital1 colchicine daily coumadin, score: 0.054427084
ii chronic kidney disease creatinine social history, score:
0.014882985
her renal failure began, score: 0.0049392506

confidence of prediction: 0.986621
Y_true: [2 6 21 26 27 30 33 35 48]
Y_pred: [2 4 21 26 27 30 33 35 36 48 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
elevator in the building she, score: 0.0014309341
distended bs ext cool pulses, score: 0.00072950224
ef atrial fibrillation on coumadin sinus, score: 0.0007184242

confidence of prediction: 0.966093
Y_true: [2 6 21 26 27 30 33 35 48]
Y_pred: [2 4 21 26 27 30 33 35 36 48 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure ef and, score: 0.23509914
heart failure ef atrial, score: 0.14808524
congestive heart failure diabetes hypertension, score: 0.08108854

confidence of prediction: 0.621366
Y_true: [2 6 21 26 27 30 33 35 48]
Y_pred: [2 4 21 26 27 30 33 35 36 48 49]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
disease gout copd stage ii chronic kidney, score: 0.11985447
ef and copd who initially presented, score: 0.07398689

confidence of prediction: 0.920095
Y_true: [2 6 21 26 27 30 33 35 48]
Y_pred: [2 4 21 26 27 30 33 35 36 48 49]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
developed respiratory failure in the, score: 0.2627372

s respiratory status rapidly, score: 0.10215232
for respiratory distress micu, score: 0.024654038

confidence of prediction: 0.688817
Y_true: [2 6 21 26 27 30 33 35 48]
Y_pred: [2 4 21 26 27 30 33 35 36 48 49]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
her renal failure began, score: 0.27744976
acute renal failure overnight on, score: 0.11210104
her acute renal failure was thought, score: 0.02547158

confidence of prediction: 0.836602
Y_true: [2 6 21 26 27 30 33 35 48]
Y_pred: [2 4 21 26 27 30 33 35 36 48 49]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
coronary artery disease s p cabg and, score: 0.013444513
coronary artery disease s p cabg congestive, score: 0.005931392
coronary artery disease s p cabg reportedly the pt, score: 0.005753611

confidence of prediction: 0.760941
Y_true: [21 27 35]
Y_pred: [2 21 27 30 35 36 48]
top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified)
his stage ckd is, score: 0.21428418
chronic renal failure he would, score: 0.073672615
chronic renal failure secondary diabetes, score: 0.073672615

confidence of prediction: 0.977858
Y_true: [21 27 35]
Y_pred: [2 21 27 30 35 36 48]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
chf pt had mild, score: 0.06888593
chf exacerbation his carvedilol, score: 0.0647319
systolic chf ef ckd and, score: 0.06019975

confidence of prediction: 0.692784
Y_true: [21 27 35]
Y_pred: [2 21 27 30 35 36 48]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
a pre renal state likely from, score: 0.17035197
on chronic renal failure he would, score: 0.13899025
on chronic renal failure secondary diabetes, score: 0.13899025

confidence of prediction: 0.702471
Y_true: [6 8 20 34]
Y_pred: [20 34]
top three important windows for true positive code 20 (401.9:

Unspecified essential hypertension)
hand clinic hypertension her home anti, score: 0.07591832
ace inhibitors bactrim attending, score: 0.07129665
of anti htn meds, score: 0.06394002

confidence of prediction: 0.819543
Y_true: [6 8 20 34]
Y_pred: [20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
disease hypertension gerd lupus anticoagulant tarlov s, score:
0.046194762
alcohol intake gerd she was continued on, score: 0.0050711
msir connective tissue disease, score: 0.0030469382

confidence of prediction: 0.716357
Y_true: [1 3 5 6 8 9 17 20 24 29 30 32 33 35 40 42 43]
Y_pred: [3 5 17 29 30 33 40 42]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
osteoporosis hypertension hypercholesterolemia copd per records,
score: 0.709521
partially calcified pseudoaneurysm arising off the, score:
0.015042807
d were discontinued once, score: 0.009744607

confidence of prediction: 0.886295
Y_true: [1 3 5 6 8 9 17 20 24 29 30 32 33 35 40 42 43]
Y_pred: [3 5 17 29 30 33 40 42]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
insufficiency in hyponatremia thought to be siadh, score: 0.6003905
recorded as having no, score: 0.017690612
hyponatremia thought siadh who was, score: 0.0066147493

confidence of prediction: 0.774784
Y_true: [1 3 5 6 8 9 17 20 24 29 30 32 33 35 40 42 43]
Y_pred: [3 5 17 29 30 33 40 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line was placed to, score: 0.1973234
central venous line history of, score: 0.04099459
from femoral line coagulopathy was reversed, score: 0.031265922

confidence of prediction: 0.812913
Y_true: [1 3 5 6 8 9 17 20 24 29 30 32 33 35 40 42 43]
Y_pred: [3 5 17 29 30 33 40 42]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
with pneumonia and treated with, score: 0.14931577
focal pneumonia opacification at the, score: 0.11170052
hospital aquired pneumonia from previous, score: 0.060577177

confidence of prediction: 0.701073

Y_true: [1 3 5 6 8 9 17 20 24 29 30 32 33 35 40 42 43]
Y_pred: [3 5 17 29 30 33 40 42]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
hypertension hypercholesterolemia copd per records s p, score:
0.018365357
systolic function lvef tissue, score: 0.009748726
patient repeatedly failed pressure, score: 0.004022487

confidence of prediction: 0.696928
Y_true: [1 3 5 6 8 9 17 20 24 29 30 32 33 35 40 42 43]
Y_pred: [3 5 17 29 30 33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
in respiratory failure you, score: 0.13101363
diagnosis respiratory failure cardiac, score: 0.06288647
pressure support ventilation and, score: 0.048461724

confidence of prediction: 0.842037
Y_true: [1 3 5 6 8 9 17 20 24 29 30 32 33 35 40 42 43]
Y_pred: [3 5 17 29 30 33 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was intubated for respiratory, score: 0.18236491
be reintubated for hypoventilation, score: 0.07566645
pressure support ventilation and, score: 0.06300717

confidence of prediction: 0.704519
Y_true: [1 3 5 6 8 9 17 20 24 29 30 32 33 35 40 42 43]
Y_pred: [3 5 17 29 30 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated for respiratory, score: 0.062226873
be reintubated for hypoventilation, score: 0.041215993
was intubated in the, score: 0.040944733

confidence of prediction: 0.690593
Y_true: [4 21 41]
Y_pred: [21 35 41]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
improve renal function the patient, score: 0.041896414
stage chronic renal disease respiratory patient, score: 0.009320389
effect renal cr elevated to at, score: 0.0085393395

confidence of prediction: 0.779703
Y_true: [4 21 41]
Y_pred: [21 35 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
the dobbhoff tube extends, score: 0.0705636
a peg feeding tube in your stomach, score: 0.058017306

swallow evaluations peg placed on, score: 0.01701002

confidence of prediction: 0.960140
Y_true: [2 4 11 13 18 20 22 23 24 26 27 30 38 49]
Y_pred: [2 4 13 18 20 22 23 24 26 27 30 38]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
admission metformin 1000mg hospital1 vitamin b12, score: 0.10562384
medical history diabetes dyslipidemia hypertension cad s, score:
0.0066010426
disease secondary diabetes mellitus dyslipidemia hypertension
myocardial, score: 0.005281382

confidence of prediction: 0.658904
Y_true: [2 4 11 13 18 20 22 23 24 26 27 30 38 49]
Y_pred: [2 4 13 18 20 22 23 24 26 27 30 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history diabetes dyslipidemia hypertension cad s p, score:
0.24175672
diabetes mellitus dyslipidemia hypertension myocardial infarction
lung, score: 0.043263264
s p imi in, score: 0.009055127

confidence of prediction: 0.972025
Y_true: [2 4 11 13 18 20 22 23 24 26 27 30 38 49]
Y_pred: [2 4 13 18 20 22 23 24 26 27 30 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary–coronary artery bypass)
coronary artery bypass graft x5 left internal mammary artery to
left, score: 0.4838304
coronary artery bypass graft surgery see, score: 0.0947786
artery obtuse marginal diagonal, score: 0.021218771

confidence of prediction: 0.977272
Y_true: [2 4 11 13 18 20 22 23 24 26 27 30 38 49]
Y_pred: [2 4 13 18 20 22 23 24 26 27 30 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
csru am chest portable, score: 0.17088048
washing incisions gently with mild soap, score: 0.0077467766
cardiothoracic allergies sulfa sulfonamide, score: 0.004824184

confidence of prediction: 0.629249
Y_true: [2 4 11 13 18 20 22 23 24 26 27 30 38 49]
Y_pred: [2 4 13 18 20 22 23 24 26 27 30 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
myocardial infarction lung cancer, score: 0.16908179
systolic arterial hypertension final, score: 0.06880245
systolic arterial hypertension cabg evaluation discontinue, score:
0.06880245

confidence of prediction: 0.726084
Y_true: [2 4 11 13 18 20 22 23 24 26 27 30 38 49]
Y_pred: [2 4 13 18 20 22 23 24 26 27 30 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
for nstemi an echo done, score: 0.076642215
nstemi r i outside, score: 0.041272435
non st elevation myocardial infarction cardiac catheterization
revealed significant, score: 0.01320318

confidence of prediction: 0.626605
Y_true: [2 4 11 13 18 20 22 23 24 26 27 30 38 49]
Y_pred: [2 4 13 18 20 22 23 24 26 27 30 38]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi and, score: 0.36518258
s p mi s p angioplasty of, score: 0.36518258
p cabg nstemi r, score: 0.11810659

confidence of prediction: 0.986542
Y_true: [2 4 11 13 18 20 22 23 24 26 27 30 38 49]
Y_pred: [2 4 13 18 20 22 23 24 26 27 30 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s, score: 0.08827689
coronary artery disease the, score: 0.084034294
coronary artery disease severe, score: 0.084034294

confidence of prediction: 0.872732
Y_true: [2 4 11 13 18 20 22 23 24 26 27 30 38 49]
Y_pred: [2 4 13 18 20 22 23 24 26 27 30 38]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation and was admitted, score: 0.126273
atrial fibrillation new after admission, score: 0.07509972
fibrillation at a rapid, score: 0.055856444

confidence of prediction: 0.955814
Y_true: [2 4 11 13 18 20 22 23 24 26 27 30 38 49]
Y_pred: [2 4 13 18 20 22 23 24 26 27 30 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf with diastolic dysfunction ef on, score: 0.36628443
with mild chf and, score: 0.017861972
diuresed with lasix and, score: 0.009301168

confidence of prediction: 0.511435
Y_true: [2 4 11 13 18 20 22 23 24 26 27 30 38 49]
Y_pred: [2 4 13 18 20 22 23 24 26 27 30 38]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
on echo copd lung ca s p, score: 0.2282448
failure chronic obstructive pulmonary disease secondary diabetes,
score: 0.0026601152

s p cataract surgery, score: 0.002581893

confidence of prediction: 0.821505
Y_true: [2 4 11 13 18 20 22 23 24 26 27 30 38 49]
Y_pred: [2 4 13 18 20 22 23 24 26 27 30 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization urgent coronary artery, score: 0.69989395
mid rca x mm [UNK], score: 0.03496784
coronary angiography of this, score: 0.027770182

confidence of prediction: 0.595178
Y_true: [7 9 17 19 28]
Y_pred: [7 9 17 19]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
channel deformity granularity friability congestion, score:
0.18007998
anemia from upper gi, score: 0.11202885
facility gi liver per, score: 0.061290633

confidence of prediction: 0.748436
Y_true: [7 9 17 19 28]
Y_pred: [7 9 17 19]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
significant for thrombocytopenia to reportedly, score: 0.1765763
her longstanding thrombocytopenia and leukopenia, score: 0.115504615
an outpatient thrombocytopenia unclear, score: 0.08092164

confidence of prediction: 0.600464
Y_true: [7 9 17 19 28]
Y_pred: [7 9 17 19]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
artery line placement history of, score: 0.25025216
edema cordis tlc in, score: 0.16017257
facility gi liver per, score: 0.033422258

confidence of prediction: 0.680281
Y_true: [7 9 17 19 28]
Y_pred: [7 9 17 19]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
esrd on hd and cirrhosis, score: 0.10212042
esrd on hd who presented, score: 0.08965155
esrd on hd discharge condition, score: 0.08033462

confidence of prediction: 0.884473
Y_true: [1 4 20 26 34 37]
Y_pred: [1 2 4 26 34 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
telemetry hypothyroidism continued on levothyroxine mcg tablet po,

score: 0.37525386
gerd afib hypothyroidism hl parkinsons alzheimer, score: 0.026699526
daily levothyroxine mcg tablet po, score: 0.023095498

confidence of prediction: 0.816253
Y_true: [1 4 20 26 34 37]
Y_pred: [1 2 4 26 34 37]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
po daily hyperlipidemia continued on pravastatin mg, score:
0.09974543
afib hypothyroidism hl parkinsons alzheimer s dementia, score:
0.012801119
4b [UNK] [UNK] minimal, score: 0.0068391133

confidence of prediction: 0.993069
Y_true: [1 4 20 26 34 37]
Y_pred: [1 2 4 26 34 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib not on anticoagulation, score: 0.43869388
afib ra afib she feels well, score: 0.028646402
atrial fibrillation and gastroesophageal reflux, score: 0.013958146

confidence of prediction: 0.980545
Y_true: [1 4 20 26 34 37]
Y_pred: [1 2 4 26 34 37]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
gastroesophageal reflux disease who presented, score: 0.029392391
gastroesophageal reflux disease gerd continued omeprazole 50mg po,
score: 0.01646232
anticoagulation gerd and no, score: 0.010246839

confidence of prediction: 0.958485
Y_true: [1 4 20 26 34 37]
Y_pred: [1 2 4 26 34 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
escherichia coli organisms ml presumptive, score: 0.16064365
leuks lg 10am urine, score: 0.06261032
urinary tract infection secondary diagnosis, score: 0.039001066

confidence of prediction: 0.722292
Y_true: [10 20 30]
Y_pred: [7 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn ruptured disks chronic back, score: 0.1097104
6lnc non rebreather was placed, score: 0.036117245
suggestive of noncardiogenic pulmonary, score: 0.023379972

confidence of prediction: 0.911631
Y_true: [0 1 4 6 9 12 16 17 20 27 33 35 43 46]

Y_pred: [4 6 12 17 26 31 33 35 40 42 43]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
a child hyperlipidemia social history prior to, score: 0.07663338
daily dextromethorphan hbr ml by, score: 0.0055912156
daily daily mirtazapine mg by mouth hs, score: 0.003707153

confidence of prediction: 0.638597
Y_true: [0 1 4 6 9 12 16 17 20 27 33 35 43 46]
Y_pred: [4 6 12 17 26 31 33 35 40 42 43]
top three important windows for true positive code 6 (276.2:
Acidosis)
350x16 and peep general, score: 0.117194995
three pressors simultaneously her ldh climbed to, score: 0.060529467
and with lactate elevation, score: 0.035392657

confidence of prediction: 0.505445
Y_true: [0 1 4 6 9 12 16 17 20 27 33 35 43 46]
Y_pred: [4 6 12 17 26 31 33 35 40 42 43]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
underwent a bronchoscopy for further evaluation, score: 0.19086827
her airways and samples for culture her respiratory, score:
0.0379271
she was intubated at, score: 0.018965317

confidence of prediction: 0.737409
Y_true: [0 1 4 6 9 12 16 17 20 27 33 35 43 46]
Y_pred: [4 6 12 17 26 31 33 35 40 42 43]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line placement arterial line placement history of, score: 0.3219799
and generalized mural thickening of, score: 0.05190244
and mrsa pnas presented, score: 0.044156447

confidence of prediction: 0.987256
Y_true: [0 1 4 6 9 12 16 17 20 27 33 35 43 46]
Y_pred: [4 6 12 17 26 31 33 35 40 42 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypercarbic respiratory failure with her, score: 0.081313774
respiratory failure hypoxic respiratory failure unclear etiology,
score: 0.078444175
she was intubated at, score: 0.02853074

confidence of prediction: 0.713101
Y_true: [0 1 4 6 9 12 16 17 20 27 33 35 43 46]
Y_pred: [4 6 12 17 26 31 33 35 40 42 43]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
had pre syncope but, score: 0.039837778
350x16 and peep general, score: 0.024148459
the elevated lactate and, score: 0.018898452

confidence of prediction: 0.532645
Y_true: [0 1 4 6 9 12 16 17 20 27 33 35 43 46]
Y_pred: [4 6 12 17 26 31 33 35 40 42 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
she was intubated at hospital1, score: 0.10448687
for culture her respiratory status stabilized, score: 0.027886312
discharged to home on, score: 0.027574033

confidence of prediction: 0.695635
Y_true: [17 19 24]
Y_pred: [17 19 21]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
inserted central catheter right intravenous, score: 0.1444115
venous catheter removed history, score: 0.096967004
has significantly improved and, score: 0.055100355

confidence of prediction: 0.905140
Y_true: [17 19 24]
Y_pred: [17 19 21]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
esrd on hd cll, score: 0.07132118
on dialysis he states, score: 0.059779454
v on hemodialysis diabetes mellitus, score: 0.056246504

confidence of prediction: 0.524898
Y_true: [0 16 17 20 27 29 31 33 35 40 41 42 46]
Y_pred: [0 20 27 31 33 35 40 41 42 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
most likely septic shock given the high, score: 0.31015816
shock mesenteric ischemia gi, score: 0.13005091
resuscitation and pressors to maintain adequate maps, score:
0.025266282

confidence of prediction: 0.871310
Y_true: [0 16 17 20 27 29 31 33 35 40 41 42 46]
Y_pred: [0 20 27 31 33 35 40 41 42 46]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
inactive issues hypertension initially held home, score: 0.5712219
hypovolemia shock cr returned, score: 0.02659227
chronic [UNK] from stone, score: 0.006533471

confidence of prediction: 0.954681
Y_true: [0 16 17 20 27 29 31 33 35 40 41 42 46]
Y_pred: [0 20 27 31 33 35 40 41 42 46]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
aortic stenosis chf htn anxiety osteoarthritis pressure, score:
0.04028038

chf and aortic stenosis, score: 0.033281393
chronic diastolic chf echo reported preserved systolic, score:
0.02584503

confidence of prediction: 0.957396
Y_true: [0 16 17 20 27 29 31 33 35 40 41 42 46]
Y_pred: [0 20 27 31 33 35 40 41 42 46]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
vs aspiration pneumonia until for a, score: 0.03162363
vs aspiration so he was started, score: 0.015180624
resolution aspiration secretions monitor, score: 0.012957758

confidence of prediction: 0.602142
Y_true: [0 16 17 20 27 29 31 33 35 40 41 42 46]
Y_pred: [0 20 27 31 33 35 40 41 42 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
patient is intubated and, score: 0.13354096
intubation right subclavian vein, score: 0.067396566
was intubated in the ed, score: 0.058378246

confidence of prediction: 0.782104
Y_true: [0 16 17 20 27 29 31 33 35 40 41 42 46]
Y_pred: [0 20 27 31 33 35 40 41 42 46]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
likely pre renal atn secondary, score: 0.21997577
hypovolemia shock cr returned, score: 0.029142346
acute kidney injury discharge condition, score: 0.028972883

confidence of prediction: 0.590320
Y_true: [0 16 17 20 27 29 31 33 35 40 41 42 46]
Y_pred: [0 20 27 31 33 35 40 41 42 46]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was intubated in the, score: 0.32109886
is intubated family history, score: 0.09153289
he was intubated he also, score: 0.0838151

confidence of prediction: 0.578541
Y_true: [0 16 17 20 27 29 31 33 35 40 41 42 46]
Y_pred: [0 20 27 31 33 35 40 41 42 46]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
with tube feeds his swallowing, score: 0.24188308
to bring him back to, score: 0.06536467
tubefeeds w fibersource hn w, score: 0.049026236

confidence of prediction: 0.681679
Y_true: [0 16 17 20 27 29 31 33 35 40 41 42 46]
Y_pred: [0 20 27 31 33 35 40 41 42 46]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96

consecutive hours)
was intubated in the, score: 0.23282965
intubation right subclavian vein, score: 0.12963755
he was intubated he also, score: 0.060445834

confidence of prediction: 0.504165
Y_true: [0 16 17 20 27 29 31 33 35 40 41 42 46]
Y_pred: [0 20 27 31 33 35 40 41 42 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
most likely septic shock given the high, score: 0.09941292
shock mesenteric ischemia gi, score: 0.051728427
metas myelos 40am blood, score: 0.025375234

confidence of prediction: 0.983345
Y_true: [6 21 24 27 34]
Y_pred: [27 34]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure encephalopathy metabolic, score: 0.47697353
diastolic chronic chf acute copd exacerbation ckd, score: 0.16546623
congestive heart failure medication changes, score: 0.04399363

confidence of prediction: 0.880723
Y_true: [6 21 24 27 34]
Y_pred: [27 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
insufficiency gerd who lives, score: 0.0828232
renal insufficiency gerd who lives, score: 0.061628267
renal insuff gerd dementia rls claudication social, score:
0.028445996

confidence of prediction: 0.981635
Y_true: [5 17 35 39 46]
Y_pred: [0 5 6 20 26 35 46]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
was stable hyponatremia hypovolemic hyponatremia likely either tea
and, score: 0.28922
received fent 75mg midaz, score: 0.0056286356
insufficiency vs insensible losses, score: 0.0050866227

confidence of prediction: 0.935551
Y_true: [5 17 35 39 46]
Y_pred: [0 5 6 20 26 35 46]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
aggressive ivf lactate normalized and, score: 0.069083616
likely hypotension pre renal given sepsis now resolved
conjunctivitis, score: 0.024169791
packed with saline wet, score: 0.007079149

confidence of prediction: 0.547525

Y_true: [5 17 35 39 46]
Y_pred: [0 5 6 20 26 35 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
likely from sepsis sepsis right foot osteomyletis resolved, score:
0.086454734
sepsis now resolved conjunctivitis found, score: 0.070185974
aggressive ivf lactate normalized, score: 0.02787853

confidence of prediction: 0.912399
Y_true: [7 10 11 17 20 30 44 45 49]
Y_pred: [7 11 17 20 49]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
revealed ulceration granularity friability erythema, score:
0.033715628
a gi bleeding study, score: 0.0041956
sacroiliitis gi bleeding study, score: 0.0031186752

confidence of prediction: 0.647337
Y_true: [7 10 11 17 20 30 44 45 49]
Y_pred: [7 11 17 20 49]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
mg daily depression at, score: 0.10647528
depression htn incisional hernia tobacco, score: 0.10129462
htn and depression who presents with abd, score: 0.09371961

confidence of prediction: 0.848655
Y_true: [7 10 11 17 20 30 44 45 49]
Y_pred: [7 11 17 20 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
venous line placement colonoscopy with, score: 0.69544226
revealed ulceration granularity friability erythema, score:
0.014464748
prn colestipol 4gm daily klor, score: 0.010394963

confidence of prediction: 0.834144
Y_true: [7 10 11 17 20 30 44 45 49]
Y_pred: [7 11 17 20 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
developed a pruritic morbilliform rash, score: 0.08519484
on coumadin htn and depression who, score: 0.062331315
colitis depression htn incisional hernia tobacco, score: 0.051849127

confidence of prediction: 0.831802
Y_true: [7 10 11 17 20 30 44 45 49]
Y_pred: [7 11 17 20 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
pe on coumadin htn, score: 0.38788494
on admission coumadin 5mg, score: 0.08816895

hosp on coumadin social history patient, score: 0.048797157

confidence of prediction: 0.631493
Y_true: [2 5 8 20 27 47]
Y_pred: [2 20 27]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
ii diabetes mellitus secondary obstructive sleep, score: 0.07443654
cpap dm type ii htn s, score: 0.06079828
status dm type ii as outpatient, score: 0.03921775

confidence of prediction: 0.955796
Y_true: [2 5 8 20 27 47]
Y_pred: [2 20 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension chronic diastolic heart, score: 0.26015836
type ii htn s p r, score: 0.049375467
was held hypertension patient was continued on hctz captopril,
score: 0.03262623

confidence of prediction: 0.976927
Y_true: [2 5 8 20 27 47]
Y_pred: [2 20 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure discharge, score: 0.31601146
diastolic chf patient was continued, score: 0.13414459
diastolic chf recent tkr presenting, score: 0.082920484

confidence of prediction: 0.830964
Y_true: [3 9 18 27 37 43]
Y_pred: [3 18 20 25 27 34]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
regurgitation hypertension hypercholesterolemia cva w right, score:
0.1414884
aortic aneurysm htn hypercholesterolemia gerd bronchomalacia
ascending thoracic, score: 0.0022765012
continued she continued to, score: 0.00047799217

confidence of prediction: 0.977710
Y_true: [3 9 18 27 37 43]
Y_pred: [3 18 20 25 27 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic doctor first name, score: 0.17698379
cardiothoracic allergies patient recorded, score: 0.011860262
tee was performed in, score: 0.0080194315

confidence of prediction: 0.936661
Y_true: [3 9 18 27 37 43]
Y_pred: [3 18 20 25 27 34]

top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
history diastolic chf last echo with lvef mitral regurgitation
hypertension hypercholesterolemia, score: 0.028846303
and a lasix drip, score: 0.0043401476
numeric identifier last name, score: 0.0041978206

confidence of prediction: 0.598034
Y_true: [5 8]
Y_pred: [5]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
patient was hyponatremic to he remembers, score: 0.43736267
reflected symptomatic hyponatremia his serum sodium corrected,
score: 0.07494121
neurocognitive evaluation hyponatremia the patient s hypnatremia,
score: 0.045471203

confidence of prediction: 0.664833
Y_true: [4 7 26 28 47 49]
Y_pred: [4 7 26 28]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
one month hyperlipidemia continued on home simvastatin, score:
0.03220878
dabigatran etexilate mg po bid, score: 0.018002883
descending colon recommendations in, score: 0.008072454

confidence of prediction: 0.781049
Y_true: [4 7 26 28 47 49]
Y_pred: [4 7 26 28]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
bleeding and having a, score: 0.18808188
days of melena has, score: 0.050168484
with melena and hct, score: 0.039296493

confidence of prediction: 0.986850
Y_true: [4 7 26 28 47 49]
Y_pred: [4 7 26 28]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
paf on pradaxa history, score: 0.3611191
afib patient has been on, score: 0.2572084
afib with a subsequent, score: 0.14437595

confidence of prediction: 0.759003
Y_true: [4 7 26 28 47 49]
Y_pred: [4 7 26 28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
and microscopically egd angioectasia in the, score: 0.19147696
had an endoscopy and colonoscopy, score: 0.08899841
egd abnormal mucosa in the, score: 0.058804568

confidence of prediction: 0.871333
Y_true: [20 22 23 27 31 33 35 41]
Y_pred: [22 27 29 35]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
for nstemi was low as, score: 0.05002474
indx probnp numeric identifier, score: 0.005845443
after discharge nstemi troponin of and, score: 0.0038355538

confidence of prediction: 0.982799
Y_true: [20 22 23 27 31 33 35 41]
Y_pred: [22 27 29 35]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf with ef he will, score: 0.07064132
heart failure copd exacerbation and, score: 0.05661598
probnp numeric identifier 50pm blood, score: 0.010307764

confidence of prediction: 0.835734
Y_true: [20 22 23 27 31 33 35 41]
Y_pred: [22 27 29 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
discontinued acute renal failure scr in was, score: 0.052301317
recorded as having no, score: 0.013028693
traction and minimal fibrotic, score: 0.009445954

confidence of prediction: 0.859580
Y_true: [6 17 19 24 27 30 33 35 40 41 43 45 46]
Y_pred: [0 17 19 23 33 40 41 42 43 45 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
venous line placement hd, score: 0.33821175
the abscess is amenable, score: 0.03617033
and line change after, score: 0.03529454

confidence of prediction: 0.975110
Y_true: [6 17 19 24 27 30 33 35 40 41 43 45 46]
Y_pred: [0 17 19 23 33 40 41 42 43 45 46]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
eventually tunnelled hemodialysis line was placed, score: 0.17999882
epogen with hemodialysis for low, score: 0.08553091
underwent dialysis mwf she, score: 0.06882133

confidence of prediction: 0.870537
Y_true: [6 17 19 24 27 30 33 35 40 41 43 45 46]
Y_pred: [0 17 19 23 33 40 41 42 43 45 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxic respiratory failure pt arrived, score: 0.17510675
hypoxic respiratory failure discharge condition, score: 0.10941938
required re intubation she, score: 0.028357828

confidence of prediction: 0.708871
Y_true: [6 17 19 24 27 30 33 35 40 41 43 45 46]
Y_pred: [0 17 19 23 33 40 41 42 43 45 46]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
required re intubation she was, score: 0.15916255
exam general intubated sedated heent, score: 0.042036913
she required intubation she was, score: 0.028377486

confidence of prediction: 0.975858
Y_true: [6 17 19 24 27 30 33 35 40 41 43 45 46]
Y_pred: [0 17 19 23 33 40 41 42 43 45 46]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
pyloric dobbhoff tube feeds with good, score: 0.017868232
required prolonged intubation due to, score: 0.009116671
neuro intubated sedation opened, score: 0.008116253

confidence of prediction: 0.874812
Y_true: [6 17 19 24 27 30 33 35 40 41 43 45 46]
Y_pred: [0 17 19 23 33 40 41 42 43 45 46]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
re intubation she was, score: 0.03265565
required prolonged intubation due to, score: 0.032548223
buttocks which improved with, score: 0.027490279

confidence of prediction: 0.873438
Y_true: [6 17 19 24 27 30 33 35 40 41 43 45 46]
Y_pred: [0 17 19 23 33 40 41 42 43 45 46]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
part to tpn patient was switched to, score: 0.012612864
distension ileus developed shortly after extubation, score:
0.011769327
v ileus as the, score: 0.0055406652

confidence of prediction: 0.872388
Y_true: [6 17 19 24 27 30 33 35 40 41 43 45 46]
Y_pred: [0 17 19 23 33 40 41 42 43 45 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
sepsis major surgical or, score: 0.11429999
hypotension and sepsis and was transferred to, score: 0.06230713
fluid collection and she, score: 0.045115545

confidence of prediction: 0.919911
Y_true: [1 3 14 20 24 34 38 47]
Y_pred: [1 3 4 20 24 34 38]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
cholecystectomy hypothyroidism osteopenia hypertension

hypercholesterolemia, score: 0.29574788
sob levothyroxine 88mcg tablet daily monday, score: 0.10728605
levothyroxine mcg tablet sig, score: 0.0531821

confidence of prediction: 0.642647
Y_true: [1 3 14 20 24 34 38 47]
Y_pred: [1 3 4 20 24 34 38]
top three important windows for true positive code 3 (272.0: Pure hypercholesterolemia)
osteopenia hypertension hypercholesterolemia gerd cardiac risk, score: 0.16962577
history of exertional angina presenting with sudden, score: 0.0029194471
factors hypertension hypercholesterolemia cardiac history has, score: 0.002806131

confidence of prediction: 0.917750
Y_true: [1 3 14 20 24 34 38 47]
Y_pred: [1 3 4 20 24 34 38]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
history of exertional angina, score: 0.14876738
contract normally lvef right, score: 0.122784175
myocardial infarction hypertension dyslipidemia chronic memory loss, score: 0.036309283

confidence of prediction: 0.981645
Y_true: [1 3 14 20 24 34 38 47]
Y_pred: [1 3 4 20 24 34 38]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery disease inferior, score: 0.1433821
occlusion [UNK] was taken, score: 0.05270808
bare metal stents placed in, score: 0.048248194

confidence of prediction: 0.621056
Y_true: [1 3 14 20 24 34 38 47]
Y_pred: [1 3 4 20 24 34 38]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
hypertension hypercholesterolemia gerd cardiac risk factors, score: 0.047502518
history hypothyroidism gerd small cell lung cancer, score: 0.032151002
federal auditor family history one, score: 0.02616614

confidence of prediction: 0.832512
Y_true: [1 3 14 20 24 34 38 47]
Y_pred: [1 3 4 20 24 34 38]
top three important windows for true positive code 38 (88.56: Coronary arteriography using two catheters)
cardiac catheterization history of present, score: 0.4214222
catheterization comments selective coronary angiography in, score: 0.15038458

rca with three overlapping, score: 0.027447334

confidence of prediction: 0.719983
Y_true: [4 8 17 19 32]
Y_pred: [4 17 19 27 35 37]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
and hyperlipidemia who developed a, score: 0.06782109
hypertension hyperlipidemia gout osteoporosis dry senile macular degeneration rheumatic, score: 0.018092217
htn and hyperlipidemia who is admitted from, score: 0.016552642

confidence of prediction: 0.897317
Y_true: [4 8 17 19 32]
Y_pred: [4 17 19 27 35 37]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
venous line placement history of, score: 0.572097
polysorbate injection peg electrolytes, score: 0.032740403
bacteri mod yeast none, score: 0.032478027

confidence of prediction: 0.991444
Y_true: [4 8 17 19 32]
Y_pred: [4 17 19 27 35 37]
top three important windows for true positive code 19 (39.95: Hemodialysis)
esrd on hd htn, score: 0.05249119
home dialysis schedule she, score: 0.024656476
back on hemodialysis and will, score: 0.020812407

confidence of prediction: 0.827293
Y_true: [26 28 47]
Y_pred: [20 26 28]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
elderly female heent sclera, score: 0.010062019
meeting was held and, score: 0.0052753096
fatigue shortness of breath, score: 0.002628235

confidence of prediction: 0.823147
Y_true: [26 28 47]
Y_pred: [20 26 28]
top three important windows for true positive code 28 (45.13: Other endoscopy of small intestine)
egd history of present illness, score: 0.050817728
and performed egd on egd demonstrated esophagitis as well, score: 0.038395192
endoscopy see egd report images, score: 0.03529464

confidence of prediction: 0.799342
Y_true: [2 17 26 27 30 35 41 49]
Y_pred: [2 9 17 21 26 27 29 30 36 49]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or

unspecified type, not stated as uncontrolled)
lasix colchicine glipizide probenecid methadone vit b12, score:
0.05658595
failure and unfortunately no, score: 0.02049005
hx dvt dm2 ckd baseline cr, score: 0.014474427

confidence of prediction: 0.786260
Y_true: [2 17 26 27 30 35 41 49]
Y_pred: [2 9 17 21 26 27 29 30 36 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line and dobhoff were discontinued, score: 0.46723214
chol was placed by, score: 0.027860412
by rll rml consolidative, score: 0.020873068

confidence of prediction: 0.998701
Y_true: [2 17 26 27 30 35 41 49]
Y_pred: [2 9 17 21 26 27 29 30 36 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
chronic afib on coumadin mild as, score: 0.00048451623
ckd hospital transferred from, score: 0.00012740861
ar infrarenal aaa 8cm hx dvt, score: 6.307647e−05

confidence of prediction: 0.939101
Y_true: [2 17 26 27 30 35 41 49]
Y_pred: [2 9 17 21 26 27 29 30 36 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf ef chronic afib on coumadin mild, score: 0.10535087
chf ckd copd presented to osh, score: 0.09886031
chf ckd hospital transferred from, score: 0.009135675

confidence of prediction: 0.679795
Y_true: [2 17 26 27 30 35 41 49]
Y_pred: [2 9 17 21 26 27 29 30 36 49]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
chf ckd copd presented to osh for, score: 0.17980573
aaa 8cm hx dvt, score: 0.011114309
baseline cr copd on 2l home o2, score: 0.008613493

confidence of prediction: 0.856444
Y_true: [2 17 26 27 30 35 41 49]
Y_pred: [2 9 17 21 26 27 29 30 36 49]
top three important windows for true positive code 49 (V58.61: Long−
term (current) use of anticoagulants)
afib on coumadin mild, score: 0.98228097
on admission coumadin per, score: 0.010954114
8cm hx dvt dm2, score: 0.0009012515

confidence of prediction: 0.674818
Y_true: [1 2 6 7 31 33 42]
Y_pred: [1 4 26 31 40]

top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
diabetes mellitus hypothyroidism chronic anemia polymyalgia
rheumatica, score: 0.0036815426
q6h prn levothyroxine mcg daily multivitamin tab, score:
0.0024397133
comfort care at this, score: 0.0017512268

confidence of prediction: 0.825530
Y_true: [1 2 6 7 31 33 42]
Y_pred: [1 4 26 31 40]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
of aspiration pneumonia blood and urine, score: 0.23598814
the aspiration pneumonia she also was, score: 0.033165663
including power of attorney, score: 0.014627775

confidence of prediction: 0.594355
Y_true: [8 12 13 17 18 23 24 26 33 34 37 40 41 42]
Y_pred: [13 18 24 26 29 37 40 43]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass grafting left internal mammary artery to
left, score: 0.10454932
coronary artery bypass grafting surgery surgery was, score:
0.061132226
with vein grafts to, score: 0.040399

confidence of prediction: 0.975585
Y_true: [8 12 13 17 18 23 24 26 33 34 37 40 41 42]
Y_pred: [13 18 24 26 29 37 40 43]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
grafting left internal mammary artery to left, score: 0.12172185
cardiothoracic allergies patient recorded, score: 0.0119481245
bypass grafting surgery surgery was, score: 0.009086829

confidence of prediction: 0.976957
Y_true: [8 12 13 17 18 23 24 26 33 34 37 40 41 42]
Y_pred: [13 18 24 26 29 37 40 43]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lad lesion in setting, score: 0.21154058
to undergo cabg in, score: 0.1204768
coronary artery disease s, score: 0.072663076

confidence of prediction: 0.963452
Y_true: [8 12 13 17 18 23 24 26 33 34 37 40 41 42]
Y_pred: [13 18 24 26 29 37 40 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation while pan cultures, score: 0.16519627
atrial fibrillation warfarin anticoagulation was, score: 0.13120386
atrial fibrillation was treated with, score: 0.103383586

confidence of prediction: 0.769957
Y_true: [8 12 13 17 18 23 24 26 33 34 37 40 41 42]
Y_pred: [13 18 24 26 29 37 40 43]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
following aggressive diuresis he was, score: 0.05546215
fevers infiltrate on chest, score: 0.032894827
gun injury posterior left, score: 0.020059984

confidence of prediction: 0.834998
Y_true: [8 12 13 17 18 23 24 26 33 34 37 40 41 42]
Y_pred: [13 18 24 26 29 37 40 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
he required reintubation for respiratory distress and, score:
0.2656717
kept intubated for several, score: 0.006162615
secretions on bronchoscopy given, score: 0.0028501677

confidence of prediction: 0.998511
Y_true: [20]
Y_pred: [5 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn continued lisinopril hctz stopped due to, score: 0.2637982
hctz hctz stopped and nacl, score: 0.058594856
insipidus dx hypertension seizure osteoarthritis sleep, score:
0.05374377

confidence of prediction: 0.999402
Y_true: [9 13 18 20 23 24 26 27]
Y_pred: [4 13 18 20 23 24 27]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
cabg x3 lima lad svg om, score: 0.46703246
bypass grafting x3 with, score: 0.012621932
descending artery reverse saphenous vein graft, score: 0.008076175

confidence of prediction: 0.990040
Y_true: [9 13 18 20 23 24 26 27]
Y_pred: [4 13 18 20 23 24 27]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
incisions gently with mild soap, score: 0.38637537
cabg x3 lima lad, score: 0.20240906
cabg x3 lima lad svg om, score: 0.20240906

confidence of prediction: 0.872198
Y_true: [9 13 18 20 23 24 26 27]
Y_pred: [4 13 18 20 23 24 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
mi per stress test hypertension dyslipidemia chronic systolic heart,

score: 0.064038806
un tissue cabg x3, score: 0.038490735

confidence of prediction: 0.697589
Y_true: [9 13 18 20 23 24 26 27]
Y_pred: [4 13 18 20 23 24 27]
top three important windows for true positive code 23 (412: Old myocardial infarction)
old inferior mi per stress, score: 0.46871012
descending artery reverse saphenous, score: 0.0074252742
25pm alt sgpt ast, score: 0.0042992537

confidence of prediction: 0.997558
Y_true: [9 13 18 20 23 24 26 27]
Y_pred: [4 13 18 20 23 24 27]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
descending artery reverse saphenous vein graft, score: 0.34163472
cabg x3 lima lad, score: 0.11259032
vessel cad past medical history, score: 0.01995966

confidence of prediction: 0.957023
Y_true: [9 13 18 20 23 24 26 27]
Y_pred: [4 13 18 20 23 24 27]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
chronic systolic heart failure bph past surgical, score: 0.0062090703
chronic systolic heart failure bph s p, score: 0.0062090703
heart rrr irregular x, score: 0.003934759

confidence of prediction: 0.957713
Y_true: [2 4 15 20 22 24 27 38]
Y_pred: [2 4 15 20 22 24 27 38]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
metformin xr glucophage xr mg po, score: 0.10289863
metformin xr glucophage xr mg po, score: 0.0844227
diabetes chronic hepatitis c, score: 0.04134318

confidence of prediction: 0.830525
Y_true: [2 4 15 20 22 24 27 38]
Y_pred: [2 4 15 20 22 24 27 38]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
with hypertension hyperlipidemia type diabetes chronic, score: 0.13403569
type diabetes dyslipidemia hypertension asthma regarding, score: 0.05841909
hyperlipidemia ldl of started, score: 0.04085831

confidence of prediction: 0.513577
Y_true: [2 4 15 20 22 24 27 38]

```
Y_pred: [ 2  4 15 20 22 24 27 38]
top three important windows for true positive code 15 (37.23:
Combined right and left heart cardiac catheterization)
cardiac catheterization with dex to, score: 0.8658733
cath selective coronary angiography of this, score: 0.016551198
isosorbide mononitrate extended release, score: 0.007543405

confidence of prediction: 0.966849
Y_true: [ 2  4 15 20 22 24 27 38]
Y_pred: [ 2  4 15 20 22 24 27 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn started metoprolol lisinopril furosemide, score: 0.41576642
history of htn hl dmii presenting, score: 0.04665901
home benazapril hctz and, score: 0.03467791

confidence of prediction: 0.799325
Y_true: [ 2  4 15 20 22 24 27 38]
Y_pred: [ 2  4 15 20 22 24 27 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
myocardial infarction nstemi acute on chronic, score: 0.13751416
for nstemi and dvt was, score: 0.05189574
catheterization for nstemi he had des to, score: 0.012184

confidence of prediction: 0.961714
Y_true: [ 2  4 15 20 22 24 27 38]
Y_pred: [ 2  4 15 20 22 24 27 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
disease with occlusion of rca, score: 0.089260064
om rca with total, score: 0.05871953
diffuse distal lesion and, score: 0.035490032

confidence of prediction: 0.935772
Y_true: [ 2  4 15 20 22 24 27 38]
Y_pred: [ 2  4 15 20 22 24 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure though he, score: 0.052907947
cardiology was consulted who, score: 0.01329353
for heart failure management, score: 0.013090753

confidence of prediction: 0.858977
Y_true: [ 2  4 15 20 22 24 27 38]
Y_pred: [ 2  4 15 20 22 24 27 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization with dex to, score: 0.6134554
cath selective coronary angiography of this, score: 0.04898962
isosorbide mononitrate extended release, score: 0.013754063

confidence of prediction: 0.966866
Y_true: [ 8 19 24 29 35]
```

Y_pred: [19 21 29 35 36]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
initial hemodialysis sessions was felt to, score: 0.3245977
three hemodialysis sessions with much, score: 0.113049746
sessions of hemodialysis and you, score: 0.061988875

confidence of prediction: 0.753946
Y_true: [8 19 24 29 35]
Y_pred: [19 21 29 35 36]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
community acquired pneumonia his fever curve, score: 0.038865924
an infiltrate on his, score: 0.015154985
primary community acquired pneumonia acute on chronic, score:
0.011952214

confidence of prediction: 0.790905
Y_true: [8 19 24 29 35]
Y_pred: [19 21 29 35 36]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure, score: 0.05796155
on chronic kidney injury, score: 0.05007388
lymphocyte predominant leukocytosis with, score: 0.041368376

confidence of prediction: 0.919472
Y_true: [1 4 8 26 29 32 49]
Y_pred: [1 4 26 30 44 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
in hypothyroidism osteoporosis hyperlipidemia social, score:
0.6579824
home levothyroxine tsh was checked, score: 0.2478907
considered hypothyroidism stable pt, score: 0.0126404865

confidence of prediction: 0.856158
Y_true: [1 4 8 26 29 32 49]
Y_pred: [1 4 26 30 44 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypothyroidism osteoporosis hyperlipidemia social history shx lives,
score: 0.23891516
elderly female in minimal, score: 0.02277318
warfarin mg tablet sig, score: 0.014542505

confidence of prediction: 0.984803
Y_true: [1 4 8 26 29 32 49]
Y_pred: [1 4 26 30 44 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation on coumadin h, score: 0.15933856
afib with rvr was, score: 0.040808782
atrial fibrillation with rvr it, score: 0.018911684

```
confidence of prediction: 0.688559
Y_true: [ 1  4  8 26 29 32 49]
Y_pred: [ 1  4 26 30 44 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fibrillation on coumadin pt, score: 0.43158212
inh daily warfarin 5mg, score: 0.016692612
coumadin was resumed on, score: 0.015171832

confidence of prediction: 0.964888
Y_true: [ 4  6 26 27 33 35 49]
Y_pred: [ 4 21 26 27 35 36 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
coumadin hypertension hyperlipidemia ventricular ectopy chronic,
score: 0.060264535
and hyperlipidemia who presents with week, score: 0.011205635
and hctz hl continue pravastatin 40mg qday, score: 0.0058009806

confidence of prediction: 0.994611
Y_true: [ 4  6 26 27 33 35 49]
Y_pred: [ 4 21 26 27 35 36 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
paf on coumadin stage iv, score: 0.6847929
afib while here consistent, score: 0.033607278
atrial fibrillation on coumadin hypertension, score: 0.032163266

confidence of prediction: 0.915089
Y_true: [ 4  6 26 27 33 35 49]
Y_pred: [ 4 21 26 27 35 36 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf exacerbation was likely, score: 0.32045105
systolic heart failure exacerbation [UNK] bnp, score: 0.23985139
chf exacerbation the patient, score: 0.076936714

confidence of prediction: 0.654135
Y_true: [ 4  6 26 27 33 35 49]
Y_pred: [ 4 21 26 27 35 36 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure creatinine up from, score: 0.16112205
chronic renal failure followed by, score: 0.1501381
on chronic kidney disease, score: 0.13919583

confidence of prediction: 0.828962
Y_true: [ 4  6 26 27 33 35 49]
Y_pred: [ 4 21 26 27 35 36 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
paf on coumadin stage, score: 0.8151372
patient s coumadin was, score: 0.0056189564
```

s refills warfarin mg tablet sig, score: 0.004456499

confidence of prediction: 0.962365
Y_true: [8 11 26 39]
Y_pred: [26 28 39]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with rvr major, score: 0.22575721
afib with rvr she, score: 0.16021246
afib with rvr fall, score: 0.16021246

confidence of prediction: 0.912479
Y_true: [8 11 26 39]
Y_pred: [26 28 39]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee cardioversion tee was negative for thrombus, score: 0.88069105
transesophageal echocardiogram esophagogastroduodenoscopy history,
score: 0.019012516
tee poor image quality, score: 0.007899954

confidence of prediction: 0.654133
Y_true: [3 11 20]
Y_pred: [3 11 20]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
ankle htn hypercholesterolemia not currently on, score: 0.40671137
depression htn hypercholesterolemia discharge condition activity,
score: 0.060891848
for sedation htn continued home amlodipine, score: 0.006168414

confidence of prediction: 0.650132
Y_true: [3 11 20]
Y_pred: [3 11 20]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
oxcarbazepine 150mg hospital1 haldol, score: 0.061986253
schizophrenia depression recently fractured ankle htn, score:
0.043056477
outpatient schizophrenia depression continued home clozapine and,
score: 0.005253528

confidence of prediction: 0.953390
Y_true: [3 11 20]
Y_pred: [3 11 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
and white specks diffusely, score: 0.073713005
sedation htn continued home amlodipine with, score: 0.057456326
story has changed several, score: 0.035220277

confidence of prediction: 0.920515
Y_true: [6 9 12 17 28 33 34 35 40 41 42 45 46 47]
Y_pred: [4 12 17 20 33 34 40 41 42 43 45]

top three important windows for true positive code 12 (33.24: Closed [endoscopic] biopsy of bronchus)
and a bal was done which grew, score: 0.025738848
and sigmoidoscopy bronchoscopy with broncheoalveolar lavage history of present, score: 0.009037075

confidence of prediction: 0.799429
Y_true: [6 9 12 17 28 33 34 35 40 41 42 45 46 47]
Y_pred: [4 12 17 20 33 34 40 41 42 43 45]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
restless started spiking fevers and, score: 0.16999058
cirrhosis gastroesophageal reflux disease discharge, score: 0.03172559
on rifaxamin folic acid, score: 0.016732287

confidence of prediction: 0.555805
Y_true: [6 9 12 17 28 33 34 35 40 41 42 45 46 47]
Y_pred: [4 12 17 20 33 34 40 41 42 43 45]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
intubated for airway protection, score: 0.08406291
associated pneumonia secondary diagnoses, score: 0.05695711
omeprazole respiratory failure mr, score: 0.03049608

confidence of prediction: 0.567897
Y_true: [6 9 12 17 28 33 34 35 40 41 42 45 46 47]
Y_pred: [4 12 17 20 33 34 40 41 42 43 45]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
cirrhosis gastroesophageal reflux disease discharge condition mental, score: 0.104693346
gerd vre screen positive psoriasis, score: 0.0687425
varice and hemorrhoids mr, score: 0.018084604

confidence of prediction: 0.930580
Y_true: [6 9 12 17 28 33 34 35 40 41 42 45 46 47]
Y_pred: [4 12 17 20 33 34 40 41 42 43 45]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
was eventually intubated due to worsening, score: 0.20408657
lastname was intubated for airway protection and a bal was, score: 0.0046803774
lastname was intubated in the, score: 0.0046803774

confidence of prediction: 0.520259
Y_true: [6 9 12 17 28 33 34 35 40 41 42 45 46 47]
Y_pred: [4 12 17 20 33 34 40 41 42 43 45]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
continue tube feeds and encourage oral, score: 0.0488938
tube terminates appropriately within, score: 0.034877118
bronchoscopy with broncheoalveolar lavage history of, score: 0.027109934

confidence of prediction: 0.827864
Y_true: [6 9 12 17 28 33 34 35 40 41 42 45 46 47]
Y_pred: [4 12 17 20 33 34 40 41 42 43 45]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated for airway protection, score: 0.22083971
was intubated in the, score: 0.20678832
was eventually intubated due to worsening, score: 0.11873891

confidence of prediction: 0.968054
Y_true: [6 9 12 17 28 33 34 35 40 41 42 45 46 47]
Y_pred: [4 12 17 20 33 34 40 41 42 43 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
decompression and tpn was started id suggested, score: 0.0149284005
but all cultures are, score: 0.0010182527
your medicines followup instructions, score: 0.00097595534

confidence of prediction: 0.844242
Y_true: [5 7]
Y_pred: [7 17]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia and units of, score: 0.2738867
anemia discharge condition condition, score: 0.18199727
service orthopaedics allergies patient recorded as having no, score:
0.049139947

confidence of prediction: 0.633692
Y_true: [2 17 20 27 29 30 33 37]
Y_pred: [20 27 30 33 34 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
chronic asymptomatic chronic pain, score: 0.22416379
medical history htn diastolic chf copd right, score: 0.08028325
of antibiotics htn the patient s home, score: 0.061745908

confidence of prediction: 0.978362
Y_true: [2 17 20 27 29 30 33 37]
Y_pred: [20 27 30 33 34 37]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
dermatomyositis diastolic chf htn who presents, score: 0.037841696
diastolic heart failure recent echo, score: 0.030502269
copd diastolic chf htn dermatomyositis and, score: 0.015852736

confidence of prediction: 0.566225
Y_true: [2 17 20 27 29 30 33 37]
Y_pred: [20 27 30 33 34 37]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
diastolic chf copd right hemidiaphragm paralysis, score: 0.09838017

history of copd dermatomyositis diastolic chf htn, score:
0.028850822
history of copd diastolic chf htn dermatomyositis, score:
0.028850822

confidence of prediction: 0.902205
Y_true: [2 17 20 27 29 30 33 37]
Y_pred: [20 27 30 33 34 37]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
to respiratory failure and exacerbated by, score: 0.16600448
hypercarbic respiratory failure also, score: 0.13637753
to respiratory failure following the, score: 0.058293495

confidence of prediction: 0.911927
Y_true: [2 17 20 27 29 30 33 37]
Y_pred: [20 27 30 33 34 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
positive uti respiratory distress on, score: 0.17383267
prn urinary tract infection patient with, score: 0.029328985
treatment of uti awaiting proof of persistent, score: 0.016405813

confidence of prediction: 0.707346
Y_true: [7 10 20 27 35]
Y_pred: [10 31]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
smoking currently smokes cigarettes day alcohol occasional, score:
0.111583725
promote etoh cessation pain, score: 0.0029338251
history tobacco pack year, score: 0.0019196939

confidence of prediction: 0.842614
Y_true: [4 8 11 13 15 18 20 22 23 24 26 27 32 34 37 41]
Y_pred: [4 13 18 20 22 24 26 34 37 41]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
disease hypertension hyperlipidemia bph depression osteoarthritis
spinal, score: 0.17751114
disease hypertension hyperlipidemia bph peripheral neuropathy
social, score: 0.08365531
atorvastatin mg tablet sig, score: 0.0073484387

confidence of prediction: 0.993548
Y_true: [4 8 11 13 15 18 20 22 23 24 26 27 32 34 37 41]
Y_pred: [4 13 18 20 22 24 26 34 37 41]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
avr cabg x3 coronary artery disease and, score: 0.020586846
cardiac catheterization avr 25mm, score: 0.0059739402
porcine cabg x3 lima to lad svg to om svg, score: 0.0045889774

confidence of prediction: 0.973651

Y_true: [4 8 11 13 15 18 20 22 23 24 26 27 32 34 37 41]
Y_pred: [4 13 18 20 22 24 26 34 37 41]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed towards his preoperative, score: 0.45661467
creams powders or ointments on, score: 0.31184328
cabg x3 lima to lad svg, score: 0.029667873

confidence of prediction: 0.601584
Y_true: [4 8 11 13 15 18 20 22 23 24 26 27 32 34 37 41]
Y_pred: [4 13 18 20 22 24 26 34 37 41]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
panorex one panorex view, score: 0.30629665
tunnel disease hypertension hyperlipidemia bph depression
osteoarthritis, score: 0.223223
hypertension hyperlipidemia bph peripheral neuropathy, score:
0.043291755

confidence of prediction: 0.727926
Y_true: [4 8 11 13 15 18 20 22 23 24 26 27 32 34 37 41]
Y_pred: [4 13 18 20 22 24 26 34 37 41]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
diagnoses nstemi severe aortic stenosis vessel, score: 0.072604336
c an nstemi c peak troponins of, score: 0.032147508
got asa cxr unremarkable, score: 0.005758407

confidence of prediction: 0.948208
Y_true: [4 8 11 13 15 18 20 22 23 24 26 27 32 34 37 41]
Y_pred: [4 13 18 20 22 24 26 34 37 41]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p stent in, score: 0.47133338
coronary artery disease secondary, score: 0.085511655
panorex one panorex view, score: 0.06658867

confidence of prediction: 0.752572
Y_true: [4 8 11 13 15 18 20 22 23 24 26 27 32 34 37 41]
Y_pred: [4 13 18 20 22 24 26 34 37 41]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib and was treated, score: 0.7256225
amiodarone and beta blockade, score: 0.010343502
systolic ejection murmur radiating to, score: 0.009352818

confidence of prediction: 0.936997
Y_true: [4 8 11 13 15 18 20 22 23 24 26 27 32 34 37 41]
Y_pred: [4 13 18 20 22 24 26 34 37 41]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
gerd hiatal hernia carpal tunnel, score: 0.04625189
prozac continued gerd home aciphex switched to, score: 0.041478716
secondary diagnoses gerd carpal tunnel disease arthritis, score:

0.036550123

confidence of prediction: 0.918150
Y_true: [4 8 11 13 15 18 20 22 23 24 26 27 32 34 37 41]
Y_pred: [4 13 18 20 22 24 26 34 37 41]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
was the presumed cause, score: 0.019228037
his urinary tract infection a urology, score: 0.013629051
a urinary tract infection he continued to, score: 0.008725581

confidence of prediction: 0.855349
Y_true: [4 8 11 13 15 18 20 22 23 24 26 27 32 34 37 41]
Y_pred: [4 13 18 20 22 24 26 34 37 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
on tube feeds ciprofloxacin was started, score: 0.29934922
his feeding tube on and tolerated, score: 0.01939315
per nutrition and speech, score: 0.006753264

confidence of prediction: 0.907680
Y_true: [7 21 26 27 28 39 44 49]
Y_pred: [7 21 26 27 28 36 39 49]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
given 2u prbc with stable, score: 0.2478478
history of present illness, score: 0.12455808
bactrim and fluconazole were, score: 0.05799487

confidence of prediction: 0.865110
Y_true: [7 21 26 27 28 39 44 49]
Y_pred: [7 21 26 27 28 36 39 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
htn ckd iii baseline gfr, score: 0.17121257
ckd stage iii paf on, score: 0.118352115
ckd renal function improving per, score: 0.08953426

confidence of prediction: 0.993967
Y_true: [7 21 26 27 28 39 44 49]
Y_pred: [7 21 26 27 28 36 39 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
paf on coumadin presents, score: 0.49891192
afib on sotalol for, score: 0.36371562
afib with rvr in, score: 0.048338655

confidence of prediction: 0.901538
Y_true: [7 21 26 27 28 39 44 49]
Y_pred: [7 21 26 27 28 36 39 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
for heart failure but this was, score: 0.38497138

metoprolol chf in the setting of, score: 0.01372511
congestive heart failure ckd renal, score: 0.012450646

confidence of prediction: 0.733494
Y_true: [7 21 26 27 28 39 44 49]
Y_pred: [7 21 26 27 28 36 39 49]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
had an egd on without, score: 0.13386424
an upper endoscopy which was normal, score: 0.13074961
endoscopy bleeding ceased however, score: 0.06264305

confidence of prediction: 0.600940
Y_true: [7 21 26 27 28 39 44 49]
Y_pred: [7 21 26 27 28 36 39 49]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
amiodarone mg tablet sig, score: 0.048082117
amiodarone and continued on, score: 0.018822297
amiodarone and the metoprolol, score: 0.018316329

confidence of prediction: 0.616075
Y_true: [7 21 26 27 28 39 44 49]
Y_pred: [7 21 26 27 28 36 39 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
paf on coumadin presents, score: 0.77054024
days and coumadin restarted, score: 0.07586429
afib on sotalol for, score: 0.048668392

confidence of prediction: 0.710369
Y_true: [3 20]
Y_pred: [3 20]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
hydrochlorothiazide prescribed by other, score: 0.00050810474
pmh dm2 obesity htn hypercholesterolemia bilateral knee oa primary,
score: 0.00042545825
cover with clean dry, score: 0.00038376186

confidence of prediction: 0.998378
Y_true: [3 20]
Y_pred: [3 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hyperparathyroidism psh csection l ankle, score: 0.011942571
a roux en y, score: 0.008358554
morbid obesity major surgical, score: 0.0076569756

confidence of prediction: 0.996654
Y_true: [0 20 23 24 35 42 46 47]
Y_pred: [17 20 29 30]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

myocardial infarction hypertension asthma discharge condition, score: 0.033692125
prior mi htn aortic [UNK] htn asthma who presented, score: 0.025624912
uti mi years ago abdominal, score: 0.009283275

confidence of prediction: 0.519179
Y_true: [14 15 20 24 26 27 38]
Y_pred: [14 15 20 24 26 27 38]
top three important windows for true positive code 14 (37.22: Left heart cardiac catheterization)
rca on angiography the, score: 0.072226755
cardiac cath history of, score: 0.069752604
comments selective coronary angiography of this, score: 0.0404184

confidence of prediction: 0.507704
Y_true: [14 15 20 24 26 27 38]
Y_pred: [14 15 20 24 26 27 38]
top three important windows for true positive code 15 (37.23: Combined right and left heart cardiac catheterization)
cardiac cath history of, score: 0.37063426
rca on angiography the, score: 0.050249714
mid vessel just after, score: 0.040459383

confidence of prediction: 0.976231
Y_true: [14 15 20 24 26 27 38]
Y_pred: [14 15 20 24 26 27 38]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
on metoprolol htn the patient s bp, score: 0.50480694
diagnosed with hypertension at, score: 0.038878925
history of hypertension presents with stemi, score: 0.033118013

confidence of prediction: 0.995453
Y_true: [14 15 20 24 26 27 38]
Y_pred: [14 15 20 24 26 27 38]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
vessel cad the lmca, score: 0.1302836
rca with occlusion was also, score: 0.09020278
coronary artery disease the, score: 0.06490541

confidence of prediction: 0.911241
Y_true: [14 15 20 24 26 27 38]
Y_pred: [14 15 20 24 26 27 38]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
was a pleasure taking care of, score: 0.016075153
af noted at time of, score: 0.005905439
ecg atrial fibrillation with a controlled, score: 0.0057485043

confidence of prediction: 0.864653
Y_true: [14 15 20 24 26 27 38]
Y_pred: [14 15 20 24 26 27 38]

top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
compensated heart failure successful ptca and, score: 0.05763463
cardiac pmi located in, score: 0.04242598
compensated chf coronaries the patient presented, score: 0.022499705

confidence of prediction: 0.856987
Y_true: [14 15 20 24 26 27 38]
Y_pred: [14 15 20 24 26 27 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac cath history of, score: 0.17018674
rca on angiography the, score: 0.0968825
comments selective coronary angiography of, score: 0.04334994

confidence of prediction: 0.818604
Y_true: [11 17 19 35 37 41]
Y_pred: [17 19 37 41]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
biopsy picc placement picc d c d for, score: 0.1754894
picc line placement history of, score: 0.08206833
line flush picc non heparin, score: 0.03741739

confidence of prediction: 0.917848
Y_true: [11 17 19 35 37 41]
Y_pred: [17 19 37 41]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
on hemodialysis via lue, score: 0.073787056
during dialysis and postop, score: 0.06685838
of hemodialysis last hd, score: 0.055141915

confidence of prediction: 0.937550
Y_true: [11 17 19 35 37 41]
Y_pred: [17 19 37 41]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
pan resistent uti e coli depression, score: 0.08434036
meropenum on she remained, score: 0.01878958
sodium chloride flush ml, score: 0.013980758

confidence of prediction: 0.851430
Y_true: [11 17 19 35 37 41]
Y_pred: [17 19 37 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
hematocrit tube feeds were started, score: 0.13268626
tube feeds via dobhoff, score: 0.0580672
[UNK] tube feeds were tolerated, score: 0.021608794

confidence of prediction: 0.771866
Y_true: [5 37 41 42]
Y_pred: [17 33 37 40 42 44]

top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
noted a hyperdense lesion, score: 0.0487868
a subclinical uti infection for this she, score: 0.046553157
markedly improved moderate pulmonary, score: 0.020015419

confidence of prediction: 0.761900
Y_true: [5 37 41 42]
Y_pred: [17 33 37 40 42 44]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
post extubation medications on, score: 0.008971094
of intubation and a bronchoscopy was, score: 0.008001185
on ards protocol cxr, score: 0.00406329

confidence of prediction: 0.848340
Y_true: [20 42]
Y_pred: [2 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
and required intubation before your mental, score: 0.28681055
and was intubated for protection against, score: 0.038672816
general intubated sedated no, score: 0.018488508

confidence of prediction: 0.795785
Y_true: [11]
Y_pred: [11]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
medical history depression dysthymia social history quit, score:
0.063580796
recurred depression dysthymia stable no si, score: 0.04469355
daily trazodone 50mg qhs, score: 0.006815488

confidence of prediction: 0.935698
Y_true: [2 3 7 10 20 41 43 45]
Y_pred: [28 30 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
of tpn was initiated thereafter on, score: 0.33130744
total of tpn ct a p on, score: 0.022181358
you on several new, score: 0.0005856088

confidence of prediction: 0.550090
Y_true: [9 20 27 33 40 42]
Y_pred: [20 23 24 33 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
travatan z drops drop, score: 0.105617166
ss nph insulin human, score: 0.098982275
asthma dm htn and osa presenting, score: 0.07675877

confidence of prediction: 0.522172
Y_true: [9 20 27 33 40 42]
Y_pred: [20 23 24 33 42]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
had respiratory failure from high, score: 0.16291927
hypercapnic respiratory failure recurrent, score: 0.15988544
tube in standard position, score: 0.03237926

confidence of prediction: 0.757572
Y_true: [9 20 27 33 40 42]
Y_pred: [20 23 24 33 42]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
was intubated for several hours, score: 0.13208376
intact neuro intubated sedated unable to, score: 0.070244685
patient s intubated status past, score: 0.02301174

confidence of prediction: 0.510000
Y_true: [4 15 24 27 34 38]
Y_pred: [15 24 25 27 38]
top three important windows for true positive code 15 (37.23: Combined right and left heart cardiac catheterization)
cardiac catheterization for balloon valvuloplasty temporary pacing wire, score: 0.82692695
vessel cad the lmca, score: 0.029929735
cath selective coronary angiography of this, score: 0.020406568

confidence of prediction: 0.982611
Y_true: [4 15 24 27 34 38]
Y_pred: [15 24 25 27 38]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
heart disease cad noncontributory to, score: 0.048821207
was thought to be, score: 0.029233797
improved aeration of the, score: 0.021722954

confidence of prediction: 0.723794
Y_true: [4 15 24 27 34 38]
Y_pred: [15 24 25 27 38]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
diuresed in lieu of her dependence, score: 0.17646939
diuresed with lasix and, score: 0.05645693
cardiothoracic surgeons interventional cardiologists, score: 0.055200618

confidence of prediction: 0.738323
Y_true: [4 15 24 27 34 38]
Y_pred: [15 24 25 27 38]
top three important windows for true positive code 38 (88.56: Coronary arteriography using two catheters)
cardiac catheterization for balloon valvuloplasty temporary pacing

wire, score: 0.49672434
cath selective coronary angiography of this, score: 0.06602772
vessel cad the lmca, score: 0.04647093

confidence of prediction: 0.754861
Y_true: [17 19 22 26 46]
Y_pred: [17 19 26 29 34 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
to being interviewed she, score: 0.1626776
zosyn femoral line without evidence, score: 0.04356583
history of present illness, score: 0.027952883

confidence of prediction: 0.914199
Y_true: [17 19 22 26 46]
Y_pred: [17 19 26 29 34 49]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
at dialysis major surgical, score: 0.18091819
on dialysis she was, score: 0.05560225
included hemodialysis antibiotics for, score: 0.055438783

confidence of prediction: 0.982252
Y_true: [17 19 22 26 46]
Y_pred: [17 19 26 29 34 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib past cva with l, score: 0.43397504
afib past cva l sided, score: 0.43397504
atrial fibrillation seizure disorder anemia, score: 0.06366066

confidence of prediction: 0.593047
Y_true: [4 24 26 37 49]
Y_pred: [4 26 37 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
[UNK] closure hyperlipidemia previous left inguinal, score:
0.66361755
lipitor oral tamsulosin mg capsule, score: 0.03720395
warfarin mg tablet sig, score: 0.004661762

confidence of prediction: 0.995318
Y_true: [4 24 26 37 49]
Y_pred: [4 26 37 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin and right, score: 0.38925016
afib on coumadin and s, score: 0.38925016
afib rate controlled with, score: 0.06085257

confidence of prediction: 0.924768
Y_true: [4 24 26 37 49]
Y_pred: [4 26 37 49]
top three important windows for true positive code 37 (599.0:

Urinary tract infection, site not specified)
cultures gnrs colonies imaging cxr, score: 0.66390395
developed urinary retention which prompted, score: 0.03426651
and leukocyte he was, score: 0.015834156

confidence of prediction: 0.626670
Y_true: [4 24 26 37 49]
Y_pred: [4 26 37 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin and, score: 0.32731
4mg daily warfarin 5mg, score: 0.028804775
afib rate controlled with, score: 0.02055534

confidence of prediction: 0.692853
Y_true: [20 31 34 41]
Y_pred: [24 29 31 41 43]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
feeding tube courses below, score: 0.021603102
tube was replaced a, score: 0.017816518
tube was replaced at, score: 0.017816518

confidence of prediction: 0.969554
Y_true: [20 31 34 41]
Y_pred: [24 29 31 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
tube feedings were advanced, score: 0.1337738
am feeding tube ends in, score: 0.064903766
and tube feedings were initiated to, score: 0.05143171

confidence of prediction: 0.835639
Y_true: [21 28 35]
Y_pred: [7 21 28 35 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
prn hypogylcemia tamsulosin mg, score: 0.032835916
chronic kidney disease last a1c who, score: 0.026353808
8u 10u gabapentin mg, score: 0.024896964

confidence of prediction: 0.703734
Y_true: [21 28 35]
Y_pred: [7 21 28 35 36]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.47767442
endoscopy that revealed severe erosive, score: 0.058545183
lispro humalog kwikpen unit ml, score: 0.040151313

confidence of prediction: 0.618049
Y_true: [21 28 35]
Y_pred: [7 21 28 35 36]

top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
acute renal failure patient admitted with, score: 0.0897956
his creatinine improved back, score: 0.05973987
1gram tid started on, score: 0.054984797

confidence of prediction: 0.937692
Y_true: [26 27 35 41]
Y_pred: [26 27 35]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation with rapid, score: 0.2526301
atrial fibrillation social history lives, score: 0.14355989
afib rvr while here, score: 0.13416329

confidence of prediction: 0.758064
Y_true: [26 27 35 41]
Y_pred: [26 27 35]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
diastolic heart failure the patient was, score: 0.17362715
diuresed with lasix and her, score: 0.06429651
have mild dchf leading to her effusions, score: 0.035255697

confidence of prediction: 0.517755
Y_true: [26 27 35 41]
Y_pred: [26 27 35]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
acute renal failure the patient, score: 0.12364092
acute renal failure your creatinine, score: 0.105003126
acute renal failure tracheobronchomalacia, score: 0.036341142

confidence of prediction: 0.578774
Y_true: [12 17 21 33 43 47]
Y_pred: [17 21 29 33 34 35 36 40 41 43]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
weeks picc placed for, score: 0.05877425
again reevaluated by speech, score: 0.042510994
oxacillin resistant staphylococci must, score: 0.028964296

confidence of prediction: 0.733403
Y_true: [12 17 21 33 43 47]
Y_pred: [17 21 29 33 34 35 36 40 41 43]
top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified)
chronic renal insufficiency gerd anemia, score: 0.13118893
elevated creatinine baseline h, score: 0.12506607
chronic renal insufficiency baseline cr meds were, score: 0.08102957

confidence of prediction: 0.891611
Y_true: [12 17 21 33 43 47]

Y_pred: [17 21 29 33 34 35 36 40 41 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
acute respiratory failure at, score: 0.20392944
with respiratory failure in, score: 0.09360967
pneumonia respiratory failure mrsa, score: 0.03180812

confidence of prediction: 0.797127
Y_true: [12 17 21 33 43 47]
Y_pred: [17 21 29 33 34 35 36 40 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
was remained intubated for approximately, score: 0.046274636
sitter as attempting to, score: 0.035015076
hr vent settings fio2 tv rr, score: 0.03471668

confidence of prediction: 0.895756
Y_true: [4 20 26]
Y_pred: [4 20 26]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
cleared for dc medicine, score: 0.0021325748
cough breathe deeply and, score: 0.0018249144
weight lifting lifting or, score: 0.0017733745

confidence of prediction: 0.998741
Y_true: [4 20 26]
Y_pred: [4 20 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn hyperlipidemia palpitations on off, score:
0.14684455
a fib they increased, score: 0.001887727
patient has basline difficulty with hearing, score: 0.0011049984

confidence of prediction: 0.751723
Y_true: [4 20 26]
Y_pred: [4 20 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
a fib medicine was re, score: 0.023409652
a fib they increased his, score: 0.012572052
diagnosis bilateral sdh discharge, score: 0.005885604

confidence of prediction: 0.821282
Y_true: [2 6 7 10 20 26 35 37]
Y_pred: [2 6 10 20 26 28 35 37]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
dm htn presents with one, score: 0.10280214
dm resume metformin and glipizide, score: 0.08718418
glipizide mg tablet sig, score: 0.070089765

confidence of prediction: 0.826617
Y_true: [2 6 7 10 20 26 35 37]
Y_pred: [2 6 10 20 26 28 35 37]
top three important windows for true positive code 6 (276.2:
Acidosis)
infection lactic acidosis hypertension secondary atrial, score:
0.07023664
mail a pathology report, score: 0.029739179
ischemia given lactate of, score: 0.023587247

confidence of prediction: 0.736190
Y_true: [2 6 7 10 20 26 35 37]
Y_pred: [2 6 10 20 26 28 35 37]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
dm resume metformin and glipizide iss while, score: 0.001769071
dm htn social history tobacco smokes cigarettes per day etoh, score:
0.0014845121
metformin mg tablet sig, score: 0.0011027225

confidence of prediction: 0.862928
Y_true: [2 6 7 10 20 26 35 37]
Y_pred: [2 6 10 20 26 28 35 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
with dm htn presents with, score: 0.053432282
gout dm htn social history tobacco, score: 0.04239733
normal hapto htn antihypertensives held initially, score: 0.04137347

confidence of prediction: 0.970388
Y_true: [2 6 7 10 20 26 35 37]
Y_pred: [2 6 10 20 26 28 35 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib and chads score of, score: 0.6748598
atrial fibrillation discharge condition mental, score: 0.17257251
was a pleasure taking care, score: 0.0090927

confidence of prediction: 0.677459
Y_true: [2 6 7 10 20 26 35 37]
Y_pred: [2 6 10 20 26 28 35 37]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
s renal function dictates that, score: 0.036094915
anemia leukocytosis lactic acidosis concern, score: 0.03565562
ischemia given lactate of, score: 0.014454126

confidence of prediction: 0.980126
Y_true: [2 6 7 10 20 26 35 37]
Y_pred: [2 6 10 20 26 28 35 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
proteus mirabilis organisms ml piperacillin, score: 0.13006917

urinary tract infection lactic, score: 0.09997538
urine culture grew proteus mirabilis org ml pt, score: 0.09064213

confidence of prediction: 0.567127
Y_true: [11 32]
Y_pred: [11 32]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
medical history depression social history she is, score: 0.15115167
history of depression who presented, score: 0.017211441
and is being well, score: 0.009928843

confidence of prediction: 0.568401
Y_true: [11 32]
Y_pred: [11 32]
top three important windows for true positive code 32 (511.9:
Unspecified pleural effusion)
fluid fluid culture in, score: 0.02629394
and pericardial effusion the, score: 0.022268064
pleural effusion she was subsequently, score: 0.020232154

confidence of prediction: 0.693289
Y_true: [2 4 7 21 26 29 30 32 36 44]
Y_pred: [2 4 26 29 30]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
type ii diabetes mellitus patient has diet, score: 0.08730569
controlled diabetes copd patient had, score: 0.037591144
type ii diabetes mellitus diet controlled hypertension, score:
0.018789046

confidence of prediction: 0.822171
Y_true: [2 4 7 21 26 29 30 32 36 44]
Y_pred: [2 4 26 29 30]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
controlled hypertension hyperlipidemia discharge condition
hemodynamically, score: 0.09513334
failure anemia hyperlipidemia copd social history tob, score:
0.03806131
simvastatin mg tablet sig, score: 0.021721672

confidence of prediction: 0.938987
Y_true: [2 4 7 21 26 29 30 32 36 44]
Y_pred: [2 4 26 29 30]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with ventricular rate, score: 0.27594241
irregularly irregular s1 s2 present, score: 0.16568494
afib bp r o2, score: 0.074385636

confidence of prediction: 0.565505
Y_true: [2 4 7 21 26 29 30 32 36 44]

Y_pred: [2 4 26 29 30]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
showing lll infiltrate and effusion the, score: 0.07942587
bronchus probable postobstructive atelectasis, score: 0.075753525
a pneumonia your breathing, score: 0.061192982

confidence of prediction: 0.695888
Y_true: [2 4 7 21 26 29 30 32 36 44]
Y_pred: [2 4 26 29 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
anemia hyperlipidemia copd social history tob quit, score:
0.037967503
chronic obstructive pulmonary disease type, score: 0.01523132
controlled diabetes copd patient had increased wheezing, score:
0.009264626

confidence of prediction: 0.868102
Y_true: [1 4 21 23 24 27 29 34 35]
Y_pred: [1 4 23 24 27 29 34]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
home levothyroxine continued dispo home with, score: 0.30914745
simvastatin hypothyroidism not active, score: 0.29072332
hld hypothyroidism cad s, score: 0.06761486

confidence of prediction: 0.932785
Y_true: [1 4 21 23 24 27 29 34 35]
Y_pred: [1 4 23 24 27 29 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history htn hld hypothyroidism cad s p, score: 0.06662347
was continued hyperlipidemia continued home simvastatin
hypothyroidism, score: 0.04417071
lacunar infarcts presents with week, score: 0.01928488

confidence of prediction: 0.715175
Y_true: [1 4 21 23 24 27 29 34 35]
Y_pred: [1 4 23 24 27 29 34]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi lacunar infarcts presents with, score: 0.31982675
s p mi 5yrs ago svt cataracts, score: 0.31982675
s p mi p w hypotension malaise, score: 0.31982675

confidence of prediction: 0.769120
Y_true: [1 4 21 23 24 27 29 34 35]
Y_pred: [1 4 23 24 27 29 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p mi 5yrs, score: 0.12818602
ecg was stable compared, score: 0.056267187
coronary artery disease chronic, score: 0.055329297

confidence of prediction: 0.936918
Y_true: [1 4 21 23 24 27 29 34 35]
Y_pred: [1 4 23 24 27 29 34]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf ef cad s p, score: 0.1138274
chf [UNK] cad s p, score: 0.052262172
systolic heart failure coronary artery disease, score: 0.04497753

confidence of prediction: 0.553697
Y_true: [1 4 21 23 24 27 29 34 35]
Y_pred: [1 4 23 24 27 29 34]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
primary diagnosis pneumonia shock unknown etiology, score:
0.54788035
had a pneumonia we were, score: 0.02397063
effusions multifocal consolidation consistent with, score:
0.017714841

confidence of prediction: 0.954374
Y_true: [1 4 21 23 24 27 29 34 35]
Y_pred: [1 4 23 24 27 29 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hemorrhoids keratosis gerd social history lives with, score:
0.0141928
hypothyroidism cad s p, score: 0.012912879
levophed drip in ed, score: 0.0048031346

confidence of prediction: 0.500148
Y_true: [20 24 26 37]
Y_pred: [4 24 26 37 40 42 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
profiline to reverse her coagulopathy, score: 0.19859289
history cad atrial fibrillation asthma social, score: 0.11291879
history of cad atrial fibrillation on, score: 0.020665513

confidence of prediction: 0.985260
Y_true: [20 24 26 37]
Y_pred: [4 24 26 37 40 42 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation on coumadin and, score: 0.0355532
irregularly irregular heart rate nl, score: 0.03048053
atrial fibrillation the patient was, score: 0.0019170269

confidence of prediction: 0.924194
Y_true: [20 24 26 37]
Y_pred: [4 24 26 37 40 42 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)

urinary tract infection pt has, score: 0.16847332
uti she complained of, score: 0.0504588
including uti and hyponatremia as, score: 0.04671656

confidence of prediction: 0.841315
Y_true: [1 6 20 27]
Y_pred: [1 27 29 40 42]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
ef hypothyroidism obesity spinal stenosis, score: 0.33849958
placement hypothyroidism she was continued, score: 0.0750656
admission synthroid mcg daily singulair, score: 0.014700593

confidence of prediction: 0.978283
Y_true: [1 6 20 27]
Y_pred: [1 27 29 40 42]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure exacerbation rest, score: 0.15105058
chronic systolic chf ef patient s echo, score: 0.01660355
chf with bilateral pleural, score: 0.011580097

confidence of prediction: 0.964484
Y_true: [19 26]
Y_pred: [19 26]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
prior dialysis schedule of, score: 0.06982938
esrd on hd and hiv, score: 0.057245616
esrd on dialysis esrd hiv, score: 0.030284582

confidence of prediction: 0.939693
Y_true: [19 26]
Y_pred: [19 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation borderline rapid ventricular, score: 0.28287736
irregular normal s1 s2, score: 0.12002652
atrial fibrillation brief hospital course, score: 0.1120063

confidence of prediction: 0.617192
Y_true: [3 18 20 26]
Y_pred: [3 18 20 26]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
fibrillation hypertension hypercholesterolemia hiv diabetes
mellitus, score: 0.022717573
x full rom x chest, score: 0.0034882878
on admission hydrochlorothiazide 25mg, score: 0.0024322164

confidence of prediction: 0.957829
Y_true: [3 18 20 26]
Y_pred: [3 18 20 26]
top three important windows for true positive code 18 (39.61:

Extracorporeal circulation auxiliary to open heart surgery)
lotions powders or ointments to, score: 0.35880178
csru pm chest portable, score: 0.028461121
cardiothoracic allergies patient recorded, score: 0.014222684

confidence of prediction: 0.944513
Y_true: [3 18 20 26]
Y_pred: [3 18 20 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
have it regulated by first name8, score: 0.045596983
atrial fibrillation hypertension hypercholesterolemia hiv diabetes
mellitus, score: 0.040538985
medical history critical aortic stenosis hypertension
hypercholesterolemia hiv positive, score: 0.024142195

confidence of prediction: 0.918194
Y_true: [3 18 20 26]
Y_pred: [3 18 20 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation that were treated, score: 0.2801512
atrial fibrillation hypertension hypercholesterolemia, score:
0.15435687
atrial fibrillation and beta blockers, score: 0.1032406

confidence of prediction: 0.621381
Y_true: [2 4 6 32 33]
Y_pred: [2 9]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
secondary diabetes mellitus hypertension discharge condition, score:
0.11390226
metformin mg hospital1 naproxen nifedipine, score: 0.10006112
metformin mg tablet sig, score: 0.048223764

confidence of prediction: 0.975595
Y_true: [0 4 20 30 35 37 46 47]
Y_pred: [20 30 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
gib s htn l inguinal hernia, score: 0.083930165
t3 tte showing right, score: 0.041422587
claustrophobia htn currently normotensive, score: 0.04011904

confidence of prediction: 0.851017
Y_true: [0 4 20 30 35 37 46 47]
Y_pred: [20 30 37]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
further managment copd maintained on inhalers with, score:
0.055534303
diverticulosis [UNK] copd morbid obesity osa lung, score: 0.00479874

patient is aox3 but lethargic and, score: 0.00012437029

confidence of prediction: 0.799505
Y_true: [0 4 20 30 35 37 46 47]
Y_pred: [20 30 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary source urinary tract infection lung adenocarcinoma, score:
0.045895994
hr116 bp98 rr18 satting, score: 0.029157456
few bacteria and yeast, score: 0.026871195

confidence of prediction: 0.524109
Y_true: [2 4 13 18 20 24 26 27 39 44]
Y_pred: [2 4 13 18 23 24 26 27 35]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
qpm novolog 100u ml solution, score: 0.08001579
chf diabetes mellitus morbid obesity history, score: 0.04695656
cardiomyopathy diabetes mellitus type pna multisystem, score:
0.043332107

confidence of prediction: 0.576279
Y_true: [2 4 13 18 20 24 26 27 39 44]
Y_pred: [2 4 13 18 23 24 26 27 35]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
fibrillation hypertension hyperlipidemia ischemic cardiomyopathy
diabetes mellitus, score: 0.037163448
failure hypertension hyperlipidemia chf, score: 0.03079039
dose ranolazine 1000mg po, score: 0.017544752

confidence of prediction: 0.986811
Y_true: [2 4 13 18 20 24 26 27 39 44]
Y_pred: [2 4 13 18 23 24 26 27 35]
top three important windows for true positive code 13 (36.15: Single
internal mammary—coronary artery bypass)
descending reverse saphenous vein graft, score: 0.1191918
coronary artery bypass graft, score: 0.07979883
urgent coronary artery bypass grafting x5 left internal mammary
artery graft to, score: 0.009127642

confidence of prediction: 0.978742
Y_true: [2 4 13 18 20 24 26 27 39 44]
Y_pred: [2 4 13 18 23 24 26 27 35]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
reverse saphenous vein graft, score: 0.01692613
washing incisions gently with mild soap, score: 0.009092359
coronary artery bypass grafting x5 left internal mammary, score:
0.005422915

confidence of prediction: 0.979716

Y_true: [2 4 13 18 20 24 26 27 39 44]
Y_pred: [2 4 13 18 23 24 26 27 35]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s, score: 0.14187305
three vessel disease with, score: 0.08656256
urgent coronary artery bypass grafting, score: 0.06608884

confidence of prediction: 0.898306
Y_true: [2 4 13 18 20 24 26 27 39 44]
Y_pred: [2 4 13 18 23 24 26 27 35]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation hypertension hyperlipidemia ischemic, score:
0.4963075
amiodarone and coumadin for, score: 0.102595
amiodarone mg tablet sig, score: 0.012943158

confidence of prediction: 0.960086
Y_true: [2 4 13 18 20 24 26 27 39 44]
Y_pred: [2 4 13 18 23 24 26 27 35]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure coronary artery disease, score: 0.16364455
systolic heart failure post operative atrial, score: 0.16364455
congestive heart failure icd, score: 0.032552347

confidence of prediction: 0.847835
Y_true: [0 17 29 33 35 36 40 42 46]
Y_pred: [0 9 26 31 33 35 40 41 42 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
septic shock multifocal pneumonia secondary diagnoses, score:
0.03461687
made cmo goals of, score: 0.030336017
meeting with the medical, score: 0.009929173

confidence of prediction: 0.871242
Y_true: [0 17 29 33 35 36 40 42 46]
Y_pred: [0 9 26 31 33 35 40 41 42 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
on fio2 peep of, score: 0.094050944
eventually made cmo goals of, score: 0.044973385
vent fio2 peep of rate, score: 0.035386525

confidence of prediction: 0.932735
Y_true: [0 17 29 33 35 36 40 42 46]
Y_pred: [0 9 26 31 33 35 40 41 42 46]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure cr from likely pre renal given hypotension and,
score: 0.13227206
ams and inability to protect airway no, score: 0.007836395

made cmo goals of, score: 0.0054810806

confidence of prediction: 0.839838
Y_true: [0 17 29 33 35 36 40 42 46]
Y_pred: [0 9 26 31 33 35 40 41 42 46]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
to intubation ct torso, score: 0.04573337
patient was intubated for unclear reasons, score: 0.04426085
as above intubation unclear reasons for intubation could have,
score: 0.0064010434

confidence of prediction: 0.658434
Y_true: [0 17 29 33 35 36 40 42 46]
Y_pred: [0 9 26 31 33 35 40 41 42 46]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
tube placement due to, score: 0.025932556
to intubation ct torso, score: 0.024124242
patient was intubated for unclear reasons, score: 0.018684283

confidence of prediction: 0.943272
Y_true: [0 17 29 33 35 36 40 42 46]
Y_pred: [0 9 26 31 33 35 40 41 42 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
made cmo goals of care, score: 0.061869428
septic shock multifocal pneumonia secondary diagnoses, score:
0.053486645
meeting with the medical, score: 0.037261527

confidence of prediction: 0.738395
Y_true: [20 34]
Y_pred: [17 20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
nafcillin ace inhibitors attending first, score: 0.12711021
tissue disease hypertension gerd rheumatoid arthritis, score:
0.0744168
htn patient s blood, score: 0.061145958

confidence of prediction: 0.771008
Y_true: [20 34]
Y_pred: [17 20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
lupus anticoagulant gerd social history smoking occasional, score:
0.07573325
immunosuppression with [UNK] and, score: 0.039816957
disease hypertension gerd rheumatoid arthritis discharge condition,
score: 0.022361444

confidence of prediction: 0.722047

Y_true: [4 20 43]
Y_pred: [4 20 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
cad htn dyslipidemia coronary stent unknown date, score: 0.157577
atenolol lipitor asa lisinopril discharge, score: 0.012352078
daily atorvastatin mg tablet sig, score: 0.00752077

confidence of prediction: 0.962611
Y_true: [4 20 43]
Y_pred: [4 20 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history cad htn dyslipidemia coronary stent unknown date, score:
0.31430444
lipitor asa lisinopril discharge, score: 0.118750796
ams left sided brain, score: 0.05534351

confidence of prediction: 0.633072
Y_true: [20 37 42]
Y_pred: [2 20 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
femoral artery contralateral second order, score: 0.2639364
history dm htn past surgical history, score: 0.093137786
metformin daily hctz 25mg, score: 0.09252053

confidence of prediction: 0.920833
Y_true: [20 37 42]
Y_pred: [2 20 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuks sm urine rbc, score: 0.06955513
urinary tract infection diabetes, score: 0.0531207
final escherichia coli organisms ml escherichia coli ampicillin,
score: 0.033424236

confidence of prediction: 0.882904
Y_true: [7 10 12 20 26 40 41 43 49]
Y_pred: [11 12 17 20 24 26 40 41 43]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
bronch done bal sent checked, score: 0.07975449
rms bronchus bal sent ett, score: 0.04634499
trach collar up until the, score: 0.018429361

confidence of prediction: 0.984155
Y_true: [7 10 12 20 26 40 41 43 49]
Y_pred: [11 12 17 20 24 26 40 41 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
diovan triamteren hctz simvastatin clonazepam, score: 0.48850194
cortisol tfts cards consulted and, score: 0.0654465
stent plavix htn depression obesity social history, score:

0.04685919

confidence of prediction: 0.983586
Y_true: [7 10 12 20 26 40 41 43 49]
Y_pred: [11 12 17 20 24 26 40 41 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation and his blood, score: 0.15353006
afib lorazepam in sod, score: 0.026813526
afib w rvr the, score: 0.016768215

confidence of prediction: 0.773307
Y_true: [7 10 12 20 26 40 41 43 49]
Y_pred: [11 12 17 20 24 26 40 41 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was reintubated shortly after, score: 0.4697867
then intubated in the, score: 0.0458407
was tolerating trach collar up until, score: 0.032741506

confidence of prediction: 0.935682
Y_true: [7 10 12 20 26 40 41 43 49]
Y_pred: [11 12 17 20 24 26 40 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
hour of trach trial then, score: 0.097516924
tfs changed now that, score: 0.0514079
tolerating trach collar up until, score: 0.050847057

confidence of prediction: 0.861340
Y_true: [7 10 12 20 26 40 41 43 49]
Y_pred: [11 12 17 20 24 26 40 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
hour of trach trial, score: 0.07498262
trach on trach placed in, score: 0.07057876
therefore a tracheostomy was, score: 0.058044825

confidence of prediction: 0.591599
Y_true: [8 9 14 24]
Y_pred: [14 15 20 24 27 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catheterization with bare metal, score: 0.257372
catheterization comments coronary angiography in this, score:
0.062277906
cath lab on review, score: 0.03032327

confidence of prediction: 0.992551
Y_true: [8 9 14 24]
Y_pred: [14 15 20 24 27 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)

vessel cad with stemi due to, score: 0.08308949
bare metal stent to, score: 0.059392963
catheterization stemi cad pt with, score: 0.052768573

confidence of prediction: 0.748410
Y_true: [8 14 24 26 27 38 48 49]
Y_pred: [24 26 27 38 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease the, score: 0.143376
coronary artery disease patent lima to, score: 0.143376
s p cabg s, score: 0.10759369

confidence of prediction: 0.981912
Y_true: [8 14 24 26 27 38 48 49]
Y_pred: [24 26 27 38 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
irregularly irregular s1 s2 no, score: 0.17170407
fibrillation rate controlled holding, score: 0.01035836
a fib on coumadin cll who, score: 0.0063643456

confidence of prediction: 0.521067
Y_true: [8 14 24 26 27 38 48 49]
Y_pred: [24 26 27 38 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
furosemide 80mg hospital1 lisinopril, score: 0.031737477
ctropnt probnp numeric identifier 21pm blood, score: 0.02344722
additionally lasix 80mg iv, score: 0.022275249

confidence of prediction: 0.789272
Y_true: [8 14 24 26 27 38 48 49]
Y_pred: [24 26 27 38 49]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization history of present, score: 0.6834491
cath selective coronary [UNK] in, score: 0.0673746
cardiac catheterization as you had, score: 0.011667222

confidence of prediction: 0.854958
Y_true: [8 14 24 26 27 38 48 49]
Y_pred: [24 26 27 38 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
a day coumadin mg, score: 0.018555358
40mg hospital1 coumadin 5mg, score: 0.017234148
change your coumadin to, score: 0.0038221702

confidence of prediction: 0.970133
Y_true: [4 9 14 18 20 24 26 38 41 42 47]
Y_pred: [18 20 26 27]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)

cardiothoracic allergies no known, score: 0.025223915
washing incisions gently with mild soap, score: 0.009321503
causing aortic aneurysm no, score: 0.007649374

confidence of prediction: 0.820738
Y_true: [4 9 14 18 20 24 26 38 41 42 47]
Y_pred: [18 20 26 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
diagnosis of aortitis was, score: 0.09456658
medical history htn per pt his baseline bp usually, score:
0.06940773
every hrs primidone mg, score: 0.026302205

confidence of prediction: 0.978753
Y_true: [4 9 14 18 20 24 26 38 41 42 47]
Y_pred: [18 20 26 27]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation it was held, score: 0.67179424
a fib on he was successfully, score: 0.01456996
atrial fibrillation which was treated, score: 0.0072282976

confidence of prediction: 0.733020
Y_true: [4 10 29]
Y_pred: [3 4 29]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
of discharge hyperlipidemia stable with no, score: 0.028010566
continued home atorvastatin mg, score: 0.023289556
tobacco abuse hyperlipidemia discharge condition mental, score:
0.00946361

confidence of prediction: 0.778970
Y_true: [4 10 29]
Y_pred: [3 4 29]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
community acquire pna she was, score: 0.062204514
community acquired pneumonia despite previous, score: 0.055533
cxr multifocal pneumonia superimposed, score: 0.034347385

confidence of prediction: 0.581221
Y_true: [0 8 16 21 27 30 33 35 36 41 43 45 46]
Y_pred: [0 20 27 30 33 35 40 41 45 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
he was found to, score: 0.28318048
septic shock respiratory failure acute, score: 0.051163543
septic shock mr known, score: 0.037193548

confidence of prediction: 0.957483
Y_true: [0 8 16 21 27 30 33 35 36 41 43 45 46]
Y_pred: [0 20 27 30 33 35 40 41 45 46]

top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
systolic heart failure etiology unclear etoh, score: 0.19478182
systolic heart failure secondary diagnosis, score: 0.19478182
cocaine abuse chf w ef who presented, score: 0.03159133

confidence of prediction: 0.535657
Y_true: [0 8 16 21 27 30 33 35 36 41 43 45 46]
Y_pred: [0 20 27 30 33 35 40 41 45 46]
top three important windows for true positive code 30 (496: Chronic airway obstruction, not elsewhere classified)
and cocaine copd hypertension etoh abuse cocaine, score: 0.10905042
status and copd patient was gradually weaned, score: 0.055549294
fever chills night sweats, score: 0.003644761

confidence of prediction: 0.744870
Y_true: [0 8 16 21 27 30 33 35 36 41 43 45 46]
Y_pred: [0 20 27 30 33 35 40 41 45 46]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
leukocytosis respiratory failure patient remained intubated during, score: 0.10527483
respiratory failure acute on, score: 0.088641755
nasogastric tube courses below the, score: 0.06446187

confidence of prediction: 0.614376
Y_true: [0 8 16 21 27 30 33 35 36 41 43 45 46]
Y_pred: [0 20 27 30 33 35 40 41 45 46]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
details unknown arf rbbb history of, score: 0.29781595
acute renal failure on initial, score: 0.08011745
tube courses below the, score: 0.016174195

confidence of prediction: 0.751236
Y_true: [0 8 16 21 27 30 33 35 36 41 43 45 46]
Y_pred: [0 20 27 30 33 35 40 41 45 46]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
on tube feeds and after extubation on, score: 0.26386958
and prolonged intubation he was, score: 0.024862673
all illicits family history, score: 0.012022127

confidence of prediction: 0.990335
Y_true: [0 8 16 21 27 30 33 35 36 41 43 45 46]
Y_pred: [0 20 27 30 33 35 40 41 45 46]
top three important windows for true positive code 45 (99.15: Parenteral infusion of concentrated nutritional substances)
started on tpn on he was started, score: 0.00495496
throughout admission nutrition patient was, score: 0.0004420728
ambulatory independent discharge instructions, score: 0.00023510172

confidence of prediction: 0.904285
Y_true: [0 8 16 21 27 30 33 35 36 41 43 45 46]

Y_pred: [0 20 27 30 33 35 40 41 45 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
he was found to, score: 0.15632571
septic shock respiratory failure acute, score: 0.07967938
septic shock persistent fevers and, score: 0.03051699

confidence of prediction: 0.990188
Y_true: [2 13 18 24 26]
Y_pred: [13 18 24 26 45]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
mammary artery anastomosed to, score: 0.3166742
coronary artery bypass grafting times five, score: 0.21723662
coronary artery bypass graft, score: 0.07271361

confidence of prediction: 0.973957
Y_true: [2 13 18 24 26]
Y_pred: [13 18 24 26 45]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were inserted after, score: 0.34914556
lotions powders or ointments to, score: 0.17541564
incisions no baths or, score: 0.15257607

confidence of prediction: 0.998245
Y_true: [2 13 18 24 26]
Y_pred: [13 18 24 26 45]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery bypass grafting, score: 0.23632595
coronary artery bypass graft, score: 0.14650859
coronary artery bypass grafting, score: 0.14650859

confidence of prediction: 0.900486
Y_true: [2 13 18 24 26]
Y_pred: [13 18 24 26 45]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation and placed on, score: 0.035807423
his rhthym converted within, score: 0.021996638
amiodarone mg tablet sig, score: 0.021860665

confidence of prediction: 0.758368
Y_true: [1 4 10 15 17 18 25 27 34 38 40 41 42]
Y_pred: [1 18 25 27 34]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
tid levoxyl 50mcg qday premarin 625mg, score: 0.2060147
work hypothyroidism stable with tsh, score: 0.17058085
of levothyroxine tobacco use patient, score: 0.016210465

confidence of prediction: 0.984420
Y_true: [1 4 10 15 17 18 25 27 34 38 40 41 42]

Y_pred: [1 18 25 27 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7299242
diuresed toward the preoperative, score: 0.02059483
cardiothoracic allergies erythromycin base, score: 0.018517228

confidence of prediction: 0.759662
Y_true: [1 4 10 15 17 18 25 27 34 38 40 41 42]
Y_pred: [1 18 25 27 34]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve repair with, score: 0.2215569
mitral regurgitation vena contracta, score: 0.14104775
severe mitral regurgitation is seen, score: 0.07479126

confidence of prediction: 0.907499
Y_true: [1 4 10 15 17 18 25 27 34 38 40 41 42]
Y_pred: [1 18 25 27 34]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf the etiology of her, score: 0.08515019
chf and pulmonary edema question, score: 0.04856704
regurgitation acute diastolic heart failure pmh chronic abd, score:
0.03178189

confidence of prediction: 0.844101
Y_true: [1 4 10 15 17 18 25 27 34 38 40 41 42]
Y_pred: [1 18 25 27 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
bipolar hypothyroid gerd endometriosis past surgical, score:
0.08514672
bipolar hypothyroid gerd endometriosis discharge condition, score:
0.08514672
her chf gerd stable continued on home, score: 0.012092425

confidence of prediction: 0.628353
Y_true: [7 20 37 48]
Y_pred: [7 20 37 48]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
had painless bright red blood, score: 0.1636602
of 6u prbc s through admission, score: 0.09347826
death in 60s 80s, score: 0.066024505

confidence of prediction: 0.974041
Y_true: [7 20 37 48]
Y_pred: [7 20 37 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
bioprothetic mvr htn emphysema who presented, score: 0.1516894
bioprothetic mvr htn emphysema admitted with, score: 0.1516894
annuloplasty in hypertension osteoporosis she has, score: 0.12537396

confidence of prediction: 0.917877
Y_true: [7 20 37 48]
Y_pred: [7 20 37 48]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
escherichia coli organisms ml presumptive, score: 0.17061853
a uti on admission, score: 0.07968512
urinary tract infection one in, score: 0.044102646

confidence of prediction: 0.800925
Y_true: [7 20 37 48]
Y_pred: [7 20 37 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg ms, score: 0.46950403
ir guided angiography and, score: 0.03505208
coronary artery disease history, score: 0.002193276

confidence of prediction: 0.573202
Y_true: [7 40 42]
Y_pred: [7 40 42]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
and units prbc free fluid, score: 0.44982478
to herself and has, score: 0.053278893
woke up somewhat and, score: 0.036935948

confidence of prediction: 0.828195
Y_true: [7 40 42]
Y_pred: [7 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was subsequently intubated once stabilized she, score: 0.12441111
bronchus intubation and total, score: 0.01822837
mvc intubated at scene major surgical, score: 0.01554127

confidence of prediction: 0.729627
Y_true: [7 40 42]
Y_pred: [7 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was subsequently intubated once stabilized she, score: 0.08843551
remained intubated she was, score: 0.05192221
remained intubated and returned, score: 0.045452077

confidence of prediction: 0.872797
Y_true: [0 6 12 17 19 20 31 33 41 43 45 46 47]
Y_pred: [12 19 41]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
pod a bal was performed which yielded, score: 0.10800393
the tube feeds and has, score: 0.014402191

he remained intubated through pod, score: 0.012025173

confidence of prediction: 0.941330
Y_true: [0 6 12 17 19 20 31 33 41 43 45 46 47]
Y_pred: [12 19 41]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
he receives hemodialysis via right tunneled hd line every, score:
0.09003733
bolt tunneled dialysis line post, score: 0.042550422
on cvvhd while in, score: 0.041160088

confidence of prediction: 0.882232
Y_true: [0 6 12 17 19 20 31 33 41 43 45 46 47]
Y_pred: [12 19 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
the tube feeds and has, score: 0.11156339
tube feeds will continue, score: 0.097290516
tube feeds via a, score: 0.08381826

confidence of prediction: 0.670044
Y_true: [4 11 20 23 24 27]
Y_pred: [11 17 20 29 34]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
mg qid depression [UNK] was increased to, score: 0.42187458
h o colonic tubular, score: 0.06499715
daily vancocin mg qid oxycodone, score: 0.049999826

confidence of prediction: 0.947403
Y_true: [4 11 20 23 24 27]
Y_pred: [11 17 20 29 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension the patient has, score: 0.45672426
and tricor hypertension legionnaire s disease diagnosed, score:
0.09016046
history of hypertension and, score: 0.05478175

confidence of prediction: 0.674083
Y_true: [4 15 21 24 26 27 36 38]
Y_pred: [4 15 20 24 26 27 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
factors diabetes dyslipidemia tc, score: 0.17514397
of hypertension hyperlipidemia who initially presented, score:
0.062435422
history of hyperlipidemia and hypertension presenting, score:
0.039912734

confidence of prediction: 0.516143
Y_true: [4 15 21 24 26 27 36 38]
Y_pred: [4 15 20 24 26 27 38]

top three important windows for true positive code 15 (37.23:
Combined right and left heart cardiac catheterization)
cardiac catheterization with ptca, score: 0.7768439
catheterization selective coronary angiography of this, score:
0.041792378
catheterization lab patient satting, score: 0.019510994

confidence of prediction: 0.985892
Y_true: [4 15 21 24 26 27 36 38]
Y_pred: [4 15 20 24 26 27 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease the, score: 0.16471812
coronary artery disease elevated, score: 0.16471812
mid vessel disease she was, score: 0.09168775

confidence of prediction: 0.948827
Y_true: [4 15 21 24 26 27 36 38]
Y_pred: [4 15 20 24 26 27 38]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation with rapid, score: 0.2572031
atrial fibrillation that occurred during, score: 0.15846276
atrial fibrillation resolved discharge condition, score: 0.05230808

confidence of prediction: 0.957081
Y_true: [4 15 21 24 26 27 36 38]
Y_pred: [4 15 20 24 26 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure was discussed, score: 0.104421556
systolic congestive heart failure atrial fibrillation resolved,
score: 0.024338942
it was decided that, score: 0.005311986

confidence of prediction: 0.861777
Y_true: [4 15 21 24 26 27 36 38]
Y_pred: [4 15 20 24 26 27 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization with ptca, score: 0.51770204
catheterization selective coronary angiography of this, score:
0.07333542
cardiac catheterization upon arrival, score: 0.025267635

confidence of prediction: 0.733941
Y_true: [1 4 6 8 11 12 16 20 29 31 33 34 40 41 42 47]
Y_pred: [1 4 20 34]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
asthma hypothyroidism cva with ich, score: 0.12408771
constipation levothyroxine mcg tablet sig two, score: 0.03857647
admission omeprazole levothyroxine asa seroquel lisinopril mvi,
score: 0.004740074

confidence of prediction: 0.839941
Y_true: [1 4 6 8 11 12 16 20 29 31 33 34 40 41 42 47]
Y_pred: [1 4 20 34]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
vit d units weekly, score: 0.013101624
simvastatin mg tablet sig, score: 0.007104844
presently legal [UNK] is, score: 0.005810324

confidence of prediction: 0.976803
Y_true: [1 4 6 8 11 12 16 20 29 31 33 34 40 41 42 47]
Y_pred: [1 4 20 34]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
gently wash away dried, score: 0.57002145
anxiety gerd htn hld social history lives, score: 0.14161165
levothyroxine asa seroquel lisinopril, score: 0.0097421715

confidence of prediction: 0.845585
Y_true: [1 4 6 8 11 12 16 20 29 31 33 34 40 41 42 47]
Y_pred: [1 4 20 34]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
levothyroxine asa seroquel lisinopril mvi, score: 0.077738866
renal service and given, score: 0.020627452
continued with incentive spirometry, score: 0.015554931

confidence of prediction: 0.540779
Y_true: [0 4 6 8 20 22 26 30 46]
Y_pred: [0 20 22 26 30 35]
top three important windows for true positive code 0 (038.9: Unspecified septicemia)
and presumed sepsis the etiology was, score: 0.22022158
picture he was also, score: 0.17859839
c difficile sepsis hypotension tachycardia likely due, score: 0.019334354

confidence of prediction: 0.854429
Y_true: [0 4 6 8 20 22 26 30 46]
Y_pred: [0 20 22 26 30 35]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
stopped glimepride diabetes med stopped because, score: 0.08922312
gib s htn l inguinal hernia, score: 0.06145144
hyperlipidemia dm social history lived at, score: 0.018314503

confidence of prediction: 0.773268
Y_true: [0 4 6 8 20 22 26 30 46]
Y_pred: [0 20 22 26 30 35]
top three important windows for true positive code 22 (410.71: Subendocardial infarction, initial episode of care)
non st elevation myocardial infarction demand related infarct discharge, score: 0.0033150874

have represented infarction of the herniated, score: 0.0024071725
need a diuretic to, score: 0.0012219344

confidence of prediction: 0.913527
Y_true: [0 4 6 8 20 22 26 30 46]
Y_pred: [0 20 22 26 30 35]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation stopped glimepride diabetes, score: 0.14879243
afib there are no, score: 0.14534858
fibrillation hypoxemia inguinal hernia, score: 0.030474009

confidence of prediction: 0.724854
Y_true: [0 4 6 8 20 22 26 30 46]
Y_pred: [0 20 22 26 30 35]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
diverticulosis [UNK] copd morbid obesity osa lung, score: 0.06271064
of metastases copd mild co2 retainer based, score: 0.0074429093
issues hypoglycemia pt is, score: 0.0057706614

confidence of prediction: 0.560945
Y_true: [4 9 15 21 27 35 48]
Y_pred: [4 21 24 27 35 36 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
factors diabetes dyslipidemia hypertension cardiac history aortic,
score: 0.2574672
in house hyperlipidemia continued on home simvastatin, score:
0.093094684
secondary hypertension hyperlipidemia coronary artery disease
discharge, score: 0.07791385

confidence of prediction: 0.883715
Y_true: [4 9 15 21 27 35 48]
Y_pred: [4 21 24 27 35 36 48]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
on chronic kidney injury patient baseline cr is around, score:
0.005196482
lobe nodularities subcentimeter that, score: 0.0041614496
antibiotics torsemide attending first, score: 0.0037918065

confidence of prediction: 0.944113
Y_true: [4 9 15 21 27 35 48]
Y_pred: [4 21 24 27 35 36 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
critical as chf patient initially presented, score: 0.08807502
congestive heart failure due to, score: 0.043438893
cabg congestive heart failure with ef in, score: 0.015795004

confidence of prediction: 0.653635

Y_true: [4 9 15 21 27 35 48]
Y_pred: [4 21 24 27 35 36 48]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
on chronic kidney injury patient baseline cr is around, score: 0.39200956
with cr of likely secondary to, score: 0.03926477
after aggressive diuresis his, score: 0.018935362

confidence of prediction: 0.772432
Y_true: [4 9 15 21 27 35 48]
Y_pred: [4 21 24 27 35 36 48]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
aortic balloon valvuloplasty history, score: 0.026192088
s p vessel cabg and, score: 0.003684116
s p vessel cabg congestive heart, score: 0.003684116

confidence of prediction: 0.934616
Y_true: [1 4 20 23 24 37]
Y_pred: [1 4 20 23 24 27 37]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
daily levothyroxine 20mcg asa 162mg daily, score: 0.08387742
daily levothyroxine mcg tablet sig one, score: 0.02552566
history htn hypothyroidism constipation cad silent, score: 0.0029653935

confidence of prediction: 0.953386
Y_true: [1 4 20 23 24 37]
Y_pred: [1 4 20 23 24 27 37]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
injections dementia hld pituitary tumor hx of, score: 0.024415735
40mg qafternoon simvastatin daily, score: 0.005990174
hypothyroidism constipation cad silent mi, score: 0.005360003

confidence of prediction: 0.876881
Y_true: [1 4 20 23 24 37]
Y_pred: [1 4 20 23 24 27 37]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
medical history htn hypothyroidism constipation cad silent mi chronic low back, score: 0.18415555
history of htn prior, score: 0.16783907
iph with htn to, score: 0.059201274

confidence of prediction: 0.616022
Y_true: [1 4 20 23 24 37]
Y_pred: [1 4 20 23 24 27 37]
top three important windows for true positive code 23 (412: Old myocardial infarction)
cad silent mi chronic low back pain, score: 0.79865015
htn with cad who presented with right, score: 0.0034353805

lesion in addition the background, score: 0.001214933

confidence of prediction: 0.859163
Y_true: [1 4 20 23 24 37]
Y_pred: [1 4 20 23 24 27 37]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cad silent mi chronic low back pain, score: 0.030940019
htn with cad who presented with right, score: 0.014847008
a u a was, score: 0.010076416

confidence of prediction: 0.964983
Y_true: [1 4 20 23 24 37]
Y_pred: [1 4 20 23 24 27 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuks mod discharge labs 40am, score: 0.21779639
a uti she has been, score: 0.1146721
urinary tract infection we are, score: 0.0939676

confidence of prediction: 0.889967
Y_true: [1 2 3 17 33 37 41 42]
Y_pred: [1 2 17 33 40 41 42 43]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
anxiety hypothyroidism hypernatremia arhtritis, score: 0.16109182
nph hypothyroid synthroid id ceftazidime for, score: 0.094997525
dm hypothyroid past surgical history, score: 0.012277233

confidence of prediction: 0.884708
Y_true: [1 2 3 17 33 37 41 42]
Y_pred: [1 2 17 33 40 41 42 43]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
disorder diabetes mellitus diabetes insipidus obesity mrsa
enterobacter, score: 0.009450651
o dm hypothyroid past surgical history, score: 0.0024717066
pseudotumor cerebri diabetes insipidus hypernatremia, score:
0.0018167789

confidence of prediction: 0.773538
Y_true: [1 2 3 17 33 37 41 42]
Y_pred: [1 2 17 33 40 41 42 43]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
and subsequently developed symptomatic, score: 0.080616556
klebsiella serratia picc removed, score: 0.066342466
picc line placed tip in, score: 0.046814714

confidence of prediction: 0.839552
Y_true: [1 2 3 17 33 37 41 42]
Y_pred: [1 2 17 33 40 41 42 43]
top three important windows for true positive code 33 (518.81: Acute

respiratory failure)
trach difficult intubation [UNK], score: 0.22935666
her respiratory failure subsequently, score: 0.06061522
percutaneous tracheostomy cuffed nonfenestrated percutaneous
endoscopic gastrostomy, score: 0.034370724

confidence of prediction: 0.880795
Y_true: [1 2 3 17 33 37 41 42]
Y_pred: [1 2 17 33 40 41 42 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
percutaneous endoscopic gastrostomy lumbar puncture opening, score:
0.14241791
exchanged peg trach picc, score: 0.07694213
tracheostomy percutaneous endoscopic gastrostomy lumbar puncture
opening, score: 0.06271257

confidence of prediction: 0.742251
Y_true: [1 2 3 17 33 37 41 42]
Y_pred: [1 2 17 33 40 41 42 43]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
trach difficult intubation [UNK], score: 0.79313004
neuro trach off sedation pseudotumor, score: 0.057381213
tracheostomy percutaneous endoscopic gastrostomy lumbar, score:
0.012304088

confidence of prediction: 0.572231
Y_true: [3 20 27 34 37]
Y_pred: [3 4 11 20 27 37]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
hearing hypertension hypercholesterolemia social history the, score:
0.08270205
with dementia htn hld, score: 0.0032904209
85f with alzheimer s, score: 0.0031315063

confidence of prediction: 0.999763
Y_true: [3 20 27 34 37]
Y_pred: [3 4 11 20 27 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension hypercholesterolemia social history the, score:
0.5412239
with dementia htn hld history of hemorrhagic, score: 0.07783243
htn continued home lisinopril metoprolol, score: 0.04632683

confidence of prediction: 0.572265
Y_true: [3 20 27 34 37]
Y_pred: [3 4 11 20 27 37]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
aha valvular heart disease guidelines if, score: 0.114831276

to protect it from beating too, score: 0.05408408
with early chf and levaquin was d, score: 0.041561775

confidence of prediction: 0.855852
Y_true: [3 20 27 34 37]
Y_pred: [3 4 11 20 27 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
rehab uti on presentation, score: 0.13737527
for presumed uti that possibly lowered, score: 0.096522905
recent uti and pt was, score: 0.036675517

confidence of prediction: 0.915125
Y_true: [8 20 26 30 31 37]
Y_pred: [20 30 31 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
details unknown htn mild copd mild, score: 0.099559635
hemodynamically stable hypertension patient was markedly
hypertensive, score: 0.0634996
elevated troponin patient had, score: 0.039601445

confidence of prediction: 0.748772
Y_true: [8 20 26 30 31 37]
Y_pred: [20 30 31 37]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
htn mild copd mild carotid stenosis recent, score: 0.8869962
loudest in upper lobes, score: 0.0192495
every hours last dose, score: 0.00404955

confidence of prediction: 0.738884
Y_true: [8 20 26 30 31 37]
Y_pred: [20 30 31 37]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
emboli aspiration pneumonia metastatic lung cancer, score:
0.12872392
ground glass opacities in, score: 0.03898525
pe and aspiration pna patient was initially, score: 0.024183111

confidence of prediction: 0.725664
Y_true: [8 20 26 30 31 37]
Y_pred: [20 30 31 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
despite adequate pe and, score: 0.04395224
have a uti and an elevated, score: 0.035267968
have urinary retention likely from, score: 0.030082934

confidence of prediction: 0.901445
Y_true: [4 11 21 26 29 34 36 48]
Y_pred: [4 21 26 34 36 37 48]
top three important windows for true positive code 4 (272.4: Other

and unspecified hyperlipidemia)
issues hypertension hyperlipidemia continued on metoprolol, score:
0.120472394
stenosis htn hl and current c, score: 0.0650639
cll hypertension hyperlipidemia gerd depression vit b12, score:
0.037608117

confidence of prediction: 0.906992
Y_true: [4 11 21 26 29 34 36 48]
Y_pred: [4 21 26 34 36 37 48]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
[UNK] psh silicon wire, score: 0.011752939
svg lpl continued on, score: 0.008633546
ppi chronic kidney disease cr at baseline, score: 0.008229916

confidence of prediction: 0.917630
Y_true: [4 11 21 26 29 34 36 48]
Y_pred: [4 21 26 34 36 37 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation please continue to, score: 0.18574359
atrial fibrillation we controlled, score: 0.10395222
irregularly irregular normal s1 s2, score: 0.091203734

confidence of prediction: 0.920066
Y_true: [4 11 21 26 29 34 36 48]
Y_pred: [4 21 26 34 36 37 48]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
as above gerd continued on home ppi, score: 0.03992878
hypertension hyperlipidemia gerd depression vit b12 defic, score:
0.007194877
picc line with its, score: 0.0058104405

confidence of prediction: 0.952906
Y_true: [4 11 21 26 29 34 36 48]
Y_pred: [4 21 26 34 36 37 48]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic kidney disease cr at baseline likely, score: 0.034918852
svg lpl continued on, score: 0.0061581912
[UNK] psh silicon wire, score: 0.005677137

confidence of prediction: 0.855512
Y_true: [4 11 21 26 29 34 36 48]
Y_pred: [4 21 26 34 36 37 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg ckd baseline, score: 0.50902265
s p cabg and, score: 0.22755197
statin asa coronary artery disease s p cabg lima lad svg diagonal
svg om svg, score: 0.0016753159

confidence of prediction: 0.784203
Y_true: [11 12 16 31 33 40 41 42]
Y_pred: [10 31 33 40 42]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
likely aspiration legionella negative pcp, score: 0.11218846
to an aspiration event in the setting, score: 0.01859725
had an eeg that, score: 0.008141446

confidence of prediction: 0.901022
Y_true: [11 12 16 31 33 40 41 42]
Y_pred: [10 31 33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxic respiratory failure thought to, score: 0.32424778
and was intubated for airway protection, score: 0.06426705
hypoxemic respiratory failure he was intubated in the, score:
0.053486716

confidence of prediction: 0.902008
Y_true: [11 12 16 31 33 40 41 42]
Y_pred: [10 31 33 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was urgently intubated on intubation airways were, score: 0.10870439
was intubated in the, score: 0.07465645
and was intubated for airway protection, score: 0.03805791

confidence of prediction: 0.842885
Y_true: [11 12 16 31 33 40 41 42]
Y_pred: [10 31 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated in the, score: 0.03313153
urgently intubated on intubation airways were, score: 0.029984295
isolated bal gram stain pmns gpc, score: 0.025490915

confidence of prediction: 0.615931
Y_true: [0 2 8 12 16 17 20 26 27 28 31 33 40 41 43 46 47]
Y_pred: [2 4 6 17 20 26 27 28 31 33 40 41 43 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
controlled diabetes dyslipidemia hypertension cardiac, score:
0.30657482
diabetes diet controlled dyslipidemia hypertension, score:
0.03181375
closely in the micu, score: 0.013926342

confidence of prediction: 0.820124
Y_true: [0 2 8 12 16 17 20 26 27 28 31 33 40 41 43 46 47]
Y_pred: [2 4 6 17 20 26 27 28 31 33 40 41 43 49]

top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
line was placed and, score: 0.2561455
to meropenem pcn allergy, score: 0.16022745
line arterial line egd, score: 0.09658504

confidence of prediction: 0.500758
Y_true: [0 2 8 12 16 17 20 26 27 28 31 33 40 41 43 46 47]
Y_pred: [2 4 6 17 20 26 27 28 31 33 40 41 43 49]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
in dementia htn who presented with, score: 0.103677
wwii navy retired location sugar, score: 0.06017212
diabetes dyslipidemia hypertension cardiac, score: 0.05852266

confidence of prediction: 0.971569
Y_true: [0 2 8 12 16 17 20 26 27 28 31 33 40 41 43 46 47]
Y_pred: [2 4 6 17 20 26 27 28 31 33 40 41 43 49]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib with rescue ventricular, score: 0.27766517
af on coumadin s, score: 0.22896075
afib chest pain afib with twi in, score: 0.11624122

confidence of prediction: 0.984157
Y_true: [0 2 8 12 16 17 20 26 27 28 31 33 40 41 43 46 47]
Y_pred: [2 4 6 17 20 26 27 28 31 33 40 41 43 49]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
for decompensated chf and transferred to, score: 0.04833861
lambl s excresences normal, score: 0.01018494
diuresed with lasix as, score: 0.0063066687

confidence of prediction: 0.881427
Y_true: [0 2 8 12 16 17 20 26 27 28 31 33 40 41 43 46 47]
Y_pred: [2 4 6 17 20 26 27 28 31 33 40 41 43 49]
top three important windows for true positive code 28 (45.13: Other endoscopy of small intestine)
arterial line egd history of present illness, score: 0.02445434
to aspiration he was, score: 0.0106641995
not interested in hospice, score: 0.0047467547

confidence of prediction: 0.908530
Y_true: [0 2 8 12 16 17 20 26 27 28 31 33 40 41 43 46 47]
Y_pred: [2 4 6 17 20 26 27 28 31 33 40 41 43 49]
top three important windows for true positive code 31 (507.0: Pneumonitis due to inhalation of food or vomitus)
arrest aspiration event pt was, score: 0.121254705
aspiration event further diuresis was, score: 0.075872056
an aspiration pna and, score: 0.06413009

confidence of prediction: 0.911698
Y_true: [0 2 8 12 16 17 20 26 27 28 31 33 40 41 43 46 47]
Y_pred: [2 4 6 17 20 26 27 28 31 33 40 41 43 49]

top three important windows for true positive code 33 (518.81: Acute respiratory failure)
caucasian male intubated and sedated, score: 0.07484525
pt was intubated during arrest without, score: 0.037144255
his respiratory status the, score: 0.03142045

confidence of prediction: 0.702965
Y_true: [0 2 8 12 16 17 20 26 27 28 31 33 40 41 43 46 47]
Y_pred: [2 4 6 17 20 26 27 28 31 33 40 41 43 49]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
caucasian male intubated and sedated, score: 0.061007004
to pursue reintubation which would, score: 0.049867354
pt was intubated during arrest, score: 0.043079212

confidence of prediction: 0.803143
Y_true: [0 2 8 12 16 17 20 26 27 28 31 33 40 41 43 46 47]
Y_pred: [2 4 6 17 20 26 27 28 31 33 40 41 43 49]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
developed mucous plugging of his, score: 0.043335766
a trach and peg were discussed, score: 0.027135374
a trach and peg to be, score: 0.017993903

confidence of prediction: 0.796277
Y_true: [0 2 8 12 16 17 20 26 27 28 31 33 40 41 43 46 47]
Y_pred: [2 4 6 17 20 26 27 28 31 33 40 41 43 49]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
trach and peg to be, score: 0.12588422
developed mucous plugging of, score: 0.028015828
a trach and peg were discussed, score: 0.020776313

confidence of prediction: 0.977279
Y_true: [11 15 18 25 27 38]
Y_pred: [18 24 27 38]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued and, score: 0.34808728
wires are again seen, score: 0.015460301
leaflet on echocardiogram indications, score: 0.014393444

confidence of prediction: 0.508936
Y_true: [11 15 18 25 27 38]
Y_pred: [18 24 27 38]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
acute mr chf procedure right heart catheterization, score: 0.04693292
mitral regurgitation in the, score: 0.042518374
an ekg showed nsr, score: 0.028029045

confidence of prediction: 0.678672

Y_true: [11 15 18 25 27 38]
Y_pred: [18 24 27 38]
top three important windows for true positive code 38 (88.56: Coronary arteriography using two catheters)
rca normal 2a acute, score: 0.4804996
mitral valve repair with, score: 0.11334639
heart catheterization was performed, score: 0.04505973

confidence of prediction: 0.519243
Y_true: [10 16 35 40 42 49]
Y_pred: [17 35 40 42 49]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
workup including paracentesis a liver biopsy, score: 0.062462237
liver failure secondary to, score: 0.043402486
protection and extubated successfully, score: 0.019479057

confidence of prediction: 0.796563
Y_true: [10 16 35 40 42 49]
Y_pred: [17 35 40 42 49]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
she was intubated on for airway protection, score: 0.08152675
tube placement endotracheal intubation extubated history of, score: 0.0029435784
adverse drug reactions attending first, score: 0.0022656948

confidence of prediction: 0.705109
Y_true: [10 16 35 40 42 49]
Y_pred: [17 35 40 42 49]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
she was intubated on for airway protection, score: 0.019564232
tube placement endotracheal intubation extubated history of, score: 0.008458336
femoral femoral popliteal and posterior, score: 0.003503

confidence of prediction: 0.618928
Y_true: [10 16 35 40 42 49]
Y_pred: [17 35 40 42 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
was on warfarin for dvt in, score: 0.6393336
po daily coumadin 5mg, score: 0.084640846
medications stopped coumadin until, score: 0.051696412

confidence of prediction: 0.792250
Y_true: [8 11 16 17 20 29 33 37 40 41 42 43]
Y_pred: [17 20 29 33 37 41 43]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
picc the picc was pulled, score: 0.06192066
placement central line placement history of, score: 0.02261743

mr name13 stitle with, score: 0.008813924

confidence of prediction: 0.978427
Y_true: [8 11 16 17 20 29 33 37 40 41 42 43]
Y_pred: [17 20 29 33 37 41 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
cough insomnia hypertension urinary incontinence breast, score:
0.5916935
cvp r ij and, score: 0.039856423
inhaler last name stitle, score: 0.02655794

confidence of prediction: 0.858607
Y_true: [8 11 16 17 20 29 33 37 40 41 42 43]
Y_pred: [17 20 29 33 37 41 43]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
lobe pneumonia and muscle, score: 0.046825726
discharge diagnosis pneumonia mucus plugging cachexia weakness,
score: 0.013969127
with suctioning and are, score: 0.0108158095

confidence of prediction: 0.580613
Y_true: [8 11 16 17 20 29 33 37 40 41 42 43]
Y_pred: [17 20 29 33 37 41 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
ventilator respiratory failure multifactorial in, score: 0.16602165
trach collar in place, score: 0.093677945
isolated respiratory viral screen, score: 0.033986475

confidence of prediction: 0.936705
Y_true: [8 11 16 17 20 29 33 37 40 41 42 43]
Y_pred: [17 20 29 33 37 41 43]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
cx citrobacter organisms ml cefepime, score: 0.06754674
a citrobacter uti which was treated, score: 0.06491756
uti the patient was, score: 0.027019938

confidence of prediction: 0.644568
Y_true: [8 11 16 17 20 29 33 37 40 41 42 43]
Y_pred: [17 20 29 33 37 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
tube extrem wwp no, score: 0.13657294
on tube feeds via an ng, score: 0.12447709
tracheostomy peg tube placement central, score: 0.07214054

confidence of prediction: 0.798647
Y_true: [8 11 16 17 20 29 33 37 40 41 42 43]
Y_pred: [17 20 29 33 37 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours

or more)
current ventilator settings are cmv, score: 0.113979
tracheostomy and peg tube placement, score: 0.069260515
ventilator respiratory failure multifactorial, score: 0.04082458

confidence of prediction: 0.696419
Y_true: [2 14 20 24 27 38]
Y_pred: [2 4 15 20 23 24 27 35 38]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
dm htn and hyperlipidemia, score: 0.07508267
htn and pvd presenting, score: 0.04035047
hypertension diabetes mellitus ii discharge condition, score:
0.03939367

confidence of prediction: 0.725169
Y_true: [2 14 20 24 27 38]
Y_pred: [2 4 15 20 23 24 27 35 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
in dm htn and hyperlipidemia, score: 0.086217724
hypertension and on the, score: 0.07363303
dm htn and pvd presenting, score: 0.060250793

confidence of prediction: 0.980929
Y_true: [2 14 20 24 27 38]
Y_pred: [2 4 15 20 23 24 27 35 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease involving, score: 0.29082668
stemi cad patient s ekg, score: 0.08835091
coronary artery disease inferior, score: 0.08181151

confidence of prediction: 0.996454
Y_true: [2 14 20 24 27 38]
Y_pred: [2 4 15 20 23 24 27 35 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chronic systolic chf lvef hepatitis b core, score: 0.0056925006
chronic systolic chf patient appeared euvolemic repeat, score:
0.001623988
dinitrate mg three times, score: 0.00052394107

confidence of prediction: 0.803914
Y_true: [2 14 20 24 27 38]
Y_pred: [2 4 15 20 23 24 27 35 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization without angioplasty or, score: 0.3741689
vessel stenosis the first, score: 0.08418435
cardiac catheterization this revealed 3v, score: 0.06021068

confidence of prediction: 0.591762

Y_true: [1 4 8 11 19 27 29 33 40 42 43]
Y_pred: [1 4 17 19 27 40 42]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
ai hypothyroidism chronic bronchitis hyperparathyroidism, score:
0.53345424
daily levothyroxine mcg tablet sig two, score: 0.08325787
mg daily synthroid mcg daily renvela mg, score: 0.0028371948

confidence of prediction: 0.536789
Y_true: [1 4 8 11 19 27 29 33 40 42 43]
Y_pred: [1 4 17 19 27 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
tabs hospital1 simvastatin mg qhs trazadone, score: 0.17937687
htn hld and diastolic, score: 0.09702325
iddm htn hld and diastolic, score: 0.083017044

confidence of prediction: 0.778982
Y_true: [1 4 8 11 19 27 29 33 40 42 43]
Y_pred: [1 4 17 19 27 40 42]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
of dialysis major surgical, score: 0.1442523
esrd on hd t, score: 0.099959634
of dialysis on further, score: 0.059886176

confidence of prediction: 0.781773
Y_true: [1 4 8 11 19 27 29 33 40 42 43]
Y_pred: [1 4 17 19 27 40 42]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic dysfunction who initially, score: 0.042719208
diastolic [UNK] sent via, score: 0.009238024
hypokalemia hx chf echo with ef mild, score: 0.0077854563

confidence of prediction: 0.868489
Y_true: [1 4 8 11 19 27 29 33 40 42 43]
Y_pred: [1 4 17 19 27 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was re intubated on a cxr, score: 0.1431569
patient was intubated on extubation was attempted on but, score:
0.025680576
to painful stimuli she had, score: 0.023229226

confidence of prediction: 0.719808
Y_true: [1 4 8 11 19 27 29 33 40 42 43]
Y_pred: [1 4 17 19 27 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated on extubation was attempted, score: 0.19575633
was re intubated on a cxr showed, score: 0.057546988

pleural effusion eeg this, score: 0.015367926

confidence of prediction: 0.619696
Y_true: [2 3 7 24 26 35 37 49]
Y_pred: [1 2 26 35 37 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
dm type pvd hypothyroidism, score: 0.10978986
mellitus type atrial fibrillation, score: 0.06668129
metformin 500mg po qpm, score: 0.045563336

confidence of prediction: 0.992905
Y_true: [2 3 7 24 26 35 37 49]
Y_pred: [1 2 26 35 37 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin dm, score: 0.6199137
afib on coumadin ate baseline, score: 0.28258398
fibrillation pvd discharge condition, score: 0.019535929

confidence of prediction: 0.865414
Y_true: [2 3 7 24 26 35 37 49]
Y_pred: [1 2 26 35 37 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure resolved with blood, score: 0.055682257
with abf graft s p, score: 0.015629115
likely acute renal failure day post, score: 0.015416187

confidence of prediction: 0.781283
Y_true: [2 3 7 24 26 35 37 49]
Y_pred: [1 2 26 35 37 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
a urinary tract infection but a, score: 0.13862018
three days urinary retention incontinence since, score: 0.019010494
stable presumptive uti was treated with, score: 0.01021785

confidence of prediction: 0.793027
Y_true: [2 3 7 24 26 35 37 49]
Y_pred: [1 2 26 35 37 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin ate, score: 0.65878975
afib on coumadin dm, score: 0.16964586
was on coumadin for, score: 0.044957083

confidence of prediction: 0.534348
Y_true: [1 8 9 29 35]
Y_pred: [1 29 35]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
discharge hypothyroidism he was, score: 0.21462637

pre hypothyroidism pulmonary fibrosis mgus, score: 0.17503412
and hypothyroidism who presents with, score: 0.10743021

confidence of prediction: 0.853464
Y_true: [1 8 9 29 35]
Y_pred: [1 29 35]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
for possible pneumonia pcp was, score: 0.08767027
than pneumonia cxr increasing hazy opacification of, score:
0.061474822
proven uip in the, score: 0.013175433

confidence of prediction: 0.510231
Y_true: [1 8 9 29 35]
Y_pred: [1 29 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
suggesting pre renal etiology his medication, score: 0.16522634
acute renal failure his creatinine was, score: 0.113195665
renal function improved back, score: 0.09397916

confidence of prediction: 0.594310
Y_true: [1 7 26 27 28]
Y_pred: [1 7 26 27 28]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
of levothyroxine tsh was, score: 0.18426289
hypothyroidism cirrhosis of unknown, score: 0.14915174
admission levothyroxine mcg daily lisinopril, score: 0.101228654

confidence of prediction: 0.986773
Y_true: [1 7 26 27 28]
Y_pred: [1 7 26 27 28]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia gi bleed with, score: 0.47470087
anemia acute on chronic, score: 0.12289886
anemia melena major surgical, score: 0.05679857

confidence of prediction: 0.913075
Y_true: [1 7 26 27 28]
Y_pred: [1 7 26 27 28]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation was noted amiodarone was continued schizophrenia,
score: 0.36105347
afib and prior lv thrombus, score: 0.15241738
atrial fibrillation schizophrenia discharge condition, score:
0.07457136

confidence of prediction: 0.966553
Y_true: [1 7 26 27 28]
Y_pred: [1 7 26 27 28]

top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf with ef pericardial, score: 0.11816336
chf ef who was admitted, score: 0.07835431
heart failure clinic within, score: 0.01693592

confidence of prediction: 0.916952
Y_true: [1 7 26 27 28]
Y_pred: [1 7 26 27 28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.2781424
otherwise normal egd to, score: 0.15958504
otherwise normal egd to, score: 0.123952754

confidence of prediction: 0.544804
Y_true: [1 2 23 24 30]
Y_pred: [1 23 24]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
pmr hypothyroidism patient was continued on, score: 0.25658813
home synthroid transitional issues, score: 0.06648261
daily levothyroxine mcg tablet sig, score: 0.061253134

confidence of prediction: 0.568828
Y_true: [1 2 23 24 30]
Y_pred: [1 23 24]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
o of mi s p stent copd on 2l at, score: 0.057736922
medical history coronary artery disease with h, score: 0.007879763
stable s p stent, score: 0.007204462

confidence of prediction: 0.709860
Y_true: [1 2 23 24 30]
Y_pred: [1 23 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p stent copd on 2l at, score: 0.36556745
coronary artery disease with h, score: 0.1464185
stable s p stent denied, score: 0.10039261

confidence of prediction: 0.806965
Y_true: [4 10 14 20 23 24 42]
Y_pred: [4 15 23 24 31 34 38 42 44]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
and [UNK] hyperlipidemia lipitor zetia pvd, score: 0.104529485
hyperlipidemia discharge condition stable discharge, score:
0.04513568
ezetimibe mg tablet sig, score: 0.030353932

confidence of prediction: 0.595102
Y_true: [4 10 14 20 23 24 42]

Y_pred: [4 15 23 24 31 34 38 42 44]
top three important windows for true positive code 23 (412: Old myocardial infarction)
s p mi age, score: 0.40212128
s p mi at, score: 0.40212128
history cad mi further details unknown, score: 0.04235002

confidence of prediction: 0.956161
Y_true: [4 10 14 20 23 24 42]
Y_pred: [4 15 23 24 31 34 38 42 44]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
coronary artery disease the, score: 0.11124785
coronary artery disease successful stenting of, score: 0.11124785
s p mi age, score: 0.06648065

confidence of prediction: 0.880204
Y_true: [4 10 14 20 23 24 42]
Y_pred: [4 15 23 24 31 34 38 42 44]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
was intubated and sedated and, score: 0.092539705
presented intubated from the, score: 0.035020225
shocked and intubated in the, score: 0.030339288

confidence of prediction: 0.780285
Y_true: [3 10 37 42]
Y_pred: [3 10 37 40 42]
top three important windows for true positive code 3 (272.0: Pure hypercholesterolemia)
medical history hypercholesterolemia migraine arthritis s p, score: 0.042889126
rhw with hypercholesterolemia migraine and recent, score: 0.037647884
of migraine hypercholesterolemia s p carpal, score: 0.023342077

confidence of prediction: 0.584124
Y_true: [3 10 37 42]
Y_pred: [3 10 37 40 42]
top three important windows for true positive code 10 (305.1: Tobacco use disorder)
correlated closely with findings, score: 0.0339791
children smokes cigarettes daily but no, score: 0.020840991
hypercholesterolemia migraine and recent, score: 0.005068768

confidence of prediction: 0.908494
Y_true: [3 10 37 42]
Y_pred: [3 10 37 40 42]
top three important windows for true positive code 37 (599.0: Urinary tract infection, site not specified)
uncomplicated uti her examination improved she, score: 0.3107101
a urinary tract infection and were, score: 0.070131294
altitude sports activities no, score: 0.016107976

confidence of prediction: 0.539045
Y_true: [3 10 37 42]
Y_pred: [3 10 37 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
bed intubated and sedated, score: 0.08184715
patient was intubated including receiving 300mg, score: 0.05606661
decreased vibratory sense proprioception lt, score: 0.030895848

confidence of prediction: 0.927426
Y_true: [4 10 14 20 24 38]
Y_pred: [4 14 20 24 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
stent poba hld palpitations hyperhomocysteinemia prostate, score:
0.10399252
hyperlipidemia patient is on, score: 0.10170427
htn and hld who presented with, score: 0.055782065

confidence of prediction: 0.524612
Y_true: [4 10 14 20 24 38]
Y_pred: [4 14 20 24 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catheterization stent placement, score: 0.42456877
cardiac cath selective coronary angiography in, score: 0.04251723
cath lab he a x, score: 0.02335506

confidence of prediction: 0.958109
Y_true: [4 10 14 20 24 38]
Y_pred: [4 14 20 24 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension patient s blood, score: 0.13446203
restenosis in htn and hld who, score: 0.1309515
zetia crestor lisinopril amlodipine, score: 0.12701163

confidence of prediction: 0.990139
Y_true: [4 10 14 20 24 38]
Y_pred: [4 14 20 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lad in stent restenosis, score: 0.13667731
s p x 18mm, score: 0.10620494
cardiac catheterization stent placement, score: 0.07809988

confidence of prediction: 0.892954
Y_true: [4 10 14 20 24 38]
Y_pred: [4 14 20 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization stent placement, score: 0.68434006

cardiac cath selective coronary angiography in, score: 0.04284241
cath lab he a x, score: 0.016419407

confidence of prediction: 0.763658
Y_true: [0 1 5 10 19 23 24 26 27 46 49]
Y_pred: [0 1 2 11 19 23 24 26 27 46 49]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
possible throughout hospitalization that, score: 0.046454765
septic shock with gnr bacteremia, score: 0.028509127
septic shock from urinary source that, score: 0.02189568

confidence of prediction: 0.940564
Y_true: [0 1 5 10 19 23 24 26 27 46 49]
Y_pred: [0 1 2 11 19 23 24 26 27 46 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
warfarin hypothyroidism s p ileostomy, score: 0.44619644
retention hypothyroidism bilateral subdural hematomas, score:
0.024943173
dialysis levothyroxine 50mcg daily loperamide 2mg, score:
0.0022047958

confidence of prediction: 0.904455
Y_true: [0 1 5 10 19 23 24 26 27 46 49]
Y_pred: [0 1 2 11 19 23 24 26 27 46 49]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
on hd pvd s, score: 0.08555669
on cvvh as toxins, score: 0.08229104
and hemodialysis once he, score: 0.07480393

confidence of prediction: 0.752004
Y_true: [0 1 5 10 19 23 24 26 27 46 49]
Y_pred: [0 1 2 11 19 23 24 26 27 46 49]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi systolic chf, score: 0.26408854
s p mi in medically managed systolic chf last, score: 0.26408854
s p mi systolic chf lvef, score: 0.26408854

confidence of prediction: 0.554636
Y_true: [0 1 5 10 19 23 24 26 27 46 49]
Y_pred: [0 1 2 11 19 23 24 26 27 46 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cad s p mi in medically managed systolic chf last, score:
0.051727686
cad s p mi systolic, score: 0.02179705
failure worsened ef of, score: 0.018371258

confidence of prediction: 0.995364
Y_true: [0 1 5 10 19 23 24 26 27 46 49]
Y_pred: [0 1 2 11 19 23 24 26 27 46 49]

top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib of warfarin hypothyroidism, score: 0.3888125
afib with rvr he, score: 0.04464243
afib with rvr after, score: 0.020313108

confidence of prediction: 0.982282
Y_true: [0 1 5 10 19 23 24 26 27 46 49]
Y_pred: [0 1 2 11 19 23 24 26 27 46 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf lvef with aicd dm2, score: 0.29897082
congestive heart failure worsened ef of, score: 0.040597316
managed systolic chf last echo per, score: 0.0286253

confidence of prediction: 0.968627
Y_true: [0 1 5 10 19 23 24 26 27 46 49]
Y_pred: [0 1 2 11 19 23 24 26 27 46 49]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
septic shock from urinary source, score: 0.046371393
septic shock with gnr bacteremia, score: 0.04290929
septic shock patient continued to, score: 0.033573598

confidence of prediction: 0.852514
Y_true: [0 1 5 10 19 23 24 26 27 46 49]
Y_pred: [0 1 2 11 19 23 24 26 27 46 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib of warfarin hypothyroidism, score: 0.43608144
fibrillation on warfarin status post turp for urinary retention,
score: 0.10286464
amiodarone and warfarin heparin, score: 0.006471287

confidence of prediction: 0.954641
Y_true: [8 11 16 37 47]
Y_pred: [4 31 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
acquired uti and ultimately sent, score: 0.29234046
a uti and an evolving, score: 0.032703247
events pneumonia patient had a, score: 0.024116892

confidence of prediction: 0.715034
Y_true: [4 10 19 23 24 35 37]
Y_pred: [4 19 21 23 24]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
with stent hyperlipidemia hcv genotype peg, score: 0.41884392
p lrrt htn cad s p, score: 0.012173028
unknown dose simvastatin mg po daily, score: 0.010261149

confidence of prediction: 0.913461
Y_true: [4 10 19 23 24 35 37]

Y_pred: [4 19 21 23 24]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
started on hemodialysis he was, score: 0.09102156
continue hemodialysis as an, score: 0.07570126
started on hemodialysis you will, score: 0.068436205

confidence of prediction: 0.691457
Y_true: [4 10 19 23 24 35 37]
Y_pred: [4 19 21 23 24]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
vascular compromise gangrene resulting in a, score: 0.005076434
extremity amputation anemia of, score: 0.0037819848
lrrt htn cad s p mi with stent hyperlipidemia hcv, score:
0.0025097935

confidence of prediction: 0.593303
Y_true: [4 10 19 23 24 35 37]
Y_pred: [4 19 21 23 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
htn cad s p mi with stent hyperlipidemia hcv, score: 0.18629171
extremity amputation anemia of, score: 0.03838604
gangrene resulting in a, score: 0.030783866

confidence of prediction: 0.817074
Y_true: [1 4 17 20 33 34 37]
Y_pred: [1 3 4 20 34 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
ppi hypothyroidism continued on levothyroxine mcg daily
hyperlipidemia continued, score: 0.56193036
oral levothyroxine mcg tablet sig, score: 0.05294283
monthly levothyroxine mcg daily lisinopril, score: 0.025390018

confidence of prediction: 0.715891
Y_true: [1 4 17 20 33 34 37]
Y_pred: [1 3 4 20 34 37]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
with metastatic breast ca, score: 0.042597637
mcg daily hyperlipidemia continued on simvastatin mg daily
medications, score: 0.021566063
showed metastatic breast carcinoma date, score: 0.0071424413

confidence of prediction: 0.982398
Y_true: [1 4 17 20 33 34 37]
Y_pred: [1 3 4 20 34 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension stable continued on atenolol, score: 0.35248595
medical history hypertension hypercholesterolemia tah bso, score:
0.119839445

met vs unresectable meningioma she, score: 0.058350004

confidence of prediction: 0.871674
Y_true: [1 4 17 20 33 34 37]
Y_pred: [1 3 4 20 34 37]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
met vs unresectable meningioma, score: 0.06696315
was generalized achiness at, score: 0.019076148
mg daily gerd continued on ppi hypothyroidism, score: 0.017290195

confidence of prediction: 0.899514
Y_true: [1 4 17 20 33 34 37]
Y_pred: [1 3 4 20 34 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
[UNK] urinary tract infection secondary metastatic, score:
0.105704345
a urinary tract infection you were, score: 0.070281096
uti x week fevers, score: 0.017543849

confidence of prediction: 0.511895
Y_true: [4 8 20 37]
Y_pred: [4 20 37 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
brain injury uti discharge, score: 0.012220405
small vessel ischemic changes, score: 0.008293665
female with subarachnoid hemorrhage, score: 0.007836626

confidence of prediction: 0.991826
Y_true: [4 8 20 37]
Y_pred: [4 20 37 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
disorder essential htn hyperlipidemia anemia asthma skin, score:
0.48861918
in her cognition she had decreased pain, score: 0.02990652
as above hyperventilation could, score: 0.013537366

confidence of prediction: 0.955226
Y_true: [4 8 20 37]
Y_pred: [4 20 37 40 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
she had uti found on ua and, score: 0.021225909
brain injury uti discharge condition neurologically, score:
0.0056418325
as above hyperventilation could, score: 0.0049250885

confidence of prediction: 0.837552
Y_true: [4 8 11 17 21 26 33 34 35 36 42 48]
Y_pred: [4 12 26 27 30 34 36 37 41 43 48]
top three important windows for true positive code 4 (272.4: Other

and unspecified hyperlipidemia)
cll htn hyperlipidemia gerd depression cad s p cabg, score:
0.054715198
as above hyperlipidemia he was continued on, score: 0.039161727

confidence of prediction: 0.983159
Y_true: [4 8 11 17 21 26 33 34 35 36 42 48]
Y_pred: [4 12 26 27 30 34 36 37 41 43 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
levalbuterol hcl mg ml, score: 0.0077698757
levalbuterol hcl mg ml, score: 0.00517532
amiodarone mg tablet sig, score: 0.0044512157

confidence of prediction: 0.815102
Y_true: [4 8 11 17 21 26 33 34 35 36 42 48]
Y_pred: [4 12 26 27 30 34 36 37 41 43 48]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
bronchs gold stage iii, score: 0.027839601
by microscan timentin mcg ml, score: 0.014419147
access peripherals picc discontinue, score: 0.013337245

confidence of prediction: 0.597835
Y_true: [4 8 11 17 21 26 33 34 35 36 42 48]
Y_pred: [4 12 26 27 30 34 36 37 41 43 48]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
years ckd baseline creatinine aortic stenosis, score: 0.2628089
chronic kidney disease the patient s, score: 0.026566189
ccy psh silicon wire, score: 0.008790847

confidence of prediction: 0.849985
Y_true: [4 8 11 17 21 26 33 34 35 36 42 48]
Y_pred: [4 12 26 27 30 34 36 37 41 43 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg and, score: 0.50983745
s p cabg and, score: 0.22791621
s p cabg lima lad svg diagonal svg om svg, score: 0.11072509

confidence of prediction: 0.979450
Y_true: [20 26 27 37 47 49]
Y_pred: [26 27 37 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation on coumadin s, score: 0.3854569
atrial fibrillation initially had rvr, score: 0.17438643
atrial fibrillation has replaced sinus, score: 0.090876736

confidence of prediction: 0.986573
Y_true: [20 26 27 37 47 49]
Y_pred: [26 27 37 49]
top three important windows for true positive code 27 (428.0:

Congestive heart failure, unspecified)
extremely weak and has, score: 0.0032062966
heart failure this admission but, score: 0.0019551606
chronic diastolic heart failure diuretics were discontinued, score:
0.001471876

confidence of prediction: 0.982255
Y_true: [20 26 27 37 47 49]
Y_pred: [26 27 37 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection dehydration, score: 0.06792917
for uti discharge disposition, score: 0.044374418
loteprednol etabonate lotemax ophthalmic drops suspension, score:
0.0436064

confidence of prediction: 0.624677
Y_true: [20 26 27 37 47 49]
Y_pred: [26 27 37 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fibrillation on coumadin s, score: 0.6906347
for sleep warfarin mg, score: 0.12182762
chronic white matter disease, score: 0.018184273

confidence of prediction: 0.986257
Y_true: [20 26]
Y_pred: [26 29]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib incomplete rbbb [UNK], score: 0.95429826
atrial fibrillation ischemic embolic stroke, score: 0.013256879
afib she denies any, score: 0.008745883

confidence of prediction: 0.741554
Y_true: [0 4 11 17 20 26 30 46 49]
Y_pred: [0 4 11 17 20 26 27 30 34 46 49]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
source severe sepsis presented with fever tachycardia, score:
0.22160652
shock pyelonephritis nephrolithiasis atrial, score: 0.14628968
shock from a urinary, score: 0.12853903

confidence of prediction: 0.560805
Y_true: [0 4 11 17 20 26 30 46 49]
Y_pred: [0 4 11 17 20 26 27 30 34 46 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
gerd and hyperlipidemia were stable and she, score: 0.17737697
macrocrystal mg simvastatin mg tablet daily, score: 0.024514984
hospital1 duloxetine mg capsule, score: 0.021736827

confidence of prediction: 0.608026

Y_true: [0 4 11 17 20 26 30 46 49]
Y_pred: [0 4 11 17 20 26 27 30 34 46 49]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
seizure disorder depression who presents now with, score: 0.46616504
macrodantin depression anemia seborrheic dermatitis left, score:
0.20941971
con meq packet lasix, score: 0.014432125

confidence of prediction: 0.568675
Y_true: [0 4 11 17 20 26 30 46 49]
Y_pred: [0 4 11 17 20 26 27 30 34 46 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
prn picc vancomycin mg recon, score: 0.1305564
placement right picc terminates in the upper, score: 0.088496625
placed and vanc levaquin, score: 0.047647946

confidence of prediction: 0.829179
Y_true: [0 4 11 17 20 26 30 46 49]
Y_pred: [0 4 11 17 20 26 27 30 34 46 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn the patient was, score: 0.14716484
pale elderly female pleasant comfortable, score: 0.0416741
target inr hypertension hypercholesterolemia glaucoma seizure,
score: 0.03799787

confidence of prediction: 0.982709
Y_true: [0 4 11 17 20 26 30 46 49]
Y_pred: [0 4 11 17 20 26 27 30 34 46 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation on coumadin copd, score: 0.31476215
atrial fibrillation with rapid, score: 0.06731696
atrial fibrillation on coumadin presented, score: 0.06478261

confidence of prediction: 0.726278
Y_true: [0 4 11 17 20 26 30 46 49]
Y_pred: [0 4 11 17 20 26 27 30 34 46 49]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
on coumadin copd on 2l nc htn, score: 0.11314149
diagnoses chronic obstructive pulmonary disease discharge, score:
0.0015983452
obstructive nephrolithiasis with associated, score: 0.00095430855

confidence of prediction: 0.945076
Y_true: [0 4 11 17 20 26 30 46 49]
Y_pred: [0 4 11 17 20 26 27 30 34 46 49]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
shock from a urinary, score: 0.12560087
source severe sepsis presented with fever tachycardia, score:

0.12093965
shock pyelonephritis nephrolithiasis atrial, score: 0.10790535

confidence of prediction: 0.722392
Y_true: [0 4 11 17 20 26 30 46 49]
Y_pred: [0 4 11 17 20 26 27 30 34 46 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fibrillation on coumadin copd, score: 0.35729575
regularly and coumadin adjusted, score: 0.13361585
to discharge coumadin dose, score: 0.029419959

confidence of prediction: 0.646298
Y_true: [33 40 42]
Y_pred: [4 17 20 39 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
following intubation and administration of, score: 0.052566826
vent settings tv rr peep fio2 gen intubated responds to, score:
0.029956559
pt was intubated and sedated, score: 0.022212233

confidence of prediction: 0.723225
Y_true: [33 40 42]
Y_pred: [4 17 20 39 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
vent settings tv rr peep, score: 0.10234463
fio2 gen intubated responds to, score: 0.08931631
following intubation and administration of, score: 0.04034203

confidence of prediction: 0.998715
Y_true: [7 20 44]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn home hctz and lisinopril was, score: 0.20078492
hypertension on lisinopril hctz hemorrhoids s p, score: 0.17746013
hydrochlorothiazide mg mg daily, score: 0.093908064

confidence of prediction: 0.930891
Y_true: [2 4 12 20 30 47]
Y_pred: [2 12 30 40 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
tid metformin glucophage mg po bid, score: 0.09890812
refills metformin glucophage mg po bid albuterol, score: 0.051355798
on metformin and sliding scale, score: 0.00564832

confidence of prediction: 0.909837
Y_true: [2 4 12 20 30 47]
Y_pred: [2 12 30 40 42]

top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
digits bronchoscopy and mediastinoscopy, score: 0.01558932
node dissection bronchoscopy with bronchoalveolar lavage history of
present, score: 0.01080197
to wean your oxygen, score: 0.0079248035

confidence of prediction: 0.604504
Y_true: [2 4 12 20 30 47]
Y_pred: [2 12 30 40 42]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
medical history copd hepatic cirrhosis from fatty, score: 0.416051
pft s show fev1, score: 0.002589276
upper lung pneumothorax otherwise little change cxr, score:
0.0016796247

confidence of prediction: 0.840612
Y_true: [6 9 20 35]
Y_pred: [6 9]
top three important windows for true positive code 6 (276.2:
Acidosis)
to lactic acidosis and end organ, score: 0.18156411
lactic acidosis lactate levels trended down, score: 0.057876136
patient was initially admitted, score: 0.0539972

confidence of prediction: 0.770850
Y_true: [6 9 20 35]
Y_pred: [6 9]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
fibrinogen and thrombocytopenia stabilized as, score: 0.25460547
acute anemia thrombocytopenia stable since admission in, score:
0.14392301
due to thrombocytopenia elevated inr, score: 0.11368918

confidence of prediction: 0.782254
Y_true: [2 24 26 27 32 36 37 49]
Y_pred: [2 23 24 26 27 37 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
mi in dm ii diet controlled multiple cva, score: 0.01493682
lipase vitb12 folate tsh rpr, score: 0.006147056
renal failure the patient, score: 0.0013397817

confidence of prediction: 0.744098
Y_true: [2 24 26 27 32 36 37 49]
Y_pred: [2 23 24 26 27 37 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p mi and, score: 0.1555992
coronary artery disease stroke, score: 0.05939963
p pcm cad s p mi pvd, score: 0.020203969

confidence of prediction: 0.997777
Y_true: [2 24 26 27 32 36 37 49]
Y_pred: [2 23 24 26 27 37 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fib on coumadin s, score: 0.040980663
afib s p pcm, score: 0.02084327
atrial fibrillation coronary artery disease, score: 0.004976675

confidence of prediction: 0.951634
Y_true: [2 24 26 27 32 36 37 49]
Y_pred: [2 23 24 26 27 37 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure the effusion, score: 0.25804433
chf with ef of, score: 0.15911421
diastolic heart failure pleural effusion, score: 0.15740032

confidence of prediction: 0.927020
Y_true: [2 24 26 27 32 36 37 49]
Y_pred: [2 23 24 26 27 37 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
home uti pt with grossly, score: 0.15205713
klebsiella organisms ml pending, score: 0.08051548
a uti and a, score: 0.0659594

confidence of prediction: 0.869617
Y_true: [2 24 26 27 32 36 37 49]
Y_pred: [2 23 24 26 27 37 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
also takes coumadin for anticoagulation coumadin was, score:
0.016149502
coumadin listed coumadin restarted, score: 0.010440106
a day coumadin mg, score: 0.0043244916

confidence of prediction: 0.624544
Y_true: [1 8 9 11 17 20 26 34 47]
Y_pred: [20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
adductor and hamstring weakness, score: 0.16628252
prn htn metoprolol tartrate tid, score: 0.07628725
afib dm2 peripheral neuropathy lumbosacral, score: 0.074863374

confidence of prediction: 0.841496
Y_true: [1 8 9 11 17 20 26 34 47]
Y_pred: [20 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
lisinopril gerd omeprazole asthma albuterol ipratropium, score:
0.048382033

cancer thrombocytopenia treated with rituxin, score: 0.013248137
oral disintegrating tab mg po, score: 0.012738154

confidence of prediction: 0.818158
Y_true: [1 2 20 35]
Y_pred: [1 20 29 35]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
qpm levothyroxine mg daily hospital1, score: 0.27747682
ii hypothyroidism seizures following chemo, score: 0.2151141
and levothyroxine for panhypopituitarism was, score: 0.020585356

confidence of prediction: 0.951934
Y_true: [1 2 20 35]
Y_pred: [1 20 29 35]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
psoriasis anxiety htn social history lives, score: 0.18576461
liver disease pt presented, score: 0.105055265
improved following pressors initiation and steroid, score:
0.030403296

confidence of prediction: 0.688170
Y_true: [1 2 20 35]
Y_pred: [1 20 29 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
given arf and hypotension her, score: 0.14004739
acute renal failure at the, score: 0.08806354
pressors initiation and steroid, score: 0.037977826

confidence of prediction: 0.643599
Y_true: [2 10]
Y_pred: [2]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
history dm2 diet controlled hba1c last, score: 0.10668949
diet controlled dm tobacco and etoh, score: 0.06725077
keppra dm management with pcp, score: 0.04533381

confidence of prediction: 0.842209
Y_true: [1 3 15 22 24 38]
Y_pred: [1 3 23 24 38]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
grip hypothyroidism continued 50mcg levothyroxine daily code full,
score: 0.17691332
history hypothyroidism hypercholesterolemia tias, score: 0.08277301
admission levothyroxine mcg plavix, score: 0.051854108

confidence of prediction: 0.744101
Y_true: [1 3 15 22 24 38]
Y_pred: [1 3 23 24 38]

top three important windows for true positive code 3 (272.0: Pure hypercholesterolemia)
history hypothyroidism hypercholesterolemia tias x last one, score: 0.022728637
secondary hypothyroidism hypercholesterolemia tias discharge condition stable, score: 0.014466971
cath coronary angiography of, score: 0.004195561

confidence of prediction: 0.999181
Y_true: [1 3 15 22 24 38]
Y_pred: [1 3 23 24 38]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
vessel cad rca wit, score: 0.37352198
stemi s p pci coronaries, score: 0.027466478
cea nstemi stemi secondary hypothyroidism, score: 0.02537332

confidence of prediction: 0.778252
Y_true: [1 3 15 22 24 38]
Y_pred: [1 3 23 24 38]
top three important windows for true positive code 38 (88.56: Coronary arteriography using two catheters)
cardiac catheterization left carotid, score: 0.35899416
cath coronary angiography of this, score: 0.10190317
vessel cad rca wit, score: 0.048885144

confidence of prediction: 0.873008
Y_true: [4 7 21 35 36]
Y_pred: [4 9 28 40 42 49]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
hyperlipidemia remote h o, score: 0.1144621
revascularization hypertension hyperlipidemia presenting with one, score: 0.058387168
revascularization hypertension hyperlipidemia presenting with upper, score: 0.058387168

confidence of prediction: 0.526054
Y_true: [11]
Y_pred: [11]
top three important windows for true positive code 11 (311: Depressive disorder, not elsewhere classified)
the hospital depression pt was continued on, score: 0.029720118
admission paroxetine mg po, score: 0.025267158
diabetes mellitus depression social history lives in, score: 0.014124038

confidence of prediction: 0.947649
Y_true: [1 4 8 16 26 27]
Y_pred: [1 4 11 20 26 30 49]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
simvastatin hypothyroid history of hypothyroid on levothyroxine tsh normal, score: 0.064240746

daily levothyroxine [UNK] qsunday levothyroxine 88mcg last name,
score: 0.019580347
on levothyroxine depression history of, score: 0.016206466

confidence of prediction: 0.978642
Y_true: [1 4 8 16 26 27]
Y_pred: [1 4 11 20 26 30 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
factors diabetes dyslipidemia hypertension cardiac history
paroxysmal, score: 0.049214534
simvastatin mg tablet sig, score: 0.004129591
qhs warfarin lantus 34u, score: 0.0023556093

confidence of prediction: 0.936373
Y_true: [1 4 8 16 26 27]
Y_pred: [1 4 11 20 26 30 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation atrial [UNK] atrial, score: 0.10036839
atrial fibrillation atrial flutter status, score: 0.07845601
arrhythmias have been managed, score: 0.0780609

confidence of prediction: 0.568041
Y_true: [3 20 29 34]
Y_pred: [3 20 29]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
stitle gerd hypercholesterolemia hypertension tinea versicolor
tinea, score: 0.09298115
above results htn sbps 140s monitored, score: 0.012296369
patient was discontinued from, score: 0.0030213213

confidence of prediction: 0.724085
Y_true: [3 20 29 34]
Y_pred: [3 20 29]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
above results htn sbps, score: 0.33201885
fumes cigarrette smoke dust, score: 0.2365926
cigarrette smoke [UNK] and, score: 0.06295777

confidence of prediction: 0.521886
Y_true: [3 20 29 34]
Y_pred: [3 20 29]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
community acquired pneumonia with ceftriaxone and, score: 0.2742624
asthma exacerbation pneumonia discharge condition, score: 0.02987207
[UNK] and car exhaust, score: 0.009096309

confidence of prediction: 0.801638
Y_true: [5 6 9 16 17 20 33 37 40 41 44]
Y_pred: [12 17 20 29 33 37 40 41 43 45]

top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
required aggressive repletion she had anemia, score: 0.090779856
nutritional deficiencies as well, score: 0.03031974
derangements requiring aggressive repletion grams of, score: 0.021069169

confidence of prediction: 0.885803
Y_true: [5 6 9 16 17 20 33 37 40 41 44]
Y_pred: [12 17 20 29 33 37 40 41 43 45]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
seizure disorder hypertension anxiety depression lmp, score: 0.10708681
had alcoholic steatohepatitis vs nash with, score: 0.04234769
bacteri many yeast none, score: 0.040308185

confidence of prediction: 0.650082
Y_true: [5 6 9 16 17 20 33 37 40 41 44]
Y_pred: [12 17 20 29 33 37 40 41 43 45]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
acute respiratory failure multifocal bacterial, score: 0.08304079
feeds and ppn while, score: 0.08010437
tube has withdrawn with, score: 0.048956517

confidence of prediction: 0.910186
Y_true: [5 6 9 16 17 20 33 37 40 41 44]
Y_pred: [12 17 20 29 33 37 40 41 43 45]
top three important windows for true positive code 37 (599.0: Urinary tract infection, site not specified)
leuks mod urine rbc, score: 0.20562376
urinary tract infection it is, score: 0.11673164
culture escherichia coli escherichia coli ampicillin, score: 0.106403306

confidence of prediction: 0.630850
Y_true: [5 6 9 16 17 20 33 37 40 41 44]
Y_pred: [12 17 20 29 33 37 40 41 43 45]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
that required intubation pneumonia and, score: 0.077450335
while intubated and her, score: 0.070405595
requiring intubation she developed a, score: 0.060149785

confidence of prediction: 0.842907
Y_true: [5 6 9 16 17 20 33 37 40 41 44]
Y_pred: [12 17 20 29 33 37 40 41 43 45]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
tube for feeds and when, score: 0.06603864
pyloric feeding tube has withdrawn, score: 0.06390755
given tube feeds and ppn, score: 0.05643652

confidence of prediction: 0.887629
Y_true: [0 6 9 10 12 17 29 33 35 37 40 41 43 46]
Y_pred: [17 29 40 41 43]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
l11 m4 e1 b0 [UNK] [UNK], score: 0.036392648
hd3 required central line placement and pressor, score: 0.034412406
he was again hypoxic, score: 0.026257427

confidence of prediction: 0.677457
Y_true: [0 6 9 10 12 17 29 33 35 37 40 41 43 46]
Y_pred: [17 29 40 41 43]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
of pneumonia below is, score: 0.2563643
hospital acquired pneumonia he was influenza, score: 0.05926085
suv max likely inflammatory, score: 0.019100344

confidence of prediction: 0.653235
Y_true: [0 6 9 10 12 17 29 33 35 37 40 41 43 46]
Y_pred: [17 29 40 41 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
patient was intubated and started on, score: 0.28989378
namepattern1 on bal poly, score: 0.028215118
stay paracentesis x2 in, score: 0.016389161

confidence of prediction: 0.899137
Y_true: [0 6 9 10 12 17 29 33 35 37 40 41 43 46]
Y_pred: [17 29 40 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
to tube feeds and iv d5w, score: 0.06321366
antibiotics tube feeds were stopped continue, score: 0.0393298
patchy ground glass opacities, score: 0.013568491

confidence of prediction: 0.520025
Y_true: [0 6 9 10 12 17 29 33 35 37 40 41 43 46]
Y_pred: [17 29 40 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
ardsnet ventilatory settings his antibiotics, score: 0.034328647
pending sm ab pending, score: 0.0334996
neg af culture pending, score: 0.032908704

confidence of prediction: 0.998126
Y_true: [14 17 24 26 27 38 39]
Y_pred: [6 24 26 27 29 31]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
mid lad occlusion that was revascularized, score: 0.09576111
descending artery history of, score: 0.03194703
decompensated heart failure due to, score: 0.00978769

confidence of prediction: 0.948772
Y_true: [14 17 24 26 27 38 39]
Y_pred: [6 24 26 27 29 31]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation with a ventricular, score: 0.1984589
afib with hr to, score: 0.1315129
afib with rvr now, score: 0.10873499

confidence of prediction: 0.962760
Y_true: [14 17 24 26 27 38 39]
Y_pred: [6 24 26 27 29 31]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure with evidence, score: 0.29312095
diastolic heart failure echocardiogram, score: 0.29216006
chf unknown ef on lasix, score: 0.07951498

confidence of prediction: 0.621559
Y_true: [16 33 40 42]
Y_pred: [28 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
and was intubated shortly on arrival to, score: 0.15566352
pca when tolerating oral intake, score: 0.043115344
her hospitalization endo the, score: 0.012194724

confidence of prediction: 0.592215
Y_true: [16 33 40 42]
Y_pred: [28 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
and was intubated shortly on arrival to, score: 0.048900593
pca when tolerating oral intake, score: 0.046742644
appropriately ttp at incision, score: 0.011700537

confidence of prediction: 0.893910
Y_true: [7 11 21 24 28 31 35 36]
Y_pred: [7 23 24 28 31]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
the black stools you, score: 0.27352524
of five endoclips with epi, score: 0.20839097
continued gi bleed the, score: 0.030842807

confidence of prediction: 0.554702
Y_true: [7 11 21 24 28 31 35 36]
Y_pred: [7 23 24 28 31]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lower extremity arteriogram egd x, score: 0.16783817
coronary artery disease discharge, score: 0.035731554

lad and circumflex coronaries on asa and, score: 0.030495696

confidence of prediction: 0.781137
Y_true: [7 11 21 24 28 31 35 36]
Y_pred: [7 23 24 28 31]
top three important windows for true positive code 28 (45.13: Other endoscopy of small intestine)
performed an endoscopy procedure, score: 0.09226059
x with endoclipping operations, score: 0.062271487
egd was performed active bleeding, score: 0.058191903

confidence of prediction: 0.707300
Y_true: [7 11 21 24 28 31 35 36]
Y_pred: [7 23 24 28 31]
top three important windows for true positive code 31 (507.0: Pneumonitis due to inhalation of food or vomitus)
for aspiration pneumonia and work up, score: 0.29412445
bursitis depression frontotemporal brain, score: 0.022718403
aspiration mycobacterial infection and the, score: 0.021825755

confidence of prediction: 0.965583
Y_true: [26 29 32]
Y_pred: [26]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation with rapid ventricular, score: 0.15509406
afib with rvr prior, score: 0.05794961
atrial fib w rvr and, score: 0.03521404

confidence of prediction: 0.855776
Y_true: [3 8 27 29 34 47 48]
Y_pred: [29 34 48]
top three important windows for true positive code 29 (486: Pneumonia, organism unspecified)
community acquired pna urine legionella antigen, score: 0.109779745
of pna and positive, score: 0.074271835
pneumonia right apical nodule, score: 0.04030392

confidence of prediction: 0.830202
Y_true: [3 8 27 29 34 47 48]
Y_pred: [29 34 48]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
were continued gerd she was continued on, score: 0.014192636
smokes the last years rare, score: 0.002058583
developed pulomonary edema at, score: 0.001849608

confidence of prediction: 0.875117
Y_true: [3 8 27 29 34 47 48]
Y_pred: [29 34 48]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
s p cabg in, score: 0.18329272
s p cabg in vessel multiple, score: 0.18329272

s p cabg and, score: 0.18329272

confidence of prediction: 0.580007
Y_true: [4 7 34 36 37 48]
Y_pred: [2 4 7 34 37 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
the floor hyperlipidemia continued statin gerd initially, score:
0.049435977
severe htn hyperlipidemia ldl chol tg, score: 0.028722005
cabg s p cath, score: 0.020976497

confidence of prediction: 0.772367
Y_true: [4 7 34 36 37 48]
Y_pred: [2 4 7 34 37 48]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia diverticulosis klebsiella urinary, score: 0.4877717
anemia and a klebsiella, score: 0.1093802
ischemia urinary tract infection, score: 0.040502995

confidence of prediction: 0.850954
Y_true: [4 7 34 36 37 48]
Y_pred: [2 4 7 34 37 48]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
continued statin gerd initially placed on pantoprazole, score:
0.07997416
hospital1 methazolamide mg tablet, score: 0.0073009324
chol tg ckd baseline, score: 0.006585839

confidence of prediction: 0.928238
Y_true: [4 7 34 36 37 48]
Y_pred: [2 4 7 34 37 48]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
klebsiella uti hematochezia patient, score: 0.111127354
ischemia urinary tract infection admission urine, score: 0.035792314
a urinary tract infection and were, score: 0.032478098

confidence of prediction: 0.870199
Y_true: [4 7 34 36 37 48]
Y_pred: [2 4 7 34 37 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg htn, score: 0.3094136
s p cabg dm, score: 0.3094136
p remote cabg aspirin, score: 0.033085518

confidence of prediction: 0.816345
Y_true: [4 37 41 46]
Y_pred: [4 17 20 37 40]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)

100mg hospital1 hld continued on zocor dementia, score: 0.09774156
htn hld dm2 tardive dyskinesia, score: 0.061531074
type ii hyperlipidemia tardive dyskinesias secondary, score:
0.05660406

confidence of prediction: 0.963225
Y_true: [4 37 41 46]
Y_pred: [4 17 20 37 40]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuks lg 20pm urine, score: 0.38547087
uti and subtheraputic depakote, score: 0.10994964
her uti was covered with, score: 0.059973966

confidence of prediction: 0.800966
Y_true: [4 11 14 21 23 24 36 38 47]
Y_pred: [4 11 15 24 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
factors dyslipidemia hypertension cardiac history cad, score:
0.10279011
infarction hypertension dyslipidemia left lower lateral, score:
0.069670625
avf rbbb hyperlipidemia the patient was, score: 0.028722612

confidence of prediction: 0.677972
Y_true: [4 11 14 21 23 24 36 38 47]
Y_pred: [4 11 15 24 38]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
medical history depression glaucoma benign prostatic hypertrophy,
score: 0.11549505
80mg daily depression home trazodone and citalopram were, score:
0.015424538
oral hospital1 omeprazole mg, score: 0.0067398218

confidence of prediction: 0.987736
Y_true: [4 11 14 21 23 24 36 38 47]
Y_pred: [4 11 15 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease with, score: 0.09859069
bare metal stent of, score: 0.06476591
metal [UNK] placement in, score: 0.031918973

confidence of prediction: 0.860588
Y_true: [4 11 14 21 23 24 36 38 47]
Y_pred: [4 11 15 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization with bare, score: 0.49746978
cath lab the patient was, score: 0.028281506
cath lab his cr, score: 0.026638063

confidence of prediction: 0.632156
Y_true: [3 7 20 26 27 28 30 35]
Y_pred: [3 7 11 26 27 28 35]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
education hypertension hypercholesterolemia h o stroke, score:
0.06827069
40mg q8h x3 she was also, score: 0.0015771519
off were unsuccessful you, score: 0.0015549225

confidence of prediction: 0.684743
Y_true: [3 7 20 26 27 28 30 35]
Y_pred: [3 7 11 26 27 28 35]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
egd which didnt show any, score: 0.07366233
was cauterized apc history of present illness, score: 0.054793164
of prbc were ordered, score: 0.029252881

confidence of prediction: 0.994518
Y_true: [3 7 20 26 27 28 30 35]
Y_pred: [3 7 11 26 27 28 35]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib off coumadin dchf, score: 0.32927835
afib in and is, score: 0.04133805
atrial fib with a slow, score: 0.02128761

confidence of prediction: 0.989193
Y_true: [3 7 20 26 27 28 30 35]
Y_pred: [3 7 11 26 27 28 35]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure tte in, score: 0.07545064
dchf cva dementia multifactorial, score: 0.02600459
diastolic chf wide open tr, score: 0.02317683

confidence of prediction: 0.734836
Y_true: [3 7 20 26 27 28 30 35]
Y_pred: [3 7 11 26 27 28 35]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
otherwise normal egd to, score: 0.25939804
alcohol povidone dropperette sig, score: 0.085531145
otherwise normal egd to, score: 0.044243418

confidence of prediction: 0.729314
Y_true: [3 7 20 26 27 28 30 35]
Y_pred: [3 7 11 26 27 28 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
and pre renal azotemia transiently in, score: 0.67051333
cauterized apc history of present illness, score: 0.0179472
occasional rvr depression continued home, score: 0.013033148

confidence of prediction: 0.962251
Y_true: [8 33]
Y_pred: [5 33 39]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
developed hypoxic respiratory failure and was, score: 0.033459347
profound hypoxia hypoxemia patient was, score: 0.03303233
of future intubation with his outpatient, score: 0.025535889

confidence of prediction: 0.637777
Y_true: [1 3 7 17 19 20 26 31 37 40 41 43 48]
Y_pred: [1 17 19 20 26 28 37 41 44 48]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
pvd hypothyroid anxiety cad, score: 0.5138316
x hypothyroidism anxiety anemia hypercholestrolemia, score: 0.23309657
qd synthroid mcg po qd zoloft, score: 0.024256784

confidence of prediction: 0.559812
Y_true: [1 3 7 17 19 20 26 31 37 40 41 43 48]
Y_pred: [1 17 19 20 26 28 37 41 44 48]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
vicu telemetry pod1 overnight, score: 0.06442345
condition comfort measures only, score: 0.03947046
placement [UNK] tube placement tunnelled, score: 0.038986154

confidence of prediction: 0.704840
Y_true: [1 3 7 17 19 20 26 31 37 40 41 43 48]
Y_pred: [1 17 19 20 26 28 37 41 44 48]
top three important windows for true positive code 19 (39.95: Hemodialysis)
trial off hemodialysis reapeat bedside swallowing, score: 0.081123255
temporary hd catheter placed placement, score: 0.03054901
failure requiring hemodialysis still in failure post, score: 0.025788594

confidence of prediction: 0.769564
Y_true: [1 3 7 17 19 20 26 31 37 40 41 43 48]
Y_pred: [1 17 19 20 26 28 37 41 44 48]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
uni iliac stent graft, score: 0.20503546
in hd controlled hr, score: 0.041213684
medical history htn cad s p cabg, score: 0.040958997

confidence of prediction: 0.974462
Y_true: [1 3 7 17 19 20 26 31 37 40 41 43 48]
Y_pred: [1 17 19 20 26 28 37 41 44 48]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)

afib psh cabg x last, score: 0.8345952
irregular plaque thrombus and, score: 0.0125238355
a fib dialysed at bedside, score: 0.0042255064

confidence of prediction: 0.522839
Y_true: [1 3 7 17 19 20 26 31 37 40 41 43 48]
Y_pred: [1 17 19 20 26 28 37 41 44 48]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
aaa uti treated dysphagia post, score: 0.20248249
extubated [UNK] dobhoff placed, score: 0.064772144
interstitial thickening and ground, score: 0.035803553

confidence of prediction: 0.867713
Y_true: [1 3 7 17 19 20 26 31 37 40 41 43 48]
Y_pred: [1 17 19 20 26 28 37 41 44 48]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
started tube feeds added cipro, score: 0.094722055
tube feeds advanced to, score: 0.087091565
started tube feeds and po, score: 0.034923848

confidence of prediction: 0.852148
Y_true: [1 3 7 17 19 20 26 31 37 40 41 43 48]
Y_pred: [1 17 19 20 26 28 37 41 44 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg x hypothyroidism, score: 0.44828656
s p cabg x last in, score: 0.44828656
sternotomy and cabg there, score: 0.028510306

confidence of prediction: 0.861231
Y_true: [1 5 11 17 20 26 34 48]
Y_pred: [1 4 5 17 20 26 34 48]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
kidney hypothyroidism mild dementia social, score: 0.39220375
hyponatremia hypothyroidism depression surgical wound, score:
0.23991923
remeron levothyroxine was started in, score: 0.09094145

confidence of prediction: 0.978936
Y_true: [1 5 11 17 20 26 34 48]
Y_pred: [1 4 5 17 20 26 34 48]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
to have hyponatremia and hypokalemia hyponatremia na on admission
from, score: 0.32348838
diagnosis primary hyponatremia hypothyroidism, score: 0.19474176
antibiotics regarding hyponatremia follow up patient s, score:
0.023651037

confidence of prediction: 0.727909
Y_true: [1 5 11 17 20 26 34 48]

Y_pred: [1 4 5 17 20 26 34 48]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
consult and picc placement for iv antibiotics, score: 0.06977391
a picc line was placed in, score: 0.027219065
gastroesophageal reflux s p, score: 0.024315264

confidence of prediction: 0.812030
Y_true: [1 5 11 17 20 26 34 48]
Y_pred: [1 4 5 17 20 26 34 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
consult was called to, score: 0.15111054
to diag hypertension hyperlipidemia h o, score: 0.116828375
un epic supra porcine aortic, score: 0.05779048

confidence of prediction: 0.971189
Y_true: [1 5 11 17 20 26 34 48]
Y_pred: [1 4 5 17 20 26 34 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib amiodarone appears to have, score: 0.23675485
amiodarone after four weeks, score: 0.018922511
refusing to eat for, score: 0.006424341

confidence of prediction: 0.755209
Y_true: [1 5 11 17 20 26 34 48]
Y_pred: [1 4 5 17 20 26 34 48]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
therapy gastroesophageal reflux s p splenectomy, score: 0.05690135
line was placed in, score: 0.008128196
albumin uric acid 30pm, score: 0.0059878626

confidence of prediction: 0.727569
Y_true: [1 5 11 17 20 26 34 48]
Y_pred: [1 4 5 17 20 26 34 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg lima to lad, score: 0.32329226
admission for cabg avr, score: 0.11369565
avr and cabg on, score: 0.056349754

confidence of prediction: 0.862727
Y_true: [5 8 17 37]
Y_pred: [6 35 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuk sm 20am urine rbc, score: 0.32432103
presumed uti with [UNK] prior, score: 0.16477424
leuk mod 56pm urine, score: 0.054976016

confidence of prediction: 0.559377
Y_true: [6 20 27 33 37 40 42]

Y_pred: [7 20 27 33 37 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension continued home blood, score: 0.09653862
of dmii htn asthma osa dchf peripheral, score: 0.0863241
with dmii htn asthma osa dchf, score: 0.082655385

confidence of prediction: 0.979384
Y_true: [6 20 27 33 37 40 42]
Y_pred: [7 20 27 33 37 40 42]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure she was, score: 0.6552384
diastolic congestive heart failure diabetes mellitus, score:
0.07155758
diuresed with lasix she, score: 0.007974231

confidence of prediction: 0.955486
Y_true: [6 20 27 33 37 40 42]
Y_pred: [7 20 27 33 37 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypercarbic respiratory failure acute on, score: 0.17507151
hypercarbic respiratory failure major surgical, score: 0.15595491
and respiratory failure hypercarbic respiratory failure with, score:
0.1185757

confidence of prediction: 0.856930
Y_true: [6 20 27 33 37 40 42]
Y_pred: [7 20 27 33 37 40 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection discharge condition, score: 0.21853344
a urinary tract infection these are, score: 0.0819501
weights uti she had a positive, score: 0.043697827

confidence of prediction: 0.778304
Y_true: [6 20 27 33 37 40 42]
Y_pred: [7 20 27 33 37 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
intubation and ventilation history of, score: 0.43701172
hospitalization neuro intubated ventilated and, score: 0.15950726
to command moving limbs normal, score: 0.062244684

confidence of prediction: 0.691634
Y_true: [6 20 27 33 37 40 42]
Y_pred: [7 20 27 33 37 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
intubation and ventilation history of, score: 0.5042069
to command moving limbs normal, score: 0.11280996
requiring intubation she was, score: 0.050297234

confidence of prediction: 0.875366
Y_true: [1 4 8 20 29 32 33 40 42 44]
Y_pred: [1 4 20 29 33 37 40 42]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
of hypothyroidism hypertension dlbcl in, score: 0.22964571
hypertension hypothyroidism hyperlipidemia osteoporosis, score:
0.22124016
lad hypothyroidism hypertension and, score: 0.09230458

confidence of prediction: 0.788628
Y_true: [1 4 8 20 29 32 33 40 42 44]
Y_pred: [1 4 20 29 33 37 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension hypothyroidism hyperlipidemia osteoporosis based on
compression, score: 0.13744019
hypertension dlbcl in remission and, score: 0.009859669
lad hypothyroidism hypertension and recent discharges, score:
0.008835447

confidence of prediction: 0.912680
Y_true: [1 4 8 20 29 32 33 40 42 44]
Y_pred: [1 4 20 29 33 37 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
wwii was taking to, score: 0.0811003
lad in hypertension hypothyroidism hyperlipidemia osteoporosis
based, score: 0.06536765
hypertension she has a, score: 0.06313996

confidence of prediction: 0.687195
Y_true: [1 4 8 20 29 32 33 40 42 44]
Y_pred: [1 4 20 29 33 37 40 42]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
hospital acquired pneumonia secondary hypertension, score: 0.1687339
vanc finished vanc course, score: 0.035361636
she was empirically treated, score: 0.02958358

confidence of prediction: 0.846705
Y_true: [1 4 8 20 29 32 33 40 42 44]
Y_pred: [1 4 20 29 33 37 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
primary hypoxic respiratory failure hospital acquired pneumonia
secondary hypertension, score: 0.08133552
intubated for two bronchoscopies, score: 0.020494351
hypoxia pseudomonal pneumonia on presentation, score: 0.015133546

confidence of prediction: 0.858845
Y_true: [1 4 8 20 29 32 33 40 42 44]
Y_pred: [1 4 20 29 33 37 40 42]

top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
being intubated for two bronchoscopies, score: 0.14008617
and intubation history of, score: 0.018103248
name for intubation bronch times, score: 0.0030924326

confidence of prediction: 0.581645
Y_true: [1 4 8 20 29 32 33 40 42 44]
Y_pred: [1 4 20 29 33 37 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
for intubation bronch times, score: 0.55558765
being intubated for two bronchoscopies, score: 0.14175223
and intubation history of, score: 0.049159076

confidence of prediction: 0.939245
Y_true: [4 14 22 24 27 34 35 38]
Y_pred: [4 5 20 22 24 27 34 35 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
factors dyslipidemia hypertension cardiac history 3v, score:
0.065666094
hypertension hyperlipidemia who presents with chest, score:
0.0330564
hypertension hyperlipidemia peripheral vascular disease, score:
0.032333925

confidence of prediction: 0.645170
Y_true: [4 14 22 24 27 34 35 38]
Y_pred: [4 5 20 22 24 27 34 35 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
non st elevation myocardial infarction hypertensive urgency, score:
0.016200347
to have nstemi then with st elevations, score: 0.014116071
indx ctropnt 45pm ck, score: 0.008520504

confidence of prediction: 0.964750
Y_true: [4 14 22 24 27 34 35 38]
Y_pred: [4 5 20 22 24 27 34 35 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease the, score: 0.057742342
coronary artery disease patent, score: 0.057742342
coronary artery disease ef, score: 0.057742342

confidence of prediction: 0.903077
Y_true: [4 14 22 24 27 34 35 38]
Y_pred: [4 5 20 22 24 27 34 35 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic congestive heart failure secondary diagnosis hypertension,
score: 0.32254425

diastolic dysfunction moderate systemic, score: 0.01935677
history 3v cabg in, score: 0.016855218

confidence of prediction: 0.514798
Y_true: [4 14 22 24 27 34 35 38]
Y_pred: [4 5 20 22 24 27 34 35 38]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
stenosis diverticulitis gerd claustrophobia etoh patient drinks,
score: 0.03558651
renal artery stensosis in accessory, score: 0.03463539
bruit on l side, score: 0.03318472

confidence of prediction: 0.886604
Y_true: [4 14 22 24 27 34 35 38]
Y_pred: [4 5 20 22 24 27 34 35 38]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
renal insufficiency creatinine peaked, score: 0.06206137
secondary to arf patient was, score: 0.05174232
acute renal failure hyponatremia left, score: 0.048651747

confidence of prediction: 0.748495
Y_true: [4 14 22 24 27 34 35 38]
Y_pred: [4 5 20 22 24 27 34 35 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
c catheterization history of present, score: 0.17140892
selective coronary angiography of this, score: 0.14062396
comments selective coronary angiography of this, score: 0.09220127

confidence of prediction: 0.888817
Y_true: [1 4 10 20 26 49]
Y_pred: [4 20 26 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
factors hypertension hyperlipidemia cardiac history cabg none,
score: 0.3584303
copd hypertension hyperlipidemia pvd carotid, score: 0.08190149
copd hypertension hyperlipidemia pvd s p, score: 0.06637452

confidence of prediction: 0.993416
Y_true: [1 4 10 20 26 49]
Y_pred: [4 20 26 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
for copd hypertension hyperlipidemia pvd carotid artery, score:
0.06958616
with pfts htn continued on home regimen, score: 0.055252604
of copd hypertension hyperlipidemia pvd s p, score: 0.053274788

confidence of prediction: 0.961296
Y_true: [1 4 10 20 26 49]
Y_pred: [4 20 26 34]

top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation current smoking pack, score: 0.16809225
a fib coumadin was held pre, score: 0.08452495
irregularly irregular rate pmi located, score: 0.064945035

confidence of prediction: 0.901524
Y_true: [3 15 24 35 38]
Y_pred: [3 24 38]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
cardiac history former cath and stent lcx cabg, score: 0.030310687
provide support hypercholesterolemia total cholesterol was
previously, score: 0.013208172
integrillin ivfs 2l asa, score: 0.007326944

confidence of prediction: 0.967418
Y_true: [3 15 24 35 38]
Y_pred: [3 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease status, score: 0.09474402
bare metal stent in, score: 0.061185833
coronary artery disease st, score: 0.04654573

confidence of prediction: 0.806763
Y_true: [3 15 24 35 38]
Y_pred: [3 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
comments coronary angiography in, score: 0.18242678
left heart catheterization drug eluting, score: 0.1391932
vessel stenosis the lcx, score: 0.086475104

confidence of prediction: 0.596125
Y_true: [17 27 28 48]
Y_pred: [7 17 27 28 30 48]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
a femoral cordis was placed the, score: 0.05691094
and revealed nonbleeding diverticulosis of the, score: 0.04509336
volume repletion his respiratory, score: 0.022490218

confidence of prediction: 0.946932
Y_true: [17 27 28 48]
Y_pred: [7 17 27 28 30 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cabg copd chf carcinoid tumor s, score: 0.09928073
congestive heart failure decubitus ulcer discharge, score:
0.04939445
yourself every morning name8, score: 0.006928774

confidence of prediction: 0.656024

Y_true: [17 27 28 48]
Y_pred: [7 17 27 28 30 48]
top three important windows for true positive code 28 (45.13: Other endoscopy of small intestine)
the esophagogastroduodenoscopy revealed angioectasia in your, score: 0.077317685
were performed and revealed, score: 0.05826087
otherwise normal egd to, score: 0.051703386

confidence of prediction: 0.805868
Y_true: [17 27 28 48]
Y_pred: [7 17 27 28 30 48]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
s p cabg the patient s, score: 0.4618714
from vein harvest neuro, score: 0.031808943
from vein harvest right, score: 0.031808943

confidence of prediction: 0.641709
Y_true: [10 42]
Y_pred: [42]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
to command intubated restless responding to, score: 0.25559425
attempted intubation in the, score: 0.094504334
and intubated you were, score: 0.07155583

confidence of prediction: 0.932537
Y_true: [20 24 27 29 35]
Y_pred: [4 23 24 27 29 30 34 35]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
s p stents acute, score: 0.7571954
s p mi s, score: 0.031033227
w cad lcx [UNK], score: 0.027890855

confidence of prediction: 0.990292
Y_true: [20 24 27 29 35]
Y_pred: [4 23 24 27 29 30 34 35]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
congestive heart failure leukocytosis thrombocytosis, score: 0.039725017
chf and reported copd who, score: 0.016854785
cad and reported copd, score: 0.008826695

confidence of prediction: 0.749464
Y_true: [20 24 27 29 35]
Y_pred: [4 23 24 27 29 30 34 35]
top three important windows for true positive code 29 (486: Pneumonia, organism unspecified)
community acquired pneumonia secondary degenerative joint, score: 0.07128035

and pneumonia you were, score: 0.028984373
to be pna and received, score: 0.019067233

confidence of prediction: 0.500673
Y_true: [20 24 27 29 35]
Y_pred: [4 23 24 27 29 30 34 35]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
acute renal failure discharge condition, score: 0.08514715
arf on admission she, score: 0.056693792
focus on symptom management, score: 0.045132823

confidence of prediction: 0.911479
Y_true: [2 8 20 23 24 30 37 44]
Y_pred: [2 20 23 24 37 40 42]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
glucophage xr mg po, score: 0.121450976
lasix dm2 during his hospitalization, score: 0.081785165
htn dm2 copd home o2, score: 0.08067221

confidence of prediction: 0.973177
Y_true: [2 8 20 23 24 30 37 44]
Y_pred: [2 20 23 24 37 40 42]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
mi stent hypertension dm2 copd home o2, score: 0.14046177
mi stent htn dm2 copd home o2, score: 0.1003695
dirbili indbili 28pm blood, score: 0.011770157

confidence of prediction: 0.712655
Y_true: [2 8 20 23 24 30 37 44]
Y_pred: [2 20 23 24 37 40 42]
top three important windows for true positive code 23 (412: Old myocardial infarction)
s p mi and stent placement while, score: 0.31093618
s p mi stent htn dm2 copd, score: 0.31093618
medical history cad s p mi stent hypertension dm2 copd, score: 0.0017656485

confidence of prediction: 0.874693
Y_true: [2 8 20 23 24 30 37 44]
Y_pred: [2 20 23 24 37 40 42]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
s p mi and stent placement while, score: 0.16425811
s p mi stent htn, score: 0.16425811
his advair was continued, score: 0.022157153

confidence of prediction: 0.509486
Y_true: [2 8 20 23 24 30 37 44]
Y_pred: [2 20 23 24 37 40 42]
top three important windows for true positive code 37 (599.0:

Urinary tract infection, site not specified)
and enterococcus uti positive for enterococcus secondary, score:
0.21209903
placed successfully sphincterotomy stent placement otherwise, score:
0.06098654
enterococcus in urine he, score: 0.01655904

confidence of prediction: 0.966287
Y_true: [0 11 26 33 37 40 42 49]
Y_pred: [17 26 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
irregularly irregular no murmurs gallops, score: 0.34038478
atrial fibrillation shoulder pain discharge, score: 0.060704835
atrial fibrillation rate on coumadin, score: 0.018455913

confidence of prediction: 0.622479
Y_true: [0 11 26 33 37 40 42 49]
Y_pred: [17 26 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection bacterial pan, score: 0.30727017
culture yeast organisms ml, score: 0.054049592
by uti and acute shoulder, score: 0.050293952

confidence of prediction: 0.535310
Y_true: [2 4 20 23 24 30 34 49]
Y_pred: [2 4 20 21 23 24 30 34 36]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
units qam nph units qpm insulin, score: 0.10110778
gerd dm requires insulin sacral, score: 0.069661535
gerd diabetes mellitus chronic low, score: 0.050446555

confidence of prediction: 0.507196
Y_true: [2 4 20 23 24 30 34 49]
Y_pred: [2 4 20 21 23 24 30 34 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
retardation hypertension hyperlipidemia bipolar disorder anxiety,
score: 0.07639802
depression copd gerd dm requires, score: 0.0198962
depression copd gerd diabetes mellitus, score: 0.0198962

confidence of prediction: 0.873028
Y_true: [2 4 20 23 24 30 34 49]
Y_pred: [2 4 20 21 23 24 30 34 36]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
ss lidoderm patch ferrous, score: 0.060904063
[UNK] hypertension dm2 who presented with, score: 0.052742925
hyperlipidemia bipolar disorder anxiety, score: 0.042046413

confidence of prediction: 0.653091
Y_true: [2 4 20 23 24 30 34 49]
Y_pred: [2 4 20 21 23 24 30 34 36]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
status post myocardial infarction mild, score: 0.014909725
medical history cad prior mi c diff gib resp, score: 0.0045752684
bipolar disorder anxiety depression, score: 0.0032511945

confidence of prediction: 0.768497
Y_true: [2 4 20 23 24 30 34 49]
Y_pred: [2 4 20 21 23 24 30 34 36]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease status post myocardial infarction, score:
0.14599252
cad prior mi c diff gib resp, score: 0.08386263
bipolar disorder anxiety depression, score: 0.03927185

confidence of prediction: 0.671586
Y_true: [2 4 20 23 24 30 34 49]
Y_pred: [2 4 20 21 23 24 30 34 36]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
on transfer copd while the patient was, score: 0.3266669
anxiety depression copd gerd, score: 0.2862042
regurgitation brief hospital course, score: 0.0018615013

confidence of prediction: 0.607097
Y_true: [2 4 20 23 24 30 34 49]
Y_pred: [2 4 20 21 23 24 30 34 36]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
lidoderm patch ferrous sulfate, score: 0.00885422
depression copd gerd dm requires insulin sacral, score: 0.006332036
depression copd gerd diabetes mellitus chronic low, score:
0.006332036

confidence of prediction: 0.848676
Y_true: [6 7 17 20 28]
Y_pred: [7 20 28]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
and had endoscopy on, score: 0.22934538
anemia secondary diagnosis hepatitis, score: 0.16041233
was hypothermic 34c upon, score: 0.056450684

confidence of prediction: 0.802226
Y_true: [6 7 17 20 28]
Y_pred: [7 20 28]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
heart disease hypertension or, score: 0.43272814
medical history hypertension hepatitis c aortic, score: 0.067652985

history of hypertension and, score: 0.059526745

confidence of prediction: 0.718766
Y_true: [6 7 17 20 28]
Y_pred: [7 20 28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.45619676
and had endoscopy on which revealed varices, score: 0.17965712
tract the gastroenterology doctors, score: 0.08318741

confidence of prediction: 0.639732
Y_true: [2 8 17 20 26 27 37 40 43 44 48]
Y_pred: [20 24 26 31 41 44]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
xanax prn amitriptyline amlodipine, score: 0.12657738
cva x3 iddm2 nephrolithiasis psh cabgx3 yrs, score: 0.078651205
coreg pletal fluoxetine folic, score: 0.07516426

confidence of prediction: 0.929301
Y_true: [2 8 17 20 26 27 37 40 43 44 48]
Y_pred: [20 24 26 31 41 44]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib again with rvr and, score: 0.5102257
afib w rvr overnight, score: 0.27489617
afib w rvr with, score: 0.07166105

confidence of prediction: 0.682507
Y_true: [2 8 17 20 26 27 37 40 43 44 48]
Y_pred: [20 24 26 31 41 44]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
pt was transfused units prbcs during transfusion o2 sats, score:
0.016899107
began spiking temps pan cx, score: 0.014741435
volume loss widespread emphysema, score: 0.010284195

confidence of prediction: 0.706558
Y_true: [1 4 8 17 20 24]
Y_pred: [1 3 4 5 20 24 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
home levothyroxine hypercholesterolemia stable continued, score:
0.3179251
stay hypothyroidism tsh was, score: 0.16870292
daily levothyroxine mcg tablet sig, score: 0.036212817

confidence of prediction: 0.842338
Y_true: [1 4 8 17 20 24]
Y_pred: [1 3 4 5 20 24 37]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)

pci htn hyperlipidemia breast cancer s p, score: 0.09534998
mg daily valsartan mg, score: 0.036411367
valsartan mg tablet sig, score: 0.021640858

confidence of prediction: 0.978121
Y_true: [1 4 8 17 20 24]
Y_pred: [1 3 4 5 20 24 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
p pci htn hyperlipidemia breast cancer s, score: 0.19265373
htn pt presented with, score: 0.089367
roto pda hypertension hypercholesterolemia, score: 0.04360811

confidence of prediction: 0.935384
Y_true: [1 4 8 17 20 24]
Y_pred: [1 3 4 5 20 24 37]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p pci htn, score: 0.25431466
s p multiple pcis, score: 0.07742117
mg isosorbide dinitrate mg, score: 0.006379336

confidence of prediction: 0.960432
Y_true: [1 2 3 8 21 22 27 35 36]
Y_pred: [1 2 3 4 22 27 35]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
gout hypothyroidism anxiety social, score: 0.07156015
secondary hypothyroidism diabetes hyperlipidemia discharge, score:
0.070455454
80mg hypothyroidism continued levothyroxine 75mcg daily gout, score:
0.052372016

confidence of prediction: 0.530137
Y_true: [1 2 3 8 21 22 27 35 36]
Y_pred: [1 2 3 4 22 27 35]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
restarting oral diabetes medications you need, score: 0.11941234
artery upper pole and, score: 0.024195163
s colchicine metformin and dyazide were, score: 0.023008117

confidence of prediction: 0.597607
Y_true: [1 2 3 8 21 22 27 35 36]
Y_pred: [1 2 3 4 22 27 35]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
htn dm hypercholesterolemia originally presented to, score:
0.33611307
for her hypercholesterolemia a lipid panel, score: 0.017692888
metformin mg daily trazodone, score: 0.009395801

confidence of prediction: 0.718528

Y_true: [1 2 3 8 21 22 27 35 36]
Y_pred: [1 2 3 4 22 27 35]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
indx ctropnt 16pm blood, score: 0.115457736
coronaries nstemi the patient had, score: 0.06510156
s nstemi an echocardiogram, score: 0.027460491

confidence of prediction: 0.778031
Y_true: [1 2 3 8 21 22 27 35 36]
Y_pred: [1 2 3 4 22 27 35]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
probnp numeric identifier 14am blood, score: 0.09086584
systolic heart failure anemia secondary hypothyroidism, score:
0.06743187
congestive heart failure likely secondary to, score: 0.066706896

confidence of prediction: 0.864777
Y_true: [1 2 3 8 21 22 27 35 36]
Y_pred: [1 2 3 4 22 27 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
her renal failure was, score: 0.40701905
a pre renal state urine microscopy, score: 0.067455724
on chronic renal failure acute systolic, score: 0.06442455

confidence of prediction: 0.703907
Y_true: [1 11 14 16 24 26 31 35 38 43]
Y_pred: [1 3 14 17 24 26 31 35 38 42 43]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
of hypothyroidism depression he has, score: 0.35671583
admission levothyroxine mcg daily celexa, score: 0.09374891
levothyroxine mcg daily celexa mg, score: 0.07617505

confidence of prediction: 0.559721
Y_true: [1 11 14 16 24 26 31 35 38 43]
Y_pred: [1 3 14 17 24 26 31 35 38 42 43]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catheterization arctic sun cooling, score: 0.17487979
catheterization comments coronary angiography in this, score:
0.093949385
cardiac catheterization at this point, score: 0.009260584

confidence of prediction: 0.960380
Y_true: [1 11 14 16 24 26 31 35 38 43]
Y_pred: [1 3 14 17 24 26 31 35 38 42 43]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease with occlusion of, score: 0.11036937
coronary artery disease successful, score: 0.11036937
w cad pda distribution, score: 0.084005676

confidence of prediction: 0.966016
Y_true: [1 11 14 16 24 26 31 35 38 43]
Y_pred: [1 3 14 17 24 26 31 35 38 42 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib s p vfib, score: 0.21213934
atrial fibrillation after this he, score: 0.042769726
atrial fibrillation with rbbb st, score: 0.026390556

confidence of prediction: 0.924708
Y_true: [1 11 14 16 24 26 31 35 38 43]
Y_pred: [1 3 14 17 24 26 31 35 38 42 43]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
outpatient aspiration acquired pna the, score: 0.12264684
video eeg study because, score: 0.109328
an aspiration event prior to, score: 0.09274336

confidence of prediction: 0.699159
Y_true: [1 11 14 16 24 26 31 35 38 43]
Y_pred: [1 3 14 17 24 26 31 35 38 42 43]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure while cooled, score: 0.23044893
he was diuresised with lasix drip, score: 0.012661866
threat pupils equal round and, score: 0.010954045

confidence of prediction: 0.810079
Y_true: [1 11 14 16 24 26 31 35 38 43]
Y_pred: [1 3 14 17 24 26 31 35 38 42 43]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization arctic sun cooling, score: 0.3609875
catheterization comments coronary angiography in this, score:
0.06579986
cardiac catheterization at this point, score: 0.013652425

confidence of prediction: 0.750811
Y_true: [1 11 14 16 24 26 31 35 38 43]
Y_pred: [1 3 14 17 24 26 31 35 38 42 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
protocol and rewarmed patient, score: 0.15129526
sputum culture grew out methicillin, score: 0.060390167
sputum culture grew out mssa, score: 0.060390167

confidence of prediction: 0.827921
Y_true: [10 23 33 34 40 42]
Y_pred: [34 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
daily for gerd you were started, score: 0.05816643

bipolar disorder gerd discharge condition mental, score: 0.044934876
eventually underwent rapid sequence intubation, score: 0.011501748

confidence of prediction: 0.689771
Y_true: [10 23 33 34 40 42]
Y_pred: [34 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
sequence intubation for airway protection and, score: 0.23409103
he was intubated due to, score: 0.13329229
general sedated intubated no acute, score: 0.13110495

confidence of prediction: 0.803304
Y_true: [10 23 33 34 40 42]
Y_pred: [34 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
sequence intubation for airway protection, score: 0.19219948
and mechanical ventilation history, score: 0.06882722
general sedated intubated no acute, score: 0.028757608

confidence of prediction: 0.507004
Y_true: [2 4 7 10 20 34]
Y_pred: [1 4 7 10 20 34 37]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
on medication hyperlipidemia htn hypothyroidism gerd past, score:
0.13867886
rosuvastatin mg tablet sig, score: 0.036994115
crestor compazine metoprolol tid, score: 0.014485631

confidence of prediction: 0.856718
Y_true: [2 4 7 10 20 34]
Y_pred: [1 4 7 10 20 34 37]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
moderate bright red blood, score: 0.15580511
she was transfused 2units of, score: 0.05326106
of prbc on for, score: 0.052790564

confidence of prediction: 0.536092
Y_true: [2 4 7 10 20 34]
Y_pred: [1 4 7 10 20 34 37]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
she smokes cigarettes per day and, score: 0.056353513
discharge medications rosuvastatin mg, score: 0.000851571
surgery service after undergoing, score: 0.0006216614

confidence of prediction: 0.937224
Y_true: [2 4 7 10 20 34]
Y_pred: [1 4 7 10 20 34 37]
top three important windows for true positive code 20 (401.9:

Unspecified essential hypertension)
medication hyperlipidemia htn hypothyroidism gerd past surgical,
score: 0.15255134
enterotomies with component separation, score: 0.062331762
colic fistula otherwise nml, score: 0.059375323

confidence of prediction: 0.740522
Y_true: [2 4 7 10 20 34]
Y_pred: [1 4 7 10 20 34 37]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
htn hypothyroidism gerd past surgical history exlap, score:
0.05118274
enter the ileocecal valve, score: 0.0073990216
diabetes colon cancer physical, score: 0.006704397

confidence of prediction: 0.560139
Y_true: [4 24]
Y_pred: [1 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease she has, score: 0.22442032
coronary artery disease factor leiden, score: 0.21265802
coronary artery disease hematocrit, score: 0.05218068

confidence of prediction: 0.950964
Y_true: [8 12 16 29 33 36 40 42]
Y_pred: [12 29 36 40]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
sputum and bal fungal cx bal cx and blood cultures, score: 0.0360368
intubation flexible bronchoscopy history of, score: 0.011788491
a bronchoscopy which took samples of, score: 0.010592546

confidence of prediction: 0.730977
Y_true: [8 12 16 29 33 36 40 42]
Y_pred: [12 29 36 40]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
community acquired pneumonia secondary diagnosis hiv, score:
0.12805602
and patchy consolidative opacities atypical pneumonia acuity, score:
0.047328558
antibody igg test 00pm, score: 0.013133193

confidence of prediction: 0.819492
Y_true: [8 12 16 29 33 36 40 42]
Y_pred: [12 29 36 40]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal insufficiency creatinine at baseline thought, score:
0.026643742
cd4 vl burkitt s, score: 0.013570294
anxiety anal herpes low, score: 0.00911601

confidence of prediction: 0.730816
Y_true: [8 12 16 29 33 36 40 42]
Y_pred: [12 29 36 40]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
intubation flexible bronchoscopy history, score: 0.22634734
sputum and bal fungal, score: 0.19851243
he was intubated for broncoscopy, score: 0.03588956

confidence of prediction: 0.574287
Y_true: [2 12 26 29 41 43 45 48]
Y_pred: [12 17 26 33 40 41 42 43 45 48]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
for hypoxic respiratory failure, score: 0.085490435
and extubation bronchoscopy history of, score: 0.08003017
underwent bronchoscopy to obtain, score: 0.07993988

confidence of prediction: 0.849121
Y_true: [2 12 26 29 41 43 45 48]
Y_pred: [12 17 26 33 40 41 42 43 45 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib for the remainder, score: 0.30095875
atrial fibrillation on admission he, score: 0.19595678
infiltrate with cough and, score: 0.0069922637

confidence of prediction: 0.586199
Y_true: [2 12 26 29 41 43 45 48]
Y_pred: [12 17 26 33 40 41 42 43 45 48]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
on tube feeds he was kept, score: 0.07648936
monitor bps and restart, score: 0.03228785
for hypoxic respiratory failure, score: 0.02504846

confidence of prediction: 0.512760
Y_true: [2 12 26 29 41 43 45 48]
Y_pred: [12 17 26 33 40 41 42 43 45 48]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
for hypoxic respiratory failure, score: 0.0637114
cxr widespread ground glass opacification of, score: 0.049449224
monitor bps and restart amlodipine, score: 0.042836387

confidence of prediction: 0.962365
Y_true: [2 12 26 29 41 43 45 48]
Y_pred: [12 17 26 33 40 41 42 43 45 48]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
started on tpn since his pod up, score: 0.005974526
was given tpn and was eventually restarted, score: 0.0012000419

or salt overload multifocal, score: 0.00040269422

confidence of prediction: 0.854550
Y_true: [2 12 26 29 41 43 45 48]
Y_pred: [12 17 26 33 40 41 42 43 45 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg x t2dm bladder, score: 0.3731307
s p cabg he, score: 0.3731307
with cad cabg x t2dm bladder, score: 0.21641019

confidence of prediction: 0.852915
Y_true: [4 15 20 24 27 29 30 38]
Y_pred: [4 20 24 27 30 31 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
chemo xrt hyperlipidemia uterine fibroids laryngeal, score:
0.6769879
squamous cell lung carcinoma, score: 0.007253844
rosuvastatin mg tablet sig, score: 0.007229816

confidence of prediction: 0.735348
Y_true: [4 15 20 24 27 29 30 38]
Y_pred: [4 20 24 27 30 31 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
to lad htn severe copd on 2l, score: 0.21280764
pulmonary artery hypertension diastolic, score: 0.0768515
pulmonary artery hypertension with pa mm, score: 0.051130533

confidence of prediction: 0.976961
Y_true: [4 15 20 24 27 29 30 38]
Y_pred: [4 20 24 27 30 31 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p des to, score: 0.23112571
coronary artery disease the, score: 0.049807332
coronary artery disease pulmonary, score: 0.049807332

confidence of prediction: 0.939451
Y_true: [4 15 20 24 27 29 30 38]
Y_pred: [4 20 24 27 30 31 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure patient has, score: 0.022616837
diastolic congestive heart failure ef it is, score: 0.020820135
diastolic congestive heart failure coronary artery, score:
0.020820135

confidence of prediction: 0.510104
Y_true: [4 15 20 24 27 29 30 38]
Y_pred: [4 20 24 27 30 31 38]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)

obstructive pulmonary disease laryngeal, score: 0.16617966
severe copd on 2l home o2, score: 0.08167593
s severe copd patient is on 2l, score: 0.03820849

confidence of prediction: 0.813651
Y_true: [4 15 20 24 27 29 30 38]
Y_pred: [4 20 24 27 30 31 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization history of present, score: 0.52627194
selective coronary angiography of this, score: 0.13609372
cardiac cath study date, score: 0.036606956

confidence of prediction: 0.514132
Y_true: [3 5 11 20]
Y_pred: [0 2 3 4 5 17 20 46]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
ii hypertension hypercholesterolemia psh appendectomy social, score:
0.5595039
for dmii htn [UNK] who, score: 0.009906657
for dmii htn hyperlipidemia, score: 0.009906657

confidence of prediction: 0.980189
Y_true: [3 5 11 20]
Y_pred: [0 2 3 4 5 17 20 46]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
chronic inflammation hyponatremia corrected sodium is on, score:
0.30649439
broad spectrum antibioitcs coverage with vanc cipro, score:
0.014457233
noted the development of, score: 0.0022473957

confidence of prediction: 0.923097
Y_true: [3 5 11 20]
Y_pred: [0 2 3 4 5 17 20 46]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
for dmii htn [UNK] who presents, score: 0.08440236
for dmii htn hyperlipidemia who presents to, score: 0.08440236
type ii hypertension hypercholesterolemia psh appendectomy social,
score: 0.06898313

confidence of prediction: 0.862620
Y_true: [6 9 16 17 20 28 33 40 42 44]
Y_pred: [7 17 28 40 42 44]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line was placed in, score: 0.16433544
of ffp ocreotide gtt, score: 0.1503531
line care picc line care per routine, score: 0.11237376

confidence of prediction: 0.747744

Y_true: [6 9 16 17 20 28 33 40 42 44]
Y_pred: [7 17 28 40 42 44]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
history of present illness, score: 0.28674158
did demonstrated esophageal varices, score: 0.06963109
endoscopy showed multiple blood, score: 0.02721846

confidence of prediction: 0.877118
Y_true: [6 9 16 17 20 28 33 40 42 44]
Y_pred: [7 17 28 40 42 44]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was electively intubated for airway protection endoscopy, score:
0.53991723
he was intubated he received, score: 0.05265851
arrest cpr initiated state, score: 0.038455456

confidence of prediction: 0.681362
Y_true: [6 9 16 17 20 28 33 40 42 44]
Y_pred: [7 17 28 40 42 44]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was electively intubated for airway protection endoscopy, score:
0.26370096
arrest cpr initiated state, score: 0.084432244
when intubated his bp, score: 0.042537306

confidence of prediction: 0.568406
Y_true: [6 9 16 17 20 28 33 40 42 44]
Y_pred: [7 17 28 40 42 44]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
received units prbc s and, score: 0.1729619
given fluids prbc s and, score: 0.06500534
black tarry stools bright red blood in, score: 0.029977575

confidence of prediction: 0.779142
Y_true: [4 26]
Y_pred: [26 27 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation along with other, score: 0.11454115
atrial fibrillation his ct was, score: 0.07140627
atrial fibrillation one year hypercholesterolemia, score: 0.04799315

confidence of prediction: 0.880866
Y_true: [2 3 4 7 20 25 26 27 28 34 35 48 49]
Y_pred: [2 3 4 26 27 34 35 37 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
home metformin glucophage mg po bid, score: 0.080340505

in retail business but he, score: 0.07112635
dm ra and pancreatic, score: 0.03921748

confidence of prediction: 0.582211
Y_true: [2 3 4 7 20 25 26 27 28 34 35 48 49]
Y_pred: [2 3 4 26 27 34 35 37 48]
top three important windows for true positive code 3 (272.0: Pure hypercholesterolemia)
status htn hypercholesterolemia spinal stenosis dm, score: 0.10695264
defibrilator htn hypercholesterolemia spinal stenosis dm, score: 0.01697335
location lusb x irregular, score: 0.0061984854

confidence of prediction: 0.886693
Y_true: [2 3 4 7 20 25 26 27 28 34 35 48 49]
Y_pred: [2 3 4 26 27 34 35 37 48]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
dofetilide gout hyperlipidemia gerd spinal stenosis pvd, score: 0.10240942
daily glimepiride nf mg oral hospital1 januvia nf sitagliptin mg oral, score: 0.018575527

confidence of prediction: 0.620653
Y_true: [2 3 4 7 20 25 26 27 28 34 35 48 49]
Y_pred: [2 3 4 26 27 34 35 37 48]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
fib usually on asa, score: 0.18258107
fibrillaton on coumadin and, score: 0.11918568
was a pleasure taking care, score: 0.03751533

confidence of prediction: 0.951318
Y_true: [2 3 4 7 20 25 26 27 28 34 35 48 49]
Y_pred: [2 3 4 26 27 34 35 37 48]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
systolic heart failure with ef a, score: 0.28254825
pacer was interogated and discontinuation of his, score: 0.26601034
lasix and enalapril were, score: 0.009880835

confidence of prediction: 0.641385
Y_true: [2 3 4 7 20 25 26 27 28 34 35 48 49]
Y_pred: [2 3 4 26 27 34 35 37 48]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
gout hyperlipidemia gerd spinal stenosis pvd with, score: 0.0854476
hematemesis suggesting ongoing bleeding, score: 0.03433008
home metformin glucophage mg, score: 0.019138115

confidence of prediction: 0.611524
Y_true: [2 3 4 7 20 25 26 27 28 34 35 48 49]
Y_pred: [2 3 4 26 27 34 35 37 48]

top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
his acute kidney injury medications on, score: 0.058803033
ra renal insufficiency renal stones, score: 0.019610606
significant comorbidities despite medical, score: 0.008289593

confidence of prediction: 0.849401
Y_true: [2 3 4 7 20 25 26 27 28 34 35 48 49]
Y_pred: [2 3 4 26 27 34 35 37 48]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
ef a fib defibrilator, score: 0.003588363
silent mi admisson in, score: 0.0028887184
lasix enalapril januvia and, score: 0.002415575

confidence of prediction: 0.966044
Y_true: [3 8 23 25 27 36 48]
Y_pred: [2 21 27 48]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
systolic heart failure acute on, score: 0.13392285
systolic heart failure patient presented with, score: 0.13392285
systolic congestive heart failure hematuria leukocytosis chronic, score: 0.0119048655

confidence of prediction: 0.823114
Y_true: [3 8 23 25 27 36 48]
Y_pred: [2 21 27 48]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
s p cabg dm, score: 0.76870435
p 4v cabg in, score: 0.0402458
clips from cabg are, score: 0.02610151

confidence of prediction: 0.613330
Y_true: [2 4 5 16 17 20 26 39 46 49]
Y_pred: [2 4 20 26 49]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
diabetes mellitus type ii previous, score: 0.050466973
hypertension type diabetes hyperlipidemia discharge, score: 0.025209863
discharge diabetes mellitus type ii patient, score: 0.016846515

confidence of prediction: 0.712935
Y_true: [2 4 5 16 17 20 26 39 46 49]
Y_pred: [2 4 20 26 49]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
type diabetes hyperlipidemia discharge condition mental, score: 0.16477762
mg hospital1 hyperlipidemia continue on simvastatin mg, score: 0.14614758

fibrillation hypertension hyperlipidemia degenerative joint, score: 0.03230348

confidence of prediction: 0.704551
Y_true: [2 4 5 16 17 20 26 39 46 49]
Y_pred: [2 4 20 26 49]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
placement secondary hypertension type diabetes hyperlipidemia, score: 0.13001366
hypertension patient s bp on, score: 0.083846524
hospital1 and diovan mg, score: 0.06432775

confidence of prediction: 0.975657
Y_true: [2 4 5 16 17 20 26 39 46 49]
Y_pred: [2 4 20 26 49]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib on coumadin and, score: 0.45595694
atrial fibrillation we gave you, score: 0.057938628
atrial fibrillation her atrial fibrillation with rapid, score: 0.047914725

confidence of prediction: 0.785722
Y_true: [2 4 5 16 17 20 26 39 46 49]
Y_pred: [2 4 20 26 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
afib on coumadin and, score: 0.9264675
daily added warfarin mg, score: 0.024717486
and adjust coumadin dose, score: 0.0034588801

confidence of prediction: 0.940127
Y_true: [4 20]
Y_pred: [4 20 26]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
atenolol chlorthalidone hyperlipidemia on simvastatin gout on, score: 0.07601018
of hypertension hyperlipidemia osteoarthritis bilateral carpal tunnel, score: 0.04489079
hypertension hyperlipidemia discharge condition mental, score: 0.019195318

confidence of prediction: 0.993997
Y_true: [4 20]
Y_pred: [4 20 26]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
medical history hypertension on atenolol chlorthalidone hyperlipidemia on, score: 0.09525774
history of hypertension hyperlipidemia osteoarthritis bilateral carpal, score: 0.04506459
strokes hypertension hyperlipidemia discharge condition mental,

score: 0.045013484

confidence of prediction: 0.881447
Y_true: [11 19 26]
Y_pred: [19 26]
top three important windows for true positive code 19 (39.95: Hemodialysis)
femoral hemodialysis catheter infection, score: 0.08334259
tunneled hd catheter in, score: 0.06301083
esrd on hd through a, score: 0.05569629

confidence of prediction: 0.980890
Y_true: [11 19 26]
Y_pred: [19 26]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib rvr in the setting, score: 0.24946621
suspected ivc thrombus ruled, score: 0.016460108
was our pleasure to, score: 0.009425887

confidence of prediction: 0.754830
Y_true: [1 4 20 27 34 37]
Y_pred: [1 4 20 34 37 40]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
medication hypothyroidism cervical cancer s, score: 0.26960334
of hypothyroidism and worsening lower, score: 0.19545573
issues hypothyroidism thyroid studies, score: 0.18543398

confidence of prediction: 0.884588
Y_true: [1 4 20 27 34 37]
Y_pred: [1 4 20 34 37 40]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
daily coenzyme q10 mg hospital1 folic, score: 0.12631562
po daily hyperlipidemia continued rosuvastatin mg po, score: 0.06598606
rosuvastatin mg daily albuterol, score: 0.028794212

confidence of prediction: 0.889436
Y_true: [1 4 20 27 34 37]
Y_pred: [1 4 20 34 37 40]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
improve her ipf she endorses, score: 0.1390517
on discharge hypertension continued on lisinopril mg, score: 0.08425614
medical history hypertension pulmonary hypertension osteoarthritis in her s, score: 0.08221185

confidence of prediction: 0.932360
Y_true: [1 4 20 27 34 37]
Y_pred: [1 4 20 34 37 40]
top three important windows for true positive code 34 (530.81:

Esophageal reflux)
cholesterol fibromyalgia gerd s p right total, score: 0.034459613
a rheumatologic panel as, score: 0.0057504154
s1 disectomy x2 complicated, score: 0.0051624095

confidence of prediction: 0.916026
Y_true: [1 4 20 27 34 37]
Y_pred: [1 4 20 34 37 40]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection discharge condition, score: 0.19925703
for urinary tract infection followup instructions, score:
0.038340237
wbc and bacteria tropinin, score: 0.029135311

confidence of prediction: 0.928853
Y_true: [4 20 22 26 33 35 42 49]
Y_pred: [4 20 26 29 33 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
copd htn hyperlipidemia h o prostate, score: 0.1504453
fev1 htn hyperlipidemia and recent gib from, score: 0.08151911
of copd hyperlipidemia htn who presents to, score: 0.049704295

confidence of prediction: 0.974966
Y_true: [4 20 22 26 33 35 42 49]
Y_pred: [4 20 26 29 33 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
copd fev1 htn hyperlipidemia and recent gib, score: 0.15331937
polyps lichen simplex chronicus, score: 0.043501828
asthma copd htn hyperlipidemia h o, score: 0.04124416

confidence of prediction: 0.944564
Y_true: [4 20 22 26 33 35 42 49]
Y_pred: [4 20 26 29 33 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
a fib does not appear, score: 0.021151049
fib flutter ekg from shows, score: 0.01405079
contract normally lvef the, score: 0.011512782

confidence of prediction: 0.693698
Y_true: [4 20 22 26 33 35 42 49]
Y_pred: [4 20 26 29 33 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
he requested intubation when, score: 0.12908976
post discharge intubated at, score: 0.079478525
nor of pneumonia on, score: 0.07296806

confidence of prediction: 0.744495
Y_true: [4 20 22 26 33 35 42 49]
Y_pred: [4 20 26 29 33 42]

top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
he was intubated on presentation, score: 0.17980812
required intubation for a brief, score: 0.14955401
was intubated at home, score: 0.09212174

confidence of prediction: 0.605114
Y_true: [4 11 14 15 21 22 24 27 34 35 36 38]
Y_pred: [4 15 21 22 24 27 34 36 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
of htn hyperlipidemia dchf, score: 0.05802725
o htn hyperlipidemia dchf, score: 0.045520283
risk factors dyslipidemia hypertension cardiac history cad, score:
0.025786033

confidence of prediction: 0.531933
Y_true: [4 11 14 15 21 22 24 27 34 35 36 38]
Y_pred: [4 15 21 22 24 27 34 36 38]
top three important windows for true positive code 15 (37.23:
Combined right and left heart cardiac catheterization)
cardiac catheterization with drug, score: 0.7629922
cardiac catheterization lab where an, score: 0.016770843
coronary artery intra aortic balloon pump placment, score:
0.013862725

confidence of prediction: 0.652565
Y_true: [4 11 14 15 21 22 24 27 34 35 36 38]
Y_pred: [4 15 21 22 24 27 34 36 38]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic renal failure his hctz, score: 0.1521189
gout colostomy chronic renal insufficiency baseline cr s p, score:
0.021014964
colectomy with colostomy in, score: 0.016008612

confidence of prediction: 0.749201
Y_true: [4 11 14 15 21 22 24 27 34 35 36 38]
Y_pred: [4 15 21 22 24 27 34 36 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
with nstemi he was subsequently, score: 0.15186688
with nstemi and found to have, score: 0.048501305
non st elevation myocardial infarction hypertension, score:
0.0133802015

confidence of prediction: 0.967450
Y_true: [4 11 14 15 21 22 24 27 34 35 36 38]
Y_pred: [4 15 21 22 24 27 34 36 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease the, score: 0.1442537

coronary artery disease moderate, score: 0.1442537
stents mi dchf mild to moderate, score: 0.06592887

confidence of prediction: 0.994500
Y_true: [4 11 14 15 21 22 24 27 34 35 36 38]
Y_pred: [4 15 21 22 24 27 34 36 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
dchf he appeared euvolemic on, score: 0.8054002
dchf mild to moderate as, score: 0.030559152
dchf mild to moderate as, score: 0.023867818

confidence of prediction: 0.843072
Y_true: [4 11 14 15 21 22 24 27 34 35 36 38]
Y_pred: [4 15 21 22 24 27 34 36 38]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
the second diagnonal contains, score: 0.0125017725
esp in afternoons but, score: 0.0066696275
aids gerd b12 deficiency vitamin d, score: 0.0059024408

confidence of prediction: 0.810426
Y_true: [4 11 14 15 21 22 24 27 34 35 36 38]
Y_pred: [4 15 21 22 24 27 34 36 38]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal failure his hctz, score: 0.1102478
gout colostomy chronic renal insufficiency baseline cr s p, score:
0.01499293
colectomy with colostomy in, score: 0.011655245

confidence of prediction: 0.859545
Y_true: [4 11 14 15 21 22 24 27 34 35 36 38]
Y_pred: [4 15 21 22 24 27 34 36 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization with drug, score: 0.5028177
cardiac cath comments selective coronary angiography in, score:
0.026407517
cardiac catheterization lab where, score: 0.018675227

confidence of prediction: 0.572350
Y_true: [2 5 6 35 47]
Y_pred: [2 5 35]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
and metformin his lactate improved, score: 0.15924498
metformin mg tablet sig, score: 0.017529733
tabs daily metformin qam nadolol daily citalopram, score: 0.01311024

confidence of prediction: 0.673102
Y_true: [2 5 6 35 47]
Y_pred: [2 5 35]

top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
his hospitalization hyponatremia na dropped form to, score:
0.4896851
recorded as having no, score: 0.07176153
q 4h prn trimethoprim sulfamethoxazole mg, score: 0.0713919

confidence of prediction: 0.961945
Y_true: [2 5 6 35 47]
Y_pred: [2 5 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
admission was prerenal and improved with ivf, score: 0.021055214
recorded as having no, score: 0.014379351
surgical repair arf cr at up from, score: 0.0069633094

confidence of prediction: 0.732385
Y_true: [4 13 17 18 21 22 24 27 35 36 38 39]
Y_pred: [2 4 13 17 18 21 22 24 27 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
htn hyperlipidemia and cad he, score: 0.0739993
type hypertension hyperlipidemia degenerative joint, score:
0.06512308
type hypertension hyperlipidemia degenerative, score: 0.06512308

confidence of prediction: 0.983587
Y_true: [4 13 17 18 21 22 24 27 35 36 38 39]
Y_pred: [2 4 13 17 18 21 22 24 27 36]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft x3 on, score: 0.27718368
left internal mammary artery, score: 0.036489196
coronary bypass grafting past, score: 0.023647457

confidence of prediction: 0.668284
Y_true: [4 13 17 18 21 22 24 27 35 36 38 39]
Y_pred: [2 4 13 17 18 21 22 24 27 36]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line placement urgent coronary, score: 0.13447528
place picc line today for iv, score: 0.06004158
days he continued to, score: 0.037385315

confidence of prediction: 0.979307
Y_true: [4 13 17 18 21 22 24 27 35 36 38 39]
Y_pred: [2 4 13 17 18 21 22 24 27 36]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
grafting past medical history, score: 0.026356598
wires and mediastinal clips, score: 0.017200818
cardiothoracic allergies patient recorded, score: 0.0069026626

confidence of prediction: 0.578668

Y_true: [4 13 17 18 21 22 24 27 35 36 38 39]
Y_pred: [2 4 13 17 18 21 22 24 27 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
postop leukocytosis diabetes mellitus type hypertension, score:
0.0400451
chronic renal insufficiency baseline creatinine and potassium,
score: 0.026263185
postop leukocytosis unknown etiology diabetes mellitus, score:
0.023123575

confidence of prediction: 0.743044
Y_true: [4 13 17 18 21 22 24 27 35 36 38 39]
Y_pred: [2 4 13 17 18 21 22 24 27 36]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
st elevation myocardial infarction with troponin, score: 0.23860708
st elevation myocardial infarction acute systolic, score: 0.23860708
st elevation myocardial infarction acute, score: 0.23860708

confidence of prediction: 0.991814
Y_true: [4 13 17 18 21 22 24 27 35 36 38 39]
Y_pred: [2 4 13 17 18 21 22 24 27 36]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s, score: 0.0990762
coronary artery bypass graft, score: 0.089313135
urgent coronary artery bypass graft, score: 0.04615275

confidence of prediction: 0.929674
Y_true: [4 13 17 18 21 22 24 27 35 36 38 39]
Y_pred: [2 4 13 17 18 21 22 24 27 36]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure he was discharged, score: 0.3416956
non st elevation myocardial, score: 0.04303393
systolic heart failure postop leukocytosis diabetes, score:
0.04263656

confidence of prediction: 0.846383
Y_true: [4 13 17 18 21 22 24 27 35 36 38 39]
Y_pred: [2 4 13 17 18 21 22 24 27 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
postop leukocytosis diabetes mellitus type hypertension, score:
0.044997342
chronic renal insufficiency baseline creatinine and potassium,
score: 0.024900457
postop leukocytosis unknown etiology diabetes mellitus, score:
0.01946634

confidence of prediction: 0.790893
Y_true: [2 6 20 29 33 37 40 41 42 43]

Y_pred: [2 6 37 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
acidosis further imaging showed, score: 0.019875247
acidosis an urgent pulmonary, score: 0.017511861
history htn dm gout osa class iii, score: 0.014130916

confidence of prediction: 0.546215
Y_true: [2 6 20 29 33 37 40 41 42 43]
Y_pred: [2 6 37 42]
top three important windows for true positive code 6 (276.2:
Acidosis)
his acidosis was corrected and mental, score: 0.075923756
a hypercarbic acidosis further imaging showed, score: 0.059891753
be hypercarbic acidosis an urgent pulmonary, score: 0.04691352

confidence of prediction: 0.898919
Y_true: [2 6 20 29 33 37 40 41 42 43]
Y_pred: [2 6 37 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
failure urinary tract infection discharge condition, score:
0.013308578
made significant recommendations as to, score: 0.0059208223
lethargic and minimally following, score: 0.0050039357

confidence of prediction: 0.583097
Y_true: [2 6 20 29 33 37 40 41 42 43]
Y_pred: [2 6 37 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
remained intubated and was, score: 0.176314
remained intubated and was, score: 0.13167833
he was intubated at that, score: 0.062194146

confidence of prediction: 0.831544
Y_true: [0 5 8 20 26 27 29 35 47]
Y_pred: [5 20 26 29 37]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
and mild hyponatremia mildly elevated lfts, score: 0.43559062
continued mild hyponatremia with na bicarb and, score: 0.07734936
continued mild hyponatremia and she was, score: 0.07734936

confidence of prediction: 0.899420
Y_true: [0 5 8 20 26 27 29 35 47]
Y_pred: [5 20 26 29 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn and sjogren s syndrome, score: 0.11039033
and atenolol hypertension colonic adenoma sensorineural hearing,
score: 0.024593703

to falls htn and, score: 0.022550976

confidence of prediction: 0.971594
Y_true: [0   5   8 20 26 27 29 35 47]
Y_pred: [5 20 26 29 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation off coumadin due, score: 0.1783998
irregularly irregular no m, score: 0.16980223
afib not on coumadin, score: 0.121524975

confidence of prediction: 0.789464
Y_true: [0   5   8 20 26 27 29 35 47]
Y_pred: [5 20 26 29 37]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
possible pneumonia her initial, score: 0.19996516
have a pneumonia during your, score: 0.06988879
have a pna and treated, score: 0.046553776

confidence of prediction: 0.618153
Y_true: [6   9 37 41 46]
Y_pred: [8   9 35 37 41]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
kidney injury thrombocytopenia anemia discharge condition mental,
score: 0.11793474
cvl placement thrombocytopenia the patient had a significant
thrombocytopenia during her icu course, score: 0.054267757
systemic infection urosepsis for, score: 0.02572448

confidence of prediction: 0.906421
Y_true: [6   9 37 41 46]
Y_pred: [8   9 35 37 41]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection hypoglycemia presenting, score: 0.295834
her uti is sensitive, score: 0.05372517
uti currently not being, score: 0.036774352

confidence of prediction: 0.843060
Y_true: [6   9 37 41 46]
Y_pred: [8   9 35 37 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
to amikacin imipenem ertapenem it was, score: 0.16080312
tube feeds to support, score: 0.06898297
paracentesis feeding tube placement history, score: 0.030355664

confidence of prediction: 0.708297
Y_true: [12 41 43]
Y_pred: [12 17 37 41]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)

burkholderia cepacia bal serratia and coag, score: 0.41745147
ml bal serratia marcescens, score: 0.09962221
decannulated trachea and patient, score: 0.039766703

confidence of prediction: 0.832006
Y_true: [12 41 43]
Y_pred: [12 17 37 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
tolerating enteral feedings the patient, score: 0.31792498
trach decannulated trachea and patient, score: 0.052920178
and enteral feedings were held, score: 0.0410325

confidence of prediction: 0.926076
Y_true: [4 11 14 20 38]
Y_pred: [4 11 24 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
his procedures hyperlipidemia we changed simvastatin to, score:
0.31456915
factors diabetes dyslipidemia hypertension cardiac history, score:
0.059696015
hld nephrolithiasis presenting with, score: 0.03203395

confidence of prediction: 0.642291
Y_true: [4 11 14 20 38]
Y_pred: [4 11 24 38]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
and terazosin depression mood, score: 0.008736481
daily oxybutynin chloride mg tablet, score: 0.0043497644
and basal inferior hypokinesis, score: 0.0037627602

confidence of prediction: 0.760081
Y_true: [4 11 14 20 38]
Y_pred: [4 11 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
coronary catheterization with intervention with, score: 0.5623038
cardiac catheterization the catheterizaton, score: 0.13065833
cath lab for the no, score: 0.015886975

confidence of prediction: 0.835633
Y_true: [1 8 26]
Y_pred: [1 20 26 41]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
spine hypothyroidism paroxysmal svt social history, score: 0.3290659
of hypothyroidism paroxysmal svt s, score: 0.31533366
hx hypothyroidism paroxysmal svt s, score: 0.15045077

confidence of prediction: 0.923759
Y_true: [1 8 26]
Y_pred: [1 20 26 41]

top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation discharge condition quite, score: 0.21817814
atrial fibrillation as well, score: 0.13121165
fibrillation she was rate, score: 0.11388739

confidence of prediction: 0.577158
Y_true: [10 15 16 17 18 25 26 40 43]
Y_pred: [15 18 25 26 31 33 38 40 42]
top three important windows for true positive code 15 (37.23:
Combined right and left heart cardiac catheterization)
catheterization intra aortic balloon, score: 0.12586816
pump mitral valve replacement, score: 0.06304344
iabp ci was we, score: 0.06130692

confidence of prediction: 0.973506
Y_true: [10 15 16 17 18 25 26 40 43]
Y_pred: [15 18 25 26 31 33 38 40 42]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed without, score: 0.4219601
flail posterior leaflet chordae lae, score: 0.019581642
tee showed significant rv, score: 0.0062967218

confidence of prediction: 0.804823
Y_true: [10 15 16 17 18 25 26 40 43]
Y_pred: [15 18 25 26 31 33 38 40 42]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
severe mitral regurgitation status post, score: 0.15223321
severe mitral regurgitation and evidence, score: 0.13943882
severe mitral regurgitation with a, score: 0.05010782

confidence of prediction: 0.921425
Y_true: [10 15 16 17 18 25 26 40 43]
Y_pred: [15 18 25 26 31 33 38 40 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib he was febrile, score: 0.24218918
afib and was started, score: 0.13390285
amiodarone mg tablet s, score: 0.0429205

confidence of prediction: 0.843603
Y_true: [10 15 16 17 18 25 26 40 43]
Y_pred: [15 18 25 26 31 33 38 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
he was intubated and had, score: 0.2545212
was electively intubated and sedated, score: 0.22311543
from intubation causing gastric, score: 0.066968985

confidence of prediction: 0.900136
Y_true: [1 4 5 9 10 20 27 34]
Y_pred: [1 4 20 27 31 34]

top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
anxiety hypothyroidism osteoarthritis gerd, score: 0.29794753
daily hypothyroidism continued levothyroxine mcg daily, score:
0.22105858
rb hypothyroidism and hypertension, score: 0.07511022

confidence of prediction: 0.931093
Y_true: [1   4   5   9 10 20 27 34]
Y_pred: [1   4 20 27 31 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia depression anxiety
hypothyroidism osteoarthritis, score: 0.067127615
as outpatient hyperlipidemia continued simvastatin mg daily, score:
0.01781479
mg hospital1 omeprazole mg, score: 0.0046555647

confidence of prediction: 0.839096
Y_true: [1   4   5   9 10 20 27 34]
Y_pred: [1   4 20 27 31 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
[UNK] m5 e0 b0 hct mcv, score: 0.2024668
medical history hypertension hyperlipidemia depression anxiety,
score: 0.05356228
this resolved hypertension initially held home, score: 0.037639342

confidence of prediction: 0.990929
Y_true: [1   4   5   9 10 20 27 34]
Y_pred: [1   4 20 27 31 34]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic diastolic heart failure patient has mild, score:
0.011663974
likely need chf education, score: 0.0013254036
congestive heart failure h1n1 influenza infection, score:
0.0013182673

confidence of prediction: 0.962155
Y_true: [1   4   5   9 10 20 27 34]
Y_pred: [1   4 20 27 31 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
mcg daily gerd continued omeprazole mg po, score: 0.017390124
hypothyroidism osteoarthritis gerd right femoral fracture s, score:
0.012298872
of mild thrombocytopenia wbc, score: 0.009907753

confidence of prediction: 0.956300
Y_true: [7   9 13 14 18 23 24 25 27 33 38]
Y_pred: [13 18 20 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary–coronary artery bypass)

coronary artery bypass grafting x3 with left, score: 0.09968155
artery and reverse saphenous vein graft, score: 0.039821807
wires were discontinued without, score: 0.038328923

confidence of prediction: 0.985975
Y_true: [7 9 13 14 18 23 24 25 27 33 38]
Y_pred: [13 18 20 24]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were discontinued without, score: 0.7160973
diuresed toward the preoperative, score: 0.020204702
bypass grafting x3 with left, score: 0.008412073

confidence of prediction: 0.971573
Y_true: [7 9 13 14 18 23 24 25 27 33 38]
Y_pred: [13 18 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p stemi in, score: 0.21382749
s p stemi with, score: 0.21382749
coronary artery disease s, score: 0.08587963

confidence of prediction: 0.941755
Y_true: [6 19]
Y_pred: [19 34 35]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
notified and dialysis catheter was, score: 0.08776496
with hydration hd originally, score: 0.010057275
hd treatments renal team was, score: 0.009113392

confidence of prediction: 0.936274
Y_true: [5 6 9 21 34 35 36 37 41 47]
Y_pred: [5 8 35]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
played a role but, score: 0.019788042
with a psychiatrist via, score: 0.007384322
front desk hyper hyponatremia pt presented with na, score:
0.005798741

confidence of prediction: 0.758444
Y_true: [5 6 9 21 34 35 36 37 41 47]
Y_pred: [5 8 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
kidney injury bacteremia discharge, score: 0.15162943
cirrhosis being managed by, score: 0.055313885
acute kidney injury patient had, score: 0.02834795

confidence of prediction: 0.974610
Y_true: [1 20 26 49]
Y_pred: [1 4 20 26]
top three important windows for true positive code 1 (244.9:

Unspecified acquired hypothyroidism)
pcp hypothyroidism continued levothyroxine tsh was wnl, score: 0.04475968
hld hypothyroidism remote history of, score: 0.027965745
daily levothyroxine mcg daily tylenol, score: 0.005689204

confidence of prediction: 0.980996
Y_true: [1 20 26 49]
Y_pred: [1 4 20 26]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
on warfarin htn hl and bph s, score: 0.09315487
pe in htn hl and bph s, score: 0.0925325
of pe htn held atenolol in, score: 0.04098581

confidence of prediction: 0.891337
Y_true: [1 20 26 49]
Y_pred: [1 4 20 26]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib patient was well, score: 0.29319954
irregularly irregular normal s1 s2, score: 0.1351002
atrial fibrillation r mca stroke, score: 0.059324313

confidence of prediction: 0.857994
Y_true: [2 4 21 23 24 26 29 35 36]
Y_pred: [10 21 23 24 26 29 36 44]
top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified)
renal insufficiency baseline creatinine, score: 0.14580853
aaa ckd bl cr atrial fibrillation, score: 0.1324909
aaa cri bl cr atrial, score: 0.07752989

confidence of prediction: 0.618038
Y_true: [2 4 21 23 24 26 29 35 36]
Y_pred: [10 21 23 24 26 29 36 44]
top three important windows for true positive code 23 (412: Old myocardial infarction)
multiple prior mis and s p des, score: 0.11294445
multiple prior mis s p des of, score: 0.11294445
multiple prior mis s p des to, score: 0.11294445

confidence of prediction: 0.836597
Y_true: [2 4 21 23 24 26 29 35 36]
Y_pred: [10 21 23 24 26 29 36 44]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
s p des to, score: 0.46091768
s p multiple prior, score: 0.07877075
coronary artery disease atrial, score: 0.03271216

confidence of prediction: 0.927652
Y_true: [2 4 21 23 24 26 29 35 36]

Y_pred: [10 21 23 24 26 29 36 44]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation chronic renal insufficiency, score: 0.26625028
atrial fibrillation and sinus node, score: 0.12965816
atrial fibrillation now p w, score: 0.050840545

confidence of prediction: 0.733774
Y_true: [2 4 21 23 24 26 29 35 36]
Y_pred: [10 21 23 24 26 29 36 44]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
new pneumonia coronaries pt, score: 0.27544755
and possible pneumonia ecg atrial, score: 0.15434039
lobe pneumonia for which, score: 0.051227182

confidence of prediction: 0.930930
Y_true: [2 4 21 23 24 26 29 35 36]
Y_pred: [10 21 23 24 26 29 36 44]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
renal insufficiency baseline creatinine large, score: 0.1811554
aaa ckd bl cr atrial fibrillation, score: 0.109563984
aaa cri bl cr atrial, score: 0.087946616

confidence of prediction: 0.917571
Y_true: [4 29 30 34 35]
Y_pred: [4 9 29 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
home omeprazole hyperlipidemia we continued her home, score:
0.12955388
reflux disease hyperlipidemia appy hysterectomy social history,
score: 0.017754287
albuterol neb qid uses daily omeprazole 20mg, score: 0.0021704708

confidence of prediction: 0.709872
Y_true: [4 29 30 34 35]
Y_pred: [4 9 29 34]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
cxr as pna she received, score: 0.34226963
exclude pneumonia probable underlying emphysema ekg, score:
0.01648554
her hypoxia improved gradually, score: 0.009748204

confidence of prediction: 0.885174
Y_true: [4 29 30 34 35]
Y_pred: [4 9 29 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
gastroesophageal reflux disease we continued her, score: 0.038572524
disease gastroesophageal reflux disease hyperlipidemia appy
hysterectomy, score: 0.03713948

heterogeneous opacification in the right, score: 0.0069592576

confidence of prediction: 0.844003
Y_true: [5 11 26 35 37]
Y_pred: [5 26 35]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
the future hyponatremia was on admission with, score: 0.6036141
breakfast she eats lunch, score: 0.16763432
in the future to, score: 0.002735581

confidence of prediction: 0.587629
Y_true: [5 11 26 35 37]
Y_pred: [5 26 35]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with rvr normal, score: 0.27234155
afib with rvr and, score: 0.17559703
was a pleasure to, score: 0.03781293

confidence of prediction: 0.931727
Y_true: [5 11 26 35 37]
Y_pred: [5 26 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
stabilization acute renal failure pre renal in nature responded,
score: 0.016429333
breakfast she eats lunch, score: 0.013243876
the renal veins impression, score: 0.0070174746

confidence of prediction: 0.854172
Y_true: [2 4 8 14 18 20 22 24 34 38 49]
Y_pred: [4 9 13 18 20 22 24 34 37 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
medical history dyslipidemia hypertension diabetes cabg svg, score:
0.046354532
hypertension hyperlipidemia gerd basal cell cancer, score:
0.026455857
cabg des to svg, score: 0.025638705

confidence of prediction: 0.984749
Y_true: [2 4 8 14 18 20 22 24 34 38 49]
Y_pred: [4 9 13 18 20 22 24 34 37 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
incisions gently with mild soap, score: 0.50438577
bypass grafting x3 with reverse, score: 0.02260304
bypass grafting x3 reverse saphenous vein grafts, score: 0.02260304

confidence of prediction: 0.703431
Y_true: [2 4 8 14 18 20 22 24 34 38 49]
Y_pred: [4 9 13 18 20 22 24 34 37 38]
top three important windows for true positive code 20 (401.9:

Unspecified essential hypertension)
on cbi urology planned, score: 0.08098775
hypertension hyperlipidemia gerd basal cell, score: 0.066103905
hydrochlorothiazide mg daily clopidogrel, score: 0.036818508

confidence of prediction: 0.595790
Y_true: [2 4 8 14 18 20 22 24 34 38 49]
Y_pred: [4 9 13 18 20 22 24 34 37 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
non st elevation myocardial infarction thrombocytopenia, score:
0.017272372
urology planned to remove, score: 0.016519595
cad the lmca had, score: 0.013774731

confidence of prediction: 0.906491
Y_true: [2 4 8 14 18 20 22 24 34 38 49]
Y_pred: [4 9 13 18 20 22 24 34 37 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lad disease totally occluded, score: 0.1852402
cad patent lima lad, score: 0.066426955
s p cabg des, score: 0.054510113

confidence of prediction: 0.769484
Y_true: [2 4 8 14 18 20 22 24 34 38 49]
Y_pred: [4 9 13 18 20 22 24 34 37 38]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
acl gerd s p appendectomy basal, score: 0.09058752
stones with placement of, score: 0.03698078
kidney stones s p lithotripsy, score: 0.036819775

confidence of prediction: 0.637186
Y_true: [2 4 8 14 18 20 22 24 34 38 49]
Y_pred: [4 9 13 18 20 22 24 34 37 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
catheterization comments selective coronary angiography of this,
score: 0.09080727
catheterization integrillin gtt and, score: 0.084140845
which was switched to, score: 0.026734255

confidence of prediction: 0.835552
Y_true: [4 10 12 20 34 37 39 41 43]
Y_pred: [4 12 20 27 34 39 41 43]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
including htn hld emphysema l suppl, score: 0.12512727
gallstones htn hld gerd emphysema on l, score: 0.111322396
of hypertension hyperlipidemia and emphysema on, score: 0.06902524

confidence of prediction: 0.542374
Y_true: [4 10 12 20 34 37 39 41 43]

Y_pred: [4 12 20 27 34 39 41 43]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
so tracheostomy performed he, score: 0.052294653
and mini bal performed on the, score: 0.035666253
from bal indicative infection, score: 0.027653921

confidence of prediction: 0.991187
Y_true: [4 10 12 20 34 37 39 41 43]
Y_pred: [4 12 20 27 34 39 41 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
sbo gallstones htn hld gerd emphysema on, score: 0.20374386
pmh including htn hld emphysema l suppl, score: 0.19600992
hyperlipidemia and emphysema on, score: 0.03325154

confidence of prediction: 0.844354
Y_true: [4 10 12 20 34 37 39 41 43]
Y_pred: [4 12 20 27 34 39 41 43]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
amyloid vs htn for the, score: 0.037949223
htn hld gerd emphysema on l suppl, score: 0.0074635274
toe purple ecchymotic neurologic, score: 0.005599504

confidence of prediction: 0.649655
Y_true: [4 10 12 20 34 37 39 41 43]
Y_pred: [4 12 20 27 34 39 41 43]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee no evidence for, score: 0.38830084
infrarenal abdominal aorta measuring, score: 0.01878964
infrarenal aortic aneurysm no, score: 0.0091664875

confidence of prediction: 0.874315
Y_true: [4 10 12 20 34 37 39 41 43]
Y_pred: [4 12 20 27 34 39 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
on tube feeds had peg placed, score: 0.10676712
feeds via peg has, score: 0.0982058
associated pneumonia treated though, score: 0.07518893

confidence of prediction: 0.937854
Y_true: [4 10 12 20 34 37 39 41 43]
Y_pred: [4 12 20 27 34 39 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
tracheostomy peg tube placement history, score: 0.047027964
vent so tracheostomy performed he, score: 0.026942119
ml commensal respiratory flora, score: 0.018891498

confidence of prediction: 0.849215

Y_true: [4 11 17 20 26 27 29 34 48 49]
Y_pred: [4 21 26 27 34 36 48 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
cll hypertension hyperlipidemia gerd depression vit b12, score:
0.055337127
cabg transferred for year, score: 0.01790818
barking cough stridor crackles, score: 0.0149307195

confidence of prediction: 0.878259
Y_true: [4 11 17 20 26 27 29 34 48 49]
Y_pred: [4 21 26 27 34 36 48 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
paf cad and other, score: 0.258711
paf cad s p, score: 0.19106668
atrial fibrillation currently in sinus, score: 0.0927518

confidence of prediction: 0.948723
Y_true: [4 11 17 20 26 27 29 34 48 49]
Y_pred: [4 21 26 27 34 36 48 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
his admission dchf ef in repeat echo, score: 0.024901364
paf cad and other, score: 0.009423123
paf cad s p, score: 0.0072784633

confidence of prediction: 0.760560
Y_true: [4 11 17 20 26 27 29 34 48 49]
Y_pred: [4 21 26 27 34 36 48 49]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
in extremity picc intact, score: 0.023154149
hypertension hyperlipidemia gerd depression vit b12 defic, score:
0.017160228
multiple bronchs s p, score: 0.0116039235

confidence of prediction: 0.859649
Y_true: [4 11 17 20 26 27 29 34 48 49]
Y_pred: [4 21 26 27 34 36 48 49]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg ckd baseline, score: 0.28189868
s p cabg transferred, score: 0.28189868
s p cabg and then stent, score: 0.12601915

confidence of prediction: 0.510563
Y_true: [4 11 17 20 26 27 29 34 48 49]
Y_pred: [4 21 26 27 34 36 48 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
neb q4h warfarin mg, score: 0.46306753
hospital1 and warfarin 1mg, score: 0.2086178
discharge medications warfarin mg tablet sig, score: 0.040059257

confidence of prediction: 0.838535
Y_true: [4 8 20 23 24 26 35 47 49]
Y_pred: [20 24 26 27 35 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pacemaker placement hypertension dyslipidemia discharge condition
mental, score: 0.46565711
24pm hct 24pm digoxin, score: 0.07476827
coronary interventions ptca stenting, score: 0.058624435

confidence of prediction: 0.897293
Y_true: [4 8 20 23 24 26 35 47 49]
Y_pred: [20 24 26 27 35 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p pci to, score: 0.25998423
last cath in showed, score: 0.07187104
s per daughter name, score: 0.055818208

confidence of prediction: 0.989960
Y_true: [4 8 20 23 24 26 35 47 49]
Y_pred: [20 24 26 27 35 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
paf on coumadin s p, score: 0.40775046
atrial fibrillation cva residual aphasia, score: 0.05432024
af patient with paf remained paced during, score: 0.028849095

confidence of prediction: 0.887255
Y_true: [4 8 20 23 24 26 35 47 49]
Y_pred: [20 24 26 27 35 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
likely pre renal in setting of, score: 0.32688487
his renal failure and a, score: 0.02058559
acute kidney injury patient with creatinine of, score: 0.009204417

confidence of prediction: 0.509649
Y_true: [4 8 20 23 24 26 35 47 49]
Y_pred: [20 24 26 27 35 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
paf on coumadin s, score: 0.30148977
of on coumadin inr, score: 0.116863824
mg qd warfarin 6mg, score: 0.113351665

confidence of prediction: 0.727773
Y_true: [0 2 4 17 20 27 33 35 40 42 46]
Y_pred: [2 4 17 27 33 40 46]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
30mg daily glyburide 20mg daily discharge, score: 0.06318908

home actos glyburide and placed on, score: 0.042622957
with dm htn and hld presents, score: 0.014680683

confidence of prediction: 0.871332
Y_true: [0 2 4 17 20 27 33 35 40 42 46]
Y_pred: [2 4 17 27 33 40 46]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
factors diabetes dyslipidemia hypertension cardiac history, score:
0.12075576
and hld presents more than, score: 0.09138616
hypertension and hyperlipidemia also with valvular, score:
0.05091345

confidence of prediction: 0.507181
Y_true: [0 2 4 17 20 27 33 35 40 42 46]
Y_pred: [2 4 17 27 33 40 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
circulation was regained with, score: 0.08547053
shock as bp was, score: 0.05323526
of his sepsis respiratory, score: 0.04579769

confidence of prediction: 0.796891
Y_true: [0 2 4 17 20 27 33 35 40 42 46]
Y_pred: [2 4 17 27 33 40 46]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic dysfunction cannot exclude lv, score: 0.27272236
systolic heart failure likely to recent, score: 0.083885
valvular heart disease which was, score: 0.02776973

confidence of prediction: 0.563047
Y_true: [0 2 4 17 20 27 33 35 40 42 46]
Y_pred: [2 4 17 27 33 40 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
and pea arrest protocol, score: 0.13243312
and was flown from, score: 0.1218075
patient stayed intubated for rest, score: 0.07888279

confidence of prediction: 0.803265
Y_true: [0 2 4 17 20 27 33 35 40 42 46]
Y_pred: [2 4 17 27 33 40 46]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
patient stayed intubated for rest, score: 0.28810272
pt was intubated at bedside by, score: 0.05443253
and was intubated for the, score: 0.027326485

confidence of prediction: 0.551270
Y_true: [0 2 4 17 20 27 33 35 40 42 46]
Y_pred: [2 4 17 27 33 40 46]
top three important windows for true positive code 46 (995.92:

Severe sepsis)
septic shock as bp was, score: 0.0731234
tazobactam and id consult, score: 0.06529554
cmo and extubated pt, score: 0.04505611

confidence of prediction: 0.829009
Y_true: [4 5 7 9 13 14 18 21 22 24 27 36]
Y_pred: [2 4 13 18 21 24 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension hyperlipidemia transferred from osh, score: 0.17277378
factors diabetes dyslipidemia hypertension cardiac history, score:
0.12262337
gout hld social history married with, score: 0.041183423

confidence of prediction: 0.968710
Y_true: [4 5 7 9 13 14 18 21 22 24 27 36]
Y_pred: [2 4 13 18 21 24 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft, score: 0.43393046
saphenous vein grafts to, score: 0.12282718
coronary artery bypass grafting to five, score: 0.085003585

confidence of prediction: 0.941582
Y_true: [4 5 7 9 13 14 18 21 22 24 27 36]
Y_pred: [2 4 13 18 21 24 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed towards his preoperative, score: 0.55362606
thrombocytopenia on postoperative day, score: 0.19372022
cardiothoracic allergies no known, score: 0.025453152

confidence of prediction: 0.695289
Y_true: [4 5 7 9 13 14 18 21 22 24 27 36]
Y_pred: [2 4 13 18 21 24 38]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
his creatinine trended upward following surgery, score: 0.04706473
chronic kidney disease patient instead underwent, score: 0.03478272
to 35u qam and, score: 0.024132792

confidence of prediction: 0.982258
Y_true: [4 5 7 9 13 14 18 21 22 24 27 36]
Y_pred: [2 4 13 18 21 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
saphenous vein grafts to, score: 0.07405645
urgent coronary artery bypass graft, score: 0.070157245
three vessel cad normal, score: 0.040138427

confidence of prediction: 0.632296
Y_true: [9 15 21 25 27 35 36 38 47]

Y_pred: [6 21 23 24 25 27 35 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic renal failure discharge condition, score: 0.14775746
chronic renal dysfunction on, score: 0.09064434
chronic renal insufficiency history of, score: 0.08573418

confidence of prediction: 0.699672
Y_true: [9 15 21 25 27 35 36 38 47]
Y_pred: [6 21 23 24 25 27 35 36]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
severe mitral regurgitation is seen, score: 0.09987787
severe mitral regurgitation mild pulmonary, score: 0.09987787
severe mitral regurgitation mild regional, score: 0.09987787

confidence of prediction: 0.912183
Y_true: [9 15 21 25 27 35 36 38 47]
Y_pred: [6 21 23 24 25 27 35 36]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure to the, score: 0.19759965
heart failure mitral valvue regurgitation, score: 0.12730853
pacemaker for lbbb syncope, score: 0.09862844

confidence of prediction: 0.810453
Y_true: [9 15 21 25 27 35 36 38 47]
Y_pred: [6 21 23 24 25 27 35 36]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
be pre renal elevated creatinine above, score: 0.11553523
on chronic renal dysfunction, score: 0.06614401
on chronic renal insufficiency, score: 0.06614401

confidence of prediction: 0.710093
Y_true: [9 15 21 25 27 35 36 38 47]
Y_pred: [6 21 23 24 25 27 35 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal failure discharge condition, score: 0.11501179
chronic renal insufficiency history of, score: 0.107022755
chronic renal insufficiency tolerated with creatinine increase,
score: 0.107022755

confidence of prediction: 0.885770
Y_true: [3 6 7 17 20 33 40 41 43 44 45 48 49]
Y_pred: [17 41 43 44 48 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
central line placed patient remained, score: 0.0572763
temp pan cultured elevated, score: 0.041852448
zosyn fluconazole tube feeds, score: 0.041120067

confidence of prediction: 0.933866
Y_true: [3 6 7 17 20 33 40 41 43 44 45 48 49]
Y_pred: [17 41 43 44 48 49]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
dobhoff tube feeds resumed after, score: 0.100089125
fluconazole tube feeds started stooling, score: 0.06986674
fluc tube feeds on hold, score: 0.06269041

confidence of prediction: 0.858802
Y_true: [3 6 7 17 20 33 40 41 43 44 45 48 49]
Y_pred: [17 41 43 44 48 49]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
patient remained intubated and sedate, score: 0.121001445
febrile remain intubated hypertensive managed, score: 0.08876431
fluconazole tube feeds started, score: 0.039501358

confidence of prediction: 0.521271
Y_true: [3 6 7 17 20 33 40 41 43 44 45 48 49]
Y_pred: [17 41 43 44 48 49]
top three important windows for true positive code 44 (99.04: Transfusion of packed cells)
requiring blood transfusion postoperative, score: 0.077658355
ligation of bleeding vessel, score: 0.07315413
rectal bleeding noted in, score: 0.04402006

confidence of prediction: 0.875820
Y_true: [3 6 7 17 20 33 40 41 43 44 45 48 49]
Y_pred: [17 41 43 44 48 49]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
s p cabg history of l, score: 0.47580627
myocardial infarction a q, score: 0.0012354646
v2 v6 which is, score: 0.0012009173

confidence of prediction: 0.566438
Y_true: [3 6 7 17 20 33 40 41 43 44 45 48 49]
Y_pred: [17 41 43 44 48 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
dvt on coumadin pvd, score: 0.3851541
is on coumadin for, score: 0.15737134
mg qd coumadin mg qd discharge, score: 0.14795482

confidence of prediction: 0.945711
Y_true: [1 8 17 26 27 29 35 36 47 49]
Y_pred: [0 1 17 21 26 27 35 36 37 46 49]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
anemia hypothyroidism memory loss, score: 0.52481246
levothyroxine levoxyl mcg oral tablet, score: 0.068915956
hyperlipidemia hypothyroidism discharge condition, score: 0.06036299

confidence of prediction: 0.858640
Y_true: [1 8 17 26 27 29 35 36 47 49]
Y_pred: [0 1 17 21 26 27 35 36 37 46 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
central line placed and started, score: 0.04183434
an erythematous maculopapular rash, score: 0.028603977
central line placement started on, score: 0.018686267

confidence of prediction: 0.997100
Y_true: [1 8 17 26 27 29 35 36 47 49]
Y_pred: [0 1 17 21 26 27 35 36 37 46 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin history of, score: 0.53537023
afib on coumadin history of, score: 0.316537
afib with lbbb her rate, score: 0.029586077

confidence of prediction: 0.989895
Y_true: [1 8 17 26 27 29 35 36 47 49]
Y_pred: [0 1 17 21 26 27 35 36 37 46 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf and cardiogenic shock were, score: 0.20019524
chf her cr remained, score: 0.038942568
congestive heart failure pneumonia, score: 0.03364238

confidence of prediction: 0.532974
Y_true: [1 8 17 26 27 29 35 36 47 49]
Y_pred: [0 1 17 21 26 27 35 36 37 46 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure thought to, score: 0.28440264
chronic renal failure baseline cr dyspnea, score: 0.09419926
and potential infection which, score: 0.04161391

confidence of prediction: 0.740252
Y_true: [1 8 17 26 27 29 35 36 47 49]
Y_pred: [0 1 17 21 26 27 35 36 37 46 49]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
incorrectly most recent bp, score: 0.011196202
having continous congnitive decline, score: 0.0059054582
on chronic renal failure thought to, score: 0.0033147223

confidence of prediction: 0.816030
Y_true: [1 8 17 26 27 29 35 36 47 49]
Y_pred: [0 1 17 21 26 27 35 36 37 46 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin history, score: 0.6033378
afib on coumadin history, score: 0.24846305
fibrillation on coumadin anemia, score: 0.090998404

confidence of prediction: 0.949005
Y_true: [4 13 14 17 18 20 22 24 26 35 38 47]
Y_pred: [13 14 17 18 20 22 24 26 35 38]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery bypass graft, score: 0.13227497
descending saphenous vein graft ramus, score: 0.0923732
saphenous vein harvest site, score: 0.08444858

confidence of prediction: 0.512096
Y_true: [4 13 14 17 18 20 22 24 26 35 38 47]
Y_pred: [13 14 17 18 20 22 24 26 35 38]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)
cardiac catheterization coronary artery bypass, score: 0.70179003
cardiac catheterization revealed a right, score: 0.011322888
cardiac catherization there was noted, score: 0.008283496

confidence of prediction: 0.678005
Y_true: [4 13 14 17 18 20 22 24 26 35 38 47]
Y_pred: [13 14 17 18 20 22 24 26 35 38]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line flush picc heparin, score: 0.10307103
allergies mannitol soy [UNK] attending first, score: 0.09718946
a colonic ileus transplant surgery, score: 0.08188023

confidence of prediction: 0.974064
Y_true: [4 13 14 17 18 20 22 24 26 35 38 47]
Y_pred: [13 14 17 18 20 22 24 26 35 38]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic doctor first name, score: 0.16377607
saphenous vein harvest site, score: 0.01703008
bypass graft x4 left, score: 0.011986663

confidence of prediction: 0.967319
Y_true: [4 13 14 17 18 20 22 24 26 35 38 47]
Y_pred: [13 14 17 18 20 22 24 26 35 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension social history mr known, score:
0.1436354
hypertension who was transferred, score: 0.07173569
surgery dyslipidemia hypertension discharge condition alert, score:
0.03327033

confidence of prediction: 0.811536
Y_true: [4 13 14 17 18 20 22 24 26 35 38 47]
Y_pred: [13 14 17 18 20 22 24 26 35 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
an nstemi he was treated, score: 0.09576567

for nstemi and was significantly, score: 0.043716308
the lmca lcx including, score: 0.00912304

confidence of prediction: 0.982688
Y_true: [4 13 14 17 18 20 22 24 26 35 38 47]
Y_pred: [13 14 17 18 20 22 24 26 35 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p cabg non st, score: 0.22935012
cardiac catheterization coronary artery bypass graft x4 left, score:
0.11865932
coronary artery bypass graft, score: 0.046268005

confidence of prediction: 0.978031
Y_true: [4 13 14 17 18 20 22 24 26 35 38 47]
Y_pred: [13 14 17 18 20 22 24 26 35 38]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib and dvt dr, score: 0.27431345
fibrillation and dvt goal, score: 0.21523884
atrial fibrillation abdominal aortic aneurysm, score: 0.06196721

confidence of prediction: 0.768915
Y_true: [4 13 14 17 18 20 22 24 26 35 38 47]
Y_pred: [13 14 17 18 20 22 24 26 35 38]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute kidney injury with peak cr on and bun, score: 0.048073344
troponin acute kidney injury post operative, score: 0.023326838
had bun cr monitored, score: 0.005629048

confidence of prediction: 0.861927
Y_true: [4 13 14 17 18 20 22 24 26 35 38 47]
Y_pred: [13 14 17 18 20 22 24 26 35 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization coronary artery bypass, score: 0.8253724
marginal saphenous vein graft, score: 0.019083116
cardiac catheterization revealed a right, score: 0.007839886

confidence of prediction: 0.828812
Y_true: [2 10 15 20 27 30 38 40 42]
Y_pred: [2 4 27 29 30 33 38 40 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
with dm htn copd and chf, score: 0.09021922
discharge medications metformin mg tablet sig, score: 0.033470094
hypertension diabetes mellitus chronic obstructive pulmonary, score:
0.031590614

confidence of prediction: 0.966376
Y_true: [2 10 15 20 27 30 38 40 42]
Y_pred: [2 4 27 29 30 33 38 40 42]

top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf exacerbation patient initially, score: 0.547021
congestive heart failure strep, score: 0.21125689
chf cardiac history no, score: 0.020737967

confidence of prediction: 0.653448
Y_true: [2 10 15 20 27 30 38 40 42]
Y_pred: [2 4 27 29 30 33 38 40 42]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
chronic obstructive pulmonary disease diverticulosis, score:
0.02259979
chf exacerbation patient initially, score: 0.013084184
regardless we would not, score: 0.012915887

confidence of prediction: 0.583252
Y_true: [2 10 15 20 27 30 38 40 42]
Y_pred: [2 4 27 29 30 33 38 40 42]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
sided cardiac catheterization history of present, score: 0.011525848
comments selective coronary angiography of this right, score:
0.011486411
daughter this morning the, score: 0.007843884

confidence of prediction: 0.735900
Y_true: [2 10 15 20 27 30 38 40 42]
Y_pred: [2 4 27 29 30 33 38 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was electively intubated she had, score: 0.21519388
bp and intubated with unchanged, score: 0.15285385
despite intubation and sedation, score: 0.048733104

confidence of prediction: 0.592229
Y_true: [2 10 15 20 27 30 38 40 42]
Y_pred: [2 4 27 29 30 33 38 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was electively intubated she had, score: 0.14638129
sputum source endotracheal final report, score: 0.06078707
despite intubation and sedation and, score: 0.043380544

confidence of prediction: 0.882241
Y_true: [0 7 12 17 24 27 29 33 38 41 43 46]
Y_pred: [0 17 24 27 29 33 38 41 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
midaz weaning of his, score: 0.013414619
pressors on favored sepsis given low cvp and, score: 0.009169584
line with placement of, score: 0.009022921

confidence of prediction: 0.870662
Y_true: [0 7 12 17 24 27 29 33 38 41 43 46]
Y_pred: [0 17 24 27 29 33 38 41 46]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
line with placement of, score: 0.18888944
cvl was placed he was, score: 0.109816276
venous line arterial line, score: 0.035676017

confidence of prediction: 0.998289
Y_true: [0 7 12 17 24 27 29 33 38 41 43 46]
Y_pred: [0 17 24 27 29 33 38 41 46]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
rca both stented with des, score: 0.52924705
coronary artery disease healthcare, score: 0.070713334
coronary artery disease resulting, score: 0.05729463

confidence of prediction: 0.518506
Y_true: [0 7 12 17 24 27 29 33 38 41 43 46]
Y_pred: [0 17 24 27 29 33 38 41 46]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
implanted cardiac defibrillator please keep, score: 0.38793617
cardiac arrest heart stopped requiring, score: 0.021705763
dysfunction consistent with multi, score: 0.009956329

confidence of prediction: 0.881727
Y_true: [0 7 12 17 24 27 29 33 38 41 43 46]
Y_pred: [0 17 24 27 29 33 38 41 46]
top three important windows for true positive code 29 (486: Pneumonia, organism unspecified)
healthcare associated pneumonia discharge condition mental, score: 0.030393085
for pneumonia otherwise aeration, score: 0.017962584
for a pneumonia and should, score: 0.0077802935

confidence of prediction: 0.815511
Y_true: [0 7 12 17 24 27 29 33 38 41 43 46]
Y_pred: [0 17 24 27 29 33 38 41 46]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
intubated to protect your, score: 0.03875465
and recent intubation a, score: 0.028497534
discharge hypoxic respiratory failure the patient was intubated in the, score: 0.026175434

confidence of prediction: 0.503941
Y_true: [0 7 12 17 24 27 29 33 38 41 43 46]
Y_pred: [0 17 24 27 29 33 38 41 46]
top three important windows for true positive code 38 (88.56: Coronary arteriography using two catheters)
rca both stented with, score: 0.14369258
lad and stenosis of, score: 0.10276824

cath lab he was found, score: 0.088797174

confidence of prediction: 0.620108
Y_true: [0 7 12 17 24 27 29 33 38 41 43 46]
Y_pred: [0 17 24 27 29 33 38 41 46]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
from tube feeds hct stabilized, score: 0.12999302
old blood bal showing, score: 0.040952247
a ventilator associated pneumonia hcap most, score: 0.030917848

confidence of prediction: 0.889024
Y_true: [0 7 12 17 24 27 29 33 38 41 43 46]
Y_pred: [0 17 24 27 29 33 38 41 46]
top three important windows for true positive code 46 (995.92: Severe sepsis)
midaz weaning of his, score: 0.03280189
pressors on favored sepsis given low cvp and, score: 0.024846416
central line after peripheral, score: 0.018089024

confidence of prediction: 0.621897
Y_true: [0 7 9 16 17 20 32 35 40 41 43 46]
Y_pred: [0 5 17 41 43 46]
top three important windows for true positive code 0 (038.9: Unspecified septicemia)
shock from a life, score: 0.13308482
shock and required aggressive, score: 0.08288541
spectrum antibiotics vanc zosyn clinda, score: 0.048677083

confidence of prediction: 0.758064
Y_true: [0 7 9 16 17 20 32 35 40 41 43 46]
Y_pred: [0 5 17 41 43 46]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
weaned off pressors the, score: 0.075915694
vanc zosyn clinda upon admission intraoperative, score: 0.057693284
allergies penicillins zosyn attending, score: 0.04745234

confidence of prediction: 0.933577
Y_true: [0 7 9 16 17 20 32 35 40 41 43 46]
Y_pred: [0 5 17 41 43 46]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
and tube feeds were started, score: 0.18690208
dobbhoff tube once the patient, score: 0.08874145
high tube feed residuals and was, score: 0.044540923

confidence of prediction: 0.704486
Y_true: [0 7 9 16 17 20 32 35 40 41 43 46]
Y_pred: [0 5 17 41 43 46]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
dobbhoff tube once the, score: 0.058823977

and tube feeds were, score: 0.042048693
high tube feed residuals and was, score: 0.026766028

confidence of prediction: 0.926493
Y_true: [0 7 9 16 17 20 32 35 40 41 43 46]
Y_pred: [0 5 17 41 43 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
shock the left atrium, score: 0.04968495
septic shock from a life, score: 0.02392708
septic shock and after he, score: 0.023861367

confidence of prediction: 0.914973
Y_true: [5 19 24 26 27 30 49]
Y_pred: [2 5 19 24 26 27 29 30 49]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
were started hyponatremia patient had an episode of hyponatremia for
a few days, score: 0.5060041
venti mask 8l he, score: 0.014522296
the renal team l, score: 0.008332332

confidence of prediction: 0.923187
Y_true: [5 19 24 26 27 30 49]
Y_pred: [2 5 19 24 26 27 29 30 49]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
esrd on hd copd, score: 0.09838748
esrd on hd hd on, score: 0.09156477
percutaneous technique hemodialysis history of, score: 0.036678236

confidence of prediction: 0.598715
Y_true: [5 19 24 26 27 30 49]
Y_pred: [2 5 19 24 26 27 29 30 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
o2 cad chf a fib, score: 0.024623346
o2 cad chf h o borderline, score: 0.024623346
copd on 2l home, score: 0.018750757

confidence of prediction: 0.990885
Y_true: [5 19 24 26 27 30 49]
Y_pred: [2 5 19 24 26 27 29 30 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin with pacemaker, score: 0.33603674
atrial fibrillation on coumadin s, score: 0.053716626
atrial fibrillation patient restarted coumadin, score: 0.0019581285

confidence of prediction: 0.943331
Y_true: [5 19 24 26 27 30 49]
Y_pred: [2 5 19 24 26 27 29 30 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)

chf an echo was, score: 0.13000754
congestive heart failure exacerbation from volume, score:
0.055140946
chf likely secondary to, score: 0.035722867

confidence of prediction: 0.585916
Y_true: [5 19 24 26 27 30 49]
Y_pred: [2 5 19 24 26 27 29 30 49]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
obstructive pulmonary disease delirium, score: 0.20818065
medical history copd on home o2 during, score: 0.08000974
copd on 2l home o2, score: 0.02184943

confidence of prediction: 0.831157
Y_true: [5 19 24 26 27 30 49]
Y_pred: [2 5 19 24 26 27 29 30 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fib on coumadin with pacemaker, score: 0.73987347
afib on coumadin with pacemaker who, score: 0.081983075
for pain coumadin inr, score: 0.003357831

confidence of prediction: 0.736212
Y_true: [4 5 21 22 34 35 36 40 42]
Y_pred: [0 4 21 22 29 34 35 36 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
of htn hyperlipidemia gerd and ckd, score: 0.1449631
history hypertension hyperlipidemia gerd ckd, score: 0.12400613
in place hyperlipidemia high dose statin as, score: 0.054299902

confidence of prediction: 0.725856
Y_true: [4 5 21 22 34 35 36 40 42]
Y_pred: [0 4 21 22 29 34 35 36 40 42]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic kidney disease resolved on, score: 0.21016216
ckd with baseline cr stable, score: 0.011885272
and ckd presents from home today, score: 0.010384188

confidence of prediction: 0.613662
Y_true: [4 5 21 22 34 35 36 40 42]
Y_pred: [0 4 21 22 29 34 35 36 40 42]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
non st elevation myocardial infact vs demand ischemia secondary,
score: 0.041783724
indx ctropnt 30am blood, score: 0.03355731
inversions and st segment depressions had, score: 0.015010784

confidence of prediction: 0.832945
Y_true: [4 5 21 22 34 35 36 40 42]

Y_pred: [0 4 21 22 29 34 35 36 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hyperlipidemia gerd and ckd presents from, score: 0.058084022
as above gerd continue home ppi, score: 0.031980526
gerd ckd with baseline, score: 0.024410134

confidence of prediction: 0.670673
Y_true: [4 5 21 22 34 35 36 40 42]
Y_pred: [0 4 21 22 29 34 35 36 40 42]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic kidney disease, score: 0.12752022
identified arf acute on chronic with, score: 0.08171571
sepsis infection acute intracranial, score: 0.0359055

confidence of prediction: 0.625447
Y_true: [4 5 21 22 34 35 36 40 42]
Y_pred: [0 4 21 22 29 34 35 36 40 42]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic kidney disease resolved on, score: 0.19137494
ckd presents from home today, score: 0.022951588
ckd with baseline cr stable angina, score: 0.010749896

confidence of prediction: 0.858543
Y_true: [4 5 21 22 34 35 36 40 42]
Y_pred: [0 4 21 22 29 34 35 36 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
neuro intubated and sedated, score: 0.20518035
pt initially intubated for tachypnea airway protection, score:
0.15208063
and intubated for agitation, score: 0.05160253

confidence of prediction: 0.772501
Y_true: [4 5 21 22 34 35 36 40 42]
Y_pred: [0 4 21 22 29 34 35 36 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
neuro intubated and sedated pupils, score: 0.33634362
was intubated for tachypnea, score: 0.14797828
sedated intubated bilateral ue, score: 0.06656032

confidence of prediction: 0.578714
Y_true: [2 4 6 9 10 15 20 24 25 31 33 38 41 42 46]
Y_pred: [15 24 25 31 38]
top three important windows for true positive code 15 (37.23:
Combined right and left heart cardiac catheterization)
lab revealed large circ, score: 0.05329696
cardiac cath selective coronary angiography of this, score:
0.023126153
mid vessel with collaterals, score: 0.021281945

confidence of prediction: 0.975799
Y_true: [2 4 6 9 10 15 20 24 25 31 33 38 41 42 46]
Y_pred: [15 24 25 31 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease the, score: 0.15804374
coronary artery disease severe, score: 0.15804374
circ lesion stent placed concern, score: 0.08330648

confidence of prediction: 0.720722
Y_true: [2 4 6 9 10 15 20 24 25 31 33 38 41 42 46]
Y_pred: [15 24 25 31 38]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
severe mitral regurgitation severe systolic ventricular, score:
0.24274382
visualized portions of the, score: 0.009377517
also mitral regurgitation cardiac index was, score: 0.0079083685

confidence of prediction: 0.919882
Y_true: [2 4 6 9 10 15 20 24 25 31 33 38 41 42 46]
Y_pred: [15 24 25 31 38]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
aspiration pneumonia wtih [UNK] sensitive, score: 0.07151119
most likely aspiration pneumonia is stable, score: 0.022218468
hap v aspiration he was initially put, score: 0.019512594

confidence of prediction: 0.805206
Y_true: [2 4 6 9 10 15 20 24 25 31 33 38 41 42 46]
Y_pred: [15 24 25 31 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
iabp placement cardiac catheterization, score: 0.44407558
lab revealed large circ, score: 0.07242528
cardiac cath selective coronary angiography of this, score:
0.050600693

confidence of prediction: 0.931488
Y_true: [1 4 7 21 26 27 35 36 48]
Y_pred: [1 4 18 21 26 27 35 36 48 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
atorvastatin hypothyroidism continued home dose levothyroxine
allergies chlorpheniramine prn transitional, score: 0.7259679
fibrillation hypothyroid psoriasis remote kidney, score: 0.044830527
daily levothyroxine mcg capsule, score: 0.010543501

confidence of prediction: 0.733764
Y_true: [1 4 7 21 26 27 35 36 48]
Y_pred: [1 4 18 21 26 27 35 36 48 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)

as above hld continued on atorvastatin hypothyroidism, score:
0.08199618
warfarin mg tablet sig, score: 0.016109431
meq by mouth once, score: 0.013657816

confidence of prediction: 0.804911
Y_true: [1 4 7 21 26 27 35 36 48]
Y_pred: [1 4 18 21 26 27 35 36 48 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
psoriasis remote kidney stones, score: 0.013699818
acute renal failure creatinine increased, score: 0.0073418627
on chronic kidney injury discharge condition vs, score: 0.007317439

confidence of prediction: 0.914348
Y_true: [1 4 7 21 26 27 35 36 48]
Y_pred: [1 4 18 21 26 27 35 36 48 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation pt remained ventricularly, score: 0.48949385
was a pleasure taking care, score: 0.013460427
irregularly irregular rhtyhm rate in, score: 0.0109084835

confidence of prediction: 0.976448
Y_true: [1 4 7 21 26 27 35 36 48]
Y_pred: [1 4 18 21 26 27 35 36 48 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf patient has low, score: 0.29082605
chronic systolic chf coronary artery disease acute, score:
0.14509864
systolic heart failure with poor forward, score: 0.039743815

confidence of prediction: 0.958713
Y_true: [1 4 7 21 26 27 35 36 48]
Y_pred: [1 4 18 21 26 27 35 36 48 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
and creatinine bump post procedure, score: 0.108434975
on chronic kidney injury discharge condition, score: 0.08973032
am renal failure is likely, score: 0.019915236

confidence of prediction: 0.785480
Y_true: [1 4 7 21 26 27 35 36 48]
Y_pred: [1 4 18 21 26 27 35 36 48 49]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
acute renal failure creatinine increased, score: 0.010495076
on chronic kidney injury discharge condition vs, score: 0.008716382
psoriasis remote kidney stones, score: 0.0083113825

confidence of prediction: 0.752688
Y_true: [1 4 7 21 26 27 35 36 48]

Y_pred: [1 4 18 21 26 27 35 36 48 49]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg in, score: 0.8080201
patient s cabg in, score: 0.048014365
his pacemaker was interrogated, score: 0.024152258

confidence of prediction: 0.911476
Y_true: [4 10 20 26 30 37 39 49]
Y_pred: [4 20 26 37 39]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
x3 dyslipidemia copd pmr mild, score: 0.08507307
x3 dyslipidemia copd pmr, score: 0.08507307
inactive issues dyslipidemia continued home pravastatin copd, score:
0.07192125

confidence of prediction: 0.995279
Y_true: [4 10 20 26 30 37 39 49]
Y_pred: [4 20 26 37 39]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
ar htn dvt x3, score: 0.24606122
s atenolol hctz lisinopril low dose, score: 0.14349173
irregularly irregular iii vi, score: 0.030775843

confidence of prediction: 0.980618
Y_true: [4 10 20 26 30 37 39 49]
Y_pred: [4 20 26 37 39]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib fevers cough dysuria, score: 0.40154538
afib prior to this, score: 0.16949949
afib given her valvular, score: 0.15582699

confidence of prediction: 0.933578
Y_true: [4 10 20 26 30 37 39 49]
Y_pred: [4 20 26 37 39]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
coli organisms ml piperacillin, score: 0.12455944
urinary tract infection that was, score: 0.0804
her uti and in, score: 0.0680811

confidence of prediction: 0.898471
Y_true: [4 10 20 26 30 37 39 49]
Y_pred: [4 20 26 37 39]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee and cardioversion once, score: 0.39753252
tee cardioversion for hypotension in, score: 0.28118017
tee and cardioversion she says, score: 0.26462644

confidence of prediction: 0.674611

Y_true: [6 7 9 17 20 29 32]
Y_pred: [9 17 29]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
was resumed thrombocytopenia most likely, score: 0.2659133
anticoagulation and thrombocytopenia no evidence, score: 0.22806041
cancer secondary thrombocytopenia low platelets discharge condition,
score: 0.19598317

confidence of prediction: 0.797901
Y_true: [6 7 9 17 20 29 32]
Y_pred: [9 17 29]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line was placed given, score: 0.17228974
the picc line you, score: 0.04879408
and a picc line was placed so, score: 0.04314468

confidence of prediction: 0.863620
Y_true: [6 7 9 17 20 29 32]
Y_pred: [9 17 29]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
healthcare associated pneumonia prostate cancer, score: 0.04077035
myelos promyelo nuc rbcs, score: 0.018769009
to have pneumonia you underwent tests, score: 0.011955242

confidence of prediction: 0.956988
Y_true: [5 7 17 35 41]
Y_pred: [5 7 9 17 33 37 41]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
was also hyponatremic to her inr was, score: 0.106902845
the 50s hyponatremia patient was hyponatremic on admission likely
secondary, score: 0.0505102
cmo with morphine iv, score: 0.0075697647

confidence of prediction: 0.513476
Y_true: [5 7 17 35 41]
Y_pred: [5 7 9 17 33 37 41]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
from intraperitoneal bleed likely, score: 0.18484697
possible bleeding vessel on, score: 0.080454096
had intraperitoneal bleed platelets, score: 0.06321205

confidence of prediction: 0.885386
Y_true: [5 7 17 35 41]
Y_pred: [5 7 9 17 33 37 41]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
placement dobhoff placement paracentesis history of, score:
0.4387567
question s 42pm blood, score: 0.0854166

on smear with elevated, score: 0.02009605

confidence of prediction: 0.861307
Y_true: [5 7 17 35 41]
Y_pred: [5 7 9 17 33 37 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
once tube feeds were started the, score: 0.07057106
syndrome creatinine normalized after, score: 0.035758927
salmonella shigella campylobacter no c, score: 0.017264495

confidence of prediction: 0.568385
Y_true: [9 26]
Y_pred: [9 19 26]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
her stay thrombocytopenia likely related, score: 0.40275088
virus infection thrombocytopenia discharge condition, score:
0.103022896
lamivudine norvir renvela bactrim ds, score: 0.02505319

confidence of prediction: 0.978612
Y_true: [9 26]
Y_pred: [9 19 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation with rapid ventricular, score: 0.10868423
hypotension major surgical or, score: 0.0010076519
to be certain of, score: 0.0008633939

confidence of prediction: 0.961859
Y_true: [19 46]
Y_pred: [17 19]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
to hemodialysis catheter infection, score: 0.07593427
temporary hemodialysis catheter to tunneled hemodialysis catheter
the, score: 0.057574034
temporary hemodialysis catheter with, score: 0.0446246

confidence of prediction: 0.675764
Y_true: [0 8 9 17 20 27 29 37]
Y_pred: [0 9 20 37 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
and broad spectrum antibiotics, score: 0.12468997
she received fluid resuscitation, score: 0.100573674
received 3u prbcs at, score: 0.04537759

confidence of prediction: 0.862154
Y_true: [0 8 9 17 20 27 29 37]
Y_pred: [0 9 20 37 46]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)

to have thrombocytopenia after receiving lovenox, score: 0.26342735
thrombus anemia thrombocytopenia ischemic cardiomyopathy, score:
0.17551686
rehab anemia thrombocytopenia this was, score: 0.1448255

confidence of prediction: 0.896269
Y_true: [0 8 9 17 20 27 29 37]
Y_pred: [0 9 20 37 46]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
osh records htn osteoporosis uterine, score: 0.23319149
subsequently thr htn and osteoporosis who, score: 0.096080236
and thr htn and osteoporosis who, score: 0.034100402

confidence of prediction: 0.962855
Y_true: [0 8 9 17 20 27 29 37]
Y_pred: [0 9 20 37 46]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuks mod 51am urine rbc, score: 0.5070967
a proteus uti at the osh, score: 0.060898192
her coagulopathy uti found to have, score: 0.015631864

confidence of prediction: 0.783610
Y_true: [0 1 16 17 26 32 33 35 39 40 41 43 44 46]
Y_pred: [0 17 26 29 33 35 40 41 42 44 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
septic meeting sirs criteria with tachycardia, score: 0.11786245
myelos 25pm hypochrom anisocyt, score: 0.06627644
support with levophed intubated, score: 0.0500586

confidence of prediction: 0.914251
Y_true: [0 1 16 17 26 32 33 35 39 40 41 43 44 46]
Y_pred: [0 17 26 29 33 35 40 41 42 44 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
venous line placement x2 peg, score: 0.25839895
line placement picc placement and removal, score: 0.14008115
line in the left, score: 0.020117205

confidence of prediction: 0.918772
Y_true: [0 1 16 17 26 32 33 35 39 40 41 43 44 46]
Y_pred: [0 17 26 29 33 35 40 41 42 44 46]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib pt was in, score: 0.37121192
fib most likely secondary to, score: 0.115373254
atrial fibrillation discharge condition fair, score: 0.09137048

confidence of prediction: 0.702066
Y_true: [0 1 16 17 26 32 33 35 39 40 41 43 44 46]
Y_pred: [0 17 26 29 33 35 40 41 42 44 46]
top three important windows for true positive code 33 (518.81: Acute

respiratory failure)
respiratory failure secondary metastic, score: 0.16670336
intubated imaging cxr infectious, score: 0.086480506
initially intubated through his, score: 0.07003303

confidence of prediction: 0.607034
Y_true: [0 1 16 17 26 32 33 35 39 40 41 43 44 46]
Y_pred: [0 17 26 29 33 35 40 41 42 44 46]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
acute renal failure pt s, score: 0.16833195
to be pre renal most likely secondary, score: 0.012773827
recorded as having no, score: 0.01114212

confidence of prediction: 0.842803
Y_true: [0 1 16 17 26 32 33 35 39 40 41 43 44 46]
Y_pred: [0 17 26 29 33 35 40 41 42 44 46]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
was intubated through his, score: 0.0899819
was initially intubated through his, score: 0.062009193
was intubated and septic, score: 0.033624034

confidence of prediction: 0.700538
Y_true: [0 1 16 17 26 32 33 35 39 40 41 43 44 46]
Y_pred: [0 17 26 29 33 35 40 41 42 44 46]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
and tube feeds were ordered, score: 0.2145176
on tube feeds via ngt, score: 0.113613375
trach requiring [UNK] after, score: 0.019972855

confidence of prediction: 0.713926
Y_true: [0 1 16 17 26 32 33 35 39 40 41 43 44 46]
Y_pred: [0 17 26 29 33 35 40 41 42 44 46]
top three important windows for true positive code 44 (99.04: Transfusion of packed cells)
and was transfused 2u of prbcs and then another, score: 0.039937403
addition unit prbc for a, score: 0.030571641
and finally pressure support, score: 0.01612632

confidence of prediction: 0.955517
Y_true: [0 1 16 17 26 32 33 35 39 40 41 43 44 46]
Y_pred: [0 17 26 29 33 35 40 41 42 44 46]
top three important windows for true positive code 46 (995.92: Severe sepsis)
myelos 25pm hypochrom anisocyt, score: 0.09215624
support with levophed intubated, score: 0.063650444
septic meeting sirs criteria with tachycardia, score: 0.05408404

confidence of prediction: 0.951577
Y_true: [4 14 20 24 27 34 38]
Y_pred: [4 20 24 34 38]
top three important windows for true positive code 4 (272.4: Other

and unspecified hyperlipidemia)
hyperlipidemia cholesterol level cad died, score: 0.23934327
factors hyperlipidemia hypertension no history, score: 0.08418486
hyperlipidemia admitted s p, score: 0.055965036

confidence of prediction: 0.880275
Y_true: [4 14 20 24 27 34 38]
Y_pred: [4 20 24 34 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
and hyperlipidemia admitted s, score: 0.07155232
lad in htn and hyperlipidemia who presents, score: 0.051006436
arterial systolic hypertension with, score: 0.0318045

confidence of prediction: 0.997329
Y_true: [4 14 20 24 27 34 38]
Y_pred: [4 20 24 34 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lad cad s p emergent cardiac, score: 0.22254501
s p pci with, score: 0.114651546
cardiac catherization with bare metal stent to, score: 0.07490404

confidence of prediction: 0.715463
Y_true: [4 14 20 24 27 34 38]
Y_pred: [4 20 24 34 38]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
for acid reflux valsartan mg tablet sig, score: 0.0775768
gerd h o spinal, score: 0.017894756
prn sob singulair 10mg, score: 0.017020052

confidence of prediction: 0.840127
Y_true: [4 14 20 24 27 34 38]
Y_pred: [4 20 24 34 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catherization with bare metal stent, score: 0.3706414
cath lab she was on, score: 0.024963493
lad she was loaded, score: 0.024770122

confidence of prediction: 0.890327
Y_true: [1 2 3 30 34]
Y_pred: [1 2 30 34]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
neurontin levothyroxine [UNK] prn prilosec [UNK], score: 0.039312553
diet hypothyroidism continue levothyroxine gerd omeprazole f, score:
0.028935147
autoimmune hypothyroidism s p gastric, score: 0.024164015

confidence of prediction: 0.926874
Y_true: [1 2 3 30 34]
Y_pred: [1 2 30 34]

top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
issues niddm continue metformin insulin sliding scale, score:
0.06481404
of niddm copd autoimmune hypothyroidism, score: 0.03917704
number metformin neurontin levothyroxine, score: 0.016409868

confidence of prediction: 0.757867
Y_true: [1 2 3 30 34]
Y_pred: [1 2 30 34]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
morbid obesity copd and hypogammaglobulinemia who was, score:
0.5982771
mg prn copd continue albuterol singulair prednisone, score:
0.08142393
djd back psh s, score: 0.001571998

confidence of prediction: 0.788757
Y_true: [1 2 3 30 34]
Y_pred: [1 2 30 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
levothyroxine gerd omeprazole f e, score: 0.1792802
orthopaedics allergies sulfa sulfonamides, score: 0.024739275
[UNK] prn prilosec [UNK], score: 0.0157445

confidence of prediction: 0.857561
Y_true: [2 4 5 8 17 20 26 27 37]
Y_pred: [2 4 5 20 26 27 37]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
diabetes type ii hypertension back, score: 0.58916044
lantus 38units amitriptyline 150mg qhs, score: 0.0728106
home diabetes htn hyperlipidemia pulmonary htn, score: 0.023890562

confidence of prediction: 0.684497
Y_true: [2 4 5 8 17 20 26 27 37]
Y_pred: [2 4 5 20 26 27 37]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
diabetes htn hyperlipidemia pulmonary htn h o, score: 0.13480024
dm htn hl h o dvt not, score: 0.08628667
38units amitriptyline 150mg qhs soma 350mg, score: 0.055409893

confidence of prediction: 0.936214
Y_true: [2 4 5 8 17 20 26 27 37]
Y_pred: [2 4 5 20 26 27 37]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
with hypoxemia hyponatremia uti bacterial, score: 0.38902697
sodium levels hyponatremia and breathign difficulties the, score:

0.36660582
had gained 4lbs over, score: 0.005374509

confidence of prediction: 0.862138
Y_true: [2 4 5 8 17 20 26 27 37]
Y_pred: [2 4 5 20 26 27 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
38units amitriptyline 150mg qhs, score: 0.09075028
ethacrynic acid 50mg po, score: 0.06477655
dm htn hl h o, score: 0.055489495

confidence of prediction: 0.846973
Y_true: [2 4 5 8 17 20 26 27 37]
Y_pred: [2 4 5 20 26 27 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation one episode of, score: 0.12148714
af after diuresis in, score: 0.10815413
atrial fibrillation diabetes type, score: 0.060305215

confidence of prediction: 0.944647
Y_true: [2 4 5 8 17 20 26 27 37]
Y_pred: [2 4 5 20 26 27 37]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure diastolic acute on chronic, score:
0.034772564
of chf copd on 2l nc, score: 0.01763843
history chf copd on 2l nc, score: 0.012579689

confidence of prediction: 0.936661
Y_true: [2 4 5 8 17 20 26 27 37]
Y_pred: [2 4 5 20 26 27 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
[UNK] urinary tract infection [UNK] e, score: 0.035639055
final escherichia coli organisms ml presumptive, score: 0.016532404
final escherichia coli organisms ml identification, score:
0.016532404

confidence of prediction: 0.767494
Y_true: [9 11 20 33 35]
Y_pred: [11 17 26 29 33 35]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
htn depression glaucoma insomnia social history, score: 0.29173714
un depression continued on home lexapro, score: 0.12601735
issues glaucoma continued on, score: 0.010832281

confidence of prediction: 0.570622
Y_true: [9 11 20 33 35]
Y_pred: [11 17 26 29 33 35]
top three important windows for true positive code 33 (518.81: Acute

respiratory failure)
hypoxemic respiratory failure on 4l, score: 0.4422756
sob and hypoxia likely, score: 0.06569264
pneumonia aveolar hemorrhage or, score: 0.010549377

confidence of prediction: 0.829601
Y_true: [9 11 20 33 35]
Y_pred: [11 17 26 29 33 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
pre renal etiology cr trended over, score: 0.07141813
ovalocy occasional ellipto occasional 50am, score: 0.049432665
course renal consult as above, score: 0.0257175

confidence of prediction: 0.984671
Y_true: [8 9 17 20 35]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecfied essential hypertension)
above osteoporosis hypertension social history originally, score:
0.08158464
hypotensive while she was, score: 0.04084831
aorta interpretation baseline images, score: 0.023733286

confidence of prediction: 0.528621
Y_true: [2 20 26 37 49]
Y_pred: [2 20 26 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
type ii iddm htn atrial fibrillation, score: 0.117883146
novolin nph units hospital1 riss warfarin, score: 0.0704893
diabetes who was admitted, score: 0.03089417

confidence of prediction: 0.931407
Y_true: [2 20 26 37 49]
Y_pred: [2 20 26 49]
top three important windows for true positive code 20 (401.9:
Unspecfied essential hypertension)
coumadin hypertension diabetes who was admitted, score: 0.11430088
ii iddm htn atrial fibrillation with, score: 0.06401716
on coumadin hypertension diabetes who was admitted, score:
0.025282811

confidence of prediction: 0.956109
Y_true: [2 20 26 37 49]
Y_pred: [2 20 26 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation remained well controlled, score: 0.3792958
fibrillation pulmonary embolism hypertension, score: 0.11153722
atrial fibrillation with h o, score: 0.08120838

confidence of prediction: 0.676324

Y_true: [2 20 26 37 49]
Y_pred: [2 20 26 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
pe on coumadin hypertension, score: 0.09270384
was held coumadin 3mg, score: 0.086533174
it work warfarin changes, score: 0.08040703

confidence of prediction: 0.864704
Y_true: [2 4 8 17 20 31 34 48]
Y_pred: [2 4 20 31 34 48]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
ef dm maintained on insulin sliding, score: 0.051859494
cabg diabetes recently stopped glyburide and metformin per his, score: 0.044705704
cad dm hx of, score: 0.039256588

confidence of prediction: 0.888514
Y_true: [2 4 8 17 20 31 34 48]
Y_pred: [2 4 20 31 34 48]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
metop hospital1 hl continued rosuvastatin 5mg, score: 0.12436544
10g 15ml [UNK] as, score: 0.08650372
pvd nos hl social history social history, score: 0.07367458

confidence of prediction: 0.816859
Y_true: [2 4 8 17 20 31 34 48]
Y_pred: [2 4 20 31 34 48]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
secondary htn hl aortic stenosis, score: 0.13527961
non coronary study date, score: 0.08709186
controlled htn continued lasix 20mg, score: 0.079954006

confidence of prediction: 0.932515
Y_true: [2 4 8 17 20 31 34 48]
Y_pred: [2 4 20 31 34 48]
top three important windows for true positive code 31 (507.0: Pneumonitis due to inhalation of food or vomitus)
pneumonia aspiration active issues aspiration pneumonia with strep viridans, score: 0.1331011
v aspiration pna he was, score: 0.08491124
dislocation aspiration pneumonia demand ischemia, score: 0.080424406

confidence of prediction: 0.972004
Y_true: [2 4 8 17 20 31 34 48]
Y_pred: [2 4 20 31 34 48]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
5mg daily gerd continued omeprazole 20mg daily, score: 0.01746893
with with fent versed hip successfully, score: 0.007744348

line insertion history of, score: 0.0052275397

confidence of prediction: 0.803881
Y_true: [2 4 8 17 20 31 34 48]
Y_pred: [2 4 20 31 34 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg l tha, score: 0.6555701
status post cabg with stable size, score: 0.22084036
hx of cabg in cad dm, score: 0.036982372

confidence of prediction: 0.887589
Y_true: [15 24 25 26 29 31 33 38 41 43]
Y_pred: [26 31 41]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib per report and patient, score: 0.7560949
afib his trop i, score: 0.045971174
atrial fibrillation per ems report, score: 0.022537846

confidence of prediction: 0.847022
Y_true: [15 24 25 26 29 31 33 38 41 43]
Y_pred: [26 31 41]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
pna vs aspiration pneumonitis patient was started, score: 0.07625201
abnormal video eeg study due to, score: 0.022082249

confidence of prediction: 0.543008
Y_true: [15 24 25 26 29 31 33 38 41 43]
Y_pred: [26 31 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
of trach peg placement patient, score: 0.04749173
all sedation anoxic brain, score: 0.045598753
routine eeg due to, score: 0.030647764

confidence of prediction: 0.691781
Y_true: [1 4 7 20 26 37]
Y_pred: [1 4 7 20 26 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
fibrillation hypothyroidism arthritis hyperlipidemia osteopenia,
score: 0.32233325
daily hypothyroidism stable she was, score: 0.16630433
mondays levoxyl mcg a day, score: 0.09461953

confidence of prediction: 0.931268
Y_true: [1 4 7 20 26 37]
Y_pred: [1 4 7 20 26 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypothyroidism arthritis hyperlipidemia osteopenia hypertension psh
tah social, score: 0.08772735

for pain hyperlipidemia stable she was continued, score: 0.022152891
htn who presents with, score: 0.014751077

confidence of prediction: 0.715251
Y_true: [1 4 7 20 26 37]
Y_pred: [1 4 7 20 26 49]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
given persistent bleed hypoxemia she, score: 0.33621693
and her hematocrits were, score: 0.0444448
daily kcl meq a, score: 0.027342102

confidence of prediction: 0.995138
Y_true: [1 4 7 20 26 37]
Y_pred: [1 4 7 20 26 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
home atorvastatin hypertension normotensive she received, score:
0.21621816
hyperlipidemia osteopenia hypertension psh tah social history,
score: 0.07908231
on coumadin htn who presents with, score: 0.06646531

confidence of prediction: 0.988162
Y_true: [1 4 7 20 26 37]
Y_pred: [1 4 7 20 26 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib on coumadin htn, score: 0.41018167
afib rate controlled in, score: 0.06831226
atrial fibrillation rate controlled was, score: 0.024117464

confidence of prediction: 0.748360
Y_true: [7 9 12 18 26 27 30 39 41 43 49]
Y_pred: [12 17 18 26 33 40 41 43]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
tube and percutaneous endoscopic, score: 0.030156441
staph aureus bronchoalveolar lavage gram stain final, score:
0.028670415
underwent a bronchoscopy for, score: 0.02858501

confidence of prediction: 0.958642
Y_true: [7 9 12 18 26 27 30 39 41 43 49]
Y_pred: [12 17 18 26 33 40 41 43]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies no known, score: 0.024434457
tee was performed in, score: 0.009269746
washing incisions gently with mild soap, score: 0.009029759

confidence of prediction: 0.975571
Y_true: [7 9 12 18 26 27 30 39 41 43 49]
Y_pred: [12 17 18 26 33 40 41 43]

top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation coumadin was restarted, score: 0.25704387
tolerated long periods with, score: 0.0037523953
chronic atrial fibrillation aortic stenosis dilated, score:
0.002996097

confidence of prediction: 0.881686
Y_true: [7 9 12 18 26 27 30 39 41 43 49]
Y_pred: [12 17 18 26 33 40 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
associated pneumonia once sensitivities, score: 0.047007825
tracheostomy tube and percutaneous endoscopic gastrotomy tube picc,
score: 0.041073553
tolerates trach collar for hours, score: 0.033361174

confidence of prediction: 0.947487
Y_true: [7 9 12 18 26 27 30 39 41 43 49]
Y_pred: [12 17 18 26 33 40 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
tube and percutaneous endoscopic, score: 0.09023446
a sputum culture at, score: 0.03677718
for ventilator associated pneumonia once sensitivities, score:
0.03270345

confidence of prediction: 0.602141
Y_true: [2 4 8 17 21 27 34]
Y_pred: [4 21 27]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
being bedridden hyperlipidemia continue simvastatin asthma chronic
stable continue, score: 0.05281688
hctz hypophosphatemia neutrophos [UNK], score: 0.027098494
unclear etiology dyslipidemia sacral decubitus ulcer, score:
0.018515589

confidence of prediction: 0.783707
Y_true: [2 4 8 17 21 27 34]
Y_pred: [4 21 27]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic kidney disease stage previous, score: 0.06807165
obesity hypertension colostomy for, score: 0.018324515
insulin chronic kidney disease stage baseline cr, score: 0.011481339

confidence of prediction: 0.988392
Y_true: [2 4 8 17 21 27 34]
Y_pred: [4 21 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)

diastolic heart failure repeat, score: 0.2192262
diastolic heart failure lasix diabetes mellitus, score: 0.2192262
diastolic heart failure ef diabetes mellitus, score: 0.2192262

confidence of prediction: 0.795172
Y_true: [3 6 10 16 17 22 29 30 33 43]
Y_pred: [4 20 22 24 33 40 42]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
event cad nstemi on arrival now, score: 0.03951534
non st elevation myocardial infaction obstructive, score: 0.03281409
a nstemi a combination of pumonary, score: 0.014026824

confidence of prediction: 0.835394
Y_true: [3 6 10 16 17 22 29 30 33 43]
Y_pred: [4 20 22 24 33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypercarbic respiratory failure he, score: 0.11280939
hypercarbic respiratory failure and, score: 0.108902104
hypercarbic respiratory failure non, score: 0.10450007

confidence of prediction: 0.849259
Y_true: [4 7 16 17 33 41 43]
Y_pred: [7 12 17 41 43]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia hospital acquired pneumonia, score: 0.6581594
hd11 bilateral pneumothoraces [UNK] and, score: 0.024236277
[UNK] by horses earlier today, score: 0.019552367

confidence of prediction: 0.902943
Y_true: [4 7 16 17 33 41 43]
Y_pred: [7 12 17 41 43]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
6k her picc line was, score: 0.047607195
placed on hd6 for pulmonary, score: 0.043108318
on hd3 a bronchoalveolar lavage was, score: 0.02898847

confidence of prediction: 0.930943
Y_true: [4 7 16 17 33 41 43]
Y_pred: [7 12 17 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
a dobbhoff feeding tube was placed on, score: 0.066605315
her feeding tube has been, score: 0.029332746
ventilator associated pneumonia and completed, score: 0.015837517

confidence of prediction: 0.709741
Y_true: [4 7 16 17 33 41 43]
Y_pred: [7 12 17 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours

or more)
her ventilator associated pneumonia and completed, score:
0.029538188
bone and collapsed lungs, score: 0.02880364
temporoparietal sah nonoperative management, score: 0.02766644

confidence of prediction: 0.932999
Y_true: [2 4 49]
Y_pred: [4]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
significant for hld mild dm and, score: 0.10191708
medical history hyperlipidemia [UNK] dvt in which, score:
0.057892162
simvastatin mg tablet one, score: 0.0077799

confidence of prediction: 0.667199
Y_true: [12 20 31 33 40 41 42 43]
Y_pred: [4 12 20 31 40 41 43]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
had a bal that was, score: 0.14996994
aeruginosa by bal on that, score: 0.06559814
a tracheostomy and peg tube you, score: 0.049209137

confidence of prediction: 0.987677
Y_true: [12 20 31 33 40 41 42 43]
Y_pred: [4 12 20 31 40 41 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
s disease htn hld s p right, score: 0.160498
history of htn hld and prior, score: 0.055013523

confidence of prediction: 0.916535
Y_true: [12 20 31 33 40 41 42 43]
Y_pred: [4 12 20 31 40 41 43]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
developed aspiration pna as above stop, score: 0.08520496
infarct aspiration pna oa s p, score: 0.031674985
c w aspiration pneumonitis patient then, score: 0.009625287

confidence of prediction: 0.922988
Y_true: [12 20 31 33 40 41 42 43]
Y_pred: [4 12 20 31 40 41 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
made to intubate cxr showed, score: 0.08681387
with prompting cranial nerves, score: 0.06391475
tolerate trach collar oxygen, score: 0.016774995

confidence of prediction: 0.829979
Y_true: [12 20 31 33 40 41 42 43]
Y_pred: [4 12 20 31 40 41 43]

top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
tolerate trach collar oxygen flow, score: 0.11726673
tube feeds and have, score: 0.06656429
and peg tube you, score: 0.04518936

confidence of prediction: 0.932344
Y_true: [12 20 31 33 40 41 42 43]
Y_pred: [4 12 20 31 40 41 43]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
tolerate trach collar oxygen, score: 0.06446299
tracheostomy and peg tube you, score: 0.051261846
and peg placement on, score: 0.041635476

confidence of prediction: 0.605295
Y_true: [0 2 11 20 23 24 34 37 42]
Y_pred: [0 2 5 20 23 24 34 37 40 42]
top three important windows for true positive code 0 (038.9: Unspecified septicemia)
urosepsis she has mild, score: 0.017313913
on a levophed gtt, score: 0.01383711
concerning for sepsis in setting fever leukocytosis, score: 0.012306529

confidence of prediction: 0.824031
Y_true: [0 2 11 20 23 24 34 37 42]
Y_pred: [0 2 5 20 23 24 34 37 40 42]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
diabetes type managed with insulin, score: 0.29750034
htn pvd dm2 diet controlled hiatal hernia, score: 0.011981252
dm2 htn and pvd who, score: 0.011920295

confidence of prediction: 0.968656
Y_true: [0 2 11 20 23 24 34 37 42]
Y_pred: [0 2 5 20 23 24 34 37 40 42]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
x in htn pvd dm2 diet controlled, score: 0.093222454
stable secondary hypertension discharge, score: 0.038084835
htn dm2 htn and pvd who presented, score: 0.036895953

confidence of prediction: 0.673357
Y_true: [0 2 11 20 23 24 34 37 42]
Y_pred: [0 2 5 20 23 24 34 37 40 42]
top three important windows for true positive code 23 (412: Old myocardial infarction)
s p mi in w pci x, score: 0.553321
sl mg sl prn, score: 0.015831104
sl mg sl prn chest, score: 0.015831104

confidence of prediction: 0.876463
Y_true: [0 2 11 20 23 24 34 37 42]
Y_pred: [0 2 5 20 23 24 34 37 40 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p mi in w pci x plavix and, score:
0.04096557
cad s p pci x in, score: 0.025231142
of cad htn dm2, score: 0.015245604

confidence of prediction: 0.830821
Y_true: [0 2 11 20 23 24 34 37 42]
Y_pred: [0 2 5 20 23 24 34 37 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
of paroxetine gerd continued home dose of, score: 0.023958398
in depression gerd schatzki rings hiatal hernia acalculous, score:
0.01764288
the neurology consult recommended, score: 0.008733133

confidence of prediction: 0.876366
Y_true: [0 2 11 20 23 24 34 37 42]
Y_pred: [0 2 5 20 23 24 34 37 40 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection ceftriaxone started, score: 0.1857344
urinary tract infection hyponatremia resolved, score: 0.1220941
a urinary tract infection abnormal lab, score: 0.058033347

confidence of prediction: 0.790057
Y_true: [0 2 11 20 23 24 34 37 42]
Y_pred: [0 2 5 20 23 24 34 37 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
general intubated and sedated, score: 0.13611892
and intubated with etomidate, score: 0.053320188
and ventilation right internal, score: 0.040256828

confidence of prediction: 0.700436
Y_true: [4 17 21 28 30 35 36 47 49]
Y_pred: [2 17 20 29 35 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
rij triple lumen catheter and a 20g, score: 0.017629996
stations 4l 4r and 11r, score: 0.016832393
rubs gallops abdomen soft, score: 0.012447173

confidence of prediction: 0.591996
Y_true: [4 17 21 28 30 35 36 47 49]
Y_pred: [2 17 20 29 35 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute kidney injury lung adenocarcinoma, score: 0.11852535

a whiskey a month, score: 0.058493353
hemodynamically compromising arf thought to be prerenal in the,
score: 0.03132184

confidence of prediction: 0.601796
Y_true: [4 17 21 28 30 35 36 47 49]
Y_pred: [2 17 20 29 35 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
pt on warfarin for dx of, score: 0.64555234
elephantiasis hyperlipidemia oncologic history presented, score:
0.038093057
of gib warfarin held and initially, score: 0.03765308

confidence of prediction: 0.959333
Y_true: [7 12 26 27 34 47]
Y_pred: [26 27]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation tte at, score: 0.11406746
fibrillation chronic cough and, score: 0.066143155
afib presents from cardiology, score: 0.050588705

confidence of prediction: 0.965146
Y_true: [7 12 26 27 34 47]
Y_pred: [26 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure with a left, score: 0.19113025
systolic congestive heart failure discharge condition mental, score:
0.041914772
afib daughter with breast, score: 0.0038909367

confidence of prediction: 0.501723
Y_true: [1 8 12 17 35]
Y_pred: [1 12]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
pre hypothyroidism pulmonary fibrosis, score: 0.19077966
levothyroxine sodium mcg tabs tab, score: 0.14909737
levothyroxine mcg tablet sig, score: 0.06597329

confidence of prediction: 0.986787
Y_true: [1 8 12 17 35]
Y_pred: [1 12]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
following bronch bal negative for pcp, score: 0.0154336495
smear pm bronchoalveolar lavage bronchial lavage r o, score:
0.007764661
detect cryptosporidium cyclospora or, score: 0.0024706381

confidence of prediction: 0.979523
Y_true: [5 26 27 34 47 49]

Y_pred: [26 34]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib aflutter atrial fibrillation aflutter hemodynamically stable,
score: 0.26866934
afib with rates 150s, score: 0.19251628
afib has been difficult, score: 0.090940855

confidence of prediction: 0.889415
Y_true: [5 26 27 34 47 49]
Y_pred: [26 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
prn acid reflux diltia xt mg capsule, score: 0.10142891
diagnosed osteopenia gerd bppv cataracts s p, score: 0.025764
reflux toprol xl mg, score: 0.004769956

confidence of prediction: 0.676875
Y_true: [2 4 25 26 27 35 39 49]
Y_pred: [2 4 20 25 26 27 35 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
acarbose glyburide metformin and pioglitazone with, score:
0.114404485
pre dm patient was continued on, score: 0.113267235
metformin was held diuresis, score: 0.075494595

confidence of prediction: 0.894018
Y_true: [2 4 25 26 27 35 39 49]
Y_pred: [2 4 20 25 26 27 35 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
clinic inactive hld patient was continued, score: 0.15693526
daily sitagliptin januvia mg tablet tablet, score: 0.09586821
factors diabetes dyslipidemia hypertension cardiac history, score:
0.09414002

confidence of prediction: 0.588598
Y_true: [2 4 25 26 27 35 39 49]
Y_pred: [2 4 20 25 26 27 35 49]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
moderate mitral regurgitation is seen, score: 0.038944494
moderate mitral regurgitation tte moderate to, score: 0.03484722
mitral valve repair and, score: 0.034597706

confidence of prediction: 0.989592
Y_true: [2 4 25 26 27 35 39 49]
Y_pred: [2 4 20 25 26 27 35 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin pulmonary, score: 0.5519741
atrial fibrillation on warfarin cervical, score: 0.051691595

afib patient s coumadin regimen, score: 0.05028742

confidence of prediction: 0.910170
Y_true: [2 4 25 26 27 35 39 49]
Y_pred: [2 4 20 25 26 27 35 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure marked elevation in, score: 0.47107056
congestive heart failure atrial fibrillation discharge, score:
0.077935554
hypertension heart failure omeprazole, score: 0.035705186

confidence of prediction: 0.867432
Y_true: [2 4 25 26 27 35 39 49]
Y_pred: [2 4 20 25 26 27 35 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
persistant ectopy arf during diuresis cr rose, score: 0.026879555
bun cr mg discharge disposition, score: 0.00804888
thursday at 11am telephone, score: 0.0077647795

confidence of prediction: 0.741275
Y_true: [2 4 25 26 27 35 39 49]
Y_pred: [2 4 20 25 26 27 35 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin pulmonary, score: 0.53184456
fibrillation on warfarin cervical, score: 0.3081837
a day warfarin mg, score: 0.039464667

confidence of prediction: 0.992191
Y_true: [19 23 24 26 32 37 42 49]
Y_pred: [19 23 26 37 40 49]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
imaging hd esrd receives dialysis m w, score: 0.031711843
dependent esrd who initially, score: 0.016875664
initiation of hd prior, score: 0.007915003

confidence of prediction: 0.682509
Y_true: [19 23 24 26 32 37 42 49]
Y_pred: [19 23 26 37 40 49]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
administered to reverse the inr, score: 0.008366675
medical history cad s p mi htn a, score: 0.0054128766
cad prior stroke esrd discharge, score: 0.0015205377

confidence of prediction: 0.983487
Y_true: [19 23 24 26 32 37 42 49]
Y_pred: [19 23 26 37 40 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib w rvr and, score: 0.14235379

afib htn cad prior, score: 0.07198834
afib she was started, score: 0.044921562

confidence of prediction: 0.878073
Y_true: [19 23 24 26 32 37 42 49]
Y_pred: [19 23 26 37 40 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuks mod 55am urine color, score: 0.18394226
urinary tract infection which could, score: 0.1830402
of uti is complete, score: 0.04464542

confidence of prediction: 0.837211
Y_true: [19 23 24 26 32 37 42 49]
Y_pred: [19 23 26 37 40 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fib on coumadin prior, score: 0.8737942
on admission coumadin mg, score: 0.019869197
a day coumadin mg, score: 0.017475657

confidence of prediction: 0.788231
Y_true: [4 11 16 17 20 25 26 35 49]
Y_pred: [4 11 17 20 26 27 35 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
afib chads2 psh colonoscopy, score: 0.010681792
htn ugib h pylori gastritis s, score: 0.007552586
pmh cva htn hl obesity depression glaucoma arf, score: 0.0047804243

confidence of prediction: 0.803239
Y_true: [4 11 16 17 20 25 26 35 49]
Y_pred: [4 11 17 20 26 27 35 49]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
hl obesity depression glaucoma arf, score: 0.09548934
comfortable sleeping in bed neck, score: 0.00727106
polymorphonuclear leukocytes few red, score: 0.00689107

confidence of prediction: 0.810432
Y_true: [4 11 16 17 20 25 26 35 49]
Y_pred: [4 11 17 20 26 27 35 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
venous access line indicates position, score: 0.39391539
cvl was placed for more, score: 0.09371014
[UNK] lij cvl in place lungs cta, score: 0.044462375

confidence of prediction: 0.997740
Y_true: [4 11 16 17 20 25 26 35 49]
Y_pred: [4 11 17 20 26 27 35 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pmh cva htn hl obesity depression glaucoma, score: 0.2122618

difficile secondary htn ugib h pylori, score: 0.018339995
failure baseline creatinine was, score: 0.0106412815

confidence of prediction: 0.992435
Y_true: [4 11 16 17 20 25 26 35 49]
Y_pred: [4 11 17 20 26 27 35 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation was held and, score: 0.006244807
atrial fibrillation was resumed at, score: 0.006244807
chronic afib chads2 psh colonoscopy, score: 0.0033098473

confidence of prediction: 0.869042
Y_true: [4 11 16 17 20 25 26 35 49]
Y_pred: [4 11 17 20 26 27 35 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
discharge arf was resolved discharge disposition, score: 0.08240111
depression glaucoma arf this past, score: 0.07982803
levophed gen nads comfortable, score: 0.024042146

confidence of prediction: 0.648540
Y_true: [4 11 16 17 20 25 26 35 49]
Y_pred: [4 11 17 20 26 27 35 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib chads2 psh colonoscopy, score: 0.13808726
a day warfarin mg, score: 0.10763784
s home coumadin prophylaxis, score: 0.08255926

confidence of prediction: 0.995297
Y_true: [3 20]
Y_pred: [20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn social history lives at, score: 0.15443344
daily moexipril hctz 25mg daily simvastatin, score: 0.07227842
history of hypertension who has been, score: 0.0618563

confidence of prediction: 0.970179
Y_true: [7 9 13 15 18 20 24 26 27 34 37 38]
Y_pred: [18 20 24 26 27 49]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies codeine vicodin, score: 0.14751337
prebypass no spontaneous echo, score: 0.0097478675
washing incisions gently with mild soap, score: 0.007964302

confidence of prediction: 0.956757
Y_true: [7 9 13 15 18 20 24 26 27 34 37 38]
Y_pred: [18 20 24 26 27 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
aortic endarterectomy hypertension moderate aortic stenosis, score:

0.15108454
echo in htn lvh who presents, score: 0.0467878
htn who presented with, score: 0.042437047

confidence of prediction: 0.829028
Y_true: [7 9 13 15 18 20 24 26 27 34 37 38]
Y_pred: [18 20 24 26 27 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
hospital1 sl nitro prn, score: 0.15707922
om3 om3 has a large, score: 0.07232942
vd on cath she, score: 0.034424953

confidence of prediction: 0.988467
Y_true: [7 9 13 15 18 20 24 26 27 34 37 38]
Y_pred: [18 20 24 26 27 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib on coumadin coronary artery, score: 0.7915877
afib tablet po once, score: 0.11164342
markedly decreased lvef likely, score: 0.0015611751

confidence of prediction: 0.949982
Y_true: [7 9 13 15 18 20 24 26 27 34 37 38]
Y_pred: [18 20 24 26 27 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure in setting of, score: 0.29515737
with avr chf exam cxr and, score: 0.058599405
systolic heart failure mild pulmonary arterial, score: 0.018121665

confidence of prediction: 0.968666
Y_true: [5 6 10 35]
Y_pred: [5 7 35 46]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
likely hypovolemic hyponatremia secondary to diarrheal losses,
score: 0.3830074
of discharge hyponatremia patient initially with sodium, score:
0.23318565
kidney injury hyponatremia anion gap acidosis, score: 0.08376504

confidence of prediction: 0.786640
Y_true: [5 6 10 35]
Y_pred: [5 7 35 46]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
prerenal etiology improved with, score: 0.103577375
acute kidney injury baseline creat, score: 0.05675268
with liver function tests, score: 0.03348541

confidence of prediction: 0.629947
Y_true: [4 5 8 20 35]
Y_pred: [4 20 29 35]

top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
center hypertension hyperlipidemia stage iv lung adenocarcinoma, score: 0.11216422
saphenous superficial vein thrombosis, score: 0.023978805
simvastatin mg tablet sig, score: 0.016316626

confidence of prediction: 0.916026
Y_true: [4 5 8 20 35]
Y_pred: [4 20 29 35]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
hypertension hyperlipidemia stage iv lung, score: 0.43088967
cushion dx stage iv, score: 0.31416544
history of htn who, score: 0.056524184

confidence of prediction: 0.684601
Y_true: [4 5 8 20 35]
Y_pred: [4 20 29 35]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
with pre renal process resolved to, score: 0.19020942
wearing face mask heent, score: 0.03900016
acute kidney injury creatinine was, score: 0.036766168

confidence of prediction: 0.616729
Y_true: [4 20 26 41]
Y_pred: [1 4 20 26 41]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
direction instead trying to, score: 0.07861059
simvastatin mg tablet sig, score: 0.030274367
hematuria htn hld remote history of renal, score: 0.014910408

confidence of prediction: 0.722451
Y_true: [4 20 26 41]
Y_pred: [1 4 20 26 41]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
improves cvs af previously off warfarin, score: 0.15808536
wcc ppx dvt heparin, score: 0.046451505
a store earlier today, score: 0.030128565

confidence of prediction: 0.983393
Y_true: [4 20 26 41]
Y_pred: [1 4 20 26 41]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation off coumadin because, score: 0.02640472
atrial fibrillation off coumadin because, score: 0.0051052575
irregularly irregular abdomen soft nt, score: 0.0021011303

confidence of prediction: 0.927727
Y_true: [4 20 26 41]

Y_pred: [1 4 20 26 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
both tube feeds and taking po, score: 0.34878528
placed tube feeds were stopped on, score: 0.055783823
the feeding tube in your nose, score: 0.03808624

confidence of prediction: 0.814301
Y_true: [1 3 5 6 16 17 19 20 27 33 40 41 43 44 45 46]
Y_pred: [1 4 5 17 19 26 35 46]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
includes hypothyroidism and hld hypotension, score: 0.27595994
hyperlipidemia hypothyroidism and a, score: 0.19347513
prn levothyroxine 05mg daily discharge, score: 0.17240244

confidence of prediction: 0.746876
Y_true: [1 3 5 6 16 17 19 20 27 33 40 41 43 44 45 46]
Y_pred: [1 4 5 17 19 26 35 46]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
svv from vigileo suggested intravascular, score: 0.1359286
she developed hyponatremia and hyperglycemia unclear etiology but
hyponatremia may be related to, score: 0.094402656
ultrafiltrate bath having a, score: 0.0636456

confidence of prediction: 0.836035
Y_true: [1 3 5 6 16 17 19 20 27 33 40 41 43 44 45 46]
Y_pred: [1 4 5 17 19 26 35 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
placed on picc line left art line, score: 0.10641315
monitor picc line for signs, score: 0.07389567
access line changed over, score: 0.067801476

confidence of prediction: 0.991364
Y_true: [1 3 5 6 16 17 19 20 27 33 40 41 43 44 45 46]
Y_pred: [1 4 5 17 19 26 35 46]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
right dialysis catheter right ij cvvh dialysis chest tube, score:
0.08836156
was started cvvh she was, score: 0.042246483
but cvvh was started, score: 0.018838137

confidence of prediction: 0.670818
Y_true: [1 3 5 6 16 17 19 20 27 33 40 41 43 44 45 46]
Y_pred: [1 4 5 17 19 26 35 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
shock has required levophed for, score: 0.05493293
myelos nrbc 49am blood, score: 0.037617497
requiring pressors levophed originally, score: 0.032542314

confidence of prediction: 0.812834
Y_true: [1   3   8 16 20 25 27 33 34 37 40 43]
Y_pred: [0   1 17 33 34 37 40 41 42 43 46]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
support hypothyroidism continued on levothyroxine mcg daily gerd,
score: 0.28631333
issues hypothyroidism chronic anemia mitral, score: 0.21490462
hospital1 levothyroxine sodium mcg po, score: 0.10092632

confidence of prediction: 0.907390
Y_true: [1   3   8 16 20 25 27 33 34 37 40 43]
Y_pred: [0   1 17 33 34 37 40 41 42 43 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypercarbic respiratory failure major, score: 0.11199692
hypercarbic respiratory failure was, score: 0.094537206
hypercarbic respiratory failure sepsis, score: 0.0752069

confidence of prediction: 0.551017
Y_true: [1   3   8 16 20 25 27 33 34 37 40 43]
Y_pred: [0   1 17 33 34 37 40 41 42 43 46]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
mcg daily gerd patient previously on omeprazole, score: 0.046712227
bin lipase and lactate a, score: 0.0098817
terminates in the axilla, score: 0.009454495

confidence of prediction: 0.941180
Y_true: [1   3   8 16 20 25 27 33 34 37 40 43]
Y_pred: [0   1 17 33 34 37 40 41 42 43 46]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection hypercarbic respiratory, score: 0.051502682
uti patient grew out, score: 0.037532594
a urinary tract infection causing sepsis, score: 0.028632712

confidence of prediction: 0.561990
Y_true: [1   3   8 16 20 25 27 33 34 37 40 43]
Y_pred: [0   1 17 33 34 37 40 41 42 43 46]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was intubated an initial, score: 0.26845056
fio2 general intubated unresponsive pale, score: 0.06006588
post intubation her bp, score: 0.0574001

confidence of prediction: 0.606004
Y_true: [1   3   8 16 20 25 27 33 34 37 40 43]
Y_pred: [0   1 17 33 34 37 40 41 42 43 46]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
she remained intubated for most, score: 0.03958507
vent settings were fio2 rr, score: 0.025419438

sputum culture endotracheal source gram, score: 0.021021128

confidence of prediction: 0.727116
Y_true: [11 20 34 41 42]
Y_pred: [19 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
when tube feeds on consistently, score: 0.041486975
tracheostomy tube was sutured, score: 0.03405471
g tube intact gu, score: 0.020048862

confidence of prediction: 0.974451
Y_true: [24]
Y_pred: [15 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lad for occlusion with hospital, score: 0.054395143
cardiac catheterization with drug, score: 0.045353286
lad and stenosis at, score: 0.044840854

confidence of prediction: 0.734558
Y_true: [4 20 24 27 34]
Y_pred: [4 20 27 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
htn and hyperlipidemia who presented with ams, score: 0.13460156
htn and hyperlipidemia presenting with ams, score: 0.13460156
for gerd htn the, score: 0.026657172

confidence of prediction: 0.768522
Y_true: [4 20 24 27 34]
Y_pred: [4 20 27 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
for gerd htn the, score: 0.27415004
lung disease htn and hyperlipidemia who, score: 0.08934089
lung disease htn and hyperlipidemia presenting, score: 0.08934089

confidence of prediction: 0.965901
Y_true: [4 20 24 27 34]
Y_pred: [4 20 27 34]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic chf nonspecific interstitial pneumonia, score: 0.15665883
diastolic chf despite unimpressive chest, score: 0.12325727
chf see below interstitial, score: 0.047840163

confidence of prediction: 0.849427
Y_true: [4 20 24 27 34]
Y_pred: [4 20 27 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
for gerd htn the patient s, score: 0.111438125
gerd osteoarthritis pulmonary nodules, score: 0.08898813

diagnoses gerd osteoarthritis discharge condition mental, score:
0.083026394

confidence of prediction: 0.957426
Y_true: [14 24 31 38 42]
Y_pred: [15 17 20 24 31 33 38 40 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
vessel coronary artery disease the lmca, score: 0.1923104
cardiac catheterization intubation and, score: 0.024761623
s p resuscitation hypoxia, score: 0.017190328

confidence of prediction: 0.913929
Y_true: [14 24 31 38 42]
Y_pred: [15 17 20 24 31 33 38 40 42]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
an aspiration pneumonia for which, score: 0.24295466
to aspiration so she initially received, score: 0.1638426
from aspiration was treated with levo, score: 0.031146111

confidence of prediction: 0.882479
Y_true: [14 24 31 38 42]
Y_pred: [15 17 20 24 31 33 38 40 42]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cath lab cath lab findings included no, score: 0.109063685
cath lab the patient, score: 0.07784729
cath comments selective coronary angiography demonstrated, score:
0.044245902

confidence of prediction: 0.787656
Y_true: [14 24 31 38 42]
Y_pred: [15 17 20 24 31 33 38 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated during the, score: 0.09183988
and was intubated hypoxia pulmonary the, score: 0.044664435
and extubation ngt placement, score: 0.043799087

confidence of prediction: 0.844396
Y_true: [4 14 21 22 24 27 36 38 48]
Y_pred: [4 20 22 24 26 27 29 36 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
avm hypertension hyperlipidemia aspirin allergy asthma, score:
0.13038132
factors diabetes dyslipidemia hypertension cardiac history, score:
0.10499653
copd htn hyperlipidemia and allergy, score: 0.10253057

confidence of prediction: 0.794064
Y_true: [4 14 21 22 24 27 36 38 48]

Y_pred: [4 20 22 24 26 27 29 36 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
diagnosis nstemi s p cardiac cath, score: 0.03826163
may represents nstemi v demand ischemia in the setting, score:
0.02464776
disease the lmca was, score: 0.0058369203

confidence of prediction: 0.791898
Y_true: [4 14 21 22 24 27 36 38 48]
Y_pred: [4 20 22 24 26 27 29 36 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p cabg in, score: 0.09020146
metal stent was performed, score: 0.042240042
coronary artery disease the, score: 0.04175623

confidence of prediction: 0.682825
Y_true: [4 14 21 22 24 27 36 38 48]
Y_pred: [4 20 22 24 26 27 29 36 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic dysfunction ef on tte from, score: 0.046908937
ntg on admission to, score: 0.03892949
nstemi v demand ischemia, score: 0.03458736

confidence of prediction: 0.648566
Y_true: [4 14 21 22 24 27 36 38 48]
Y_pred: [4 20 22 24 26 27 29 36 38]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal insufficiency she also, score: 0.06575063
history of cri with baseline cr to her cr at, score: 0.019062992
gerd cri baseline cr depression nasal, score: 0.017798923

confidence of prediction: 0.842492
Y_true: [4 14 21 22 24 27 36 38 48]
Y_pred: [4 20 22 24 26 27 29 36 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization drug eluting, score: 0.6810883
coronary angiography of this, score: 0.04716076
catheterization and was transferred, score: 0.019431936

confidence of prediction: 0.650158
Y_true: [0 4 8 17 21 24 26 27 31 33 35 39 41 43 46 47 49]
Y_pred: [17 21 26 27 33 35 36 39 40 41 42 43]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
[UNK] haemophilus grew out, score: 0.09049326
central line placement and removal, score: 0.053013835
he developed hypertensive urgency, score: 0.042831037

confidence of prediction: 0.681598

Y_true: [0 4 8 17 21 24 26 27 31 33 35 39 41 43 46 47 49]
Y_pred: [17 21 26 27 33 35 36 39 40 41 42 43]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
ckd stage iii per note, score: 0.34733173
chronic renal failure non [UNK], score: 0.11678575
chronic renal failure with hyperkalemia the, score: 0.11678575

confidence of prediction: 0.985641
Y_true: [0 4 8 17 21 24 26 27 31 33 35 39 41 43 46 47 49]
Y_pred: [17 21 26 27 33 35 36 39 40 41 42 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation patient in afib with lbbb at, score: 0.24634853
atrial fibrillation left bundle branch, score: 0.11477737
atrial fibrillation likely permanent managed, score: 0.018856663

confidence of prediction: 0.720068
Y_true: [0 4 8 17 21 24 26 27 31 33 35 39 41 43 46 47 49]
Y_pred: [17 21 26 27 33 35 36 39 40 41 42 43]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf who presented to osh, score: 0.061108164
afib with lbbb at, score: 0.031584486
possibly chf cad who presented to, score: 0.008601662

confidence of prediction: 0.822967
Y_true: [0 4 8 17 21 24 26 27 31 33 35 39 41 43 46 47 49]
Y_pred: [17 21 26 27 33 35 36 39 40 41 42 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxemic respiratory failure with pna, score: 0.21936896
hypoxemic respiratory failure with severe, score: 0.20708348
administrations of digibind there, score: 0.032563

confidence of prediction: 0.660463
Y_true: [0 4 8 17 21 24 26 27 31 33 35 39 41 43 46 47 49]
Y_pred: [17 21 26 27 33 35 36 39 40 41 42 43]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure non, score: 0.13145836
on chronic renal failure with hyperkalemia the, score: 0.13145836
acute kidney injury may have, score: 0.055899024

confidence of prediction: 0.922449
Y_true: [0 4 8 17 21 24 26 27 31 33 35 39 41 43 46 47 49]
Y_pred: [17 21 26 27 33 35 36 39 40 41 42 43]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
effusion tee no spontaneous echo, score: 0.008372252
descending thoracic aorta no, score: 0.0031785755
tee with bubble study, score: 0.0015877979

confidence of prediction: 0.776210
Y_true: [0 4 8 17 21 24 26 27 31 33 35 39 41 43 46 47 49]
Y_pred: [17 21 26 27 33 35 36 39 40 41 42 43]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
received vials of [UNK], score: 0.025936265
acute hypoxemic respiratory failure, score: 0.025137695
develop an ileus tube feeding had been, score: 0.01555032

confidence of prediction: 0.531279
Y_true: [0 4 8 17 21 24 26 27 31 33 35 39 41 43 46 47 49]
Y_pred: [17 21 26 27 33 35 36 39 40 41 42 43]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
developed ards on review of, score: 0.059369497
chains respiratory culture final, score: 0.05191444
was electively intubated difficult, score: 0.03747502

confidence of prediction: 0.688636
Y_true: [4 23 26 27 30 35 47 48 49]
Y_pred: [4 26 27 35 48]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
factors diabetes dyslipidemia hypertension cardiac history cabg, score: 0.21045923
radical prostatectomy hyperlipidemia s p aaa repair, score: 0.20723243
valsartan mg tablet sig, score: 0.020619657

confidence of prediction: 0.949914
Y_true: [4 23 26 27 30 35 47 48 49]
Y_pred: [4 26 27 35 48]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation s p icd, score: 0.13045885
atrial fibrillation s p aicd, score: 0.027823217
cardiomyopathy ejection fraction s, score: 0.0088121835

confidence of prediction: 0.938489
Y_true: [4 23 26 27 30 35 47 48 49]
Y_pred: [4 26 27 35 48]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
sided pacemaker defibrillator lead terminates, score: 0.12940757
failure decrease valsartan to, score: 0.11685537
cardiomyopathy ef copd amiodarone lung toxicity rheumatoid, score: 0.028802535

confidence of prediction: 0.506006
Y_true: [4 23 26 27 30 35 47 48 49]
Y_pred: [4 26 27 35 48]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)

and acute renal failure and was found, score: 0.038142875
started on spironalactone in house and, score: 0.010692803
to multiple medications and, score: 0.00795494

confidence of prediction: 0.681652
Y_true: [4 23 26 27 30 35 47 48 49]
Y_pred: [4 26 27 35 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg in, score: 0.2575472
due to cabg cardiomegaly, score: 0.072187066
s p cabg in, score: 0.033545878

confidence of prediction: 0.719439
Y_true: [3 15 16 18 20 24 26 27 30 35 38 40 42 49]
Y_pred: [3 10 17 18 20 26 27 30 35 38 40 42]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
x full rom x chest, score: 0.0026597183
rheumatoid arthritis hypertension hypercholesterolemia pmr history
of, score: 0.0021619047
rheumatoid arthritis hypertension hypercholesterolemia chronic
obstructive pulmonary, score: 0.0021619047

confidence of prediction: 0.971208
Y_true: [3 15 16 18 20 24 26 27 30 35 38 40 42 49]
Y_pred: [3 10 17 18 20 26 27 30 35 38 40 42]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies no known, score: 0.024065048
bypass grafting times with a, score: 0.011032975
tee was performed in, score: 0.009129602

confidence of prediction: 0.943801
Y_true: [3 15 16 18 20 24 26 27 30 35 38 40 42 49]
Y_pred: [3 10 17 18 20 26 27 30 35 38 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
rheumatoid arthritis hypertension hypercholesterolemia pmr history
of, score: 0.2531868
rheumatoid arthritis hypertension hypercholesterolemia chronic
obstructive pulmonary, score: 0.2531868
parenchyma is homogeneous with, score: 0.2011419

confidence of prediction: 0.974843
Y_true: [3 15 16 18 20 24 26 27 30 35 38 40 42 49]
Y_pred: [3 10 17 18 20 26 27 30 35 38 40 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation rheumatoid arthritis hypertension, score:
0.062075026
fibrillation she was started, score: 0.035335973
atrial fibrillation rheumatoid arthritis hypertension, score:
0.01750541

confidence of prediction: 0.984730
Y_true: [3 15 16 18 20 24 26 27 30 35 38 40 42 49]
Y_pred: [3 10 17 18 20 26 27 30 35 38 40 42]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
unexplained heart failure or, score: 0.026237968
for heart failure but was weaned, score: 0.009475473
chronic diastolic heart failure acute kidney injury, score:
0.0030168842

confidence of prediction: 0.660840
Y_true: [3 15 16 18 20 24 26 27 30 35 38 40 42 49]
Y_pred: [3 10 17 18 20 26 27 30 35 38 40 42]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
of dvt copd hyperthyroidism osteopenia large ventral, score:
0.16363046
chronic obstructive pulmonary disease hyperthyroidism osteopenia,
score: 0.0007667727
right ventricular chamber size, score: 0.0007136789

confidence of prediction: 0.810774
Y_true: [3 15 16 18 20 24 26 27 30 35 38 40 42 49]
Y_pred: [3 10 17 18 20 26 27 30 35 38 40 42]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
peak acute kidney injury and has, score: 0.043332506
mobile the peak gradient, score: 0.029587967
failure acute kidney injury peak cr atrial fibrillation, score:
0.01540635

confidence of prediction: 0.646910
Y_true: [3 15 16 18 20 24 26 27 30 35 38 40 42 49]
Y_pred: [3 10 17 18 20 26 27 30 35 38 40 42]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization aortic valve replacement, score: 0.76130456
cardiac catheterization see report, score: 0.03827202
mitral leaflet mild mitral, score: 0.012970929

confidence of prediction: 0.870315
Y_true: [3 15 16 18 20 24 26 27 30 35 38 40 42 49]
Y_pred: [3 10 17 18 20 26 27 30 35 38 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
and was reintubated on additionally, score: 0.0056242147
adverse drug reactions attending first, score: 0.0054241377
minerals lutein centrum silver, score: 0.0043861307

confidence of prediction: 0.576823
Y_true: [3 15 16 18 20 24 26 27 30 35 38 40 42 49]
Y_pred: [3 10 17 18 20 26 27 30 35 38 40 42]
top three important windows for true positive code 42 (96.71:

Continuous invasive mechanical ventilation for less than 96
consecutive hours)
developed respiratory distress not, score: 0.015153202
omega fatty acids fish oil otc mg, score: 0.008560723
right central venous catheter, score: 0.0068633184

confidence of prediction: 0.905457
Y_true: [5 8 17 20 37 39]
Y_pred: [5 20 39]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
follow up hyponatremia she became hyponatremic to her thiazide was,
score: 0.45676884
of the hyponatremia medications on admission medications, score:
0.091672294
anemia hypertension delirium discharge, score: 0.014120653

confidence of prediction: 0.760362
Y_true: [5 8 17 20 37 39]
Y_pred: [5 20 39]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hydrochlorothiazide we started nafcillin, score: 0.05303254
medical history htn bilateral tkr thr she, score: 0.04693896
reduced rectal sphincter tone, score: 0.03594239

confidence of prediction: 0.656092
Y_true: [5 8 17 20 37 39]
Y_pred: [5 20 39]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
transesophageal echo done and, score: 0.16637377
endocarditis tee conclusions no spontaneous echo, score: 0.059158668
tee with normal lv, score: 0.034850363

confidence of prediction: 0.903361
Y_true: [11 17 39]
Y_pred: [11 17]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
parkinson s depression prostatism social history quit, score:
0.037410446
sought medical advice while at, score: 0.0043784576
etoh investment attorney family, score: 0.0016019619

confidence of prediction: 0.823125
Y_true: [11 17 39]
Y_pred: [11 17]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
emboli with effusions he, score: 0.13767436
emboli the patient was, score: 0.12049064
emboli cellulitis secondary parkinson, score: 0.09153027

confidence of prediction: 0.970145
Y_true: [8 10 20 23 24 26 49]
Y_pred: [20 22 23 26]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
and stable htn stable continued on home, score: 0.3493445
vein dvt htn gold stage severe, score: 0.1777343
10l he albuterol nebs, score: 0.020127317

confidence of prediction: 0.632859
Y_true: [8 10 20 23 24 26 49]
Y_pred: [20 22 23 26]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
hx of mi physical, score: 0.6598103
by an nstemi which was medically managed without [UNK] patient,
score: 0.015088681
inferior inferolateral inferoseptal akinesis hypokinesis, score:
0.01166943

confidence of prediction: 0.724874
Y_true: [8 10 20 23 24 26 49]
Y_pred: [20 22 23 26]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib with rvr hour prior, score: 0.48841467
atrial fibrillation secondary diagnosis pulmonary, score: 0.06036079
it was pleasure taking care, score: 0.048130102

confidence of prediction: 0.946549
Y_true: [6 7 9 20 35 43]
Y_pred: [20 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn cva years ago left, score: 0.13012098
pressors post operatively and, score: 0.011690051
piriformis and obturator w, score: 0.009188712

confidence of prediction: 0.579533
Y_true: [6 8 9 32]
Y_pred: [9 35]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
abnormalities including thrombocytopenia to acute renal failure,
score: 0.2957497
sepsis marrow suppression in, score: 0.038094036
week thrombocytopenia platelets initially [UNK] from, score:
0.036733456

confidence of prediction: 0.520971
Y_true: [6 14 17 20 24 38 42]
Y_pred: [14 17 20 24 31 38 40 42]
top three important windows for true positive code 14 (37.22: Left
heart cardiac catheterization)

catheterization comments coronary angiography in this, score:
0.08919483
lab at cath a tortuous lad, score: 0.029094454
cardiac catheterization was done to, score: 0.02058873

confidence of prediction: 0.592607
Y_true: [6 14 17 20 24 38 42]
Y_pred: [14 17 20 24 31 38 40 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
venous line in right, score: 0.10569339
extubated after rewarming on [UNK] anion gap, score: 0.09034654
and upon rewarming patient, score: 0.077384815

confidence of prediction: 0.920191
Y_true: [6 14 17 20 24 38 42]
Y_pred: [14 17 20 24 31 38 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn patient had ef on, score: 0.15315251
pmhx of htn found, score: 0.053061005
pmhx of htn found unresponive at, score: 0.053061005

confidence of prediction: 0.978151
Y_true: [6 14 17 20 24 38 42]
Y_pred: [14 17 20 24 31 38 40 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lad lesion was found, score: 0.14735045
lad lesion that was, score: 0.07946361
lad lesion which could, score: 0.0401615

confidence of prediction: 0.731929
Y_true: [6 14 17 20 24 38 42]
Y_pred: [14 17 20 24 31 38 40 42]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization history of present, score: 0.086791195
catheterization comments coronary angiography in this, score:
0.07718552
lab at cath a tortuous lad, score: 0.05416275

confidence of prediction: 0.764400
Y_true: [6 14 17 20 24 38 42]
Y_pred: [14 17 20 24 31 38 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
intubation central venous line in, score: 0.5352182
patient was intubated in the, score: 0.050867427
protocol and upon rewarming, score: 0.007689114

confidence of prediction: 0.957659
Y_true: [17 20 27 34]

Y_pred: [20 22]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension raynauds esophageal dysmotility, score:
0.11757845
moderate pulmonary hypertension brief, score: 0.11690021
hypertension given elevated ra pressures, score: 0.059284557

confidence of prediction: 0.910543
Y_true: [16 17 20 26 30 32 33 41 43]
Y_pred: [20 26 30 33 40 41 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history copd htn glaucoma arthritis social history, score:
0.05750085
on hd patient became, score: 0.022658363
by grocery store manager, score: 0.021048252

confidence of prediction: 0.856966
Y_true: [16 17 20 26 30 32 33 41 43]
Y_pred: [20 26 30 33 40 41 42]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation he required a, score: 0.20312656
atrial fibrillation and blood pressures, score: 0.14090604
atrial fibrillation and [UNK] to, score: 0.13141568

confidence of prediction: 0.877407
Y_true: [16 17 20 26 30 32 33 41 43]
Y_pred: [20 26 30 33 40 41 42]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
medical history copd htn glaucoma arthritis social history, score:
0.2160127
cervical stenosis patient s, score: 0.008912586
systolic function lvef due, score: 0.0013895826

confidence of prediction: 0.534710
Y_true: [16 17 20 26 30 32 33 41 43]
Y_pred: [20 26 30 33 40 41 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
patient was intubated exam was, score: 0.061386354
he was intubated for airway protection, score: 0.044966325
leukocytosis respiratory failure discharge condition, score:
0.030192807

confidence of prediction: 0.645566
Y_true: [16 17 20 26 30 32 33 41 43]
Y_pred: [20 26 30 33 40 41 42]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
the feeding tube which terminates, score: 0.08671133
cord syndrome patient was, score: 0.029596519

cord syndrome mri c, score: 0.028832197

confidence of prediction: 0.855105
Y_true: [19 20 42 46]
Y_pred: [17 19]
top three important windows for true positive code 19 (39.95: Hemodialysis)
venous cannulization hemodialysis history of, score: 0.10579956
last hd schedule to, score: 0.036834326
became hd depended for, score: 0.028340885

confidence of prediction: 0.639498
Y_true: [25]
Y_pred: [20 25]
top three important windows for true positive code 25 (424.0: Mitral valve disorders)
mitral valve prolapse anxiety and depression, score: 0.58473533
was a pleasure taking care, score: 0.008729589
a result of her, score: 0.0034116807

confidence of prediction: 0.778297
Y_true: [20 27 33 40 42]
Y_pred: [20 27 33 40 42]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
asthma t2dm htn osa dementia who presents, score: 0.16646627
hydrochlorothiazide medications on admission, score: 0.14203648
hydrochlorothiazide mg tablet sig, score: 0.07708752

confidence of prediction: 0.934450
Y_true: [20 27 33 40 42]
Y_pred: [20 27 33 40 42]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
diastolic heart failure active issues, score: 0.22571416
diastolic heart failure patient was diuresed, score: 0.22571416
diastolic heart failure and was discharged, score: 0.22571416

confidence of prediction: 0.835129
Y_true: [20 27 33 40 42]
Y_pred: [20 27 33 40 42]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
hypercarbic respiratory failure secondary diagnoses, score: 0.23623934
hypercarbic respiratory failure obstructive, score: 0.14131474
hypercarbic respiratory failure due to, score: 0.13585036

confidence of prediction: 0.660416
Y_true: [20 27 33 40 42]
Y_pred: [20 27 33 40 42]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
was intubated for apnea, score: 0.18294786

was initially intubated and admitted, score: 0.15374434
intubated general intubated sedated comfortable, score: 0.09616836

confidence of prediction: 0.873937
Y_true: [20 27 33 40 42]
Y_pred: [20 27 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated for apnea, score: 0.096342176
briefly intubated and kept, score: 0.09301266
after intubation and echo, score: 0.042225555

confidence of prediction: 0.635781
Y_true: [3 21 24 26 27 36 49]
Y_pred: [3 21 26 36 49]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
medical history htn hypercholesterolemia bph obesity atrial
fibrillation, score: 0.006776394
gastritis erosive duodenitis hiatal hernia and, score: 0.0033532756
gastritis erosive duodenitis hiatal, score: 0.0033532756

confidence of prediction: 0.736788
Y_true: [3 21 24 26 27 36 49]
Y_pred: [3 21 26 36 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic kidney disease k, score: 0.1976352
ckd the patient has, score: 0.044688597
chronic kidney disease who had, score: 0.027924843

confidence of prediction: 0.986844
Y_true: [3 21 24 26 27 36 49]
Y_pred: [3 21 26 36 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib he reports that, score: 0.25060672
afib on coumadin pud, score: 0.23141398
atrial fibrillation on coumadin gi, score: 0.036286544

confidence of prediction: 0.616104
Y_true: [3 21 24 26 27 36 49]
Y_pred: [3 21 26 36 49]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic kidney disease k, score: 0.17370585
ckd the patient has, score: 0.069707066
of ckd baseline creat on day, score: 0.044854928

confidence of prediction: 0.868030
Y_true: [3 21 24 26 27 36 49]
Y_pred: [3 21 26 36 49]

top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin pud, score: 0.36909768
fibrillation on coumadin gi, score: 0.11035111
mg qhs warfarin mg, score: 0.10102269

confidence of prediction: 0.925862
Y_true: [1 4 6 20]
Y_pred: [1 4 5 20 29 30]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
and hypothyroidism who presented, score: 0.2713659
hypertension hypothyroidism hyperlipidemia osteoporosis, score:
0.20947017
hypertension hypothyroidism nhl s p, score: 0.20809616

confidence of prediction: 0.711513
Y_true: [1 4 6 20]
Y_pred: [1 4 5 20 29 30]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension hypothyroidism hyperlipidemia osteoporosis based on
compression, score: 0.057289038
social history retired teacher, score: 0.009302727
prisoner of war during wwii was, score: 0.008575652

confidence of prediction: 0.544700
Y_true: [1 4 6 20]
Y_pred: [1 4 5 20 29 30]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
removed on hypertension hypothyroidism hyperlipidemia osteoporosis
based, score: 0.15887244
mirtazapine was stopped as, score: 0.08407235
social history retired teacher, score: 0.08154955

confidence of prediction: 0.628554
Y_true: [0 6 9 19 20 27 40 42 46]
Y_pred: [19 35 45 46]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
s pressor requirement increased, score: 0.06901804
failure became dialysis dependent but, score: 0.050925065
requiring hemodialysis for weeks, score: 0.0405214

confidence of prediction: 0.589233
Y_true: [0 6 9 19 20 27 40 42 46]
Y_pred: [19 35 45 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
metas myelos hypochr normal anisocy, score: 0.052387483
pressors and she was, score: 0.051589984
with basilar vv septic, score: 0.038066603

confidence of prediction: 0.664976
Y_true: [12 16 33 41 43]
Y_pred: [12 33 37 41 43]
top three important windows for true positive code 12 (33.24: Closed [endoscopic] biopsy of bronchus)
of continuous eeg showed, score: 0.1373546
eventually a bal grew out gram cocci, score: 0.021852406
pupils 2mm nonreactive bilaterally corneal reflex, score: 0.011431465

confidence of prediction: 0.539176
Y_true: [12 16 33 41 43]
Y_pred: [12 33 37 41 43]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
she was intubated and, score: 0.08651078
with high peep requirments cta, score: 0.04188114
ventilator aquired pneumonia malnutrition, score: 0.040766813

confidence of prediction: 0.913577
Y_true: [12 16 33 41 43]
Y_pred: [12 33 37 41 43]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
of continuous eeg showed a, score: 0.47557297
placement evd catheter exchange cerebral, score: 0.08188178
video eeg telemetry due to, score: 0.05684613

confidence of prediction: 0.861809
Y_true: [12 16 33 41 43]
Y_pred: [12 33 37 41 43]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
of continuous eeg showed, score: 0.13894811
resolved ventilator aquired pneumonia malnutrition, score: 0.055265844
a bal grew out, score: 0.047059413

confidence of prediction: 0.914515
Y_true: [11 16 19 35 40 41 43]
Y_pred: [5 17 19 21 35 36]
top three important windows for true positive code 19 (39.95: Hemodialysis)
patient received dialysis on a, score: 0.076361164
now off hemodialysis htn depression, score: 0.0678945
that dialysis probably would, score: 0.05254595

confidence of prediction: 0.648175
Y_true: [11 16 19 35 40 41 43]
Y_pred: [5 17 19 21 35 36]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
per renal now on, score: 0.017342128

tapered acute kidney injury superimposed on chronic, score:
0.015257399
her renal failure pt with, score: 0.014397804

confidence of prediction: 0.869555
Y_true: [5 10 11 20 24 28 45]
Y_pred: [11 20 24]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
fluticasone propionate depression continued home celexa
transitional, score: 0.004666624
adenocarcinoma with bronchioalveolar features well, score:
0.003185674
lobe nodule brain mri at, score: 0.0026305108

confidence of prediction: 0.556550
Y_true: [5 10 11 20 24 28 45]
Y_pred: [11 20 24]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
active htn patient was admitted with recurrent htn episodes to sbp,
score: 0.2502149
below baseline htn was thought to, score: 0.13317727
htn urgency patient found, score: 0.048003785

confidence of prediction: 0.903226
Y_true: [5 10 11 20 24 28 45]
Y_pred: [11 20 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
csf immunophenotyping non diagnostic study clonality could, score:
0.016894285
history cad s p stemi during paclitaxel, score: 0.014885249
htn emergency w iph, score: 0.012773104

confidence of prediction: 0.706577
Y_true: [2 4 21 26 27 29 35 36 48]
Y_pred: [4 21 24 26 27 29 35 37 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
was held hyperlipidemia patient was continued on, score: 0.24292794
factors diabetes dyslipidemia hypertension cardiac history coronary,
score: 0.19269678
simvastatin mg tablet sig, score: 0.016169185

confidence of prediction: 0.663005
Y_true: [2 4 21 26 27 29 35 36 48]
Y_pred: [4 21 24 26 27 29 35 37 48]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic kidney disease anemia discharge, score: 0.11799001
history chronic kidney disease stage cva obstructive, score:
0.01237242

disease gout s p, score: 0.01156914

confidence of prediction: 0.907514
Y_true: [2 4 21 26 27 29 35 36 48]
Y_pred: [4 21 24 26 27 29 35 37 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation pt was found, score: 0.40942666
atrial fibrillation with rapid heart, score: 0.10979011
cabg unknown anatomy percutaneous, score: 0.0018654538

confidence of prediction: 0.953305
Y_true: [2 4 21 26 27 29 35 36 48]
Y_pred: [4 21 24 26 27 29 35 37 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure chronic ejection fraction, score:
0.45894882
chf obstructive sleep apnea, score: 0.06680169
with worsening chf and elevated troponins thought, score:
0.018227628

confidence of prediction: 0.886928
Y_true: [2 4 21 26 27 29 35 36 48]
Y_pred: [4 21 24 26 27 29 35 37 48]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
primary diagnosis pneumonia systoli chf, score: 0.116758294
healthcare associated pneumonia with vancomycin, score: 0.03826096
healthcare associated pneumonia for an, score: 0.015643872

confidence of prediction: 0.572126
Y_true: [2 4 21 26 27 29 35 36 48]
Y_pred: [4 21 24 26 27 29 35 37 48]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute kidney injury or, score: 0.22302379
after renal function improved with, score: 0.07984334
vs crt patient was, score: 0.066321224

confidence of prediction: 0.674864
Y_true: [2 4 21 26 27 29 35 36 48]
Y_pred: [4 21 24 26 27 29 35 37 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
coronary artery disease s p cabg and, score: 0.01658122
coronary artery disease ischemic cardiomyopathy ef, score:
0.013527023
history coronary artery disease ischemic cardiomyopathy ef cabg
unknown, score: 0.0078009516

confidence of prediction: 0.549372
Y_true: [2 4 8 14 20 27 33 38 48]
Y_pred: [2 4 20 24 25 27 33 38]

top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
patient was maintained on, score: 0.2912792
hypertension diabetes social history lives, score: 0.081132874
artery disease diabetes mellitus hypertension dyslipidemia
discharge, score: 0.015162785

confidence of prediction: 0.935262
Y_true: [2 4 8 14 20 27 33 38 48]
Y_pred: [2 4 20 24 25 27 33 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
p cabg hyperlipidemia hypertension diabetes social history, score:
0.26614702
mellitus hypertension dyslipidemia discharge condition mental,
score: 0.030267106
chronic diagnoses hld patient was continued on, score: 0.022155913

confidence of prediction: 0.807387
Y_true: [2 4 8 14 20 27 33 38 48]
Y_pred: [2 4 20 24 25 27 33 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn emergency patient initially presented, score: 0.38316143
diabetes mellitus hypertension dyslipidemia discharge condition,
score: 0.14045888
hypertension which added to, score: 0.046272434

confidence of prediction: 0.969830
Y_true: [2 4 8 14 20 27 33 38 48]
Y_pred: [2 4 20 24 25 27 33 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf he was placed, score: 0.1511482
systolic heart failure cad w mi, score: 0.09963892
systolic congestive heart failure etiology is, score: 0.008857248

confidence of prediction: 0.828585
Y_true: [2 4 8 14 20 27 33 38 48]
Y_pred: [2 4 20 24 25 27 33 38]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxic respiratory failure on exam, score: 0.13842714
he required intubation pressors iabp, score: 0.037900526
became hypoxic and then, score: 0.035205796

confidence of prediction: 0.772243
Y_true: [2 4 8 14 20 27 33 38 48]
Y_pred: [2 4 20 24 25 27 33 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catherization history of present, score: 0.5630554
for his cardiogenic shock, score: 0.07570473

cardiac catheterization was performed that, score: 0.02371637

confidence of prediction: 0.714055
Y_true: [0 3 11 20 24 25 27 35 46]
Y_pred: [0 20 24 27 48]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
toes missing skin psoriasis, score: 0.020258052
was initially sepsis osteomyelitis, score: 0.015512042
she was changed to meropenem empirically to, score: 0.009622143

confidence of prediction: 0.922737
Y_true: [0 3 11 20 24 25 27 35 46]
Y_pred: [0 20 24 27 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn hypercholesterolemia psoriasis cad, score: 0.16112046
dmii neuropathy htn hypercholesterolemia psoriasis cad, score:
0.14034538
afterload her baseline blood, score: 0.06671837

confidence of prediction: 0.535188
Y_true: [0 3 11 20 24 25 27 35 46]
Y_pred: [0 20 24 27 48]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
dm cad 3v cabg x2 ceas, score: 0.33733577
psoriasis cad chf and multiple podiatric, score: 0.076732315
psoriasis cad diastolic chf followed by, score: 0.027833465

confidence of prediction: 0.965675
Y_true: [0 3 11 20 24 25 27 35 46]
Y_pred: [0 20 24 27 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
heart failure systolic heart failure the patient initially, score:
0.18508573
cad diastolic chf followed by cardiologist, score: 0.026314756
failure medications acei beta, score: 0.012273911

confidence of prediction: 0.736869
Y_true: [2 3 10 21 36 37]
Y_pred: [21 35 36 37]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic renal failure and recommended, score: 0.1054186
chronic kidney disease and now, score: 0.0637148
on chronic kidney disease urinary tract, score: 0.019160442

confidence of prediction: 0.623485
Y_true: [2 3 10 21 36 37]
Y_pred: [21 35 36 37]
top three important windows for true positive code 36 (585.9:

Chronic kidney disease, unspecified)
chronic renal failure and recommended, score: 0.13071346
chronic kidney disease and now, score: 0.04383208
baseline ckd cr despite ivf and, score: 0.032132745

confidence of prediction: 0.914155
Y_true: [2 3 10 21 36 37]
Y_pred: [21 35 36 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection klebsiella pan sensitive hypertension,
score: 0.2732477
male uti fever defervesced rapidly, score: 0.064153455
negative uti initially he was, score: 0.049772598

confidence of prediction: 0.794956
Y_true: [4 11 12 16 21 23 25 26 27 31 33 35 40 41 42 45 47 48 49]
Y_pred: [5 21 23 24 26 27 31 33 36 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
lvef chronic kidney disease stage hyperlipidemia on, score:
0.057508074
bump to in the, score: 0.01552407
patient had elevated lfts, score: 0.0058762147

confidence of prediction: 0.625284
Y_true: [4 11 12 16 21 23 25 26 27 31 33 35 40 41 42 45 47 48 49]
Y_pred: [5 21 23 24 26 27 31 33 36 49]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi in and, score: 0.72715694
h o mi isosorbide mononitrate er 30mg, score: 0.03122413
svg rpda rpl svg lcx w, score: 0.0191679

confidence of prediction: 0.977557
Y_true: [4 11 12 16 21 23 25 26 27 31 33 35 40 41 42 45 47 48 49]
Y_pred: [5 21 23 24 26 27 31 33 36 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
irregularly irregular no murmurs gallops, score: 0.16320713
afib patient was rate, score: 0.10340207
atrial fibrillation on coumadin presented, score: 0.0878566

confidence of prediction: 0.945022
Y_true: [4 11 12 16 21 23 25 26 27 31 33 35 40 41 42 45 47 48 49]
Y_pred: [5 21 23 24 26 27 31 33 36 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
heart failure lvef chronic kidney, score: 0.21666253
ef per tte done, score: 0.16936296
cad chf who was admitted, score: 0.03731034

confidence of prediction: 0.878812

Y_true: [4 11 12 16 21 23 25 26 27 31 33 35 40 41 42 45 47 48 49]
Y_pred: [5 21 23 24 26 27 31 33 36 49]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
an aspiration pneumonia patient was evaluated, score: 0.21504812
previous aspiration pneumonia right middle lobe, score: 0.076432094
aspiration alone he was also, score: 0.044528205

confidence of prediction: 0.689859
Y_true: [4 11 12 16 21 23 25 26 27 31 33 35 40 41 42 45 47 48 49]
Y_pred: [5 21 23 24 26 27 31 33 36 49]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
ams respiratory failure worsened, score: 0.11847422
diagnosis respiratory failure discharge condition, score: 0.10193436
was made cmo and terminally extubated, score: 0.028835895

confidence of prediction: 0.755385
Y_true: [4 11 12 16 21 23 25 26 27 31 33 35 40 41 42 45 47 48 49]
Y_pred: [5 21 23 24 26 27 31 33 36 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fibrillation on coumadin presented, score: 0.46893334
on admission warfarin mg, score: 0.08964993
down and coumadin was, score: 0.010674252

confidence of prediction: 0.962406
Y_true: [20 34]
Y_pred: [20 26 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
s disease htn and macular degeneration, score: 0.15386331
s disease htn gerd macular degeneration, score: 0.15386331
blinked to threat bilaterally, score: 0.04367204

confidence of prediction: 0.893449
Y_true: [20 34]
Y_pred: [20 26 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
disease htn gerd macular degeneration social history, score:
0.08916979
counting mistakes in rlq, score: 0.009999025
cr was slightly increased, score: 0.0056384862

confidence of prediction: 0.543748
Y_true: [0 5 9 16 17 46]
Y_pred: [0 9 17 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
metas myelos source line central red, score: 0.049214818
probably coming from your, score: 0.03600207
diagnosis sepsis cellulitis cirrhosis complicated by, score:
0.030884936

confidence of prediction: 0.620891
Y_true: [0 5 9 16 17 46]
Y_pred: [0 9 17 46]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
complicated by thrombocytopenia coagulopathy splenomegaly, score:
0.49605748
was stable hyponatremic to abdominal, score: 0.0471614
indbili source line [UNK], score: 0.029419612

confidence of prediction: 0.898336
Y_true: [0 5 9 16 17 46]
Y_pred: [0 9 17 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
venous catheter history of, score: 0.2126306
line was placed and, score: 0.0920595
antibiotics picc line was placed for, score: 0.07570771

confidence of prediction: 0.581615
Y_true: [0 5 9 16 17 46]
Y_pred: [0 9 17 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
metas myelos source line central red, score: 0.041921552
diagnosis sepsis cellulitis cirrhosis complicated by, score:
0.022708839
probably coming from your, score: 0.020515794

confidence of prediction: 0.671486
Y_true: [3 4 11 34 40 42]
Y_pred: [4 8 34 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
age gerd hld possible sleep apnea depression, score: 0.50642323
keppra 2500mg hospital1 felbatol, score: 0.013914611
p traumatic amputation social history the, score: 0.0108535765

confidence of prediction: 0.835966
Y_true: [3 4 11 34 40 42]
Y_pred: [4 8 34 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
at age gerd hld possible sleep apnea, score: 0.02744371
kidney stones thought to be, score: 0.009857915
placement with vns replacement left, score: 0.008791938

confidence of prediction: 0.769224
Y_true: [3 4 11 34 40 42]
Y_pred: [4 8 34 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
generator replacement intubation history of, score: 0.22831348

generator settings as an, score: 0.016092984
sensation vibratory sense proprioception throughout, score:
0.012486962

confidence of prediction: 0.538762
Y_true: [3 4 11 34 40 42]
Y_pred: [4 8 34 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
generator replacement intubation history of, score: 0.46052396
was intubated pre op, score: 0.036883663
sensation vibratory sense proprioception throughout, score:
0.0080478275

confidence of prediction: 0.790018
Y_true: [0 4 6 16 17 20 29 33 37 40 41 42 45 46]
Y_pred: [4 17 37 40 41 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
42pm blood cea 59pm, score: 0.03352741
trend metastatic adenocarcinoma pt, score: 0.013900123
every weeks htn hyperlipidemia recent hospitalization at hospital6,
score: 0.013153443

confidence of prediction: 0.961549
Y_true: [0 4 6 16 17 20 29 33 37 40 41 42 45 46]
Y_pred: [4 17 37 40 41 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line placement aterial line placement intubation extubation, score:
0.38370642
to trend downwards towards, score: 0.019958101
sicu and resuscitated with 4l, score: 0.012268921

confidence of prediction: 0.877716
Y_true: [0 4 6 16 17 20 29 33 37 40 41 42 45 46]
Y_pred: [4 17 37 40 41 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
final escherichia coli organisms ml warning this, score: 0.036069915
picture as patient has, score: 0.011008621
had difficulty drawing breath, score: 0.007896604

confidence of prediction: 0.831460
Y_true: [0 4 6 16 17 20 29 33 37 40 41 42 45 46]
Y_pred: [4 17 37 40 41 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
nutrition while intubated patient received, score: 0.046989627
distress while intubated pt continued, score: 0.034574077
sent patient reintubated on as, score: 0.020802483

confidence of prediction: 0.880516

Y_true: [0 4 6 16 17 20 29 33 37 40 41 42 45 46]
Y_pred: [4 17 37 40 41 42]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
received tube feeds through the og, score: 0.068241134
nutrition while intubated patient, score: 0.023674138
tube for nutrition hospice, score: 0.014262273

confidence of prediction: 0.520786
Y_true: [0 4 6 16 17 20 29 33 37 40 41 42 45 46]
Y_pred: [4 17 37 40 41 42]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
patient reintubated on as, score: 0.179902
was intubated for respiratory distress while intubated pt continued, score: 0.099260874
tube feeds through the, score: 0.08026578

confidence of prediction: 0.831288
Y_true: [4 11 18 20 26 30 47]
Y_pred: [4 18 20 26 30]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
copd and dyslipidemia who has been, score: 0.106669605
copd hyperlipidemia prior etoh abuse, score: 0.023228815

confidence of prediction: 0.985008
Y_true: [4 11 18 20 26 30 47]
Y_pred: [4 18 20 26 30]
top three important windows for true positive code 18 (39.61: Extracorporeal circulation auxiliary to open heart surgery)
wires were removed without, score: 0.53269356
incisions gently with mild soap, score: 0.15512529
diuresed towards his preoperative, score: 0.104079574

confidence of prediction: 0.990144
Y_true: [4 11 18 20 26 30 47]
Y_pred: [4 18 20 26 30]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
valsartan hydrochlorothiazide diovan hct prescribed by, score: 0.085210286
medical history hypertension history of tia, score: 0.08466787
hypertension history of tia, score: 0.07441594

confidence of prediction: 0.980602
Y_true: [4 11 18 20 26 30 47]
Y_pred: [4 18 20 26 30]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation his lopressor was, score: 0.06569819
atrial fibrillation that resolved with, score: 0.045522086
amiodarone mg tablet s, score: 0.02109887

confidence of prediction: 0.828201
Y_true: [4 11 18 20 26 30 47]
Y_pred: [4 18 20 26 30]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
hyperlipidemia prior etoh abuse, score: 0.19681421
of cva copd and dyslipidemia who has, score: 0.07752648
copd hyperlipidemia prior etoh abuse, score: 0.012496552

confidence of prediction: 0.735208
Y_true: [2 7 17 20]
Y_pred: [2 17 20]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
htn t2 dm diagnosed yrs ago, score: 0.022279972
every hours glipizide mg tablet extended, score: 0.006809019
xl norvasc glipizide xl discharge medications senna, score:
0.005134821

confidence of prediction: 0.546243
Y_true: [2 7 17 20]
Y_pred: [2 17 20]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
venous line venous dup, score: 0.07374473
artery bifurcations bilaterally abdominal, score: 0.07015334
venous line echo shows, score: 0.06365263

confidence of prediction: 0.901850
Y_true: [2 7 17 20]
Y_pred: [2 17 20]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn t2 dm diagnosed yrs, score: 0.0583408
hypertension ep consult month, score: 0.032955006
continued to trend down, score: 0.013784578

confidence of prediction: 0.874840
Y_true: [0 8 17 20 26 27 29 31 41 47 49]
Y_pred: [17 26 27 31 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
placement picc line placement history of, score: 0.27367434
she tried treating with honey for, score: 0.016380528
a widespread encephalopathy medications metabolic disturbances,
score: 0.013138879

confidence of prediction: 0.985675
Y_true: [0 8 17 20 26 27 29 31 41 47 49]
Y_pred: [17 26 27 31 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)

afib with rvr and, score: 0.05174679
fibrillation on anticoagulation target, score: 0.038601153
atrial fibrillation on coumadin recurrent, score: 0.023769882

confidence of prediction: 0.958425
Y_true: [0 8 17 20 26 27 29 31 41 47 49]
Y_pred: [17 26 27 31 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf may be given, score: 0.12869073
diastolic congestive heart failure secondary diagnoses, score:
0.12447455
fibrillation diastolic chf the patient was diuresed, score:
0.02737299

confidence of prediction: 0.947957
Y_true: [0 8 17 20 26 27 29 31 41 47 49]
Y_pred: [17 26 27 31 49]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
possible aspiration pneumonia on the final, score: 0.055920444
aspiration pneumonia persistent bibasilar opacities, score:
0.023686618
acquired pneumonia aspiration pneumonia acute on chronic, score:
0.0081734555

confidence of prediction: 0.693699
Y_true: [0 8 17 20 26 27 29 31 41 47 49]
Y_pred: [17 26 27 31 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fibrillation on coumadin recurrent, score: 0.45655102
po daily coumadin mg, score: 0.01072316
irreg irreg no m, score: 0.0048357733

confidence of prediction: 0.843572
Y_true: [16 17 19 26 31 34 39 40 41 43 47]
Y_pred: [0 19 26 40]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
esrd on hd qmwf who, score: 0.10238142
dependent esrd who initially, score: 0.04613297
patient with esrd and hd given stability, score: 0.038073316

confidence of prediction: 0.885982
Y_true: [16 17 19 26 31 34 39 40 41 43 47]
Y_pred: [0 19 26 40]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
ai on coumadin esrd, score: 0.0041701104
developed atrial fibrillation requiring initiation of, score:
0.0037825482
to sternal rub and, score: 0.002835276

confidence of prediction: 0.529027
Y_true: [16 17 19 26 31 34 39 40 41 43 47]
Y_pred: [0 19 26 40]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
non invasive ventilation there, score: 0.07391217
she was intubated to protect her airway, score: 0.070513055
pain epogen per hospital, score: 0.047921997

confidence of prediction: 0.532152
Y_true: [2 4 17 20 26 27]
Y_pred: [2 4 17 20 26 27 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
diabetes mellitus type ii previous, score: 0.0839237
dmii and colon cancer, score: 0.07615729
metformin at home which, score: 0.06659652

confidence of prediction: 0.979118
Y_true: [2 4 17 20 26 27]
Y_pred: [2 4 17 20 26 27 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
her admission hld her simvastatin was continued, score: 0.03518721
hld and dmii with a, score: 0.018062333
htn hld dmii and colon, score: 0.009350665

confidence of prediction: 0.824283
Y_true: [2 4 17 20 26 27]
Y_pred: [2 4 17 20 26 27 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
venous line pacemaker placement, score: 0.12254286
with pan sensitive e, score: 0.10176033
the central catheter has been, score: 0.024850683

confidence of prediction: 0.786392
Y_true: [2 4 17 20 26 27]
Y_pred: [2 4 17 20 26 27 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
closely managed with an, score: 0.052224208
amiodarone was stopped upon, score: 0.034663834
a fib htn hld dmii and colon, score: 0.026549608

confidence of prediction: 0.955200
Y_true: [2 4 17 20 26 27]
Y_pred: [2 4 17 20 26 27 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib bradycardia pt had, score: 0.21803643
atrial fibrillation pt was on, score: 0.1327949
fib on admission coumadin, score: 0.07652967

confidence of prediction: 0.910608
Y_true: [2   4 17 20 26 27]
Y_pred: [2   4 17 20 26 27 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic congestive heart failure discharge condition mental,
score: 0.31221086
diastolic dysfunction cxr showed, score: 0.018889064
flash pulmonary edema in combination, score: 0.011860572

confidence of prediction: 0.635759
Y_true: [2 24]
Y_pred: [2   4 24]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
in diabetes mellitus hypertension hyperlipidemia, score: 0.1475523
diabetes mellitus discharge condition mental, score: 0.11527453
htn dm ii no insulin, score: 0.08801834

confidence of prediction: 0.935009
Y_true: [2 24]
Y_pred: [2   4 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p stenting of, score: 0.14520817
in cad s p cath with, score: 0.14117499
inferior stemi chronic renal, score: 0.08889867

confidence of prediction: 0.790389
Y_true: [2   4   7 20 23 27 35 48 49]
Y_pred: [4   7 20 27 48 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
obesity osteoporosis hyperlipidemia eczema essential htn social,
score: 0.0657277
sitagliptin januvia mg oral tablet, score: 0.037214123
at baseline hld stable reduced to simvasatin, score: 0.036649168

confidence of prediction: 0.899464
Y_true: [2   4   7 20 23 27 35 48 49]
Y_pred: [4   7 20 27 48 49]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia hct baseline and, score: 0.3117316
anemia lower gi bleeding, score: 0.060312226
u prbc getting slowly given, score: 0.060155865

confidence of prediction: 0.949822
Y_true: [2   4   7 20 23 27 35 48 49]
Y_pred: [4   7 20 27 48 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

hypertension obesity osteoporosis hyperlipidemia eczema essential
htn social history no, score: 0.16875759
managed with cbi given, score: 0.026162323
un cr baseline up, score: 0.023827003

confidence of prediction: 0.974168
Y_true: [2 4 7 20 23 27 35 48 49]
Y_pred: [4 7 20 27 48 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure takes lasix am, score: 0.14790782
systolic heart failure ef in, score: 0.057435222
chronic systolic chf type diabetes mellitus, score: 0.035036348

confidence of prediction: 0.529086
Y_true: [2 4 7 20 23 27 35 48 49]
Y_pred: [4 7 20 27 48 49]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
cad sp cabg in cellulitis, score: 0.87514526
in echo cabg and first name8, score: 0.062755406
cad with cabg st male, score: 0.029126087

confidence of prediction: 0.707343
Y_true: [2 4 7 20 23 27 35 48 49]
Y_pred: [4 7 20 27 48 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
replacement on coumadin yesterday, score: 0.2407446
replacement on coumadin who, score: 0.2407446
afterwards his warfarin was resumed on, score: 0.17415175

confidence of prediction: 0.947085
Y_true: [1 4 6 8 11 20 34 35 42]
Y_pred: [1 4 20 28 35 40 42]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
htn hypothyroidism seizure disorder dementia, score: 0.11941558
admission levothyroxine 88mcg daily dorzolamide, score: 0.08642248
cholangitis hypothyroidism constipation htn, score: 0.05129023

confidence of prediction: 0.906089
Y_true: [1 4 6 8 11 20 34 35 42]
Y_pred: [1 4 20 28 35 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
constipation htn hl seizure disorder who was, score: 0.14587113
inactive gastritis duodenum biopsy, score: 0.007485364
history gerd constipation hypothyroidism hyperlipidemia htn
hypothyroidism back pain, score: 0.005139588

confidence of prediction: 0.953870
Y_true: [1 4 6 8 11 20 34 35 42]
Y_pred: [1 4 20 28 35 40 42]

top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
as above htn stable dementia continued aricept, score: 0.14026965
prompting morphine administration which assisted, score: 0.09892597
htn hl seizure disorder who, score: 0.06842034

confidence of prediction: 0.575012
Y_true: [1 4 6 8 11 20 34 35 42]
Y_pred: [1 4 20 28 35 40 42]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
acute renal failure weight loss, score: 0.08564337
equivocal prompting morphine administration which assisted, score: 0.011213105
acute pancreatitis unclear etiology pt, score: 0.0106765935

confidence of prediction: 0.615822
Y_true: [1 4 6 8 11 20 34 35 42]
Y_pred: [1 4 20 28 35 40 42]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
equivocal prompting morphine administration, score: 0.025176112
recommendation for hida scan, score: 0.016201263
toxic mentating clearly eyes, score: 0.015482606

confidence of prediction: 0.525741
Y_true: [5 8 11 12 16 17 20 29 31 33 40 41 43]
Y_pred: [4 12 17 20 29 31 33 34 40]
top three important windows for true positive code 12 (33.24: Closed [endoscopic] biopsy of bronchus)
pneumonia a bronchoscopy revealed gram, score: 0.064093955
extubation bronchoscopy lumbar puncture placement removal, score: 0.043698564
your parents were concerned, score: 0.02000231

confidence of prediction: 0.714999
Y_true: [5 8 11 12 16 17 20 29 31 33 40 41 43]
Y_pred: [4 12 17 20 29 31 33 34 40]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
bilateral gynecomastia eeg impression, score: 0.078847125
line picc line central venous line history of, score: 0.07156664
the picc line team was paged, score: 0.058074772

confidence of prediction: 0.879508
Y_true: [5 8 11 12 16 17 20 29 31 33 40 41 43]
Y_pred: [4 12 17 20 29 31 33 34 40]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
diastolic htn social history, score: 0.12758344
primitive neuroectodermal tumor dx d, score: 0.06735008
appendectomy panhypopituitarism blindness some, score: 0.0599206

confidence of prediction: 0.762996
Y_true: [5 8 11 12 16 17 20 29 31 33 40 41 43]
Y_pred: [4 12 17 20 29 31 33 34 40]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
multifocal pneumonia predominantly in the, score: 0.14061822
diagnosis primary pneumonia seizure disorder, score: 0.047471255
issues pneumonia on admission, score: 0.04185122

confidence of prediction: 0.775715
Y_true: [5 8 11 12 16 17 20 29 31 33 40 41 43]
Y_pred: [4 12 17 20 29 31 33 34 40]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
abnormal video eeg due to, score: 0.027349086
abnormal video eeg due to the, score: 0.027349086
active issues pneumonia on, score: 0.025523776

confidence of prediction: 0.799772
Y_true: [5 8 11 12 16 17 20 29 31 33 40 41 43]
Y_pred: [4 12 17 20 29 31 33 34 40]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
intubation for airway protection, score: 0.08405274
intubation eeg impression this is, score: 0.0677869
bronchoscopy lumbar puncture placement, score: 0.04115435

confidence of prediction: 0.828565
Y_true: [5 8 11 12 16 17 20 29 31 33 40 41 43]
Y_pred: [4 12 17 20 29 31 33 34 40]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
ultimately intubation for airway protection, score: 0.26448628
to intubation eeg impression, score: 0.21775104
extubation bronchoscopy lumbar puncture, score: 0.022937335

confidence of prediction: 0.915704
Y_true: [4 11 19 26 27 29 30 33 48]
Y_pred: [19 22 26 27 29 48]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
weekly dialysis sessions in, score: 0.16571467
several dialysis sessions to, score: 0.14735861
esrd on dialysis presents acutely, score: 0.083291724

confidence of prediction: 0.836381
Y_true: [4 11 19 26 27 29 30 33 48]
Y_pred: [19 22 26 27 29 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation she should discuss, score: 0.20020722
atrial fibrillation on ekg after, score: 0.14757174
atrial fibrillation while in the, score: 0.10642938

confidence of prediction: 0.974340
Y_true: [4 11 19 26 27 29 30 33 48]
Y_pred: [19 22 26 27 29 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic chf tte performed showed, score: 0.22816667
chf exacerbation patient also, score: 0.21638945
chf exacerbation demand ischemia, score: 0.049558047

confidence of prediction: 0.710520
Y_true: [4 11 19 26 27 29 30 33 48]
Y_pred: [19 22 26 27 29 48]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
to pneumonia and volume, score: 0.05914595
influenced by pna and acute on, score: 0.032045603
diagnosis primary pneumonia acute on, score: 0.03101273

confidence of prediction: 0.854276
Y_true: [4 11 19 26 27 29 30 33 48]
Y_pred: [19 22 26 27 29 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p bypass in, score: 0.019445166
s p 5v cabg copd esrd, score: 0.0050002155
cad s p 5v cabg echo cath showed 3v disease cath, score: 0.0038842

confidence of prediction: 0.580975
Y_true: [16 17 33 40 42]
Y_pred: [0 5 17 41]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
to clinda vanc cefepime, score: 0.11270718
an a line was, score: 0.07471711
patient spiking fevers to, score: 0.072867244

confidence of prediction: 0.513656
Y_true: [2 4 5 11 21 22 26 27 35 36]
Y_pred: [2 4 5 15 21 22 26 27 29 35 36 38 48 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
cri htn carotid stenosis, score: 0.24682787
lantus units subcutaneously at bedtime, score: 0.083702296
standpoint dmii continued long acting, score: 0.03903577

confidence of prediction: 0.821494
Y_true: [2 4 5 11 21 22 26 27 35 36]
Y_pred: [2 4 5 15 21 22 26 27 29 35 36 38 48 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension hyperlipidemia depression discharge condition, score:
0.16638902
factors diabetes dyslipidemia hypertension cardiac history, score:

0.10866676
added amlodipine hld continued pravastatin muscle, score: 0.10522329

confidence of prediction: 0.571560
Y_true: [2 4 5 11 21 22 26 27 35 36]
Y_pred: [2 4 5 15 21 22 26 27 29 35 36 38 48 49]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
with bun hyponatremia patient was with a, score: 0.39626405
of nephrotoxins were held, score: 0.014100894
sedation depression continued on citalopram transitional, score:
0.004874077

confidence of prediction: 0.681801
Y_true: [2 4 5 11 21 22 26 27 35 36]
Y_pred: [2 4 5 15 21 22 26 27 29 35 36 38 48 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
chronic renal failure from baseline, score: 0.14637685
fib dm cri htn carotid, score: 0.107475445
on ckd patient was transferred with, score: 0.067447826

confidence of prediction: 0.759634
Y_true: [2 4 5 11 21 22 26 27 35 36]
Y_pred: [2 4 5 15 21 22 26 27 29 35 36 38 48 49]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
st elevation myocardial infarction you, score: 0.2650776
with nstemi to hospital3 he, score: 0.09473534
non st elevation myocardial infarction healthcare, score:
0.010556128

confidence of prediction: 0.990722
Y_true: [2 4 5 11 21 22 26 27 35 36]
Y_pred: [2 4 5 15 21 22 26 27 29 35 36 38 48 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
sev septal hypokinesia no, score: 0.0019412282
pna patient had radiographic, score: 0.0015438788
wheeze and advair was continued, score: 0.0014597265

confidence of prediction: 0.950548
Y_true: [2 4 5 11 21 22 26 27 35 36]
Y_pred: [2 4 5 15 21 22 26 27 29 35 36 38 48 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
lasix for chf last name un warfarin, score: 0.057593174
chf ef afib s p, score: 0.056293238
systolic congestive heart failure chronic obstructive pulmonary,
score: 0.015256916

confidence of prediction: 0.820626
Y_true: [2 4 5 11 21 22 26 27 35 36]

Y_pred: [2 4 5 15 21 22 26 27 29 35 36 38 48 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure from baseline he, score: 0.18909565
he had arf with cr elevated to, score: 0.035987075
on ckd patient was, score: 0.022127517

confidence of prediction: 0.723865
Y_true: [2 4 5 11 21 22 26 27 35 36]
Y_pred: [2 4 5 15 21 22 26 27 29 35 36 38 48 49]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal failure from baseline, score: 0.14824072
fib dm cri htn carotid, score: 0.13014482
on ckd patient was transferred with, score: 0.07909116

confidence of prediction: 0.654081
Y_true: [7 9 26]
Y_pred: [9 20 31]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
and ischium thrombocytopenia anemia secondary developmental delay,
score: 0.33871028
for bleeding thrombocytopenia unclear etiology four, score:
0.19190413
last, score: 0.08245227

confidence of prediction: 0.875299
Y_true: [1 3 16 17 26 33 39 40 42 48 49]
Y_pred: [1 4 5 17 26 41 43 48 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
discharge hypothyroidism held levothyroxine initially given npo,
score: 0.43787676
fibrillation hypothyroidism cad s p, score: 0.029174957
colace levothyroxine multaq aspirin mg, score: 0.02253489

confidence of prediction: 0.910639
Y_true: [1 3 16 17 26 33 39 40 42 48 49]
Y_pred: [1 4 5 17 26 41 43 48 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
abx were peeled back, score: 0.3952954
fluid collection diffuse leptomeningitis, score: 0.04399463
grew strep pneumo and, score: 0.03953838

confidence of prediction: 0.978733
Y_true: [1 3 16 17 26 33 39 40 42 48 49]
Y_pred: [1 4 5 17 26 41 43 48 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation on warfarin and, score: 0.40090257
atrial fibrillation bioprosthetic aortic valve, score: 0.21259108
atrial fibrillation he has known, score: 0.07069659

confidence of prediction: 0.648274
Y_true: [1 3 16 17 26 33 39 40 42 48 49]
Y_pred: [1 4 5 17 26 41 43 48 49]
top three important windows for true positive code 48 (V45.81: Aortocoronary bypass status)
in and cabg with porcine avr, score: 0.75761354
of coronary artery disease small chronic microhemorrhage, score: 0.014197954
medical history hyperlipidemia atrial, score: 0.0087780915

confidence of prediction: 0.806591
Y_true: [1 3 16 17 26 33 39 40 42 48 49]
Y_pred: [1 4 5 17 26 41 43 48 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
fibrillation on warfarin and, score: 0.6223585
on admission warfarin gemfibrozil, score: 0.077067494
a day warfarin mg, score: 0.03285893

confidence of prediction: 0.597769
Y_true: [10 11 20 29 40 41 42]
Y_pred: [10 20 29 30 40 42]
top three important windows for true positive code 10 (305.1: Tobacco use disorder)
is retired smokes pack of cigarettes a, score: 0.007903138
from lnc hypertension hyperlipedemia dementia depression osteoporosis psh, score: 0.0052514826
t6 t7 t9 t12 patient, score: 0.002014722

confidence of prediction: 0.551453
Y_true: [10 11 20 29 40 41 42]
Y_pred: [10 20 29 30 40 42]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
moderate pulmonary hypertension cxr, score: 0.10212438
from lnc hypertension hyperlipedemia dementia depression osteoporosis, score: 0.10097628
eventually tolerated clamping and, score: 0.036151215

confidence of prediction: 0.550559
Y_true: [10 11 20 29 40 41 42]
Y_pred: [10 20 29 30 40 42]
top three important windows for true positive code 29 (486: Pneumonia, organism unspecified)
for presumed pneumonia stool was sent, score: 0.26535007
for presumed pneumonia patient s respiratory, score: 0.12053082
her repiratory status was, score: 0.017940033

confidence of prediction: 0.623153
Y_true: [10 11 20 29 40 41 42]
Y_pred: [10 20 29 30 40 42]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)

patient was intubated in the, score: 0.086045794
were routinely followed and repleted when, score: 0.02810738
was examined routinely no transfusions were, score: 0.017458847

confidence of prediction: 0.720104
Y_true: [10 11 20 29 40 41 42]
Y_pred: [10 20 29 30 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
patient was intubated in the, score: 0.06128112
was tolerating a regular, score: 0.021819158
were routinely followed and repleted when, score: 0.016868243

confidence of prediction: 0.935442
Y_true: [5 7 17 37]
Y_pred: [5 17 28]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
versus hypovolemic hyponatremia started, score: 0.4230958
depletion hypovolemic hyponatremia with 3rd spacing, score:
0.26333264
variceal bleed hyponatremia discharge condition mental, score:
0.033087935

confidence of prediction: 0.526981
Y_true: [5 7 17 37]
Y_pred: [5 17 28]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
for picc placement findings, score: 0.08159384
suggesting that despite the, score: 0.0635914
right subclavian picc line that appears, score: 0.051575385

confidence of prediction: 0.502127
Y_true: [11 12 16 20 28 31 33 41 43 49]
Y_pred: [20 31 40 41]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
extremtiy on mr known, score: 0.45915976
failure malnutrition hypertension discharge condition [UNK], score:
0.13757375
stitle interventional neuroradiology attending via telephone, score:
0.025011325

confidence of prediction: 0.944156
Y_true: [11 12 16 20 28 31 33 41 43 49]
Y_pred: [20 31 40 41]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
vomiting aspiration pneumonia seizures respiratory failure, score:
0.32676783
right hemicraniectomy cerebral angiogram, score: 0.009793863
ich and he was, score: 0.0037578263

```
confidence of prediction: 0.687425
Y_true: [11 12 16 20 28 31 33 41 43 49]
Y_pred: [20 31 40 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
on tube feedings at cc, score: 0.09795504
falcine herniation hydrocephalus left, score: 0.04923096
and aggressive icp managment, score: 0.03386385

confidence of prediction: 0.782417
Y_true: [ 1  9 11 17 23 24 27 37 45]
Y_pred: [ 1  9 17 23 27 37 45]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
malnutrition hypothyroidism discharge condition demented at, score:
0.2130903
be hypothyroid with tsh levothyroxine 50mcg started please, score:
0.046869114
repletion hypothyroidism the patient was, score: 0.014744292

confidence of prediction: 0.700780
Y_true: [ 1  9 11 17 23 24 27 37 45]
Y_pred: [ 1  9 17 23 27 37 45]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
hypoalbumenia and thrombocytopenia with concern, score: 0.2723077
per day thrombocytopenia lfts coags, score: 0.25444624
scan showed pancolitis surgery, score: 0.03645059

confidence of prediction: 0.798032
Y_true: [ 1  9 11 17 23 24 27 37 45]
Y_pred: [ 1  9 17 23 27 37 45]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line care picc line care per protocol, score: 0.07228659
picc r picc removed l picc reinserted, score: 0.057392567
for cdiff culture and, score: 0.04604669

confidence of prediction: 0.563414
Y_true: [ 1  9 11 17 23 24 27 37 45]
Y_pred: [ 1  9 17 23 27 37 45]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
baseline is functionally independent, score: 0.01802434
coronary artery disease at, score: 0.00510433
25pm alt sgpt ast sgot ld, score: 0.004549841

confidence of prediction: 0.917742
Y_true: [ 1  9 11 17 23 24 27 37 45]
Y_pred: [ 1  9 17 23 27 37 45]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diuresed with lasix 20mg iv, score: 0.047172304
```

regurgitation lue u s, score: 0.010643803
chronic systolic heart failure urinary tract, score: 0.00925185

confidence of prediction: 0.882447
Y_true: [1 9 11 17 23 24 27 37 45]
Y_pred: [1 9 17 23 27 37 45]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection vre urinary retention coronary, score:
0.21301392
for uti culture negative, score: 0.20786722
uti repeat ua ucx, score: 0.10049671

confidence of prediction: 0.930573
Y_true: [1 9 11 17 23 24 27 37 45]
Y_pred: [1 9 17 23 27 37 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
providing kcal tpn volume amino acid, score: 0.81930774
received tpn delirium was bad, score: 0.03243483
of tpn within weeks, score: 0.017032398

confidence of prediction: 0.812971
Y_true: [4 15 18 21 22 24 27 38]
Y_pred: [2 4 13 18 24 27]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
diabetes hypertension dyslipidemia lad stent cypher at, score:
0.03356418
factors diabetes hypertension dyslipidemia cardiac history cabg
none, score: 0.019443575
insulin tamsulosin mg po, score: 0.013092745

confidence of prediction: 0.972282
Y_true: [4 15 18 21 22 24 27 38]
Y_pred: [2 4 13 18 24 27]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
incisions gently with mild soap, score: 0.6309778
wires and chest tubes, score: 0.10086204
grafting x1 saphenous obtuse marginal on history, score: 0.021275222

confidence of prediction: 0.972478
Y_true: [4 15 18 21 22 24 27 38]
Y_pred: [2 4 13 18 24 27]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cad ischemic cardiomyopathy with ef, score: 0.106347576
vessel coronary artery disease the, score: 0.056611896
coronary artery disease left, score: 0.05512556

confidence of prediction: 0.634247
Y_true: [4 15 18 21 22 24 27 38]
Y_pred: [2 4 13 18 24 27]

top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cabg evaluation ecg sinus, score: 0.13751803
with heart failure he was diuresis, score: 0.09055548
dysfunction severely depressed lvef right, score: 0.08360705

confidence of prediction: 0.833324
Y_true: [10 11 17 34 42]
Y_pred: [4 20 31 33 34 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hyperlipidemia depression gerd social history his is, score:
0.06986069
hypertension and depression who, score: 0.013298147
virus encephalitis was performed, score: 0.005358501

confidence of prediction: 0.785019
Y_true: [10 11 17 34 42]
Y_pred: [4 20 31 33 34 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
micu intubated and sedated as, score: 0.2501678
was intubated for airway protection, score: 0.16451544
was intubated and sedated, score: 0.12937309

confidence of prediction: 0.771148
Y_true: [17 21 26 36 41 43]
Y_pred: [17 21 29 33 35 36 37 41 43]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
oxacillin resistant staphylococci must, score: 0.3826254
line associated thrombus patient, score: 0.03647262
from vent major surgical, score: 0.027843345

confidence of prediction: 0.766572
Y_true: [17 21 26 36 41 43]
Y_pred: [17 21 29 33 35 36 37 41 43]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
failure enterobacter bactermia ventilator associated, score:
0.046710372
chronic kidney disease baseline cr reportedly diabetic and, score:
0.041603632
arf with hyperkalemia requiring, score: 0.010195937

confidence of prediction: 0.676516
Y_true: [17 21 26 36 41 43]
Y_pred: [17 21 29 33 35 36 37 41 43]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
failure enterobacter bactermia ventilator associated, score:
0.0803334

arf with hyperkalemia requiring, score: 0.018997444
chronic kidney disease baseline cr reportedly diabetic, score:
0.017496075

confidence of prediction: 0.794439
Y_true: [17 21 26 36 41 43]
Y_pred: [17 21 29 33 35 36 37 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
tolerating trach collar mask for, score: 0.07713121
trach collar during the, score: 0.0758844
your tracheostomy tube while, score: 0.055650473

confidence of prediction: 0.856415
Y_true: [17 21 26 36 41 43]
Y_pred: [17 21 29 33 35 36 37 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
associated pneumonia multifocal atrial, score: 0.041415166
tolerating trach collar mask for, score: 0.030292585
positional trach leak in, score: 0.029766731

confidence of prediction: 0.959609
Y_true: [7 13 15 18 20 22 24 27 33 34 38 42 49]
Y_pred: [4 13 18 20 22 24 34]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
descending saphenous vein grafted to, score: 0.07853849
mammary artery grafted to, score: 0.06576803
coronary artery bypass grafting x left, score: 0.026101317

confidence of prediction: 0.969397
Y_true: [7 13 15 18 20 22 24 27 33 34 38 42 49]
Y_pred: [4 13 18 20 22 24 34]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
incisions gently with mild soap, score: 0.6279867
bypass grafting x left internal, score: 0.029771222
saphenous vein grafted to, score: 0.021234168

confidence of prediction: 0.958628
Y_true: [7 13 15 18 20 22 24 27 33 34 38 42 49]
Y_pred: [4 13 18 20 22 24 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
stenosis secondary htn gerd severe aortic, score: 0.037311155
avr paravalvular leak critical, score: 0.02004781
cholecystostomy tube was placed, score: 0.0125066135

confidence of prediction: 0.932573
Y_true: [7 13 15 18 20 22 24 27 33 34 38 42 49]
Y_pred: [4 13 18 20 22 24 34]
top three important windows for true positive code 22 (410.71:

Subendocardial infarction, initial episode of care)
having demand ischemia in the setting, score: 0.0038553954
indx ctropnt 45pm blood, score: 0.0024638493
non tender non distended, score: 0.0015997842

confidence of prediction: 0.976834
Y_true: [7 13 15 18 20 22 24 27 33 34 38 42 49]
Y_pred: [4 13 18 20 22 24 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease severe, score: 0.2967337
descending saphenous vein grafted, score: 0.062375486
coronary artery bypass grafting, score: 0.027117927

confidence of prediction: 0.802074
Y_true: [7 13 15 18 20 22 24 27 33 34 38 42 49]
Y_pred: [4 13 18 20 22 24 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
secondary htn gerd severe aortic stenosis pe, score: 0.047721796
tape 2012aw machine p2 echocardiographic measurements, score:
0.025019633
htn hld gerd h o left, score: 0.012103015

confidence of prediction: 0.884251
Y_true: [2 4 17 20 26 37 40 41 42]
Y_pred: [2 4 20 26 37 39 40 42 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
hyperlipidemia diabetes mellitus type previous left, score:
0.035048816
of htn dm hld and previous left, score: 0.027428392
hyperlipidemia dm and previous stroke, score: 0.023906905

confidence of prediction: 0.811025
Y_true: [2 4 17 20 26 37 40 41 42]
Y_pred: [2 4 20 26 37 39 40 42 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia diabetes mellitus type previous,
score: 0.13369536
of hypertension hyperlipidemia dm and previous, score: 0.079744115
htn dm hld and previous left, score: 0.04349432

confidence of prediction: 0.908923
Y_true: [2 4 17 20 26 37 40 41 42]
Y_pred: [2 4 20 26 37 39 40 42 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension mri brain mra, score: 0.082391575
hypertension hyperlipidemia dm and previous, score: 0.06964791
history of htn dm hld and previous, score: 0.06153096

confidence of prediction: 0.805637
Y_true: [2 4 17 20 26 37 40 41 42]
Y_pred: [2 4 20 26 37 39 40 42 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation with controlled rate, score: 0.5217407
chronic infarct tte the, score: 0.026906168
every hours warfarin mg, score: 0.009955212

confidence of prediction: 0.899387
Y_true: [2 4 17 20 26 37 40 41 42]
Y_pred: [2 4 20 26 37 39 40 42 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuks sm 20pm urine blood, score: 0.3013494
a urinary tract infection on and, score: 0.09390198
leuks tr 36am urine, score: 0.017974135

confidence of prediction: 0.835668
Y_true: [2 4 17 20 26 37 40 41 42]
Y_pred: [2 4 20 26 37 39 40 42 49]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was then intubated for airway protection and, score: 0.13047762
had hematuria upon arrival, score: 0.0038781224
icu after intubation in the, score: 0.0035306816

confidence of prediction: 0.893932
Y_true: [2 4 17 20 26 37 40 41 42]
Y_pred: [2 4 20 26 37 39 40 42 49]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was then intubated for airway protection and, score: 0.05478485
icu after intubation in the, score: 0.0057791835
and fingersticks were treated, score: 0.00447597

confidence of prediction: 0.656460
Y_true: [4 12 19 33 40 42]
Y_pred: [4 11 12 19 33]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hyperlipidemia restless leg syndrome h, score: 0.2108815
abno igg iga igm, score: 0.08145542
hld cad patient has somewhat, score: 0.07413022

confidence of prediction: 0.957239
Y_true: [4 12 19 33 40 42]
Y_pred: [4 11 12 19 33]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
inpatient bronchoalveolar lavage gram stain pmn, score: 0.63637984
including a bronchoscopy a camera, score: 0.023575636
2mg 2ml fentanyl citrate, score: 0.013028295

confidence of prediction: 0.637827
Y_true: [4 12 19 33 40 42]
Y_pred: [4 11 12 19 33]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
on dialysis during initial, score: 0.08734688
with his dialysis his last dialysis was performed, score:
0.072407514
resolved with dialysis afterwards the, score: 0.05285435

confidence of prediction: 0.792532
Y_true: [4 12 19 33 40 42]
Y_pred: [4 11 12 19 33]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
rr peep abg on, score: 0.17240536
due to hypoxia and, score: 0.16330414
alveolar ground glass opacities, score: 0.11604305

confidence of prediction: 0.668495
Y_true: [1 2 7 20 27 30 37 41]
Y_pred: [1 7 20 27 30 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
and hypothyroidism his behavior, score: 0.14772342
cirrhosis hypothyroidism on synthroid on transfer, score: 0.08113674
q72hr levothyroxine 25mg po daily, score: 0.0477397

confidence of prediction: 0.673334
Y_true: [1 2 7 20 27 30 37 41]
Y_pred: [1 7 20 27 30 37]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
preforming biopsy stabilization procedure, score: 0.3072982
t10 fusion t12 kyphoplasty history of present illness, score:
0.1266912
t10 fusion t12 kyphoplasty at, score: 0.1266912

confidence of prediction: 0.844265
Y_true: [1 2 7 20 27 30 37 41]
Y_pred: [1 7 20 27 30 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
obesity anxiety hypertension osteoarthritis cirrhosis lfts noted,
score: 0.35769907
ss morphine mg iv, score: 0.04207452
showed enterococcus last name, score: 0.02628924

confidence of prediction: 0.923540
Y_true: [1 2 7 20 27 30 37 41]
Y_pred: [1 7 20 27 30 37]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)

chf anemia see below, score: 0.21415631
diastolic chf upon admission patient, score: 0.065245315
heart failure ef unknown peripheral, score: 0.056858778

confidence of prediction: 0.663478
Y_true: [1 2 7 20 27 30 37 41]
Y_pred: [1 7 20 27 30 37]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
cancer chf copd dm new diagnosis, score: 0.10702744
vascular disease copd obesity anxiety hypertension osteoarthritis,
score: 0.053579617

confidence of prediction: 0.928373
Y_true: [1 2 7 20 27 30 37 41]
Y_pred: [1 7 20 27 30 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
alone uti patient reported dysuria, score: 0.30494827
[UNK] urinary retention discharge, score: 0.037808344
for uti started haldol, score: 0.03653702

confidence of prediction: 0.524040
Y_true: [3 20 26 27]
Y_pred: [9 17 20 26 27 35 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
decreased renal perfusion pre renal based, score: 0.16407779
hypercholesterolemia labile hypertension migraines pneumonia in,
score: 0.10747279
febrile neutropenia patient was, score: 0.06919036

confidence of prediction: 0.870255
Y_true: [3 20 26 27]
Y_pred: [9 17 20 26 27 35 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib she was loaded, score: 0.29271376
af with year digits and, score: 0.052141998
af with year digits, score: 0.04154572

confidence of prediction: 0.567230
Y_true: [3 20 26 27]
Y_pred: [9 17 20 26 27 35 37]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
probnp numeric identifier imaging ct, score: 0.09631087
failure the cta could, score: 0.065291606
failure tachycardia on the, score: 0.052413624

confidence of prediction: 0.703979
Y_true: [4 11 17 34]
Y_pred: [4 8 34]
top three important windows for true positive code 4 (272.4: Other

and unspecified hyperlipidemia)
age gerd hld possible sleep apnea depression, score: 0.48353934
p traumatic amputation social history the, score: 0.010363133
daily ezetimibe mg tablet sig, score: 0.009836242

confidence of prediction: 0.819399
Y_true: [4 11 17 34]
Y_pred: [4 8 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
w known gerd so we continued his, score: 0.031055884
at age gerd hld possible sleep apnea, score: 0.020642992
kidney stones thought to be, score: 0.0074150637

confidence of prediction: 0.836170
Y_true: [4 14 20 24 38]
Y_pred: [4 10 15 20 24 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
25mg hospital1 hld was on simvastatin 5mg, score: 0.19052392
h o hld nash sleep apnea, score: 0.06462513
infarction hypertension dyslipidemia discharge condition, score:
0.051079676

confidence of prediction: 0.979170
Y_true: [4 14 20 24 38]
Y_pred: [4 10 15 20 24 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
ef of htn pt was put, score: 0.15541919
htn pulmonary htn bph he, score: 0.1421753
htn hld nash sleep apnea, score: 0.08584757

confidence of prediction: 0.990237
Y_true: [4 14 20 24 38]
Y_pred: [4 10 15 20 24 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
vessel coronary artery disease the, score: 0.08690839
single vessel coronary artery disease persistent, score: 0.037493832
w cad distal lad distribution, score: 0.0331954

confidence of prediction: 0.864489
Y_true: [4 14 20 24 38]
Y_pred: [4 10 15 20 24 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization with drug, score: 0.41515517
lad diffusely diseased mid vessel, score: 0.05250173
cardiac catheterization comments selective coronary angiography of
this, score: 0.03688822

confidence of prediction: 0.874919
Y_true: [11 46]

Y_pred: [9 11 17 27 33 44]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
years depression panic disorder colonic polyps adenoma, score:
0.01843061
for comfort depression panic disorder held nortriptyline, score:
0.016725618
for microbiological analysis it, score: 0.011493218

confidence of prediction: 0.875566
Y_true: [4 7 14 20 22 24 35 38 44 47]
Y_pred: [2 20 22 24 35 38]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension patient maintained on hctz and lisinopril as, score:
0.16852973
metformin hospital1 ibuprofen prn, score: 0.15093681
with dm2 htn hyperlipedemia who, score: 0.045914117

confidence of prediction: 0.677978
Y_true: [4 7 14 20 22 24 35 38 44 47]
Y_pred: [2 20 22 24 35 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
was stented nstemi cad patient with vessel, score: 0.037558015
non st elevation myocardial infarction acute blood, score:
0.01769336
catherization revealed lcx s, score: 0.014414257

confidence of prediction: 0.964709
Y_true: [4 7 14 20 22 24 35 38 44 47]
Y_pred: [2 20 22 24 35 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lad with mid vessel stenosis lcx with, score: 0.07846624
xience stent then transferred, score: 0.069126256
stented nstemi cad patient with vessel disease, score: 0.052066103

confidence of prediction: 0.735739
Y_true: [4 7 14 20 22 24 35 38 44 47]
Y_pred: [2 20 22 24 35 38]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure resolved cr on, score: 0.11885485
insulin a short acting, score: 0.022469385
acute renal failure diabetes mellitus, score: 0.01456053

confidence of prediction: 0.781675
Y_true: [4 7 14 20 22 24 35 38 44 47]
Y_pred: [2 20 22 24 35 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cath comments successful precordial thump, score: 0.10876314
catherization revealed lcx s, score: 0.0908744

cath to assess for, score: 0.06824305

confidence of prediction: 0.786261
Y_true: [2 6 9 15 21 26 27 30 35 36 38 49]
Y_pred: [2 21 26 27 30 36 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
type diabetes patient on metformin at home which, score: 0.14896813
metformin mg er hospital1 metoprolol, score: 0.10145913
chol pvd dm diet controlled location, score: 0.020802483

confidence of prediction: 0.809706
Y_true: [2 6 9 15 21 26 27 30 35 36 38 49]
Y_pred: [2 21 26 27 30 36 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
dementia pvd ckd aaa h o pe, score: 0.02079484
disease chronic kidney disease aaa history of, score: 0.019921986
discontinued home cilostazol since, score: 0.009064256

confidence of prediction: 0.987619
Y_true: [2 6 9 15 21 26 27 30 35 36 38 49]
Y_pred: [2 21 26 27 30 36 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib s p ppm on, score: 0.4792435
fibrillation s p dual, score: 0.0037949802
atrial pacemaker lead perforation, score: 0.002270535

confidence of prediction: 0.929810
Y_true: [2 6 9 15 21 26 27 30 35 36 38 49]
Y_pred: [2 21 26 27 30 36 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
heart function and likely, score: 0.02802205
with iv lasix mg, score: 0.009156197
aaa h o pe, score: 0.007408313

confidence of prediction: 0.715180
Y_true: [2 6 9 15 21 26 27 30 35 36 38 49]
Y_pred: [2 21 26 27 30 36 49]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
on coumadin copd critical as location un, score: 0.26000276
from admission copd continued on home tiotropium, score: 0.07385279

confidence of prediction: 0.770648
Y_true: [2 6 9 15 21 26 27 30 35 36 38 49]
Y_pred: [2 21 26 27 30 36 49]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
dementia pvd ckd aaa h o pe, score: 0.019800138

disease chronic kidney disease aaa history of, score: 0.016543925
discontinued home cilostazol since, score: 0.00930647

confidence of prediction: 0.682833
Y_true: [2 6 9 15 21 26 27 30 35 36 38 49]
Y_pred: [2 21 26 27 30 36 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
ppm on coumadin inr, score: 0.41893733
to on coumadin was, score: 0.042237572
afib s p ppm on coumadin copd critical, score: 0.03400093

confidence of prediction: 0.950391
Y_true: [3 7 13 18 21 22 24 26 27 29 35 36 40 42 47 49]
Y_pred: [4 13 18 20 22 24 26 27 29]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
coronary artery reverse saphenous vein single, score: 0.16013841
coronary artery reverse saphenous vein single, score: 0.097395815
coronary artery bypass x, score: 0.08264409

confidence of prediction: 0.977916
Y_true: [3 7 13 18 21 22 24 26 27 29 35 36 40 42 47 49]
Y_pred: [4 13 18 20 22 24 26 27 29]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
diuresed towards his pre, score: 0.22864115
cardiothoracic allergies penicillins attending, score: 0.0069844457
bypass graft x4 with, score: 0.0064414307

confidence of prediction: 0.723609
Y_true: [3 7 13 18 21 22 24 26 27 29 35 36 40 42 47 49]
Y_pred: [4 13 18 20 22 24 26 27 29]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
nstemi and decompensated heart failure, score: 0.25242373
have nstemi and decompensated heart failure, score: 0.039859824
syndrome nstemi evaluation for avr, score: 0.03249165

confidence of prediction: 0.976915
Y_true: [3 7 13 18 21 22 24 26 27 29 35 36 40 42 47 49]
Y_pred: [4 13 18 20 22 24 26 27 29]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery reverse saphenous, score: 0.12610795
coronary artery reverse saphenous, score: 0.10415079
coronary artery disease aortic, score: 0.102517985

confidence of prediction: 0.978518
Y_true: [3 7 13 18 21 22 24 26 27 29 35 36 40 42 47 49]
Y_pred: [4 13 18 20 22 24 26 27 29]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib tablet po daily, score: 0.055393085

atrial fibrillation mitral regurgitation acute, score: 0.037097167
atrial fibrillation resected squamous cell, score: 0.014465964

confidence of prediction: 0.960505
Y_true: [3 7 13 18 21 22 24 26 27 29 35 36 40 42 47 49]
Y_pred: [4 13 18 20 22 24 26 27 29]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure he initially, score: 0.114093065
systolic heart failure past medical, score: 0.114093065
systolic heart failure community acquired, score: 0.114093065

confidence of prediction: 0.679258
Y_true: [3 7 13 18 21 22 24 26 27 29 35 36 40 42 47 49]
Y_pred: [4 13 18 20 22 24 26 27 29]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
community acquired pneumonia hypertension hypercholesterolemia,
score: 0.6098203
avoid rubbing on lower, score: 0.010082096
a second examiner the, score: 0.008663182

confidence of prediction: 0.966547
Y_true: [5 8 20]
Y_pred: [5 6 24 37]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
have hypovolemic hyponatremia given her, score: 0.551124
discharge diagnosis hyponatremia left humerus, score: 0.11812947
complaint hypotension hyponatremia anemia major surgical or, score:
0.0844133

confidence of prediction: 0.742952
Y_true: [0 3 8 11 31 33 35 43 46]
Y_pred: [0 3 29 33 40 42 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
shock the patient had, score: 0.066867456
septic shock respiratory failure pneumonia, score: 0.045784205
septic shock likely secondary to, score: 0.02776624

confidence of prediction: 0.755582
Y_true: [0 3 8 11 31 33 35 43 46]
Y_pred: [0 3 29 33 40 42 46]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
yeast inpatient mrsa screen mrsa, score: 0.008784746
favoring bibasilar atelectasis although, score: 0.0064773113
110s then became hypotensive to, score: 0.003573812

confidence of prediction: 0.662933
Y_true: [0 3 8 11 31 33 35 43 46]
Y_pred: [0 3 29 33 40 42 46]
top three important windows for true positive code 33 (518.81: Acute

respiratory failure)
she was intubated in, score: 0.09958779
sedated and intubated cv, score: 0.06321213
therapy respiratory failure secondary to, score: 0.05796868

confidence of prediction: 0.979049
Y_true: [0 3 8 11 31 33 35 43 46]
Y_pred: [0 3 29 33 40 42 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
shock the patient had, score: 0.0681414
septic shock respiratory failure pneumonia, score: 0.04382756
septic shock likely secondary to, score: 0.04263466

confidence of prediction: 0.921201
Y_true: [8 12 20 27 33 41 43 49]
Y_pred: [4 17 35 41 43 49]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
on tube feeds were started, score: 0.09304289
on tube feedings through a, score: 0.07986931
her tube feeds near goal, score: 0.07762149

confidence of prediction: 0.905165
Y_true: [8 12 20 27 33 41 43 49]
Y_pred: [4 17 35 41 43 49]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
trach wean trials on trach mask, score: 0.054829724
herniation eeg this is, score: 0.04793458
matrix percutaneous tracheostomy and placement of, score:
0.031846512

confidence of prediction: 0.790297
Y_true: [8 12 20 27 33 41 43 49]
Y_pred: [4 17 35 41 43 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
dvt on coumadin visiting, score: 0.57811934
vicodin qhs coumadin 5mg, score: 0.111245506
dvt on coumadin which, score: 0.07036671

confidence of prediction: 0.703346
Y_true: [11 17 20 34 45]
Y_pred: [11 24 34 45]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
history pmhx depression peptic ulcer, score: 0.40470114
post endoscopy depression gerd pud discharge condition, score:
0.008462638
recorded as having no, score: 0.006046703

confidence of prediction: 0.946280

Y_true: [11 17 20 34 45]
Y_pred: [11 24 34 45]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
gerd pud discharge condition mental, score: 0.10624389
disease gastroesophageal reflux pshx carpal tunnel release, score:
0.007781689

confidence of prediction: 0.966001
Y_true: [11 17 20 34 45]
Y_pred: [11 24 34 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
and tpn was discontinued and patient, score: 0.14460592
on and tpn started a foley, score: 0.02734445
while on tpn the patient, score: 0.0052957134

confidence of prediction: 0.883971
Y_true: [0 6 20 24 29 30 32]
Y_pred: [17 29 30 40]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
a pneumonia and fluid, score: 0.055782314
diagnosis primary pneumonia pleural effusion, score: 0.0196191
of pneumonia for evaluation, score: 0.019430116

confidence of prediction: 0.542457
Y_true: [0 6 20 24 29 30 32]
Y_pred: [17 29 30 40]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
medical history copd rll lung mass found, score: 0.34434798
prednisone possible copd and recent workup for, score: 0.08592885
chronic rhinitis osteoarthritis s, score: 0.024342258

confidence of prediction: 0.922720
Y_true: [5 8 27 35 37 41 42]
Y_pred: [17 27 29 33 37 40 42 43]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure ef went from to, score: 0.051981848
disease cardiac catherization report, score: 0.017777937
pad compared with the, score: 0.0060710814

confidence of prediction: 0.863463
Y_true: [5 8 27 35 37 41 42]
Y_pred: [17 27 29 33 37 40 42 43]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
resolved urinary tract infection ventilator associated, score:
0.063263185
escherichia coli proteus mirabilis ampicillin s, score: 0.045319933
culture grew citrobacter that, score: 0.017318908

confidence of prediction: 0.513445
Y_true: [5 8 27 35 37 41 42]
Y_pred: [17 27 29 33 37 40 42 43]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated and sedated, score: 0.20729758
to intubated status past, score: 0.13851914
general intubated sedated and paralyzed, score: 0.076967195

confidence of prediction: 0.676847
Y_true: [4 12 17 20 37 45]
Y_pred: [2 4 20 30 34 37 45]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
diabetes hypertension hyperlipidemia gout asthma copd spinal, score:
0.11215843
discharge medications simvastatin mg tablet sig, score: 0.021829933
iv q12 simvastatin 20mg, score: 0.019610718

confidence of prediction: 0.806341
Y_true: [4 12 17 20 37 45]
Y_pred: [2 4 20 30 34 37 45]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
of simvastatin hypertension he was normotensive, score: 0.12421274
dm2 htn gout transferred from, score: 0.072940394
secondary hypertension diabetes mellitus gout asthma, score:
0.051050413

confidence of prediction: 0.911806
Y_true: [4 12 17 20 37 45]
Y_pred: [2 4 20 30 34 37 45]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection the pt, score: 0.12149701
a uti and c, score: 0.11736979
a uti was treated with, score: 0.082262866

confidence of prediction: 0.980793
Y_true: [4 12 17 20 37 45]
Y_pred: [2 4 20 30 34 37 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
ox3 cns ii xii grossly, score: 0.0057168496
started on tpn to optimize wound healing, score: 0.005204997
calcitonin nasal spray delirium after, score: 0.0008420259

confidence of prediction: 0.763314
Y_true: [1 8 10 11 27 29 35]
Y_pred: [1 17]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
repair hypothyroidism pw report of, score: 0.25146472

abscess hypothyroidism hypertriglyceridemia spinal stenosis, score:
0.05393275
downtime 1min groggy afterwards, score: 0.00382663

confidence of prediction: 0.548100
Y_true: [4 5 9 20 26 27 49]
Y_pred: [4 5 20 26 27 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history hypertension hyperlipidemia atrial fibrillation glaucoma
cataracts, score: 0.14617108
carvedilol mg po q, score: 0.03806918
valsartan mg po bid, score: 0.019186808

confidence of prediction: 0.900426
Y_true: [4 5 9 20 26 27 49]
Y_pred: [4 5 20 26 27 49]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
sodium concentration hyponatremia in your, score: 0.2649399
sodium concentration hyponatremia in, score: 0.2649399
to be hyponatremic to pt had an, score: 0.07574145

confidence of prediction: 0.996821
Y_true: [4 5 9 20 26 27 49]
Y_pred: [4 5 20 26 27 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
swelling stopped hctz given, score: 0.060199246
htn management guided by, score: 0.053459
medical history hypertension hyperlipidemia atrial fibrillation,
score: 0.037370343

confidence of prediction: 0.994429
Y_true: [4 5 9 20 26 27 49]
Y_pred: [4 5 20 26 27 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin was, score: 0.46012193
afib on warfarin chads2, score: 0.24943046
fibrillation glaucoma cataracts h, score: 0.014735503

confidence of prediction: 0.946530
Y_true: [4 5 9 20 26 27 49]
Y_pred: [4 5 20 26 27 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf followed by dr, score: 0.09893668
diastolic chf anti htn management, score: 0.07941257
diastolic congestive heart failure chronic thrombocytopenia, score:
0.016965955

confidence of prediction: 0.760552
Y_true: [4 5 9 20 26 27 49]

Y_pred: [4 5 20 26 27 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
afib on coumadin was, score: 0.2552635
afib on warfarin chads2, score: 0.20826869
fibrillation on warfarin hypertension, score: 0.20562138

confidence of prediction: 0.912095
Y_true: [1 20 27 35 37]
Y_pred: [1 27 31 34 35 37]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
edema hypothyroidism continued home levothyroxine tsh wnl, score: 0.2574173
dementia hypothyroidism hyperlipidemia hypertension fatty, score: 0.18672702
day levothyroxine mcg tablet sig, score: 0.0106575405

confidence of prediction: 0.958295
Y_true: [1 20 27 35 37]
Y_pred: [1 27 31 34 35 37]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
dchf exacerbation sent home, score: 0.3117093
congestive heart failure ef, score: 0.16707031
diastolic heart failure most recently in, score: 0.079312734

confidence of prediction: 0.703614
Y_true: [1 20 27 35 37]
Y_pred: [1 27 31 34 35 37]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
secondary acute kidney injury discharge condition mental, score: 0.16248634
decreased renal function pt s, score: 0.06493882
kidney injury which may, score: 0.06455337

confidence of prediction: 0.870361
Y_true: [1 20 27 35 37]
Y_pred: [1 27 31 34 35 37]
top three important windows for true positive code 37 (599.0: Urinary tract infection, site not specified)
ua uti noted in the, score: 0.104680814
have uti and elevated lithium level, score: 0.10465532
with uti see below vs, score: 0.067213714

confidence of prediction: 0.922020
Y_true: [2 3 6 11 27 28 29 30 35 37 40 43]
Y_pred: [4 7 20 27 28 30 35 40 42 44]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
diastolic heart failure obstructive sleep apnea, score: 0.37597883
including heart failure osa and copd, score: 0.09727529
failure patient with enlarged, score: 0.045538735

confidence of prediction: 0.755314
Y_true: [2 3 6 11 27 28 29 30 35 37 40 43]
Y_pred: [4 7 20 27 28 30 35 40 42 44]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
otherwise normal egd to third part of, score: 0.6721856
performed egd report very, score: 0.046395224
lower endoscopy performed which did, score: 0.03960804

confidence of prediction: 0.692374
Y_true: [2 3 6 11 27 28 29 30 35 37 40 43]
Y_pred: [4 7 20 27 28 30 35 40 42 44]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
obstructive pulmonary disease acute, score: 0.24908142
copd and obesity hypoventilation syndrome, score: 0.19794461
medical history copd w home o2 at, score: 0.09572907

confidence of prediction: 0.565987
Y_true: [2 3 6 11 27 28 29 30 35 37 40 43]
Y_pred: [4 7 20 27 28 30 35 40 42 44]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
dhf elevated bnp respiratory difficulty, score: 0.19755808
more severe hypercapnia with pco2, score: 0.03268165
most likely pre renal lisinopril and, score: 0.027806988

confidence of prediction: 0.825322
Y_true: [2 3 6 11 27 28 29 30 35 37 40 43]
Y_pred: [4 7 20 27 28 30 35 40 42 44]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
was emergently intubated and transferred, score: 0.37925953
she was intubated and transferred, score: 0.14197326
to be intubated and sent, score: 0.032670993

confidence of prediction: 0.955702
Y_true: [2 4 20 24 37 39]
Y_pred: [20 30 37 39]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
bleed dm htn copd macular degeneration anemia, score: 0.06366788
albuterol and ipratroprium nebulization, score: 0.032093294
metastatic rcc patient will, score: 0.031556156

confidence of prediction: 0.794425
Y_true: [2 4 20 24 37 39]
Y_pred: [20 30 37 39]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
thrombosis uti secondary diabetes, score: 0.09735005
a urinary tract infection probably because, score: 0.07246095
asa urinary retention patient with urinary retention following

bronchoscopy foley catheter was, score: 0.01603001

confidence of prediction: 0.568945
Y_true: [2 4 20 24 37 39]
Y_pred: [20 30 37 39]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee no mass thrombus, score: 0.8589199
effusion without evidence of, score: 0.00691047
bacteri none yeast none epi transe, score: 0.0038785636

confidence of prediction: 0.805654
Y_true: [4 12 26 31 32 33 41 43 47]
Y_pred: [2 17 31 33 35 40 42 43]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
aspiration pneumonitis pneumonia ventilator associated, score:
0.20649526
to aspiration as her wbc, score: 0.0742097
future aspiration on a dysphagia diet, score: 0.06537775

confidence of prediction: 0.902082
Y_true: [4 12 26 31 32 33 41 43 47]
Y_pred: [2 17 31 33 35 40 42 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypercarbic respiratory failure resolved initial, score: 0.5031308
intubated for hypoxia thought, score: 0.07531584
of respiratory failure was, score: 0.036599293

confidence of prediction: 0.743889
Y_true: [4 12 26 31 32 33 41 43 47]
Y_pred: [2 17 31 33 35 40 42 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
air ventilator associated pneumonia on she, score: 0.036952227
hypercarbic respiratory failure resolved, score: 0.035164524
pneumonia ventilator associated diabetes, score: 0.033408932

confidence of prediction: 0.783844
Y_true: [4 6 17 21 23 26 27 30 34 35 37 45 47 48 49]
Y_pred: [2 4 17 21 24 26 27 30 33 36 37 40 45 48 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
dm2 htn hl cad s p cabg, score: 0.039983038
slntg prn for chest, score: 0.017575499
ppm in htn hl dm2 h o tias, score: 0.009003492

confidence of prediction: 0.806556
Y_true: [4 6 17 21 23 26 27 30 34 35 37 45 47 48 49]
Y_pred: [2 4 17 21 24 26 27 30 33 36 37 40 45 48 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)

access floor flush with, score: 0.3389532
omeprazole was changed to, score: 0.0506927
for picc line please, score: 0.049559563

confidence of prediction: 0.904957
Y_true: [4 6 17 21 23 26 27 30 34 35 37 45 47 48 49]
Y_pred: [2 4 17 21 24 26 27 30 33 36 37 40 45 48 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
pacemaker stroke ckd stage ii iii pvd, score: 0.026730016
copd ckd stage creatinine s p, score: 0.023630995
imi and cabg atrial fibrillation sss status, score: 0.0097367205

confidence of prediction: 0.989952
Y_true: [4 6 17 21 23 26 27 30 34 35 37 45 47 48 49]
Y_pred: [2 4 17 21 24 26 27 30 33 36 37 40 45 48 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
paf on home coumadin sinus, score: 0.2563671
afib who presents as, score: 0.06726613
atrial fibrilation coumadin was initially, score: 0.063765846

confidence of prediction: 0.958490
Y_true: [4 6 17 21 23 26 27 30 34 35 37 45 47 48 49]
Y_pred: [2 4 17 21 24 26 27 30 33 36 37 40 45 48 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf ef in paf on, score: 0.2635489
chf the patient was, score: 0.12851651
systolic heart failure secondary cad status, score: 0.10227513

confidence of prediction: 0.720149
Y_true: [4 6 17 21 23 26 27 30 34 35 37 45 47 48 49]
Y_pred: [2 4 17 21 24 26 27 30 33 36 37 40 45 48 49]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
stenosis gout copd ckd stage creatinine s, score: 0.2611935
type ii copd hypertension gout s p, score: 0.15654962
numeric identifier 56pm blood, score: 0.012233939

confidence of prediction: 0.980467
Y_true: [4 6 17 21 23 26 27 30 34 35 37 45 47 48 49]
Y_pred: [2 4 17 21 24 26 27 30 33 36 37 40 45 48 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuks lg 04am urine rbc, score: 0.74606115
leuks sm 08am urine rbc, score: 0.019549282
interactions with omeprazole and, score: 0.007578435

confidence of prediction: 0.975593
Y_true: [4 6 17 21 23 26 27 30 34 35 37 45 47 48 49]
Y_pred: [2 4 17 21 24 26 27 30 33 36 37 40 45 48 49]
top three important windows for true positive code 45 (99.15:

Parenteral infusion of concentrated nutritional substances)
solids on tpn was briefly initiated from, score: 0.0067096516
to lie flat her abdominal, score: 0.0035217018
was repaired using interrupted prolene sutures without difficulty
cxr, score: 0.00090843375

confidence of prediction: 0.602420
Y_true: [4 6 17 21 23 26 27 30 34 35 37 45 47 48 49]
Y_pred: [2 4 17 21 24 26 27 30 33 36 37 40 45 48 49]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg [UNK] known celiac, score: 0.77280676
stenting of sma and, score: 0.072066456
patient after cabg there, score: 0.036755975

confidence of prediction: 0.776493
Y_true: [4 6 17 21 23 26 27 30 34 35 37 45 47 48 49]
Y_pred: [2 4 17 21 24 26 27 30 33 36 37 40 45 48 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
for constipation warfarin mg, score: 0.36068934
paf on home coumadin sinus, score: 0.08907693
days and coumadin dose, score: 0.076468

confidence of prediction: 0.971667
Y_true: [0 26 27 31 47]
Y_pred: [7 20 24 26 27 44 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation long standing coumadin stopped, score:
0.12774396
atrial fibrillation noted during hospitalization, score: 0.09838517
irregularly irregular normal s1 s2, score: 0.0031216997

confidence of prediction: 0.888654
Y_true: [0 26 27 31 47]
Y_pred: [7 20 24 26 27 44 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
ef past surgical history, score: 0.42864892
ef social history he, score: 0.0767499
pvd chf colon cancer s, score: 0.028917126

confidence of prediction: 0.814497
Y_true: [8 15 24 25 26 27 33 35 36 38 40 42]
Y_pred: [21 24 25 27 29 33 36 40 43 44]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease mild, score: 0.17865036
s p cagb in, score: 0.11151755
coronary artery disease ventilator, score: 0.103977114

confidence of prediction: 0.719398
Y_true: [8 15 24 25 26 27 33 35 36 38 40 42]

Y_pred: [21 24 25 27 29 33 36 40 43 44]
top three important windows for true positive code 25 (424.0: Mitral valve disorders)
failure mitral regurgitation coronary artery, score: 0.23910806
severe mitral regurgitation is seen, score: 0.09685331
severe mitral regurgitation moderate tricuspid, score: 0.09685331

confidence of prediction: 0.951719
Y_true: [8 15 24 25 26 27 33 35 36 38 40 42]
Y_pred: [21 24 25 27 29 33 36 40 43 44]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
congestive heart failure mitral regurgitation coronary artery, score: 0.26144728
systolic heart failure mr, score: 0.10152461
congestive heart failure you, score: 0.03994044

confidence of prediction: 0.771703
Y_true: [8 15 24 25 26 27 33 35 36 38 40 42]
Y_pred: [21 24 25 27 29 33 36 40 43 44]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
s respiratory failure was, score: 0.14683433
for respiratory failure in, score: 0.07101403
complaint respiratory failure transfer, score: 0.041929442

confidence of prediction: 0.507373
Y_true: [8 15 24 25 26 27 33 35 36 38 40 42]
Y_pred: [21 24 25 27 29 33 36 40 43 44]
top three important windows for true positive code 36 (585.9: Chronic kidney disease, unspecified)
anemia chronic kidney disease left ventricular, score: 0.03874813
fever and leukocytosis this, score: 0.026836673
renal failure mr known, score: 0.02294183

confidence of prediction: 0.521571
Y_true: [8 15 24 25 26 27 33 35 36 38 40 42]
Y_pred: [21 24 25 27 29 33 36 40 43 44]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
was reintubated later that, score: 0.53142786
vented general intubated not, score: 0.22048625
failure requiring intubation diuresis was, score: 0.01522191

confidence of prediction: 0.575280
Y_true: [12 17 18 20 31 33 41 43]
Y_pred: [10 17 31 39 41 43]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
the picc line is seen, score: 0.03405571
sternotomy a picc line was placed for, score: 0.0334918
flap dissection descending aorta, score: 0.030732568

confidence of prediction: 0.575186

Y_true: [12 17 18 20 31 33 41 43]
Y_pred: [10 17 31 39 41 43]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
routine eeg due to, score: 0.014974546
less responsive and unstable, score: 0.013732671
bronchoscopy with aspiration open tracheostomy tube with portex,
score: 0.010185628

confidence of prediction: 0.773646
Y_true: [12 17 18 20 31 33 41 43]
Y_pred: [10 17 31 39 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
a feeding tube without complication, score: 0.19799992
tracheostomy tube with portex tracheostomy and french peg tube
placement repair, score: 0.046948355
routine eeg due to, score: 0.037893385

confidence of prediction: 0.511228
Y_true: [12 17 18 20 31 33 41 43]
Y_pred: [10 17 31 39 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
feeding tube without complication, score: 0.043330897
tube with portex tracheostomy and french peg tube placement, score:
0.0398307
tracheostomy and placement of, score: 0.038519397

confidence of prediction: 0.507936
Y_true: [6 9 10 20 26 29 37]
Y_pred: [0 4 9 17 26 29 37 46]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
history of thrombocytopenia this was, score: 0.37538418
to country thrombocytopenia the patient s platelet, score:
0.21947257
own consulting business and, score: 0.0313537

confidence of prediction: 0.567565
Y_true: [6 9 10 20 26 29 37]
Y_pred: [0 4 9 17 26 29 37 46]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation with rvr on, score: 0.2083687
afib with rvr likely secondary, score: 0.14311345
atrial fibrillation he immediately spontaneously, score: 0.08526747

confidence of prediction: 0.746772
Y_true: [6 9 10 20 26 29 37]
Y_pred: [0 4 9 17 26 29 37 46]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)

hospital acquired pna see below blood, score: 0.12844247
hospital acquired pna cxr on noted, score: 0.08224352
diagnoses nosocomial pneumonia htn, score: 0.056854308

confidence of prediction: 0.943718
Y_true: [6 9 10 20 26 29 37]
Y_pred: [0 4 9 17 26 29 37 46]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
septicemia uti in the micu, score: 0.14518693
leuk mod 05pm urine color, score: 0.105302
urosepsis pt had elevated, score: 0.07437197

confidence of prediction: 0.665252
Y_true: [42 49]
Y_pred: [17 42 49]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
eeg sedated intubated findings, score: 0.24106167
endotracheal tube ends cm above, score: 0.049282424
eeg sedated intubated findings, score: 0.033922713

confidence of prediction: 0.908741
Y_true: [42 49]
Y_pred: [17 42 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
anticoagulant on coumadin and, score: 0.7054929
on taking warfarin home, score: 0.12152415
state on coumadin distal, score: 0.040312026

confidence of prediction: 0.779070
Y_true: [2 5 8 10 17 19 23 27 34]
Y_pred: [5 19 23 24 27 28 34]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
phosphorus level hyponatremia she was mildly hyponatremic on
admission that was, score: 0.36068535
she underwent aggressive hd, score: 0.0060527003
had biopsies taken that, score: 0.0055546034

confidence of prediction: 0.899549
Y_true: [2 5 8 10 17 19 23 27 34]
Y_pred: [5 19 23 24 27 28 34]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
esrd on hd she is dialyzed every tues, score: 0.06901449
esrd on hd tu th, score: 0.057099313
esrd on hd cad who, score: 0.027229564

confidence of prediction: 0.655053
Y_true: [2 5 8 10 17 19 23 27 34]
Y_pred: [5 19 23 24 27 28 34]

top three important windows for true positive code 23 (412: Old myocardial infarction)
s p mi she was, score: 0.6663186
posterior myocardial infarction of indeterminate age, score: 0.0046623214
coronary artery disease s p mi in received stent to, score: 0.0029951013

confidence of prediction: 0.962444
Y_true: [2 5 8 10 17 19 23 27 34]
Y_pred: [5 19 23 24 27 28 34]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
and diastolic chf lvef in pvd, score: 0.14488043
and diastolic chf she had been, score: 0.14488043
chf and cad who presented, score: 0.07962115

confidence of prediction: 0.722468
Y_true: [2 5 8 10 17 19 23 27 34]
Y_pred: [5 19 23 24 27 28 34]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
hyperlipidemia gastroesophageal reflux gastritis egd chronic pancreatitis, score: 0.12525605
femoral grafts possible chronic, score: 0.015731148
schizoaffective disorder hypertension diabetes, score: 0.011359533

confidence of prediction: 0.551108
Y_true: [2 4 9 21 26 29 32 36 47]
Y_pred: [20 21 27 29 33 35 36]
top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified)
chronic renal insufficiency baseline creatinine in the, score: 0.1381932
for cr baseline bnp numeric identifier, score: 0.011129378
renal insufficiency in the setting, score: 0.010996639

confidence of prediction: 0.605651
Y_true: [2 4 9 21 26 29 32 36 47]
Y_pred: [20 21 27 29 33 35 36]
top three important windows for true positive code 29 (486: Pneumonia, organism unspecified)
rll pna persistent on cxr with, score: 0.06826095
treatment of pneumonia with broad spectrum, score: 0.03355794
for days prochlorperazine maleate, score: 0.018544933

confidence of prediction: 0.837648
Y_true: [2 4 9 21 26 29 32 36 47]
Y_pred: [20 21 27 29 33 35 36]
top three important windows for true positive code 36 (585.9: Chronic kidney disease, unspecified)
chronic renal insufficiency baseline creatinine in the, score: 0.13821426

renal insufficiency in the, score: 0.012931769
for cr baseline bnp numeric identifier, score: 0.0084180655

confidence of prediction: 0.907025
Y_true: [4 6 7 11 17 21 23 24 25 26 27]
Y_pred: [2 4 7 11 17 21 22 24 25 27 29 36]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hyperlipidemia statin was continued depression, score: 0.1537911
a1c htn hyperlipidemia cad s p stemi, score: 0.14378837
50mg hospital1 nitroglycerin 4mg, score: 0.03982359

confidence of prediction: 0.547287
Y_true: [4 6 7 11 17 21 23 24 25 26 27]
Y_pred: [2 4 7 11 17 21 22 24 25 27 29 36]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
had a bleed in, score: 0.15104419
hospitalization her hematocrits were monitored, score: 0.033124898
loss, score: 0.024240889

confidence of prediction: 0.650866
Y_true: [4 6 7 11 17 21 23 24 25 26 27]
Y_pred: [2 4 7 11 17 21 22 24 25 27 29 36]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
was continued depression citalopram was continued code, score:
0.49736607
she was symptom free, score: 0.020821339
bilateral adrenal nodules discharge, score: 0.013981452

confidence of prediction: 0.500565
Y_true: [4 6 7 11 17 21 23 24 25 26 27]
Y_pred: [2 4 7 11 17 21 22 24 25 27 29 36]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
right subclavian picc line with its, score: 0.07362367
subarachnoid component of hemorrhage, score: 0.060489364
sicu she developed hematemisis with, score: 0.05616312

confidence of prediction: 0.848998
Y_true: [4 6 7 11 17 21 23 24 25 26 27]
Y_pred: [2 4 7 11 17 21 22 24 25 27 29 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
ckd cr in per report, score: 0.18912302
hl ckd cad breast cancer s, score: 0.025581948
ef ckd cr in peripheral neuropathy, score: 0.016164852

confidence of prediction: 0.892672
Y_true: [4 6 7 11 17 21 23 24 25 26 27]
Y_pred: [2 4 7 11 17 21 22 24 25 27 29 36]
top three important windows for true positive code 24 (414.01:

Coronary atherosclerosis of native coronary artery)
managed stemi in no, score: 0.14338234
cad s p stemi medically managed chf ef ckd, score: 0.027300352
ckd cad breast cancer, score: 0.018739706

confidence of prediction: 0.725197
Y_true: [4 6 7 11 17 21 23 24 25 26 27]
Y_pred: [2 4 7 11 17 21 22 24 25 27 29 36]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve prolapse h o, score: 0.81575024
mobilize her from a, score: 0.0084254835
congestive heart failure pneumonia, score: 0.006770192

confidence of prediction: 0.909806
Y_true: [4 6 7 11 17 21 23 24 25 26 27]
Y_pred: [2 4 7 11 17 21 22 24 25 27 29 36]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure pneumonia severe, score: 0.06525929
medically managed chf ef ckd cr in, score: 0.045929093
congestive heart failure bilateral dependent, score: 0.040045932

confidence of prediction: 0.979526
Y_true: [2 4 8 27 31 33 41 43 46]
Y_pred: [0 17 27 31 33 40 41 42 43 44 46]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
with systolic chf lvef from ivf resucitation, score: 0.05955738
dysfunction with akinesis of, score: 0.0033298398
versus edema consider repeat, score: 0.0014553375

confidence of prediction: 0.881963
Y_true: [2 4 8 27 31 33 41 43 46]
Y_pred: [0 17 27 31 33 40 41 42 43 44 46]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
for aspiration pneumonia prior, score: 0.108730726
likely aspiration pneumonitis and complicated by, score: 0.10326847
melanoma aspiration pneumonia history, score: 0.02881774

confidence of prediction: 0.897594
Y_true: [2 4 8 27 31 33 41 43 46]
Y_pred: [0 17 27 31 33 40 41 42 43 44 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxic respiratory failure she was intubated on, score: 0.20857927
acute respiratory failure leukocytosis, score: 0.07278528
fio2 subsequent abg revealed, score: 0.050821554

confidence of prediction: 0.508488
Y_true: [2 4 8 27 31 33 41 43 46]
Y_pred: [0 17 27 31 33 40 41 42 43 44 46]
top three important windows for true positive code 41 (96.6: Enteral

infusion of concentrated nutritional substances)
on tube feeding based on nutrition recommendation after extubation
patient, score: 0.21051368
were carried out with patient, score: 0.04151206
et tube inplace with pink, score: 0.024627613

confidence of prediction: 0.644205
Y_true: [2 4 8 27 31 33 41 43 46]
Y_pred: [0 17 27 31 33 40 41 42 43 44 46]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
sedation for intubation but also, score: 0.08262986
on tube feeding based on nutrition recommendation, score:
0.028697498
her sputum grew out staph aureus, score: 0.024826407

confidence of prediction: 0.524538
Y_true: [2 4 8 27 31 33 41 43 46]
Y_pred: [0 17 27 31 33 40 41 42 43 44 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
sepsis likely pneumonia and bacteremia, score: 0.044495106
metas myelos coagulations pt ptt, score: 0.032129057
multiple discussions were carried, score: 0.027425515

confidence of prediction: 0.868413
Y_true: [1 2 3 21 24 27 37]
Y_pred: [1 2 21 27 29 36 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
oa hypothyroidism s p thyroidectomy, score: 0.4471846
br hypothyroidism tsh may, score: 0.14497088
hypercholesterolemia hypothyroidism and two, score: 0.07948248

confidence of prediction: 0.714287
Y_true: [1 2 3 21 24 27 37]
Y_pred: [1 2 21 27 29 36 37]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
br dm2 controlled without complications sliding, score: 0.064592734
chronic kidney disease hypothyroidism, score: 0.03618593
cad dm biventricular r sided and, score: 0.013172598

confidence of prediction: 0.852262
Y_true: [1 2 3 21 24 27 37]
Y_pred: [1 2 21 27 29 36 37]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
diabetes chronic kidney disease hypothyroidism cad, score:
0.056192618
cr prior baseline in upper, score: 0.019745182

patient appeared hypervolemic still, score: 0.011454696

confidence of prediction: 0.989504
Y_true: [1 2 3 21 24 27 37]
Y_pred: [1 2 21 27 29 36 37]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf exacerbation as detailed, score: 0.030261407
chf exacerbation hypernatremia diabetes, score: 0.023698779
chf exacerbation a likely, score: 0.010381838

confidence of prediction: 0.958652
Y_true: [1 2 3 21 24 27 37]
Y_pred: [1 2 21 27 29 36 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
known uti ecoli uti from last, score: 0.07185919
urinary tract infection [UNK] chf, score: 0.057750247
for uti as above, score: 0.05258339

confidence of prediction: 0.634956
Y_true: [0 17 41 46]
Y_pred: [0 17 31 37 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
criteria for shock underlying, score: 0.69747823
picture resolved and no, score: 0.03364488
resuscitation and pressors resolved patient s hypotension, score:
0.016555607

confidence of prediction: 0.722487
Y_true: [0 17 41 46]
Y_pred: [0 17 31 37 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
venous catheter terminates in, score: 0.5318477
dna amplification assay final, score: 0.028985025
dear mr known lastname and, score: 0.02217309

confidence of prediction: 0.623376
Y_true: [0 17 41 46]
Y_pred: [0 17 31 37 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
criteria for shock underlying infection, score: 0.3807242
picture resolved and no, score: 0.051805254
ams hypothermia major surgical or, score: 0.02739757

confidence of prediction: 0.740760
Y_true: [17 21 24 35 36]
Y_pred: [17 29 40 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
venous access line today the, score: 0.35751945

and a line were, score: 0.08976939
in the sicu she, score: 0.047208264

confidence of prediction: 0.542422
Y_true: [2 4 21 34 42 48]
Y_pred: [2 4 21 34 36 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
diabetes mellitus discharge condition mental, score: 0.22274813
cad dm2 ckd presenting from rehab, score: 0.10161916
including iddm cad s p 3v, score: 0.085896775

confidence of prediction: 0.576756
Y_true: [2 4 21 34 42 48]
Y_pred: [2 4 21 34 36 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
artery disease hyperlipidemia insulin dependent diabetes mellitus,
score: 0.11496668
cabg htn hl ckd, score: 0.046585266
sun feso4 325mg daily, score: 0.020853681

confidence of prediction: 0.901221
Y_true: [2 4 21 34 42 48]
Y_pred: [2 4 21 34 36 48]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
cabg ckd iii h o, score: 0.08995881
htn hl ckd iii essential tremor, score: 0.031144882
chronic kidney disease and a, score: 0.022316365

confidence of prediction: 0.737886
Y_true: [2 4 21 34 42 48]
Y_pred: [2 4 21 34 36 48]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
and niacin gerd on ppi fe def, score: 0.18974458
patterns were evident but, score: 0.06156033
[UNK] days per picc, score: 0.00848784

confidence of prediction: 0.892421
Y_true: [2 4 21 34 42 48]
Y_pred: [2 4 21 34 36 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p 3v cabg htn hl ckd, score: 0.004359883
s p 3v cabg ckd iii, score: 0.004359883
artery disease hyperlipidemia insulin, score: 0.0033645164

confidence of prediction: 0.576771
Y_true: [2 20 31 35]
Y_pred: [2 20 31 35 41]

top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
and diabetes in her family, score: 0.078663506
dm2 hold home medications, score: 0.06174305
dm2 htn presents to ew, score: 0.057166293

confidence of prediction: 0.925519
Y_true: [2 20 31 35]
Y_pred: [2 20 31 35 41]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
cva dm2 htn p w aspiration, score: 0.06342821
[UNK] and produced 90cc, score: 0.042458087
cva dm2 htn presents to, score: 0.036251195

confidence of prediction: 0.968008
Y_true: [2 20 31 35]
Y_pred: [2 20 31 35 41]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
primary aspiration pneumonia hypernatremia due to, score: 0.25207305
hcap aspiration pneumonia given elevated lactate, score: 0.07206111
w aspiration pneumonia and constipation pneumonia, score:
0.010470476

confidence of prediction: 0.918617
Y_true: [2 20 31 35]
Y_pred: [2 20 31 35 41]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
kidney injury perianal fistula, score: 0.25829417
kidney injury likely pre renal etiology although, score: 0.029025925
acute kidney injury likely pre renal etiology however, score:
0.014087035

confidence of prediction: 0.707205
Y_true: [0   5 16 17 31 33 35 40 42 46]
Y_pred: [2   6 17 28 31 33 35 40 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
grew methicillin resistant staph aureus he, score: 0.08748027
line was placed and, score: 0.08139182
left subclavian line placement arterial line placement, score:
0.046175957

confidence of prediction: 0.846092
Y_true: [0   5 16 17 31 33 35 40 42 46]
Y_pred: [2   6 17 28 31 33 35 40 42]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
dehydration aspiration pneumonia secondary diagnosis diabetes,
score: 0.20616095
but aspiration pneumonia but later narrowed, score: 0.04317229

mrsa aspiration pneumonia he had last, score: 0.028986853

confidence of prediction: 0.857035
Y_true: [0   5 16 17 31 33 35 40 42 46]
Y_pred: [2   6 17 28 31 33 35 40 42]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
after intubation og tube, score: 0.14686526
he was intubated and, score: 0.07313377
hypercarbic respiratory failure elevated troponins, score: 0.050454818

confidence of prediction: 0.704309
Y_true: [0   5 16 17 31 33 35 40 42 46]
Y_pred: [2   6 17 28 31 33 35 40 42]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
with pre renal dehydration, score: 0.07458305
acute renal failure was likely, score: 0.052495
was profoundly acidotic at, score: 0.030816581

confidence of prediction: 0.959620
Y_true: [0   5 16 17 31 33 35 40 42 46]
Y_pred: [2   6 17 28 31 33 35 40 42]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
after intubation og tube, score: 0.21302228
he was intubated and sedated, score: 0.026477002
was briefly intubated in the, score: 0.010243095

confidence of prediction: 0.865687
Y_true: [0   5 16 17 31 33 35 40 42 46]
Y_pred: [2   6 17 28 31 33 35 40 42]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
after intubation og tube, score: 0.19101329
shortly before intubation for unresponsiveness showed, score: 0.03458337
was briefly intubated in the, score: 0.024716562

confidence of prediction: 0.906099
Y_true: [0 2 4 6 8 17 20 31 33 37 40 41 42 46]
Y_pred: [2 17 33 40 41 42 43 46]
top three important windows for true positive code 2 (250.00: Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled)
hospital1 metformin 1000mg hospital1 metoprolol tartrate, score: 0.18979296
un metformin was discontinued and, score: 0.011283329
dm given her last name, score: 0.010842299

confidence of prediction: 0.928884
Y_true: [0 2 4 6 8 17 20 31 33 37 40 41 42 46]

Y_pred: [2 17 33 40 41 42 43 46]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
line growing gnr picc, score: 0.07503508
line was placed on, score: 0.07141734
bacteremic the picc line was d ced, score: 0.05931485

confidence of prediction: 0.556119
Y_true: [0 2 4 6 8 17 20 31 33 37 40 41 42 46]
Y_pred: [2 17 33 40 41 42 43 46]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
fio2 general intubated sedated heent sclera, score: 0.044683058
to painful stimuli pertinent, score: 0.0342468
sixty mg intravenous q48, score: 0.03275813

confidence of prediction: 0.826970
Y_true: [0 2 4 6 8 17 20 31 33 37 40 41 42 46]
Y_pred: [2 17 33 40 41 42 43 46]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
post intubation cxr demonstrated, score: 0.37410468
ra reintubated on and, score: 0.065525144
was intubated on presentation, score: 0.0613912

confidence of prediction: 0.683914
Y_true: [0 2 4 6 8 17 20 31 33 37 40 41 42 46]
Y_pred: [2 17 33 40 41 42 43 46]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
her tube feeds for a goal, score: 0.08270375
a bedside eeg that, score: 0.06253425
sixty mg intravenous q48, score: 0.055684786

confidence of prediction: 0.691586
Y_true: [0 2 4 6 8 17 20 31 33 37 40 41 42 46]
Y_pred: [2 17 33 40 41 42 43 46]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
post intubation cxr demonstrated rml opacity, score: 0.1942301
general intubated sedated heent, score: 0.118851006
was intubated and sedated, score: 0.102266796

confidence of prediction: 0.571635
Y_true: [0 2 4 6 8 17 20 31 33 37 40 41 42 46]
Y_pred: [2 17 33 40 41 42 43 46]
top three important windows for true positive code 46 (995.92: Severe sepsis)
midaz with maps increasing, score: 0.06908589
she is usually treated, score: 0.065117694
shock due to right, score: 0.064028494

confidence of prediction: 0.560581

Y_true: [10 12]
Y_pred: [10 29]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
roomates tobacco smokes 1pack per days for, score: 0.04114026
lymphoplasmacytic interstitial infiltrate with alveolar, score:
0.0058995197
widening and pneumocyte hyperplasia, score: 0.005261781

confidence of prediction: 0.559102
Y_true: [7 47 49]
Y_pred: [7 20 34 44]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
the lesion grew significantly, score: 0.28426415
with a locking nail, score: 0.068211846
units prbc the post transfusion hematocrit, score: 0.02855312

confidence of prediction: 0.856529
Y_true: [11 12 17 20 32 33 34 40 42]
Y_pred: [11 31 35 45]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
ppi depression duloxetine was continued medications, score:
0.04482407
pneumatized the osseous structures are, score: 0.027815633
history hypertension paraplegia with, score: 0.011226876

confidence of prediction: 0.894330
Y_true: [4 6 8 17 26 31 41 47 48]
Y_pred: [4 17 26 31 37 41 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
cabg htn hld dm2 with neuropathy pvd, score: 0.5237761
simvastatin mg tablet sig, score: 0.024118828
qd gabapentin 600mg hospital1 asa 81mg qd gemfibrozil 600mg tramadol
50mg hospital1, score: 0.006233891

confidence of prediction: 0.955605
Y_true: [4 6 8 17 26 31 41 47 48]
Y_pred: [4 17 26 31 37 41 48]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
inserted central catheter picc line feeding tube placement, score:
0.049601056
line skin erythematous at, score: 0.02531459
central venous catheter placement open, score: 0.023740876

confidence of prediction: 0.960925
Y_true: [4 6 8 17 26 31 41 47 48]
Y_pred: [4 17 26 31 37 41 48]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation on amiodarone and, score: 0.35299212

fib in post operative, score: 0.10538815
atrial fibrillation pneumonia urinary tract, score: 0.013055834

confidence of prediction: 0.816045
Y_true: [4 6 8 17 26 31 41 47 48]
Y_pred: [4 17 26 31 37 41 48]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
acquired pneumonia aspiration pneumonia vent associated pneumonia,
score: 0.076740235
aspiration hypoxia and dyspnea have, score: 0.060237955
witnessed aspiration despite this he continued, score: 0.048050832

confidence of prediction: 0.543232
Y_true: [4 6 8 17 26 31 41 47 48]
Y_pred: [4 17 26 31 37 41 48]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
fusion with plate and screws posterior fusion, score: 0.1396377
and tube feeds speech evaluated, score: 0.07914632
feeding tube placement history of, score: 0.06404558

confidence of prediction: 0.876356
Y_true: [4 6 8 17 26 31 41 47 48]
Y_pred: [4 17 26 31 37 41 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg and, score: 0.3235033
s p cabg pvd s p bypass presented, score: 0.3235033
p le bypass s p open, score: 0.008691538

confidence of prediction: 0.857070
Y_true: [1 5 27]
Y_pred: [1 27 31]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
on insulin hypothyroidism h o intraabdominal, score: 0.0066224644
metas red cell morphology hypochr anisocy, score: 0.0045925146
proving respiratory status cv, score: 0.0010133408

confidence of prediction: 0.921062
Y_true: [1 5 27]
Y_pred: [1 27 31]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf initially asymptomatic found by, score: 0.10129827
impression poor technical quality, score: 0.03347057
congestive heart failure pcp name initial, score: 0.032418292

confidence of prediction: 0.940447
Y_true: [7 9 30]
Y_pred: [7 30 37]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)

anemia pt with brbpr, score: 0.087031126
in the cecum angioectasia, score: 0.07128266
history of present illness, score: 0.03534084

confidence of prediction: 0.537072
Y_true: [7 9 30]
Y_pred: [7 30 37]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
involving hands copd s p appendectomy s, score: 0.18633662
copd oral thrush pt was, score: 0.1264452
chronic issues copd continued flovent albuterol and, score:
0.11666732

confidence of prediction: 0.742268
Y_true: [4 11 21 23 26 27 29 35 47 48 49]
Y_pred: [4 11 21 23 24 26 27 29 35 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
ezetimibe mg daily nitroglycerin mg, score: 0.02246227
simvastatin mg tablet sig, score: 0.02011248
iii hyperlipidemia with ldl of, score: 0.019044453

confidence of prediction: 0.585528
Y_true: [4 11 21 23 26 27 29 35 47 48 49]
Y_pred: [4 11 21 23 24 26 27 29 35 49]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
in hospital depression non active he continued, score: 0.039716825
clinic omeprazole mg capsule, score: 0.017684836
mg daily omeprazole mg, score: 0.0107363155

confidence of prediction: 0.746266
Y_true: [4 11 21 23 26 27 29 35 47 48 49]
Y_pred: [4 11 21 23 24 26 27 29 35 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
lactate 24pm lactate 42pm cardiac enzymes, score: 0.017530056
failure pre renal hemoptysis, score: 0.013858249
chronic in nature but, score: 0.012067253

confidence of prediction: 0.647600
Y_true: [4 11 21 23 26 27 29 35 47 48 49]
Y_pred: [4 11 21 23 24 26 27 29 35 49]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi in and cabg lima, score: 0.8796793
svg rpda rpl svg lcx with, score: 0.023188401
k to reverse the blood, score: 0.007882575

confidence of prediction: 0.981801
Y_true: [4 11 21 23 26 27 29 35 47 48 49]
Y_pred: [4 11 21 23 24 26 27 29 35 49]

top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib p w progressive, score: 0.30182782
afib bp ra was, score: 0.15372781
atrial fibrillation on coumadin and, score: 0.08068435

confidence of prediction: 0.959390
Y_true: [4 11 21 23 26 27 29 35 47 48 49]
Y_pred: [4 11 21 23 24 26 27 29 35 49]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
failure from chf exacerbation, score: 0.2022207
heart failure caused some, score: 0.10446554
chf af h o, score: 0.07341298

confidence of prediction: 0.802064
Y_true: [4 11 21 23 26 27 29 35 47 48 49]
Y_pred: [4 11 21 23 24 26 27 29 35 49]
top three important windows for true positive code 29 (486: Pneumonia, organism unspecified)
acquired pneumonia this was, score: 0.108640224
for presumed pna labs also, score: 0.08818437
community acquired pneumonia congestive heart, score: 0.08288055

confidence of prediction: 0.944597
Y_true: [4 11 21 23 26 27 29 35 47 48 49]
Y_pred: [4 11 21 23 24 26 27 29 35 49]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
acute renal failure pre renal hemoptysis likely, score: 0.017682653
acute renal failure likely chf, score: 0.016977616
lactate 24pm lactate 42pm, score: 0.015133493

confidence of prediction: 0.557789
Y_true: [4 11 21 23 26 27 29 35 47 48 49]
Y_pred: [4 11 21 23 24 26 27 29 35 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
effect of coumadin you, score: 0.08739901
afib bp ra was, score: 0.06559084
hemoptysis his coumadin was, score: 0.06535888

confidence of prediction: 0.677378
Y_true: [3 10 14 24 26 27 34]
Y_pred: [3 4 14 24 26 27 34 37 38]
top three important windows for true positive code 3 (272.0: Pure hypercholesterolemia)
hypercholesterolemia discontinued gemfibrozil started, score: 0.059024584
son mi hypercholesterolemia son name ni, score: 0.021198189
fibrillation diagnosis hypercholesterolemia diverticulitis gerd dyspepsia back and, score: 0.012269477

confidence of prediction: 0.529577

Y_true: [3 10 14 24 26 27 34]
Y_pred: [3 4 14 24 26 27 34 37 38]
top three important windows for true positive code 14 (37.22: Left heart cardiac catheterization)
cardiac catheterization history of present, score: 0.17854162
nondominant and small assessment, score: 0.03167534
catheterization which showed single, score: 0.02891362

confidence of prediction: 0.984057
Y_true: [3 10 14 24 26 27 34]
Y_pred: [3 4 14 24 26 27 34 37 38]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
chronic rca nondominant and small assessment, score: 0.14823504
coronary artery disease medical, score: 0.11420079
vessel disease with no, score: 0.074689426

confidence of prediction: 0.554705
Y_true: [3 10 14 24 26 27 34]
Y_pred: [3 4 14 24 26 27 34 37 38]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation diagnosis hypercholesterolemia diverticulitis, score: 0.2952383
atrial fibrillation was not observed, score: 0.03157204
contract normally lvef right, score: 0.02912583

confidence of prediction: 0.975878
Y_true: [3 10 14 24 26 27 34]
Y_pred: [3 4 14 24 26 27 34 37 38]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
congestive heart failure with systolic dysfunction, score: 0.070607446
and systolic chf who presented with, score: 0.045006063
cad chf ef of in presenting, score: 0.017554777

confidence of prediction: 0.950997
Y_true: [3 10 14 24 26 27 34]
Y_pred: [3 4 14 24 26 27 34 37 38]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
started pravastatin gerd dyspepsia continued ppi chronic, score: 0.19979472
paroxetine and clonazepam inactive issues, score: 0.012535744
hypercholesterolemia diverticulitis gerd dyspepsia back and pelvic, score: 0.0039772345

confidence of prediction: 0.778194
Y_true: [0 2 4 7 11 20 26 35 42 44 46 49]
Y_pred: [4 11 17 20 26 35 42 44]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
fibrillation anemia hyperlipidemia htn arthritis depression social,

score: 0.07408018
glimepiride mg daily omeprazole mg, score: 0.041082207
mg hospital1 amitriptyline mg qhs lovastatin mg, score: 0.025778374

confidence of prediction: 0.529369
Y_true: [0 2 4 7 11 20 26 35 42 44 46 49]
Y_pred: [4 11 17 20 26 35 42 44]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
daily paroxetine hcl mg, score: 0.036332704
mg daily omeprazole mg, score: 0.0344276
prn lispro insulin sliding, score: 0.021106835

confidence of prediction: 0.896261
Y_true: [0 2 4 7 11 20 26 35 42 44 46 49]
Y_pred: [4 11 17 20 26 35 42 44]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
anemia hyperlipidemia htn arthritis depression social history,
score: 0.15373777
history of hypertension her, score: 0.12733921
hydrochlorothiazide mg daily glimepiride mg, score: 0.07059665

confidence of prediction: 0.936677
Y_true: [0 2 4 7 11 20 26 35 42 44 46 49]
Y_pred: [4 11 17 20 26 35 42 44]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation the patient has, score: 0.17528537
fibrillation anemia hyperlipidemia htn, score: 0.097027846
atrial fibrillation transferred from hospital3, score: 0.09666219

confidence of prediction: 0.648858
Y_true: [0 2 4 7 11 20 26 35 42 44 46 49]
Y_pred: [4 11 17 20 26 35 42 44]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure and bilateral, score: 0.20304462
acute renal failure with a, score: 0.0645938
her renal function eventually improved her, score: 0.023759887

confidence of prediction: 0.649474
Y_true: [0 2 4 7 11 20 26 35 42 44 46 49]
Y_pred: [4 11 17 20 26 35 42 44]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
boots neuro intubated sedated to painful, score: 0.5073647
sedated intubated withdraws to painful stimuli will, score:
0.09254181
she was intubated in the, score: 0.011090098

confidence of prediction: 0.790041
Y_true: [0 2 4 7 11 20 26 35 42 44 46 49]

Y_pred: [4 11 17 20 26 35 42 44]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
received units prbcs intra operatively, score: 0.17966694
units of prbcs over the, score: 0.16155149
received unit prbc to maintain, score: 0.10626241

confidence of prediction: 0.634961
Y_true: [20 35 37]
Y_pred: [7 11 35 37]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute renal failure given response, score: 0.14728047
acute renal injury also, score: 0.06905003
acute renal failure gout osteoarthritis, score: 0.050779827

confidence of prediction: 0.898508
Y_true: [20 35 37]
Y_pred: [7 11 35 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
tract infection urine culture, score: 0.108154595
leuks sm 05pm urine rbc, score: 0.046197645
leuks tr 57pm urine, score: 0.024877531

confidence of prediction: 0.871942
Y_true: [1 19 25 33 37 39 42]
Y_pred: [1 4 9 19 26 27 37 40 42]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
daily hypothyroidism continued synthyroid transitional issues,
score: 0.52556854
colitis hypothyroidism mitral and tricuspid, score: 0.19801673
daily levothyroxine mcg daily mycophenolate, score: 0.03143459

confidence of prediction: 0.774766
Y_true: [1 19 25 33 37 39 42]
Y_pred: [1 4 9 19 26 27 37 40 42]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
of dialysis her cmv, score: 0.063321404
you started dialysis you were, score: 0.045982778
during dialysis and fax, score: 0.04328898

confidence of prediction: 0.713603
Y_true: [1 19 25 33 37 39 42]
Y_pred: [1 4 9 19 26 27 37 40 42]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
equivocal ekgs baseline artifact sinus, score: 0.03240497
tape x10yd lisinopril bactrim, score: 0.03212876
for enterococcus uti dapsone, score: 0.023379588

confidence of prediction: 0.561874

Y_true: [1 19 25 33 37 39 42]
Y_pred: [1 4 9 19 26 27 37 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
non mobile thoracic aortic, score: 0.008605192
acute respiratory distress requiring immediate intubation and
mechanical ventilation she, score: 0.008328944
hypervolemia and perhaps flash, score: 0.007820634

confidence of prediction: 0.957540
Y_true: [9 18 20 26 34 37 47 49]
Y_pred: [18 20 25 26 27]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
wires were removed and, score: 0.77390337
diuresed toward the preoperative, score: 0.09022906
cardiothoracic allergies no known, score: 0.025858356

confidence of prediction: 0.907603
Y_true: [9 18 20 26 34 37 47 49]
Y_pred: [18 20 25 26 27]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
chronic constipation ibs gerd polyuria osteopenia, score: 0.1653054
mg daily atenolol mg, score: 0.099749915
atrial fibrillation hypertension left ventricular function, score:
0.05046236

confidence of prediction: 0.971095
Y_true: [9 18 20 26 34 37 47 49]
Y_pred: [18 20 25 26 27]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation chronic constipation ibs, score: 0.13507442
atrial fibrillation narcotics were held, score: 0.08628092
atrial fibrillation hypertension left ventricular, score: 0.0759526

confidence of prediction: 0.975690
Y_true: [5 8 29]
Y_pred: [2 5 31]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
hydrothorax hypervolemic hyponatremia on tolvaptan initially
presenting, score: 0.58105004
encephalopathy chronic hyponatremia type ii, score: 0.13364904
eosinophilia chronic hyponatremia pt w h o hyponatremia thought to
be cirrhosis, score: 0.01510656

confidence of prediction: 0.847167
Y_true: [1 12 16 33 37 40 42]
Y_pred: [1 5 32 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)

hyperkalemia hypothyroidism patient was hyponatremic, score:
0.2506837
hyperkalemia hypothyroidism urinary tract infection, score:
0.1432623
start levothyroxine 25mcg daily for thyroid, score: 0.03996635

confidence of prediction: 0.759027
Y_true: [1 12 16 33 37 40 42]
Y_pred: [1 5 32 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
a urinary tract infection we starting, score: 0.0658002
for uti for days last, score: 0.045803126
hypothyroidism urinary tract infection discharge condition, score:
0.022697806

confidence of prediction: 0.712339
Y_true: [6 7 9 12 19 33 41 43]
Y_pred: [12 19 35 40 42]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
pending inpatient bronchoalveolar lavage gram stain final, score:
0.03721677
bronched urine sediment was consistent, score: 0.0089914575
hemorrhage and acute renal, score: 0.0058362912

confidence of prediction: 0.881648
Y_true: [6 7 9 12 19 33 41 43]
Y_pred: [12 19 35 40 42]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
qhd each hemodialysis please take, score: 0.11570004
started on cvvh on day, score: 0.04347171
ongoing dialysis which will, score: 0.01969859

confidence of prediction: 0.658580
Y_true: [0 2 4 5 6 20 35 37 46]
Y_pred: [0 2 4 5 6 20 35 37 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
septic shock supported by hypotension leukocytosis with bandemia and
elevated lactate unclear, score: 0.32865185
he had adequate urine, score: 0.16945209
briefly on levophed his, score: 0.013152494

confidence of prediction: 0.954574
Y_true: [0 2 4 5 6 20 35 37 46]
Y_pred: [0 2 4 5 6 20 35 37 46]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
htn dm recently dx rectal adenocarcinoma, score: 0.28535482
diabetes mellitus patient s oral, score: 0.041822094
metformin mg hospital1 simvastatin, score: 0.021776361

confidence of prediction: 0.873294
Y_true: [0 2 4 5 6 20 35 37 46]
Y_pred: [0 2 4 5 6 20 35 37 46]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
hypotensive episodes hld he continued with rosuvastatin, score: 0.051625952
diabetes hypertension hyperlipidemia h o nerve, score: 0.04314089
valsartan mg daily flomax, score: 0.014515975

confidence of prediction: 0.951143
Y_true: [0 2 4 5 6 20 35 37 46]
Y_pred: [0 2 4 5 6 20 35 37 46]
top three important windows for true positive code 5 (276.1: Hyposmolality and/or hyponatremia)
given autodiuresis hyponatremia likely secondary to dehydration, score: 0.79981184
node biopsy proven non, score: 0.016511552
his sodium improved he, score: 0.014172846

confidence of prediction: 0.720274
Y_true: [0 2 4 5 6 20 35 37 46]
Y_pred: [0 2 4 5 6 20 35 37 46]
top three important windows for true positive code 6 (276.2: Acidosis)
non gap acidosis given delta delta, score: 0.08453667
caseating granulomas his lll, score: 0.037258398
bandemia and elevated lactate unclear, score: 0.033403613

confidence of prediction: 0.822515
Y_true: [0 2 4 5 6 20 35 37 46]
Y_pred: [0 2 4 5 6 20 35 37 46]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
htn his antihypertensives were held, score: 0.28467172
softners comm name ni, score: 0.060954526
htn dm recently dx rectal, score: 0.030194879

confidence of prediction: 0.826918
Y_true: [0 2 4 5 6 20 35 37 46]
Y_pred: [0 2 4 5 6 20 35 37 46]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
leukocytosis with bandemia and elevated lactate unclear, score: 0.059818547
non caseating granulomas his lll, score: 0.03891028
acute kidney insufficiency likely pre renal in the setting, score: 0.024119707

confidence of prediction: 0.831621
Y_true: [0 2 4 5 6 20 35 37 46]
Y_pred: [0 2 4 5 6 20 35 37 46]
top three important windows for true positive code 37 (599.0:

Urinary tract infection, site not specified)
wbc mod leuks he received pyridium, score: 0.14994349
uti urosepsis the original plan, score: 0.039794642
urinary retention it was, score: 0.027858231

confidence of prediction: 0.792101
Y_true: [0 2 4 5 6 20 35 37 46]
Y_pred: [0 2 4 5 6 20 35 37 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
he had adequate urine, score: 0.11647271
septic shock supported by hypotension leukocytosis with bandemia and
elevated lactate unclear, score: 0.10428119
fluid collection pt was, score: 0.083695605

confidence of prediction: 0.735809
Y_true: [1 17 26 27 35 36 37]
Y_pred: [1 4 21 24 27 35 37 41 48]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
stable hypothyroid patient continued on her synthroid tsh was,
score: 0.5616616
day synthroid mcg day per rehab, score: 0.029430104
bedtime levothyroxine mcg tablet sig one, score: 0.013134522

confidence of prediction: 0.972683
Y_true: [1 17 26 27 35 36 37]
Y_pred: [1 4 21 24 27 35 37 41 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure elevated bnp and, score: 0.44757283
chf ef history of, score: 0.055161897
diastolic congestive heart failure acute, score: 0.048878744

confidence of prediction: 0.599216
Y_true: [1 17 26 27 35 36 37]
Y_pred: [1 4 21 24 27 35 37 41 48]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure to cr of, score: 0.13293491
on chronic kidney disease, score: 0.11484453
improved renal function cdiff, score: 0.10793789

confidence of prediction: 0.899042
Y_true: [1 17 26 27 35 36 37]
Y_pred: [1 4 21 24 27 35 37 41 48]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection c difficile, score: 0.30212885
for uti unless positive, score: 0.09728899
therefore uti ppx hypoglycemia diabetes, score: 0.039557096

confidence of prediction: 0.760764
Y_true: [16 17 20 33 37 39 41 43 47]

Y_pred: [17 20 31 33 41 43]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
inserted central catheter tip projects over, score: 0.14185943
high amplitude spike and polyspike, score: 0.11110966
keppra pheytoin and valproate, score: 0.06472417

confidence of prediction: 0.738804
Y_true: [16 17 20 33 37 39 41 43 47]
Y_pred: [17 20 31 33 41 43]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
medical history hypertension social history tobacco, score: 0.15979262
to threat iii iv, score: 0.04977547
of bursting appeared to, score: 0.043663945

confidence of prediction: 0.622125
Y_true: [16 17 20 33 37 39 41 43 47]
Y_pred: [17 20 31 33 41 43]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
hypoperfusion injury on eeg the, score: 0.03300064
tidal vol peep o2, score: 0.031424847
fio2 po2 pco2 ph, score: 0.027381612

confidence of prediction: 0.615987
Y_true: [16 17 20 33 37 39 41 43 47]
Y_pred: [17 20 31 33 41 43]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
sputum source endotracheal final, score: 0.065617345
pharmacologic sedation eeg study, score: 0.06382046
continuous eeg due to, score: 0.05798314

confidence of prediction: 0.817259
Y_true: [16 17 20 33 37 39 41 43 47]
Y_pred: [17 20 31 33 41 43]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
vent controlled 47pm glucose, score: 0.03907371
am sputum source endotracheal final report, score: 0.03399619
pharmacologic sedation eeg study, score: 0.03109086

confidence of prediction: 0.935674
Y_true: [17]
Y_pred: [17]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
ischemia necrotic tissue drainage, score: 0.0702372
central venous line tip seen, score: 0.02783887
of subclavian central venous catheter debridement of, score: 0.024034739

confidence of prediction: 0.935850
Y_true: [1 3 5 6 8 9 12 16 17 20 25 29 32 33 34 40 41 42 45
46]
Y_pred: [1 5 12 29 32 33 34 35 40 41 43]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
issues hypothyroidism continued levothyroxine mcg daily hypertension
due, score: 0.6188147
hypertension hypothyroidism mitral regurgitation, score: 0.04023021
allergies levothyroxine mcg daily lisinopril, score: 0.011872888

confidence of prediction: 0.947962
Y_true: [1 3 5 6 8 9 12 16 17 20 25 29 32 33 34 40 41 42 45
46]
Y_pred: [1 5 12 29 32 33 34 35 40 41 43]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
likely hypovolemic hyponatremia in setting of diarrhea, score:
0.55292344
some sundowning hyponatremia patient with na of, score: 0.052301392
injury hyponatremia started to, score: 0.044964608

confidence of prediction: 0.933308
Y_true: [1 3 5 6 8 9 12 16 17 20 25 29 32 33 34 40 41 42 45
46]
Y_pred: [1 5 12 29 32 33 34 35 40 41 43]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
resolved doboff was placed, score: 0.02419468
cdiff mini bal and pleural fluid, score: 0.023603246
mini bal final report, score: 0.015927706

confidence of prediction: 0.628458
Y_true: [1 3 5 6 8 9 12 16 17 20 25 29 32 33 34 40 41 42 45
46]
Y_pred: [1 5 12 29 32 33 34 35 40 41 43]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
showing possible pneumonia vs, score: 0.11233153
days pna treatment lactate and, score: 0.08656033
team that infiltrate had been, score: 0.08319583

confidence of prediction: 0.555801
Y_true: [1 3 5 6 8 9 12 16 17 20 25 29 32 33 34 40 41 42 45
46]
Y_pred: [1 5 12 29 32 33 34 35 40 41 43]
top three important windows for true positive code 32 (511.9:
Unspecified pleural effusion)
pleural effusion required intubation for, score: 0.047938254
pleural effusions had started, score: 0.03409547
and pleural fluid with, score: 0.030586554

confidence of prediction: 0.521644

Y_true: [1 3 5 6 8 9 12 16 17 20 25 29 32 33 34 40 41 42 45
46]
Y_pred: [1 5 12 29 32 33 34 35 40 41 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
distress and hypoxia also, score: 0.0929385
hypoxia requiring 5l nc, score: 0.04885632
cefepime as unclear if, score: 0.03266045

confidence of prediction: 0.688655
Y_true: [1 3 5 6 8 9 12 16 17 20 25 29 32 33 34 40 41 42 45
46]
Y_pred: [1 5 12 29 32 33 34 35 40 41 43]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
illumigene dna amplification reference, score: 0.024356784
pancolitis ground glass opacities, score: 0.018396858
interstitial thickening multiple dilated, score: 0.012000094

confidence of prediction: 0.586922
Y_true: [1 3 5 6 8 9 12 16 17 20 25 29 32 33 34 40 41 42 45
46]
Y_pred: [1 5 12 29 32 33 34 35 40 41 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
cdiff mini bal and pleural, score: 0.3438751
after mini bal was performed, score: 0.13898364
pm mini bal final report, score: 0.11819288

confidence of prediction: 0.784724
Y_true: [1 3 5 6 8 9 12 16 17 20 25 29 32 33 34 40 41 42 45
46]
Y_pred: [1 5 12 29 32 33 34 35 40 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
dobbhoff tube whose distal, score: 0.13880347
and tube feeds were started due, score: 0.053337727
effusion required intubation for, score: 0.021824973

confidence of prediction: 0.750048
Y_true: [6 10 16 17 33 42]
Y_pred: [40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
fentanyl while intubated and subsequently, score: 0.17545888
intubated intubated ct abd, score: 0.1150795
was subsequently intubated for airway protection, score: 0.059655275

confidence of prediction: 0.665683
Y_true: [4 8 10 20 23 24 25 26 27 30 39 49]
Y_pred: [18 20 24 25 26 27 30 39 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)

atrial fibrillation copd discharge, score: 0.12287435
cr baseline patient given, score: 0.10409778
coronary artery disease status, score: 0.0804907

confidence of prediction: 0.500350
Y_true: [4 8 10 20 23 24 25 26 27 30 39 49]
Y_pred: [18 20 24 25 26 27 30 39 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
chf ef nstemi on afib, score: 0.016772496
un inferoseptal akinesis hypokinesis, score: 0.016650567
copd coronary artery disease status post nstemi ischemic
cardiomyopathy congestive heart, score: 0.016478175

confidence of prediction: 0.846888
Y_true: [4 8 10 20 23 24 25 26 27 30 39 49]
Y_pred: [18 20 24 25 26 27 30 39 49]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
severe mitral regurgitation hypertension hyperlipidemia, score:
0.124167986
severe mitral regurgitation is seen, score: 0.066822305
severe mitral regurgitation extensive simple, score: 0.066822305

confidence of prediction: 0.995467
Y_true: [4 8 10 20 23 24 25 26 27 30 39 49]
Y_pred: [18 20 24 25 26 27 30 39 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin and, score: 0.44153184
atrial fibrillation copd discharge condition, score: 0.01873282
fibrillation he was strongly, score: 0.015504245

confidence of prediction: 0.924724
Y_true: [4 8 10 20 23 24 25 26 27 30 39 49]
Y_pred: [18 20 24 25 26 27 30 39 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
ef nstemi on afib, score: 0.13319586
chf exacerbation intially was, score: 0.06016378
cardiomyopathy congestive heart failure atrial, score: 0.04924212

confidence of prediction: 0.570489
Y_true: [4 8 10 20 23 24 25 26 27 30 39 49]
Y_pred: [18 20 24 25 26 27 30 39 49]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
may have worsened pt, score: 0.09188675
medical history copd coronary, score: 0.07526367
coumadin and copd who presents from home, score: 0.06353444

confidence of prediction: 0.936770
Y_true: [4 8 10 20 23 24 25 26 27 30 39 49]
Y_pred: [18 20 24 25 26 27 30 39 49]

top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
transesophageal echocardiogram dc cardioversion, score: 0.9985257
tee as it was, score: 0.00025101707
tee the left atrium, score: 0.00022966668

confidence of prediction: 0.780310
Y_true: [4 8 10 20 23 24 25 26 27 30 39 49]
Y_pred: [18 20 24 25 26 27 30 39 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin and copd who, score: 0.4772695
was decreased warfarin was, score: 0.016790114
atrial appendage ejection velocity, score: 0.0026945032

confidence of prediction: 0.929584
Y_true: [12 17 33 42]
Y_pred: [10 12 17 33 40 42]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
hematemsis alveolar hemorrhage cxr, score: 0.037948977
placment bronchoalveolar lavage bronchoscopy history of, score:
0.034704033
but bal negative and, score: 0.026333578

confidence of prediction: 0.784443
Y_true: [12 17 33 42]
Y_pred: [10 12 17 33 40 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
[UNK] and acylovir given, score: 0.4641494
although likely hyperthermia in the, score: 0.03131421
mg iv x2 which, score: 0.02013633

confidence of prediction: 0.595615
Y_true: [12 17 33 42]
Y_pred: [10 12 17 33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
patient was intubated from arrival, score: 0.06255675
on fio2 tv rr, score: 0.05386125
alveolar hemorrhage multifocal opacities, score: 0.051107552

confidence of prediction: 0.727752
Y_true: [12 17 33 42]
Y_pred: [10 12 17 33 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated from arrival, score: 0.14498465
alveolar hemorrhage multifocal opacities, score: 0.09898765
intubation initiated at outside, score: 0.0950391

confidence of prediction: 0.571537

Y_true: [5 7 10 11 12 17 22 23 24 28 31 33 34 35 40 41 43 44]
Y_pred: [4 7 12 17 20 22 23 24 31 33 40 41 43 44]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
the foramen magnum and 2mm, score: 0.095062785
given unit prbc on am, score: 0.09188468
bleeding medium hiatal hernia peg, score: 0.0651199

confidence of prediction: 0.996855
Y_true: [5 7 10 11 12 17 22 23 24 28 31 33 34 35 40 41 43 44]
Y_pred: [4 7 12 17 20 22 23 24 31 33 40 41 43 44]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
and cipro bal bronch washings with gram, score: 0.055734646
and peg tube placement, score: 0.0057602725
sedation opens left eye, score: 0.0045277406

confidence of prediction: 0.806962
Y_true: [5 7 10 11 12 17 22 23 24 28 31 33 34 35 40 41 43 44]
Y_pred: [4 7 12 17 20 22 23 24 31 33 40 41 43 44]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
encephalopathy medications metabolic disturbances, score: 0.05078639
puncture x picc placement history of, score: 0.028332422
characterized by sural nerve, score: 0.026727015

confidence of prediction: 0.582177
Y_true: [5 7 10 11 12 17 22 23 24 28 31 33 34 35 40 41 43 44]
Y_pred: [4 7 12 17 20 22 23 24 31 33 40 41 43 44]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
rehab nstemi bp at the time, score: 0.117342904
consulted considered nstemi and managed medically with, score:
0.043588407
p mi nstemi in r dominant, score: 0.032838758

confidence of prediction: 0.686939
Y_true: [5 7 10 11 12 17 22 23 24 28 31 33 34 35 40 41 43 44]
Y_pred: [4 7 12 17 20 22 23 24 31 33 40 41 43 44]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi nstemi in r dominant, score: 0.13930957
consulted considered nstemi and managed medically with aspirin
plavix statin, score: 0.0048886524
s p stent transferred, score: 0.0024629028

confidence of prediction: 0.934594
Y_true: [5 7 10 11 12 17 22 23 24 28 31 33 34 35 40 41 43 44]
Y_pred: [4 7 12 17 20 22 23 24 31 33 40 41 43 44]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p stent transferred, score: 0.58533543
and managed medically with aspirin, score: 0.08790697
for cad his hemodynamics stabalized quickly, score: 0.026183298

confidence of prediction: 0.898834
Y_true: [5 7 10 11 12 17 22 23 24 28 31 33 34 35 40 41 43 44]
Y_pred: [4 7 12 17 20 22 23 24 31 33 40 41 43 44]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
presumed aspiration event he had new, score: 0.26446548
with aspiration pneumonia emg abnormal study, score: 0.13024667
failure aspiration pneumonia the patient had, score: 0.024739882

confidence of prediction: 0.813120
Y_true: [5 7 10 11 12 17 22 23 24 28 31 33 34 35 40 41 43 44]
Y_pred: [4 7 12 17 20 22 23 24 31 33 40 41 43 44]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
responsive respiratory failure aspiration pneumonia, score:
0.09239578
caused episodic hypoxia given, score: 0.03651254
following intubation he was, score: 0.02093445

confidence of prediction: 0.607064
Y_true: [5 7 10 11 12 17 22 23 24 28 31 33 34 35 40 41 43 44]
Y_pred: [4 7 12 17 20 22 23 24 31 33 40 41 43 44]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
exam gen intubated sedation opens, score: 0.13653766
following intubation he was, score: 0.13366203
of intubation ecg with, score: 0.08643064

confidence of prediction: 0.974151
Y_true: [5 7 10 11 12 17 22 23 24 28 31 33 34 35 40 41 43 44]
Y_pred: [4 7 12 17 20 22 23 24 31 33 40 41 43 44]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
fen tube feeds access picc, score: 0.039712563
pt trach peg placed with, score: 0.02071794
and peg tube placement ir, score: 0.019081863

confidence of prediction: 0.929868
Y_true: [5 7 10 11 12 17 22 23 24 28 31 33 34 35 40 41 43 44]
Y_pred: [4 7 12 17 20 22 23 24 31 33 40 41 43 44]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
pending improvement trach peg placed on, score: 0.0414423
and peg tube placement, score: 0.041363627
pt bronched on with thick secretions, score: 0.040892642

confidence of prediction: 0.645230
Y_true: [5 7 10 11 12 17 22 23 24 28 31 33 34 35 40 41 43 44]
Y_pred: [4 7 12 17 20 22 23 24 31 33 40 41 43 44]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
of u prbc over days, score: 0.14416534

given unit prbc on am, score: 0.13235763
to third part of, score: 0.039159264

confidence of prediction: 0.852859
Y_true: [1 9 34 35]
Y_pred: [1]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
bedtime levothyroxine levoxyl mcg tablet tablet s, score:
0.051046368
medications levothyroxine mcg tablet sig, score: 0.030568393
cholecystectomy gerd hypothyroidism issues with, score: 0.003764867

confidence of prediction: 0.876438
Y_true: [2 4 10 20 24 26 27 35 41 49]
Y_pred: [2 4 20 24 26 27 37 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
metformin glucophage prescribed by other, score: 0.032213066
dabigatran diabetes mellitus history of poor, score: 0.0311786
recurrent utis dmii dmii most recent a1c has, score: 0.009684743

confidence of prediction: 0.791444
Y_true: [2 4 10 20 24 26 27 35 41 49]
Y_pred: [2 4 20 24 26 27 37 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hyperlipidemia alcohol abuse and, score: 0.17666773
on insulin hyperlipidemia atrial fibrillation previously on, score:
0.047670264
of htn hl dmii cad ischemic cardiomyopathy, score: 0.03277052

confidence of prediction: 0.895723
Y_true: [2 4 10 20 24 26 27 35 41 49]
Y_pred: [2 4 20 24 26 27 37 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
liver disease hypertension social history he, score: 0.114149705
history of htn hl dmii cad, score: 0.03986728
occipital infarctions larger on the, score: 0.020479891

confidence of prediction: 0.757856
Y_true: [2 4 10 20 24 26 27 35 41 49]
Y_pred: [2 4 20 24 26 27 37 48]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease nonocclusive, score: 0.08208821
s p cabg paternal, score: 0.031574897
dmii cad ischemic cardiomyopathy with mild, score: 0.026119865

confidence of prediction: 0.973682
Y_true: [2 4 10 20 24 26 27 35 41 49]
Y_pred: [2 4 20 24 26 27 37 48]

top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib cardiac enzymes were, score: 0.16957906
atrial fibrillation on dabigatran prior, score: 0.09009377
atrial fibrillation on dabigatran diabetes, score: 0.07113443

confidence of prediction: 0.643668
Y_true: [2 4 10 20 24 26 27 35 41 49]
Y_pred: [2 4 20 24 26 27 37 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure previous echo, score: 0.018250974
cad ischemic cardiomyopathy with mild systolic heart failure atrial
fibrillation on, score: 0.016007649
nitrostat mg tablet sublingual tablet, score: 0.012284041

confidence of prediction: 0.966196
Y_true: [16 26 27 37]
Y_pred: [1 23 26 37]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib and to rate, score: 0.24324185
afib with rvt hr, score: 0.23635781
afib with rvr hrs 130s, score: 0.16326763

confidence of prediction: 0.963432
Y_true: [16 26 27 37]
Y_pred: [1 23 26 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
urinary tract infection the patient, score: 0.07158233
proportionately decreased in number, score: 0.057959538
epicardial tumor metastasis right, score: 0.022761269

confidence of prediction: 0.703496
Y_true: [1 2 4 20 26 49]
Y_pred: [1 2 4 20 26 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
hypercholesterolemia hypothyroidism recurrent urinary tract
infections, score: 0.42950323
daily levothyroxine mcg tablet sig one, score: 0.08938748
a day levothyroxine mcg tab one tablet, score: 0.0022575823

confidence of prediction: 0.688785
Y_true: [1 2 4 20 26 49]
Y_pred: [1 2 4 20 26 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
become extremely nauseous and, score: 0.049921393
hld diabetes type pulmonary htn who, score: 0.039047357
in diabetes mellitus has been, score: 0.036199547

confidence of prediction: 0.899242
Y_true: [1 2 4 20 26 49]
Y_pred: [1 2 4 20 26 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
coumadin hypertension hyperlipidemia diabetes type pulmonary
hypertension, score: 0.12636353
coumadin htn hld diabetes type pulmonary htn, score: 0.101835065
in [UNK] direction left cervical tenderness, score: 0.015722614

confidence of prediction: 0.800905
Y_true: [1 2 4 20 26 49]
Y_pred: [1 2 4 20 26 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
on coumadin htn hld diabetes type pulmonary, score: 0.111341685
on coumadin hypertension hyperlipidemia diabetes type, score:
0.08398516
hypertension was recently seen, score: 0.055726834

confidence of prediction: 0.987968
Y_true: [1 2 4 20 26 49]
Y_pred: [1 2 4 20 26 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib on coumadin htn hld, score: 0.32830253
afib patient s ldl, score: 0.092179134
fib she was concerned, score: 0.029359566

confidence of prediction: 0.834776
Y_true: [1 2 4 20 26 49]
Y_pred: [1 2 4 20 26 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fib on coumadin htn, score: 0.7795206
fibrillation on coumadin hypertension, score: 0.1530597
ct her coumadin was, score: 0.009535777

confidence of prediction: 0.762960
Y_true: [37]
Y_pred: [21 36 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
[UNK] girl unclear word for, score: 0.022951098
count questionable pneumonia comparison, score: 0.0052754087
asked to point to, score: 0.00525808

confidence of prediction: 0.840841
Y_true: [3 6 28]
Y_pred: [3 28 37]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
r dvt hypercholesterolemia bilateral knee replacements in, score:
0.04534329

bacteremia superior mesenteric artery syndrome, score: 0.0018219091
ln s p ercp, score: 0.0017919958

confidence of prediction: 0.814764
Y_true: [3 6 28]
Y_pred: [3 28 37]
top three important windows for true positive code 28 (45.13: Other endoscopy of small intestine)
otherwise normal egd to second part of, score: 0.6619237
french ng tube to, score: 0.02917699
egd was done on, score: 0.018101517

confidence of prediction: 0.977568
Y_true: [1 4 6 8 9 10 11 12 16 17 19 26 29 32 33 36 37 40 41 43 46]
Y_pred: [12 17 26 27 33 35 39 40 41 43]
top three important windows for true positive code 12 (33.24: Closed [endoscopic] biopsy of bronchus)
negative bal gs pmn, score: 0.102724195
isolated bal gs pmn, score: 0.06903535
primary team bronchoscopy with blood, score: 0.042228937

confidence of prediction: 0.768802
Y_true: [1 4 6 8 9 10 11 12 16 17 19 26 29 32 33 36 37 40 41 43 46]
Y_pred: [12 17 26 27 33 35 39 40 41 43]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
advanced and picc placed, score: 0.060342982
line ending extending to, score: 0.05089226
otherwise pan sensitive studies, score: 0.0503527

confidence of prediction: 0.963355
Y_true: [1 4 6 8 9 10 11 12 16 17 19 26 29 32 33 36 37 40 41 43 46]
Y_pred: [12 17 26 27 33 35 39 40 41 43]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
afib htn patient has, score: 0.2176739
atrial fibrillation with rvr received, score: 0.18830329
afib occurred with physical, score: 0.13369459

confidence of prediction: 0.566162
Y_true: [1 4 6 8 9 10 11 12 16 17 19 26 29 32 33 36 37 40 41 43 46]
Y_pred: [12 17 26 27 33 35 39 40 41 43]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
endotracheal tube ends at the, score: 0.106837176
mssa now hd stable, score: 0.05903417
bal gs pmn s, score: 0.055809107

confidence of prediction: 0.626738
Y_true: [1 4 6 8 9 10 11 12 16 17 19 26 29 32 33 36 37 40 41 43

46]
Y_pred: [12 17 26 27 33 35 39 40 41 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
endotracheal tube ends at the, score: 0.13795352
distress intubated upon arrival acidotic, score: 0.11854178
mini bal ordered consider, score: 0.09294766

confidence of prediction: 0.665114
Y_true: [1 4 6 8 9 10 11 12 16 17 19 26 29 32 33 36 37 40 41 43
46]
Y_pred: [12 17 26 27 33 35 39 40 41 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
isolated bal gs pmn, score: 0.13225266
peritoneal gs pmns no, score: 0.079509154
bronched with bal sent tte, score: 0.053049926

confidence of prediction: 0.977838
Y_true: [1 4 6 8 9 10 11 12 16 17 19 26 29 32 33 36 37 40 41 43
46]
Y_pred: [12 17 26 27 33 35 39 40 41 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
isolated bal gs pmn no, score: 0.13946171
bronched with bal sent tte, score: 0.12153054
negative bal gs pmn s, score: 0.023414722

confidence of prediction: 0.565301
Y_true: [1 2 16 17 21 27 29 35 36 40 41 43 45]
Y_pred: [1 2 17 33 35 40 42]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
daily hypothyroidism his ct of the, score: 0.5929278
his home levothyroxine 175mcg daily bph, score: 0.020475185
300mg daily levothyroxine 175mcg daily diphenoxylate atropine,
score: 0.0027701417

confidence of prediction: 0.594162
Y_true: [1 2 16 17 21 27 29 35 36 40 41 43 45]
Y_pred: [1 2 17 33 35 40 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
p colectomy diabetes social history no, score: 0.033846486
zyprexa standing and prn he, score: 0.017947502
a mi dm he was placed on, score: 0.010922263

confidence of prediction: 0.946431
Y_true: [1 2 16 17 21 27 29 35 36 40 41 43 45]
Y_pred: [1 2 17 33 35 40 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)

venous catheter placement history of, score: 0.69022167
retroperitoneal lymph nodes measuring, score: 0.028038125
the patient tended to, score: 0.014224071

confidence of prediction: 0.768221
Y_true: [1 2 16 17 21 27 29 35 36 40 41 43 45]
Y_pred: [1 2 17 33 35 40 42]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
patient pre renal etiology to explain, score: 0.1470161
acute renal failure in the, score: 0.03268316
improved renal function with levophed the, score: 0.027440432

confidence of prediction: 0.621911
Y_true: [1 2 16 17 21 27 29 35 36 40 41 43 45]
Y_pred: [1 2 17 33 35 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
collar while intubated and sedated, score: 0.17240153
re intubation and no, score: 0.16394569
was intubated and started, score: 0.114493914

confidence of prediction: 0.890746
Y_true: [0 1 2 4 12 32 33 34 37 41 43 46]
Y_pred: [1 4 20 31 34 37 40 42]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
simvastatin hypothyroidism continued levothyroxine asthma continued,
score: 0.24748753
daily levothyroxine 50mcg po daily asa, score: 0.06905002
asthma hypothyroidism social history lives, score: 0.034269422

confidence of prediction: 0.957840
Y_true: [0 1 2 4 12 32 33 34 37 41 43 46]
Y_pred: [1 4 20 31 34 37 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
gerd htn hl seizure d o asthma, score: 0.024080122
simvastatin mg tablet sig, score: 0.01751872
are stable hl continued simvastatin hypothyroidism continued, score:
0.008000731

confidence of prediction: 0.962142
Y_true: [0 1 2 4 12 32 33 34 37 41 43 46]
Y_pred: [1 4 20 31 34 37 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
and electrolytes kidney function, score: 0.0077176564
asthma continued albuterol once, score: 0.0031997187
extubation with continued areas, score: 0.0031959536

confidence of prediction: 0.883112
Y_true: [0 1 2 4 12 32 33 34 37 41 43 46]
Y_pred: [1 4 20 31 34 37 40 42]

top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
final escherichia coli organisms ml sensitivities, score: 0.04321241
sedation probable restrictive disease, score: 0.022836953
ml escherichia coli ampicillin, score: 0.016228093

confidence of prediction: 0.776593
Y_true: [0 4 7 23 24 35 41 42 45 46]
Y_pred: [4 23 24 41 45]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
stent x hyperlipidemia social history lives with, score: 0.13477148
intrapancreatic focal tumor size, score: 0.06577638
pt pt3 tumor invades, score: 0.024136541

confidence of prediction: 0.683718
Y_true: [0 4 7 23 24 35 41 42 45 46]
Y_pred: [4 23 24 41 45]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
medical history cad s p mi lad stent x hyperlipidemia, score:
0.005134172
procedure his gda was, score: 0.0017112371
celiac angiography gda stump angiography gda coil, score:
0.0011683805

confidence of prediction: 0.885177
Y_true: [0 4 7 23 24 35 41 42 45 46]
Y_pred: [4 23 24 41 45]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
his gda was prophylactically, score: 0.071405336
history cad s p mi lad stent x hyperlipidemia social, score:
0.023684781
celiac angiography gda stump, score: 0.018798023

confidence of prediction: 0.904224
Y_true: [0 4 7 23 24 35 41 42 45 46]
Y_pred: [4 23 24 41 45]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
tube feeds were started, score: 0.10991498
tube feeds were initiated, score: 0.10991498
tube feeds were changed, score: 0.10991498

confidence of prediction: 0.992627
Y_true: [0 4 7 23 24 35 41 42 45 46]
Y_pred: [4 23 24 41 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
goal tpn discontinued diarrhea, score: 0.0057374756
continued tpn and tf pod, score: 0.0050065587
feed and tpn reglan started for persistent, score: 0.004303462

confidence of prediction: 0.609635
Y_true: [2 20 29 42]
Y_pred: [20 29 40 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn hx of l, score: 0.09063913
of chronic microangiopathy given, score: 0.085394695
pitting lower extremity swelling, score: 0.0789614

confidence of prediction: 0.694148
Y_true: [2 20 29 42]
Y_pred: [20 29 40 42]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
hospital acquired pneumonia and recommendation to, score: 0.13422495
have a pneumonia as this, score: 0.048414655
as you agreed to, score: 0.012886984

confidence of prediction: 0.758474
Y_true: [2 20 29 42]
Y_pred: [20 29 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was intubated and sedated, score: 0.20824663
bed intubated and sedated, score: 0.039751083
patient was intubated for airway protection, score: 0.023876924

confidence of prediction: 0.889066
Y_true: [15 24 27 38 40 42]
Y_pred: [24 27 38 40 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease the, score: 0.22297129
lad was tortuous the, score: 0.15061934
eliminating ischemic cardiomyopathy as, score: 0.055258837

confidence of prediction: 0.926155
Y_true: [15 24 27 38 40 42]
Y_pred: [24 27 38 40 42]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cardiomyopathy given her decreased, score: 0.012434494
cardiac arrest it is, score: 0.009845602
heart catheterization showed elevated right, score: 0.007239418

confidence of prediction: 0.528520
Y_true: [15 24 27 38 40 42]
Y_pred: [24 27 38 40 42]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
selective coronary angiography of this, score: 0.29130453
cardiac catheterization revealing minimal, score: 0.14523691
catheterization on right atrium, score: 0.046474453

```
confidence of prediction: 0.511692
Y_true: [15 24 27 38 40 42]
Y_pred: [24 27 38 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
bilateral neuro intubated moving all extremities, score: 0.03518429
she was intubated and dopamine, score: 0.02358135
patient was intubated with etomidate, score: 0.01294006

confidence of prediction: 0.741723
Y_true: [15 24 27 38 40 42]
Y_pred: [24 27 38 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
she was intubated and dopamine was, score: 0.0076258015
was fed a cardiac, score: 0.004003417
rr peep gen obese, score: 0.0034977216

confidence of prediction: 0.502748
Y_true: [ 4 20 26 27 31 41]
Y_pred: [ 4 17 20 24 26 31 41]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
medical history hl htn previous strokes late, score: 0.12650011
with htn hl previous embolic strokes, score: 0.08000556
foam hospital1 crestor 40mg po daily, score: 0.028106999

confidence of prediction: 0.847136
Y_true: [ 4 20 26 27 31 41]
Y_pred: [ 4 17 20 24 26 31 41]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pacemaker placed pradaxa stopped prior, score: 0.1915873
history hl htn previous, score: 0.07609259
wbcclump mod 54am glucose, score: 0.05833885

confidence of prediction: 0.959776
Y_true: [ 4 20 26 27 31 41]
Y_pred: [ 4 17 20 24 26 31 41]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
paf sick sinus syndrome, score: 0.10404155
af untreated with [UNK], score: 0.07781844
fib at this time, score: 0.04644744

confidence of prediction: 0.597472
Y_true: [ 4 20 26 27 31 41]
Y_pred: [ 4 17 20 24 26 31 41]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
potential aspiration pneumonia ua and cultures, score: 0.16022205
fall and aspiration precautions, score: 0.02236805
```

tube for feeding and, score: 0.01590561

confidence of prediction: 0.880898
Y_true: [4 20 26 27 31 41]
Y_pred: [4 17 20 24 26 31 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
and tube feeds were initiated, score: 0.1273655
on tube feeds on which, score: 0.06745565
tube for feeding and, score: 0.06652909

confidence of prediction: 0.884076
Y_true: [20 39 46]
Y_pred: [17 35 39]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
mg recon soln sig, score: 0.0029720648
a tee on that was negative, score: 0.0025461863
incisions no lifting greater, score: 0.0019775953

confidence of prediction: 0.708966
Y_true: [3 4 20 39 43 46]
Y_pred: [0 4 17 33 39 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
including htn hld and [UNK] who was, score: 0.21173458
pkd htn hld and polycythemia who, score: 0.14528416
qweekly omeprazole mg po, score: 0.011783415

confidence of prediction: 0.805362
Y_true: [3 4 20 39 43 46]
Y_pred: [0 4 17 33 39 40 42]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee was negative for endocarditis, score: 0.59837955
tee no spontaneous echo, score: 0.22843565
vegetation is seen on, score: 0.023872536

confidence of prediction: 0.814307
Y_true: [28 45]
Y_pred: [45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
diverting loop ileostomy multiple admissions for partial, score:
0.0150942495
diverting loop ileostomy dvt, score: 0.0150942495
diverting loop ileostomy cmv, score: 0.0150942495

confidence of prediction: 0.697739
Y_true: [0 5 8 10 35]
Y_pred: [17 27 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
renal failure in the, score: 0.05799681

effect from arf the patient, score: 0.03132183
pressors were considered but, score: 0.021247527

confidence of prediction: 0.560203
Y_true: [4 8 20 34 47]
Y_pred: [4 34]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
age gerd hld possible sleep apnea, score: 0.39651006
ezetimibe mg tablet sig, score: 0.06445242
to keppra 1000mg qid vimpat 200mg, score: 0.032859787

confidence of prediction: 0.872427
Y_true: [4 8 20 34 47]
Y_pred: [4 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
2000mg qid lacosamide 250mg, score: 0.033824377
w known gerd we continued omeprazole follow, score: 0.022542004
swipe x antagonistic movements, score: 0.016285516

confidence of prediction: 0.826895
Y_true: [2 7 21 26 27 29 34 49]
Y_pred: [2 26 27 31 44 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
dm who presents afer, score: 0.07451139
glipizide mg hospital1 diltiazem, score: 0.05439557
has dm2 and hypothyroid dm2 controlled by glipizide and, score:
0.033051472

confidence of prediction: 0.993002
Y_true: [2 7 21 26 27 29 34 49]
Y_pred: [2 26 27 31 44 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin presents s, score: 0.52786326
afib aflutter with no major, score: 0.27429828
atrial fibrillation coumadin dm who, score: 0.14275944

confidence of prediction: 0.987276
Y_true: [2 7 21 26 27 29 34 49]
Y_pred: [2 26 27 31 44 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure was a consideration, score: 0.3499037
diastolic heart failure her home regimen, score: 0.3499037
diastolic heart failure i e, score: 0.24433273

confidence of prediction: 0.673554
Y_true: [2 7 21 26 27 29 34 49]
Y_pred: [2 26 27 31 44 49]
top three important windows for true positive code 49 (V58.61: Long-

term (current) use of anticoagulants)
afib on coumadin presents, score: 0.46614468
atrial fibrillation coumadin dm, score: 0.09440015
qhs ou coumadin per, score: 0.033627357

confidence of prediction: 0.701198
Y_true: [0 2 4 17 21 24 27 36 39 48]
Y_pred: [0 2 17 22 23 24 25 27 39 46 48]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
febrile to 103f and, score: 0.027399626
days antibiotics sepsis patient presented w septic, score:
0.025430787
levofloxacin and levophed pressor weaned, score: 0.017147303

confidence of prediction: 0.800967
Y_true: [0 2 4 17 21 24 27 36 39 48]
Y_pred: [0 2 17 22 23 24 25 27 39 46 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
medications prn diabetes monitoring and insulin, score: 0.08083607
htn dm a1c a chronic nonhealing, score: 0.07745424
htn dm mi s p, score: 0.061492216

confidence of prediction: 0.781065
Y_true: [0 2 4 17 21 24 27 36 39 48]
Y_pred: [0 2 17 22 23 24 25 27 39 46 48]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line placement transesophageal echocardiogram, score: 0.090921834
febrile to 103f and, score: 0.064522214
in place dressing soaked, score: 0.043091528

confidence of prediction: 0.840085
Y_true: [0 2 4 17 21 24 27 36 39 48]
Y_pred: [0 2 17 22 23 24 25 27 39 46 48]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p stent in, score: 0.19813238
discharge cad hx mi recent post, score: 0.04108322
s p cabg and, score: 0.037691813

confidence of prediction: 0.957369
Y_true: [0 2 4 17 21 24 27 36 39 48]
Y_pred: [0 2 17 22 23 24 25 27 39 46 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure ef cad w, score: 0.13075423
chronic systolic heart failure ef hyperlipidemia, score: 0.03199028
chf who presented to, score: 0.030286776

confidence of prediction: 0.663826
Y_true: [0 2 4 17 21 24 27 36 39 48]

Y_pred: [0 2 17 22 23 24 25 27 39 46 48]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
transesophageal echocardiogram ulcer wound, score: 0.52385074
tee were both without, score: 0.10573656
transesophageal echocardiogram conclusions the, score: 0.07358955

confidence of prediction: 0.888586
Y_true: [0 2 4 17 21 24 27 36 39 48]
Y_pred: [0 2 17 22 23 24 25 27 39 46 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg at, score: 0.30576003
s p cabg and, score: 0.30576003
of his bypass surgery, score: 0.0054787975

confidence of prediction: 0.723856
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
chronic hypothyroidism mild to moderate, score: 0.3079193
home levothyroxine transitional issues, score: 0.18918154
mg levothyroxine mcg isosorbide [UNK], score: 0.084118664

confidence of prediction: 0.827525
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hyperlipidemia left ventricular diastolic, score: 0.15588771
risk factors dyslipidemia hypertension chronic kidney, score:
0.0708038
mg sl rosuvastatin mg daily discharge, score: 0.032614037

confidence of prediction: 0.989679
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
anemia requiring transfusion transient hypotension, score:
0.76359767
anemia as above which, score: 0.16429499
morphine penicillins attending doctor, score: 0.008520736

confidence of prediction: 0.510103
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 15 (37.23:
Combined right and left heart cardiac catheterization)
cardiac catheterization with deployment of, score: 0.73882866
lesion resting hemodynamics revealed, score: 0.026170602
heart catheterization which showed pcw, score: 0.022540899

confidence of prediction: 0.786396
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
kidney disease hypertension and, score: 0.10062983
chronic renal failure post catheterization, score: 0.09809963
chronic ckd per report patient, score: 0.09682506

confidence of prediction: 0.896523
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
st elevation myocardial infarction coronary artery, score:
0.09473208
cad tiny nstemi chronic kidney, score: 0.008900728
with an nstemi cad nstemi patient was transferred, score:
0.0045130877

confidence of prediction: 0.993417
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
tiny nstemi chronic kidney, score: 0.07673454
coronary artery disease acute, score: 0.06349398
vessel coronary artery disease the, score: 0.02440884

confidence of prediction: 0.985019
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation on coumadin s, score: 0.28432688
fibrillation on coumadin transferred, score: 0.28432688
atrial fibrillation patient noted to, score: 0.08268278

confidence of prediction: 0.963463
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure of uncertain, score: 0.24004847
diastolic heart failure of uncertain, score: 0.050635614
heart failure tte demonstrated, score: 0.039184928

confidence of prediction: 0.802952
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure post, score: 0.15330759

on chronic ckd per, score: 0.15099247
her renal function scr beginning, score: 0.041131165

confidence of prediction: 0.621823
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
chronic renal failure post catheterization, score: 0.11808012
chronic ckd per report patient, score: 0.10224037
renal insufficiency with baseline creatinine of, score: 0.08638589

confidence of prediction: 0.591598
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
culture with colonies of e coli, score: 0.12459148
hypertension urinary tract infection atrial fibrillation, score:
0.06577763
at uti the patient was, score: 0.04323394

confidence of prediction: 0.840655
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
cardiac catheterization with deployment of, score: 0.48818251
distal rca stenosis requiring, score: 0.0383061
heart catheterization which showed pcw, score: 0.035312664

confidence of prediction: 0.641975
Y_true: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
Y_pred: [1 4 7 15 21 22 24 26 27 35 36 37 38 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
fibrillation on coumadin s, score: 0.41191226
fibrillation on coumadin transferred, score: 0.41191226
fibrillation with long term, score: 0.029855747

confidence of prediction: 0.940788
Y_true: [19 26 49]
Y_pred: [9 17 19 26]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
fax esrd hd likely secondary, score: 0.13992922
outpatient hemodialysis sessions hematology reviewed, score:
0.12124778
routine hemodialysis schedule monday, score: 0.105628245

confidence of prediction: 0.977333
Y_true: [19 26 49]
Y_pred: [9 17 19 26]
top three important windows for true positive code 26 (427.31:

Atrial fibrillation)
afib hypercoagulopathy who p w, score: 0.5537527
afib recent endocarditis antiphospholipid, score: 0.22249858
atrial fibrillation hypercoagulability anemia hx, score: 0.05758952

confidence of prediction: 0.563404
Y_true: [2 10 30 31 33 40 41 42]
Y_pred: [9 30 31]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
hepatoma diabetes copd orbit repair social history, score:
0.015619371
ulcers neck supple no, score: 0.0044221133
bilateral mastoid air cells, score: 0.0010581831

confidence of prediction: 0.948223
Y_true: [2 10 30 31 33 40 41 42]
Y_pred: [9 30 31]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
f aspiration pneumonia as he also, score: 0.3592469
lightheadedness palpitations ros pt, score: 0.0018038546
ros was otehrwise negative, score: 0.0014078154

confidence of prediction: 0.910190
Y_true: [5 8 12 29 34]
Y_pred: [5 12 20 30 33 34 40]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
given his hyponatremia he was given iv, score: 0.38010827
due to hyponatremia during, score: 0.07332038
pneumonia emphysema hyponatremia secondary, score: 0.056361604

confidence of prediction: 0.986496
Y_true: [5 8 12 29 34]
Y_pred: [5 12 20 30 33 34 40]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
pm bronchoalveolar lavage gram stain final, score: 0.016173437
reaction bronchial washings bronchial lavage atypical single
epithelioid, score: 0.01472161
and bronchial cells portable cxr there, score: 0.0067244363

confidence of prediction: 0.675163
Y_true: [5 8 12 29 34]
Y_pred: [5 12 20 30 33 34 40]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hyponatremia secondary gerd hypertension discharge condition mental,
score: 0.04792332
discharge gerd pt reported symptoms, score: 0.032265317
cells with scant cytoplasm, score: 0.01599364

confidence of prediction: 0.617229

Y_true: [0 1 4 17 20 24]
Y_pred: [1 2 4 20 24 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
hyperlipidemia hypothyroidism hit neurogenic, score: 0.13282311
sunday levothyroxine mcg tablet sig, score: 0.10611229
daily levothyroxine mcg tablet sig, score: 0.060046826

confidence of prediction: 0.787672
Y_true: [0 1 4 17 20 24]
Y_pred: [1 2 4 20 24 37]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hld neurogenic bladder with self, score: 0.11370564
hld neurogenic bladder with catherization, score: 0.11370564
months ago hyperlipidemia hypothyroidism hit neurogenic bladder,
score: 0.020817585

confidence of prediction: 0.661380
Y_true: [0 1 4 17 20 24]
Y_pred: [1 2 4 20 24 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
x [UNK] hypertension presumed, score: 0.080037184
stabilized without transfusion and, score: 0.015314185
for asystole htn hld neurogenic bladder with, score: 0.014081896

confidence of prediction: 0.944689
Y_true: [0 1 4 17 20 24]
Y_pred: [1 2 4 20 24 37]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p stent in, score: 0.40191332
pvd cad s p stent in, score: 0.028476449
mid rca stent in prior, score: 0.010564958

confidence of prediction: 0.904965
Y_true: [1 7 11 20]
Y_pred: [1 4 20 33 34]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
pouch hypothyroid depression hx tia, score: 0.23371147
this hypothyroid continued levothyroxine while in house, score:
0.04808238
apnea hypothyroidism hypertension hyperlipidemia, score: 0.03957148

confidence of prediction: 0.780680
Y_true: [1 7 11 20]
Y_pred: [1 4 20 33 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
prn for hypertension when, score: 0.18486403
pmn s gpc s in, score: 0.112412155
hypertension on valsartan at, score: 0.07741374

confidence of prediction: 0.809225
Y_true: [2 5 17 21 26 27 29 35 48]
Y_pred: [0 1 2 17 26 27 35 40 48 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
dm type ii previously only, score: 0.12733045
dchf dm2 recurrent month year, score: 0.06910618
qid lantus units sc hs, score: 0.055977598

confidence of prediction: 0.723442
Y_true: [2 5 17 21 26 27 29 35 48]
Y_pred: [0 1 2 17 26 27 35 40 48 49]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line placement and removal, score: 0.21347259
had picc placed for access and, score: 0.07947755
femoral line was placed under, score: 0.016878631

confidence of prediction: 0.978880
Y_true: [2 5 17 21 26 27 29 35 48]
Y_pred: [0 1 2 17 26 27 35 40 48 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib she had a few, score: 0.4126305
afib rvr earlier asa for, score: 0.39940044
afib rvr when metoprolol held, score: 0.06420394

confidence of prediction: 0.974407
Y_true: [2 5 17 21 26 27 29 35 48]
Y_pred: [0 1 2 17 26 27 35 40 48 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
dchf s p 3l fluids, score: 0.3024367
dchf brought to the ed, score: 0.07907362
chf ef history of, score: 0.051311493

confidence of prediction: 0.898806
Y_true: [2 5 17 21 26 27 29 35 48]
Y_pred: [0 1 2 17 26 27 35 40 48 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
have leukocytosis arf diagnosed with recurrent, score: 0.15939642
baseline nonfocal arf uremia hypona, score: 0.051241275
exacerbation arf and c, score: 0.032550275

confidence of prediction: 0.870728
Y_true: [2 5 17 21 26 27 29 35 48]
Y_pred: [0 1 2 17 26 27 35 40 48 49]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg c, score: 0.30147156
hypok cad cabg had, score: 0.120430075

course after cabg and, score: 0.012395651

confidence of prediction: 0.903466
Y_true: [4 16 17 20 29 40 41 42 49]
Y_pred: [4 20 39 40 41 42 43]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
controlled and hld p w new, score: 0.08439057
medical history hyperlipidemia hypertension social history lives,
score: 0.0788326
history of hyperlipidemia and hypertension who presented, score:
0.04803748

confidence of prediction: 0.972433
Y_true: [4 16 17 20 29 40 41 42 49]
Y_pred: [4 20 39 40 41 42 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
significant for htn diet controlled and, score: 0.17189634
lobe in contralateral left, score: 0.10056788
history hyperlipidemia hypertension social history lives, score:
0.07329641

confidence of prediction: 0.776356
Y_true: [4 16 17 20 29 40 41 42 49]
Y_pred: [4 20 39 40 41 42 43]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
required endotracheal intubation received etomidate mg, score:
0.34018016
was re intubated heparin gtt, score: 0.14208841
and required intubation he was, score: 0.08281457

confidence of prediction: 0.970802
Y_true: [4 16 17 20 29 40 41 42 49]
Y_pred: [4 20 39 40 41 42 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
new dobbhoff feeding tube with a, score: 0.0545859
started tube feeds were held, score: 0.029162634
feeding tube was placed and tube feeds were started, score:
0.02394445

confidence of prediction: 0.769974
Y_true: [4 16 17 20 29 40 41 42 49]
Y_pred: [4 20 39 40 41 42 43]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
required endotracheal intubation received etomidate mg, score:
0.20171784
extubation x2 evd placement and, score: 0.19728571
was re intubated heparin gtt, score: 0.021207744

confidence of prediction: 0.588866
Y_true: [1 4 19 22 24 27 37]
Y_pred: [1 4 19 24 27 38]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
medications levothyroxine mcg daily nph, score: 0.20812054
stay hypothyroidism home dose levothyroxine was continued fen,
score: 0.13298239
stent hypothyroidism prior thyroidectomy, score: 0.10259925

confidence of prediction: 0.774525
Y_true: [1 4 19 22 24 27 37]
Y_pred: [1 4 19 24 27 38]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hypertension hyperlipidemia prior tia and, score: 0.13034852
valsartan mg hospital1 isosorbide mononitrate, score: 0.03917421
100mg qpm hyperlipidemia patient s simvastatin 40mg, score:
0.031999428

confidence of prediction: 0.941839
Y_true: [1 4 19 22 24 27 37]
Y_pred: [1 4 19 24 27 38]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
v on hemodialysis who, score: 0.07581321
v on hemodialysis every mon, score: 0.07581321
on hemodialysis m w, score: 0.07311879

confidence of prediction: 0.888163
Y_true: [1 4 19 22 24 27 37]
Y_pred: [1 4 19 24 27 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease secondary, score: 0.10354831
coronary artery disease stenosis, score: 0.06140194
coronary artery disease with, score: 0.047128502

confidence of prediction: 0.988453
Y_true: [1 4 19 22 24 27 37]
Y_pred: [1 4 19 24 27 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chronic systolic chf from ischemic cardiomyopathy lvef, score:
0.008809057
systolic chf, score: 0.0078075523
chronic systolic chf osh tte from, score: 0.0063149477

confidence of prediction: 0.542604
Y_true: [17 27 29 32]
Y_pred: [29 44]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
hospital acquired pneumonia on top, score: 0.08937473

r asp pna djd 40am blood, score: 0.073694795
recovering pneumonia and loculated infiltrate sequelae, score:
0.049940936

confidence of prediction: 0.536303
Y_true: [16 17 20 24 27 33 34]
Y_pred: [0 17 27]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
of r ij line insertion of l radial, score: 0.042265046
hr decreased with metoprolol, score: 0.03902439
hypotensive again cortisol level checked, score: 0.031246958

confidence of prediction: 0.959941
Y_true: [16 17 20 24 27 33 34]
Y_pred: [0 17 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure patient with, score: 0.17273085
diastolic heart failure found, score: 0.08906919
dementia diastolic chf interstitial lung, score: 0.06832149

confidence of prediction: 0.678799
Y_true: [20 23 26 27 35 39 46]
Y_pred: [2 5 17 23 24 26 27 35 39 49]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
medical history cad s p mi medically managed chf ef reported, score:
0.0022988964
of remote myocardial infarction small bilateral pleural, score:
0.0010801537

confidence of prediction: 0.996794
Y_true: [20 23 26 27 35 39 46]
Y_pred: [2 5 17 23 24 26 27 35 39 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin s, score: 0.36495015
afib on coumadin social, score: 0.36495015
atrial fibrillation modest intraventricular, score: 0.123410724

confidence of prediction: 0.942928
Y_true: [20 23 26 27 35 39 46]
Y_pred: [2 5 17 23 24 26 27 35 39 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cardiomyopathy and chf as, score: 0.12221272
chf shortness of breath, score: 0.07163498
chf p w shoulder pain, score: 0.023761688

confidence of prediction: 0.535782
Y_true: [20 23 26 27 35 39 46]
Y_pred: [2 5 17 23 24 26 27 35 39 49]
top three important windows for true positive code 35 (584.9: Acute

kidney failure, unspecified)
cxr elevated bnp but, score: 0.28220534
including inr renal failure hyponatremia at, score: 0.089201525
support and fresh frozen, score: 0.029296178

confidence of prediction: 0.915052
Y_true: [20 23 26 27 35 39 46]
Y_pred: [2 5 17 23 24 26 27 35 39 49]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee were negative ef continued, score: 0.56286466
vegetation is seen on, score: 0.0049471045
descending thoracic aorta the, score: 0.003551131

confidence of prediction: 0.576512
Y_true: [2 4 5 7 13 21 24 35 36 38]
Y_pred: [2 13 18 24]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
glucophage 500mg po bid lisinopril, score: 0.08957044
with hypertension diabetes mellitus and benign prostatic, score:
0.030426154
diabetes social history mr known, score: 0.021957096

confidence of prediction: 0.990792
Y_true: [2 4 5 7 13 21 24 35 36 38]
Y_pred: [2 13 18 24]
top three important windows for true positive code 13 (36.15: Single
internal mammary-coronary artery bypass)
pump cabgx4 lima lad svg to, score: 0.25829306
coronary artery bypass grafting times four, score: 0.075663716
cardiothoracic doctor first name, score: 0.009681848

confidence of prediction: 0.981556
Y_true: [2 4 5 7 13 21 24 35 36 38]
Y_pred: [2 13 18 24]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease the, score: 0.17772686
coronary artery disease refer, score: 0.17772686
coronary artery disease carotid, score: 0.07294599

confidence of prediction: 0.530058
Y_true: [5 11 19 20 23 26 27 35 37 48]
Y_pred: [2 4 5 17 19 24 26 27 35 37 49]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
to be hyponatremic on admission and was, score: 0.7429095
on flanks impossible to palpate abdominal, score: 0.04734742
in a condominium on, score: 0.0076972162

confidence of prediction: 0.942413
Y_true: [5 11 19 20 23 26 27 35 37 48]

```
Y_pred: [ 2  4  5 17 19 24 26 27 35 37 49]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
placement of hemodialysis line placement, score: 0.114079416
hypotensive during cvvh as noted, score: 0.06998359
consulted and cvvh was initially, score: 0.024559313

confidence of prediction: 0.977235
Y_true: [ 5 11 19 20 23 26 27 35 37 48]
Y_pred: [ 2  4  5 17 19 24 26 27 35 37 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib she was given, score: 0.08697303
atrial fibrillation on coumadin chronic, score: 0.05840329
afib w rvr and, score: 0.05061523

confidence of prediction: 0.986202
Y_true: [ 5 11 19 20 23 26 27 35 37 48]
Y_pred: [ 2  4  5 17 19 24 26 27 35 37 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure last known ef, score: 0.08326514
diastolic heart failure her initial, score: 0.041148342
chf cxr impression slightly, score: 0.009171337

confidence of prediction: 0.543560
Y_true: [ 5 11 19 20 23 26 27 35 37 48]
Y_pred: [ 2  4  5 17 19 24 26 27 35 37 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure w, score: 0.09249038
w pre renal state a foley, score: 0.07947535
renal state likely poor, score: 0.06587587

confidence of prediction: 0.594803
Y_true: [ 5 11 19 20 23 26 27 35 37 48]
Y_pred: [ 2  4  5 17 19 24 26 27 35 37 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
daily uti pt was found to, score: 0.25489265
markedly rotated film which limits, score: 0.13415135
baseline creatinine and presented, score: 0.020407055

confidence of prediction: 0.847309
Y_true: [10 12]
Y_pred: [12]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
with broncheoalveolar lavage history of, score: 0.6757469
underwent a bronchoscopy the appearance, score: 0.056854043
on bal on visualization, score: 0.033968255

confidence of prediction: 0.710898
Y_true: [17 19 21 23 24 33 36 37 39 40 41 43 46]
```

```
Y_pred: [ 2 17 19 23 24 31 33 35 40 42 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
source line picc hemolytic workup ret, score: 0.09495342
source line picc immunology crp 30am, score: 0.09495342
source line picc 07am, score: 0.031870667

confidence of prediction: 0.963889
Y_true: [17 19 21 23 24 33 36 37 39 40 41 43 46]
Y_pred: [ 2 17 19 23 24 31 33 35 40 42 46]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
and hemodialysis initiation nasogastric, score: 0.18507725
guided hemodialysis tunneled catheter placement lumbar, score:
0.080747545
lumbar puncture hemodialysis line placement, score: 0.066894084

confidence of prediction: 0.589730
Y_true: [17 19 21 23 24 33 36 37 39 40 41 43 46]
Y_pred: [ 2 17 19 23 24 31 33 35 40 42 46]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p imi with stents to rca, score: 0.23567043
s p imi ruled out, score: 0.23567043
with cardiac biomarkers and, score: 0.17766008

confidence of prediction: 0.534680
Y_true: [17 19 21 23 24 33 36 37 39 40 41 43 46]
Y_pred: [ 2 17 19 23 24 31 33 35 40 42 46]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p imi ruled, score: 0.18495606
cad s p imi in with stents in, score: 0.023410512
dm managed initially with, score: 0.019021546

confidence of prediction: 0.718653
Y_true: [17 19 21 23 24 33 36 37 39 40 41 43 46]
Y_pred: [ 2 17 19 23 24 31 33 35 40 42 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
outpatient respiratory failure he was intubated shortly, score:
0.08117923
for respiratory failure post, score: 0.04652295
was urgently intubated to protect his, score: 0.044933382

confidence of prediction: 0.938598
Y_true: [17 19 21 23 24 33 36 37 39 40 41 43 46]
Y_pred: [ 2 17 19 23 24 31 33 35 40 42 46]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
re intubate for respiratory failure, score: 0.5066576
was urgently intubated to protect, score: 0.24353229
he was intubated shortly after, score: 0.011793788
```

confidence of prediction: 0.531932
Y_true: [17 19 21 23 24 33 36 37 39 40 41 43 46]
Y_pred: [2 17 19 23 24 31 33 35 40 42 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
esr and crp very, score: 0.0774182
intubation attempted bedside lumbar, score: 0.05373742
meningitis he was transferred, score: 0.028529093

confidence of prediction: 0.929707
Y_true: [8 17 20 25 26 29]
Y_pred: [5 20 26 29]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
on vemurafenib htn and anxiety, score: 0.36017904
this medication hypertension bp, score: 0.24156022
gluteus calcific tendinopathy mild, score: 0.069839954

confidence of prediction: 0.976912
Y_true: [8 17 20 25 26 29]
Y_pred: [5 20 26 29]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib she reportedly has a, score: 0.46555856
paf given her brain, score: 0.41218323
afib with rvr ms known, score: 0.045241438

confidence of prediction: 0.820015
Y_true: [8 17 20 25 26 29]
Y_pred: [5 20 26 29]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
metastases pneumonia as well, score: 0.098010145
getting a pneumonia and was, score: 0.034347065
community acquired pneumonia lll infiltrate seen on cxr, score:
0.0076253945

confidence of prediction: 0.858409
Y_true: [28]
Y_pred: [28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
otherwise normal egd to, score: 0.12926881
s egd esophagus normal esophagus excavated, score: 0.059940446
bedside egd where they, score: 0.049997184

confidence of prediction: 0.894999
Y_true: [2 6 8 9 17 21 28 35 36 41]
Y_pred: [5 17 41]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
macro 59am pleural totprot ld, score: 0.17862146
status a dobhoff tube was, score: 0.15133041
and a picc line was placed for, score: 0.026623303

confidence of prediction: 0.946936
Y_true: [2 6 8 9 17 21 28 35 36 41]
Y_pred: [5 17 41]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
tube feeds now at, score: 0.050832763
getting tube feeds sodium on, score: 0.018678727
status tube feeds constant supervision, score: 0.013331134

confidence of prediction: 0.978306
Y_true: [4 29]
Y_pred: [4 37]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
target range hld continued home gemfibrozil tinea, score: 0.008284864
lv hypertrophy hld obesity hypercalcemia sleep apnea, score: 0.0068984465
precludes definitive comparison right, score: 0.0036532423

confidence of prediction: 0.736831
Y_true: [9 20 34 40 41 42 45]
Y_pred: [40 42]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
she was intubated for airway protection and, score: 0.24618413
2l gen intubated sedated, score: 0.11890685
she was intubated after the, score: 0.03918358

confidence of prediction: 0.742517
Y_true: [9 20 34 40 41 42 45]
Y_pred: [40 42]
top three important windows for true positive code 42 (96.71: Continuous invasive mechanical ventilation for less than 96 consecutive hours)
neuro intubated sedated does, score: 0.3210858
she was intubated for airway protection and, score: 0.16519699
she was intubated after the, score: 0.0254163

confidence of prediction: 0.837124
Y_true: [2 3 4 11 17 21 27 28 30 35 37 47 49]
Y_pred: [4 7 21 27 28 35 36 37 40 42 44 49]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
mg daily hyperlipidemia chronic the patient s, score: 0.34374294
simvastatin mg oral tablet, score: 0.014647955
warfarin mg oral tablet, score: 0.011421193

confidence of prediction: 0.871782
Y_true: [2 3 4 11 17 21 27 28 30 35 37 47 49]
Y_pred: [4 7 21 27 28 35 36 37 40 42 44 49]
top three important windows for true positive code 21 (403.90: Hypertensive chronic kidney disease, unspecified, with chronic

kidney disease stage I through stage IV, or unspecified)
chronic kidney disease after her, score: 0.10559146
ckd chronic kidney disease stage gfr, score: 0.096022025
kidney failure atenolol was, score: 0.0034028157

confidence of prediction: 0.983205
Y_true: [2 3 4 11 17 21 27 28 30 35 37 47 49]
Y_pred: [4 7 21 27 28 35 36 37 40 42 44 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
edema from chf in the setting of, score: 0.03669126
heart failure diastolic chronic lung, score: 0.035540603
chronic diastolic heart failure the patient desaturated, score:
0.0025963788

confidence of prediction: 0.799772
Y_true: [2 3 4 11 17 21 27 28 30 35 37 47 49]
Y_pred: [4 7 21 27 28 35 36 37 40 42 44 49]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
otherwise normal egd to third, score: 0.25460377
source egd done this, score: 0.058292724
mg egd gastritis in, score: 0.030059453

confidence of prediction: 0.891533
Y_true: [2 3 4 11 17 21 27 28 30 35 37 47 49]
Y_pred: [4 7 21 27 28 35 36 37 40 42 44 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
of her arf was likely pre renal in context of, score: 0.09055143
kidney failure atenolol was, score: 0.06627116
on chronic kidney disease, score: 0.04494057

confidence of prediction: 0.642362
Y_true: [2 3 4 11 17 21 27 28 30 35 37 47 49]
Y_pred: [4 7 21 27 28 35 36 37 40 42 44 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
for uti prophylaxis but ua, score: 0.05731162
wtih tramadol uti the patient had been, score: 0.012394389
says was reminiscent of, score: 0.012052287

confidence of prediction: 0.710719
Y_true: [2 3 4 11 17 21 27 28 30 35 37 47 49]
Y_pred: [4 7 21 27 28 35 36 37 40 42 44 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
on chronic coumadin coumadin and aspirin, score: 0.24461487
and her coumadin aspirin, score: 0.027648963
daily 50mgm warfarin mg, score: 0.020949818

confidence of prediction: 0.900497
Y_true: [0 17 32 37 45]
Y_pred: [17 20 37 45]

top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
access showing opacification of, score: 0.15969665
via a picc the, score: 0.068966545
line with tip now, score: 0.037529428

confidence of prediction: 0.876643
Y_true: [0 17 32 37 45]
Y_pred: [17 20 37 45]
top three important windows for true positive code 37 (599.0: Urinary tract infection, site not specified)
urinary tract infection secondary cryptogenic, score: 0.27677283
known uti and intra abdominal, score: 0.08642593
time uti urine cultures were sent, score: 0.050348196

confidence of prediction: 0.939611
Y_true: [0 17 32 37 45]
Y_pred: [17 20 37 45]
top three important windows for true positive code 45 (99.15: Parenteral infusion of concentrated nutritional substances)
and tpn with daily, score: 0.17549263
qhs tpn discharge medications, score: 0.02528257
and on tpn slowly transitioned to po, score: 0.009111356

confidence of prediction: 0.829724
Y_true: [5 7 12 17 19 28 31 33 34 40 43 45]
Y_pred: [9 17 26 28 41 43 45]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
where a picc was, score: 0.08584522
after wbc engraftment given, score: 0.04768548
progressive ascites ruq pain, score: 0.026310217

confidence of prediction: 0.835632
Y_true: [5 7 12 17 19 28 31 33 34 40 43 45]
Y_pred: [9 17 26 28 41 43 45]
top three important windows for true positive code 28 (45.13: Other endoscopy of small intestine)
otherwise normal egd to second part of, score: 0.6379215
study egd clotted blood was noted, score: 0.030002305
a complete occulsion of, score: 0.016677313

confidence of prediction: 0.890698
Y_true: [5 7 12 17 19 28 31 33 34 40 43 45]
Y_pred: [9 17 26 28 41 43 45]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
engraftment ventilator associated pneumonia prior to, score: 0.078660175
narrow complex tachycardia most, score: 0.056438997
rhonchi normal respiratory effort, score: 0.03157924

confidence of prediction: 0.954876

Y_true: [5 7 12 17 19 28 31 33 34 40 43 45]
Y_pred: [9 17 26 28 41 43 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
secondary to tpn and steroids and was, score: 0.0147702135
ventilator associated pneumonia prior, score: 0.0031375915
patchy consolidation throughout the, score: 0.0021639152

confidence of prediction: 0.929856
Y_true: [1 17 20 23 24 27 37 47 48 49]
Y_pred: [1 6 24 27 33 35 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
metoprolol hypothyroidism tsh wnl, score: 0.41265777
recent uti picc line in place, score: 0.0035827495
continued levothyroxine code status she, score: 0.00351381

confidence of prediction: 0.964032
Y_true: [1 17 20 23 24 27 37 47 48 49]
Y_pred: [1 6 24 27 33 35 37]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
cad with stents and hx, score: 0.1078977
retinal vein occlusion chronic anemia, score: 0.04010415
cad sp cabg s p stemi in, score: 0.033332787

confidence of prediction: 0.876438
Y_true: [1 17 20 23 24 27 37 47 48 49]
Y_pred: [1 6 24 27 33 35 37]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chronic diastolic chf [UNK] continued asa plavix, score: 0.051286526
component of diastolic heart failure through micu she, score:
0.008115806
daughter and became dnr, score: 0.00708604

confidence of prediction: 0.778710
Y_true: [1 17 20 23 24 27 37 47 48 49]
Y_pred: [1 6 24 27 33 35 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
and a uti she also, score: 0.07099773
resolved bacterial uti pt with, score: 0.055458847
recent uti noted during last, score: 0.049588505

confidence of prediction: 0.871401
Y_true: [2 9 27]
Y_pred: [2 4 20]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
and dm p w a cerebellar, score: 0.17415659
history htn dm psoriatic arthritis alcoholism, score: 0.026235756
htn hl dm who presented with, score: 0.022428365

confidence of prediction: 0.684578
Y_true: [0 1 5 6 10 11 21 23 24 26 27 35 36 37 46 49]
Y_pred: [0 2 4 6 9 23 24 26 27 35 37 46 49]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
secondary to infection id, score: 0.2900197
on levophed levophed was, score: 0.054566514
hypotension requiring a pressor, score: 0.041421656

confidence of prediction: 0.664887
Y_true: [0 1 5 6 10 11 21 23 24 26 27 35 36 37 46 49]
Y_pred: [0 2 4 6 9 23 24 26 27 35 37 46 49]
top three important windows for true positive code 6 (276.2:
Acidosis)
gap metabolic acidosis had a non anion, score: 0.15578221
cefepime cefoxitin ceftriaxone gent tobra, score: 0.12605739
bear hugger sating well, score: 0.04364257

confidence of prediction: 0.710567
Y_true: [0 1 5 6 10 11 21 23 24 26 27 35 36 37 46 49]
Y_pred: [0 2 4 6 9 23 24 26 27 35 37 46 49]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi chf, score: 0.19023585
s p mi medically managed ppm aicd, score: 0.19023585
s p mi medically managed continued home, score: 0.19023585

confidence of prediction: 0.776449
Y_true: [0 1 5 6 10 11 21 23 24 26 27 35 36 37 46 49]
Y_pred: [0 2 4 6 9 23 24 26 27 35 37 46 49]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
with [UNK] chf afib, score: 0.09717215
s p mi medically managed ppm aicd, score: 0.073507294
s p mi medically, score: 0.073507294

confidence of prediction: 0.997616
Y_true: [0 1 5 6 10 11 21 23 24 26 27 35 36 37 46 49]
Y_pred: [0 2 4 6 9 23 24 26 27 35 37 46 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin s p, score: 0.9157796
afib coumadin w icd, score: 0.020109363
atrial fibrillation on admission inr, score: 0.0056562093

confidence of prediction: 0.961606
Y_true: [0 1 5 6 10 11 21 23 24 26 27 35 36 37 46 49]
Y_pred: [0 2 4 6 9 23 24 26 27 35 37 46 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
chf ef reported by patient, score: 0.11254422
failure chronic systolic heart failure with ef s, score: 0.042222925
ef pvd dm2 afib, score: 0.021017598

confidence of prediction: 0.905180
Y_true: [0 1 5 6 10 11 21 23 24 26 27 35 36 37 46 49]
Y_pred: [0 2 4 6 9 23 24 26 27 35 37 46 49]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on crf cr bun in, score: 0.19826771
on crf cr bun and, score: 0.19826771
bear hugger sating well, score: 0.18162692

confidence of prediction: 0.908569
Y_true: [0 1 5 6 10 11 21 23 24 26 27 35 36 37 46 49]
Y_pred: [0 2 4 6 9 23 24 26 27 35 37 46 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
uti urine culture from at, score: 0.053144842
complicated uti following this treatment, score: 0.050595794
known uti now in shock, score: 0.048960216

confidence of prediction: 0.895259
Y_true: [0 1 5 6 10 11 21 23 24 26 27 35 36 37 46 49]
Y_pred: [0 2 4 6 9 23 24 26 27 35 37 46 49]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
secondary to infection id, score: 0.12926957
now significantly improved active, score: 0.057291858
infection non gap metabolic, score: 0.045480143

confidence of prediction: 0.673285
Y_true: [0 1 5 6 10 11 21 23 24 26 27 35 36 37 46 49]
Y_pred: [0 2 4 6 9 23 24 26 27 35 37 46 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
afib on coumadin s p long hospitalization, score: 0.77135825
icd on coumadin and, score: 0.12422767
on his coumadin inr, score: 0.019408021

confidence of prediction: 0.791523
Y_true: [6 11 21 29 34 35]
Y_pred: [1 21 34 35 36 42]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
renal insufficiency kidney ureter dysfunction recurrent utis, score:
0.2081553
ckd dementia who presented for, score: 0.0680168
chronic renal failure respiratory, score: 0.064083636

confidence of prediction: 0.807567
Y_true: [6 11 21 29 34 35]
Y_pred: [1 21 34 35 36 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
dementia depression gerd obesity htn neurologic neglect, score:

0.10383223
line ends approximately in, score: 0.010680011
catheter that crosses the, score: 0.008098897

confidence of prediction: 0.749578
Y_true: [6 11 21 29 34 35]
Y_pred: [1 21 34 35 36 42]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
on chronic renal failure respiratory, score: 0.11201933
on chronic renal failure was, score: 0.11201933
on chronic renal failure pneumonia, score: 0.11201933

confidence of prediction: 0.917990
Y_true: [10 20 39]
Y_pred: [1 11 26 39]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee no spontaneous echo, score: 0.9716583
vegetation is seen on, score: 0.004350463
descending thoracic aorta the, score: 0.0031228499

confidence of prediction: 0.574770
Y_true: [4 34 42 47]
Y_pred: [4 31 34 40 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
age gerd hld possible sleep apnea, score: 0.4046224
mg hospital1 felbamate mg, score: 0.022681799
atorvastatin mg qhs zetia mg qhs omeprazole mg, score: 0.021441747

confidence of prediction: 0.755753
Y_true: [4 34 42 47]
Y_pred: [4 31 34 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
at age gerd hld possible sleep apnea, score: 0.025692394
transportation to hospital1 resumed, score: 0.009632776
kidney stones thought to be, score: 0.009228833

confidence of prediction: 0.539340
Y_true: [4 34 42 47]
Y_pred: [4 31 34 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
was subsequently intubated transportation to, score: 0.10320096
eeg recordings eeg impression, score: 0.059540175
recent intubation blood urine, score: 0.042946324

confidence of prediction: 0.749433
Y_true: [0 6 17 21 22 26 33 36 37 39 40 42 46]
Y_pred: [0 17 26 33 35 37 42 46]
top three important windows for true positive code 0 (038.9:

Unspecified septicemia)
urinary tract infection who, score: 0.06835584
urinary tract infection now, score: 0.06835584
urinary tract infection patient, score: 0.06835584

confidence of prediction: 0.718738
Y_true: [0 6 17 21 22 26 33 36 37 39 40 42 46]
Y_pred: [0 17 26 33 35 37 42 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
illness and multiple vasopressors for, score: 0.11026752
lisinopril and atenolol were, score: 0.07174851
budding yeast with pseudohyphae, score: 0.06383878

confidence of prediction: 0.993547
Y_true: [0 6 17 21 22 26 33 36 37 39 40 42 46]
Y_pred: [0 17 26 33 35 37 42 46]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib and converted to, score: 0.71798086
afib she had successful, score: 0.105021544
atrial fib onset and converted, score: 0.014367706

confidence of prediction: 0.632259
Y_true: [0 6 17 21 22 26 33 36 37 39 40 42 46]
Y_pred: [0 17 26 33 35 37 42 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
injury required increasing pressor, score: 0.08712723
intubated for airway protection, score: 0.08370204
later transition off of, score: 0.040470712

confidence of prediction: 0.916595
Y_true: [0 6 17 21 22 26 33 36 37 39 40 42 46]
Y_pred: [0 17 26 33 35 37 42 46]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
tract infection patient initially, score: 0.13554853
tract infection who originally, score: 0.083589286
diphtheroids organisms ml blood, score: 0.08297233

confidence of prediction: 0.547986
Y_true: [0 6 17 21 22 26 33 36 37 39 40 42 46]
Y_pred: [0 17 26 33 35 37 42 46]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
later transition off of, score: 0.05242822
profile 15am blood pt, score: 0.043107692
was intubated for airway protection, score: 0.04307966

confidence of prediction: 0.864722
Y_true: [0 6 17 21 22 26 33 36 37 39 40 42 46]
Y_pred: [0 17 26 33 35 37 42 46]

top three important windows for true positive code 46 (995.92:
Severe sepsis)
secondary to urinary tract, score: 0.15217458
was performed with albumin, score: 0.04738193
secondary to uri with, score: 0.04523423

confidence of prediction: 0.784072
Y_true: [6 10 11 20 35]
Y_pred: [35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute kidney injury secondary to pre renal etiology and elevated,
score: 0.06523019
evaulated and patient is, score: 0.022296408
to b burgdorferi detected, score: 0.0063135372

confidence of prediction: 0.564659
Y_true: [4 6 9 17 20 26 27 31 37]
Y_pred: [4 5 17 20 26 31 35]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
htn pvd hyperlipidemia h o rheumatic heart, score: 0.09623987
with htn hyperlipidemia and one week, score: 0.077115834
atrial enlargement atherosclerotic coronary, score: 0.027802298

confidence of prediction: 0.792088
Y_true: [4 6 9 17 20 26 27 31 37]
Y_pred: [4 5 17 20 26 31 35]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line placement central line placement and removal, score: 0.2790216
was diagnosed attempted diuresis, score: 0.02399973
to ac fossa ct, score: 0.016138438

confidence of prediction: 0.530564
Y_true: [4 6 9 17 20 26 27 31 37]
Y_pred: [4 5 17 20 26 31 35]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history htn pvd hyperlipidemia h o, score: 0.070411116
metanepherines catecholamines vma 5hiaa were, score: 0.045828734
metanepherines catecholamines vma 5hiaa heart, score: 0.045828734

confidence of prediction: 0.960162
Y_true: [4 6 9 17 20 26 27 31 37]
Y_pred: [4 5 17 20 26 31 35]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib country score is, score: 0.5026702
developed afib with rvr with rates, score: 0.004639181
af with rvr and, score: 0.0023888827

confidence of prediction: 0.922801
Y_true: [4 6 9 17 20 26 27 31 37]

Y_pred: [4 5 17 20 26 31 35]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
hypoxia aspiration pneumonitis vs [UNK], score: 0.22295259
multifocal aspiration pneumonia with course c, score: 0.11182933
risk multifocal pna was, score: 0.08714021

confidence of prediction: 0.592005
Y_true: [0 2 20 31 33 41 46]
Y_pred: [2 3 17 20 31]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
anxiety type dm social history quit tobacco, score: 0.342316
injection mucous membranes moist, score: 0.006273413
l1 transverse process fracture l2, score: 0.006124107

confidence of prediction: 0.899447
Y_true: [0 2 20 31 33 41 46]
Y_pred: [2 3 17 20 31]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
exudate psychiatric tachypneic states, score: 0.12191636
hypertension hypercholesterolemia bph depression anxiety type dm
social, score: 0.08870077
atherosclerotic vascular calcifications again, score: 0.0467369

confidence of prediction: 0.971079
Y_true: [0 2 20 31 33 41 46]
Y_pred: [2 3 17 20 31]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
[UNK] aspiration pneumonia hypoxia pt was, score: 0.028992923
suctioning again requires hospital1 suctioning support, score:
0.002554294
vanc cefepime aggressive pulm, score: 0.002548369

confidence of prediction: 0.752103
Y_true: [2 4 9 19 23 24 27 29 33 34]
Y_pred: [9 19 23 24 27 29 33 34]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
with the thrombocytopenia there was, score: 0.25071156
this her thrombocytopenia was determined, score: 0.212808
given her thrombocytopenia was was, score: 0.09889797

confidence of prediction: 0.979890
Y_true: [2 4 9 19 23 24 27 29 33 34]
Y_pred: [9 19 23 24 27 29 33 34]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
esrd on hemodialysis cad s, score: 0.10282098
esrd on hemodialysis she received hd on, score: 0.051139582
has received hemodialysis since that, score: 0.03236373

```
confidence of prediction: 0.682072
Y_true: [ 2  4  9 19 23 24 27 29 33 34]
Y_pred: [ 9 19 23 24 27 29 33 34]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi and pci pvd s, score: 0.38985708
s p mi in received stent to, score: 0.10591762
s p pci non, score: 0.005520726

confidence of prediction: 0.755665
Y_true: [ 2  4  9 19 23 24 27 29 33 34]
Y_pred: [ 9 19 23 24 27 29 33 34]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p pci non active, score: 0.26676738
bypass with atherectomy in after, score: 0.07924982
in received stent to, score: 0.07147632

confidence of prediction: 0.987348
Y_true: [ 2  4  9 19 23 24 27 29 33 34]
Y_pred: [ 9 19 23 24 27 29 33 34]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure asthma and, score: 0.12927228
diastolic heart failure in the setting, score: 0.033512697
systolic diastolic heart failure ef estimated, score: 0.0064513404

confidence of prediction: 0.521739
Y_true: [ 2  4  9 19 23 24 27 29 33 34]
Y_pred: [ 9 19 23 24 27 29 33 34]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
her respiratory status improved, score: 0.046985082
with thick sputum last, score: 0.025230201
and also pneumonia were also, score: 0.024362069

confidence of prediction: 0.926591
Y_true: [ 2  4  9 19 23 24 27 29 33 34]
Y_pred: [ 9 19 23 24 27 29 33 34]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxic respiratory failure she was, score: 0.07877065
hypoxic respiratory failure hypoxic respiratory failure on
admission, score: 0.07877065
her respiratory failure was, score: 0.05457538

confidence of prediction: 0.749494
Y_true: [ 2  4  9 19 23 24 27 29 33 34]
Y_pred: [ 9 19 23 24 27 29 33 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
hyperlipidemia gastroesophageal reflux gastritis egd chronic
pancreatitis, score: 0.1253356
```

femoral grafts since then, score: 0.018814936
schizoaffective disorder hypertension insulin, score: 0.011366749

confidence of prediction: 0.784220
Y_true: [21 24 26 27 36]
Y_pred: [21 26 27 36]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
it ckd baseline cr approximately previously more, score: 0.02899555
cr below baseline trop, score: 0.023593856
un on cri baseline creatinine from mild, score: 0.018003346

confidence of prediction: 0.975394
Y_true: [21 24 26 27 36]
Y_pred: [21 26 27 36]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib patient with intermittent afib and also v, score: 0.25228494
atrial fibrillation dementia with recent, score: 0.037392233
pacer interrogated on last, score: 0.0063464297

confidence of prediction: 0.984533
Y_true: [21 24 26 27 36]
Y_pred: [21 26 27 36]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic heart failure given, score: 0.7075545
chf with lasix neurology was, score: 0.09482136
chf exacerbation pt noted, score: 0.017831841

confidence of prediction: 0.892197
Y_true: [21 24 26 27 36]
Y_pred: [21 26 27 36]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
it ckd baseline cr approximately previously more, score: 0.016466038
cr below baseline trop, score: 0.016396854
un on cri baseline creatinine from mild, score: 0.012152265

confidence of prediction: 0.689638
Y_true: [0 9 39]
Y_pred: [0 17 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
line now advances to, score: 0.030233124
broad spectrum antibiotics that were, score: 0.026107434
picture improved microcytic anemia likely, score: 0.023188042

confidence of prediction: 0.708035
Y_true: [1 8 11 27 29]
Y_pred: [29 33]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)

presumed pneumonia patient presents, score: 0.23230562
multifocal pneumonia an opportunistic, score: 0.05686308
complaint pneumonia hypoxia major surgical, score: 0.05295503

confidence of prediction: 0.693264
Y_true: [2 5 8 9 16 17 21 27 29 32 33 35 37 40 41 43 46]
Y_pred: [17 21 27 37 40 41]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line placement arterial line placement, score: 0.13763495
screen predicts possible synergy, score: 0.031188292
with selected penicillins or, score: 0.027052242

confidence of prediction: 0.738594
Y_true: [2 5 8 9 16 17 21 27 29 32 33 35 37 40 41 43 46]
Y_pred: [17 21 27 37 40 41]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
with baseline lactate was, score: 0.026335543
obesity hypertension colostomy for, score: 0.022845192
improved in regards to, score: 0.021640647

confidence of prediction: 0.983300
Y_true: [2 5 8 9 16 17 21 27 29 32 33 35 37 40 41 43 46]
Y_pred: [17 21 27 37 40 41]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
dmii diastolic chf asthma and pemphigus, score: 0.023478836
and oral lasix she, score: 0.008289023
chronic diastolic heart failure repeat echo, score: 0.0028274006

confidence of prediction: 0.923569
Y_true: [2 5 8 9 16 17 21 27 29 32 33 35 37 40 41 43 46]
Y_pred: [17 21 27 37 40 41]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
caution escherichia coli organisms ml sensitivities, score:
0.06872381
culture grew escherichia coli she initially received, score:
0.050274413
mirabilis enterococcus faecalis ampicillin, score: 0.03215908

confidence of prediction: 0.737159
Y_true: [2 5 8 9 16 17 21 27 29 32 33 35 37 40 41 43 46]
Y_pred: [17 21 27 37 40 41]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
she was intubated for apnea, score: 0.06662764
placement endotracheal intubation history of present, score:
0.04064405
intact neuro moves arms, score: 0.011102673

confidence of prediction: 0.690368

Y_true: [2 5 8 9 16 17 21 27 29 32 33 35 37 40 41 43 46]
Y_pred: [17 21 27 37 40 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
of tube feeds last name, score: 0.054503694
received tube feeds diabetic formulation for poor, score:
0.047071796
her tube feeds then were, score: 0.024823315

confidence of prediction: 0.685750
Y_true: [0 2 4 5 20 32 34 35 46 49]
Y_pred: [0 2 20 34 35 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
collection acute renal failure, score: 0.041224066
hypotension resolved sepsis initially presented with sepsis and
admitted to micu, score: 0.034665007
transfer hypotension sepsis major surgical or, score: 0.020928435

confidence of prediction: 0.905198
Y_true: [0 2 4 5 20 32 34 35 46 49]
Y_pred: [0 2 20 34 35 46]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
dm htn recent gallstone pancreatitis, score: 0.33331704
hepatology t2dm insulin sliding, score: 0.07730952
bid metformin 1000mg po bid glipizide, score: 0.052402325

confidence of prediction: 0.729781
Y_true: [0 2 4 5 20 32 34 35 46 49]
Y_pred: [0 2 20 34 35 46]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
elevated fs htn anti hypertensives held, score: 0.1935241
with dm htn recent gallstone, score: 0.12706429
diagnosed dmii htn popliteal aneurysms s p, score: 0.061590932

confidence of prediction: 0.760637
Y_true: [0 2 4 5 20 32 34 35 46 49]
Y_pred: [0 2 20 34 35 46]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
has dogs portugeuse [UNK], score: 0.03295277
aneurysm gerd ppi omeprazole gout continued, score: 0.015739912
abscess versus surgicel ruq, score: 0.010413743

confidence of prediction: 0.796062
Y_true: [0 2 4 5 20 32 34 35 46 49]
Y_pred: [0 2 20 34 35 46]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
acute kidney injury creatinine up to, score: 0.038584303
abscess versus surgicel ruq, score: 0.037433103

collection acute renal failure and supratheraputic inr, score:
0.021992747

confidence of prediction: 0.945943
Y_true: [0 2 4 5 20 32 34 35 46 49]
Y_pred: [0 2 20 34 35 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
sepsis major surgical or, score: 0.22411908
collection acute renal failure, score: 0.031939358
hypotension resolved sepsis initially presented with sepsis and
admitted to micu, score: 0.027276043

confidence of prediction: 0.869909
Y_true: [7 17 20 26 33 41 46 49]
Y_pred: [17 26 35 41]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
thus had picc line placed on and, score: 0.05761593
via a picc line complicated by a, score: 0.052244958
tube dobhoff placement last name, score: 0.030982686

confidence of prediction: 0.921955
Y_true: [7 17 20 26 33 41 46 49]
Y_pred: [17 26 35 41]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
irregularly irregular no m r, score: 0.3828189
atrial fibrillation mrsa cholecystitis social, score: 0.07238447
malnutrition dysphagia mental status, score: 0.0066633727

confidence of prediction: 0.890117
Y_true: [7 17 20 26 33 41 46 49]
Y_pred: [17 26 35 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
tube feeds were started, score: 0.1144443
the tube feeds without nausea, score: 0.08907561
tube feed but this, score: 0.07613745

confidence of prediction: 0.910219
Y_true: [2 3 11 20 24 27 34 35 47]
Y_pred: [2 4 13 24 27 34 38]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
hypertension diabetes mellitus type dmt2 and, score: 0.05727953
htn dm2 hld osa on cpap, score: 0.027800508
htn dm2 hld osa on cpap, score: 0.017507846

confidence of prediction: 0.951387
Y_true: [2 3 11 20 24 27 34 35 47]
Y_pred: [2 4 13 24 27 34 38]
top three important windows for true positive code 24 (414.01:

Coronary atherosclerosis of native coronary artery)
lad x3 lad with, score: 0.055631228
right heart catherization swan, score: 0.042087954
coronary artery disease cad status post stenting hypertension,
score: 0.025177227

confidence of prediction: 0.923549
Y_true: [2 3 11 20 24 27 34 35 47]
Y_pred: [2 4 13 24 27 34 38]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure getting listed, score: 0.12998606
chf shifting dullness on, score: 0.06741904
sided heart failure with severely elevated, score: 0.03344411

confidence of prediction: 0.889216
Y_true: [2 3 11 20 24 27 34 35 47]
Y_pred: [2 4 13 24 27 34 38]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
on cpap gerd sbo depression anxiety gout, score: 0.045294378
ckd and gerd recently admitted date range, score: 0.025264736
as another symptom of, score: 0.014444755

confidence of prediction: 0.738139
Y_true: [2 9 21 27 35 47]
Y_pred: [7 9 27 35]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
to have thrombocytopenia thought to, score: 0.21402784
have anemia thrombocytopenia acute renal failure, score: 0.1942754
hypoalbuminemia [UNK] elevated ldh suggested, score: 0.118748404

confidence of prediction: 0.955091
Y_true: [2 9 21 27 35 47]
Y_pred: [7 9 27 35]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
dchf with chronic hypokalemia sent, score: 0.27438155
diastolic heart failure concerned for neoplastic, score: 0.1707304
diastolic heart failure he was noted, score: 0.1707304

confidence of prediction: 0.771978
Y_true: [2 9 21 27 35 47]
Y_pred: [7 9 27 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
renal failure hypoalbuminemia symmetric, score: 0.20191163
renal failure w proteinuria, score: 0.09963153
likely pre renal perhaps due to, score: 0.046827987

confidence of prediction: 0.864020
Y_true: [4 7 45]
Y_pred: [4 45]

top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
hyperlipidemia in her mother, score: 0.59709364
breast cancer hyperlipidemia past surgical history partial, score: 0.102149315
aj metastatic carcinoma pleural fluid, score: 0.023508953

confidence of prediction: 0.933081
Y_true: [4 7 45]
Y_pred: [4 45]
top three important windows for true positive code 45 (99.15: Parenteral infusion of concentrated nutritional substances)
feeds and tpn but has remained npo, score: 0.065930195
50cc hr nutrition was consulted, score: 0.0011569797
wall and mesenteric adipose, score: 0.0008457495

confidence of prediction: 0.681063
Y_true: [8 17 39]
Y_pred: [17 39]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
emboli to lungs r, score: 0.28202417
up with mr name13, score: 0.07339501
emboli on last cta, score: 0.05694236

confidence of prediction: 0.732738
Y_true: [8 17 39]
Y_pred: [17 39]
top three important windows for true positive code 39 (88.72: Diagnostic ultrasound of heart)
tee no spontaneous echo, score: 0.48628852
tee conclusions pre bypass the, score: 0.07037189
leaflet severe tricuspid regurgitation, score: 0.03545662

confidence of prediction: 0.650196
Y_true: [6 7 11 12 19 20 28 41 43 45]
Y_pred: [0 7 12 19 35 37 41 43 45 46]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
the bleed ooze originating from, score: 0.2933218
her bleeding ooze episodes, score: 0.26044682
concurrently had placement of a, score: 0.043273218

confidence of prediction: 0.885144
Y_true: [6 7 11 12 19 20 28 41 43 45]
Y_pred: [0 7 12 19 35 37 41 43 45 46]
top three important windows for true positive code 12 (33.24: Closed [endoscopic] biopsy of bronchus)
am bronchoalveolar lavage branchial lavage left lung, score: 0.3107968
percutaneous tracheostomy done in, score: 0.023635719
a bronchoscopy was largely, score: 0.02139996

confidence of prediction: 0.798054

Y_true: [6 7 11 12 19 20 28 41 43 45]
Y_pred: [0 7 12 19 35 37 41 43 45 46]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
started on cvvh on her, score: 0.11649567
was on cvvh was expectedly, score: 0.07509798
ffp cryoprecipitate transfusions see, score: 0.012043016

confidence of prediction: 0.877107
Y_true: [6 7 11 12 19 20 28 41 43 45]
Y_pred: [0 7 12 19 35 37 41 43 45 46]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
tube feed rate was, score: 0.12337085
j tube tracheostomy and eventual, score: 0.0635862
tube feeds at goal, score: 0.05406286

confidence of prediction: 0.975922
Y_true: [6 7 11 12 19 20 28 41 43 45]
Y_pred: [0 7 12 19 35 37 41 43 45 46]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
perc tracheostomy exploratory laparotomy abdominal, score:
0.06629141
ventilator on trach collar until when, score: 0.050631512
percutaneous tracheostomy done in, score: 0.04952406

confidence of prediction: 0.989356
Y_true: [6 7 11 12 19 20 28 41 43 45]
Y_pred: [0 7 12 19 35 37 41 43 45 46]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
started on tpn on and continued thereafter, score: 0.004725719
consult service tpn was weaned off, score: 0.0028520871
washout exploratory laparotomy washout, score: 0.0025416387

confidence of prediction: 0.853468
Y_true: [4 34]
Y_pred: [4 5 20 34 41]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
of discharge hyperlipidemia stable continued home atorvastatin gerd
stable continued home omeprazole rul, score: 0.022440003
htn who presents with, score: 0.006483727
reminded, score: 0.0063406993

confidence of prediction: 0.929849
Y_true: [4 34]
Y_pred: [4 5 20 34 41]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
htn gerd benign lump removed from, score: 0.14701664
home atorvastatin gerd stable continued home omeprazole, score:

0.059499204
reminded, score: 0.01103686

confidence of prediction: 0.706834
Y_true: [2 4 5 20 23 27 30 49]
Y_pred: [2 5 20 23 24 30 34]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
finding dm patient s [UNK] was, score: 0.09825588
pvd niddm gout h o gallstone, score: 0.07429722
dm copd pvd s p, score: 0.07208137

confidence of prediction: 0.967128
Y_true: [2 4 5 20 23 27 30 49]
Y_pred: [2 5 20 23 24 30 34]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
with hypovolemic hyponatremia na levels improved after, score:
0.37995726
was 900cc hyponatremia na dropped from on, score: 0.3754783
hospital course hyponatremia and fevers, score: 0.13017748

confidence of prediction: 0.536930
Y_true: [2 4 5 20 23 27 30 49]
Y_pred: [2 5 20 23 24 30 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
repeat colonoscopy htn his goal sbp, score: 0.060631502
fempop bpg with ptfe, score: 0.04349276
retroperitoneal approach social history, score: 0.041142456

confidence of prediction: 0.687412
Y_true: [2 4 5 20 23 27 30 49]
Y_pred: [2 5 20 23 24 30 34]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
s p mi x3 s p angioplasty, score: 0.43026054
medical history mi x3 most recent s, score: 0.031126799
dm copd cad s p mi x3 s, score: 0.0069163498

confidence of prediction: 0.824344
Y_true: [2 4 5 20 23 27 30 49]
Y_pred: [2 5 20 23 24 30 34]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
history of copd and transiently required, score: 0.079548314
with dm copd cad s p mi, score: 0.014836665
thrombi dm copd pvd s p multiple, score: 0.004460905

confidence of prediction: 0.777375
Y_true: [7 26 31 33 41 47]
Y_pred: [5 26 28 31 33 41]
top three important windows for true positive code 26 (427.31:

Atrial fibrillation)
atrial fibrillation not on coumadin who originally presented, score:
0.09706755
atrial fibrillation not on anticoagulation, score: 0.033313047
atrial fibrillation she continued on, score: 0.025898593

confidence of prediction: 0.854205
Y_true: [7 26 31 33 41 47]
Y_pred: [5 26 28 31 33 41]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
hcap aspiration therapy w vanc cefepime, score: 0.19449154
aspiration vanc cefepime last name, score: 0.091864504
with aspiration pneumonitis or, score: 0.06444564

confidence of prediction: 0.886457
Y_true: [7 26 31 33 41 47]
Y_pred: [5 26 28 31 33 41]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
cxr bibasilar opacities have, score: 0.033294734
developed hypercarbic respiratory failure in the, score: 0.021997306
feeds from airway rll, score: 0.01935295

confidence of prediction: 0.870248
Y_true: [7 26 31 33 41 47]
Y_pred: [5 26 28 31 33 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
tube feeds from airway, score: 0.13610573
requiring peg tube h, score: 0.098983616
tube feeds frequently suctioned, score: 0.08789021

confidence of prediction: 0.802971
Y_true: [1 4 5 8 16 20 31 33 40 41 42 47]
Y_pred: [17 20 31 33 41]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
episode hyperlipidemia hypertension past surgical history s, score:
0.30757943
course the patient was, score: 0.06106599
sternocleidomastoids and upper trapezius, score: 0.04547413

confidence of prediction: 0.884183
Y_true: [1 4 5 8 16 20 31 33 40 41 42 47]
Y_pred: [17 20 31 33 41]
top three important windows for true positive code 31 (507.0:
Pneumonitis due to inhalation of food or vomitus)
an aspiration event that may have, score: 0.045412943
stitle aspiration pneumonia on hd patient, score: 0.042239025
to an aspiration event and subsequent aspiriation, score: 0.03544714

confidence of prediction: 0.705106
Y_true: [1 4 5 8 16 20 31 33 40 41 42 47]

Y_pred: [17 20 31 33 41]
top three important windows for true positive code 33 (518.81: Acute respiratory failure)
hypoxemic respiratory failure requiring intubation he was, score: 0.31329432
hypoxic respiratory failure see below, score: 0.11270726
to painful stimuli no, score: 0.045627207

confidence of prediction: 0.956351
Y_true: [1 4 5 8 16 20 31 33 40 41 42 47]
Y_pred: [17 20 31 33 41]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
placed tube feedings were initated the, score: 0.10492673
has flexor posturing of, score: 0.006877218
sputum cultures grew mssa and antibiotics, score: 0.006762237

confidence of prediction: 0.614662
Y_true: [0 5 12 20 34 35 41 43 46]
Y_pred: [26 31 34 40 41]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
predinsone cva gerd past surgical history s, score: 0.117301114
hypothermic circulatory arrest 28mm, score: 0.03561067
placement pmh lymphoplasmacytic lymphoma, score: 0.014628172

confidence of prediction: 0.715167
Y_true: [0 5 12 20 34 35 41 43 46]
Y_pred: [26 31 34 40 41]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
gastrostomy tube pneumobilia the study, score: 0.29515788
tube feeds were initiated via, score: 0.08343102
gelweave tracheostomy percutaneous gastrostomy tube history of, score: 0.039664708

confidence of prediction: 0.947397
Y_true: [26 41 49]
Y_pred: [2 4 20 26 37 40 41 42 49]
top three important windows for true positive code 26 (427.31: Atrial fibrillation)
atrial fibrillation which was well, score: 0.24203782
atrial fibrillation was controlled and, score: 0.09598464
fib perioperatively and then, score: 0.06350481

confidence of prediction: 0.721890
Y_true: [26 41 49]
Y_pred: [2 4 20 26 37 40 41 42 49]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
received tube feeds for several days, score: 0.17284743
pulses dopplerable dp pt bilat, score: 0.051232714
after extubation she awoke, score: 0.010129166

confidence of prediction: 0.610134
Y_true: [26 41 49]
Y_pred: [2 4 20 26 37 40 41 42 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
continued on coumadin 5mg, score: 0.06739836
po qday coumadin 5mg, score: 0.05019277
fib perioperatively and then, score: 0.016393906

confidence of prediction: 0.882823
Y_true: [1 4 17 34 46]
Y_pred: [0 1 4 17 34]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
gerd hypothyroidism who presented, score: 0.115107805
history hypothyroidism gerd hyperlipidemia, score: 0.10402528
of hypothyroidism gerd presenting, score: 0.08163255

confidence of prediction: 0.930847
Y_true: [1 4 17 34 46]
Y_pred: [0 1 4 17 34]
top three important windows for true positive code 4 (272.4: Other and unspecified hyperlipidemia)
hypothyroidism gerd hyperlipidemia fibromyalgia social history tobacco, score: 0.08697086
pole left renal probable septated, score: 0.008890346

confidence of prediction: 0.825352
Y_true: [1 4 17 34 46]
Y_pred: [0 1 4 17 34]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
line placement liver abscess aspiration, score: 0.16135938
line placement liver abscess aspiration, score: 0.09844064
line was placed and, score: 0.07644497

confidence of prediction: 0.699706
Y_true: [1 4 17 34 46]
Y_pred: [0 1 4 17 34]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
gerd presenting from hospital1, score: 0.10165442
hypothyroidism gerd hyperlipidemia fibromyalgia social history, score: 0.05836208
milleri group moderate growth, score: 0.030245282

confidence of prediction: 0.963498
Y_true: [2 4 5 10 17 19 23 24 27 29 31 33 34 37]
Y_pred: [5 19 23 24 31 34]
top three important windows for true positive code 5 (276.1: Hyposmolality and/or hyponatremia)
with hypovolemic hyponatremia in setting of decreased, score: 0.6811688
also discontinued hyponatremia patient had an admission, score:

0.07330899
talking and interacting with, score: 0.011013949

confidence of prediction: 0.854440
Y_true: [2 4 5 10 17 19 23 24 27 29 31 33 34 37]
Y_pred: [5 19 23 24 31 34]
top three important windows for true positive code 19 (39.95: Hemodialysis)
has received hemodialysis since that, score: 0.09470466
esrd on hd cad s, score: 0.079443626
esrd on hd patient noted, score: 0.078565724

confidence of prediction: 0.647700
Y_true: [2 4 5 10 17 19 23 24 27 29 31 33 34 37]
Y_pred: [5 19 23 24 31 34]
top three important windows for true positive code 23 (412: Old myocardial infarction)
s p mi htn dmii, score: 0.66805065
s p mi in received stent to, score: 0.18149814
inversions possibly suggestive of ischemia cardiology evaluated, score: 0.009448097

confidence of prediction: 0.509325
Y_true: [2 4 5 10 17 19 23 24 27 29 31 33 34 37]
Y_pred: [5 19 23 24 31 34]
top three important windows for true positive code 24 (414.01: Coronary atherosclerosis of native coronary artery)
bypass with atherectomy in after, score: 0.11656478
in received stent to, score: 0.1051311
from cad heart attacks physical, score: 0.03166679

confidence of prediction: 0.695436
Y_true: [2 4 5 10 17 19 23 24 27 29 31 33 34 37]
Y_pred: [5 19 23 24 31 34]
top three important windows for true positive code 31 (507.0: Pneumonitis due to inhalation of food or vomitus)
suggested aspiration pneumonia repeat cxr was, score: 0.12272264
hospital acquired pneumonia upon transfer, score: 0.011108461
palpation in epigastrium that, score: 0.0073191496

confidence of prediction: 0.635691
Y_true: [2 4 5 10 17 19 23 24 27 29 31 33 34 37]
Y_pred: [5 19 23 24 31 34]
top three important windows for true positive code 34 (530.81: Esophageal reflux)
hyperlipidemia gastroesophageal reflux gastritis egd chronic, score: 0.11591615
catheter tip is in, score: 0.027406171
femoral grafts since then, score: 0.01740092

confidence of prediction: 0.617194
Y_true: [28 33 35 37 40 41 43]
Y_pred: [31 33 35 39 40 42]
top three important windows for true positive code 33 (518.81: Acute

respiratory failure)
discharge respiratory failure pt was intubated on for airway
protection, score: 0.049880315
patient was intubated within, score: 0.0388605
extubation with respiratory rate, score: 0.029251756

confidence of prediction: 0.666400
Y_true: [28 33 35 37 40 41 43]
Y_pred: [31 33 35 39 40 42]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
was pre renal and we, score: 0.062942594
3kg acute renal failure new, score: 0.053458635
acute renal failure resolved and, score: 0.046212733

confidence of prediction: 0.772252
Y_true: [28 33 35 37 40 41 43]
Y_pred: [31 33 35 39 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
of intubation causing some, score: 0.09261867
patient was intubated within hours, score: 0.027667351
her from reintubation secondarely to, score: 0.026734099

confidence of prediction: 0.813486
Y_true: [2 6 10 29 30 32 35]
Y_pred: [31 35]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
renal failure improved with, score: 0.16150996
acute renal failure on presentation, score: 0.108933926
kidney injury from either, score: 0.06648683

confidence of prediction: 0.858851
Y_true: [1 17 32 37 41 45]
Y_pred: [5 17 41]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
subclavian line placement left removed, score: 0.172761
drained liver abscess resolving, score: 0.10765556
abscess vancomycin sensitive enterococcus enterococcus, score:
0.04138138

confidence of prediction: 0.718057
Y_true: [1 17 32 37 41 45]
Y_pred: [5 17 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
or tube feed associated stool culture negative, score: 0.06868526
sputum mssa staph aureus coag, score: 0.020144332
vertebral bodies demonstrate enhancement, score: 0.008032204

confidence of prediction: 0.878145
Y_true: [3 7 19 27]

Y_pred: [19 23 25 27]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
extra dialysis sessions for, score: 0.1328586
at dialysis sessions recently, score: 0.11228397
volume dialysis sessions in, score: 0.093173146

confidence of prediction: 0.963076
Y_true: [3 7 19 27]
Y_pred: [19 23 25 27]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure ef at, score: 0.15300463
systolic heart failure lvef grossly, score: 0.15300463
torsemide for chf management, score: 0.0372877

confidence of prediction: 0.757366
Y_true: [2 4 6 7 16 17 19 24 26 27 28]
Y_pred: [7 17 19 22 26 28]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
duodenum normal duodenum impression, score: 0.2852203
otherwise normal egd to, score: 0.043285765
fatigue and melena in the, score: 0.041086353

confidence of prediction: 0.930660
Y_true: [2 4 6 7 16 17 19 24 26 27 28]
Y_pred: [7 17 19 22 26 28]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
central venous catheter placement and removal, score: 0.029722672
overnights and on she, score: 0.024700806
placement satisfactory placement of, score: 0.021889687

confidence of prediction: 0.983375
Y_true: [2 4 6 7 16 17 19 24 26 27 28]
Y_pred: [7 17 19 22 26 28]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
on hemodialysis on she, score: 0.0889741
on cvvh kg of, score: 0.044844136
cuff dialysis catheter in, score: 0.031706907

confidence of prediction: 0.984138
Y_true: [2 4 6 7 16 17 19 24 26 27 28]
Y_pred: [7 17 19 22 26 28]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation with a single, score: 0.19822389
af atrial fibrillation general alert oriented, score: 0.016938737
embolus that came back, score: 0.0012712505

confidence of prediction: 0.933756
Y_true: [2 4 6 7 16 17 19 24 26 27 28]

Y_pred: [7 17 19 22 26 28]
top three important windows for true positive code 28 (45.13: Other
endoscopy of small intestine)
otherwise normal egd to, score: 0.40385383
duodenum normal duodenum impression, score: 0.10028551
noted stomach mucosa erythema, score: 0.017015947

confidence of prediction: 0.818355
Y_true: [7 10 11 20]
Y_pred: [11 20 34]
top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
gerd depression hsv on, score: 0.11633928
omeprazole depression continued fluoxetine and trazodone, score:
0.10987695
reflux esophagitis depression sigmoid, score: 0.058543544

confidence of prediction: 0.754252
Y_true: [7 10 11 20]
Y_pred: [11 20 34]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
htn gerd ra and, score: 0.101879716
htn benign continued metoprolol, score: 0.085955106
chronic suppression therapy urinary incontinence, score: 0.08399736

confidence of prediction: 0.560526
Y_true: [2 17 21 27 32 36 39 48]
Y_pred: [2 17 27 39 48]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
antibiotics type dm coronary [UNK] disease s, score: 0.15204531
pvd dm ii systolic chf, score: 0.05800627
with pvd dm ii cad s p, score: 0.020918336

confidence of prediction: 0.590557
Y_true: [2 17 21 27 32 36 39 48]
Y_pred: [2 17 27 39 48]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
atelectasis picc line placement read pending, score: 0.10121135
revealed multiple organisms including pseudomonas of, score:
0.08084539
vancomycin a picc line was placed on, score: 0.020388732

confidence of prediction: 0.892894
Y_true: [2 17 21 27 32 36 39 48]
Y_pred: [2 17 27 39 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cabg systolic chf multiple recent admissions, score: 0.15767026
ii systolic chf recent admissions for, score: 0.033503316
cardiomyopathy with ef peripheral, score: 0.023103986

confidence of prediction: 0.923937
Y_true: [2 17 21 27 32 36 39 48]
Y_pred: [2 17 27 39 48]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
vegetation is seen on, score: 0.004984573
descending thoracic aorta the, score: 0.0035780268
wires there are surgical clips, score: 0.0035014641

confidence of prediction: 0.856493
Y_true: [2 17 21 27 32 36 39 48]
Y_pred: [2 17 27 39 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg systolic chf multiple, score: 0.71767616
p 5v cabg in in, score: 0.17793673
sternotomy and cabg with unchanged appearing, score: 0.010014651

confidence of prediction: 0.558511
Y_true: [7 20 30 37]
Y_pred: [7 20 30 31]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
of prbcs and units, score: 0.037977133
f service orthopaedics allergies macrobid sulfa sulfonamide, score:
0.026293175
as an articular cutaneous, score: 0.021513019

confidence of prediction: 0.922729
Y_true: [7 20 30 37]
Y_pred: [7 20 30 31]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history of htn copd anxiety and bilateral, score: 0.061875667
diagnosis htn copd anxiety urinary incontience discharge, score:
0.05677316
medical history htn copd anxiety h o, score: 0.032132722

confidence of prediction: 0.744273
Y_true: [7 20 30 37]
Y_pred: [7 20 30 31]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
diagnosis htn copd anxiety, score: 0.0644135
copd anxiety and bilateral hip, score: 0.061477162
htn copd anxiety h o utis, score: 0.055065747

confidence of prediction: 0.708132
Y_true: [0 9 10 21 25 27 35 36 46]
Y_pred: [0 6 10 25 27 35 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
shock cholangitis s p, score: 0.14281833

criteria for septic shock given leukocytosis tachycardia, score: 0.036192756
septic shock and intravascular volume, score: 0.026883546

confidence of prediction: 0.516731
Y_true: [0 9 10 21 25 27 35 36 46]
Y_pred: [0 6 10 25 27 35 46]
top three important windows for true positive code 10 (305.1: Tobacco use disorder)
social history smokes 2ppd x 50yrs no, score: 0.02021837
surgery allergies morphine attending, score: 0.005772295
2l cvp pt was, score: 0.0054310337

confidence of prediction: 0.780774
Y_true: [0 9 10 21 25 27 35 36 46]
Y_pred: [0 6 10 25 27 35 46]
top three important windows for true positive code 25 (424.0: Mitral valve disorders)
severe mitral regurgitation past medical history, score: 0.12371739
moderate mitral regurgitation is seen, score: 0.022296255
moderate mitral regurgitation right ventricular, score: 0.009613729

confidence of prediction: 0.926509
Y_true: [0 9 10 21 25 27 35 36 46]
Y_pred: [0 6 10 25 27 35 46]
top three important windows for true positive code 27 (428.0: Congestive heart failure, unspecified)
mitral regurgitation past medical, score: 0.02018851
new onset chf tte during that admission, score: 0.009077516
cardiomyopathy with systolic heart failure ef on echo, score: 0.007962126

confidence of prediction: 0.912473
Y_true: [0 9 10 21 25 27 35 36 46]
Y_pred: [0 6 10 25 27 35 46]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
on chronic renal failure due, score: 0.09747704
on levophed ggt at 06mcg kg, score: 0.021147365
organ dysfunction in setting, score: 0.010875963

confidence of prediction: 0.968154
Y_true: [0 9 10 21 25 27 35 36 46]
Y_pred: [0 6 10 25 27 35 46]
top three important windows for true positive code 46 (995.92: Severe sepsis)
septic shock and intravascular volume, score: 0.04792
septic shock cholangitis s p, score: 0.033242818
septic shock secondary to cholangitis, score: 0.03250382

confidence of prediction: 0.567742
Y_true: [2 8 20 24 30 33 43]
Y_pred: [20 23 30 42]
top three important windows for true positive code 20 (401.9:

Unspecified essential hypertension)
inhaler hospital1 pneumothorax due, score: 0.13571678
of mi htn copd was participating in, score: 0.103127375
cad, score: 0.0755384

confidence of prediction: 0.798303
Y_true: [2 8 20 24 30 33 43]
Y_pred: [20 23 30 42]
top three important windows for true positive code 30 (496: Chronic
airway obstruction, not elsewhere classified)
mi htn copd was transferred from micu, score: 0.05491594
mi htn copd was participating in the, score: 0.024688063
inhaler hospital1 pneumothorax due to, score: 0.003838834

confidence of prediction: 0.544064
Y_true: [0 25 26 27 29 37 49]
Y_pred: [0 17 26 29 37 46 49]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
septic febrile leukocytosis and relative, score: 0.14673479
this resolved with antibiotics, score: 0.1069489
urosepsis and pna w improvement, score: 0.059303615

confidence of prediction: 0.991551
Y_true: [0 25 26 27 29 37 49]
Y_pred: [0 17 26 29 37 46 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib [UNK] no clear, score: 0.6627122
afib on coumadin remote stroke, score: 0.28658724
atrial fibrillation and remote hospital, score: 0.012637599

confidence of prediction: 0.682326
Y_true: [0 25 26 27 29 37 49]
Y_pred: [0 17 26 29 37 46 49]
top three important windows for true positive code 29 (486:
Pneumonia, organism unspecified)
urosepsis and pna w improvement in, score: 0.16279618
possible rml infiltrate and pt received, score: 0.10657065
levofloxacin and azithromycin at, score: 0.013723925

confidence of prediction: 0.759538
Y_true: [0 25 26 27 29 37 49]
Y_pred: [0 17 26 29 37 46 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
for urinary tract infection initially neurology, score: 0.07077795
suspected urinary source febrile and hypotensive, score: 0.03885327
infiltrate and pt received, score: 0.03254264

confidence of prediction: 0.643299
Y_true: [0 25 26 27 29 37 49]
Y_pred: [0 17 26 29 37 46 49]
top three important windows for true positive code 49 (V58.61: Long-

term (current) use of anticoagulants)
afib on coumadin remote, score: 0.8567502
afib [UNK] no clear, score: 0.03911418
irregularly irregular systolic llsb, score: 0.0117202345

confidence of prediction: 0.876177
Y_true: [3 11 20 34 37]
Y_pred: [4 20 37]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
c difficile htn hld is emergently transferred, score: 0.33059812
c difficile htn hld who was initially, score: 0.33059812
hypertension and depression physical, score: 0.09006829

confidence of prediction: 0.839736
Y_true: [3 11 20 34 37]
Y_pred: [4 20 37]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuk lg 35am urine rbc, score: 0.35971537
events after she had, score: 0.055961035
a uti on the, score: 0.05230339

confidence of prediction: 0.649990
Y_true: [3 8 9 17 19 26 35 37]
Y_pred: [0 4 9 17 19 26 35 37 46]
top three important windows for true positive code 9 (287.5:
Thrombocytopenia, unspecified)
persistent anemia thrombocytopenia treated with, score: 0.23962341
of and thrombocytopenia since admission, score: 0.22504355
m5 aml blast crisis and leukostasis, score: 0.035859197

confidence of prediction: 0.790115
Y_true: [3 8 9 17 19 26 35 37]
Y_pred: [0 4 9 17 19 26 35 37 46]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
catheter placement picc placement x, score: 0.093227156
source line picc chemistry totprot albumin globuln, score:
0.06598065
complications detailed below who, score: 0.050039973

confidence of prediction: 0.803182
Y_true: [3 8 9 17 19 26 35 37]
Y_pred: [0 4 9 17 19 26 35 37 46]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
improved with cvvh allpurinol plasmapheresis, score: 0.058100875
started on cvvh concommitantly with, score: 0.05558575
and required cvvh for renal, score: 0.053998575

confidence of prediction: 0.982526
Y_true: [3 8 9 17 19 26 35 37]
Y_pred: [0 4 9 17 19 26 35 37 46]

top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib s p [UNK], score: 0.62869275
atrial fibrillation he additionally has, score: 0.04802429
atrial fibrillation mild pulmonary hypertension, score: 0.013768379

confidence of prediction: 0.828302
Y_true: [3 8 9 17 19 26 35 37]
Y_pred: [0 4 9 17 19 26 35 37 46]
top three important windows for true positive code 35 (584.9: Acute
kidney failure, unspecified)
fluctuated renal funtion and his, score: 0.4357539
cvvh for renal failure with subsequent improvement, score:
0.023753366
rasburicase acute renal failure blast casts, score: 0.009126018

confidence of prediction: 0.955913
Y_true: [3 8 9 17 19 26 35 37]
Y_pred: [0 4 9 17 19 26 35 37 46]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
a uti that was cipro sensitive, score: 0.13904424
enterobacter uti and is completing, score: 0.071063615
political science books he, score: 0.012708737

confidence of prediction: 0.681823
Y_true: [3 20 29 33 40 41 42]
Y_pred: [3 5 20 40]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
atherosclerotic calcifications of the, score: 0.00738187
medical history hypertension and hypercholesterolemia social history
she does, score: 0.006177375
no vegetation mass is, score: 0.0016701898

confidence of prediction: 0.814074
Y_true: [3 20 29 33 40 41 42]
Y_pred: [3 5 20 40]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension and hypercholesterolemia social
history, score: 0.2946187
sequela of catheter passage stable, score: 0.13669583
a left cerebellopontine angle, score: 0.052166045

confidence of prediction: 0.714539
Y_true: [3 20 29 33 40 41 42]
Y_pred: [3 5 20 40]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
evd replacement evd drain at bedside peg, score: 0.048208755
a gcs reintubated and sent, score: 0.037617985
her evd drain was, score: 0.015871715

confidence of prediction: 0.676107
Y_true: [11 17 33 35 39 42]
Y_pred: [33 39 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
ck respiratory failure the, score: 0.078593515
injury respiratory failure major, score: 0.0737999
and required intubation for airway protection, score: 0.069717266

confidence of prediction: 0.896809
Y_true: [11 17 33 35 39 42]
Y_pred: [33 39 40 42]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee which was negative for, score: 0.84062123
tee was negative for, score: 0.0761331
vegetation seen mild to, score: 0.036004495

confidence of prediction: 0.727220
Y_true: [11 17 33 35 39 42]
Y_pred: [33 39 40 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
and required intubation for airway protection, score: 0.10006257
was intubated for airway, score: 0.099692434
ivdu attends methadone clinic, score: 0.055623304

confidence of prediction: 0.575737
Y_true: [0 8 26 27 34 47 49]
Y_pred: [0 17 26 27 46 49]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
of pneumonia sputum stains, score: 0.2279285
she had fever leukocytosis, score: 0.22595863
likely to sepsis hypovolemia resolved in the, score: 0.034711428

confidence of prediction: 0.985377
Y_true: [0 8 26 27 34 47 49]
Y_pred: [0 17 26 27 46 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fib on coumadin osteopenia neuropathy, score: 0.38294542
afib chf copd gerd, score: 0.1715376
fib rate controlled on, score: 0.0081003

confidence of prediction: 0.839090
Y_true: [0 8 26 27 34 47 49]
Y_pred: [0 17 26 27 46 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
veins bilaterally cardiac echo, score: 0.02903662
pvd afib chf copd gerd on, score: 0.026865
hbcab igm hav pnd, score: 0.014616176

confidence of prediction: 0.862976
Y_true: [0 8 26 27 34 47 49]
Y_pred: [0 17 26 27 46 49]
top three important windows for true positive code 49 (V58.61: Long-term (current) use of anticoagulants)
fib on coumadin r, score: 0.46953404
fib on coumadin osteopenia neuropathy, score: 0.46953404
that resolved coumadin held intermittently in, score: 0.025882881

confidence of prediction: 0.645749
Y_true: [2 12 20 31 33 40 41 42]
Y_pred: [20 37]
top three important windows for true positive code 20 (401.9: Unspecified essential hypertension)
pica and aica these, score: 0.11292335
pica and aica which drape, score: 0.11292335
history diabetes hypertension social history he lives, score: 0.093806736

confidence of prediction: 0.680893
Y_true: [3 17 37 39 41 43]
Y_pred: [4 17 39 40 41 43]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
gastrostomy placement picc line placement history of, score: 0.054818526
tfts tox panels etc she, score: 0.020260343
although inconsistently mimics well, score: 0.011989024

confidence of prediction: 0.818440
Y_true: [3 17 37 39 41 43]
Y_pred: [4 17 39 40 41 43]
top three important windows for true positive code 39 (88.72: Diagnostic ultrasound of heart)
tee no spontaneous echo, score: 0.8511929
vegetation is seen on, score: 0.022135291
atherosclerotic plaque to cm, score: 0.021882165

confidence of prediction: 0.627815
Y_true: [3 17 37 39 41 43]
Y_pred: [4 17 39 40 41 43]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
hemicraniectomy tracheostomy and subsequent removal, score: 0.09721049
cxr tracheostomy tube terminates in, score: 0.0532476
over trach stoma c, score: 0.044838697

confidence of prediction: 0.749790
Y_true: [3 17 37 39 41 43]
Y_pred: [4 17 39 40 41 43]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours

or more)
hemicraniectomy tracheostomy and subsequent removal, score:
0.12529714
am sputum source endotracheal gram, score: 0.051239107
tracheostomy tube terminates in the, score: 0.030302852

confidence of prediction: 0.550478
Y_true: [0 2 5 15 20 26 27 31 38 39 40 42]
Y_pred: [0 20 26 27 34 35 39 43]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
hypotension likely sepsis and constrictive pericarditis pt, score:
0.033775926
broad spectrum abx given, score: 0.017838262
hypotensive requiring pressors and pulsus, score: 0.0132337995

confidence of prediction: 0.839863
Y_true: [0 2 5 15 20 26 27 31 38 39 40 42]
Y_pred: [0 20 26 27 34 35 39 43]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
on medications htn osteoarthritis social history he, score:
0.08716184
significant for htn and iddm admitted for, score: 0.043064162

confidence of prediction: 0.880996
Y_true: [0 2 5 15 20 26 27 31 38 39 40 42]
Y_pred: [0 20 26 27 34 35 39 43]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
tee and tte and, score: 0.033695757
cool dry skin no, score: 0.017799184
atrial flutter shortness of breath, score: 0.0128628835

confidence of prediction: 0.534675
Y_true: [0 2 5 15 20 26 27 31 38 39 40 42]
Y_pred: [0 20 26 27 34 35 39 43]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
pulmonary edema his hospital, score: 0.15071051
pulmonary edema the patient, score: 0.050385483
flash pulmonary edema he was, score: 0.044557866

confidence of prediction: 0.739279
Y_true: [0 2 5 15 20 26 27 31 38 39 40 42]
Y_pred: [0 20 26 27 34 35 39 43]
top three important windows for true positive code 39 (88.72:
Diagnostic ultrasound of heart)
tee cardiac catheterization intubation history, score: 0.85869616
tee and tte and fluoroscopic, score: 0.10125978
tee performed in the, score: 0.009973816

confidence of prediction: 0.878737
Y_true: [2 4 20 26 41 49]

Y_pred: [2 4 20 26 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
including dm ii hyperlipidemia cardiac, score: 0.09395902
dm ii hld per report, score: 0.071294464

confidence of prediction: 0.833974
Y_true: [2 4 20 26 41 49]
Y_pred: [2 4 20 26 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
hld per report labile htn, score: 0.13791649
ii hyperlipidemia cardiac arrhythmia and, score: 0.028165625

confidence of prediction: 0.706939
Y_true: [2 4 20 26 41 49]
Y_pred: [2 4 20 26 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
dm ii hld per report labile htn in few weeks, score: 0.032830954

confidence of prediction: 0.982824
Y_true: [2 4 20 26 41 49]
Y_pred: [2 4 20 26 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib lasting for few, score: 0.7903001
fib blood pressure aand, score: 0.028182928
irregular rhythm normal s1, score: 0.0042884643

confidence of prediction: 0.854823
Y_true: [2 4 20 26 41 49]
Y_pred: [2 4 20 26 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
for constipation warfarin mg tablet sig, score: 0.8881696
fib she had an, score: 0.019178942
afib lasting for few, score: 0.012838339

confidence of prediction: 0.790017
Y_true: [1 2 3 11 20 23 24 29 34 40 47]
Y_pred: [2 4 7 11 17 34 40 42]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
mellitus and obesity denies, score: 0.124909095
colonic polyps dm ii on metformin chronic pain depression, score:
0.10810102
chicken noodle soup if, score: 0.015429713

confidence of prediction: 0.577531
Y_true: [1 2 3 11 20 23 24 29 34 40 47]
Y_pred: [2 4 7 11 17 34 40 42]

top three important windows for true positive code 11 (311:
Depressive disorder, not elsewhere classified)
chronic pain depression hypertension s p gastric, score: 0.04692919
with micron embospheres was performed, score: 0.015860118
on pfts hyperlipidemia gerd, score: 0.012032561

confidence of prediction: 0.773313
Y_true: [1 2 3 11 20 23 24 29 34 40 47]
Y_pred: [2 4 7 11 17 34 40 42]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
pfts hyperlipidemia gerd gout hypothyroidism chronic, score:
0.032181587
frequent reflux for which he, score: 0.025428792
vent controlled 31pm blood, score: 0.02145532

confidence of prediction: 0.810190
Y_true: [1 2 3 11 20 23 24 29 34 40 47]
Y_pred: [2 4 7 11 17 34 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
patient was intubated for airway protection and, score: 0.033865184
patient was intubated he was, score: 0.033865184
prepped and draped in, score: 0.0105259605

confidence of prediction: 0.930019
Y_true: [7 12 33 41 43]
Y_pred: [17 29 40 41 42 43]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
a dobbhoff feeding tube is within, score: 0.13536026
subfalcine herniation cta head, score: 0.08734832
subfalcine herniation hypodensity in, score: 0.06381

confidence of prediction: 0.806622
Y_true: [7 12 33 41 43]
Y_pred: [17 29 40 41 42 43]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
and tolerating trach mask, score: 0.039460022
r o2sats100 assit control, score: 0.023929564
subfalcine herniation cta head, score: 0.02327799

confidence of prediction: 0.844247
Y_true: [12 16 21 27 33 41 42]
Y_pred: [12 17 21 27 33 35 36 43]
top three important windows for true positive code 12 (33.24: Closed
[endoscopic] biopsy of bronchus)
am bronchoalveolar lavage tube gram stain final, score: 0.39329198
negative bronchial lavage negative for malignant, score: 0.054811813
and bronchial cells see, score: 0.041156206

confidence of prediction: 0.806630

Y_true: [12 16 21 27 33 41 42]
Y_pred: [12 17 21 27 33 35 36 43]
top three important windows for true positive code 21 (403.90:
Hypertensive chronic kidney disease, unspecified, with chronic
kidney disease stage I through stage IV, or unspecified)
brown casts consistent with, score: 0.13407253
kidney disease transferred from, score: 0.088563494
kidney disease with renal, score: 0.06748699

confidence of prediction: 0.715126
Y_true: [12 16 21 27 33 41 42]
Y_pred: [12 17 21 27 33 35 36 43]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
congestive heart failure cxr showed bilateral, score: 0.09624864
pulmonary edema she was, score: 0.060853906
probnp numeric identifier 34am blood, score: 0.022231407

confidence of prediction: 0.826645
Y_true: [12 16 21 27 33 41 42]
Y_pred: [12 17 21 27 33 35 36 43]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
hypoxic respiratory failure patient arrived, score: 0.27478698
with respiratory failure and acute, score: 0.08144224
respiratory function improved such, score: 0.043063

confidence of prediction: 0.623431
Y_true: [1 8 17 19]
Y_pred: [1 19 37]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
dialysis hypothyroidism continued on synthroid htn continued on,
score: 0.2698786
meals levothyroxine mcg tablet sig one, score: 0.1035093
and santyl dressing changes, score: 0.0046731075

confidence of prediction: 0.971506
Y_true: [1 8 17 19]
Y_pred: [1 19 37]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
protocol hd protochol stop, score: 0.21594958
esrd on hemodialysis mwf last dialysis yesterday, score: 0.097602375
esrd on hd m w, score: 0.036562514

confidence of prediction: 0.808485
Y_true: [2 7 17 20 28 37 41 45]
Y_pred: [4 7 17 20 37 41 44 45]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
the red pulp is, score: 0.191014
bleeding serial hematocrits were monitored, score: 0.17806068
the red pulp note, score: 0.04526746

confidence of prediction: 0.595207
Y_true: [2 7 17 20 28 37 41 45]
Y_pred: [4 7 17 20 37 41 44 45]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
cava catheter placement inferior, score: 0.096566685
picc was placed and he, score: 0.06189958
spleen it consists of, score: 0.05619399

confidence of prediction: 0.974225
Y_true: [2 7 17 20 28 37 41 45]
Y_pred: [4 7 17 20 37 41 44 45]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
hypertension type dm schizophrenia pancreatitis, score: 0.054929808
pancreatitis htn dm2 htn schizophrenia transferred from, score:
0.05187699
after discharge htn hypertensive, score: 0.03173115

confidence of prediction: 0.747224
Y_true: [2 7 17 20 28 37 41 45]
Y_pred: [4 7 17 20 37 41 44 45]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
exlap gastrotomy duodenectomy for ugib, score: 0.054992285
with a uti on for which he, score: 0.03203762
adherent with respiratory toilet, score: 0.03057785

confidence of prediction: 0.608911
Y_true: [2 7 17 20 28 37 41 45]
Y_pred: [4 7 17 20 37 41 44 45]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
intake tubefeeds were discontinued, score: 0.105821095
a gj tube performed on, score: 0.053462125
on tubefeeds at goal with good, score: 0.048052654

confidence of prediction: 0.969581
Y_true: [2 7 17 20 28 37 41 45]
Y_pred: [4 7 17 20 37 41 44 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
after the tpn was discontinued and tubefeeds, score: 0.009323371
started on tpn in preparation, score: 0.008624378
on exploratory laparotomy lysis, score: 0.0007926807

confidence of prediction: 0.994295
Y_true: [4 9 20 26 35 37 41 42]
Y_pred: [4 20 23 26 37 49]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
bj sj tj kj aj l r, score: 0.034662805
mi htn hld presents with acute, score: 0.0040460317

htn hld macular degeneration multinodular goiter, score:
0.0034565735

confidence of prediction: 0.846758
Y_true: [4 9 20 26 35 37 41 42]
Y_pred: [4 20 23 26 37 49]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
often with triphasic morphology, score: 0.21502295
p mi htn hld presents with acute, score: 0.09360269
reversal at t3 t5, score: 0.05188079

confidence of prediction: 0.974559
Y_true: [4 9 20 26 35 37 41 42]
Y_pred: [4 20 23 26 37 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
af on coumadin it was, score: 0.6919101
atrial fibrillation found mri mra, score: 0.077794395
af not on warfarin, score: 0.01463958

confidence of prediction: 0.690536
Y_true: [4 9 20 26 35 37 41 42]
Y_pred: [4 20 23 26 37 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
and inconsistently following comands no, score: 0.66177225
had predominant theta activity admixed with, score: 0.02761381
not on warfarin cads, score: 0.017348878

confidence of prediction: 0.752353
Y_true: [0 17 21 24 25 26 27 34 35 36 39 41 43 44 45 46]
Y_pred: [17 25 27 34 36 41 44 45]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
needs were met by, score: 0.12844549
via a picc line starting, score: 0.08582986
nodes ii retroperitoneal tissue r, score: 0.06509444

confidence of prediction: 0.718291
Y_true: [0 17 21 24 25 26 27 34 35 36 39 41 43 44 45 46]
Y_pred: [17 25 27 34 36 41 44 45]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
ef mitral regurgitation systolic ventricular dysfunction, score:
0.12789261
moderate mitral regurgitation is seen, score: 0.040345564
on tte chf with ef cad, score: 0.004297336

confidence of prediction: 0.943180
Y_true: [0 17 21 24 25 26 27 34 35 36 39 41 43 44 45 46]
Y_pred: [17 25 27 34 36 41 44 45]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)

chf with ef cad social, score: 0.4230996
chf with an ef mitral regurgitation systolic ventricular, score:
0.21995842
with cad chf htn chronic renal insufficiency, score: 0.011867287

confidence of prediction: 0.635370
Y_true: [0 17 21 24 25 26 27 34 35 36 39 41 43 44 45 46]
Y_pred: [17 25 27 34 36 41 44 45]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
prn with continued good, score: 0.038864996
history htn gerd nephrolithiasis s p cholecytectomy, score:
0.0317246
needs were met by, score: 0.026251204

confidence of prediction: 0.579705
Y_true: [0 17 21 24 25 26 27 34 35 36 39 41 43 44 45 46]
Y_pred: [17 25 27 34 36 41 44 45]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
colectomy ileal colostomy retroperitoneal abscess, score: 0.03501376
htn chronic renal insufficiency presented to, score: 0.021405304
abscess b frag rare, score: 0.020631712

confidence of prediction: 0.906545
Y_true: [0 17 21 24 25 26 27 34 35 36 39 41 43 44 45 46]
Y_pred: [17 25 27 34 36 41 44 45]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
tubefeeds and tpn nutrition was, score: 0.07595247
cycled tubefeeds with replete with, score: 0.062365007
g tube vented and the, score: 0.016311739

confidence of prediction: 0.673838
Y_true: [0 17 21 24 25 26 27 34 35 36 39 41 43 44 45 46]
Y_pred: [17 25 27 34 36 41 44 45]
top three important windows for true positive code 44 (99.04:
Transfusion of packed cells)
received unit prbcs for a hct, score: 0.33052462
and tpn nutrition was, score: 0.017951848
tubefeeds with replete with fiber, score: 0.011868943

confidence of prediction: 0.994027
Y_true: [0 17 21 24 25 26 27 34 35 36 39 41 43 44 45 46]
Y_pred: [17 25 27 34 36 41 44 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
tubefeeds and tpn nutrition was consulted and, score: 0.0032635124
patient received tpn via a picc line, score: 7.0181624e-05
viridans rare r thigh, score: 3.571754e-05

confidence of prediction: 0.775025
Y_true: [2 8 16 17 20 27 40 41 42 48]
Y_pred: [2 4 5 20 23 25 26 27 40 42 43 48]

top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
ef borderline dm and mild copd who, score: 0.052963182
c5 intervertebral disc there, score: 0.0112779
c5 intervertebral disc is, score: 0.0112779

confidence of prediction: 0.905507
Y_true: [2 8 16 17 20 27 40 41 42 48]
Y_pred: [2 4 5 20 23 25 26 27 40 42 43 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
history of htn mi, score: 0.11497455
medical history hypertension hyperlipidemia s p mi, score:
0.07302317
intermittent atrial fibrillation with, score: 0.066661015

confidence of prediction: 0.944821
Y_true: [2 8 16 17 20 27 40 41 42 48]
Y_pred: [2 4 5 20 23 25 26 27 40 42 43 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
atrial fibrillation dchf ef borderline dm and, score: 0.08868304
fibrillation diastolic chf borderline dm bph, score: 0.022314653
mi dchf mild copd who was, score: 0.010935187

confidence of prediction: 0.735846
Y_true: [2 8 16 17 20 27 40 41 42 48]
Y_pred: [2 4 5 20 23 25 26 27 40 42 43 48]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
then re intubation successful extubation, score: 0.3830239
remained intubated in ticu, score: 0.087130286
needed intubation for airway protection, score: 0.066122584

confidence of prediction: 0.687214
Y_true: [2 8 16 17 20 27 40 41 42 48]
Y_pred: [2 4 5 20 23 25 26 27 40 42 43 48]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
then re intubation successful extubation, score: 0.38078436
remained intubated in ticu, score: 0.108126946
of intubation and nasogastric, score: 0.061266117

confidence of prediction: 0.880322
Y_true: [2 8 16 17 20 27 40 41 42 48]
Y_pred: [2 4 5 20 23 25 26 27 40 42 43 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
s p cabg atrial fibrillation dchf, score: 0.6040777
and vessel cabg in paroxysmal atrial, score: 0.34915718
htn mi dchf mild, score: 0.0027735534

confidence of prediction: 0.880327
Y_true: [8 17 19 41 45]
Y_pred: [17 19 37 41 45]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
venous catheter terminates in, score: 0.34184343
abdominal wall abscess drainage, score: 0.051140122
yeast wound culture final, score: 0.044927634

confidence of prediction: 0.833405
Y_true: [8 17 19 41 45]
Y_pred: [17 19 37 41 45]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
she missed hd days pta, score: 0.05927287
r hd line looks, score: 0.049844075
and tunneled hd cath i, score: 0.040195916

confidence of prediction: 0.816061
Y_true: [8 17 19 41 45]
Y_pred: [17 19 37 41 45]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
and tube feeds initiated however, score: 0.15309182
instituted tube feeds also noted, score: 0.034300327
amikacin s ampicillin s, score: 0.020135527

confidence of prediction: 0.660226
Y_true: [8 17 19 41 45]
Y_pred: [17 19 37 41 45]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
[UNK] tpn bmx1 general, score: 0.15156025
ex lap gastrostomy closure, score: 0.14912346
continue tpn in hopes of improving, score: 0.10068455

confidence of prediction: 0.543556
Y_true: [8 10 17 23 24 33 40 41 43]
Y_pred: [6 10 17 23 24 33 40 42]
top three important windows for true positive code 10 (305.1:
Tobacco use disorder)
shelters tobacco ppd x years etoh one, score: 0.013712109
history of alcoholic hepatitis, score: 0.013296573

confidence of prediction: 0.903278
Y_true: [8 10 17 23 24 33 40 41 43]
Y_pred: [6 10 17 23 24 33 40 42]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line was placed given, score: 0.13248344
double lumen picc line final, score: 0.047076877
bilateral central line placement picc placement iv antibiotics
history, score: 0.046736285

confidence of prediction: 0.636340
Y_true: [8 10 17 23 24 33 40 41 43]
Y_pred: [6 10 17 23 24 33 40 42]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
prior inferior mi and, score: 0.34041822
p silent myocardial infarction htn alcohol, score: 0.0361117
p silent myocardial infarction he was, score: 0.0361117

confidence of prediction: 0.595637
Y_true: [8 10 17 23 24 33 40 41 43]
Y_pred: [6 10 17 23 24 33 40 42]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
s p silent myocardial infarction he, score: 0.1737608
arctic sun protocol and, score: 0.031921808
cad s p silent myocardial infarction htn, score: 0.02835423

confidence of prediction: 0.506645
Y_true: [8 10 17 23 24 33 40 41 43]
Y_pred: [6 10 17 23 24 33 40 42]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
patients superimposed infection cannot, score: 0.10832709
developed pea arrest and cpr, score: 0.045995355
elderly male intubated and sedated heent, score: 0.036230035

confidence of prediction: 0.735568
Y_true: [8 10 17 23 24 33 40 41 43]
Y_pred: [6 10 17 23 24 33 40 42]
top three important windows for true positive code 40 (96.04:
Insertion of endotracheal tube)
due to intubation sedation past, score: 0.054656982
finding in intubated patients superimposed infection cannot, score:
0.053972084
elderly male intubated and sedated, score: 0.015098488

confidence of prediction: 0.972214
Y_true: [4 10 16 17 20 33 41 42]
Y_pred: [4 20 42]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
history pmh psh htn hl osteoporosis social history social, score:
0.008660252
marginal artery we now, score: 0.0016236369
seizures occupy less of, score: 0.0007332179

confidence of prediction: 0.995144
Y_true: [4 10 16 17 20 33 41 42]
Y_pred: [4 20 42]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pmh psh htn hl osteoporosis social history, score: 0.46899265
multiple overlying wires are, score: 0.03465489

a sterile fashion access, score: 0.011109215

confidence of prediction: 0.627522
Y_true: [4 10 16 17 20 33 41 42]
Y_pred: [4 20 42]
top three important windows for true positive code 42 (96.71:
Continuous invasive mechanical ventilation for less than 96
consecutive hours)
who electively intubated her she has been, score: 0.07729773
hr bp intubated general somnolent, score: 0.058540124
pedis pulses neurologic examination, score: 0.006632127

confidence of prediction: 0.939392
Y_true: [4 6 7 12 16 17 20 26 34 40 41 43 47 49]
Y_pred: [7 9 17 20 26 41 43 45]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
given 1u prbc and 2u, score: 0.22310068
fitting pants clothing this will, score: 0.021507489
ptfe graft and endoluminal thoracic, score: 0.015597658

confidence of prediction: 0.599988
Y_true: [4 6 7 12 16 17 20 26 34 40 41 43 47 49]
Y_pred: [7 9 17 20 26 41 43 45]
top three important windows for true positive code 17 (38.93: Venous
catheterization, not elsewhere classified)
line flush picc heparin, score: 0.10291409
exploratory laparotomy evacuation of hematoma, score: 0.07490878
line heparin flush units, score: 0.027860384

confidence of prediction: 0.577497
Y_true: [4 6 7 12 16 17 20 26 34 40 41 43 47 49]
Y_pred: [7 9 17 20 26 41 43 45]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
cv baseline hypertension treated, score: 0.1733053
lipase 25pm albumin calcium, score: 0.071527116
history pmh htn gout afib type b, score: 0.05885812

confidence of prediction: 0.860290
Y_true: [4 6 7 12 16 17 20 26 34 40 41 43 47 49]
Y_pred: [7 9 17 20 26 41 43 45]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation he was reversed, score: 0.0407132
atrial fibrillation pod on day, score: 0.03690554
atrial fibrillation prior to admission, score: 0.033656865

confidence of prediction: 0.900961
Y_true: [4 6 7 12 16 17 20 26 34 40 41 43 47 49]
Y_pred: [7 9 17 20 26 41 43 45]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
percutaneous peg tube currently, score: 0.061175585

percutaneous tracheostomy tube and percutaneous endoscopic
gastrostomy peg tube open, score: 0.040115587
tube feeds initially via, score: 0.03185639

confidence of prediction: 0.703191
Y_true: [4 6 7 12 16 17 20 26 34 40 41 43 47 49]
Y_pred: [7 9 17 20 26 41 43 45]
top three important windows for true positive code 43 (96.72:
Continuous invasive mechanical ventilation for 96 consecutive hours
or more)
access tracheostomy peg social history, score: 0.050952427
gastrostomy peg tube open, score: 0.033613335
percutaneous tracheostomy tube and percutaneous endoscopic, score:
0.025753785

confidence of prediction: 0.536347
Y_true: [22 24 27 34 36 38]
Y_pred: [4 21 22 24 34 36 38]
top three important windows for true positive code 22 (410.71:
Subendocardial infarction, initial episode of care)
of nstemi and underwent cath, score: 0.026122559
lab revealed large lad, score: 0.023720585
consistent with nstemi patient received a, score: 0.02075521

confidence of prediction: 0.986500
Y_true: [22 24 27 34 36 38]
Y_pred: [4 21 22 24 34 36 38]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
lad coronary disease proximal, score: 0.07285839
nitrate sl nitro resolved, score: 0.04761226
single vessel coronary artery disease the, score: 0.045993697

confidence of prediction: 0.888186
Y_true: [22 24 27 34 36 38]
Y_pred: [4 21 22 24 34 36 38]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
kidney disease gerd social history tobacco history, score:
0.068587884
moderate rca l main, score: 0.0027382853
lucency concerning in a, score: 0.0027083883

confidence of prediction: 0.665976
Y_true: [22 24 27 34 36 38]
Y_pred: [4 21 22 24 34 36 38]
top three important windows for true positive code 36 (585.9:
Chronic kidney disease, unspecified)
hld ckd ra on chronic prednisone, score: 0.32129663
chronic kidney disease gerd social, score: 0.28998736
of ckd htn hl was admitted, score: 0.02810409

confidence of prediction: 0.784944
Y_true: [22 24 27 34 36 38]

Y_pred: [4 21 22 24 34 36 38]
top three important windows for true positive code 38 (88.56:
Coronary arteriography using two catheters)
lab revealed large lad, score: 0.10805668
catheterization comments selective coronary angiography of this,
score: 0.05806528
procedure cardiac cath complciated with, score: 0.047418352

confidence of prediction: 0.594112
Y_true: [0 8 19 26 27 33 41 43 46]
Y_pred: [0 17 21 22 24 26 27 33 35 36 37 40 42 46]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
with broad spectrum antibiotics including vancomycin, score:
0.25882405
of unclear origin on, score: 0.13458204
sepsis major surgical or, score: 0.12197706

confidence of prediction: 0.938631
Y_true: [0 8 19 26 27 33 41 43 46]
Y_pred: [0 17 21 22 24 26 27 33 35 36 37 40 42 46]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrilation not on coumadin, score: 0.10547554
af not on coumadin, score: 0.056726266
af with rvr not, score: 0.008632499

confidence of prediction: 0.585662
Y_true: [0 8 19 26 27 33 41 43 46]
Y_pred: [0 17 21 22 24 26 27 33 35 36 37 40 42 46]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
cardiomyopathy ef aicd niddm ckd, score: 0.15576813
probnp numeric identifier 50am, score: 0.075082205
severe pacemaker defibrillator lead terminates, score: 0.044242963

confidence of prediction: 0.914038
Y_true: [0 8 19 26 27 33 41 43 46]
Y_pred: [0 17 21 22 24 26 27 33 35 36 37 40 42 46]
top three important windows for true positive code 33 (518.81: Acute
respiratory failure)
intubation mechanical ventilation central, score: 0.131763
discharge respiratory failure he was intubated for inadequate
compensation, score: 0.06483528
intubated for respiratory failure evaluate, score: 0.049014837

confidence of prediction: 0.781932
Y_true: [0 8 19 26 27 33 41 43 46]
Y_pred: [0 17 21 22 24 26 27 33 35 36 37 40 42 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
sepsis major surgical or, score: 0.12862416
with broad spectrum antibiotics including vancomycin, score:
0.07401299

of unclear origin on, score: 0.06438693

confidence of prediction: 0.951013
Y_true: [4 6 22 24 25 26 27 38 41 43]
Y_pred: [2 4 17 20 24 27 48]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
p cabg hyperlipidemia hypertension diabetes social history, score:
0.31828326
mi hyperlipidemia hypertension and kidney failure, score:
0.014427126
gentleman w pmhx significant, score: 0.009139067

confidence of prediction: 0.907647
Y_true: [4 6 22 24 25 26 27 38 41 43]
Y_pred: [2 4 17 20 24 27 48]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
w cad rca pda distribution, score: 0.09177457
w mi s p cabg htn, score: 0.07182289
coronary artery disease the, score: 0.043512274

confidence of prediction: 0.952948
Y_true: [4 6 22 24 25 26 27 38 41 43]
Y_pred: [2 4 17 20 24 27 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
systolic heart failure ef cad w, score: 0.17093222
systolic heart failure cad w mi, score: 0.17093222
gave 80iv lasix and, score: 0.01205562

confidence of prediction: 0.757395
Y_true: [11 20 25]
Y_pred: [20 25]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
pmh of htn and, score: 0.38366705
embolic acute infarcts in, score: 0.083626404
prolapse depression hypertension dental infection for, score:
0.080901824

confidence of prediction: 0.539780
Y_true: [11 20 25]
Y_pred: [20 25]
top three important windows for true positive code 25 (424.0: Mitral
valve disorders)
mitral valve prolapse depression, score: 0.5766707
mitral valve prolapse trivial mitral regurgitation is seen, score:
0.14514191
visualized portions of the paranasal sinuses, score: 0.01668383

confidence of prediction: 0.599919
Y_true: [10 32 39]
Y_pred: [17 32 43]

top three important windows for true positive code 32 (511.9:
Unspecified pleural effusion)
pleural fluid pleural fluid final report, score: 0.052271
pleural effusions right continues, score: 0.022730608
pleural effusions are resolving, score: 0.021250444

confidence of prediction: 0.543458
Y_true: [0 1 2 19 23 26 27 37 46]
Y_pred: [0 2 19 21 23 26 27 35 37 46 49]
top three important windows for true positive code 0 (038.9:
Unspecified septicemia)
shock and a recent, score: 0.14901045
meeting initiation of hd was, score: 0.11704861
given multiple possible sources known uti likely chronic, score:
0.1161294

confidence of prediction: 0.710166
Y_true: [0 1 2 19 23 26 27 37 46]
Y_pred: [0 2 19 21 23 26 27 35 37 46 49]
top three important windows for true positive code 2 (250.00:
Diabetes mellitus without mention of complication, type II or
unspecified type, not stated as uncontrolled)
amputation type ii diabetes mellitus recent weight loss, score:
0.010968716
hemodialysis on via a temporary dialysis line he previously, score:
0.0072847777
hemodialysis catheter history of, score: 0.0022496055

confidence of prediction: 0.980446
Y_true: [0 1 2 19 23 26 27 37 46]
Y_pred: [0 2 19 21 23 26 27 35 37 46 49]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
of tunneled hemodialysis catheter history of, score: 0.17896521
initiated on hemodialysis on via, score: 0.07156376
a temporary dialysis line he, score: 0.013560307

confidence of prediction: 0.769697
Y_true: [0 1 2 19 23 26 27 37 46]
Y_pred: [0 2 19 21 23 26 27 35 37 46 49]
top three important windows for true positive code 23 (412: Old
myocardial infarction)
w ischemic cardiomyopathy ef, score: 0.008508138
medical history cad s p mi in medically managed systolic chf last,
score: 0.0031331482
c w cad proximal, score: 0.0026951032

confidence of prediction: 0.986359
Y_true: [0 1 2 19 23 26 27 37 46]
Y_pred: [0 2 19 21 23 26 27 35 37 46 49]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
atrial fibrillation nsvt he was, score: 0.24113098
atrial fibrillation with a, score: 0.07073253

atrial fibrillation with moderate ventricular, score: 0.028936116

confidence of prediction: 0.954817
Y_true: [0 1 2 19 23 26 27 37 46]
Y_pred: [0 2 19 21 23 26 27 35 37 46 49]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
managed systolic chf last echo per osh, score: 0.1448947
yellow brown extr no, score: 0.020748805
pacer defibrillator lead tip projects, score: 0.010810932

confidence of prediction: 0.805165
Y_true: [0 1 2 19 23 26 27 37 46]
Y_pred: [0 2 19 21 23 26 27 35 37 46 49]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
leuks lg 37pm urine, score: 0.1541125
associated uti pt remained afebrile, score: 0.10083369
urosepsis on hospital day the, score: 0.09714459

confidence of prediction: 0.758512
Y_true: [0 1 2 19 23 26 27 37 46]
Y_pred: [0 2 19 21 23 26 27 35 37 46 49]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
meeting initiation of hd was, score: 0.10224575
urosepsis on hospital day the, score: 0.093324654
given multiple possible sources known uti likely chronic, score:
0.0418804

confidence of prediction: 0.872974
Y_true: [5 6 17 31 33 40 41 42 46]
Y_pred: [0 5 29 41 46]
top three important windows for true positive code 5 (276.1:
Hyposmolality and/or hyponatremia)
cachexia hypotension hyponatremia hypoglycemia lower extremity
swelling, score: 0.5929127
noted on volar surface, score: 0.051959693
insults likely deriving from, score: 0.050000418

confidence of prediction: 0.587328
Y_true: [5 6 17 31 33 40 41 42 46]
Y_pred: [0 5 29 41 46]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
pneumothorax feeding tube ends in the, score: 0.04810378
foreign body suture material chest, score: 0.034891322
suture over paracentesis site, score: 0.027007146

confidence of prediction: 0.500212
Y_true: [5 6 17 31 33 40 41 42 46]
Y_pred: [0 5 29 41 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)

attributed to sepsis from the, score: 0.10498953
fluid collection brief hospital, score: 0.07699281
shock in the setting, score: 0.036849897

confidence of prediction: 0.976731
Y_true: [7 9 20 24 27 35 45]
Y_pred: [7 17 20 24 27 30 37 48]
top three important windows for true positive code 7 (285.1: Acute
posthemorrhagic anemia)
underwent a bleeding study, score: 0.02701527
definitively redemonstrate bleeding gi bleeding study, score:
0.025684964
colitis with ulceration no, score: 0.012708033

confidence of prediction: 0.843580
Y_true: [7 9 20 24 27 35 45]
Y_pred: [7 17 20 24 27 30 37 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
favoring chronic diverticulitis as, score: 0.33671224
failure benign hypertension obstructive sleep apnea, score:
0.042922057
chf carcinoid tumor diverticulosis, score: 0.042693995

confidence of prediction: 0.930259
Y_true: [7 9 20 24 27 35 45]
Y_pred: [7 17 20 24 27 30 37 48]
top three important windows for true positive code 24 (414.01:
Coronary atherosclerosis of native coronary artery)
coronary artery disease s p cabg in cad no, score: 0.50078905
s cad copd chf carcinoid tumor, score: 0.019443298
cad s p cabg dchf and, score: 0.018892877

confidence of prediction: 0.983501
Y_true: [7 9 20 24 27 35 45]
Y_pred: [7 17 20 24 27 30 37 48]
top three important windows for true positive code 27 (428.0:
Congestive heart failure, unspecified)
diastolic pulmonic regurgitation velocity, score: 0.062809125
diastolic congestive heart failure benign hypertension, score:
0.040180326
cad copd chf carcinoid tumor diverticulosis, score: 0.03643002

confidence of prediction: 0.841987
Y_true: [0 4 6 7 12 16 17 20 25 29 33 35 40 41 42 49]
Y_pred: [4 7 17 27 29 35 40]
top three important windows for true positive code 4 (272.4: Other
and unspecified hyperlipidemia)
anemia hypertension hyperlipidemia seizure disorder osa colon,
score: 0.07090716
continued meclizine hyperlipidemia continued atorvastatin seizure
disorder, score: 0.057417594
ecf held coumadin on, score: 0.018513462

confidence of prediction: 0.898964
Y_true: [0 4 6 7 12 16 17 20 25 29 33 35 40 41 42 49]
Y_pred: [4 7 17 27 29 35 40]
top three important windows for true positive code 7 (285.1: Acute posthemorrhagic anemia)
anemia bright red blood, score: 0.49692667
and clorazepate dipotassium osa on, score: 0.061428882
500mg tamiflu 75mg x1, score: 0.038152717

confidence of prediction: 0.752331
Y_true: [0 4 6 7 12 16 17 20 25 29 33 35 40 41 42 49]
Y_pred: [4 7 17 27 29 35 40]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
picc was placed for difficult, score: 0.19435821
vein picc placement history of, score: 0.038085766
central line placement and removal, score: 0.022979386

confidence of prediction: 0.869074
Y_true: [0 4 6 7 12 16 17 20 25 29 33 35 40 41 42 49]
Y_pred: [4 7 17 27 29 35 40]
top three important windows for true positive code 29 (486: Pneumonia, organism unspecified)
associated pneumonia acute renal, score: 0.3747588
associated pneumonia acute renal, score: 0.21508545
associated pneumonia shortness of, score: 0.12522687

confidence of prediction: 0.774028
Y_true: [0 4 6 7 12 16 17 20 25 29 33 35 40 41 42 49]
Y_pred: [4 7 17 27 29 35 40]
top three important windows for true positive code 35 (584.9: Acute kidney failure, unspecified)
also had arf with cr now resolving, score: 0.044229694
acute renal failure resolved with, score: 0.025290985
acute renal failure internal hemorrhoids, score: 0.025290985

confidence of prediction: 0.723495
Y_true: [0 4 6 7 12 16 17 20 25 29 33 35 40 41 42 49]
Y_pred: [4 7 17 27 29 35 40]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
and extubation central line, score: 0.09282642
the micu intubated on icu day1, score: 0.08605147
pulses compression stockings in place, score: 0.047699466

confidence of prediction: 0.933587
Y_true: [9 10 12 16 17 29 30 32 33 41 43 46]
Y_pred: [17 41 43]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
right picc line placed retaining co2, score: 0.09916955
mrsa bal yeast bal yeast bcx ng, score: 0.08991959
extremities dobhoff placed tf re started, score: 0.041877415

confidence of prediction: 0.501774
Y_true: [9 10 12 16 17 29 30 32 33 41 43 46]
Y_pred: [17 41 43]
top three important windows for true positive code 41 (96.6: Enteral infusion of concentrated nutritional substances)
trach at bedside neuro, score: 0.15470174
alert moving all extremities, score: 0.044375997
abscess percutaneous tracheostomy at bedside in, score: 0.028112946

confidence of prediction: 0.624876
Y_true: [9 10 12 16 17 29 30 32 33 41 43 46]
Y_pred: [17 41 43]
top three important windows for true positive code 43 (96.72: Continuous invasive mechanical ventilation for 96 consecutive hours or more)
rr o2sat intubated gen, score: 0.070869036
percutaneous tracheostomy at bedside in, score: 0.03563823
perc trach at bedside neuro, score: 0.026602603

confidence of prediction: 0.822658
Y_true: [1 12 16 17 33 40 41 42 46]
Y_pred: [1 12 17 29 35 37 40 43]
top three important windows for true positive code 1 (244.9: Unspecified acquired hypothyroidism)
and hypothyroidism who presented earlier today, score: 0.623507
and hypothyroidism admitted with multifocal, score: 0.29083568
trisomy hypothyroidism chronic flatulence abdominal pain, score: 0.0077805812

confidence of prediction: 0.681036
Y_true: [1 12 16 17 33 40 41 42 46]
Y_pred: [1 12 17 29 35 37 40 43]
top three important windows for true positive code 12 (33.24: Closed [endoscopic] biopsy of bronchus)
flora mini bal commensal respiratory flora yeast, score: 0.08528925
and mini bal cultures were negative, score: 0.071118504
sensitive strep pneumoniae she became, score: 0.03831724

confidence of prediction: 0.903300
Y_true: [1 12 16 17 33 40 41 42 46]
Y_pred: [1 12 17 29 35 37 40 43]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
emboli and bedside echo, score: 0.09846234
venous catheter endotracheal tube, score: 0.046636365
ventilation picc line placement r ij central line placement history of, score: 0.020940352

confidence of prediction: 0.716525
Y_true: [1 12 16 17 33 40 41 42 46]
Y_pred: [1 12 17 29 35 37 40 43]
top three important windows for true positive code 40 (96.04: Insertion of endotracheal tube)
and mini bal cultures were, score: 0.17041002

and was intubated in the, score: 0.075139716
flora mini bal commensal, score: 0.057577513

confidence of prediction: 0.708906
Y_true: [3 20 24 26 37 41 47 49]
Y_pred: [3 20 26 31 37 41]
top three important windows for true positive code 3 (272.0: Pure
hypercholesterolemia)
at hypercholesterolemia hypertension anxiety disorder history of,
score: 0.029910987
on she spiked a fever, score: 0.0058621876
was subsequently discontinued due, score: 0.002412905

confidence of prediction: 0.652338
Y_true: [3 20 24 26 37 41 47 49]
Y_pred: [3 20 26 31 37 41]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
perseverating with non fluent, score: 0.12066509
female with htn dlp atrial fibrillation, score: 0.08191764
female with htn dlp atrial fibrillation flutter on coumadin
coronary, score: 0.08191764

confidence of prediction: 0.838184
Y_true: [3 20 24 26 37 41 47 49]
Y_pred: [3 20 26 31 37 41]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
fibrillation flutter on coumadin, score: 0.11735486
atrial fibrillation atrial flutter atrial, score: 0.07744513
afib flutter a tach she, score: 0.059782833

confidence of prediction: 0.977841
Y_true: [3 20 24 26 37 41 47 49]
Y_pred: [3 20 26 31 37 41]
top three important windows for true positive code 37 (599.0:
Urinary tract infection, site not specified)
enterococcus uti subdural hemorrhage the, score: 0.1874531
her uti infection she also, score: 0.1560009
urinary tract infection and post, score: 0.10662624

confidence of prediction: 0.947989
Y_true: [3 20 24 26 37 41 47 49]
Y_pred: [3 20 26 31 37 41]
top three important windows for true positive code 41 (96.6: Enteral
infusion of concentrated nutritional substances)
placed tube feeds were re started, score: 0.07992601
secretions dry mucous membranes perrla, score: 0.015303651
and subsequent eeg on showed, score: 0.014714766

confidence of prediction: 0.861436
Y_true: [2 5 7 19 28 29 40 43 45]
Y_pred: [5]
top three important windows for true positive code 5 (276.1:

Hyposmolality and/or hyponatremia)
showed worsening hyponatremia with na and last, score: 0.7450011
and lobular inflammation is, score: 0.0408769
of lobular [UNK] laden, score: 0.030476298

confidence of prediction: 0.895114
Y_true: [1 7 20]
Y_pred: [1 11 17 20 35 45]
top three important windows for true positive code 1 (244.9:
Unspecified acquired hypothyroidism)
disease hypothyroid continued outpatient medications tsh, score:
0.4676704
impairment hypothyroidism insomnia osteoporosis did, score:
0.33249554
ago hypothyroidism depression dementia nos short term, score:
0.046608564

confidence of prediction: 0.758778
Y_true: [1 7 20]
Y_pred: [1 11 17 20 35 45]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
medical history hypertension tia, score: 0.059664156
of cad htn anemia dementia who presents, score: 0.045589883
pts daughter htn [UNK] and norvasc, score: 0.034239117

confidence of prediction: 0.873145
Y_true: [6 14 18 22 38 39 45 49]
Y_pred: [8 17 18 24 45 49]
top three important windows for true positive code 18 (39.61:
Extracorporeal circulation auxiliary to open heart surgery)
cardiothoracic allergies codeine urecholine, score: 0.14073172
and usual tpn related, score: 0.012414391
transesophageal echocardiogram minimally invasive, score:
0.010247198

confidence of prediction: 0.908312
Y_true: [6 14 18 22 38 39 45 49]
Y_pred: [8 17 18 24 45 49]
top three important windows for true positive code 45 (99.15:
Parenteral infusion of concentrated nutritional substances)
usual tpn related blood tests, score: 0.7585304
risks tpn was administered, score: 0.08438192
on tpn for nutrition as well, score: 0.065639794

confidence of prediction: 0.714167
Y_true: [6 14 18 22 38 39 45 49]
Y_pred: [8 17 18 24 45 49]
top three important windows for true positive code 49 (V58.61: Long-
term (current) use of anticoagulants)
x on coumadin history, score: 0.37453902
resumed with coumadin and, score: 0.28279346
a day warfarin mg, score: 0.09679933

confidence of prediction: 0.704643
Y_true: [8 9 16 17 19 26 27 29 31 32 33 40 42 46 49]
Y_pred: [2 19 21 26 35 36 41 46]
top three important windows for true positive code 19 (39.95:
Hemodialysis)
sessions of hd and afib, score: 0.077675276
ct lplt 02am blood, score: 0.0139295645
troponins and initiation of, score: 0.010331764

confidence of prediction: 0.984738
Y_true: [8 9 16 17 19 26 27 29 31 32 33 40 42 46 49]
Y_pred: [2 19 21 26 35 36 41 46]
top three important windows for true positive code 26 (427.31:
Atrial fibrillation)
afib on coumadin and pvd, score: 0.69848585
irregularly irregular s1 s2 systolic, score: 0.1692783
afib with rvr s p, score: 0.04047091

confidence of prediction: 0.785866
Y_true: [8 9 16 17 19 26 27 29 31 32 33 40 42 46 49]
Y_pred: [2 19 21 26 35 36 41 46]
top three important windows for true positive code 46 (995.92:
Severe sepsis)
multiple full and partial, score: 0.07635709
with septic shock from blood cultures, score: 0.057409313
vanc zosyn source felt to, score: 0.041058335

confidence of prediction: 0.843613
Y_true: [11 34]
Y_pred: [27 34]
top three important windows for true positive code 34 (530.81:
Esophageal reflux)
recurrence depression gerd social history lives with, score:
0.070394404
discontinued as disease progression, score: 0.010199065
thoracoscopy biopsy biopsies confirmed, score: 0.009968663

confidence of prediction: 0.754770
Y_true: [1 2 20 48]
Y_pred: [17 20 48]
top three important windows for true positive code 20 (401.9:
Unspecified essential hypertension)
non coronary study date, score: 0.131428
infarcts of undetermined age, score: 0.09458468
medical history htn parkinson s disease diagnosed, score: 0.08744099

confidence of prediction: 0.835597
Y_true: [1 2 20 48]
Y_pred: [17 20 48]
top three important windows for true positive code 48 (V45.81:
Aortocoronary bypass status)
cad with cabg several, score: 0.22752558
ago cad s p cabg years ago and, score: 0.0011883614
myocardial infarction of undetermined, score: 0.0011300113

confidence of prediction: 0.694732
Y_true: [2 5 8 17 31 33 40 41 43 45]
Y_pred: [17 26]
top three important windows for true positive code 17 (38.93: Venous catheterization, not elsewhere classified)
source line picc line m furfur added, score: 0.15123937
picc line and replaced over, score: 0.062359903
venous line ends low, score: 0.050658025