


Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere?

[Import a repository.](#)

Required fields are marked with an asterisk (*).

Owner *

 a-ayushi

Repository name *

assignmentProject

✓ assignmentProject is available.

Great repository names are short and memorable. Need inspiration? How about [animated-rotary-phone](#) ?

Description (optional)



Public

Anyone on the internet can see this repository. You choose who can commit.



Private

You choose who can see and commit to this repository.

Initialize this repository with:

assignmentProject Public

Pin Unwatch 1 Fork 0 Star 0

main 1 Branch 0 Tags Go to file Add file Code

a-ayushi add html page e2fca0a · 1 minute ago 2 Commits		
README.md	Initial commit	11 minutes ago
index.html	add html page	1 minute ago

README

assignmentProject

About

No description, website, or topics provided.

- Readme
- Activity
- 0 stars
- 1 watching
- 0 forks

Releases

No releases published
[Create a new release](#)

Packages

File Edit Selection View Go Run ...

assignmentGIT

EXPLOER

ASSIGNMENTGIT

NucleusTeqAssignments

index.html

OUTLINE

TIMELINE

Welcome

index.html

index.html > html > body > h1

```
2 <html lang="en">
3   <head>
4
5     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6     <title>Document</title>
7   </head>
8   <body>
9     <h1>this is a heading.</h1>
10  </body>
11 </html>
12
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

powershell

remote: Enumerating objects: 20, done.
remote: Counting objects: 100% (20/20), done.
remote: Enumerating objects: 20, done.
remote: Counting objects: 100% (20/20), done.
remote: Compressing objects: 100% (19/19), done.
remote: Total 20 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (20/20), 7.47 MiB | 1.48 MiB/s, done.
PS D:\aayushi\gitpractice\assignmentGIT> git clone https://github.com/a-ayushi/NucleusTeqAssignments.git
Cloning into 'NucleusTeqAssignments'...
remote: Enumerating objects: 20, done.
remote: Counting objects: 100% (20/20), done.
remote: Compressing objects: 100% (19/19), done.
remote: Total 20 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (20/20), 7.47 MiB | 2.11 MiB/s, done.
PS D:\aayushi\gitpractice\assignmentGIT>

Ln 9, Col 27 Spaces: 4 UTF-8 CRLF {} HTML Go Live Prettier

Search

15:16 18-02-2025

File Edit Selection View Go Run ... ← → assignmentGIT

EXPLORER

- ASSIGNMENTGIT
 - assignment
 - index.html
 - NucleusTeqAssignments

index.html

```
1 assignment > <> index.html > ...
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8" />
5 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6 <title>Document</title>
7 </head>
8 <body>
9 <h1>this is a heading.</h1>
10 </body>
11 </html>
12
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS


powershell

```
remote: Enumerating objects: 20, done.
remote: Counting objects: 100% (20/20), done.
remote: Compressing objects: 100% (19/19), done.
remote: Total 20 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (20/20), 7.47 MiB | 1.48 MiB/s, done.
PS D:\aayushi\gitpractice\assignmentGIT> git clone https://github.com/a-ayushi/NucleusTeqAssignments.git
Cloning into 'NucleusTeqAssignments'...
remote: Enumerating objects: 20, done.
remote: Counting objects: 100% (20/20), done.
remote: Compressing objects: 100% (19/19), done.
remote: Total 20 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (20/20), 7.47 MiB | 2.11 MiB/s, done.
⊗ PS D:\aayushi\gitpractice\assignmentGIT> git add .
fatal: not a git repository (or any of the parent directories): .git
○ PS D:\aayushi\gitpractice\assignmentGIT>
```

Ln 12, Col 1 Spaces: 4 UTF-8 CRLF {} HTML Go Live ✓ Prettier

Search

15:18 18-02-2025





VS Code interface showing a project named **ASSIGNMENT** with files `index.html`, `README.md`, and `style.css`. The `style.css` file is open in the editor, showing a blank file with line 1.


The terminal window shows the following commands and output:

```
PS D:\aayushi\assignment> git clone https://github.com/a-ayushi/assignmentProject.git
Cloning into 'assignmentProject'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.
PS D:\aayushi\assignment> cd assignmentProject
PS D:\aayushi\assignment\assignmentProject> git add .
PS D:\aayushi\assignment\assignmentProject>
```

The status bar at the bottom indicates the current file is `Ln 1, Col 1`, with `Spaces: 4`, `UTF-8` encoding, `CRLF` line endings, and `{ } CSS` language. The system tray shows the date and time as **15:36 18-02-2025**.







assignmentProject Public
Pin Unwatch 1 Fork 0 Star 0

main 1 Branch 0 Tags
Go to file Add file Code

a-ayushi add css page 249764c · 1 minute ago 3 Commits		
README.md	Initial commit	51 minutes ago
index.html	add html page	41 minutes ago
style.css	add css page	1 minute ago

README

assignmentProject

About

No description, website, or topics provided.

- Readme
- Activity
- 0 stars
- 1 watching
- 0 forks

Releases

No releases published
[Create a new release](#)

Packages

File Edit Selection View Go Run ... assignment

EXPLORER

- ASSIGNMENT
 - assignmentProject
 - index.html
 - README.md
 - style.css

style.css

index.html X

```
assignmentProject > <> index.html > ...
1 <!DOCTYPE html>
2 <html lang="en">
3   <head>
4     <meta charset="UTF-8" />
5     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6     <title>Document</title>
7   </head>
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

powershell - assignmentProject

```
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 311 bytes | 103.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/a-ayushi/assignmentProject.git
   e2fca0a..249764c  main -> main
PS D:\aayushi\assignment\assignmentProject> git commit -m "css page"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
PS D:\aayushi\assignment\assignmentProject> git checkout -b feature1
Switched to a new branch 'feature1'
PS D:\aayushi\assignment\assignmentProject> git branch
* feature1
  main
PS D:\aayushi\assignment\assignmentProject>
```

> OUTLINE

> TIMELINE

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF {} HTML Go Live Prettier

feature1 0 0

15:41 18-02-2025

Visual Studio Code interface showing a project named "assignment" with files: style.css, index.html, and script.js. The terminal window displays the following commands and output:

```
assignmentProject > JS script.js
1

On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
• PS D:\aayushi\assignment\assignmentProject> git checkout -b feature1
Switched to a new branch 'feature1'
• PS D:\aayushi\assignment\assignmentProject> git branch
* feature1
  main
• PS D:\aayushi\assignment\assignmentProject> git add .
• PS D:\aayushi\assignment\assignmentProject> git push origin feature1
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature1' on GitHub by visiting:
remote:   https://github.com/a-ayushi/assignmentProject/pull/new/feature1
remote:
To https://github.com/a-ayushi/assignmentProject.git
 * [new branch]      feature1 -> feature1
• PS D:\aayushi\assignment\assignmentProject> git commit -m "add script page"
[feature1 4db06f1] add script page
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 script.js
• PS D:\aayushi\assignment\assignmentProject>
```

The status bar at the bottom indicates the current branch is "feature1" and shows 0 changes. The system tray at the bottom right displays the date and time: 18-02-2025, 15:43.

feature1 had recent pushes 16 seconds ago [Compare & pull request](#)

feature1 2 Branches 0 Tags Add file [Code](#)

This branch is 1 commit ahead of main [Contribute](#)

a-ayushi add script page 4db06f1 · 3 minutes ago 4 Commits		
README.md	Initial commit	1 hour ago
index.html	add html page	49 minutes ago
script.js	add script page	3 minutes ago
style.css	add css page	9 minutes ago

[README](#)

About [Settings](#)
No description, website, or topics provided.

- [Readme](#)
- [Activity](#)
- 0 stars
- 1 watching
- 0 forks

Releases
No releases published
[Create a new release](#)

Packages
No packages published
[Publish your first package](#)

Languages

File Edit Selection View Go Run ... assignment

EXPLORER

- ASSIGNMENT
 - assignmentProject
 - index.html
 - README.md
 - script.js
 - style.css

style.css index.html script.js

assignmentProject > JS script.js

1

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

powershell - assignmentProject

```
create mode 100644 script.js
PS D:\aayushi\assignment\assignmentProject> git commit -m "add script page"
On branch feature1
nothing to commit, working tree clean
PS D:\aayushi\assignment\assignmentProject> git push origin feature1
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 316 bytes | 158.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/a-ayushi/assignmentProject.git
249764c..4db06f1 feature1 -> feature1
PS D:\aayushi\assignment\assignmentProject> git commit -m "add script page"
On branch feature1
nothing to commit, working tree clean
PS D:\aayushi\assignment\assignmentProject> git checkout -b feature2
Switched to a new branch 'feature2'
PS D:\aayushi\assignment\assignmentProject> git branch
feature1
* feature2
main
PS D:\aayushi\assignment\assignmentProject>
```

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

feature2 0 0

Search

ENG IN 15:47 18-02-2025

File Edit Selection View Go Run ... ← → assignment

EXPLORER

- ASSIGNMENT
 - assignmentProject
 - button.css
 - index.html
 - README.md
 - script.js
 - style.css

style.css index.html JS script.js # button.css X

assignmentProject > # button.css

1

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

powershell - assignmentProject + -

```
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/a-ayushi/assignmentProject.git
4db06f1..8594f3f feature2 -> feature2
PS D:\aayushi\assignment\assignmentProject> git commit -m "add button style"
On branch feature2
nothing to commit, working tree clean
PS D:\aayushi\assignment\assignmentProject> git branch
feature1
* feature2
main
PS D:\aayushi\assignment\assignmentProject> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS D:\aayushi\assignment\assignmentProject> git checkout feature1
Switched to branch 'feature1'
PS D:\aayushi\assignment\assignmentProject> git merge feature2
Updating 4db06f1..8594f3f
Fast-forward
 button.css | 0
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 button.css
PS D:\aayushi\assignment\assignmentProject>
```

< feature1 0 0

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF {} CSS Go Live Prettier

15:51 18-02-2025

File Edit Selection View Go Run ... ← → assignment

EXPLORER

- ASSIGNMENT
 - assignmentProject
 - button.css
 - index.html
 - README.md
 - script.js
 - style.css

button.css

1

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

git - assignmentProject

```
On branch feature1
nothing to commit, working tree clean
PS D:\aayushi\assignment\assignmentProject> git log
commit 8594f3faa773277f39dd5de34da7f368fc68d45a (HEAD -> feature1, origin/feature2, feature2)
Author: a-ayushi <aayushipatidar07@gmail.com>
Date: Tue Feb 18 15:48:41 2025 +0530

    add button style

commit 4db06f1bccb551301d78a90d2a8e3bc3619db346 (origin/feature1)
Author: a-ayushi <aayushipatidar07@gmail.com>
Date: Tue Feb 18 15:43:29 2025 +0530

    add script page

commit 249764c38b1d20a871863e0f9fc1be0685b3fdec (origin/main, origin/HEAD, main)
Author: a-ayushi <aayushipatidar07@gmail.com>
commit e2fca0a1f2fbf6d9327f1656d0255a40f807fc2e
Author: a-ayushi <aayushipatidar07@gmail.com>

....skipping...
commit 8594f3faa773277f39dd5de34da7f368fc68d45a (HEAD -> feature1, origin/feature2, feature2)
Author: a-ayushi <aayushipatidar07@gmail.com>
Date: Tue Feb 18 15:48:41 2025 +0530

    add button style


commit 4db06f1bccb551301d78a90d2a8e3bc3619db346 (origin/feature1)
Author: a-ayushi <aayushipatidar07@gmail.com>
```

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF {} CSS Go Live Prettier

feature1 0 0

Search

15:56 18-02-2025



Visual Studio Code interface showing a project named "assignment" with files: `style.css`, `index.html`, `script.js`, `button.css`, and `header.css`.

The Explorer view shows the project structure:

- ASSIGNMENT
 - assignmentProject
 - `header.css`
 - `index.html`
 - `README.md`
 - `style.css`

The editor displays the content of `header.css`:

```
assignmentProject > # header.css
1
```

The Terminal view shows the following commands and output:

```
PS D:\aayushi\assignment\assignmentProject> git add .
PS D:\aayushi\assignment\assignmentProject> git push origin main
Everything up-to-date
PS D:\aayushi\assignment\assignmentProject> git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   header.css

PS D:\aayushi\assignment\assignmentProject> git commit -m "header css"
[main b5bdd11] header css
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 header.css
PS D:\aayushi\assignment\assignmentProject> git reset
PS D:\aayushi\assignment\assignmentProject>
```

The status bar at the bottom indicates the current branch is `main`, with 0 changes and 0 deletions. The language mode is set to CSS, and the editor is using the Prettier formatter.