



# LGS GROUP OF COLLEGES

A PROJECT OF LAHORE GRAMMAR SCHOOL

Sheet # \_\_\_\_\_

Name: M. Mujtaba Imtiaz Class: 12th Roll No. \_\_\_\_\_

Subject: Comp Test No. \_\_\_\_\_ Date: \_\_\_\_\_

A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	Marks Obtained
1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	6	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	11	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	16	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	7	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	12	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	17	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	13	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	18	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
4	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	9	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	14	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	19	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
5	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	10	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	15	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	20	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

(1)

Data integrity refers to the consistency and correctness of data. It ensures that the data in database is accurate, correct and reliable.

For example,

Consider a table

ID	Name	Age
1	Ali	18
2	Ahmad	19

If, in case, the user enters number -5 in the age section, it violates data integrity because the data is not valid.

(2)

Entity Integrity is a constraint that states that no value of primary key should contain nulls. It ensures that in a column of primary key there is no null or duplicate value.





ID	Name	Age
1	Ali	19
1	Raza	20

It also violates data integrity because there is '1' written in both rows of column of primary key.

### (3)

It is a constraints or foreign key values that states that if a foreign key exists in a relation, then either it is fully null or must match the value of primary key in other relation.

For example

Table-1

ID	Name	ClassID
1	Ali	102
2	Ali	103

Table-2

ClassID	Marks
102	99
103	98

If you delete ID 1 from the independent table then other table would have invalid reference. Reference Integrity prevents this from happening.

### (4)

**Synonym :-**

1. — It is used when two different names are used for the same





attributes (if it resides in the other row or entity as well).

2 — For Example,

**ITEM**

Stock  
Supplier-Code

**SUPPLIER**

Supplier-ID (error)  
Name

It should be used Supplier-Code in the supplier section instead of Supplier-ID.

**Homonym: —**

1 — It is used when same name for two different infos or attributes are used.

2 — For Example,

**Supplier**

Supplier-Name

**Company**

Supplier-Name  
(error)

There should be Company-Name instead of Supplier-Name in company section.

**(5)**  
It refers to the unnecessary repetition or duplication of data.

In databases, it means to have more copies of data than actually needed. It can lead to inconsistency and ineffectiveness as well.

**For Example,**

Storing a Customer's address in both Customer table and Order table.