D	NAME: Muhammad Ahmad
7	DATE:
9	Siology
2	
2	(1)
2	amphibions of plants
V	
A	Bryophytes were the first plants to colonize
7	dand they are pourly about they connot live
*	a in From water they need water for
77	reproduction thats why they are carred comphibians of plants.
7	(ii)
•	Alternation of
)	generation
4	· In the process multicellular haploid gametophyte
-3	The same of the sa
0/5	alternates with multicentular rapidles continuous
-)	offernates with multicentular rapportes continuous off is very important which provides continuous genetic yoriobilities.
-)	• In the process multicellular haploid gametophyte alternates with multicellular haploid sporophyte. • It is very important which provides continuous genetic variabilities.
1	elternates with multicentally hopiote sport of an involved continuous genetic yariabilities. genetic yariabilities. Selection for the best genetic make up for survival and adaptation in changing environment.
1 1 1 1 1 1	• It is very important which provides continuous genetic yariabilities. • Selection for the best genetic make up for survival and adaptation in changing environment. • (nametophyte is dominant and sporophyte remains attached to it.
461164	ellernates with matricental reports sport and acaptation in changing environments of the best genetic make up for survival and acaptation in changing environments of the change of the
و ا	• It is very important which provides continuous genetic variabilities. • Selection for the best genetic make up for survival and adaptation in changing environment. • (nametophyte is dominant and sporophyte remains attached to it.
コートロートロート	elternites with multicentum happines continuous This very important which provides continuous genetic Yariabilities. Selection for the best genetic make up for survival and adaptation in changing environment. Inametophyte is dominant and sporophyte remains attached to it. LGS GROUP OF COLLEGES

DATE:
Arthrophytes
Plants belonging to this group are also called arthrophytes because the whole plant body is composed of large number of joints. Main stem is not smooth it has large number of ridges and furrows.
life cycle of Bryophytes
Bryophytes
(n)Archegonia → Egg(Ω)
plant body Grame to phyte zygote (n) Antheridia — sperm (2N)
Sporophyte Sporophyte(70)
Spores - Sporocyte - Sporophyte(2n)
HORN WORTS
This group of bryophytes differs in mony respects and is highly adwanced then other groups.
LGS GROUP OF COLLEGES

3	DATE:
-	1 1 1 is I is I work and icrogular.
Ì	· gametophyte is highly lobed and irregular.
3	not dependent and protection.
3	not dependent on gamerophy to
3	A II : 6 and archagania are sunken in
3	· Antheridia and archegonia are sunken in gametophyte.
4	Jerry O
N	MCQS
7	O Parallel venation.
3	
7	@ Gymnosperm.
4	3 Lycopside.
-	(4) Seven.
*	5 Secchern munje.
6	O recenting tronge
43	
•	
•	
*	
•	
9	LGS GROUP OF COLLEGES

