

Download Apache Spark™

- 1. Choose a Spark release: 3.3.1 (Oct 25 2022) V
- 2. Choose a package type: Pre-built for Apache Hadoop 3.3 and later
- 3. Download Spark: spark-3.3.1-bin-hadoop3.tgz
- Verify this release using the 3.3.1 signatures, checksums and project release KEYS by following these procedures.

Note that Spark 3 is pre-built with Scala 2.12 in general and Spark 3.2+ provides additional pre-built distribution with Scala 2.13.

Link with Spark

Spark artifacts are hosted in Maven Central. You can add a Maven dependency with the following coordinates:

groupId: org.apache.spark
artifactId: spark-core_2.12

version: 3.3.1

Installing with PyPi

Latest News

Spark 3.2.3 released (Nov 28, 2022)

Spark 3.3.1 released (Oct 25, 2022)

Spark 3.2.2 released (Jul 17, 2022)

Spark 3.3.0 released (Jun 16, 2022)

Archive



DOWNLOAD SPARK


Built-in Libraries:

SQL and DataFrames

Spark Streaming

MLlib (machine learning)

GraphX (graph)





Download Libraries ▼ Documentation ▼ Examples Community ▼ Developers ▼

Apache Software Foundation ▼

Download Apache Spark™

- 1. Choose a Spark release: 3.3.1 (Oct 25 2022) 🔻
- 2. Choose a package type: Pre-built for Apache Hadoop 3.3 and later
- 3. Download Spark: spark-3.3.1-bin-hadoop3.tgz
- Verify this release using the 3.3.1 signatures, checksums and project release KEYS by following these procedures.

Note that Spark 3 is pre-built with Scala 2.12 in general and Spark 3.2+ provides additional pre-built distribution with Scala 2.13.

Link with Spark

Spark artifacts are hosted in Mayen Central. You can add a Mayen dependency with the following coordinates:

groupId: org.apache.spark
artifactId: spark-core_2.12

version: 3.3.1

Installing with PyPi

Latest News

Spark 3.2.3 released (Nov 28, 2022)

Spark 3.3.1 released (Oct 25, 2022)

Spark 3.2.2 released (Jul 17, 2022)

Spark 3.3.0 released (Jun 16, 2022)

Archive



DOWNLOAD SPARK

Built-in Libraries:


SQL and DataFrames

Spark Streaming

MLlib (machine learning)

GraphX (graph)

@ mar 6 dic, 19:09



Sublime 🔁

Code -\$ 11

VMware

total 474944

\$ 11

Archivo Acciones Editar Vista Ayuda

o el directorio


—(kali⊛Kali)-[~]

-(kali⊕Kali)-[~] cd Descargas

VisualSt ──(kali⊛Kali)-[~/Descargas]

___(kali⊛Kali)-[~/Descargas]

mar 6 dic, 19:11



📉 🔚 🛅 🍃 🝏 🖭 🗸 🗎 2 3 4 🗎 👏 🔚 🖿

spark-3.3.1-bin-hadoop3/R/lib/SparkR/help/

📉 🔚 🛅 🍃 🐸 🗗 v | 1 2 3 4 | 👏 📴 💻

Archivo Acciones Editar Vista Ayuda

spark-3.3.1-bin-hadoop3/sbin/stop-all.sh spark-3.3.1-bin-hadoop3/sbin/stop-history-server.sh

spark-3.3.1-bin-hadoop3/sbin/stop-master.sh

spark-3.3.1-bin-hadoop3/sbin/stop-mesos-dispatcher.sh

spark-3.3.1-bin-hadoop3/sbin/stop-mesos-shuffle-service.sh

spark-3.3.1-bin-hadoop3/sbin/stop-slave.sh

spark-3.3.1-bin-hadoop3/sbin/stop-slaves.sh

spark-3.3.1-bin-hadoop3/sbin/stop-thriftserver.sh

spark-3.3.1-bin-hadoop3/sbin/stop-worker.sh

spark-3.3.1-bin-hadoop3/sbin/stop-workers.sh

spark-3.3.1-bin-hadoop3/sbin/workers.sh

spark-3.3.1-bin-hadoop3/yarn/

spark-3.3.1-bin-hadoop3/yarn/spark-3.3.1-yarn-shuffle.jar

[| (kali⊛ Kali) - [~/hadoop]

—(kali⊕Kali)-[~/hadoop]

└\$ java -version

Picked up _JAVA_OPTIONS: -Dawt.useSystemAAFontSettings=on -Dswing.aatext=true

openidk version "11.0.16" 2022-07-19

OpenJDK Runtime Environment (build 11.0.16+8-post-Debian-1)

OpenJDK 64-Bit Server VM (build 11.0.16+8-post-Debian-1, mixed mode, sharing)

—(kali⊛Kali)-[~/hadoop] □s python3 -- version

Python 3.9.10


-(kali®Kali)-[~/hadoop]


<u></u>\$ 11

└\$ 11

total 156







📉 📗 🛅 🍃 🐸 🖭 v | 1 2 3 4 | 👏 🖭 🖿

```
Archivo Acciones Editar Vista Ayuda
# colored GCC warnings and errors
#export GCC COLORS='error=01;31:warning=01;35:note=01;36:caret=01;32:locus=01:quote=01'
# some more ls aliases
alias II='ls -l'
alias la='ls -A'
alias l='ls -CF'
alias hola='Hola mundo!!!'
# Alias definitions.
# You may want to put all your additions into a separate file like
# ~/.bash_aliases, instead of adding them here directly.
# See /usr/share/doc/bash-doc/examples in the bash-doc package.
if [ -f ~/.bash_aliases ]; then
    . ~/.bash aliases
# this, if it's already enabled in /etc/bash.bashrc and /etc/profile
# sources /etc/bash.bashrc).
if ! shopt -oq posix; then
  if [ -f /usr/share/bash-completion/bash_completion ]; then
    . /usr/share/bash-completion/bash_completion
  elif [ -f /etc/bash_completion ]; then
    . /etc/bash completion
 fi
SPARK_HOME=~/hadoop/spark-3.3.1-bin-hadoop3
PATH=$SPARK_HOME/bin:$PATH
```

```
/_/__/___/__/__/
/__/.__/___/____/ version 3.3.1
```

Setting default log level to "WARN".

Spark session available as 'spark'.

Archivo Acciones Editar Vista Ayuda

∟\$ bash

ce eth0)

pplicable

Welcome to

__(kali⊕Kali)-[~]

spark-shell

Using Scala version 2.12.15 (OpenJDK 64-Bit Server VM, Java 11.0.16) Type in expressions to have them evaluated. Type :help for more information.

```
scala> 2+2
res0: Int = 4
scala>
```