Table 1: All lowest-requested-budget conditions. Adequacy means L1/max(exact-reference L1,0.01) ≤ 0.20 and signed top-3 overlap $\geq 2/3$ for the fixed B32 empirical interventional probability game over raw-feature groups. Rates average 60 input clusters with 30 independent runs each; brackets are supplied pointwise 95% instance-cluster percentile intervals. † marks an observed all-success panel with the supplied two-sided Hoeffding boundary interval instead. Actual rows and process CPU milliseconds are means per call; requested budget labels do not equate realized work. At every highest budget (German 2048, ACS 512, Diabetes 128), observed primary rates are 1 with displayed interval [0.825,1]; none certifies population adequacy ≥ 0.95. Intervals condition on fixed models/split/background.

Dataset	Model	Method	Budget	Rows	CPU ms	Rate [95% interval]
German	LR	Permutation	128	3,668	1.79	$1.000\ [0.825, 1.000]$†
German	LR	Kernel	128	4,129	12.39	$1.000\ [0.825, 1.000]$†
German	RF	Permutation	128	3,669	23.65	$0.997\ [0.992, 1.000]$
German	RF	Kernel	128	4,129	46.52	$0.998\ [0.995, 1.000]$
German	HGB	Permutation	128	3,670	19.92	$0.979\ [0.963, 0.992]$
German	HGB	Kernel	128	4,129	30.09	$0.949\ [0.913, 0.980]$
ACSIncome	LR	Permutation	64	1,694	11.24	$0.999\ [0.997, 1.000]$
ACSIncome	LR	Kernel	64	2,081	36.27	$0.959\ [0.920, 0.988]$
ACSIncome	RF	Permutation	64	1,690	28.73	$0.944\ [0.902, 0.977]$
ACSIncome	RF	Kernel	64	2,081	55.48	$0.854\ [0.777, 0.923]$
ACSIncome	HGB	Permutation	64	1,694	10.01	$1.000\ [0.825, 1.000]$†
ACSIncome	HGB	Kernel	64	2,081	17.76	$0.902\ [0.843, 0.953]$
Diabetes	LR	Permutation	32	915	0.64	$1.000\ [0.825, 1.000]$†
Diabetes	LR	Kernel	32	1,057	3.77	$0.999\ [0.998, 1.000]$
Diabetes	RF	Permutation	32	911	13.61	$0.995\ [0.989, 0.999]$
Diabetes	RF	Kernel	32	1,057	32.93	$0.901\ [0.863, 0.934]$
Diabetes	HGB	Permutation	32	912	6.97	$0.926\ [0.895, 0.953]$
Diabetes	HGB	Kernel	32	1,057	12.98	$0.779\ [0.722, 0.834]$