

GNU Readline

"C-@" set-mark	":" to "~" self-insert	"M-<" beginning-of-history
"C-A" beginning-of-line	"C-?" backward-delete-char	"M=" possible-completions
"C-B" backward-char	"M-C-G" abort	"M->" end-of-history
"C-D" delete-char	"M-C-H" backward-kill-word	"M-?" possible-completions
"C-E" end-of-line	"M-C-I" tab-insert	"M-B" backward-word
"C-F" forward-char	"M-C-J" vi-editing-mode	"M-C" capitalize-word
"C-G" abort	"M-C-M" vi-editing-mode	"M-D" kill-word
"C-H" backward-delete-char	"M-C-R" revert-line	"M-F" forward-word
"C-I" complete	"M-C-Y" yank-nth-arg	"M-L" downcase-word
"C-J" accept-line	"M-C-[" complete	"M-N" non-incremental-forward-search-history
"C-K" kill-line	"M-C-]" character-search-backward	"M-P" non-incremental-reverse-search-history
"C-L" clear-screen	"M-space" set-mark	"M-R" revert-line
"C-M" accept-line	"M-#" insert-comment	"M-T" transpose-words
"C-N" next-history	"M-&" tilde-expand	"M-U" upcase-word
"C-P" previous-history	"M-*" insert-completions	"M-Y" yank-pop
"C-Q" quoted-insert	"M--" digit-argument	"M-\ " delete-horizontal-space
"C-R" reverse-search-history	"M-." yank-last-arg	"M-~" tilde-expand
"C-S" forward-search-history	"M-0" digit-argument	"M-C-?" backward-kill-word
"C-T" transpose-chars	"M-1" digit-argument	"M-_ " yank-last-arg
"C-U" unix-line-discard	"M-2" digit-argument	"C-X C-G" abort
"C-V" quoted-insert	"M-3" digit-argument	"C-X C-R" re-read-init-file
"C-W" unix-word-rubout	"M-4" digit-argument	"C-X C-U" undo
"C-Y" yank	"M-5" digit-argument	"C-X C-X" exchange-point-and-mark
"C-]" character-search	"M-6" digit-argument	"C-X (" start-kbd-macro
"C-_ " undo	"M-7" digit-argument	"C-X)" end-kbd-macro
" " to "/" self-insert	"M-8" digit-argument	"C-X E" call-last-kbd-macro
"0" to "9" self-insert	"M-9" digit-argument	"C-X C-?" backward-kill-line