


TRS002/10.150.103.210/2014-05-16 18:18:42(1/12)



B


CAUTION

**THIS DRAWING OR DOCUMENT IS THE PROPERTY OF HYUNDAI MIPO DOCKYARD CO., LTD.
AND IT MUST NOT BE PARTIALLY OR WHOLLY COPIED OR USED FOR ANY OTHER PURPOSE
WITHOUT PRIOR WRITTEN PERMISSION OF HYUNDAI MIPO DOCKYARD(HMD).**

TOTAL (12) SHEETS WITH A COVER

DEPT NO. 5180	INITIAL PLANNING & ESTIMATION DEP'T	SHIP TYPE 38,000 DWT PRODUCT/CHEMICAL TANKER		
TEL NO. 3725	SHIP NO. 2451~454, 2462/463	SHIP NAME		
DATE APRIL 09, 2013	APPROVED B. S. JEGAL	NAME OF DRAWING ELECTRIC LOAD ANALYSIS		
	CHECKED P. W. LEE			
	DRAWN J. M. RYU			
		SCALE NONE	DRAWING NO. 4A000E001	REV NO. FIN
		CONSOLIDAT E-25		

TRS002/10.150.103.210/2014-05-16 18:18:42(2/12)



	PLAN DESCRIPTION			PAGE	A
				HULL NO.	2451~454, 2462/463
DATE	REV. NO.	PAGE	DESCRIPTION	REMARK	
2013.04.09	ORI		ORIGINALLY PREPARED FOR APPROVAL.		

CLASSIFICATION	AT SEA				AT PORT IN/OUT	AT CARGO OPERATING		AT HARBOR	AT EM'CY		REMARK
	SEA GOING	TK CLEAN'G	TK HEAT'G	GAS FREE'G		LOAD'G	UNLOAD'G		BLACK- OUT	FIRE	
TOTAL OF CONTINUOUS LOAD	541.4	868.3	1033.0	669.9	1485.3	637.8	1313.1	349.0			
TOTAL OF INTERMITTENT LOAD	167.7	152.7	152.7	152.7	158.3	231.1	231.1	142.3			
GROUP DIVERSITY FACTOR	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4			
ACTUAL LOAD OF INTERMITTENT LOAD	67.1	61.1	61.1	61.1	63.3	92.4	92.4	56.9			
TOTAL OF DECK MACHINERY LOAD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5			
TOTAL LOAD	608.5	929.4	1094.1	731.0	1548.6	730.2	1405.5	419.4	108.6	107.2	
CAPACITY OF GENERATOR (kW)	800	800	800	800	800	800	800	800	150	150	
NO. OF RUNNING GENERATOR (SET)	1	2	2	2	3	2	2	1	1	1	
LOAD FACTOR OF GENERATOR (%)	76.1	58.1	68.4	45.7	64.5	45.6	87.8	52.4	72.4	71.5	
TOTAL LOAD AFTER P.T	479.8	668.1	567.5	602.3	618.2	349.1	449.7	245.9			
CAPACITY OF GENERATOR (kW)	800	800	800	800	800	800	800	800			
NO. OF RUNNING GENERATOR (SET)	1	1	1	1	1	1	1	1			
LOAD FACTOR OF GENERATOR (%)	60.0	83.5	70.9	75.3	77.3	43.6	56.2	30.7			
	MAIN GENERATOR						EM'CY GENERATOR				
CAPACITY(kW)	800 kW						150 kW				
NO. OF SET	3						1				
VOLTAGE/PHASE/FREQUENCY	450V, 3Ph, 60Hz						450V, 3Ph, 60Hz				
PRIME MOVER / RPM	DIESEL ENGINE, 720 RPM						DIESEL ENGINE, 1800 RPM				

REF NO.	CONSUMERS	NO. OF SET	MOTOR RATING			LOAD FAC.	DIV. FAC.	AT SEA								AT PORT IN/OUT		AT CARGO OPERAT'G				AT HARBOR		REMARK
			OUTPUT (KW)	EFFCY (%)	INPUT (KW)			SEA GOING		TK CLEAN'G		TK HEAT'G		GAS FREE'G				LOADING		UNLOADING		WS	LOAD	
								WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD			
C01	MAIN COOL. S.W. PUMP (FREQUENCY CONTROL)	2	55.0	91	60.4	0.76	1.0	1	45.6	1	45.6	1	45.6	1	45.6	1	45.6							
			55.0	91	60.4	0.50	1.0											1	30.2	1	30.2	1	30.2	
C02	LOW TEMP. COOL. F.W. PUMP	3	45.0	91	49.5	0.67	1.0	2	66.3	2	66.3	2	66.3	2	66.3	2	66.3	1	33.2	1	33.2	1	33.2	
C03	HIGH TEMP. COOL. F.W. PUMP	2	18.5	89	20.8	0.67	1.0	1	13.9	1	13.9	1	13.9	1	13.9	1	13.9							
C04	M/E & G/E F.O. SUPPLY PUMP	2	3.45	82	4.2	0.80	1.0	1	3.4	1	3.4	1	3.4	1	3.4	1	3.4	1	3.4	1	3.4	1	3.4	
C05	M/E & G/E F.O. CIRC. PUMP	2	4.6	86	5.3	0.80	1.0	1	4.2	1	4.2	1	4.2	1	4.2	1	4.2	1	4.2	1	4.2	1	4.2	
C06	H.F.O. PURIFIER	2	8.6	86	10.0	0.80	1.0	1	8.0	1	8.0	1	8.0	1	8.0	1	8.0	1	8.0	1	8.0			
C07	H.F.O. PURIFIER SUPPLY PUMP	2	1.5	80	1.9	0.87	1.0	1	1.7	1	1.7	1	1.7	1	1.7	1	1.7	1	1.7	1	1.7			
C08	L.O. PURIFIER	2	3.7	86	4.3	0.80	1.0	1	3.4	1	3.4	1	3.4	1	3.4	1	3.4							
C09	MAIN L.O. PURIFIER SUPPLY PUMP	2	1.5	80	1.9	0.87	1.0	1	1.7	1	1.7	1	1.7	1	1.7	1	1.7							
C10	MAIN L.O. PUMP	2	60.0	92	65.2	0.75	1.0	1	48.9	1	48.9	1	48.9	1	48.9	1	48.9							
C11	CYL. OIL SHIFTING PUMP	1	0.75	68	1.1	0.80	1.0	1	0.9	1	0.9	1	0.9	1	0.9	1	0.9							
C12	G/E L.O. PRIMING PUMP	3	0.85	74	1.1	0.80	1.0	2	1.8	1	0.9	1	0.9	1	0.9			1	0.9	1	0.9	2	1.8	
C13	AUX. BOILER F.D. FAN	1	63.0	92	68.5	0.80	1.0			1	54.8	1	54.8	1	54.8	1	54.8							
			63.0	92	68.5	0.30	1.0											1	20.6	1	20.6			
C14	AUX. BOILER F.O. PUMP	2	3.6	82	4.4	0.80	1.0			1	3.5	1	3.5	1	3.5	1	3.5	1	3.5	1	3.5			
C15	AUX. BOILER FEED W. PUMP	2	18.5	89	20.8	0.70	1.0			1	14.5	1	14.5	1	14.5	1	14.5	1	14.5	1	14.5			
C16	COMP. BOILER F. D. FAN	1	4.6	86	5.3	0.80	1.0															1	4.2	
C17	COMP. BOILER PREHEATER	1	7.2	86	8.4	0.80	1.0															1	6.7	
C18	COMP. BOILER F.O. PUMP	2	0.4	68	0.6	0.80	1.0															1	0.5	
C19	COMP. BOILER FEED W. PUMP	2	11.0	88	12.5	0.70	1.0	1	8.8	1	8.8	1	8.8	1	8.8							1	8.8	

REF NO.	CONSUMERS	NO. OF SET	MOTOR RATING			LOAD FAC.	DIV. FAC.	AT SEA								AT PORT IN/OUT		AT CARGO OPERAT'G				AT HARBOR		REMARK
			OUTPUT (KW)	EFFCY (%)	INPUT (KW)			SEA GOING		TK CLEAN'G		TK HEAT'G		GAS FREE'G				LOADING		UNLOADING				
								WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD			
C20	INERT GAS BLOWER	2	65.0	92	70.7	0.80	1.0			1	56.6			1	56.6					1	56.6			
C21	IGG F.O. PUMP	2	1.0	74	1.4	0.80	1.0			1	1.1								1	1.1				
C22	SCRUBBER COOL. S.W. PUMP	1	55.0	91	60.4	0.71	1.0			1	42.9								1	42.9				
C23	DECK WATER SEAL PUMP	2	3.7	86	4.3	0.37	1.0	1	1.6	1	1.6	1	1.6	1	1.6	1	1.6	1	1.6	1	1.6			
C24	HYD POWER PACK MOTOR	2	420.0	95	442.1	0.90	1.0					1	397.9			2	795.8			2	795.8			PT
C25			420.0	95	442.1	0.50	1.0											1	221.1					PT
			420.0	95	442.1	0.30	1.0			1	132.6													PT
C25	HPP FEED PUMP	3	11.0	88	12.5	0.80	1.0			2	20.0	2	20.0			2	20.0	2	20.0	2	20.0			
C26	BALLAST PUMP (HPP DRIVEN)	2																						
C27	CARGO PUMP (HPP DRIVEN)	12																						
C28	SLOP PUMP (HPP DRIVEN)	2																						
C29	TANK CLEANING P/P (HPP DRIVEN)	1																						
C30	RESIDUAL OIL P/P (HPP DRIVEN)	1																						
C31	M/E H.P.S.	2	65.0	92	70.7	0.39	1.0	2	55.5	2	55.5	2	55.5	2	55.5									
C32			65.0	92	70.7	0.20	1.0									2	27.7							
																2	69.3							
C33	F.W. GEN. DISTILLATE PUMP	1	0.75	68	1.1	0.80	1.0	1	0.9	1	0.9	1	0.9	1	0.9									PT
C34	F.W. GEN. EJECTOR PUMP	1	18.5	89	20.8	0.68	1.0	1	14.1	1	14.1	1	14.1	1	14.1									PT
C35	COMPRESSOR FOR AIR COND.	2	63.0	92	68.5	0.80	1.0	0		0		0		0		0		0		0		0		PT
C36	FAN FOR AIR COND.	1	25.3	89	28.4	0.72	1.0	1	20.4	1	20.4	1	20.4	1	20.4	1	20.4	1	20.4	1	20.4	1	20.4	PT
C37	COMP. FOR PROV. REF. PLANT	2	8.6	86	10.0	0.69	1.0	1	6.9	1	6.9	1	6.9	1	6.9	1	6.9	1	6.9	1	6.9	1	6.9	
C38	UNIT COOLER FAN	3	0.2	68	0.3	0.80	1.0	3	0.7	3	0.7	3	0.7	3	0.7	3	0.7	3	0.7	3	0.7	3	0.7	

REF NO.	CONSUMERS	NO. OF SET	MOTOR RATING			LOAD FAC.	DIV. FAC.	AT SEA								AT PORT IN/OUT		AT CARGO OPERAT'G				AT HARBOR		REMARK
			OUTPUT (KW)	EFFCY (%)	INPUT (KW)			SEA GOING		TK CLEAN'G		TK HEAT'G		GAS FREE'G				LOADING		UNLOADING		WS	LOAD	
								WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD			
C39	ECR PACKAGE AIR COND.	2	7.3	86	8.5	0.80	1.0	0		0		0		0		0		0		0		0		PT
C40	W/H PACKAGE AIR COND.	1	7.3	86	8.5	0.80	1.0	0		0		0		0		0		0		0		0		PT
C41	FAN FOR PACKAGE AIR COND.	3	0.3	68	0.4	0.80	1.0	0		0		0		0		0		0		0		0		PT
C42	F.W BOOST PUMP FOR W/H A.C	1	3.7	68	5.4	0.46	1.0	0		0		0		0		0		0		0		0		PT
C43	FAN COIL UNIT FOR GALLEY	1	1.5	80	1.9	0.80	1.0	1	1.5	1	1.5	1	1.5	1	1.5	1	1.5	1	1.5	1	1.5	1	1.5	PT
C44	ENGINE ROOM FAN	4	15.0	89	16.9	0.80	1.0	4	54.1	4	54.1	4	54.1	4	54.1	4	54.1	2	27.0	2	27.0	2	27.0	
C45	PURIFIER ROOM EXH. FAN	1	2.2	82	2.7	0.80	1.0	1	2.2	1	2.2	1	2.2	1	2.2	1	2.2	1	2.2	1	2.2	1	2.2	
C46	HYD POWER PACK ROOM EXH. FAN	1	0.75	68	1.1	0.80	1.0	1	0.9	1	0.9	1	0.9	1	0.9	1	0.9	1	0.9	1	0.9	1	0.9	
C47	WELDING AREA EXH. FAN	1	0.4	68	0.6	0.80	1.0	1	0.5	1	0.5	1	0.5	1	0.5	1	0.5	1	0.5	1	0.5	1	0.5	PT
C48	GALLEY SUPPLY FAN	1	0.43	68	0.6	0.33	1.0	1	0.2	1	0.2	1	0.2	1	0.2	1	0.2	1	0.2	1	0.2	1	0.2	PT
C49	GALLEY EXHAUST FAN	1	0.86	74	1.2	0.31	1.0	1	0.4	1	0.4	1	0.4	1	0.4	1	0.4	1	0.4	1	0.4	1	0.4	PT
C50	SANITARY EXHUST FAN	1	3.4	82	4.1	0.71	1.0	1	2.9	1	2.9	1	2.9	1	2.9	1	2.9	1	2.9	1	2.9	1	2.9	PT
C51	S/G & EM'CY FIRE P/P SPACE FAN	1	1.5	80	1.9	0.80	1.0	1	1.5	1	1.5	1	1.5	1	1.5	1	1.5							
C52	B/T ROOM FAN	1	1.5	80	1.9	0.80	1.0									1	1.5							
C53	PAINT STORE FAN	1	0.37	68	0.5	0.27	1.0	1	0.1	1	0.1	1	0.1	1	0.1	1	0.1	1	0.1	1	0.1	1	0.1	
C54	CARGO GEAR LOCKER FAN	1	0.4	68	0.6	0.80	1.0	1	0.5	1	0.5	1	0.5	1	0.5	1	0.5	1	0.5	1	0.5	1	0.5	PT
C55	DECK STORE FAN	1	0.4	68	0.6	0.80	1.0	1	0.5	1	0.5	1	0.5	1	0.5	1	0.5	1	0.5	1	0.5	1	0.5	PT
C56	HYD P/P FOR REMOTE V/V SYSTEM	2	1.75	80	2.2	0.80	1.0			1	1.8	1	1.8			1	1.8	1	1.8	1	1.8			
C57	STEERING GEAR MOTOR	2	27.0	89	30.3	0.50	1.0									1	15.2							
			27.0	89	30.3	0.25	1.0	1	7.6	1	7.6	1	7.6	1	7.6									

REF NO.	CONSUMERS	NO. OF SET	MOTOR RATING			LOAD FAC.	DIV. FAC.	AT SEA								AT PORT IN/OUT		AT CARGO OPERAT'G				AT HARBOR		REMARK
			OUTPUT (KW)	EFFCY (%)	INPUT (KW)			SEA GOING		TK CLEAN'G		TK HEAT'G		GAS FREE'G				LOADING		UNLOADING				
								WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD			
C58	ELEC. HETEAR FOR F.O. SUPPLY UNIT	1			100.0	1.00	1.0																	
C59	ELEC. HETEAR FOR H.F.O. PURIFIER	1			60.0	1.00	1.0																	
C60	SPACE HEATER & OTHERS	1			5.0	0.80	1.0	1	4.0	1	4.0	1	4.0	1	4.0	1	4.0	1	4.0	1	4.0	1	4.0	
C61	ICCP	1			10.0	0.80	1.0	1	8.0	1	8.0	1	8.0	1	8.0	1	8.0	1	8.0	1	8.0	1	8.0	
C62	CONTROL & NAVIGATION EQUIP.	1			15.0	0.80	1.0	1	12.0	1	12.0	1	12.0	1	12.0	1	12.0							
C63					15.0	0.80	0.8											1	9.6	1	9.6			
C63	MACHINERY SPACE LIGHTING	1			20.0	1.00	1.0	1	20.0	1	20.0	1	20.0	1	20.0	1	20.0	1	20.0	1	20.0	1	20.0	
C64					20.0	1.00	0.6																	
C64	ACCOMMODATION LIGHTING	1			25.0	1.00	1.0	1	25.0	1	25.0	1	25.0	1	25.0	1	25.0							
C65					25.0	1.00	0.6											1	15.0	1	15.0	1	15.0	
C65	DECK LIGHTING	1			15.0	1.00	1.0											1	15.0	1	15.0			
C66					15.0	1.00	0.5									1	7.5					1	7.5	
C66																								
C66	ELEC. HEATER (E/R)	5			5.0	1.00	1.0											5	25.0	5	25.0	5	25.0	PT
C67	ELEC. HEATER (S/G ROOM)	2			7.0	1.00	1.0	2	14.0	2	14.0	2	14.0	2	14.0	2	14.0	2	14.0	2	14.0	2	14.0	PT
C68	ELEC. HEATER (BOSUN STORE)	2			7.0	1.00	1.0									2	14.0	2	14.0	2	14.0	2	14.0	PT
C69	ELEC. HEATER (B/T ROOM)	1			7.0	1.00	1.0									1	7.0	1	7.0	1	7.0	1	7.0	PT
C70	ELEC. HEATER (EM'CY D/G ROOM)	1			7.0	1.00	1.0	1	7.0	1	7.0	1	7.0	1	7.0	1	7.0	1	7.0	1	7.0	1	7.0	
C71	ELEC. HEATER (WHEELHOUSE)	2			5.0	1.00	1.0	2	10.0	2	10.0	2	10.0	2	10.0	2	10.0	2	10.0	2	10.0	2	10.0	
C72	ELEC. HEATER (W/H HEATED GLASS)	5			3.5	1.00	1.0	5	17.5	5	17.5	5	17.5	5	17.5	5	17.5	5	17.5	5	17.5	5	17.5	
C73	ELEC. HEATER (W/H DEFROSTING)	4			0.4	1.00	1.0	4	1.6	4	1.6	4	1.6	4	1.6	4	1.6	4	1.6	4	1.6	4	1.6	PT
C74	ELEC. HEATER (PAINT STORE)	1			2.0	1.00	1.0	1	2.0	1	2.0	1	2.0	1	2.0	1	2.0	1	2.0	1	2.0	1	2.0	PT

REF NO.	CONSUMERS	NO. OF SET	MOTOR RATING			LOAD FAC.	DIV. FAC.	AT SEA								AT PORT IN/OUT		AT CARGO OPERAT'G				AT HARBOR		REMARK	
			OUTPUT (KW)	EFFCY (%)	INPUT (KW)			SEA GOING		TK CLEAN'G		TK HEAT'G		GAS FREE'G		WS	LOAD	LOADING		UNLOADING		WS	LOAD		
								WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD			WS	LOAD	WS	LOAD		WS		LOAD
C75	ELEC. HEATER (CO2 ROOM) -O.F.E	1			7.0	1.00	1.0	1	7.0	1	7.0	1	7.0	1	7.0	1	7.0	1	7.0	1	7.0	1	7.0	PT	
C76	ELEC. HEATER (LOBBY ENTRANCE)-O.F.E	4			1.0	1.00	1.0	4	4.0	4	4.0	4	4.0	4	4.0	4	4.0	4	4.0	4	4.0	4	4.0	PT	
C77	ELEC. HEAT TRACING FOR AIR VENT & P/V VALVE	1			27.7	1.00	1.0	1	27.7	1	27.7	1	27.7	1	27.7	1	27.7	1	27.7	1	27.7	1	27.7	PT	
	TOTAL OF CONTINUOUS LOAD								541		868		1033		670		1485		638		1313		349.0		
	TOTAL AFTER PREFERENTIAL TRIP								443.2		637.5		536.9		571.7		585.3		287.5		388.1		219.8		

8:18:42(8/12)

TRS002/10.150.103.210/2014-05-16



REF NO.	CONSUMERS	NO. OF SET	MOTOR RATING			LOAD FAC.	DIV. FAC.	AT SEA								AT PORT IN/OUT		AT CARGO OPERAT'G				AT HARBOR		REMARK
			OUTPUT (KW)	EFFCY (%)	INPUT (KW)			SEA GOING		TK CLEAN'G		TK HEAT'G		GAS FREE'G				LOADING		UNLOADING				
								WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	
I01	M/E AIR COOLER CLEAN.W.PUMP	1	2.2	82	2.7	0.37	1.0											1	1.0	1	1.0	1	1.0	PT
I02	MAIN AIR COMPRESSOR	2	37.0	90	41.1	0.80	1.0									1	32.9							
			37.0	90	41.1	0.30	1.0	1	12.3	1	12.3	1	12.3	1	12.3			1	12.3	1	12.3			
I03	WORKING AIR COMPRESSOR	1	22.0	89	24.7	0.80	1.0	1	19.8	1	19.8	1	19.8	1	19.8	1	19.8	1	19.8	1	19.8	1	19.8	
I04	CONTROL AIR COMPRESSOR	1	15.0	89	16.9	0.80	1.0	1	13.5	1	13.5	1	13.5	1	13.5	1	13.5					1	13.5	
I05	H.F.O. TRANSFER PUMP	1	11.0	88	12.5	0.84	1.0	1	10.5	1	10.5	1	10.5	1	10.5	1	10.5	1	10.5	1	10.5			
I06	M.D.O. TRANSFER PUMP	1	5.5	86	6.4	0.84	1.0																	
I07	L.O. TRANSFER PUMP	1	3.7	86	4.3	0.84	1.0	1	3.6	1	3.6	1	3.6	1	3.6	1	3.6							
I08	SLUDGE PUMP	1	2.2	82	2.7	0.82	1.0	1	2.2	1	2.2	1	2.2	1	2.2	1	2.2	1	2.2	1	2.2	1	2.2	PT
I09	OILY BILGE PUMP	1	2.2	82	2.7	0.82	1.0	1	2.2	1	2.2	1	2.2	1	2.2	1	2.2	1	2.2	1	2.2	1	2.2	PT
I10	CLEAN BILGE TRANSFER PUMP	1	2.2	82	2.7	0.40	1.0	1	1.1	1	1.1	1	1.1	1	1.1	1	1.1	1	1.1	1	1.1	1	1.1	PT
I11	GREY WATER DISCH. PUMP	1	2.2	82	2.7	0.39	1.0																	PT
I12	BILGE, FIRE & G/S PUMP	2	99.0	93	106.5	0.89	1.0											1	94.5	1	94.5			
I13	F.W. HYDROPHORE PUMP	2	3.7	86	4.3	0.45	1.0	1	1.9	1	1.9	1	1.9	1	1.9	1	1.9	1	1.9	1	1.9	1	1.9	PT
I14	LOCAL FIRE FIGHTING PUMP	1	3.0	82	3.7	0.80	1.0																	
I15	FOAM LIQUID PUMP	1	7.5	86	8.7	0.80	1.0																	
I16	ELECTRIC WHISTLE	1	5.5	86	6.4	0.80	1.0																	
I17	GALLEY & LAUNDRY EQUIPMENT	1			85.9	0.80	1.0	1	68.7	1	68.7	1	68.7	1	68.7	1	68.7	1	68.7	1	68.7	1	68.7	PT
I18	DRINKING WATER FOUNTAIN	3			0.5	1.00	1.0	3	1.5	3	1.5	3	1.5	3	1.5	3	1.5	3	1.5	3	1.5	3	1.5	
I19	G/E J.W. PREHEATER	3			15.0	1.00	1.0	2	30.0	1	15.0	1	15.0	1	15.0			1	15.0	1	15.0	2	30.0	
I20																								
I21	M/E TURNING GEAR	1	2.2	82	2.7	0.80	1.0																	

REF NO.	CONSUMERS	NO. OF SET	MOTOR RATING			LOAD FAC.	DIV. FAC.	AT SEA								AT PORT IN/OUT		AT CARGO OPERAT'G				AT HARBOR		REMARK
			OUTPUT (KW)	EFFCY (%)	INPUT (KW)			SEA GOING		TK CLEAN'G		TK HEAT'G		GAS FREE'G				LOADING		UNLOADING				
								WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD			
I21	CALORIFIER	1			15.0	0.80	1.0																	PT
I22	LATHE	1	5.59	86	6.5	0.80	1.0																	PT
I23	DRILLING MACHINE	1	0.75	68	1.1	0.80	1.0																	PT
I24	GRINDING MACHINE	1	0.75	68	1.1	0.80	1.0																	PT
I25	ELECTRIC WELDER	1			12.0	0.80	1.0																	PT
I26	OILY BILGE SEPARATOR	1	2.4	82	2.9	0.80	1.0																	PT
I27	INCINERATOR	1	8.6	86	10.0	0.80	1.0																	PT
I28	INCINERATOR PUMP	1	2.2	82	2.7	0.80	1.0																	PT
I29	ENGINE ROOM OVERHEAD CRANE	1	4.0	86	4.7	0.80	1.0																	PT
I30	SEWAGE TREATMENT PLANT	1	2.2	82	2.7	0.80	1.0																	PT
I31	SEWAGE DISCHARGE PUMP	1	3.7	86	4.3	0.80	1.0																	PT
I32	M.G.P.S	1			0.4	1.00	1.0	1	0.4	1	0.4	1	0.4	1	0.4	1	0.4	1	0.4	1	0.4	1	0.4	
I33	ODM SAMPLING PUMP	1	2.2	82	2.7	0.80	1.0																	

REF NO.	CONSUMERS	NO. OF SET	MOTOR RATING			LOAD FAC.	DIV. FAC.	AT SEA								AT PORT IN/OUT		AT CARGO OPERAT'G				AT HARBOR		REMARK
			OUTPUT (KW)	EFFCY (%)	INPUT (KW)			SEA GOING		TK CLEAN'G		TK HEAT'G		GAS FREE'G				LOADING		UNLOADING				
								WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	WS	LOAD	
D01	HOSE HANDLING CRANE (MID)	1	45.0	91	49.5	0.80	1.0																	PT
D02	HOSE HANDLING CRANE (STERN)	1	28.6	89	32.1	0.80	1.0																	PT
D03	PROVISION CRANE	1	15.0	89	16.9	0.80	1.0														1	13.5		PT
D04	LIFE BOAT DAVIT WINCH	1	11.0	88	12.5	0.80	1.0																	
D05	RESCUE BOAT DAVIT	1	3.7	86	4.3	0.80	1.0																	
D06	ACCOMM. LADDER WINCH	1	3.0	82	3.7	0.80	1.0																	
D14-05-16 18:18:42(11/10)																								
	TOTAL OF DECK MACHINERY LOAD								0.0		0.0		0.0		0.0		0.0		0.0			13.5		
	TOTAL AFTER PREFERENTIAL TRIP								0.0		0.0		0.0		0.0		0.0		0.0			0.0		

TRS002/10.150.103.210/2014-05-16 18:18:42(11/106)



TRS002/10.150.103.210/2014-05-16 18:18:42(12/12)

EMERGENCY LOAD

PROJECT NO.: 2451~454,2462/463

PAGE:10

REF NO.	CONSUMERS	NO. OF SET	MOTOR RATING			LOAD FAC.	DIV. FAC.	AT BLACK-OUT		AT FIRE								REMARK
			OUTPUT (KW)	EFFCY (%)	INPUT (KW)			WS	LOAD	WS	LOAD							
E01	STEERING GEAR MOTOR	1	27.0	89	30.3	0.50	1.0	1	15.2	1	15.2							
E02	ENGINE ROOM FAN	1	15.0	89	16.9	0.80	1.0	1	13.5									
E03	S/G & EM'CY FIRE P/P SPACE FAN	1	1.5	80	1.9	0.80	1.0	1	1.5									
E04	G/E MDO FLUSHING PUMP	1	1.7	80	2.1	0.80	1.0	1	1.7									
E05	G/E L.O. PRIMING PUMP	2	0.85	74	1.1	0.80	1.0	1	0.9									
E06	G/E J.W. PREHEATER	2			15.0	1.00	1.0	1	15.0									
E07	EM'CY AIR COMPRESSOR	1	7.5	86	8.7	0.80	1.0	1	7.0									
E08	EMERGENCY FIRE PUMP	1	45.0	91	49.5	0.57	1.0			1	28.2							
E09	ELECTRIC WHISTLE	1	5.5	86	6.4	0.80	1.0	1	5.1	1	5.1							
E10	BATTERY CHARGER	1			9.0	0.80	1.0	1	7.2	1	7.2							
E11	CONTROL & NAVIGATION EQUIP.	1			15.0	0.80	1.0	1	12.0	1	12.0							
E12	EM'CY & NAVI LIGHTING	1			12.0	1.00	1.0	1	12.0	1	12.0							
E13	LIFE BOAT DAVIT WINCH	1	11.0	88	12.5	0.80	1.0											
E14	LOCAL FIRE FIGHTING PUMP	1	3.0	82	3.7	0.80	1.0			1	3.0							
E15	FOAM LIQUID PUMP	1	7.5	86	8.7	0.80	1.0			1	7.0							
E16	RESCUE BOAT DAVIT	1	3.7	86	4.3	0.80	1.0											
E17	ELECTRIC WELDER	1			12.0	0.80	1.0											
E18	HYD P/P FOR REMOTE V/V SYSTEM	1	1.75	80	2.2	0.80	1.0											
E19	ELEC. HEATER (EM'CY D/G ROOM)	1			7.0	1.00	1.0	1	7.0	1	7.0							
E20	ELEC. HEATER (W/H HEATED GLASS)	3			3.5	1.00	1.0	3	10.5	3	10.5							
	TOTAL OF EMERGENCY LOAD								108.6		107.2							