## Math 135 Homework 5

## Alexandre Lipson

## January 31, 2024

- 1. The equation  $y' + P(x)y = Q(x)y^n$  is called the Bernoulli equation. It becomes a linear equation after the change of variable  $y^{1-n} = z$ . Soylve the equation  $y(6y^2 x 1) dx + 2x dy = 0$  using this idea.
- 2. Let I = [0,1] and  $Y_n(t) = t^n$ . Show that the sequence  $(Y_n)$  is not Cauchy by computing  $||Y_n Y_m||$ .
- 3. Let  $I = [-\pi, \pi]$ , and consider the function  $f_0 : I \to \mathbb{R}$  defined by  $f_0(t) = e^t$ . Let  $f_n, n \in \mathbb{Z}^+$  be the sequence of functions on I defined inductively by the formula

$$f_{n+1}(t) = \cos(t) + \frac{1}{2}\sin(t)f_n(t).$$

So 
$$f_1(t) = \cos(t) + \frac{1}{2}\sin(t)e^t$$
,  $f_2(t) = \cos(t) + \frac{1}{2}\sin(t)(\cos(t) + \frac{1}{2}\sin(t)e^t)$ , etc.

Show that  $f_n$  converges uniformly to a continuous function and find the limit  $\lim_{n\to\infty} f_n$ .