## Information on package "EM.mixSMSMN"

Description: EM-algorithms for fitting mixtures of SMSMN distributions

Package: EM.mixSMSMN

Type: Package

Version: 0.1.0

Author: A.Mahdavi

Maintainer: Abbas Mahdavi (a.mahdavi@vru.ac.ir)

License: GPL (>= 2.0)

Encoding: UTF-8

LazyData: true

Repository: GitHub

Needs Compilation: no

Built: R 4.0.4

UTC; windows

Index:

forestfires data

lymhp Lymhpo data

EM.mixSMSMN EM.mixSMSMN function

r.mixSMSMN r.mixSMSMN function

Some examples:

# require(orthoDr)

# Example 1:

# Simulating 100 samples from one component SMSTN distribution:

 $y \leftarrow r.mixSMSMN(n=100, xi=list(c(0,5)), S=list(matrix(c(1,.4,.4,4),2,2)),$ 

la=list(c(-2,3)), nu=list(c(5,3)), family="SMSTN.mix")

# n: the number of random samples

# EM output with specific initial values:

EM.mixSMSMN(y, xi=list(c(0,5)), S=list(matrix(c(1,.4,.4,4),2,2)),

 $la=list(c(-2,3)), \ nu=list(c(5,3)), \ family="SMSTN.mix", \ get.init=FALSE)$ 

```
# EM output without specific initial values:
EM.mixSMSMN(y, family="SMSTN.mix", get.init=TRUE)
   # Example 2:
# Simulating 100 samples from mixtures of SMSTN distributions:
y \leftarrow r.mixSMSMN(n=200, w=c(.7, .3), xi=list(c(0,5), c(-10,15)),
S=list(matrix(c(1,.4,.4,4),2,2),diag(2)), la=list(c(-2,3),c(7,-5))
nu=list(c(3,10),c(15,5)), family="SMSTN.mix")
   # EM output with specific initial values:
EM.mixSMSMN(y, M=2, w=c(.7,.3), xi=list(c(0,5),c(-10,15)),
S=list(matrix(c(1,.4,.4,4),2,2),diag(2)), la=list(c(-2,3),c(7,-5))
, nu=list(c(3,10),c(15,5)), family="SMSTN.mix", get.init=FALSE)
#EM output without specific initial values: EM.mixSMSMN(y, M=2, family="SMSTN.mix")
   # Example 3:
# Simulating 100 samples from mixtures of SMSCN distributions:
y \leftarrow r.mixSMSMN(n=100, w=c(.7, .3), xi=list(c(0,5), c(-2,3)),
S=list(matrix(c(1,.4,.4,4),2,2),diag(2)), la=list(c(-2,3),c(7,-5))
, nu=list(list(c(.3,.1),c(.5,.7)),list(c(.7,.5),c(.1,.4))), family="SMSCN.mix"
# EM output without specific initial values: EM.mixSMSMN(y, family="SMSCN.mix",
get.init=TRUE)
   # Example 4: forestfires data
data(forestfires)
y <- forestfires[,8:10]
EM.mixSMSMN(y, get.init=TRUE)
```