



HAUTE ÉCOLE
D'INGÉNIERIE
ET DE GESTION
DU CANTON
DE VAUD

Template demonstration

A tour of the HEIG-VD theme

First Last

2026-09-02 · HEIG-VD

Hes-so

Outline

1. Introduction
2. Layout
3. Animations
4. Full-page slides
5. Visual identity
6. Configuration
7. Conclusion

This demo deck walks through **everything** the template can do: each slide shows one feature and recalls the command behind it.

- Layouts, rich content, animations, visual identity.
- `#hl[...]`, `#highlight[...]` or plain `*bold*`: the red brand accent.
- A **Touying** theme in HEIG-VD colours.

This demo deck walks through **everything** the template can do: each slide shows one feature and recalls the command behind it.

- Layouts, rich content, animations, visual identity.
- `#hl[...]`, `#highlight[...]` or plain `*bold*`: the red brand accent.
- A **Touying** theme in HEIG-VD colours.

Content placed directly under a `=` produces this red-bar slide, and `#pause` reveals the rest step by step.

Layout

From headings

- `= Title + content` → red-bar slide.
- `= Title + == ...` → large section divider (the slide before this one).
- `== Title` → content slide; the header picks up the current heading.

By explicit call

- `#slide(title: [Title])[...]` to set the header by hand.
- `#slide(align: top + left)[...]` to re-frame a single slide (the deck is centred by default).
- Several bodies → automatic columns: `#slide[left][right]`.
- `#title-slide()`, `#outline-slide()`, `#closing-slide()` for the fixed slides.

This slide comes from `#slide(title: [Explicitly called slide])[...]`: the same layout as a `== slide`, but with a hand-picked title.

Two bodies passed to `#slide` are laid out in equal columns, with no grid to write.

`#cols` takes as many bodies as you like, and one width per column.

2fr — the wide column holds the main text, a figure or a block of code.

1fr — a side column.

1fr — notes, key figures, a caption.

```
#cols(columns: (2fr, 1fr, 1fr), gutter: 1.2em)[...][...][...]; add align: top  
to align the columns by the top rather than the middle.
```

Info

Remark or definition.

The title: parameter is optional:

#info with no title.

Warning

Critical point.

#warning with no title.

Example

Exercise or illustration.

#example with no title.

Year	Programme	Students
2024	Computer science	120
2025	Computer science	135
2026	Computer science	142

Table 1: Swiss style: red rule under the header, no vertical rules.




Figure 1: Captions are greyed down and scaled automatically.

Plain Typst `#table` and `#figure` are styled by the theme: nothing to configure.

```
def fibonacci(n):  
    a, b = 0, 1  
    for _ in range(n):  
        a, b = b, a + b  
    return a
```

Inline code: `git switch -c demo.`

A block formula, with its alternative text for accessibility:

$$\sum_{i=1}^n i = \frac{n(n+1)}{2}$$

and inline: $\mathcal{O}(n \log n)$.

Animations

#pause splits the slide into successive subslides.

#pause splits the slide into successive subslides.

This paragraph shows up second.

#pause splits the slide into successive subslides.

This paragraph shows up second.

Then this one, on the same slide.

--input handout=true (or handout = true) ignores every pause and produces one page per slide, for handing out.

Beyond #pause, Touying can target specific subslides.

- `#uncover("2-"):` `#alternatives` swaps one piece of content for another:
- `#only("3"):`

One

Beyond `#pause`, Touying can target specific subslides.

- `#uncover("2-")`: reserves the space, then reveals.
- `#only("3")`: `#alternatives` swaps one piece of content for another:


Two

Beyond #pause, Touying can target specific subslides.

- #uncover("2-"): reserves the space, then reveals.
- #alternatives swaps one piece of content for another:
- #only("3"): only exists on subslide 3.

Three


With `#fletcher-diagram`, a pause placed between the elements of a `fletcher` diagram reveals them one step at a time:




With `#fletcher-diagram`, a pause placed between the elements of a **fletcher** diagram reveals them one step at a time:



With `#fletcher-diagram`, a pause placed between the elements of a **fletcher** diagram reveals them one step at a time:



With `#fletcher-diagram`, a pause placed between the elements of a `fletcher` diagram reveals them one step at a time:



Full-page slides

- `#focus-slide[...]`: HEIG-VD red background, for one strong idea.
- `#dark-focus-slide[...]`: dark background, even inside a light deck.
- `#image-slide(img, title: [...])`: full-screen image (a file path or any content), with the title overlaid.

None of them has a header, all keep the progress bar; the next three slides are examples.


One idea worth keeping

#dark-focus-slide: the dark breath of a light deck.

#image-slide: full-screen image, title overlaid

Visual identity

The heig-colors dictionary exposes the whole palette; the official red is **Pantone 485 C** (#E1251B).



The mark alone



`heig-logo(mode: "light" / "dark", assets)`, and the black one straight from `assets/logo/`.

The full lockup



`baseline: true` adds the school's full name.

Parent institution



`heig-institutions(assets)`: the HES-SO mark from the title slide.

Six SVG files (red, black, white — with and without the signature) in `assets/logo/`.

Headings — Helvetica Neue

Body text — Helvetica Neue, a Swiss grotesque close to the brand.

Code — DejaVu Sans Mono

Maths — New Computer Modern

Each family is a fallback chain (Helvetica Neue, then Noto Sans): the deck stays readable on a machine without the first choice.

Swap them through the fonts setting (every key is optional):

```
#let fonts = (  
  body: "Inter",  
  heading: "Inter",  
  mono: "JetBrains Mono",  
  math: "Fira Math",  
)
```

Configuration

Setting	Values
format	"16-9", "16-10", "4-3"
mode	"light", "dark"
lang	"fr", "en"
handout	true: no pauses
fonts	(body:, mono:, ...)

The same settings can be forced at compile time, leaving the file untouched:

```
typst compile --input mode=dark \
demo.typ demo-dark.pdf
```

Same for lang=fr or handout=true.
For your own deck, just `all` builds all four variants in one go.

`#speaker-note[...]` adds an invisible note to any slide.

```
just demo-pdfpc          # → demo.pdfpc
pdfpc demo.pdf           # presenter console
```

For your own deck the recipe is called `just pdfpc`.

The progress bar, the page counter and the header are handled by the theme; they can be switched off with `footer-progress`, `footer` and `header`.

pdfpc — the presenter console: current and next slide, notes, timer.

```
pdfpc demo.pdf          # two screens
pdfpc -d 45 demo.pdf    # timer
pdfpc -s demo.pdf       # swap screens
pdfpc -S demo.pdf       # one screen
pdfpc -W demo.pdf       # Wayland
```

Without a console, any full-screen reader will do:

- `okular --presentation demo.pdf`
- `zathura --mode=presentation` (or F5)
- Papers / Evince (GNOME): F5
- Impressive: transitions and spotlight

Keep `demo.pdfpc` next to the PDF:
that is where `pdfpc` reads the notes.

Detailed outline

- | | | |
|-----------------------|----------------------|----------------------------|
| 1. Introduction | 9. Pauses | 17. Typography |
| 2. Layout | 10. Targeted reveals | 18. Configuration |
| 3. Slide families | 11. Animated diagram | 19. Deck settings |
| 4. Columns | 12. Full-page slides | 20. Speaker notes |
| 5. Callouts | 13. Three variants | 21. Presenting on
Linux |
| 6. Tables and figures | 14. Visual identity | 22. Conclusion |
| 7. Code and maths | 15. Colours | |
| 8. Animations | 16. Logotypes | |

- One file to edit, everything else follows the brand automatically.
- Backup slides live after `#show: appendix`, outside the numbering.
- Everything is documented in the template's `README.md`.
- The PDF validates as PDF/UA-1 (`typst compile --pdf-standard ua-1`) as long as your images and equations carry an `alt`.

Any questions?

first.last@heig-vd.ch



- `#slide(title:, align:)` — explicit slide
- `#title-slide()` — title page
- `#dark-title-slide()` — dark variant
- `#outline-slide(title:, levels:, max-count:)` — outline
- `#focus-slide[...]` — full-page red
- `#dark-focus-slide[...]` — full-page dark
- `#image-slide(img, title:)` — full-screen image
- `#closing-slide(contact:, message:)` — closing
- `#hl[...]` / `#highlight[...]` — bold red
- `#cols(columns: ...)[...][...]` — columns
- `#info`, `#warning`, `#example` — callouts
- `#pause`, `#uncover`, `#only`, `#alternatives`
- `#fletcher-diagram(...)` — animatable diagram
- `#speaker-note[...]` — pdfpc note
- `#show: appendix` — backup slides

`#dark-title-slide()` reuses the deck's information on a dark background; pass it the white logotype so it stands out: `logo: heig-logo(mode: "dark", assets).`



Template demonstration

A tour of the HEIG-VD theme

First Last

2026-09-02

HEIG-VD