

Ω TB[®] Genome Analysis Report

Sample

Sample ID: Sample01

Sample receipt date: 21-06-2021

Sample shipping date: 12-07-2021

Client

Client ID: CLI00

Lab Name and Location: ABC

Contact: ABC Mumbai Maharashtra

Test

Test ID: OmegaTB

Registered on: 20-06-2021

Sample collected on: 21-06-2021

Reported on: 21-03-2022

Report summary for Sample01

Mycobacterium tuberculosis was **Detected**.

The Ω TB analysis has categorized the sample as **Not Drug Resistance**.

Drug resistance has been identified for **0** drugs.

Co-infections identified are **NA**.

Mixed infections identified are **NA**.

Sample summary

Sample ID: Sample01

Client ID: CLI00

Test ID: OmegaTB

Sample Type: Sputum

Temperature on receipt(Celsius): 4

Date: 21-06-2021

Sample QC: Pass

QC Check 260/280: 1.35

QC Concentration: 0.31

Sequenced From: Culture

Genome sequencing summary

Library Type: 150x2 paired end

Library QC: Suboptimal

Library Date: 21-06-2021

Genome Sequencer: Illumina NovaSeq

Run Date: 18-07-2021

Machine ID - Flowcell ID: NB501457-HL32VAFX3

Genomic analysis summary

Application: OmegaTB v2.0.1

Run Date: 21-03-2022

QC check: Pass

Application run by: HAPL

Clinical Summary

Mycobacterium tuberculosis detected	Detected	Coverage	210.68
Lineage	Delhi-CAS	Proportion of genome covered	1.00

Drug Suceptibility Profile


Isoniazid (INH)	No Resistance detected
Rifampicin (RMP)	No Resistance detected
Streptomycin (SM)	No Resistance detected
Ethambutol (EMB)	No Resistance detected
Pyrazinamide (PZA)	No Resistance detected
Ofloxacin (OFX)	No Resistance detected
Moxifloxacin (MOX)	No Resistance detected
Gatifloxacin (GAT)	No Resistance detected
Amikacin (AMK)	No Resistance detected
Capreomycin (CAP)	No Resistance detected
Ethionamide (ETO)	No Resistance detected
Kanamycin (KAN)	No Resistance detected
Linezolid (LZD)	No Resistance detected
Para-aminosalicylic acid (PAS)	No Resistance detected
Bedaquiline (BDQ)	No Resistance detected
Clofazimine (CLO)	No Resistance detected
Delamanid (DMD)	No Resistance detected
Pretomanid (PTM)	No Resistance detected

Clinical Recommendations

Tuberculosis Antibiotic Profile: Not Drug Resistance

Mixed Infection: NA

Antibiogram for Sample01



Key:

Green - No Resistance Detected | Red - Resistance Detected

Legends:


INH- Isoniazid, RMP - Rifampicin, SM - Streptomycin, EMB - Ethambutol, PZA - Pyrazinamide, Fluoroquinolones - FQ (OFX - Ofloxacin, MOX - Moxifloxacin, GAT - Gatifloxacin), AMK - Amikacin, CAP - Capreomycin, ETO - Ethionamide, KAN - Kanamycin, LZD -Linezolid, PAS - Para aminosalicylic acid , BDQ - Bedaquiline, CLO - Clofazimine, DMD - Delamanid, PTM - Pretonamid

Disclaimer: This is an automated report. The data reported here is based on statistical prediction of variants in the whole genome of the sample processed here. This report is not a phenotypic test of drug resistance. The variants used to predict antibiotic resistance and strain classification are based on genomic variants reported in peer reviewed publications.

Mutations in Sample01

No mutations were detected

Depth of regions for Sensitive Drugs in Sample01



Disclaimer: This is an automated report. The data reported here is based on statistical prediction of variants in the whole genome of the sample processed here. This report is not a phenotypic test of drug resistance. The variants used to predict antibiotic resistance and strain classification are based on genomic variants reported in peer reviewed publications.

ΩTB Drug Resistance Classification Criteria

Multi Drug-Resistant tuberculosis (MDR-TB): Tuberculosis caused by *Mycobacterium tuberculosis* (*M. tuberculosis*) strains that are resistant to at least Isoniazid and Rifampicin.

Pre-extensively Drug-Resistant tuberculosis (Pre-XDR-TB): Tuberculosis caused by *Mycobacterium tuberculosis* (*M. tuberculosis*) strains that fulfil the definition of MDR/Rifampicin Resistant-TB and that are also resistant to any Fluoroquinolones

Extensively Drug-Resistant tuberculosis (XDR-TB): Tuberculosis caused by *Mycobacterium tuberculosis* (*M. tuberculosis*) strains that fulfil the definition of MDR/Rifampicin Resistant-TB and that are also resistant to any Fluoroquinolones and at least one additional Group A drug (The Group A drugs are currently Levofloxacin or Moxifloxacin, Bedaquiline and Linezolid)

Drug resistance detected: Tuberculosis caused by *Mycobacterium tuberculosis* (*M. tuberculosis*) strains that fulfil that is resistant to anti-TB drugs and do not fall in the above mentioned categories

Not Drug Resistance: No Resistance for the anti-TB drugs detected

***** End of the Document *****