← TARIK WORKFLOWS OVERVIEW

# Tarik - Dossier

Opens a new client file (dossier) in Experio, optionally copies another file's setup, imports the client's accounting history (FEC or general ledger), finishes the onboarding and reports where the file stands. Also loads a FEC into an existing file, or (update mode) changes an existing file's details: name, type, ICE, IF, RC, patente, T.S.C, capital, CNSS, address.

---

**STARTED BY**

The AI agent (Experio_parametrer_dossier, Experio_modifier_dossier), or Tarik - Emails following up.

**TIME BUDGET**


260 seconds. When Experio's wait would not fit, the file is left waiting and the email follow-up finishes it.

**ENDS WITH**

A summary: creation, import, onboarding and the file's state.

# The workflow in n8n

Each box is a node, named exactly as in n8n's editor and placed where it sits there. Lines show where each node leads.




Start · Tarik tool (one Experio action) · Decision · Sorting (no Experio action) · Record

Every step also records its outcome in Enregistrer; those lines are left out.

## Starting a run

| | |
|---|---|
| `Appel` | The call: the conversation, the client file (0 for a new one), its name, ICE, IF, company or person, the file whose setup to copy, FEC or general ledger, the attachments, the firm. |
| `Debut` | Notes when the run started, for its time budget. |
| `Pieces jointes de l'agent` | Saves files attached in n8n's chat. |
| `Nouveau dossier ?` | A new client file, an existing one, a change to one, or a follow-up. |

## A new client file

| | |
|---|---|
| `Creation (create_dossier)` | Creates the file as Experio's Folders screen does. Experio checks the name is free and the ICE and IF against the official register. A very similar name, or skipping the register check, is confirmed with the client first. |
| `Suite apres create_dossier` | Created: on to the next step. A question or a refusal: recorded, and the run stops there. |
| `Modele ?` | Copy another file's setup only if the client asked for it. |
| `Configuration (copy_configuration)` | Copies that file's accounts, taxes, journals, bank operations and settings, before any import. |
| `Suite apres copy_configuration` | Copied: on to the import. Otherwise recorded, and the run stops. |

## An existing client file

| | |
|---|---|
| `Expediteur (check_sender)` | The email's sender must be one of the firm's staff, or of Experio's own team, with this client file assigned. |

| | |
|---|---|
| `Suite apres check_sender` | Allowed: on to the change or the import. Otherwise the run stops. |

## Importing the history

| | |
|---|---|
| `Dossier cible` | The client file the rest works on: the one given, or the one just created. |
| `Fichiers du message (files_to_process)` | The conversation's FEC and general ledger files not imported yet. |
| `Un element par fichier` | One item per file. |
| `Ecritures (import_entries)` | Imports the entries through Experio's Importation screen, after Experio's own test of the file. Experio creates the missing accounts, journals, suppliers, customers and fiscal years. A refused file is reported; the client sends a corrected one. |

## Changing a client file

Only in update mode (Experio_modifier_dossier).

| | |
|---|---|
| `Modifier ?` | A change: on to it. Otherwise the existing file is set up (imports below). |
| `Modification (update_dossier)` | Changes only the fields given, as the client file's Experio form does, and only to values the client wrote in this conversation. An ICE, IF or name another file already has is refused. A new ICE or IF is checked against the official register; skipping that check needs the client's confirmation first. |

## Finishing the onboarding

| | |
|---|---|
| `Imports acceptes ?` | Only when no import was refused. |
| `Integration (finish_setup)` | Completes Experio's onboarding steps so Experio processes the imported entries, opening the current fiscal year if none is open. Experio only takes lines once they are a minute old: when that wait does not fit in the run's time, the file is left waiting for the follow-up. |

| | |
|---|---|
| `Integration terminee ?` | Finished: read the file's state. Left waiting: its state comes with the follow-up. |
| `Etat du dossier (setup_status)` | Where the file stands: imported entries by state, fiscal years, and any setting Experio needs before an invoice can be posted. |

## Following up

Only when Tarik - Emails follows up a thread.

| | |
|---|---|
| `Integrations en attente (waiting_setups)` | The conversation's client files whose entries were imported and whose onboarding still waits. |
| `Un element par dossier` | One item per file. |
| `Integration reprise (finish_setup)` | Finishes the onboarding, with no time limit. |
| `Reprise terminee ?` | Finished: read the file's state. |
| `Etat du dossier repris (setup_status)` | Where the file stands, for the follow-up email. |

## Recording and answering

| | |
|---|---|
| `Enregistrer` | Records every step's outcome. |
| `Fin des etapes` | Waits for every step to end (its second input, from Jamais execute, never comes), then lets Résumé run. |
| `Jamais execute` | Never runs: it only keeps Fin des etapes waiting until the end. |
| `Résumé` | After Fin des etapes: the run's summary, which the agent copies. |

State as of 19 October 2026 · node names as in n8n's editor