← TARIK WORKFLOWS OVERVIEW

Tarik - Traitement

Turns the documents a client sent into entries in Experio: bank statements imported, invoices drafted, checked, completed and posted, one fixed step after another. When a step needs the client, it asks one question and waits for the answer.

STARTED BY

The AI agent (Experio_traiter_fichiers to process files, Experio_repondre for an answer), or Tarik - Emails following up.

TIME BUDGET


240 seconds, under the 5 minutes n8n allows. What is left waits for the next run. A follow-up has no budget.

ENDS WITH

A summary invoice by invoice, which the agent copies into its answer.

The workflow in n8n

Each box is a node, named exactly as in n8n's editor and placed where it sits there. Lines show where each node leads.



Start · Tarik tool (one Experio action) · Decision · Sorting (no Experio action) · Record

Every step also records its outcome in Enregistrer; those lines are left out.

Scaled to fit the page: the HTML version shows this map full size.

Starting a run

`Appel`	The call and what comes with it: the mode (files, answer or resume), the conversation, the client file, purchase or sale as the client said, the client's message, the attachments, the firm.
`Debut`	Notes when the run started, for its time budget.
`Pieces jointes de l'agent`	Saves files attached in n8n's chat. Files sent by email were saved when the email arrived.
`Aiguillage (route_message)`	Decides where the message goes from the database, not from the tool the agent picked: an answer when questions wait and no file came since the last run, the files when files came and nothing waits, both when both.
`Fichiers ou reponse ?`	Files to process, the client's answer to a question, a follow-up, or both the answer and the files.

Files: from document to draft

`Dossier (resolve_dossier)`	Finds the client file from the name the client wrote, even misspelled. Only a 100 % match goes on; otherwise the run stops and the client is asked which file they mean.
`Suite apres resolve_dossier`	One file found: on to the sender check. Otherwise the run stops.
`Expediteur (check_sender)`	The email's sender must be one of the firm's staff, or of Experio's own team, with this client file assigned. Otherwise the run stops there.
`Fichiers du message (files_to_process)`	The conversation's files not processed yet.
`Nouveaux fichiers ?`	None new (“relancez le traitement”): the invoices left waiting are taken up instead.
`Un element par fichier`	One item per file.
`Identification (identify_document)`	Invoice or bank statement?

`Releve bancaire (import_bank_statement)`	Imports a bank statement into the client file's bank journal. With several bank accounts, asks the client which one.
`Decoupage (split_invoices)`	Finds each invoice inside a PDF. Needs purchase or sale from the client; otherwise it asks, and nothing is created.
`Une facture par fichier`	One item per invoice found.
`Brouillon (create_draft_invoice)`	Creates the draft invoice in Experio, never twice for the same file.

Each invoice: the fixed sequence

Every invoice goes through these steps in this order. Each one either goes through, asks the client one question, or stops the invoice.

`1. Lecture Experio (wait_until_read)`	Waits for Experio's own reading (OCR) of the draft: 3 minutes at most for all the run's drafts together.
`2. Verification (check_invoice)`	Compares what Experio captured with what the scan shows, and lists every difference. Changes nothing.
`3. Correction (correct_invoice)`	Writes what the scan shows over what Experio captured differently: amounts, number, date, credit note, several VAT rates, currency, payment method.
`4. Classement (classify_invoice)`	Purchase, sale or in fact a bank statement. A scan that contradicts what the client said stops the invoice.
`5. Tiers (link_tiers)`	Sets the supplier or customer Experio detected, with the account it needs. When none was detected, asks the client, suggesting close names; when no name is close, creates the tiers from the scan, as the invoice screen's Créer does.
`6. Doublon (check_duplicate)`	Already recorded in this client file (same number, supplier or customer, date)? A duplicate stops here.
`7. Compte (assign_account)`	Sets the account: the one Experio remembers for this supplier, else the one matching what is billed (e.g. 6125). When none fits, asks the client.
`8. TVA (settle_tva)`	Recoverable or not, the firm's prorata, the tax on each line. Asks when the VAT might not be recoverable.

`9. Journal (check_journal)`	Puts the invoice in the journal Experio's rules give it, or names the missing setting.
`10. Retenue a la source (settle_withholding)`	Withholding tax on a purchase: the supplier's known rule, else a question.
`11. Constatee d'avance (settle_prepaid)`	An invoice covering several months: asks whether to spread it (charges or produits constatés d'avance).
`12. Exercice (settle_exercice)`	Books the invoice in an open fiscal year. When none covers its date, asks the client.
`13. Parametrage (configure_cabinet)`	When Experio's own check says a setting is missing, fills what its screens would: the taxes the chart of accounts calls for, then Configuration's automatic detection of every empty setting from the chart and the journals, then the switches and accounts the invoice's amounts need (retenue de garantie, prorata, assurance, avance, timbre, debours, taxes de sejour), written through the Configuration form. What still blocks is for the firm: an account or a journal the file lacks.
`14. Comptabilisation (post_invoice)`	Posts the invoice when Experio's own check finds nothing blocking; otherwise lists what blocks it.

Between the steps

Two kinds of nodes repeat after every step of the sequence:

`Suite apres <step>`	After each step, a decision. The step went through: on to the next step. It asked the client a question, stopped the invoice (a duplicate, a missing setting) or failed: the outcome is recorded and this invoice goes no further in this run.
`Hors delai (<step>)`	The run has used its 240 seconds: the invoice is recorded as waiting at this step instead of starting the next one. The client's next message, or the email follow-up, takes it up again from Experio's reading.

The client's answer

`Reponse du client (answer_pending)`	Applies the client's answer, in their own words, with what the agent read in it (oui or non, the supplier chosen among those proposed), to the question this conversation waits on: a supplier, an account, VAT, withholding, prepaid, fiscal year, or a statement's bank account. An unclear oui or non is asked again. Checks the sender first.

`Reprendre ou ?`	Resumes the invoice at the step after the answered one (Doublon, TVA, Journal, Retenue a la source, Constatee d'avance, Exercice or Comptabilisation). With nothing waiting, takes up the invoices left waiting.

Taking up waiting invoices

`Brouillons en attente (waiting_drafts)`	The conversation's drafts left waiting: Experio was still reading them, a step failed, or a run was cut short. Only those still drafts in Experio.
`Une facture par brouillon`	Each one goes back to Lecture Experio, and every later step runs again.

Recording and answering

`Enregistrer`	Records every step's outcome for every invoice. A question becomes the invoice's pending question, which the client's answer settles.
`Fin des etapes`	Waits for every step to end (its second input, from Jamais execute, never comes), then lets Résumé run.
`Jamais execute`	Never runs: it only keeps Fin des etapes waiting until the end.
`Résumé`	After Fin des etapes: the run's summary, invoice by invoice and step by step. It is the workflow's answer, which the agent copies.

State as of 19 October 2026 · node names as in n8n's editor