← TARIK WORKFLOWS OVERVIEW

# Tarik - Emails

Answers each firm's Tarik mailbox. Woken by the mail watcher whenever an email thread waits for an answer, it hands each thread to the firm's AI agent and sends the reply in the same thread. When work was left waiting, it sends a follow-up email later, without the agent.

---

**STARTED BY**

The mail watcher, through a protected webhook, naming the firm.

**WORKS ON**


Every email thread of that firm waiting for an answer, one at a time.

**ENDS WITH**

A reply or a follow-up in the thread, and the thread's new state.

## The workflow in n8n

Each box is a node, named exactly as in n8n's editor and placed where it sits there. Lines show where each node leads.




Start · Tarik tool (one Experio action) · Decision · Sorting (no Experio action) · Runs another workflow

## Picking up the threads

| | |
|---|---|
| `Nouvel email` | The webhook the mail watcher calls when a thread waits: a new email arrived, or a follow-up is ready. It only answers calls carrying the shared secret, and it names the firm. |
| `Fils en attente (claim_threads)` | Takes the firm's threads waiting for an answer and locks them for this run, so two runs never answer the same thread. |
| `Un element par fil` | Splits them up: each thread goes through the rest on its own. |
| `Suite ?` | A thread with new emails from the client goes to the agent. A follow-up (nothing new from the client, work left waiting) skips the agent. |

## Answering with the agent

| | |
|---|---|
| `Accuse de reception (acknowledge_thread)` | A new conversation (its first email, not a reply in an earlier thread) gets an instant reply in the thread: “Votre message est bien reçu. Je le traite et vous réponds dans ce fil, en général d'ici quelques minutes.” Once per thread, never for a reply or a follow-up. If it cannot be sent, the agent answers all the same. |
| `Tarik` | Asks the firm's AI agent to answer the thread's new emails, in the thread's own conversation, with its attachments. The agent calls Tarik - Traitement, Tarik - Dossier or Tarik - Modification. Waits up to 11 minutes for the answer. |
| `Refus de droits ? (thread_refusal)` | Checks whether the work was refused because the sender is not allowed on that client file. |
| `Refuse ?` | Allowed: the answer is sent. Refused: the sender gets nothing and the firm's manager is told. |
| `Reponse (send_email)` | Sends the agent's answer as a reply in the thread, only to approved addresses. |
| `Manager prevenu (notify_manager)` | Emails the firm's manager that this sender wrote and was refused, at most once a day per sender. |

## Following up

Only for a thread whose work was left waiting: invoices Experio was still reading, or a new client file still onboarding. No agent, and no time limit.

| | |
|---|---|
| `Suite du traitement` | Runs Tarik - Traitement in resume mode: the conversation's invoices left waiting are taken up again. |

| | |
|---|---|
| `Suite de l'integration` | Runs Tarik - Dossier in resume mode: the conversation's client files left waiting are finished, and their state is read. |
| `Suite envoyee (send_email)` | Sends both outcomes in one email in the same thread, starting “Suite du traitement de vos documents :”. A part with nothing to do is left out. |

## Closing the thread

| | |
|---|---|
| `Fil traite (finish_thread)` | Marks the emails answered and sets the thread: done, waiting for the client's answer to a question, or followed up while work waits (30 minutes at most). When something failed (the reply could not be sent, the agent did not answer), the thread is set aside with the reason. Retried 3 times, so a reply is never sent twice. |

State as of 19 October 2026 · node names as in n8n's editor