
TARIK · HOW IT WORKS · FOR THE PROJECT TEAM

Tarik, the bookkeeping assistant for accounting firms

Clients email Tarik their invoices, bank statements and accounting exports. Tarik records them in Experio, the firm's accounting software, and replies in the same email thread. An AI agent understands each request; four fixed workflows in n8n do the work.

How the pieces fit together



The AI never writes to Experio itself. It reads the request, picks a workflow and fills in a few fields (which client file, purchase or sale). Every write goes through fixed, tested steps, and each step's result is recorded, so nothing is invented and everything can be traced.

FRONT DOOR

Tarik - Emails

Answers the firm's mailbox.

1. The mail watcher files each new email into its thread and saves the attachments.
2. Only the firm's own staff and Experio's own team, registered in Experio, are answered, and only at approved addresses. Anyone else is ignored and the manager is told.
3. A new conversation gets an instant reply: the message is received and Tarik answers in a few minutes.
4. The firm's AI agent reads the email and calls the right workflow.
5. The answer goes back as a reply in the same thread.

> **Follow-up email.** When Experio is still working (reading a scan, taking in imported entries), Tarik replies with what is done, then sends the rest in the same thread, within about 15 minutes. The client does not have to ask again.

INVOICES AND BANK STATEMENTS

Tarik - Traitement

Turns the attached documents into posted entries in Experio.

1. Identify each file: invoice or bank statement.
2. A bank statement is imported into the client file's bank account.
3. An invoice PDF is split if it holds several, and each becomes a draft in Experio.
4. Wait for Experio's own reading (OCR) of the draft.
5. Check and correct what was read; purchase or sale; supplier; duplicates; account (e.g. `6125`); VAT; journal; withholding tax; prepaid; fiscal year.
6. Post the invoice.

> **When it needs the client,** it asks one clear question marked “QUESTION :”. The client answers by email and processing continues from that exact step.

NEW CLIENT FILE

Tarik - Dossier

Opens a client file in Experio, or loads past accounting into one.

1. Create the file. Experio checks the name is free and the `ICE` and `IF` against the official register; a very similar name is confirmed with the client first.
2. Copy another file's setup (chart of accounts, settings), only if the client asks.
3. Import the history the client attached: a `FEC` or a general ledger. Experio creates the missing accounts, journals, suppliers, customers and fiscal years.
4. Finish the onboarding. Experio only takes lines once they are a minute old, so this step waits.
5. Report the file's state: accounts, journals, entries, open fiscal years.

> **Large imports** that cannot finish in time are completed by the follow-up email, which also sends the file's state.

CHANGING A CLIENT FILE

Tarik - Modification

Updates an existing file's details: name, type, ICE, IF, RC, patente, T.S.C, capital, CNSS, address.

1. Check the sender is allowed to work on that client file.
2. Change only the fields the client asked for, to the values the client wrote. The AI cannot fill in or “correct” a value.
3. A new ICE or IF is checked against the official register; skipping that check needs the client's explicit confirmation.

> **Short and fast:** nothing waits on Experio here.

Built in

- **One firm, one assistant.** Several firms share one installation, but each has its own agent, mailbox, data and Experio access. A firm's agent cannot reach another firm's data.
- **Test mode per firm.** Drafts are created but nothing is posted. GECAFISC is currently live.
- **No lost or doubled work.** A run that fails is retried; after 3 failures the thread is set aside with the reason. A reply is never sent twice, and an interrupted run picks up where it stopped.
- **AI model:** MiniMax-M3, about 8 seconds per answer on average.

Current limits

- **5-minute cap.** Each piece of work the AI starts may run up to 5 minutes (raised from n8n's 2). Tarik stops itself in time and finishes anything longer by follow-up email.
- **Experio's reading speed.** Scanned invoices can stay unread in Experio for a long time (over an hour in today's test). Tarik handles the wait but cannot speed it up.
- **Email is the main channel.** The n8n chat works for testing but takes fewer file types and has no follow-up. WhatsApp could reuse the follow-up later.

State as of 16 October 2026 · n8n 2.43 · tested on the GECAFISC firm

← TARIK WORKFLOWS OVERVIEW

Tarik - Emails

Answers each firm's Tarik mailbox. Woken by the mail watcher whenever an email thread waits for an answer, it hands each thread to the firm's AI agent and sends the reply in the same thread. When work was left waiting, it sends a follow-up email later, without the agent.

STARTED BY

The mail watcher, through a protected webhook, naming the firm.

WORKS ON


Every email thread of that firm waiting for an answer, one at a time.

ENDS WITH

A reply or a follow-up in the thread, and the thread's new state.

The workflow in n8n

Each box is a node, named exactly as in n8n's editor and placed where it sits there. Lines show where each node leads.



Start · Tarik tool (one Experio action) · Decision · Sorting (no Experio action) · Runs another workflow

Picking up the threads

`Nouvel email`	The webhook the mail watcher calls when a thread waits: a new email arrived, or a follow-up is ready. It only answers calls carrying the shared secret, and it names the firm.
`Fils en attente (claim_threads)`	Takes the firm's threads waiting for an answer and locks them for this run, so two runs never answer the same thread.
`Un element par fil`	Splits them up: each thread goes through the rest on its own.
`Suite ?`	A thread with new emails from the client goes to the agent. A follow-up (nothing new from the client, work left waiting) skips the agent.

Answering with the agent

`Accuse de reception (acknowledge_thread)`	A new conversation (its first email, not a reply in an earlier thread) gets an instant reply in the thread: “Votre message est bien reçu. Je le traite et vous réponds dans ce fil, en général d'ici quelques minutes.” Once per thread, never for a reply or a follow-up. If it cannot be sent, the agent answers all the same.
`Tarik`	Asks the firm's AI agent to answer the thread's new emails, in the thread's own conversation, with its attachments. The agent calls Tarik - Traitement, Tarik - Dossier or Tarik - Modification. Waits up to 11 minutes for the answer.
`Refus de droits ? (thread_refusal)`	Checks whether the work was refused because the sender is not allowed on that client file.
`Refuse ?`	Allowed: the answer is sent. Refused: the sender gets nothing and the firm's manager is told.
`Reponse (send_email)`	Sends the agent's answer as a reply in the thread, only to approved addresses.
`Manager prevenu (notify_manager)`	Emails the firm's manager that this sender wrote and was refused, at most once a day per sender.

Following up

Only for a thread whose work was left waiting: invoices Experio was still reading, or a new client file still onboarding. No agent, and no time limit.

`Suite du traitement`	Runs Tarik - Traitement in resume mode: the conversation's invoices left waiting are taken up again.

`Suite de l'integration`	Runs Tarik - Dossier in resume mode: the conversation's client files left waiting are finished, and their state is read.
`Suite envoyee (send_email)`	Sends both outcomes in one email in the same thread, starting “Suite du traitement de vos documents :”. A part with nothing to do is left out.

Closing the thread

`Fil traite (finish_thread)`	Marks the emails answered and sets the thread: done, waiting for the client's answer to a question, or followed up while work waits (30 minutes at most). When something failed (the reply could not be sent, the agent did not answer), the thread is set aside with the reason. Retried 3 times, so a reply is never sent twice.

State as of 16 October 2026 · node names as in n8n's editor

← TARIK WORKFLOWS OVERVIEW

Tarik - Traitement

Turns the documents a client sent into entries in Experio: bank statements imported, invoices drafted, checked, completed and posted, one fixed step after another. When a step needs the client, it asks one question and waits for the answer.

STARTED BY

The AI agent (Experio_traiter_fichiers to process files, Experio_repondre for an answer), or Tarik - Emails following up.

TIME BUDGET


240 seconds, under the 5 minutes n8n allows. What is left waits for the next run. A follow-up has no budget.

ENDS WITH

A summary invoice by invoice, which the agent copies into its answer.

The workflow in n8n

Each box is a node, named exactly as in n8n's editor and placed where it sits there. Lines show where each node leads.



Start · Tarik tool (one Experio action) · Decision · Sorting (no Experio action) · Record

Every step also records its outcome in Enregistrer; those lines are left out.

Scaled to fit the page: the HTML version shows this map full size.

Starting a run

`Appel`	The call and what comes with it: the mode (files, answer or resume), the conversation, the client file, purchase or sale as the client said, the client's message, the attachments, the firm.
`Debut`	Notes when the run started, for its time budget.
`Pieces jointes de l'agent`	Saves files attached in n8n's chat. Files sent by email were saved when the email arrived.
`Fichiers ou reponse ?`	Files to process, the client's answer to a question, or a follow-up.

Files: from document to draft

`Expediteur (check_sender)`	The email's sender must be one of the firm's staff, or of Experio's own team, with this client file assigned. Otherwise the run stops there.
`Fichiers du message (files_to_process)`	The conversation's files not processed yet.
`Nouveaux fichiers ?`	None new (“relancez le traitement”): the invoices left waiting are taken up instead.
`Un element par fichier`	One item per file.
`Identification (identify_document)`	Invoice or bank statement?
`Releve bancaire (import_bank_statement)`	Imports a bank statement into the client file's bank journal. With several bank accounts, asks the client which one.
`Decoupage (split_invoices)`	Finds each invoice inside a PDF. Needs purchase or sale from the client; otherwise it asks, and nothing is created.
`Une facture par fichier`	One item per invoice found.
`Brouillon (create_draft_invoice)`	Creates the draft invoice in Experio, never twice for the same file.

Each invoice: the fixed sequence

Every invoice goes through these steps in this order. Each one either goes through, asks the client one question, or stops the invoice.

`1. Lecture Experio (wait_until_read)`	Waits for Experio's own reading (OCR) of the draft: 3 minutes at most for all the run's drafts together.
`2. Verification (check_invoice)`	Compares what Experio captured with what the scan shows, and lists every difference. Changes nothing.
`3. Correction (correct_invoice)`	Writes what the scan shows over what Experio captured differently: amounts, number, date, credit note, several VAT rates, currency, payment method.
`4. Classement (classify_invoice)`	Purchase, sale or in fact a bank statement. A scan that contradicts what the client said stops the invoice.
`5. Tiers (link_tiers)`	Sets the supplier or customer Experio detected, with the account it needs. When none was detected, asks the client, suggesting close names.
`6. Doublon (check_duplicate)`	Already recorded in this client file (same number, supplier or customer, date)? A duplicate stops here.
`7. Compte (assign_account)`	Sets the account: the one Experio remembers for this supplier, else the one matching what is billed (e.g. 6125). When none fits, asks the client.
`8. TVA (settle_tva)`	Recoverable or not, the firm's prorata, the tax on each line. Asks when the VAT might not be recoverable.
`9. Journal (check_journal)`	Puts the invoice in the journal Experio's rules give it, or names the missing setting.
`10. Retenue a la source (settle_withholding)`	Withholding tax on a purchase: the supplier's known rule, else a question.
`11. Constatee d'avance (settle_prepaid)`	An invoice covering several months: asks whether to spread it (charges or produits constatés d'avance).
`12. Exercice (settle_exercice)`	Books the invoice in an open fiscal year. When none covers its date, asks the client.

`13. Comptabilisation (post_invoice)`	Posts the invoice when Experio's own check finds nothing blocking; otherwise lists what blocks it.

Between the steps

Two kinds of nodes repeat after every step of the sequence:

`Suite apres <step>`	After each step, a decision. The step went through: on to the next step. It asked the client a question, stopped the invoice (a duplicate, a missing setting) or failed: the outcome is recorded and this invoice goes no further in this run.
`Hors delai (<step>)`	The run has used its 240 seconds: the invoice is recorded as waiting at this step instead of starting the next one. The client's next message, or the email follow-up, takes it up again from Experio's reading.

The client's answer

`Reponse du client (answer_pending)`	Applies the client's answer, in their own words, with what the agent read in it (oui or non, the supplier chosen among those proposed), to the question this conversation waits on: a supplier, an account, VAT, withholding, prepaid, fiscal year, or a statement's bank account. An unclear oui or non is asked again. Checks the sender first.
`Reprendre ou ?`	Resumes the invoice at the step after the answered one (Doublon, TVA, Journal, Retenue a la source, Constatee d'avance, Exercice or Comptabilisation). With nothing waiting, takes up the invoices left waiting.

Taking up waiting invoices

`Brouillons en attente (waiting_drafts)`	The conversation's drafts left waiting: Experio was still reading them, a step failed, or a run was cut short. Only those still drafts in Experio.
`Une facture par brouillon`	Each one goes back to Lecture Experio, and every later step runs again.

Recording and answering

`Enregistrer`	Records every step's outcome for every invoice. A question becomes the invoice's pending question, which the client's answer settles.
`Fin des etapes`	Waits for every step to end (its second input, from Jamais execute, never comes), then lets Résumé run.
`Jamais execute`	Never runs: it only keeps Fin des etapes waiting until the end.
`Résumé`	After Fin des etapes: the run's summary, invoice by invoice and step by step. It is the workflow's answer, which the agent copies.

State as of 16 October 2026 · node names as in n8n's editor

← TARIK WORKFLOWS OVERVIEW

Tarik - Dossier

Opens a new client file (dossier) in Experio, optionally copies another file's setup, imports the client's accounting history (FEC or general ledger), finishes the onboarding and reports where the file stands. Also loads a FEC into an existing file.

STARTED BY

The AI agent (Experio_parametrer_dossier), or Tarik - Emails following up.

TIME BUDGET


260 seconds. When Experio's wait would not fit, the file is left waiting and the email follow-up finishes it.

ENDS WITH

A summary: creation, import, onboarding and the file's state.

The workflow in n8n

Each box is a node, named exactly as in n8n's editor and placed where it sits there. Lines show where each node leads.



Start · Tarik tool (one Experio action) · Decision · Sorting (no Experio action) · Record

Every step also records its outcome in Enregistrer; those lines are left out.

Starting a run

`Appel`	The call: the conversation, the client file (0 for a new one), its name, ICE, IF, company or person, the file whose setup to copy, FEC or general ledger, the attachments, the firm.
`Debut`	Notes when the run started, for its time budget.
`Pieces jointes de l'agent`	Saves files attached in n8n's chat.
`Nouveau dossier ?`	A new client file, an existing one, or a follow-up.

A new client file

`Creation (create_dossier)`	Creates the file as Experio's Folders screen does. Experio checks the name is free and the ICE and IF against the official register. A very similar name, or skipping the register check, is confirmed with the client first.
`Suite apres create_dossier`	Created: on to the next step. A question or a refusal: recorded, and the run stops there.
`Modele ?`	Copy another file's setup only if the client asked for it.
`Configuration (copy_configuration)`	Copies that file's accounts, taxes, journals, bank operations and settings, before any import.
`Suite apres copy_configuration`	Copied: on to the import. Otherwise recorded, and the run stops.

An existing client file

`Expediteur (check_sender)`	The email's sender must be one of the firm's staff, or of Experio's own team, with this client file assigned.

`Suite apres check_sender`	Allowed: on to the import. Otherwise the run stops.

Importing the history

`Dossier cible`	The client file the rest works on: the one given, or the one just created.
`Fichiers du message (files_to_process)`	The conversation's FEC and general ledger files not imported yet.
`Un element par fichier`	One item per file.
`Ecritures (import_entries)`	Imports the entries through Experio's Importation screen, after Experio's own test of the file. Experio creates the missing accounts, journals, suppliers, customers and fiscal years. A refused file is reported; the client sends a corrected one.

Finishing the onboarding

`Imports acceptes ?`	Only when no import was refused.
`Integration (finish_setup)`	Completes Experio's onboarding steps so Experio processes the imported entries, opening the current fiscal year if none is open. Experio only takes lines once they are a minute old: when that wait does not fit in the run's time, the file is left waiting for the follow-up.
`Integration terminee ?`	Finished: read the file's state. Left waiting: its state comes with the follow-up.
`Etat du dossier (setup_status)`	Where the file stands: imported entries by state, fiscal years, and any setting Experio needs before an invoice can be posted.

Following up

Only when Tarik - Emails follows up a thread.

`Integrations en attente (waiting_setups)`	The conversation's client files whose entries were imported and whose onboarding still waits.
`Un element par dossier`	One item per file.
`Integration reprise (finish_setup)`	Finishes the onboarding, with no time limit.
`Reprise terminee ?`	Finished: read the file's state.
`Etat du dossier repris (setup_status)`	Where the file stands, for the follow-up email.

Recording and answering

`Enregistrer`	Records every step's outcome.
`Fin des etapes`	Waits for every step to end (its second input, from Jamais execute, never comes), then lets Résumé run.
`Jamais execute`	Never runs: it only keeps Fin des etapes waiting until the end.
`Résumé`	After Fin des etapes: the run's summary, which the agent copies.

State as of 16 October 2026 · node names as in n8n's editor

← TARIK WORKFLOWS OVERVIEW

Tarik - Modification

Changes an existing client file's details in Experio: name, type, ICE, IF, RC, patente, T.S.C, capital, CNSS, address. Only the fields the client asked for, only to values the client wrote.

STARTED BY

The AI agent (Experio_modifier_dossier).

DURATION


A few seconds: nothing waits on Experio.

ENDS WITH

What was changed, or why not.

The workflow in n8n

Each box is a node, named exactly as in n8n's editor and placed where it sits there. Lines show where each node leads.



Start · Tarik tool (one Experio action) · Decision · Sorting (no Experio action) · Record

Every step also records its outcome in Enregistrer; those lines are left out.

The steps

`Appel`	The call: the conversation, the client file, the fields to change with their new values, the client's message, the firm.
`Expediteur (check_sender)`	The email's sender must be one of the firm's staff, or of Experio's own team, with this client file assigned.
`Suite apres check_sender`	Allowed: on to the change. Otherwise recorded, and nothing changes.
`Modification (update_dossier)`	Changes only the fields given, as the client file's Experio form does, and only to values the client wrote in this conversation. An ICE, IF or name another file already has is refused. A new ICE or IF is checked against the official register; skipping that check needs the client's confirmation first.
`Enregistrer`	Records the outcome.
`Fin des etapes`	Waits for every step to end (its second input, from Jamais execute, never comes), then lets Résumé run.
`Jamais execute`	Never runs: it only keeps Fin des etapes waiting until the end.
`Résumé`	After Fin des etapes: the summary, which the agent copies.

State as of 16 October 2026 · node names as in n8n's editor