

Akosua T. Boateng - Mensah
ID: 66942028
Cohort C

Question 1:

MariaDB [(none)]> create database MovieCo;
Query OK, 1 row affected (0.020 sec)

MariaDB [(none)]> show databases;

Database
contact_db
contacts
contacts_db
information_schema
movieco
mydb
mysql
performance_schema
prestigecars
sys
test

MariaDB [(none)]> use MovieCo;
Database changed

MariaDB [MovieCo]> create table MEMBERSHIP(MEM_NUM VARCHAR(5) PRIMARY KEY,
MEM_FNAME VARCHAR(20) NOT NULL, MEM_LNAME VARCHAR(20) NOT NULL, MEM_STREET
VARCHAR(50), MEM_CITY VARCHAR(20), MEM_STATE VARCHAR(3), MEM_ZIP VARCHAR(5),
MEM_BALANCE DOUBLE);
Query OK, 0 rows affected (0.057 sec)

MariaDB [movieco]> DESCRIBE MEMBERSHIP;

Field	Type	Null	Key	Default	Extra
MEM_NUM	varchar(5)	NO	PRI	NULL	
MEM_FNAME	varchar(20)	NO		NULL	
MEM_LNAME	varchar(20)	NO		NULL	
MEM_STREET	varchar(50)	YES		NULL	
MEM_CITY	varchar(20)	YES		NULL	
MEM_STATE	varchar(3)	YES		NULL	
MEM_ZIP	varchar(5)	YES		NULL	
MEM_BALANCE	double	YES		NULL	

8 rows in set (0.036 sec)

MariaDB [MovieCo]> CREATE TABLE RENTAL(RENT_NUM VARCHAR(4), RENT_DATE
VARCHAR(9), MEM_NUM VARCHAR(3) NOT NULL, PRIMARY KEY(RENT_NUM), FOREIGN
KEY(MEM_NUM) REFERENCES MEMBERSHIP(MEM_NUM));
Query OK, 0 rows affected (0.010 sec)

MariaDB [MovieCo]> DESCRIBE RENTAL;

Field	Type	Null	Key	Default	Extra
RENT_NUM	varchar(4)	NO	PRI	NULL	
RENT_DATE	varchar(9)	YES		NULL	
MEM_NUM	varchar(3)	NO	MUL	NULL	

3 rows in set (0.012 sec)

MariaDB [MovieCo]> CREATE TABLE PRICE(PRICE_CODE VARCHAR(4), PRICE_DESCRIPTION VARCHAR(20), PRICE_RENTFEE DOUBLE, PRICE_DAILYLATEFEE DOUBLE, PRIMARY KEY(PRICE_CODE));
Query OK, 0 rows affected (0.016 sec)

MariaDB [MovieCo]> DESCRIBE PRICE;

Field	Type	Null	Key	Default	Extra
PRICE_CODE	varchar(4)	NO	PRI	NULL	
PRICE_DESCRIPTION	varchar(20)	YES		NULL	
PRICE_RENTFEE	double	YES		NULL	
PRICE_DAILYLATEFEE	double	YES		NULL	

4 rows in set (0.032 sec)

MariaDB [MovieCo]> CREATE TABLE MOVIE(MOVIE_NUM VARCHAR(4), MOVIE_NAME VARCHAR(50) NOT NULL, MOVIE_YEAR INT, MOVIE_COST DOUBLE, MOVIE_GENRE VARCHAR(20), PRICE_CODE VARCHAR(3) NOT NULL, PRIMARY KEY(MOVIE_NUM), FOREIGN KEY(PRICE_CODE) REFERENCES PRICE(PRICE_CODE));
Query OK, 0 rows affected (0.009 sec)

MariaDB [movieco]> DESCRIBE MOVIE;

Field	Type	Null	Key	Default	Extra
MOVIE_NUM	varchar(4)	NO	PRI	NULL	
MOVIE_NAME	varchar(50)	NO		NULL	
MOVIE_YEAR	int(11)	YES		NULL	
MOVIE_COST	double	YES		NULL	
MOVIE_GENRE	varchar(20)	YES		NULL	
PRICE_CODE	varchar(3)	NO	MUL	NULL	

6 rows in set (0.047 sec)

MariaDB [MovieCo]> CREATE TABLE VIDEO(VID_NUM VARCHAR(5), VID_INDATE VARCHAR(9), MOVIE_NUM VARCHAR(5) NOT NULL, PRIMARY KEY(VID_NUM), FOREIGN KEY(MOVIE_NUM) REFERENCES MOVIE(MOVIE_NUM));
Query OK, 0 rows affected (0.016 sec)

MariaDB [MovieCo]> DESCRIBE VIDEO;

Field	Type	Null	Key	Default	Extra
-------	------	------	-----	---------	-------

Field	Type	Null	Key	Default	Extra
VID_NUM	varchar(5)	NO	PRI	NULL	
VID_INDATE	varchar(9)	YES		NULL	
MOVIE_NUM	varchar(5)	NO	MUL	NULL	

3 rows in set (0.029 sec)

```
MariaDB [MovieCo]> CREATE TABLE DETAILRENTAL(RENT_NUM VARCHAR(4), VID_NUM
VARCHAR(5), DETAIL_FEE DOUBLE, DETAIL_DUEDATE VARCHAR(9), DETAIL_RETURNDATE
VARCHAR(9), DETAIL_DAILYLATEFEE DOUBLE, PRIMARY KEY(RENT_NUM, VID_NUM), FOREIGN
KEY(RENT_NUM) REFERENCES RENTAL(RENT_NUM), FOREIGN KEY(VID_NUM) REFERENCES
VIDEO(VID_NUM));
Query OK, 0 rows affected (0.008 sec)
```

```
MariaDB [MovieCo]> DESCRIBE DETAILRENTAL;
```

Field	Type	Null	Key	Default	Extra
RENT_NUM	varchar(4)	NO	PRI	NULL	
VID_NUM	varchar(5)	NO	PRI	NULL	
DETAIL_FEE	double	YES		NULL	
DETAIL_DUEDATE	varchar(9)	YES		NULL	
DETAIL_RETURNDATE	varchar(9)	YES		NULL	
DETAIL_DAILYLATEFEE	double	YES		NULL	

6 rows in set (0.024 sec)

Question 2:

```
MariaDB [movieco]> INSERT INTO MEMBERSHIP VALUES('102', 'Tami', 'Dawson', '2632
Takli Circle', 'Norene', 'TN', '37136', 11), ('103', 'Curt', 'Knight', '4025
Cornell Court', 'Flatgap', 'KY', '41219', 6), ('104', 'Jamal', 'Melendez', '788
East 145th Avenue', 'Quebeck', 'TN', '38579', 0), ('105', 'Iva', 'Mcclain',
'6045 Musket Ball Circle', 'Summit', 'KY', '42783', 15);
Query OK, 4 rows affected (0.004 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
MariaDB [movieco]> INSERT INTO MEMBERSHIP VALUES('106', 'Miranda', 'Parks',
'4469 Maxwell Place', 'Germantown', 'TN', '38183', 0), ('107', 'Rosario',
'Elliott', '7578 Danner Avenue', 'Columbia', 'TN', '38402', 5), ('108',
'Mattie', 'Guy', '4390 Evergreen Street', 'Lily', 'KY', '40740', 0), ('109',
'Clint', 'Ochoa', '1711 Elm Street', 'Greeneville', 'TN', '37745', 10);
Query OK, 4 rows affected (0.013 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
MariaDB [movieco]> INSERT INTO MEMBERSHIP VALUES('110', 'Lewis', 'Rosales',
'4524 Southwind Circle', 'Counce', 'TN', '38326', 0), ('111', 'Stacy', 'Mann',
'2789 East Cook Avenue', 'Murfreesboro', 'TN', '37132', 8), ('112', 'Luis',
'Trujillo', '7267 Melvin Avenue', 'Heiskell', 'TN', '37754', 3), ('113',
'Minnie', 'Gonzales', '6430 Vasili Drive', 'Williston', 'TN', '38076', 0);
Query OK, 4 rows affected (0.012 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

MariaDB [movieco]> select * from MEMBERSHIP;

MEM_NUM	MEM_FNAME	MEM_LNAME	MEM_STREET	MEM_CITY	MEM_STATE	MEM_ZIP	MEM_BALANCE
102	Tami	Dawson	2632 Takli Circle	Norene	TN	37136	11
103	Curt	Knight	4025 Cornell Court	Flatgap	KY	41219	6
104	Jamal	Melendez	788 East 145th Avenue	Quebeck	TN	38579	0
105	Iva	Mcclain	6045 Musket Ball Circle	Summit	KY	42783	15
106	Miranda	Parks	4469 Maxwell Place	Germantown	TN	38183	0
107	Rosario	Elliott	7578 Danner Avenue	Columbia	TN	38402	5
108	Mattie	Guy	4390 Evergreen Street	Lily	KY	40740	0
109	Clint	Ochoa	1711 Elm Street	Greeneville	TN	37745	10
110	Lewis	Rosales	4524 Southwind Circle	Counce	TN	38326	0
111	Stacy	Mann	2789 East Cook Avenue	Murfreesboro	TN	37132	8
112	Luis	Trujillo	7267 Melvin Avenue	Heiskell	TN	37754	3
113	Minnie	Gonzales	6430 Vasili Drive	Williston	TN	38076	0

12 rows in set (0.015 sec)

MariaDB [movieco]> INSERT INTO RENTAL VALUES('1001','01-MAR-16',103),('1002','01-MAR-16','105'),('1003','02-MAR-16','102'),('1004','02-MAR-16','110'),('1005','02-MAR-16','111'),('1006','02-MAR-16','107'),('1008','03-MAR-16',105),('1009','03-MAR-16','111');

Query OK, 8 rows affected (0.013 sec)

Records: 8 Duplicates: 0 Warnings: 0

MariaDB [movieco]> select * from RENTAL;

RENT_NUM	RENT_DATE	MEM_NUM
1001	01-MAR-16	103
1002	01-MAR-16	105
1003	02-MAR-16	102
1004	02-MAR-16	110
1005	02-MAR-16	111
1006	02-MAR-16	107
1007	02-MAR-16	104

1008	03-MAR-16	105
1009	03-MAR-16	111

8 rows in set (0.001 sec)

MariaDB [movieco]> INSERT INTO PRICE VALUES('1','Standard',2,1),('2','New Release',3.5,3),('3','Discount',1.5,1),('4','Weekly Special', 1, .5);
Query OK, 4 rows affected (0.014 sec)
Records: 4 Duplicates: 0 Warnings: 0

MariaDB [movieco]> select * from PRICE;

PRICE_CODE	PRICE_DESCRIPTION	PRICE_RENTFEE	PRICE_DAILYLATEFEE
1	Standard	2	1
2	New Release	3.5	3
3	Discount	1.5	1
4	Weekly Special	1	0.5

4 rows in set (0.002 sec)

MariaDB [movieco]> INSERT INTO MOVIE VALUE('1234','The Caesar Family Christmas',2014,39.95,'FAMILY', '2'),('1235','Smokey Mountain Wildlife',2011,59.95,'ACTION',1),('1236','Richard Goodhope', 2015, 59.95, DRAMA, 2),('1237','Beatnik Fever', 2014, 29.95, 'COMEDY',2);
ERROR 1054 (42S22): Unknown column 'DRAMA' in 'SELECT'
MariaDB [movieco]> INSERT INTO MOVIE VALUE('1234','The Caesar Family Christmas',2014,39.95,'FAMILY', '2'),('1235','Smokey Mountain Wildlife',2011,59.95,'ACTION',1),('1236','Richard Goodhope', 2015, 59.95, 'DRAMA', 2),('1237','Beatnik Fever', 2014, 29.95, 'COMEDY',2);
Query OK, 4 rows affected (0.012 sec)
Records: 4 Duplicates: 0 Warnings: 0

MariaDB [movieco]> INSERT INTO MOVIE(MOVIE_NUM,MOVIE_NAME,MOVIE_YEAR,MOVIE_COST, MOVIE_GENRE) VALUES ('1238', 'Constant Companion', 2015, 89.95, 'DRAMA');
Query OK, 1 row affected (0.011 sec)

INSERT INTO MOVIE VALUE('1239','Where Hop...' at line 1
MariaDB [movieco]> INSERT INTO MOVIE VALUE('1239','Where Hope Dies',2005,25.49,'DRAMA', '3'),('1245','Time To Burn',2012,45.49,'ACTION',1),('1246',"What He Doesn't Know", 2013, 58.29, 'COMEDY', 1);
Query OK, 3 rows affected (0.011 sec)
Records: 3 Duplicates: 0 Warnings: 0

MariaDB [movieco]> select * from MOVIE;

MOVIE_NUM	MOVIE_NAME	MOVIE_YEAR	MOVIE_COST	MOVIE_GENRE	PRICE_CODE
-----------	------------	------------	------------	-------------	------------

1234	The Caesar Family Christmas	2014	39.95	FAMILY
2				
1235	Smokey Mountain Wildlife	2011	59.95	ACTION
1				
1236	Richard Goodhope	2015	59.95	DRAMA
2				
1237	Beatnik Fever	2014	29.95	COMEDY
2				
1238	Constant Companion	2015	89.95	DRAMA
NULL				
1239	Where Hope Dies	2005	25.49	DRAMA
3				
1245	Time To Burn	2012	45.49	ACTION
1				
1246	What He Doesn't Know	2013	58.29	COMEDY
1				

```

+-----+-----+-----+-----+-----+
--+-----+

```

8 rows in set (0.001 sec)

MariaDB [movieco]> INSERT INTO VIDEO

VALUES('54321','18-JUN-15','1234'),('54324','18-JUN-15','1234'),('54325','18-JUN-15','1234'),('34341','22-JAN-14',1235),('34342','22-JAN-14','1235'),('34366','02-MAR-16','1236'),('34367','02-MAR-16','1236'),('34368','02-MAR-16','1236'),('34369','02-MAR-16','1236'),('44392','21-OCT-15','1237'),('44397','21-OCT-15','1237'),('59237','14-FEB-16','1237'),('61388','25-JAN-14','1239'),('61353','28-JAN-13','1245'),('61354','28-JAN-13','1245'),('61367','30-JUL-15','1246'),('61369','30-JUL-15','1246');

Query OK, 17 rows affected (0.013 sec)

Records: 17 Duplicates: 0 Warnings: 0

MariaDB [movieco]> select * from VIDEO;

VID_NUM	VID_INDATE	MOVIE_NUM
34341	22-JAN-14	1235
34342	22-JAN-14	1235
34366	02-MAR-16	1236
34367	02-MAR-16	1236
34368	02-MAR-16	1236
34369	02-MAR-16	1236
44392	21-OCT-15	1237
44397	21-OCT-15	1237
54321	18-JUN-15	1234
54324	18-JUN-15	1234
54325	18-JUN-15	1234
59237	14-FEB-16	1237
61353	28-JAN-13	1245
61354	28-JAN-13	1245
61367	30-JUL-15	1246
61369	30-JUL-15	1246
61388	25-JAN-14	1239

```
+-----+-----+-----+
17 rows in set (0.001 sec)
```

```
MariaDB [movieco]> INSERT INTO DETAILRENTAL(RENT_NUM, VID_NUM, DETAIL_FEE,
DETAIL_DUEDATE, DETAIL_RETURNDATE)
VALUES('1001','34342',2,'04-MAR-16','02-MAR-16');
Query OK, 1 row affected (0.011 sec)
```

```
MariaDB [movieco]> INSERT INTO DETAILRENTAL VALUES('1001','61353', 2,
'04-MAR-16','03-MAR-16',1),('1002','59237',3.5,'04-MAR-16','04-MAR-16',3),('1003
','54325',3.5,'04-MAR-16','09-MAR-16',3),('1003','61369',2,'06-MAR-16','09-MAR-1
6',1),('1003','61388',0,'06-MAR-16','09-MAR-16',1),('1004','44392', 3.5,
'05-MAR-16', '07-MAR-16',3),('1004','34367',3.5,'05-MAR-16','07-MAR-16',
3),('1004','34341',2,'07-MAR-16','07-MAR-16',1),('1005','34342',2,'07-MAR-16','0
5-MAR-16',1),('1005','44397',3.5,'05-MAR-16','05-MAR-16',3),('1006','34366',3.5,
'05-MAR-16','04-MAR-16',3);
Query OK, 11 rows affected (0.013 sec)
Records: 11 Duplicates: 0 Warnings: 0
```

```
MariaDB [movieco]> INSERT INTO DETAILRENTAL(RENT_NUM, VID_NUM, DETAIL_FEE,
DETAIL_DUEDATE, DETAIL_RETURNDATE)
VALUES('1001','34342',2,'04-MAR-16','02-MAR-16');
Query OK, 1 row affected (0.011 sec)
```

```
MariaDB [movieco]> INSERT INTO DETAILRENTAL VALUES('1001','61353', 2,
'04-MAR-16','03-MAR-16',1),('1002','59237',3.5,'04-MAR-16','04-MAR-16',3),('1003
','54325',3.5,'04-MAR-16','09-MAR-16',3),('1003','61369',2,'06-MAR-16','09-MAR-1
6',1),('1003','61388',0,'06-MAR-16','09-MAR-16',1),('1004','44392', 3.5,
'05-MAR-16', '07-MAR-16',3),('1004','34367',3.5,'05-MAR-16','07-MAR-16',
3),('1004','34341',2,'07-MAR-16','07-MAR-16',1),('1005','34342',2,'07-MAR-16','0
5-MAR-16',1),('1005','44397',3.5,'05-MAR-16','05-MAR-16',3),('1006','34366',3.5,
'05-MAR-16','04-MAR-16',3);
Query OK, 11 rows affected (0.013 sec)
Records: 11 Duplicates: 0 Warnings: 0
```

```
MariaDB [movieco]> INSERT INTO DETAILRENTAL(RENT_NUM, VID_NUM, DETAIL_FEE,
DETAIL_DUEDATE, DETAIL_DAILYLATEFEE)
VALUES('1006','61367',2,'07-MAR-16',1),('1007','34368',3.5,'05-MAR-16',3);
Query OK, 2 rows affected (0.013 sec)
Records: 2 Duplicates: 0 Warnings: 0
```

```
MariaDB [movieco]> INSERT INTO DETAILRENTAL VALUES('1008','34369', 3.5,
'05-MAR-16','05-MAR-16',3);
Query OK, 1 row affected (0.012 sec)
```

```
MariaDB [movieco]> INSERT INTO DETAILRENTAL(RENT_NUM, VID_NUM, DETAIL_FEE,
DETAIL_DUEDATE, DETAIL_DAILYLATEFEE) VALUES('1009','54324',3.5,'05-MAR-16',3);
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO DETAILRENTAL VALUES('1001','34366', 3.5,
'04-MAR-16','02-MAR-16',3);
```

Query OK, 1 row affected (0.012 sec)

MariaDB [movieco]> select * from DETAILRENTAL;

```
+-----+-----+-----+-----+-----+-----+
-----+
| RENT_NUM | VID_NUM | DETAIL_FEE | DETAIL_DUEDATE | DETAIL_RETURNDATE |
DETAIL_DAILYLATEFEE |
+-----+-----+-----+-----+-----+-----+
-----+
| 1001     | 34342   | 2          | 04-MAR-16      | 02-MAR-16        |
NULL      |
| 1001     | 34366   | 3.5        | 04-MAR-16      | 02-MAR-16        |
3         |
| 1001     | 61353   | 2          | 04-MAR-16      | 03-MAR-16        |
1         |
| 1002     | 59237   | 3.5        | 04-MAR-16      | 04-MAR-16        |
3         |
| 1003     | 54325   | 3.5        | 04-MAR-16      | 09-MAR-16        |
3         |
| 1003     | 61369   | 2          | 06-MAR-16      | 09-MAR-16        |
1         |
| 1003     | 61388   | 0          | 06-MAR-16      | 09-MAR-16        |
1         |
| 1004     | 34341   | 2          | 07-MAR-16      | 07-MAR-16        |
1         |
| 1004     | 34367   | 3.5        | 05-MAR-16      | 07-MAR-16        |
3         |
| 1004     | 44392   | 3.5        | 05-MAR-16      | 07-MAR-16        |
3         |
| 1005     | 34342   | 2          | 07-MAR-16      | 05-MAR-16        |
1         |
| 1005     | 44397   | 3.5        | 05-MAR-16      | 05-MAR-16        |
3         |
| 1006     | 34366   | 3.5        | 05-MAR-16      | 04-MAR-16        |
3         |
| 1006     | 61367   | 2          | 07-MAR-16      | NULL              |
1         |
| 1007     | 34368   | 3.5        | 05-MAR-16      | NULL              |
3         |
| 1008     | 34369   | 3.5        | 05-MAR-16      | 05-MAR-16        |
3         |
| 1009     | 54324   | 3.5        | 05-MAR-16      | NULL              |
3         |
+-----+-----+-----+-----+-----+-----+
-----+
17 rows in set (0.001 sec)
```

Question 3:

MariaDB [movieco]> UPDATE MOVIE SET MOVIE_YEAR = 2010 WHERE MOVIE_NUM = 1245;

Query OK, 1 row affected (0.024 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [movieco]> select * from MOVIE;

```
+-----+-----+-----+-----+-----+-----+
```


MOVIE_NUM	MOVIE_NAME	MOVIE_YEAR	MOVIE_COST	MOVIE_GENRE	PRICE_CODE
1234	The Caesar Family Christmas	2014	39.95	FAMILY	2
1235	Smokey Mountain Wildlife	2011	59.95	ACTION	1
1236	Richard Goodhope	2015	59.95	DRAMA	2
1237	Beatnik Fever	2014	29.95	COMEDY	2
1238	Constant Companion	2015	89.95	DRAMA	NULL
1239	Where Hope Dies	2005	25.49	DRAMA	3
1245	Time To Burn	2012	45.49	ACTION	1
1246	What He Doesn't Know	2013	58.29	COMEDY	1

MariaDB [movieco]> SELECT * FROM MOVIE;

MOVIE_NUM	MOVIE_NAME	MOVIE_YEAR	MOVIE_COST	MOVIE_GENRE	PRICE_CODE
1234	The Caesar Family Christmas	2014	39.95	FAMILY	2
1235	Smokey Mountain Wildlife	2011	59.95	ACTION	1
1236	Richard Goodhope	2015	59.95	DRAMA	2
1237	Beatnik Fever	2014	29.95	COMEDY	2
1238	Constant Companion	2015	89.95	DRAMA	NULL
1239	Where Hope Dies	2005	25.49	DRAMA	3
1245	Time To Burn	2010	45.49	ACTION	1
1246	What He Doesn't Know	2013	58.29	COMEDY	1

8 rows in set (0.001 sec)

Question 4:

MariaDB [movieco]> UPDATE MOVIE SET PRICE_CODE = 3 WHERE MOVIE_GENRE = 'ACTION';

Query OK, 2 rows affected (0.022 sec)
Rows matched: 2 Changed: 2 Warnings: 0

MariaDB [movieco]> select * from MOVIE;

MOVIE_NUM	MOVIE_NAME	MOVIE_YEAR	MOVIE_COST	MOVIE_GENRE	PRICE_CODE
1234	The Caesar Family Christmas	2014	39.95	FAMILY	2
1235	Smokey Mountain Wildlife	2011	59.95	ACTION	1
1236	Richard Goodhope	2015	59.95	DRAMA	2
1237	Beatnik Fever	2014	29.95	COMEDY	2
1238	Constant Companion	2015	89.95	DRAMA	NULL
1239	Where Hope Dies	2005	25.49	DRAMA	3
1245	Time To Burn	2012	45.49	ACTION	1
1246	What He Doesn't Know	2013	58.29	COMEDY	1

8 rows in set (0.001 sec)

MariaDB [movieco]> SELECT * FROM MOVIE;

MOVIE_NUM	MOVIE_NAME	MOVIE_YEAR	MOVIE_COST	MOVIE_GENRE	PRICE_CODE
1234	The Caesar Family Christmas	2014	39.95	FAMILY	2
1235	Smokey Mountain Wildlife	2011	59.95	ACTION	3
1236	Richard Goodhope	2015	59.95	DRAMA	2
1237	Beatnik Fever	2014	29.95	COMEDY	2
1238	Constant Companion	2015	89.95	DRAMA	NULL
1239	Where Hope Dies	2005	25.49	DRAMA	3
1245	Time To Burn	2010	45.49	ACTION	3
1246	What He Doesn't Know	2013	58.29	COMEDY	1

```
+-----+-----+-----+-----+
--+-----+
8 rows in set (0.002 sec)
```

Question 5:

MariaDB [movieco]> select * from PRICE;

PRICE_CODE	PRICE_DESCRIPTION	PRICE_RENTFEE	PRICE_DAILYLATEFEE
1	Standard	2	1
2	New Release	3.5	3
3	Discount	1.5	1
4	Weekly Special	1	0.5

MariaDB [movieco]> UPDATE PRICE SET PRICE_RENTFEE = PRICE_RENTFEE + 0.5;
 Query OK, 4 rows affected (0.002 sec)
 Rows matched: 4 Changed: 4 Warnings: 0

MariaDB [movieco]> SELECT * FROM PRICE;

PRICE_CODE	PRICE_DESCRIPTION	PRICE_RENTFEE	PRICE_DAILYLATEFEE
1	Standard	2.5	1
2	New Release	4	3
3	Discount	2	1
4	Weekly Special	1.5	0.5

4 rows in set (0.001 sec)

Question 6:

ERROR 1054 (42S22): Unknown column 'MOVIE_TITLE' in 'SELECT'

MariaDB [movieco]> SELECT MOVIE_NAME AS MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE
 FROM MOVIE;

MOVIE_TITLE	MOVIE_YEAR	MOVIE_GENRE
The Caesar Family Christmas	2014	FAMILY
Smokey Mountain Wildlife	2011	ACTION
Richard Goodhope	2015	DRAMA
Beatnik Fever	2014	COMEDY
Constant Companion	2015	DRAMA
Where Hope Dies	2005	DRAMA
Time To Burn	2010	ACTION
What He Doesn't Know	2013	COMEDY

8 rows in set (0.012 sec)

Question 7:

MariaDB [movieco]> SELECT MOVIE_YEAR, MOVIE_NAME AS MOVIE_TITLE, MOVIE_COST FROM
 MOVIE ORDER BY MOVIE_YEAR DESC;

```
+-----+-----+-----+-----+
```

MOVIE_YEAR	MOVIE_TITLE	MOVIE_COST
2015	Richard Goodhope	59.95
2015	Constant Companion	89.95
2014	The Caesar Family Christmas	39.95
2014	Beatnik Fever	29.95
2013	What He Doesn't Know	58.29
2011	Smokey Mountain Wildlife	59.95
2010	Time To Burn	45.49
2005	Where Hope Dies	25.49

8 rows in set (0.006 sec)

Question 8:

MariaDB [movieco]> SELECT MOVIE_NAME AS MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE FROM MOVIE ORDER BY MOVIE_GENRE ASC, MOVIE_YEAR DESC;

MOVIE_TITLE	MOVIE_YEAR	MOVIE_GENRE
Smokey Mountain Wildlife	2011	ACTION
Time To Burn	2010	ACTION
Beatnik Fever	2014	COMEDY
What He Doesn't Know	2013	COMEDY
Richard Goodhope	2015	DRAMA
Constant Companion	2015	DRAMA
Where Hope Dies	2005	DRAMA
The Caesar Family Christmas	2014	FAMILY

8 rows in set (0.017 sec)

Question 9:

MariaDB [movieco]> SELECT MOVIE_NUM, MOVIE_NAME AS MOVIE_TITLE, PRICE_CODE FROM MOVIE WHERE MOVIE_NAME LIKE 'R%';

MOVIE_NUM	MOVIE_TITLE	PRICE_CODE
1236	Richard Goodhope	2

1 row in set (0.016 sec)

Question 10:

MariaDB [movieco]> SELECT MOVIE_NAME AS MOVIE_TITLE, MOVIE_YEAR, MOVIE_COST FROM MOVIE WHERE MOVIE_NAME LIKE '%hope%' ORDER BY MOVIE_NAME ASC;

MOVIE_TITLE	MOVIE_YEAR	MOVIE_COST
Richard Goodhope	2015	59.95
Where Hope Dies	2005	25.49

2 rows in set (0.012 sec)

Question 11:

MariaDB [movieco]> SELECT MOVIE_NAME AS MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE FROM MOVIE WHERE MOVIE_GENRE = 'ACTION';

MOVIE_TITLE	MOVIE_YEAR	MOVIE_GENRE
Smokey Mountain Wildlife	2011	ACTION
Time To Burn	2010	ACTION

2 rows in set (0.012 sec)

Question 12:

MariaDB [movieco]> SELECT MOVIE_NUM, MOVIE_NAME AS MOVIE_TITLE, MOVIE_COST FROM MOVIE WHERE MOVIE_COST > 40;

MOVIE_NUM	MOVIE_TITLE	MOVIE_COST
1235	Smokey Mountain Wildlife	59.95
1236	Richard Goodhope	59.95
1238	Constant Companion	89.95
1245	Time To Burn	45.49
1246	What He Doesn't Know	58.29

5 rows in set (0.011 sec)

Question 13:

MariaDB [movieco]> SELECT MOVIE_NUM, MOVIE_NAME AS MOVIE_TITLE, MOVIE_COST, MOVIE_GENRE FROM MOVIE WHERE MOVIE_GENRE = 'ACTION' OR MOVIE_GENRE = 'COMEDY' OR MOVIE_COST < 50 ORDER BY MOVIE_GENRE ASC;

MOVIE_NUM	MOVIE_TITLE	MOVIE_COST	MOVIE_GENRE
1235	Smokey Mountain Wildlife	59.95	ACTION
1245	Time To Burn	45.49	ACTION
1237	Beatnik Fever	29.95	COMEDY
1246	What He Doesn't Know	58.29	COMEDY
1239	Where Hope Dies	25.49	DRAMA
1234	The Caesar Family Christmas	39.95	FAMILY

6 rows in set (0.003 sec)

Question 14:

MariaDB [movieco]> SELECT MEM_NUM, MEM_FNAME, MEM_LNAME, MEM_STREET, MEM_STATE, MEM_BALANCE FROM MEMBERSHIP WHERE MEM_STATE = 'TN' AND MEM_BALANCE < 5 AND MEM_STREET LIKE '%Avenue';

MEM_NUM	MEM_FNAME	MEM_LNAME	MEM_STREET	MEM_STATE	MEM_BALANCE
104	Jamal	Melendez	788 East 145th Avenue	TN	0
112	Luis	Trujillo	7267 Melvin Avenue	TN	3

```
+-----+-----+-----+-----+-----+-----+
----+
2 rows in set (0.006 sec)
```

Question 15:

```
MariaDB [movieco]> SELECT MOVIE_GENRE, COUNT(*) AS 'NUMBER OF MOVIES' FROM MOVIE
GROUP BY MOVIE_GENRE ORDER BY MOVIE_GENRE;
```

```
+-----+-----+
| MOVIE_GENRE | NUMBER OF MOVIES |
+-----+-----+
| ACTION      | 2                 |
| COMEDY      | 2                 |
| DRAMA       | 3                 |
| FAMILY      | 1                 |
+-----+-----+
```

```
4 rows in set (0.010 sec)
```

QUESTION 16:

```
MariaDB [movieco]> SELECT ROUND(AVG(MOVIE_COST), 4) AS 'AVERAGE MOVIE COST' FROM
MOVIE;
```

```
+-----+
| AVERAGE MOVIE COST |
+-----+
| 51.1275             |
+-----+
```

```
1 row in set (0.004 sec)
```

Question 17:

```
MariaDB [movieco]> SELECT MOVIE_GENRE, ROUND(AVG(MOVIE_COST),2) AS 'AVERAGE
COST' FROM MOVIE GROUP BY MOVIE_GENRE ORDER BY MOVIE_GENRE;
```

```
+-----+-----+
| MOVIE_GENRE | AVERAGE COST |
+-----+-----+
| ACTION      | 52.72         |
| COMEDY      | 44.12         |
| DRAMA       | 58.46         |
| FAMILY      | 39.95         |
+-----+-----+
```

```
4 rows in set (0.001 sec)
```

Question 18:

```
MariaDB [movieco]> SELECT MOVIE_NAME AS 'MOVIE_TITLE', MOVIE_GENRE,
PRICE_DESCRIPTION, PRICE_RENTFEE FROM MOVIE JOIN PRICE ON MOVIE.PRICE_CODE =
PRICE.PRICE_CODE WHERE PRICE.PRICE_CODE IS NOT NULL;
```

```
+-----+-----+-----+-----+
+
| MOVIE_TITLE          | MOVIE_GENRE | PRICE_DESCRIPTION | PRICE_RENTFEE |
+-----+-----+-----+-----+
+
```

The Caesar Family Christmas	FAMILY	New Release	4
Smokey Mountain Wildlife	ACTION	Discount	2
Richard Goodhope	DRAMA	New Release	4
Beatnik Fever	COMEDY	New Release	4
Where Hope Dies	DRAMA	Discount	2
Time To Burn	ACTION	Discount	2
What He Doesn't Know	COMEDY	Standard	2.5

```

+-----+-----+-----+-----+
+
7 rows in set (0.020 sec)

```

Question 19:

```

MariaDB [movieco]> SELECT MOVIE_GENRE, ROUND(AVG(PRICE_RENTFEE),2) AS 'AVERAGE
RENTAL FEE' FROM MOVIE JOIN PRICE ON MOVIE.PRICE_CODE = PRICE.PRICE_CODE GROUP
BY MOVIE_GENRE ORDER BY MOVIE_GENRE;

```

MOVIE_GENRE	AVERAGE RENTAL FEE
ACTION	2.00
COMEDY	3.25
DRAMA	3.00
FAMILY	4.00

```

+-----+-----+
+
4 rows in set (0.012 sec)

```

Question 20:

```

MariaDB [movieco]> SELECT MOVIE_NAME AS MOVIE_TITLE,
ROUND(MOVIE_COST/PRICE_RENTFEE,2) AS 'BREAKEVEN RENTALS' FROM MOVIE JOIN PRICE
ON MOVIE.PRICE_CODE = PRICE.PRICE_CODE ORDER BY MOVIE_GENRE;

```

MOVIE_TITLE	BREAKEVEN RENTALS
Time To Burn	22.74
Smokey Mountain Wildlife	29.98
What He Doesn't Know	23.32
Beatnik Fever	7.49
Where Hope Dies	12.74
Richard Goodhope	14.99
The Caesar Family Christmas	9.99

```

+-----+-----+
+
7 rows in set (0.006 sec)

```

Question 21:

```

se near 'MOVIE_TITLE', MOVIE_YEAR WHERE PRICE_CODE IS NOT NULL' at line 1
MariaDB [movieco]> SELECT MOVIE_NAME AS 'MOVIE_TITLE', MOVIE_YEAR FROM MOVIE
WHERE PRICE_CODE IS NOT NULL;

```

```

+-----+-----+
| MOVIE_TITLE | MOVIE_YEAR |
+-----+-----+
| What He Doesn't Know | 2013 |
| The Caesar Family Christmas | 2014 |
| Richard Goodhope | 2015 |
| Beatnik Fever | 2014 |
| Smokey Mountain Wildlife | 2011 |
| Where Hope Dies | 2005 |
| Time To Burn | 2010 |
+-----+-----+
7 rows in set (0.019 sec)

```

Question 22:

```

MariaDB [movieco]> SELECT MOVIE_NAME AS 'MOVIE_TITLE', MOVIE_GENRE, MOVIE_COST
FROM MOVIE WHERE MOVIE_COST > 44.99 AND MOVIE_COST < 49.99;

```

```

+-----+-----+-----+
| MOVIE_TITLE | MOVIE_GENRE | MOVIE_COST |
+-----+-----+-----+
| Time To Burn | ACTION      | 45.49      |
+-----+-----+-----+
1 row in set (0.013 sec)

```

Question 23:

```

MariaDB [movieco]> SELECT MOVIE_NAME AS 'MOVIE_TITLE', PRICE_DESCRIPTION,
PRICE_RENTFEE, MOVIE_GENRE FROM MOVIE JOIN PRICE ON MOVIE.PRICE_CODE =
PRICE.PRICE_CODE WHERE MOVIE_GENRE = 'FAMILY' OR MOVIE_GENRE = 'COMEDY' OR
MOVIE_GENRE = 'DRAMA';

```

```

+-----+-----+-----+-----+
| MOVIE_TITLE | PRICE_DESCRIPTION | PRICE_RENTFEE | MOVIE_GENRE |
+-----+-----+-----+-----+
| The Caesar Family Christmas | New Release      | 4 | FAMILY |
| Richard Goodhope | New Release      | 4 | DRAMA |
| Beatnik Fever | New Release      | 4 | COMEDY |
| Where Hope Dies | Discount         | 2 | DRAMA |
| What He Doesn't Know | Standard         | 2.5 | COMEDY |
+-----+-----+-----+-----+
5 rows in set (0.002 sec)

```

Question 24:

```

MariaDB [movieco]> SELECT DISTINCT MEMBERSHIP.MEM_NUM, MEM_FNAME, MEM_LNAME,
MEM_BALANCE FROM MEMBERSHIP JOIN RENTAL ON MEMBERSHIP.MEM_NUM = RENTAL.MEM_NUM;

```

```

+-----+-----+-----+-----+

```


MEM_NUM	MEM_FNAME	MEM_LNAME	MEM_BALANCE
102	Tami	Dawson	11
103	Curt	Knight	6
104	Jamal	Melendez	0
105	Iva	Mcclain	15
107	Rosario	Elliott	5
110	Lewis	Rosales	0
111	Stacy	Mann	8

7 rows in set (0.010 sec)

Question 25:

```
MariaDB [movieco]> SELECT MIN(MEM_BALANCE) AS 'MINIMUM BALANCE',
MAX(MEM_BALANCE) AS 'MAX BALANCE', ROUND(AVG(MEM_BALANCE),2) AS 'AVERAGE
BALANCE' FROM (SELECT DISTINCT MEMBERSHIP.MEM_NUM, MEM_FNAME, MEM_LNAME,
MEM_BALANCE FROM MEMBERSHIP JOIN RENTAL ON MEMBERSHIP.MEM_NUM = RENTAL.MEM_NUM)
AS MEMBERS;
```

MINIMUM BALANCE	MAX BALANCE	AVERAGE BALANCE
0	15	6.43

1 row in set (0.015 sec)

Question 26:

```
MariaDB [movieco]> SELECT RENTAL.RENT_NUM, RENTAL.RENT_DATE, VIDEO.VID_NUM,
MOVIE.MOVIE_NAME AS 'MOVIE_TITLE', DETAILRENTAL.DETAIL_DUEDATE,
DETAILRENTAL.DETAIL_RETURNDATE FROM RENTAL JOIN DETAILRENTAL ON RENTAL.RENT_NUM
= DETAILRENTAL.RENT_NUM JOIN VIDEO ON VIDEO.VID_NUM = DETAILRENTAL.VID_NUM JOIN
MOVIE ON VIDEO.MOVIE_NUM = MOVIE.MOVIE_NUM WHERE DETAILRENTAL.DETAIL_RETURNDATE
> DETAILRENTAL.DETAIL_DUEDATE ORDER BY RENTAL.RENT_NUM, MOVIE.MOVIE_NAME;
```

RENT_NUM	RENT_DATE	VID_NUM	MOVIE_TITLE	DETAIL_DUEDATE	DETAIL_RETURNDATE
1003	02-MAR-16	54325	The Caesar Family Christmas	04-MAR-16	09-MAR-16
1003	02-MAR-16	61369	What He Doesn't Know	06-MAR-16	09-MAR-16
1003	02-MAR-16	61388	Where Hope Dies	06-MAR-16	09-MAR-16
1004	02-MAR-16	44392	Beatnik Fever	05-MAR-16	07-MAR-16
1004	02-MAR-16	34367	Richard Goodhope	05-MAR-16	07-MAR-16

5 rows in set (0.022 sec)

Question 27:

```
MariaDB [movieco]> SELECT RENTAL.RENT_NUM,RENTAL.RENT_DATE,MOVIE.MOVIE_NAME AS
MOVIE_TITLE,DETAILRENTAL.DETAIL_FEE FROM RENTAL JOIN DETAILRENTAL ON
RENTAL.RENT_NUM = DETAILRENTAL.RENT_NUM JOIN VIDEO ON DETAILRENTAL.VID_NUM =
VIDEO.VID_NUM JOIN MOVIE ON VIDEO.MOVIE_NUM = MOVIE.MOVIE_NUM WHERE
DETAILRENTAL.DETAIL_RETURNDATE <= DETAILRENTAL.DETAIL_DUEDATE;
```

RENT_NUM	RENT_DATE	MOVIE_TITLE	DETAIL_FEE
1001	01-MAR-16	Smokey Mountain Wildlife	2
1001	01-MAR-16	Richard Goodhope	3.5
1001	01-MAR-16	Time To Burn	2
1002	01-MAR-16	Beatnik Fever	3.5
1004	02-MAR-16	Smokey Mountain Wildlife	2
1005	02-MAR-16	Smokey Mountain Wildlife	2
1005	02-MAR-16	Beatnik Fever	3.5
1006	02-MAR-16	Richard Goodhope	3.5
1008	03-MAR-16	Richard Goodhope	3.5

9 rows in set (0.006 sec)

Question 28:

```
MariaDB [movieco]> SELECT MOVIE.MOVIE_NUM, MOVIE.MOVIE_GENRE,
GENRE.AVERAGE_COST, MOVIE.MOVIE_COST, ROUND(((MOVIE.MOVIE_COST -
GENRE.AVERAGE_COST) / GENRE.AVERAGE_COST) * 100, 2) AS 'PERCENT_DIFFERENCE' FROM
MOVIE JOIN (SELECT MOVIE_GENRE, ROUND(AVG(MOVIE_COST),2) AS 'AVERAGE_COST' FROM
MOVIE GROUP BY MOVIE_GENRE) GENRE ON MOVIE.MOVIE_GENRE = GENRE.MOVIE_GENRE ORDER
BY MOVIE.MOVIE_GENRE, MOVIE.MOVIE_NUM;
```

MOVIE_NUM	MOVIE_GENRE	AVERAGE_COST	MOVIE_COST	PERCENT_DIFFERENCE
1235	ACTION	52.72	59.95	13.71
1245	ACTION	52.72	45.49	-13.71
1237	COMEDY	44.12	29.95	-32.12
1246	COMEDY	44.12	58.29	32.12
1236	DRAMA	58.46	59.95	2.55
1238	DRAMA	58.46	89.95	53.87
1239	DRAMA	58.46	25.49	-56.40
1234	FAMILY	39.95	39.95	0.00

8 rows in set (0.003 sec)