

2021 NATIONAL SURVEY ON DRUG USE AND HEALTH

PUBLIC USE FILE CODEBOOK

Substance Abuse and Mental Health Services Administration
Center for Behavioral Health Statistics and Quality
Rockville, Maryland 20857

October 14, 2022

2021 NATIONAL SURVEY ON DRUG USE AND HEALTH

PUBLIC USE FILE CODEBOOK

Contract No. HHSS283201700002C

Project No. 0215638

Deliverable 56

For questions about this codebook and data file, please e-mail
Marlon.Daniel@samhsa.hhs.gov.

Prepared for: Substance Abuse and Mental Health Services Administration,
Rockville, Maryland

Prepared by: RTI International, Research Triangle Park, North Carolina

Data File Name: puf2021_100622
October 14, 2022

Recommended Citation: Center for Behavioral Health Statistics and Quality.
(2022). *2021 National Survey on Drug Use and Health Public Use File
Codebook*, Substance Abuse and Mental Health Services Administration,
Rockville, MD

Table of Contents

Section	Page
<u>Introduction.....</u>	i-1
1. NSDUH Overview	i-1
2. Codebook Overview	i-4
3. Confidentiality of Data	i-5
4. Questionnaire Changes for the 2021 NSDUH	i-6
5. Organization of the Data File.....	i-7
6. Strengths and Limitations of NSDUH	i-8
7. Sample Design Overview	i-10
7.1 Stratification and Selection of Primary, Secondary, and Tertiary Sampling Units (Census Tracts, Census Block Groups, and Area Segments).....	i-11
7.2 Selection of Dwelling Units.....	i-12
7.3 Selection of Individuals	i-13
7.4 Sample Design Variables	i-13
8. Data Collection and Response Rates	i-14
9. Sample Weights	i-15
10. Public Use File Weight Calibration	i-17
11. Usable Interviews.....	i-18
12. Logical Editing.....	i-20
12.1 Editing Procedure for Tobacco through Methamphetamine.....	i-20
12.2 Editing Procedure for Prescription Drug Variables	i-22
12.3 Standard Code Conventions.....	i-23
13. Statistical Imputation	i-24
13.1 Imputation Indicators	i-25
13.2 Constraints and Consistency	i-27
14. Variance Estimation of Estimated Numbers of Individuals	i-28
15. Statistical Significance of Differences.....	i-31
16. Quality Assessment of Public Use File Estimates and Standard Errors	i-32

List of Tables

Table		Page
1.	<u>Demographic Domains for the Public Use File That Should Use the Alternative Standard Error Estimation Method for Calculating the Standard Errors of the Estimated Number of Individuals, Totals: 2021</u>	i-30
2.	<u>Past Month Marijuana Prevalence and Standard Error Ratios of the Public Use File Subsample to the Full Sample, by Seven Domains: 2021</u>	i-33
3.	<u>Past Year Heroin Prevalence and Standard Error Ratios of the Public Use File Subsample to the Full Sample, by Seven Domains: 2021</u>	i-33
4.	<u>Summary of 2021 NSDUH Suppression Rules</u>	i-34

TABLE OF CONTENTS

TABLE OF CONTENTS

<u>IDENTIFICATION</u>	3
<u>SELF-ADMINISTERED SUBSTANCE USE SECTIONS</u>	4
<u>TOBACCO</u>	4
<u>ALCOHOL</u>	17
<u>MARIJUANA</u>	22
<u>COCAINE</u>	26
<u>CRACK</u>	30
<u>HEROIN</u>	34
<u>HALLUCINOGENS</u>	38
<u>INHALANTS</u>	53
<u>METHAMPHETAMINE</u>	62
<u>PAIN RELIEVERS SCREENER</u>	66
<u>TRANQUILIZERS SCREENER</u>	67
<u>STIMULANTS SCREENER</u>	68
<u>SEDATIVES SCREENER</u>	69
<u>PAIN RELIEVERS</u>	70
<u>TRANQUILIZERS</u>	79
<u>STIMULANTS</u>	86
<u>SEDATIVES</u>	94
<u>IMPUTED SUBSTANCE USE</u>	100
<u>RECENCY OF DRUG USE</u>	100
<u>PAST YEAR FREQUENCY OF USE</u>	110
<u>PAST MONTH FREQUENCY OF USE</u>	113
<u>AGE/DATE OF FIRST DRUG USE</u>	118
<u>RECODED DRUG USE</u>	128
<u>OTHER SELF-ADMINISTERED SECTIONS</u>	174
<u>SPECIAL DRUGS</u>	174
<u>IMPUTED SPECIAL DRUGS</u>	187
<u>RECODED SPECIAL DRUGS</u>	188
<u>RISK/AVAILABILITY</u>	190
<u>RECODED RISK/AVAILABILITY</u>	195
<u>BLUNTS</u>	197
<u>NICOTINE DEPENDENCE</u>	202
<u>IMPUTED NICOTINE DEPENDENCE</u>	208
<u>SUBSTANCE USE DISORDER</u>	209
<u>IMPUTED SUBSTANCE USE DISORDER</u>	292
<u>RECODED SUBSTANCE USE DISORDER</u>	301
<u>SPECIAL TOPICS</u>	308
<u>RECODED SPECIAL TOPICS</u>	315
<u>PRIOR SUBSTANCE USE</u>	316
<u>DRUG TREATMENT</u>	333
<u>RECODED DRUG TREATMENT</u>	365
<u>HEALTH</u>	379
<u>RECODED HEALTH</u>	394
<u>ADULT MENTAL HEALTH SERVICE UTILIZATION</u>	395
<u>RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION</u>	412
<u>SOCIAL ENVIRONMENT</u>	421
<u>YOUTH EXPERIENCES</u>	423
<u>RECODED YOUTH EXPERIENCES</u>	438
<u>MENTAL HEALTH</u>	444
<u>IMPUTED MENTAL HEALTH</u>	454
<u>RECODED MENTAL HEALTH</u>	463
<u>ADULT DEPRESSION</u>	468
<u>IMPUTED ADULT DEPRESSION</u>	487
<u>RECODED ADULT DEPRESSION</u>	488
<u>YOUTH MENTAL HEALTH SERVICE UTILIZATION</u>	491
<u>RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION</u>	514
<u>ADOLESCENT DEPRESSION</u>	534
<u>RECODED ADOLESCENT DEPRESSION</u>	551
<u>CONSUMPTION OF ALCOHOL</u>	558
<u>RECODED CONSUMPTION OF ALCOHOL</u>	567
<u>EMERGING ISSUES</u>	571
<u>IMPUTED EMERGING ISSUES</u>	576
<u>RECODED EMERGING ISSUES</u>	578

TABLE OF CONTENTS

<u>MARKET INFORMATION FOR MARIJUANA.....</u>	582
<u>INTERVIEW INFORMATION</u>	600
<u>DEMOGRAPHICS</u>	601
<u>DEMOGRAPHICS</u>	601
<u>IMPUTED DEMOGRAPHICS.....</u>	606
<u>RECODED DEMOGRAPHICS.....</u>	607
<u>EDUCATION</u>	609
<u>RECODED EDUCATION.....</u>	613
<u>EMPLOYMENT</u>	614
<u>IMPUTED EMPLOYMENT.....</u>	620
<u>HOUSEHOLD COMPOSITION (ROSTER).....</u>	621
<u>COVID-19.....</u>	623
<u>RECODED COVID-19</u>	627
<u>PROXY INFORMATION.....</u>	629
<u>HEALTH INSURANCE</u>	630
<u>IMPUTED HEALTH INSURANCE.....</u>	635
<u>RECODED HEALTH INSURANCE.....</u>	637
<u>INCOME.....</u>	638
<u>IMPUTED INCOME</u>	639
<u>RECODED INCOME</u>	641
<u>GEOGRAPHIC</u>	642
<u>COUNTY</u>	642
<u>SEGMENT</u>	643
<u>BLOCK</u>	644
<u>SAMPLE WEIGHTING AND ESTIMATION VARS</u>	645
<u>INDEX.....</u>	646

APPENDICES

<u>APPENDIX A</u>	Drug Codes for Open-Ended Questions
<u>APPENDIX B</u>	Consolidated Drug OTHER Specify Tables
<u>APPENDIX C</u>	Tobacco Brand Codes for Open-Ended Questions
<u>APPENDIX D</u>	Nicotine Dependence and Substance Use Disorder
<u>APPENDIX E</u>	Recoded Mental Health
<u>APPENDIX F</u>	Recoded Adolescent Depression Variable Documentation
<u>APPENDIX G</u>	Sample SUDAAN®, SAS®, and Stata Code and Public Use File Estimates

Introduction

This codebook provides documentation for the 2021 National Survey on Drug Use and Health (NSDUH) public use data file. NSDUH is sponsored by the Center for Behavioral Health Statistics and Quality within the Substance Abuse and Mental Health Services Administration (SAMHSA) and is conducted by RTI International, Research Triangle Park, North Carolina.¹

Data users should take note of Section 3, Confidentiality of Data, and Section 16, Quality Assessment of Public Use File Estimates and Standard Errors. Section 3 provides specific information on statistical disclosure limitation procedures implemented to ensure confidentiality and quality of data. Section 16 cautions users about making informed policy decisions based on unreliable estimates and encourages users to apply precision-based suppression rules when using the public use file (PUF).

1. NSDUH Overview

The primary purpose of NSDUH is to measure the prevalence and correlates of substance use and mental health issues in the United States. The survey started in 1971 and was conducted periodically until 1990 when it became an annual survey. Since 1991, the target population has been the civilian, noninstitutionalized population of the United States aged 12 or older at the time of the survey. Currently, PUFs are available for surveys from 1979 onward.

Since 1971, NSDUH has undergone many changes. The most notable changes and the impacts of those changes are listed below:

- 1999
 - The survey sample switched from a national sample design to a 50-state design with an independent, multistage area probability sample for each of the 50 states and the District of Columbia.
 - The method of data collection changed from a paper questionnaire administration to computer-assisted interviewing (CAI), using a combination of computer-assisted personal interviewing (CAPI) conducted by field interviewers (FIs) and audio computer-assisted self-interviewing (ACASI).
 - Due to these changes, only limited comparisons can be made between data from the redesigned surveys starting in 1999 and onward and data obtained from surveys prior to 1999.
- 2002
 - The survey's name was changed from the National Household Survey on Drug Abuse (NHSDA) to the National Survey on Drug Use and Health (NSDUH).
 - Each NSDUH respondent was offered an incentive of \$30, initially resulting in improved survey response rates.

¹ RTI International is a trade name of Research Triangle Institute. RTI and the RTI logo are U.S. registered trademarks of Research Triangle Institute.

- New population data from the 2000 decennial census became available for use in NSDUH’s sample weighting procedures.
 - The 2002 data constituted a new baseline for tracking trends in substance use and other measures. It is not considered appropriate to make comparisons of the 2002 and later years’ estimates with 2001 and earlier NHSDA estimates. If comparisons such as these are made, it is recommended they be interpreted with caution.²
- 2015
 - The questionnaire underwent a partial redesign in 2015 to improve the quality of the NSDUH data and to address the changing needs of policymakers and researchers with regard to substance use and mental health issues. Details on these changes can be found in the 2015 codebook and other reports.
 - The number of allowable characters in a variable name was expanded for new variables created for 2015. Specifically, the number of allowable characters was expanded from a limit of 8 characters in 2014 and prior years to limits in 2015 of up to 9 characters for edited variables, up to 11 characters for imputed variables, and up to 12 characters for recoded variables.
 - The partial questionnaire redesign in 2015 caused many estimates to break trends. For more information on the effects of questionnaire changes since 2015 on trends, see the codebook variable notes or related NSDUH reports.^{3,4,5}
- 2020
 - SAMHSA suspended in-person data collection on the 2020 NSDUH on March 16, 2020, because of the coronavirus disease 2019 (COVID-19) pandemic. A small-scale data collection effort was conducted in July 2020 to assess the feasibility of safely resuming in-person data collection. To reduce the impact on NSDUH data collection, web-based interviewing became the primary mode of NSDUH data collection in Quarter 4 of 2020 (i.e., October to December). Conventional in-person data collection was carried out wherever it was considered safe to do so based on county- and state-level COVID-19 metrics.
 - The two modes of data collection yielded differences in response and nonresponse patterns, which, in turn, led to changes in various aspects of data processing, such as weighting.

² Office of Applied Studies. (2003). *Results from the 2002 National Survey on Drug Use and Health: National findings* (HHS Publication No. SMA 03-3836, NSDUH Series H-22). Substance Abuse and Mental Health Services Administration.

³ Center for Behavioral Health Statistics and Quality. (2016). *2015 National Survey on Drug Use and Health: Summary of the effects of the 2015 NSDUH questionnaire redesign: Implications for data users*. <https://www.samhsa.gov/data/report/summary-effects-2015-nsduh-questionnaire-redesign-implications-data-users>

⁴ Center for Behavioral Health Statistics and Quality. (2015). *National Survey on Drug Use and Health: 2014 and 2015 redesign changes*. <https://www.samhsa.gov/data/report/national-survey-drug-use-and-health-2014-and-2015-redesign-changes>

⁵ Center for Behavioral Health Statistics and Quality. (2016). *2015 National Survey on Drug Use and Health: Methodological summary and definitions*. <https://www.samhsa.gov/data/report/2015-national-survey-drug-use-and-health-methodological-summary-and-definitions>

- Substance use disorder (SUD) questions were revised to be consistent with the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition (DSM-5),⁶ criteria for SUD.
 - New questions were added to the survey in Quarter 4 to measure COVID-19-related metrics, such as virtual healthcare visits.
 - Given the differences in data collection periods, modes, and other methodological procedures between 2020 and prior NSDUH years, comparisons of 2020 estimates with those of prior years of NSDUH are discouraged.
- 2021
 - The 2021 survey continued the use of multimode data collection procedures (i.e., via the web or in person in eligible locations) that were first implemented in October 2020 for the 2020 NSDUH. Multimode data collection was used for the entire 2021 NSDUH sample.
 - Methodological investigations led to the conclusion that estimates based on multimode data collection in 2021 are not comparable with estimates from 2020 or prior years.⁷

In addition to this introductory text, a description of the 2021 survey, including more detailed information on sample issues, can be found in several NSDUH documents that discuss methodological issues for 2021 or present 2021 key findings in tabular, graphical, and report formats. In the key findings documents, SAMHSA decided not to make statistical comparisons between 2021 estimates and those from applicable prior years. The following 2021 NSDUH documents are listed in the order of their release dates in 2022:

- Center for Behavioral Health (2022). *Key substance use and mental health indicators in the United States: Results from the 2021 National Survey on Drug Use and Health* (HHS Publication No. PEP22-07-01-005, NSDUH Series H-57). Substance Abuse and Mental Health Services Administration.
<https://www.samhsa.gov/data/report/2021-nsduh-annual-national-report>
- Center for Behavioral Health Statistics and Quality. (2022). *Results from the 2021 National Survey on Drug Use and Health: Detailed tables*.
<https://www.samhsa.gov/data/report/2021-nsduh-detailed-tables>
- Center for Behavioral Health Statistics and Quality. (2022). *2021 National Survey on Drug Use and Health (NSDUH): Methodological summary and definitions*.
<https://www.samhsa.gov/data/report/2021-methodological-summary-and-definitions>

⁶ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.).

⁷ Chapter 6 of the 2021 Methodological Summary and Definitions discusses these investigations.

2. Codebook Overview

For each variable in the 2021 public use data file, the codebook provides the variable name, a description of the variable, value codes and their meanings, and an unweighted univariate frequency distribution. The variable names in this codebook are the variable names used in the dataset.

To a great extent, variable names indicate the meaning of each variable. As much as possible, variables are named consistently across survey years when the content of questions is identical or similar or when the specifications for creating variables are not altered. When a variable does not have the same name across years, this is an indication that differences may exist. Only variables that changed explicitly were given new names. For the 2021 NSDUH, variables may be named the same across years, but estimates from 2021 should not be compared with estimates from 2020 and prior years due to methodological changes in 2021.

The comments above each individual variable and the associated appendix files in the codebook provide documentation and justifications for why a variable's name was changed (if applicable). Typically, variable changes are documented the year they occur and in the following year if there are comparability issues to consider. However, the most current version of the documentation may not always describe relevant changes from prior years. Therefore, analysts who are doing a multiyear trend analysis are especially advised to examine documentation for all years of interest to identify any change over time that may affect the analysis of interest.⁸ An analysis of trends is not recommended when using data where the impact of the questionnaire or methodological changes are confounded with true changes in the phenomenon being measured.⁹ If the change is considered minor and the likely impact on trend data would be minimal, then comparisons between years may be appropriate. However, as noted above, 2021 data should not be compared with prior years.

Analysts also are encouraged to refer to the instrument specifications for the 2021 survey in conjunction with their review of the codebook. The specifications for the 2021 survey provide detailed information about the logic governing how respondents were routed through the questions in the interview and changes to the instrument relative to the 2020 survey.¹⁰ The 2021 specifications for in-person and web-based data collection can be found on the SAMHSA website at <https://www.samhsa.gov/data/report/nsduh-2021-questionnaire>.

⁸ A variable crosswalk (also referred to as a “comparability chart”) that identifies which NSDUH variables are comparable across study years is available on the Substance Abuse and Mental Health Data Archive (SAMHDA) web pages at <https://datafiles.samhsa.gov/>.

⁹ Due to the results of methodological investigations for 2021, significance testing between 2021 and prior years was not performed for the 2021 Detailed Tables or for the 2021 Key Substance Use and Mental Health Indicators report appendix tables.

¹⁰ Center for Behavioral Health Statistics and Quality. (2021). *2020 National Survey on Drug Use and Health (NSDUH): CAI specifications for programming (English version)*.
<https://www.samhsa.gov/data/report/nsduh-2020-person-questionnaire>

3. Confidentiality of Data

To protect the confidentiality of respondents in the 2021 NSDUH, the full analytic file of 69,850 individuals was treated using a statistical disclosure limitation method called MASSC,^{11,12,13} which consists of the following four major steps: Micro Agglomeration, optimal probabilistic Substitution, optimal probabilistic Subsampling, and optimal sampling weight Calibration. All directly identifying information (such as name, phone number, and address) on the file was eliminated. In addition, census region, state, and other geographic identifiers were removed. Moreover, the household link between respondents from the same household was not included in the PUF. The variable MODE that indicates whether the interview was administered via web or in person was excluded from the PUF.

All other variables on the file were reviewed for the possibility of identifying a respondent by combining a number of variables at one time. Variables considered to have a high potential of personal identification, as well as a high value for analysis, were treated by standard procedures of categorization, top-and-bottom coding, and local suppression if deemed risky. Using the selected key identifying variables, data were partitioned into risk strata in the micro agglomeration step to control for the level of treatment based on the records' risk status in the subsequent MASSC steps. In addition, two other techniques were used in MASSC to introduce sufficient uncertainty for anyone who attempted to identify individuals and their confidential responses. First, on a random basis, a sample of records was drawn, and variables were substituted from a similar donor record. This step, referred to as substitution, introduces uncertainty about the identity of a record in the database. This process makes it difficult for an intruder to be certain that any record corresponds to a specific individual because some of the variables used to identify the record may have come from other individuals. Second, a portion of the records was randomly removed from the file to reduce the probability of determining that any known respondent was in the PUF. This step, referred to as subsampling, introduces further uncertainty about the presence of a target record in the database. The result is that there is a very small probability of identifying an individual from the file.

Substitution and subsampling were performed while simultaneously constraining the resulting or final file to a minimal increase in bias and a minimal decrease in precision for numerous estimates of drug use prevalence across several domains. In addition, to reduce the loss in precision caused by the two above-mentioned procedures, the weights on the final file were recalibrated to known totals from the entire restricted-use analytic file (for details, see

¹¹ Singh, A. C. (2002). *Method for statistical disclosure limitation* (U.S. Patent Application Pub. No. US 2004/0049517A1). RTI International. The patent was granted in June 2006 (Patent No. US7058638B2).

¹² Singh, A. C., Yu, F., & Duntzman, G. H. (2003). MASSC: A new data mask for limiting statistical information loss and disclosure. In *Proceedings of the Joint UNECE/EUROSTAT Work Session on Statistical Data Confidentiality, Luxembourg* (Working Paper No. 23, pp. 373-394). United Nations Statistical Commission and Economic Commission for Europe Conference of European Statisticians, European Commission Statistical Office of the European Communities (EUROSTAT).

¹³ Singh, A., Yu, F., & Wilson, D. H. (2004, August). Measures of information loss and disclosure risk under MASSC treatment of micro-data for statistical disclosure limitation. In *Proceedings of the 2004 Joint Statistical Meetings, American Statistical Association, Section on Survey Research Methods, Toronto, Canada* (pp. 4374-4381). American Statistical Association.

Section 10, Public Use File Weight Calibration). Under the MASSC framework, both disclosure risk and information loss are controlled simultaneously.

A further disclosure control procedure includes the treatment of the design variables on the full restricted-use analytic data file, namely VEREP (variance estimation [pseudo] replicate within stratum) and VESTR (variance estimation [pseudo] stratum). These replicate and stratum identifiers were treated by coarsening, substitution, and scrambling to produce the versions of the design variables included on the PUF. Similar to the 2014-2020 PUFs, the 2021 PUF's variance estimation stratum variable VESTR_C was aggregated into 50 pseudo-strata due to the sample redesign since the 2014 NSDUH, whereas in 2013 and prior years, there were 60 pseudo-strata. Additionally, certain variables were recoded (e.g., by collapsing of rare levels), collapsed (e.g., by combining low frequency variables) to make composite variables, or locally suppressed (e.g., by setting to missing values) for confidentiality reasons. Note that the age variable AGE2 in 2020 and prior years' PUFs was replaced by AGE3 with fewer categories for the 2021 PUF.

These statistical disclosure limitation methods have been implemented in such a way that the PUF continues to be representative of civilian members of the noninstitutionalized population in the United States. The 2021 PUF contains 58,034 records.

For a quality assessment of the 2021 PUF estimates based on select measures, refer to Section 16. Also note that in Section 16, PUF users are encouraged to apply NSDUH suppression rules that were applied to all NSDUH detailed tables (or something similar) before disseminating estimates from the PUFs to ensure that only reliable PUF estimates are used in making policy decisions.

4. Questionnaire Changes for the 2021 NSDUH

The following changes were made to the 2021 NSDUH instruments relative to 2020.

- Questions measuring SUD based on criteria from the *Diagnostic and Statistical Manual of Mental Disorders*, 4th edition (DSM-IV),¹⁴ were removed, leaving only DSM-5 SUD criteria questions. The skip logic for alcohol and marijuana SUD questions was revised so that these questions were only administered to alcohol and marijuana users who used on six or more instances in the past year. In 2020, all respondents who reported use of alcohol or marijuana in the past 12 months were asked the SUD questions corresponding to the used substance. In addition, the skip logic for prescription psychotherapeutics (i.e., pain relievers, tranquilizers, stimulants, and sedatives) SUD questions was revised so that all respondents who reported any use of a prescription psychotherapeutic in the past 12 months were asked the respective SUD questions pertaining to that psychotherapeutic category. In 2020, SUD questions were asked only for respondents who reported misuse of psychotherapeutics in the past 12 months.

¹⁴ American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.).

- In the drug treatment questionnaire section, the skip logic was changed for multiple questions to capture data from respondents who originally reported no past year drug treatment but then reported receiving drug treatment within the past 12 months in a subsequent question. In addition, a series of questions regarding receipt of treatment for specific substances was revised to measure treatment at any time in the past 12 months rather than the last or current past year drug treatment.
- New questions were added to the emerging issues questionnaire section to capture information about the vaping of marijuana.
- Revisions were made to skip logic for questions regarding medication-assisted treatment (MAT) for alcohol and opioid use in the emerging issues section.
- The series of yes/no questions in the back-end demographics section measuring disability were replaced by similar questions with four levels of difficulty as response options.

5. Organization of the Data File

The PUF described here is made available as an ASCII file with 2,988 variables and 58,034 observations. *Three program files are made available to read the ASCII file into SAS, SPSS, or Stata. The file also is made available as a SAS transport (CPORT) file, SPSS system file, Stata system file, and ASCII tab-delimited file. All of the data and program files are available from SAMHDA at <https://datafiles.samhsa.gov/>.*

The overall organization of the file is shown in the Table of Contents of this document. The first portion of this codebook consists of documentation for edited variables from drug sections, followed by documentation for imputation-revised and selected recoded versions of these drug variables. Documentation for edited variables from the second set of self-administered sections and demographic questions are in later sections, followed by sections corresponding to imputation-revised and recoded variables, where applicable. *Where imputed or recoded variables are provided, users are encouraged to use them to produce estimates rather than using raw or edited variables from the interview.*

Most edited variables contain missing data (e.g., the edited variable CIGREC for the most recent use of cigarettes); see Section 12.3, Standard Code Conventions, for a description of the codes given to different types of missing data for edited variables. For each edited variable, the number of observations assigned a given missing data code is shown in the entry for that variable.

Imputation-revised variables, as well as selected recoded versions of these variables, are included for selected demographic variables, drug use variables, variables based on DSM-5 criteria, and adult mental health measures. As noted previously, these imputed and recoded variables are in separate sections following the edited variables. In particular, the recoded drug use variables include indicators for lifetime, past year, and past month substance use. The imputation-revised drug use variables served as the starting point for the recoded drug use variables. Imputation-revised demographic variables are documented toward the end of the codebook. Imputed variables for SUDs based on DSM-5 criteria also are included in 2021 and documented in the Imputed DSM-5 Substance Use Disorder and Recoded DSM-5 Substance Use

Disorder sections of the codebook. Missing values for all imputation-revised variables have been imputed using the statistical imputation procedures described in Section 13, Statistical Imputation. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or from an imputed value.

Following the sections for substance use variables, edited variables from additional self-administered questionnaire sections comprise the next major section in the codebook, intermixed with sections of recoded variables. The edited and/or imputed variables are used as source variables for the recoded variables. For example, edited variables from the section of the interview pertaining to the receipt of treatment for the use of alcohol or illicit drugs (Drug Treatment section in this codebook) were used to create recoded summary measures for the receipt of substance use treatment. Unlike variables in the drug sections, however, imputed variables were not created for many variables from this second section of the interview, except where noted. Consequently, these recoded variables may still have missing values. The missing data codes contained in the source variables and defined in Section 12.3, Standard Code Conventions, are recoded to the standard missing code (.) for recoded variables. It is intended that cases containing these missing codes be excluded from an analysis. Note that in some situations where recoded variables are created from edited variables, missing values are set to a value of 0 instead of (.).

Within the recoded sections of the codebook, detailed information is provided in the variable documentation about how levels of source variables are used to define recoded variables. Note that for recoded variables that include “OTHER, Specify” data or logically assigned data (as defined in Section 12.3, Standard Code Conventions), values may be listed in the documentation that do not exist for the current survey year. Because of fluctuations in the data, source variable values may not exist consistently across years. However, to aid in cross-year analyses, all possible source variable values have been retained in the documentation. For example, a recoded variable may document a “yes” using both source variable values of “1 = Yes” and “3 = Logically Assigned Yes,” even if the “3” is not applicable for the current survey year. To alert users, notes have been placed at the top of recoded sections containing variables that include source values even if they do not apply to the current survey year.

In many instances, the codebook itself also indicates in parentheses the question names used in the NSDUH instrument that were most relevant for creating an edited variable. As much as possible, the codebook shows the key source variables used in creating edited, imputed, or recoded variables. For the most complete information about the logic for asking questions in the interview, data file users should refer to the 2021 questionnaire.

6. Strengths and Limitations of NSDUH

NSDUH is the primary nationally representative source of annual estimates of drug use and mental illness among civilian members of the noninstitutionalized population in the United States. In addition, the large and dispersed NSDUH sample enables not only state-level estimates but also estimates for substate areas.

Most of the NSDUH questions administered in person are administered with ACASI, which is designed to provide the respondent with a highly private and confidential mode for responding to questions to increase the level of honest reporting of illicit drug use and other sensitive behaviors. Web respondents are asked to be in a private location within the home and to affirm before starting that they are in a private location.

Although NSDUH is useful for many purposes, it has certain limitations. First, the data are based on self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar contexts and NSDUH procedures were designed to encourage honesty and recall, some underreporting and overreporting may take place. To aid respondent recall, the prescription drug questions in 2021 allowed respondents to report any use or misuse in the past 12 months of specific related medications (e.g., the tranquilizers Xanax®, Xanax® XR, generic alprazolam, and generic extended-release alprazolam). These self-reports capture information on the use or misuse of prescription drugs that contain a given active ingredient. However, these self-reports are not necessarily accurate for identifying the exact drugs respondents took, especially when respondents identify certain drugs by their brand names (e.g., if a respondent actually took the generic drug alprazolam but reported use or misuse of the brand name tranquilizer Xanax® because of name recognition). For this reason, the PUF includes recoded variables for subtypes of related prescription drugs (e.g., alprazolam products) but, with few exceptions, does not include variables for individual prescription drugs.

Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews in subsequent years. Each year's survey, therefore, provides an overview of the prevalence of drug use at a specific point in time rather than a view of how drug use changes over time for specific individuals.

Third, because the target population of the survey is defined as the civilian, noninstitutionalized population of the United States, a small proportion (approximately 3 percent) of the population is excluded.¹⁵ The subpopulations excluded are members of the active-duty military and people in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). If the drug use of these groups differs from that of the civilian, noninstitutionalized population, NSDUH may provide slightly inaccurate estimates of substance use and mental health in the total population. This may be particularly true for prevalence estimates for less commonly used drugs, such as heroin.

Fourth, due to methodological issues, SAMHSA decided that the 2021 NSDUH estimates are not comparable with estimates from 2020 or prior years.

¹⁵ Information from the 2010 census suggests that the civilian, noninstitutionalized population includes at least 97 percent of the total U.S. population. See the following reference: Lofquist, D., Lugaila, T., O'Connell, M., & Feliz, S. (2012, April). *Households and families: 2010* (C2010BR-14, 2010 Census Briefs). <https://www.census.gov/content/dam/Census/library/publications/2012/dec/c2010br-14.pdf>

7. Sample Design Overview

The 2021 NSDUH sample design is part of a multiyear, coordinated design that was developed for the 2014-2022 NSDUHs. The coordinated sample design is state-based, with an independent, multistage area probability sample within each state and the District of Columbia. States were the first level of stratification. Each state was further stratified into approximately equally populated state sampling regions (SSRs). Creation of the multistage area probability sample then involved selecting census tracts within each SSR (Stage 1), census block groups within census tracts (Stage 2), and area segments (i.e., a collection of census blocks) within census block groups (Stage 3). Finally, dwelling units (DUs) were selected within segments (Stage 4), and (within each selected DU) up to two residents who were at least 12 years old were selected for the interview (Stage 5). The complete sample design is documented in the *2021 National Survey on Drug Use and Health (NSDUH) Methodological Resource Book, Section 2: Sample Design Report.*¹⁶

The coordinated design facilitates a 50 percent overlap in third-stage units (area segments [see below]) between each 2 successive years from 2014 through 2022.¹⁷ The overlap is intended to increase the precision of estimates in year-to-year trend analyses because of the expected positive correlation resulting from the overlapping sample between successive survey years.

The 2014-2022 design allows for computation of estimates by state in all 50 states plus the District of Columbia. The design also includes a cost-efficient sample allocation to the largest states, while providing a sufficient sample size in each of the smaller states to support small area estimation at the state and substate levels. The sample is designed to yield 4,560 completed interviews in California; 3,300 completed interviews each in Florida, New York, and Texas; 2,400 completed interviews each in Illinois, Michigan, Ohio, and Pennsylvania; 1,500 completed interviews each in Georgia, New Jersey, North Carolina, and Virginia; 967 completed interviews in Hawaii; and 960 completed interviews in each of the remaining 37 states and the District of Columbia—for a total national target sample size of 67,507. This large target sample size permits SAMHSA to report precise estimates for demographic subgroups at the national level without needing to oversample specially targeted demographics other than age groups. Because geographic identifiers like state are not on the 2021 PUF, only national analysis of data is possible.

Because of the continued impact of COVID-19, the 2021 NSDUH used a combination of web and in-person data collection methods (i.e., multimode data collection). At the beginning of each calendar quarter, sample dwelling units (SDUs) were mailed an invitation to participate via the web. FIs began following up with pending SDUs 1 to 4 weeks later in areas deemed safe for in-person data collection. To ensure the national target sample size was met, very large DU samples were selected and released for web data collection. Supplemental samples were also selected from available DUs in area segments from prior NSDUH samples. As a result, the achieved sample size (i.e., completed interviews) for the 2021 survey was 69,850 individuals.

¹⁶ Center for Behavioral Health Statistics and Quality. (2022). *2021 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 2: Sample design report.* Substance Abuse and Mental Health Services Administration.

¹⁷ In segments used in 2 successive years, only addresses not sampled in the first year may be included in the second year's sample.

For more information on the impact of COVID-19 on the sample design, see the 2021 Sample Design Report.

7.1 Stratification and Selection of Primary, Secondary, and Tertiary Sampling Units (Census Tracts, Census Block Groups, and Area Segments)

Within each state, sampling strata called SSRs were formed. Based on a composite size measure, states were partitioned geographically into roughly equally sized regions. In other words, regions were formed such that each area within a state yielded, in expectation, roughly the same number of interviews during each data collection period. The partitioning divided the United States into a total of 750 SSRs, resulting from 36 SSRs in California; 30 SSRs each in Florida, New York, and Texas; 24 SSRs each in Illinois, Michigan, Ohio, and Pennsylvania; 15 SSRs each in Georgia, New Jersey, North Carolina, and Virginia; and 12 SSRs each in the remaining 38 states and the District of Columbia.

The first stage of selection for the 2014-2022 NSDUHs was census tracts. This stage of selection began with the construction of an area sample frame that contained one record for each census tract in the United States. If necessary, census tracts were aggregated within SSRs until each tract¹⁸ met the minimum DU¹⁹ requirement. In California, Florida, Georgia, Illinois, Michigan, New Jersey, New York, North Carolina, Ohio, Pennsylvania, Texas, and Virginia, this minimum size requirement was 250 DUs in urban areas and 200 DUs in rural areas.²⁰ In the remaining states and the District of Columbia, the minimum requirement was 150 DUs in urban areas and 100 DUs in rural areas. These census tracts served as the primary sampling units (PSUs) for the coordinated 9-year sample.

Before selecting census tracts, additional implicit stratification was achieved by sorting the first-stage sampling units by a CBSA/SES²¹ (core-based statistical area/socioeconomic status) indicator²² and by the percentage of the population who are not Hispanic or Latino and White. From this well-ordered sample frame, 48 census tracts per SSR were selected with probabilities proportionate to a composite size measure and with minimum replacement.

For the second stage of selection, adjacent census block groups were collapsed as needed within selected census tracts. The selection of census block groups was included to facilitate possible transitioning to an address-based sampling design. The block groups were required to

¹⁸ For the remainder of the discussion, first-stage sampling units are referred to as “census tracts” even though each first-stage sampling unit contains one or more census tracts.

¹⁹ DU counts were obtained from the 2010 decennial census data supplemented with revised population counts from Claritas (see <https://www.claritas.com/>).

²⁰ The basis for the differing minimum DU requirement in urban and rural areas is that it is more difficult to meet the requirement in rural areas, 100 DUs are sufficient to support one field test and two main study samples in the smaller states, and 200 DUs are sufficient to support three samples in the larger sample states.

²¹ CBSAs include metropolitan and micropolitan statistical areas, as defined in the following reference: Office of Management and Budget. (2009, December 1). *OMB Bulletin No. 10-02: Update of statistical area definitions and guidance on their uses*.

<https://obamawhitehouse.archives.gov/sites/default/files/omb/assets/bulletins/b10-02.pdf>

²² The CBSA/SES indicator was defined using 2006-2010 American Community Survey (ACS) estimates, 2010 census data, and the December 2009 CBSA definition. Four categories are defined as follows: (1) CBSA/low SES, (2) CBSA/high SES, (3) non-CBSA/low SES, and (4) non-CBSA/high SES.

have the same minimum number of DUs as the census tracts from which they were selected (150 or 250 in urban areas and 100 or 200 in rural areas, according to state). The resulting block groups were then sorted in the order in which they were formed, and one census block group²³ was selected per selected census tract with probability proportionate to a composite size measure.

Because census block groups generally exceed the minimum DU requirement, one smaller geographic area was selected within each sampled census block group. For this third stage of sampling, each selected census block group was partitioned into small geographic areas composed of adjacent census blocks. These geographic clusters of blocks are referred to as “segments” and are the tertiary sampling units for the coordinated sample design. A sample “dwelling unit” in NSDUH refers to either a housing unit or a group quarter listing unit, such as a dormitory room or a shelter bed. To support the overlapping sample design and any special supplemental sample or field test SAMHSA might wish to conduct, segments were formed to contain a minimum of 150 or 250 DUs in urban areas and 100 or 200 DUs in rural areas, according to state.

One segment was selected within each sampled census block group with probability proportionate to size. The 48 selected segments then were randomly assigned to a survey year and quarter of data collection.

Note that geographic identifiers like state and census blocks are not included in any NSDUH PUFs.

7.2 Selection of Dwelling Units

The primary objective of the fourth stage of sample selection (listing units) was to select the minimum number of DUs needed in each segment to meet the targeted sample sizes for all age groups. For the 2014-2022 NSDUHs, each state sample was allocated to age groups as follows: 25 percent for youths aged 12 to 17, 25 percent for young adults aged 18 to 25, 15 percent for adults aged 26 to 34, 20 percent for adults aged 35 to 49, and 15 percent for adults aged 50 or older. The size measures used in selecting the area segments were coordinated with the DU and person selection process so that a nearly self-weighting sample could be achieved in each of the five age groups. Departures from the self-weighting objective occurred for several reasons, including the following: (1) advance projections on the number of DUs did not accurately reflect the current housing inventory; (2) maximum DU sample sizes were preset to control the FI workload and to allow unused addresses to be available for the next year’s survey; and (3) the person selection probabilities were constrained so that no more than two individuals could be selected per DU. An iterative sample allocation process was followed to adjust for these additional constraints. In addition, the DU sample allocation in each area segment was adjusted to allow for DU eligibility, for screening nonresponse, and for person nonresponse.

²³ For the remainder of the discussion, second-stage sampling units are referred to as “census block groups” even though each second-stage sampling unit contains one or more census block groups.

In advance of the survey period, specially trained listers had visited each area segment and listed all addresses for housing units and eligible group quarters units in a prescribed order. Systematic sampling was used to select the allocated sample of addresses from each segment.^{[24](#)}

7.3 Selection of Individuals

After DU selections were made, the DU was rostered to identify all survey-eligible people residing at the DU. An eligible member of the selected DU provided this roster information by web or in person (to an FI visiting the DU). Using this roster information, the electronic or web screening instrument automatically selected zero, one, or two individuals to be interviewed using preset state and age group sampling rates and a random number specified for the address.

Because the majority of missed DUs are found on the premises of sampled DUs, the 2014-2022 NSDUHs had in place a procedure for checking for and adding missed DUs on the premises of sampled DUs. During the screening interview, FIs asked the screening respondent about other units on the property of the selected DU.^{[25](#)} If missing from the original list, these DUs also were included in the sample.

7.4 Sample Design Variables

The sample for the 2021 NSDUH was selected using a multistage, deeply stratified sample design. The variables on the full restricted-use analytic data file represent each stage of sample selection. To ensure respondents' confidentiality, the sample design variables described in this section are not included in any NSDUH PUFs.

Stage 1: The 2021 NSDUH design includes a sample from each of the 50 states plus the District of Columbia. SSRs were formed within each state based on composite size measures, roughly geographically partitioning the state into equally sized regions. A sample of 48 census tracts was selected within each SSR. Census tracts are considered the PSUs and can be identified using the STATE, SSREGION, and SEGID^{[26](#)} variables. Only eight census tracts per SSR were originally selected for the 2021 sample.

Stage 2: Adjacent census block groups were aggregated within selected census tracts as necessary to form the second-stage sampling units. One census block group was selected per sampled census tract. A total of 48 census block groups was selected within each SSR. Census block groups can be identified using the STATE, SSREGION, and SEGID variables. Eight census block groups per SSR, one from each sampled census tract, were originally selected for the 2021 sample.

^{[24](#)} This had the effect of creating noncompact clusters (selection from a list), which differ from compact clusters in that not all units within the cluster are included in the sample. Although compact cluster designs are less costly and more stable, a noncompact cluster design was used because it provides for greater heterogeneity of dwellings within the sample. Also, social interaction (contagion) among neighboring dwellings is sometimes introduced with compact clusters. See the following reference: Kish, L. (1965). *Survey sampling*. John Wiley.

^{[25](#)} The missed DU question was not asked of web screening respondents.

^{[26](#)} One segment was selected from each sampled census block group within each sampled census tract so that the census tract, census block group, and segment can all be identified by the SEGID variable.

- Stage 3: The third stage of sampling consisted of partitioning the selected census block groups into smaller geographic areas, called “segments.” Segments are defined by joining contiguous census blocks within each selected census block group. Segments can be identified on the data file using the SEGID variable. Eight segments per SSR, one from each sampled census block group, were originally selected for the 2021 sample. Because COVID-19 continued to have a negative impact on data collection and response rates, the 6,000 original segments were supplemented with 2,946 segments from prior NSDUH samples. Thus, the 2021 NSDUH sample was selected from a total of 8,946 segments.
- Stage 4: After census tracts, census block groups, and segments were selected, the fourth stage of selection consisted of selecting DUs within each segment. The DU selection rate was based on the state to which a particular segment belonged. State classification was utilized for computation of eligibility, screener and interview response rates, and expected person yield per DU. State classifications can be identified with the STATE variable, and DUs can be identified with the ENCCASE variable.
- Stage 5: At the last stage of selection, individuals were selected within screened DUs based on the age group composition of the DU residents. The person-level variable used to determine the selection included AGE. The data file contains one record representing each responding selected person from Stage 5 (69,850 individuals). To protect the confidentiality of these respondents, the full restricted-use analytic data file was treated using a statistical disclosure limitation method, while ensuring that the data continue to be representative of civilian members of the noninstitutionalized population in the United States. The resulting public use data file contains 58,034 records.

A more detailed explanation of the sample design and sample selection procedures at each stage of the design appears in the 2021 Sample Design Report.

8. Data Collection and Response Rates

The 2021 NSDUH data collection effort was directed by RTI staff members. All web-based data collection activities were coordinated by in-house management staff, whereas in-person data collection activities were coordinated by both in-house and remote management staff. For in-person data collection, RTI maintained a field staff of approximately 550 FIs.

Multimode (in-person and web) data collection continued in 2021. Sections 2.2.1.1 and 2.2.1.3 of the 2021 Methodological Summary and Definitions provide detailed procedures for both in-person and web-based data collection. Due to the ongoing COVID-19 pandemic, NSDUH project management at RTI continued working closely with SAMHSA and RTI’s Infectious Disease Response Team (IDRT), Executive Leadership Team (ELT), and Institutional Review Board (IRB) in 2021 to determine when and where it would be safe to conduct in-person data collection. Throughout 2021, minor modifications were made to the data collection methods due to the COVID-19 pandemic to ensure the safety of the public and the FIs. At the start of Quarter 1, in-person data collection was limited to a small number of eligible states and counties due to COVID-19 infection rates. However, as COVID-19 infection rates gradually improved, the percentage of in-person eligible segments steadily increased during subsequent quarters in 2021.

A total final sample of 69,850 interviews (on the full analytic data file) was obtained for the 2021 survey. Strategies for ensuring the best participation rates possible resulted in a weighted screening response rate of 22.21 percent and a weighted interview response rate of 46.24 percent for the 2021 NSDUH. Of the total final sample, 54 percent of interviews were completed via the web and 45 percent were completed in person. Web-based data collection continued to yield lower response rates than in-person data collection. The pandemic continued to exacerbate people's reluctance to open their doors to FIs in areas where in-person interviewing was allowed. The FIs continued to have a shorter amount of time to follow up with households that started out as being eligible for in-person data collection but became ineligible based on changing state- and county-level health metrics during 2021.

Throughout the course of the study, respondent anonymity and the privacy of responses were protected by separating identifying information from survey responses. Respondents were assured their identities and responses would be handled in strict compliance with federal law. As discussed above, the questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. During in-person interviews, answers to sensitive questions were gathered using ACASI. However, the ACASI technology was not available in the web interview. The decision to not include ACASI as part of the web interviews was made following consultation with subject matter experts, which concluded that offering audio would result in a larger risk of breeching confidentiality (allowing others to potentially hear the questions being asked or the responses being entered) than not having audio at all.

A more detailed explanation of NSDUH's data collection procedures will appear in the *2021 National Survey on Drug Use and Health (NSDUH) Methodological Resource Book, Section 8: Data Collection Final Report*, which will be available in 2023.²⁷

9. Sample Weights

This section describes in general how the weights were produced for the full restricted-use analytic file. For details on the weight calibration specific to the 2021 PUF, refer to Section 10, Public Use File Weight Calibration.

The estimates yielded by NSDUH are based on sample survey data rather than on complete data for the entire population, which means the data must be weighted to obtain unbiased estimates for survey outcomes in the population represented by the 2021 NSDUH. The “final analysis weight” of the i th respondent, say w_i , can be interpreted as the number of sampling units in the NSDUH target population represented by the i th respondent. The sum of the weights over all respondents is used to estimate the size of the total target population:

²⁷ Center for Behavioral Health Statistics and Quality. (forthcoming). *2021 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 8: Data collection final report*. Substance Abuse and Mental Health Services Administration.

$$\sum_i w_i = \text{estimated size of the target population},$$

where the summation is over all of the respondents in the 2021 NSDUH.

For the 2021 NSDUH, three types of analysis weights were developed: (1) the person-level analysis weights, (2) questionnaire dwelling unit (QDU)-level weights, and (3) person pair-level weights.

Multimode data collection continued to be used in the 2021 NSDUH. The proportion of web and in-person interviews varied by quarter. The in-person interview proportion was the lowest in Quarter 1, increasing steadily in Quarters 2, 3, and 4. Three modifications were made to the 2021 NSDUH weighting process. See Section 2.3.4.2 of the 2021 Methodological Summary and Definitions for all the details on the modifications. The first modification was to develop one set of analysis weights for all four quarters instead of developing quarterly analysis weights as in the 2020 NSDUH. Additional quarter interactions by demographic variables were included in adjustment models to capture quarterly variation of web and in-person proportions and different demographic and geographic distributions between web and in-person modes. A second modification to the weights for 2020 was the addition of educational attainment to the control totals for final poststratification because the web respondents had a higher average level of educational attainment than the in-person respondents. A third modification was to add an implicit unknown eligibility adjustment if DUs were selected for web-based data collection but were nonrespondents at the screening stage. When data are collected in person, FIs can identify ineligible DUs (e.g., vacancies) to allow the ineligible DUs to be removed from the sample before weighting. For web-based data collection, however, DU members needed to initiate the screening process. Consequently, web-based data collection yielded more DUs with unknown eligibility because an adult DU member did not contact RTI to begin the screening process. If a DU's eligibility was unknown for web-based data collection, its eligibility status was imputed according to the historic DU eligibility rate in the state where the DU was located. DUs that were imputed to be ineligible were excluded from the weighting process before the screening dwelling unit nonresponse adjustment.

In the 2021 NSDUH, the number of adult web respondents who provided usable information on their substance use²⁸ but did not complete the mental health or later questions (i.e., “break-offs”) remained a concern for the 2021 adult mental health estimates. Specifically, mental health estimates for adults could be biased²⁹ if the characteristics of adult respondents who broke off the interview without completing the mental health questions differed from the characteristics of respondents who completed these questions. To reduce the potential for bias, a set of break-off analysis weights was developed for analyzing unimputed outcome variables in the mental health module and subsequent modules. For details on these break-off analysis weights, refer to Section 6.2.2.3 in the 2021 Methodological Summary and Definitions. Due to potential disclosure risk, the break-off analysis weights are not included in the 2021 PUF. Caution should be used for analyzing the outcomes in the mental health and subsequent sections

²⁸ Details about the criteria for defining a NSDUH interview as usable are provided in Section 11, Usable Interviews.

²⁹ Bias refers to error in estimates that does not occur at random.

of the codebook and for drawing conclusions using the main PUF analysis weights (ANALWT_C).

For the 2021 PUF, only the main person-level analysis weights (ANALWT_C) are maintained on the file. The person-level analysis weights on the PUF (ANALWT_C) are created from doing additional weight calibration on the main analytic weight (ANALWT). For details on how the main analytic weight ANALWT is produced, refer to Section 6.2.2.1.2 in the 2021 Methodological Summary and Definitions. For details on how ANALWT_C is produced, see Section 10, Public Use File Weight Calibration.

10. Public Use File Weight Calibration

As noted in Section 3, Confidentiality of Data, after the substitution step in MASSC, some respondents have their identifying variables changed, and after the subsampling step, a dataset that is a subset of the original full sample of the analytic data file is produced. Thus, weight calibration is needed in which the PUF weights are calibrated to the full sample totals to reduce bias due to substitution and variance due to subsampling.

In the subsampling step, the SAS procedure SURVEYSELECT was used to select a subsample based on the selection probabilities obtained from the subsampling step for each record. The Chromy sampling method³⁰ was used to sequentially draw a random subsample within each stratum defined by the sampling design variables VEREP and VESTR (i.e., the analytic full sample design variables before disclosure treatment). For each record, SAS generated a weight adjustment, which is approximately the inverse probability of selection for that record. The original analysis weight ANALWT was multiplied by this weight adjustment to get an intermediate subsample weight ANALWT_2. This step accounts for the different subsampling rates for the respondents and ensures that the total weight of the subsample (ANALWT_2) is close to the total weight of the original sample (ANALWT).

In the calibration step, ANALWT_2 was further adjusted so that the sum of the final PUF weights (ANALWT_C) matched the sum of ANALWT from the original analytic data for a set of main study variables and auxiliary variables (which were the selected identifying variables, such as demographic variables). This process, known as calibration in MASSC, is a poststratification adjustment and helps reduce bias due to substitution and variance due to subsampling. The generalized exponential model (GEM) developed by Folsom and Singh³¹ was used for this poststratification, and the control total used for poststratification was the final analysis weight ANALWT from the full analytic dataset. Variables (both main effects and two-way interactions) used in the weight calibration in GEM were typically demographic variables. Sometimes, a few of the variables were dropped or collapsed if they had a zero or a small sample size or if the model had convergence issues. The sampling weights on the PUF

³⁰ Chromy, J. R. (1979). Sequential sample selection methods. In *Proceedings of the 1979 American Statistical Association, Survey Research Methods Section, Washington, DC* (pp. 401-406).

<http://www.asasrms.org/Proceedings/index.html>

³¹ Folsom, R. E., & Singh, A. C. (2000). The generalized exponential model for sampling weight calibration for extreme values, nonresponse, and poststratification. In *Proceedings of the 2000 Joint Statistical Meetings, American Statistical Association, Survey Research Methods Section, Indianapolis, IN* (pp. 598-603).

were adjusted for subsampling and calibrated with respect to approximately 45 demographic domains. A sublist of the domains that match their respective U.S. Census Bureau population estimates can be found in [Table 1](#) in Section 14, where an alternative way can be used to estimate SEs of the totals; for details, see Section 14, Variance Estimation of Estimated Numbers of Individuals.

For each record on the PUF, the final weight after calibration was referred to as ANALWT_C, which is the product of ANALWT_2 and the weighting adjustment factor from GEM. The sum of ANALWT_C on the PUF is identical to the sum of ANALWT on the full analytic file, both overall and by values of the calibration variables in [Table 1](#) in Section 14.

11. Usable Interviews

A key step in the data processing procedures established the minimum item response requirements for interviews to be retained for weighting and further analysis (i.e., “usable” data). These procedures were designed to eliminate data from interviews with unacceptable levels of item nonresponse (i.e., missing data), thereby using data from interviews with lower levels of missing data and reducing the amount of statistical imputation needed for any given record.

The usability criteria established for NSDUH were based on the completeness of information respondents provided about their lifetime use or nonuse of different substances. In NSDUH, respondents were asked more detailed questions about different substances only if they reported lifetime use of that substance (or lifetime use of one or more drugs within a broader category, such as hallucinogens) on an initial “gate” question; these questions are subsequently referred to as gate questions because a report of use opens the “gate” to the administration of additional questions, and other reports that do not explicitly indicate use close the “gate.”³² Consequently, whether a NSDUH respondent was a user or nonuser of the substances of interest could be readily determined by reviewing the respondent’s answers to the gate question on lifetime use of that substance (or category of substances).

For a NSDUH record to be considered usable, both of the following requirements must be met:

1. The lifetime cigarette question CG01 (i.e., “Have you ever smoked part or all of a cigarette?”) had to have been answered as “yes” or “no.” This requirement was set so that lifetime use or nonuse would be fully defined for at least one substance. Consequently, data about lifetime use or nonuse of cigarettes could be used in subsequent statistical imputations for other substances where lifetime use or nonuse was undefined.
2. Responses to questions on at least nine (9) of the following additional substances had to contain information about use or nonuse: (a) smokeless tobacco, (b) cigars, (c) alcohol, (d) marijuana, (e) cocaine (in any form), (f) heroin, (g) hallucinogens, (h) inhalants, (i) methamphetamine, (j) pain relievers, (k) tranquilizers, (l) stimulants

³² In all substance use sections except those pertaining to hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives, the logic for asking more detailed questions about use of that drug was based on the answer to a single “yes/no” question (e.g., “Have you ever, even once, used marijuana or hashish?”).

(i.e., independent of methamphetamine), and (m) sedatives. Crack cocaine was not included in the usability criteria because the logic for asking about crack cocaine was dependent upon the respondent having answered the lifetime cocaine question as “yes.” Although the CAI instrument also asked about pipe tobacco, this tobacco product was not included in the usability criteria because there was only one other question about pipe tobacco in addition to the lifetime pipe tobacco use question.³³

The usability criterion for smokeless tobacco through methamphetamine was that lifetime use or nonuse must be determined. For the “multiple gate” sections for hallucinogens and inhalants, at least one gate question in the series for that section was required to have an answer of “yes” or “no.”³⁴ Any of the following allowed the prescription drug data to count toward usability:

- Past year use of at least one specific prescription drug in a category (e.g., pain relievers) was reported.
- Lifetime use or nonuse of any prescription drug in the category was reported.
- Past year nonuse of *all* specific prescription drugs was reported, regardless of whether lifetime use or nonuse can be determined.

The interview also included follow-up probes for respondents who initially refused to answer a gate question or an entire series of gate questions. Follow-up probes were included in the following sections that were relevant to the usability rules: cigarettes, smokeless tobacco, cigars, alcohol, marijuana, cocaine, heroin, specific hallucinogens (i.e., LSD, PCP, Ecstasy/“Molly” [MDMA]), any use of inhalants, and methamphetamine. If respondents changed their initial refusal to a response of “yes” or “no,” they were considered to have provided usable data to that drug’s gate information.

In addition, the CAI program terminated interviews during the initial demographics questions if respondents were ineligible for the survey (i.e., younger than age 12 or on active duty in the U.S. military) or if respondents did not provide their date of birth or age. Also, interviews were not able to proceed if certain initial questions, such as gender and state of residence, were not answered by the interviewer. These ineligible or incomplete interviews did not meet the usability criteria because the interviews were terminated before the respondents were asked the first cigarette use question.

³³ For a more detailed discussion of the development of the usable criteria requirements, see the following reference: Kroutil, L., & Myers, L. (2002). Development of editing rules for CAI substance use data. In J. Gfroerer, J. Eyerman, & J. Chromy (Eds.), *Redesigning an ongoing national household survey: Methodological issues* (HHS Publication No. SMA 03-3768, pp. 85-109). Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

³⁴ For hallucinogens and inhalants, the logic for asking more detailed questions about use of that category of drugs was based on respondents’ answers to multiple “yes/no” questions about the lifetime use or nonuse of specific drugs within that category (e.g., lifetime use or nonuse of the following specific hallucinogens: lysergic acid diethylamide (LSD); phencyclidine (PCP); peyote; mescaline; psilocybin/mushrooms; Ecstasy or “Molly” [3,4-methylenedioxymethamphetamine (MDMA)]; ketamine; dimethyltryptamine (DMT), alpha-methyltryptamine (AMT), or “Foxy”; *Salvia divinorum*; or “any other” hallucinogen).

12. Logical Editing

For selected key variables, response data were reviewed to identify and address inconsistent data among related variables or to replace missing data with nonmissing values. The routing logic in the CAI instrument reduced the opportunities for respondents to give inconsistent answers by skipping respondents past questions that did not apply to them. The occurrence of inconsistent data was reduced further through the use of consistency checks built into the CAI program that prompted respondents to resolve inconsistencies between related items. Nevertheless, there still were limited situations in which respondents could answer one question in a manner inconsistent with their answer to a previous question.

Logical editing was the first step in processing many of the variables on the file. This procedure used data within a respondent's record to identify and address inconsistencies among related variables within a given section of the interview (e.g., within the hallucinogens section). As part of this procedure, variables were identified that had been legitimately skipped because the condition(s) for asking the questions did not apply. As a general principle, responses from one section (e.g., hallucinogens) were not used to edit variables in another section (e.g., inhalants).³⁵ For this reason, data in one section may not be completely consistent with data in other sections. Subsequent discussion about editing in this section focuses on key substance use variables.

12.1 Editing Procedure for Tobacco through Methamphetamine

This section provides an overview of editing procedures for variables pertaining to substances other than prescription drugs. Procedures for prescription drugs are described separately in Section 12.2 because the questionnaire is structured differently for the prescription drug questions.

In sections of the interview for tobacco, alcohol, marijuana, cocaine (including crack cocaine), heroin, hallucinogens, inhalants, and methamphetamine, logical editing and processing of substance use variables first involved identifying whether respondents had ever used or never used the substance of interest. Determining whether respondents had ever used a given substance (or any substance within a broader category, such as hallucinogens) included identifying situations in which respondents initially refused to answer a question about their lifetime use of a substance but then changed their answer to "yes" or "no" on follow-up. If respondents did not provide sufficient information about their use or nonuse of a particular substance (or category of substances, such as hallucinogens), their final status was assigned through statistical imputation procedures. If values pertaining to lifetime use or nonuse of a given substance were changed through the editing procedures, this editing was indicated through special codes that indicated a response was logically inferred; documentation for these codes includes the phrase "LOGICALLY ASSIGNED." For example, if respondents did not report lifetime use of LSD

³⁵ One exception to the principle of not editing across questionnaire sections involved situations in which responses in one section governed whether respondents were asked questions in another section. For example, if respondents reported never using heroin but they received substance abuse treatment in the past 12 months, they were not asked questions in the drug treatment section about current or past year treatment for heroin. Consequently, codes could be assigned to indicate that the respondents skipped out of the heroin treatment questions because they had never used heroin.

(a specific hallucinogen) in question LS01a, but they specified lifetime use of it as some other hallucinogen they used, then they were logically inferred to be lifetime users of LSD.

After lifetime use or nonuse of a given substance had been determined as part of the editing procedures, edits were implemented for the variables that established when respondents last used a substance of interest. These edited recency-of-use variables were the precursors for the final, imputed measures that established the prevalence of use in the past 30 days, past 12 months, and lifetime.

The interview included follow-up probes for respondents who were lifetime users of a given substance but did not know or refused to report when they last used it. Respondents who initially did not know when they last used a substance were asked to give their “best guess” of when they last used it. Respondents who initially refused to report when they last used a substance were asked to reconsider answering the question. If respondents changed their initial answer of “don’t know” or “refused” in response to these probes, the editing procedures incorporated data from these probes into the final, edited recency-of-use variables. For example, if respondents initially refused to report when they last used a substance but then reported last using it more than 30 days ago but within the past 12 months in response to a follow-up probe, their edited recency indicated use in that period, in the absence of any information inconsistent with what they reported in the probe (see below).

For substances other than prescription drugs, situations were identified and flagged in which there were inconsistencies between a respondent’s answer to a substance’s recency question (or the answer in a follow-up probe) and other data in that section. For example, it would be inconsistent for a respondent to report last using a substance “more than 12 months ago” but also to report having first used it at his or her current age. In this example, the edited recency variable was set to a value of 9 (see documentation in the paragraph below), and the edited variable for the age at first use was set to the “bad data” code for missing data (see Section 12.3, Standard Code Conventions). These inconsistencies then were addressed by statistically imputing final values for the affected recency variable and the other variable(s) where the data were inconsistent with the respondent’s original answer to the recency question.

If values pertaining to the period when respondents last used a substance were changed through the editing procedures, special codes were assigned to indicate these edits had been done. The documentation for these codes included the phrase “LOGICALLY ASSIGNED.” For example, a code of 8 in a substance’s recency-of-use variable means “Used at some point in the past 12 months LOGICALLY ASSIGNED.” Specifically, if a respondent reported using a substance more than 30 days ago but within the past 12 months but other data suggested the respondent may have used the substance more recently, this code of 8 indicated that at least it could be inferred the respondent was a user in the past 12 months (and potentially more recently). Similarly, a code of 9 (“Used at some point in lifetime LOGICALLY ASSIGNED”) indicated the respondent was potentially a user in any period asked about for that specific substance, including the past 30 days. In particular, respondents were assigned a code of 9 if they initially answered “don’t know” or “refused” to a substance’s recency question and continued on follow-up to answer “don’t know” or “refused” regarding when they last used it.

Beginning in 2021, the edited variables for lifetime use and recency of use of marijuana vaping from the emerging issues section were used to edit marijuana use variables. Specifically, respondents who indicated no lifetime use of marijuana but reported vaping marijuana were logically assigned to be lifetime marijuana users. In addition, respondents who reported vaping marijuana more recently than they reported using marijuana had their marijuana recency variable edited for consistency. This is an exception to the general principle not to use data from one section to edit data from another section.

12.2 Editing Procedure for Prescription Drug Variables

Respondents first were asked a series of screening questions about *any* use of specific prescription drugs (pain relievers, tranquilizers, stimulants, and sedatives) in the past 12 months (i.e., use or misuse) or any lifetime use if they did not report past year use. Respondents were asked about misuse in the past year of any of the specific prescription drugs they reported using in that period.

Consistent with the general editing principles described previously, an important component of editing the prescription drug variables involved determining whether respondents used (or misused) prescription drugs in their lifetime or in a particular period within their lifetime (e.g., within the past 12 months). If respondents reported any use of prescription drugs, the possibilities for most recent use were (1) use within the past 12 months, (2) use more than 12 months ago (i.e., if respondents explicitly reported they used no prescription drugs within that category within the past 12 months but they reported lifetime use), and (3) use at some point in the respondent's lifetime (i.e., if respondents reported lifetime use of any prescription drug in a given category but they had missing data for use in the past year of specific prescription drugs).

Because of the structure of the prescription drug questions, respondents were not asked a specific question for their most recent misuse of any prescription drug in that category. Rather, variables for the most recent misuse of prescription pain relievers, tranquilizers, stimulants, and sedatives were created from respondents' answers to questions about the misuse of any prescription drug in the category in the past 30 days, misuse of specific prescription drugs in a given category in the past 12 months, and lifetime misuse of any prescription drug in the category. For example, if respondents reported misuse of one or more specific prescription drugs in a given category in the past 12 months and they reported they did not misuse any prescription drug in that category in the past 30 days, then it could be inferred the most recent misuse for that prescription drug category occurred more than 30 days ago but within the past 12 months.

As with other substances described in the previous section, respondents could provide "indefinite" information on when they last misused prescription drugs. For example, if respondents reported misuse of one or more specific prescription drugs in the past 12 months but they did not know or refused to report whether they misused any prescription drug in the past 30 days, it could be inferred these respondents misused prescription drugs in the past 12 months and potentially in the past 30 days. In these situations, an indefinite value for the most recent period of misuse was assigned to the variables created for the most recent misuse of pain relievers, tranquilizers, stimulants, and sedatives (e.g., "Used at some point in the past 12 months LOGICALLY ASSIGNED"), and a final, specific value was statistically imputed.

Also, respondents were logically inferred to have misused (or used) a specific prescription drug in the past 12 months if they did not report misuse of that drug in the past 12 months, but they specified misuse of that drug as “some other drug” within that category (e.g., any other prescription pain reliever) that they misused in the past 12 months. In addition, respondents were instructed not to report use or misuse of over-the-counter (OTC) drugs available without a prescription. Therefore, respondents whose reported past year misuse involved only OTC drugs were logically inferred not to have misused any prescription drug in that category in the past 12 months.

Details of the editing procedures for the drug use variables in 2021 will appear in the *2021 National Survey on Drug Use and Health (NSDUH) Methodological Resource Book, Section 10: Editing and Imputation Report*, which will be available in 2023.³⁶

12.3 Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables. Exceptions are noted in the documentation for individual variables.

91 or 991 or 9991, etc.	= NEVER USED [DRUG(s) OF INTEREST]
93 or 993 or 9993, etc.	= USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST
94 or 994 or 9994, etc.	= DON’T KNOW
97 or 997 or 9997, etc.	= REFUSED
98 or 998 or 9998, etc.	= BLANK (i.e., not answered; not asked the question)
99 or 999 or 9999, etc.	= LEGITIMATE SKIP

The following analogous codes also were assigned as part of the logical editing process. Exceptions are noted in the documentation for specific variables.

81 or 981 or 9981, etc.	= NEVER USED [DRUG(s) OF INTEREST] Logically assigned
83 or 983 or 9983, etc.	= USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST Logically assigned
85 or 985 or 9985, etc.	= BAD DATA Logically assigned (i.e., usually inconsistent with other data)
89 or 989 or 9989, etc.	= LEGITIMATE SKIP Logically assigned

The codes of 81, 83, 85, and 89 were given values in the 80s to signify that existing values were overwritten during editing. For example, if a respondent was somehow routed into the youth experiences section but that respondent was subsequently classified as being 18 or older, any answer the respondent gave in the youth experiences section was overwritten with

³⁶ Center for Behavioral Health Statistics and Quality. (forthcoming). *2021 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 10: Editing and imputation report*. Substance Abuse and Mental Health Services Administration.

codes of 89 (or 989, etc.). These codes signify this adult respondent logically was not eligible to be asked the youth experiences questions.

Codes of 85 (or 985, etc.), 94 (or 994, etc.), 97 (or 997, etc.), and 98 (or 998, etc.) are codes for missing data. In particular, codes of 98 (i.e., blank) could occur in the data for the following reasons:

- The respondent broke off the interview before reaching a specific question or section.
- In situations where respondents were asked to specify something, such as the name of some other drug they had used, respondents typed only blank spaces.
- The CAI program skipped respondents past a question, but there was some uncertainty as to whether the skipped question applied or did not apply to the respondents (e.g., if subsequent questions about a drug were skipped because the respondents did not know whether they ever used that drug).

13. Statistical Imputation

Statistical imputation refers to the substitution of acceptable estimated values for missing values. These imputed values cannot be directly distinguished from nonimputed values. Using statistical imputation, missing data were replaced with nonmissing values for selected variables. These variables can be identified in the codebook by their labels, within which can be found the words “IMPUTATION REVISED” or abbreviations such as “IMP REV.” In addition, most imputation-revised variables have names with the prefix “IR.” (Although no missing data are possible for gender, the “IR” prefix for IRSEX is maintained for continuity with past years.) Associated indicator variables tell the user which values are imputed and which ones are not. These indicator variables have the words “IMPUTATION INDICATOR” or abbreviations such as “IMP IND” in their labels and are identified with the prefix “II.” For some imputation-revised variables, additional imputation indicators are available, identified with the prefix “II2,” giving more details about the source of the imputed or logically assigned value. In most cases, the imputation-revised variable can be traced to a specific question in the questionnaire. However, the imputation-revised variable occasionally corresponds to an edited variable derived from several questions in the questionnaire.

Imputation of missing values in the 2021 NSDUH data was accomplished using two imputation procedures developed specifically for NSDUH. The first method, predictive mean neighborhood (PMN), has been used to impute missing values in the survey since 1999 and is a combination of model-assisted and nearest neighbor hot-deck imputation methods. The second imputation method used to impute missing values, modified predictive mean neighborhood (modPMN), is so named because it includes both simplifications and modifications to the PMN methodology and is used for selected variables. The modPMN procedure uses the model-assisted imputation methodology of the PMN approach while also permitting the user to cycle through a set of related variables multiple times. These imputation methods offer the following features: (1) a large number of covariates can be incorporated into the imputation process, (2) the relative importance of covariates can be determined by standard modeling techniques, (3) the correlations across response variables can be accounted for by making the imputation multivariate or by performing multiple cycles, and (4) the sampling weights can be easily

incorporated in the models. Details on the methods used for imputation can be found in the 2021 Editing and Imputation Report, which will be available in 2023.

Variables imputed using PMN for 2021 were (1) the initial demographic variables; (2) substance use variables for cigarettes, smokeless tobacco, cigars, pipe tobacco, alcohol, marijuana, cocaine, crack, and heroin (recency of use, frequency of use, and age at first use); (3) income; (4) health insurance; and (5) demographic variables for work status, immigrant status, and the household roster. Variables imputed using modPMN for 2021 were (1) the drug use variables for hallucinogens, inhalants, and methamphetamine (recency of use, frequency of use, and age at first use); (2) the drug use variables for pain relievers, tranquilizers, stimulants, and sedatives (recency of any use, recency of misuse, frequency of misuse, past year initiation status, and age at first misuse among past year initiates of misuse); (3) the drug use variables for fentanyl products, OxyContin®, and benzodiazepines (recency of any use and recency of misuse); (4) DSM-5 SUD outcomes (i.e., past year disorder and disorder severity) for alcohol and drugs; (5) the most recent use of the following: vaping of any substance, nicotine or tobacco vaping, marijuana vaping, vaping of flavoring, kratom, synthetic marijuana, synthetic stimulants, GHB, and nonprescription cough or cold medicines; (6) past month nicotine dependence; and (7) adult mental health variables related to psychological distress, suicidal thoughts and behaviors, and major depressive episode.

For all imputation-revised variables, the levels within the variables are limited to the valid responses in the interview itself. If neither editing nor imputation was required for any of these variables, the levels for the edited and imputation-revised variables are the same, with each level corresponding to a valid interview response. If an edited variable has a logically assigned value for which no imputation was required, that logically assigned value was converted to the associated valid interview response in the imputation-revised variable. Finally, levels in the edited variable not corresponding to a valid interview response indicate the information available for that respondent was incomplete and, consequently, imputation was required. In the imputation-revised variable, these levels were replaced by imputed values corresponding to valid interview responses, which were made consistent with any preexisting information related to that variable. Examples of levels indicating incomplete information include “bad data,” “don’t know,” and “refused.” Also, in the case of recency of (mis)use, some levels in the edited variable describe a more general recency (e.g., misused at some point in the past 12 months) than was indicated from a valid interview response; these levels were replaced with imputed values that were consistent with the broad level of recency in the imputation-revised variable.

13.1 Imputation Indicators

For each variable that underwent statistical imputation, concomitant indicator variables distinguish imputed from nonimputed values. These associated variables have names nearly identical to the imputation-revised variables, except that the IR prefix was replaced by an II or an II2. In general, the imputation indicator variables with the II prefix have three levels:

- 1 = From interview
- 2 = Logically assigned
- 3 = Statistically imputed

These levels indicate whether the imputation-revised variable's value originated from interview responses, was logically assigned in the editing process, or was imputed. In some cases, the routing inherent in NSDUH prevented respondents from answering certain questions because of their responses to previous questions. For the drug use variables, if a respondent had been skipped out of a question, the response in the imputation-revised variable is coded as "never used" or is coded to indicate the respondent had not used in the relevant time period. For other variables where this occurred, the imputation-revised variable has a level with a label indicating a legitimate skip. The imputation indicators associated with these variables also have an additional level, which likewise has a label indicating a legitimate skip. Typically, this level is given as 9 (= Legitimate skip), often with an accompanying explanation for the skip.

Variables having an additional set of imputation indicators, as denoted by the prefix "II2," are IRWRKSTAT18, IRWRKSTAT, and the recency and frequency-of-use variables for alcohol, cigarettes, cigars, marijuana, cocaine, crack, heroin, LSD, and PCP. Only one set of imputation indicators denoted by the prefix "II" was created for smokeless tobacco, inhalants, hallucinogens, Ecstasy, ketamine, DMT/AMT/Foxy, *Salvia divinorum*, methamphetamine, prescription drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives), any vaping, nicotine or tobacco vaping, marijuana vaping, vaping of flavoring, kratom, synthetic marijuana, synthetic stimulants, GHB, and nonprescription cough or cold medicines. For this set of substances, these imputation indicators contain the more detailed breakdown of statistically imputed cases typically found in the variables with the prefix "II2" for all remaining substances as described below. For IRWRKSTAT18 and IRWRKSTAT, the II2 variables provide more details about the constraints on imputed values, where the legitimate skip levels are equivalent to those given by the II variables. The substance use II2 variables are a result of the implementation of the flag-and-impute editing procedures on the recency-of-use data. Details on these editing procedures are described in Section 12, Logical Editing. With these editing procedures, inconsistent responses in the recency-of-use variables were replaced by more general, consistent responses. Subsequently, the specific responses then were imputed. If the response from a recency-of-use variable was considered partially known, such as past year use of a given substance with the more specific recency unknown, imputed values had to be limited to what was consistent with this incomplete information. The types of partial information available for a given variable are as follows:

- 8 = Used at some point in the past 12 months LOGICALLY ASSIGNED
- 9 = Used at some point in lifetime LOGICALLY ASSIGNED
- 14 = Used more than 12 months ago LOGICALLY ASSIGNED
- 19 = Used more than 30 days ago LOGICALLY ASSIGNED
- 29 = Used more than 30 days ago but in the past 3 years LOGICALLY ASSIGNED
- 39 = Used within the past 3 years LOGICALLY ASSIGNED
- 83 = Did not misuse within the past 12 months, lifetime misuse unknown
LOGICALLY ASSIGNED

Four of these levels (14, 19, 29, and 39) are for tobacco product use only, and the last level (83) is for pain relievers, tranquilizers, stimulants, and sedatives only. In the imputation indicator variables for recency of substance use, level 3 indicates statistical imputation, but no detail is given regarding any available partial information. The II2 variable breaks out the II level 3 into the following levels for nonprescription drugs:

- 3 = Statistically imputed data - lifetime use imputed
- 4 = Statistically imputed data - edited recency = 9
- 5 = Statistically imputed data - edited recency = 8
- 6 = Statistically imputed data - edited recency = 19
- 7 = Statistically imputed data - edited recency = 14
- 8 = Statistically imputed data - edited recency = 29
- 9 = Statistically imputed data - edited recency = 39

For the prescription drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives), the levels of the imputation indicator variables for recency of misuse also contained information on whether the recency variable associated with any use in the past year or lifetime required imputation. For these drugs, the statistically imputed cases are broken out into the following levels to account for this additional source of information:

- 3 = Statistically imputed data - recency of any use imputed
- 4 = Statistically imputed data - recency of any use known
- 5 = Statistically imputed data - edited recency = 9
- 6 = Statistically imputed data - edited recency = 8
- 7 = Statistically imputed data - edited recency = 83

13.2 Constraints and Consistency

The imputation of missing values was subject to numerous constraints to ensure imputed values would be consistent with preexisting, nonmissing values. For multivariate analyses, the imputation-revised variables should be used as long as these variables all come from the same section of the interview. However, if the analysis includes the imputation-revised variables from different sections of the questionnaire or a combination of variables that undergo statistical imputation and those that do not, inconsistencies may be present in the data. For example, the question on the most recent use of cocaine (CCLAST3) from the cocaine section of the questionnaire undergoes statistical imputation, and every attempt is made to ensure this variable is consistent with other nonmissing information from the same section of the questionnaire, such as age at first use and frequency of use. However, it is possible for the imputation-revised cocaine recency variable (IRCOCRC) to be inconsistent with the question on the most recent use of cocaine with a needle (SD06), which does not undergo imputation, from the special drugs section of the questionnaire. Therefore, for analyses of relationships requiring imputation-revised variables from multiple sections of the interview or a combination of imputation-revised

variables and variables that do not undergo imputation, simultaneous use of these variables may not be appropriate.

14. Variance Estimation of Estimated Numbers of Individuals

Prevalence rates are the proportions of the population who exhibit characteristics of interest (such as substance use). Let \hat{p}_d represent the prevalence rate of interest for domain d . Then \hat{p}_d would be defined as the ratio

$$\hat{p}_d = \frac{\hat{Y}_d}{\hat{N}_d},$$

where $\hat{Y}_d = \sum_{i \in S} w_i \delta_i y_i$, which represents the estimated number of individuals with the characteristic of interest in domain d ; $\hat{N}_d = \sum_{i \in S} w_i \delta_i$, which represents the estimated total number of individuals in the domain d ; S represents the sample; w_i represents the analysis weight; δ_i represents an indicator variable defined as 1 if the i th sample unit is in domain d and is equal to 0 otherwise; and y_i represents an indicator variable defined as 1 if the i th sample unit exhibits the characteristic of interest and is equal to 0 otherwise.

The sampling error of an estimate is the error caused by the selection of a sample instead of conducting a census of the population. The sampling error may be reduced by selecting a large sample and/or by using efficient sample design and estimation strategies, such as stratification, optimal allocation, and ratio estimation. The use of probability sampling methods in NSDUH allows estimation of sampling error from the survey data. The standard errors (SEs, which are the square roots of the variances) are used to identify unreliable estimates and to test for the statistical significance of differences between estimates.

Suitable software packages, such as SUDAAN[®]^{[37](#)} can be used to calculate direct estimates of \hat{Y}_d and \hat{N}_d (and, therefore, \hat{p}_d) and also can be used to estimate their respective SEs. Although SEs of the estimates of means and proportions can be calculated appropriately in software (such as SUDAAN) using a Taylor series linearization approach, SEs of the estimates of totals may be underestimated in situations where the domain size is poststratified to data from the U.S. Census Bureau or American Community Survey (ACS) population estimates.

When the domain size, \hat{N}_d , is free of sampling error because the domain size has been fixed (see below), the following formula is an alternative to using SUDAAN to estimate the SE for the total number of individuals with a characteristic of interest (e.g., substance users):

$$SE(\hat{Y}_d) = \hat{N}_d SE(\hat{p}_d).$$

³⁷ RTI International. (2018). *SUDAAN® language manual, Release 11.0.3*.

This alternative SE estimation method is theoretically correct when the domain size estimates, \hat{N}_d , are fixed (i.e., among those domains forced to match their respective U.S. Census Bureau or ACS population estimates through the weight calibration process).³⁸

In these situations, \hat{N}_d is not subject to a sampling error induced by the NSDUH design. For an estimated number, \hat{Y}_d , where the domain \hat{N}_d is not fixed (i.e., where domain size estimates are not forced to match the U.S. Census Bureau or ACS population estimates), this alternative SE estimation method still may provide a good approximation if it can be assumed that the sampling variation in \hat{N}_d is negligible relative to the sampling variation in \hat{p}_d . This is a reasonable assumption for many NSDUH analyses.

For some subsets of domain estimates, using this alternative SE estimation method where domain sizes are not fixed yielded an underestimate of the SE of a total because \hat{N}_d was subject to considerable variation. Because of this underestimation, the alternative SE estimation method was not implemented when \hat{N}_d was not fixed.

A “mixed-method” approach can be used to improve the accuracy of SEs for the estimated number of individuals and to better reflect the effects of poststratification on the variance of the total estimated numbers of individuals. This approach assigns the method of SE calculation to domains (i.e., subgroups for which the estimates were calculated) within tables so that all estimates among a select set of domains with fixed \hat{N}_d were calculated using the alternative SE estimation method (outside of SUDAAN), with all other estimates being calculated directly in SUDAAN, regardless of what the other estimates are within the same table. The use of such SEs for the estimated number of individuals did not affect the SE estimates for the corresponding proportions because all SEs for means and proportions are calculated directly in SUDAAN. [Table 1](#) includes the domains that should utilize the alternative SE estimation method due to fixed \hat{N}_d for the 2021 PUF.

³⁸ Center for Behavioral Health Statistics and Quality. (forthcoming). *2021 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 11: Person-level sampling weight calibration*. Substance Abuse and Mental Health Services Administration.

Table 1. Demographic Domains for the Public Use File That Should Use the Alternative Standard Error Estimation Method for Calculating the Standard Errors of the Estimated Number of Individuals, Totals: 2021

Main Effect	Two-Way Interaction
Age Group	
12-17	
18-25	
26-34	Age Group × Gender¹ (e.g., Males Aged 12-17)
35+	
Collapsed Age Categories ²	
Gender	
Male	
Female	
Race/Ethnicity	
Hispanic or Latino	
Not Hispanic or Latino, White ³	

Note: The alternative standard error (SE) estimation method for the estimated number of individuals (totals), $SE(\hat{Y}_d) = \hat{N}_d SE(\hat{p}_d)$, is applied when the domain size estimates, \hat{N}_d , are among those forced to match their respective U.S. Census Bureau or American Community Survey (ACS) population estimates through the weight calibration process.

Note: The alternative SE estimation method does not affect the SEs for the corresponding means and proportions. These latter SEs are calculated directly in SUDAAN®, whereas the alternative SE estimation method is computed outside of SUDAAN using the formula provided in the first note. See the following reference: RTI International. (2013). *SUDAAN® language manual, Release 11.0.1*.

Note: Domains in this table may appear to be different from those in Table 3.1 of the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* because of different adjustments applied to the weights on the public use file. All weights except for the standard analysis weight (ANALWT_C) were dropped from the public use file. See the following reference: Center for Behavioral Health Statistics and Quality. (2022). *2021 National Survey on Drug Use and Health: Methodological summary and definitions*. <https://www.samhsa.gov/data/report/2021-methodological-summary-and-definitions>

¹ Unless otherwise noted, the domains for the two-way interactions are the same as the main-effect domains (including the collapsed age categories). Two-way interactions involving age group include the main-effect and collapsed age group categories. If age groups are listed in the two-way interaction columns, then only those age groups can be collapsed to form broader age categories.

² Main effect age group categories shown in the table can be collapsed to form broader age group categories (e.g., 12 or older, 18 or older, 18 to 34, 12 to 25). Collapsed main effect age group categories and two-way interactions with other main effect demographic domains shown (e.g., males aged 35 or older) also use the alternative SE estimation method because the collapsed main effects will sum to the census totals for the category being defined. However, broader age groups including only a subset of the main effect age groups (e.g., 12 to 20, 21 or older), age groups finer than the main effect age groups (e.g., 12 and 13, 18 to 20), or two-way interactions of these types of collapsed age categories with other main effect domains (e.g., females aged 21 or older) should not use the alternative SE estimation method.

³ This domain is considered a two-way interaction. Thus, any additional domains crossed with Not Hispanic or Latino, White (e.g., Not Hispanic or Latino, Whites aged 18 to 25) represent three-way interactions that do not use the alternative SE estimation method.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

15. Statistical Significance of Differences

NSDUH data are often used to compare estimates among subdomains or across time. Due to methodological changes in the 2021 NSDUH, SAMHSA decided to show only 2021 estimates with no comparisons between 2021 data and prior years of data. Analyses evaluating the effect of the methodological changes on NSDUH estimates have shown that 2021 data should not be compared with earlier NSDUH data. See the 2021 Methodological Summary and Definitions for more details on methodological changes.

NSDUH data can be used for comparing estimates between or among subdomains for 2021 data. Customarily, the observed difference between estimates is evaluated in terms of its statistical significance. Statistical significance is based on the *p* value of the test statistic and refers to the probability that a difference as large as that observed would occur due to random variability in the estimates if there were no differences in the prevalence estimates for the population groups being compared. The significance of observed differences is generally reported at the .05 level when the *p* value is defined as less than or equal to the designated significance level.

When comparing prevalence estimates, one can test the null hypothesis (no difference between prevalence estimates) against the alternative hypothesis (there is a difference in prevalence estimates) using the standard difference in proportions test expressed as

$$Z = \frac{\hat{p}_1 - \hat{p}_2}{\sqrt{\text{var}(\hat{p}_1) + \text{var}(\hat{p}_2) - 2 \text{cov}(\hat{p}_1, \hat{p}_2)}},$$

where \hat{p}_1 = the first prevalence estimate, \hat{p}_2 = the second prevalence estimate, $\text{var}(\hat{p}_1)$ = the variance of first prevalence estimate, $\text{var}(\hat{p}_2)$ = the variance of second prevalence estimate, and $\text{cov}(\hat{p}_1, \hat{p}_2)$ = the covariance between \hat{p}_1 and \hat{p}_2 . Note that the first and second prevalence estimates may take the form of prevalence estimates for subpopulations of interest within a single survey year.

Under the null hypothesis, *Z* is asymptotically distributed as a normal random variable. Therefore, calculated values of *Z* can be referred to as the unit normal distribution to determine the corresponding probability level (i.e., *p* value). Because the covariance term between the two estimates is not necessarily zero, SUDAAN may be used to compute estimates of *Z* along with the associated *p* values such that the covariance term is calculated by taking the sample design into account. A similar procedure and formula for *Z* is used for testing between estimated totals rather than prevalence rates.

For the 2021 NSDUH, statistical tests can be conducted among population subgroups within a single year (i.e., between adolescents aged 12 to 17 and young adults aged 18 to 25). When comparing population subgroups defined by three or more levels of a categorical variable, log-linear chi-square tests of independence of the subgroup and the prevalence variables should be conducted first to control the error level for multiple comparisons. If Shah's Wald *F* test (transformed from the standard Wald chi-square and computed in SUDAAN) indicates overall significant differences, then the significance of each pairwise comparison of interest should be

tested using SUDAAN analytic procedures to properly account for the sample design. This two-step procedure is protected against inappropriate inferences because of the number of pairwise differences tested.³⁹

If SUDAAN is not available to compute the significance testing, using published estimates can provide similar testing results. When comparing prevalence rates shown with standard errors, *t* tests that assume independence for the difference of proportions can be performed and usually will provide the same results as tests performed in SUDAAN. However, where the *p* value is close to the predetermined level of significance, results may differ for two reasons: (1) the covariance term is included in the SUDAAN tests, whereas it is not included in *t* tests that assume independence; and (2) the reduced number of significant digits shown in the published estimates may cause rounding errors in the independent *t* tests.

Although not generated in all NSDUH publications, some publications do include sampling error in the form of 95 percent confidence intervals (CIs). CIs for NSDUH are computed using degrees of freedom and critical values of the *t*-distribution, which will change, dependent on which sample of data is being analyzed. For more information about computing CIs and degrees of freedom, see Chapters 8 and 6, respectively, in the *2020 National Survey on Drug Use and Health (NSDUH) Methodological Resource Book, Section 13: Statistical Inference Report*.⁴⁰ In terms of testing for differences between prevalence rates shown with 95 percent CIs, it is important to note that two overlapping 95 percent CIs do not necessarily imply their rates are statistically equivalent at the 5 percent level of significance.⁴¹

16. Quality Assessment of Public Use File Estimates and Standard Errors

A number of variables were reviewed after the disclosure avoidance process (discussed in Section 3) was completed to determine the impact of these techniques on the bias and precision of estimates compared with those from the full file (i.e., untreated or restricted-use file). These variables included both variables for which partial records were substituted and other variables that were not perturbed. In addition, the change in precision in estimates was studied for 340 combinations of 34 domains and 10 response variables (e.g., the combination of past month

³⁹ Other statistical methods have been used for comparisons of pairwise differences across three or more levels of a categorical variable once an overall test (such as Shah's *F*) suggests there are differences. Although a Bonferroni adjustment can be applied to every pairwise difference (i.e., and not just to the pairwise difference with the lowest *p* value, which is sometimes recommended instead of Shah's *F* as an alternative overall test), this is an overly conservative procedure. For example, if a *p* value of .05 is set as the criterion for statistical significance and there are three pairwise comparisons, then the Bonferroni-adjusted *p* value for statistical significance becomes .017 (i.e., .05 divided by 3 equals .017).

⁴⁰ Center for Behavioral Health Statistics and Quality. (2022). *2020 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 13: Statistical inference report*. Substance Abuse and Mental Health Services Administration.

⁴¹ For additional information, see the following reference: Payton, M. E., Greenstone, M. H., & Schenker, N. (2003). Overlapping confidence intervals or standard error intervals: What do they mean in terms of statistical significance? *Journal of Insect Science*, 3, 34. <https://doi.org/10.1673/031.003.3401>. Also see the following reference for further details: Schenker, N., & Gentleman, J. F. (2001, August). On judging the significance of differences by examining the overlap between confidence intervals. *American Statistician*, 55(3), 182-186. <https://doi.org/10.1198/000313001317097960>

alcohol use in the 12-17 age group). The ratio of the estimates from the PUF and the full restricted-use file was calculated for each domain and response variable combination. The average ratio over the 34 domains for the 10 response variables was within the 0.99 to 1.04 range. Similarly, to assess the decrease in precision, the SE was compared between the PUF and the full restricted-use file. For the 10 response variables, the average increase in SEs over the 34 domains was about 4 to 14 percent.

Survey analysis software can be used (along with the weight variable ANALWT_C and the PUF design variables VEREP and VESTR_C) to produce estimates and their SEs. [Tables 2](#) and [3](#) show the ratios of the prevalence estimates and their SEs calculated from the PUF to those calculated from the full restricted-use file for certain demographic domains not included in the calibration constraints. [Table 2](#) shows the ratios of prevalence estimates and SEs from the PUF subsample to the full sample for past month marijuana use, a relatively high prevalence drug. [Table 3](#) shows the same ratios for past year heroin use, a relatively low prevalence drug. The results are shown for seven demographic domains.

Table 2. Past Month Marijuana Prevalence and Standard Error Ratios of the Public Use File Subsample to the Full Sample, by Seven Domains: 2021

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic American Indian or Alaska Native	1.02	1.09
Non-Hispanic Native Hawaiian or Other Pacific Islander	0.92	0.79
Non-Hispanic Asian	1.01	1.00
Non-Hispanic Two or More Races	0.98	0.89
Household with Four Members	1.02	1.06
Household with Five Members	1.00	1.09
Household with Six or More Members	1.02	1.20

Note: Ratio = (Public use file subsample estimate/Full analytic sample estimate).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

Table 3. Past Year Heroin Prevalence and Standard Error Ratios of the Public Use File Subsample to the Full Sample, by Seven Domains: 2021

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic American Indian or Alaska Native	0.83	0.75
Non-Hispanic Native Hawaiian or Other Pacific Islander
Non-Hispanic Asian	0.99	0.97
Non-Hispanic Two or More Races	1.06	1.10
Household with Four Members	1.15	1.14
Household with Five Members	0.96	0.92
Household with Six or More Members	0.85	0.95

Note: Ratio = (Public use file subsample estimate/Full analytic sample estimate). Missing cells (signified by two dots) are due to a zero-observed prevalence rate in certain race/ethnicity domains.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

Users of the NSDUH PUFs are cautioned against analyzing and interpreting near zero or low prevalence outcomes and estimates based on small sample sizes (like estimates in [Table 3](#)). PUF users are encouraged to implement suppression criteria such as the NSDUH suppression rules listed in [Table 4](#) (or something similar) to suppress estimates considered to have low

precision.⁴² For a more detailed quality assessment of the 2002-2013 PUFs, refer to the PUF quality assessment report found at <https://www.samhsa.gov/data/sites/default/files/NSDUH-PUF-QA-2016/NSDUH-PUF-QA-2016/NSDUH-PUF-QA-2016.pdf>, and for a more recent report, refer to the quality assessment report based on the 2014-2019 PUFs.⁴³

Table 4. Summary of 2021 NSDUH Suppression Rules

Estimate	Suppress if:
Prevalence rate, \hat{p} , with nominal sample size, n , and design effect, $deff$ $\left(deff = \frac{n[SE(\hat{p})]^2}{\hat{p}(1-\hat{p})} \right)$	(1) The estimated prevalence rate, \hat{p} , is $< .00005$ or $> .99995$, or (2) $\frac{SE(\hat{p})/\hat{p}}{-\ln(\hat{p})} > .175$ when $\hat{p} \leq .5$, or $\frac{SE(\hat{p})/(1-\hat{p})}{-\ln(1-\hat{p})} > .175$ when $\hat{p} > .5$, or (3) Effective $n < 68$, where Effective $n = \frac{n}{deff} = \frac{\hat{p}(1-\hat{p})}{[SE(\hat{p})]^2}$, or (4) $n < 100$. Note: The rounding portion of this suppression rule for prevalence rates will produce some estimates rounded at one decimal place to 0.0 or 100.0 percent but are not suppressed.
Estimated number (numerator of \hat{p})	The estimated prevalence rate, \hat{p} , is suppressed. Note: In some instances when \hat{p} is not suppressed, the estimated number may appear as a 0. This means the estimate is greater than 0 but less than 500 (estimated numbers are shown in thousands).
Means not bounded between 0 and 1 (e.g., mean age at first use), \bar{x} , with nominal sample size, n	(1) RSE(\bar{x}) $> .5$, or (2) $n < 10$.

deff = design effect; RSE = relative standard error; SE = standard error.

NOTE: Starting in 2020 for confidentiality protection, survey sample sizes greater than 100 were rounded to the nearest 10, and sample sizes less than 100 were not reported (i.e., are shown as “<100” in tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

Information on how to define options for analyzing NSDUH PUF data along with sample SUDAAN, SAS, and Stata code for producing estimates, performing statistical tests of differences, and fitting linear or logistic regression models are provided in an appendix titled *Sample SUDAAN, SAS, and Stata Code and PUF Estimates*. Additionally, a few sample tables produced from the 2021 NSDUH PUF are included in that appendix so that users can ensure that PUF data are downloaded correctly by replicating the estimates in those tables.

⁴² The suppression rules used for the 2021 NSDUH national estimates are in Section 3.2.2 of the 2021 Methodological Summary and Definitions. However, PUF users can use their own discretion to formulate appropriate suppression rules.

⁴³ Center for Behavioral Health Statistics and Quality. (2022). *National Survey on Drug Use and Health (NSDUH): Quality assessment of the 2014 to 2019 NSDUH public use files*. Substance Abuse and Mental Health Services Administration.

IDENTIFICATION

IDENTIFICATION

The following variable, QUESTID2, is a unique record identifier within a particular study year. The IDs may be repeated in other study years, so analysts should always consider the study year when using the QUESTID2.

[QUESTID2](#) Len : 7 RESPONDENT IDENTIFICATION

The following variable, FILEDATE, represents the date the SAS data file was created.

[FILEDATE](#) Len : 10 CREATION DATE OF THE DATA FILE

TOBACCO

SELF-ADMINISTERED SUBSTANCE USE SECTIONSTOBACCO

These questions are about your use of tobacco products. This includes cigarettes, chewing tobacco, snuff, cigars, and pipe tobacco. The first questions are about cigarettes only.

Have you ever smoked part or all of a cigarette?

(CG01, CGREF1)

CIGEVER Len : 1 EVER SMOKED A CIGARETTE

	Freq	Pct
1 = Yes.....	24873	42.86
2 = No.....	33161	57.14

If one of your best friends offered you a cigarette, would you smoke it?

(CG02)

CIGOFRSM Len : 2 IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIG

	Freq	Pct
1 = Definitely Yes.....	14	0.02
2 = Probably Yes.....	187	0.32
3 = Probably Not.....	1547	2.67
4 = Definitely Not.....	8277	14.26
94 = DON'T KNOW	7	0.01
97 = REFUSED	3	0.01
99 = LEGITIMATE SKIP.....	47999	82.71

At any time during the next 12 months do you think you will smoke a cigarette?

(CG03)

CIGWILYR Len : 2 DO YOU THINK YOU'LL SMOKE CIG IN NEXT 12 MOS

	Freq	Pct
1 = Definitely Yes.....	5	0.01
2 = Probably Yes.....	63	0.11
3 = Probably Not.....	1148	1.98
4 = Definitely Not	8811	15.18
94 = DON'T KNOW	5	0.01
97 = REFUSED	3	0.01
99 = LEGITIMATE SKIP.....	47999	82.71

How old were you the first time you smoked part or all of a cigarette?

(CG04)

CIGTRY Len : 3 AGE WHEN FIRST SMOKED A CIGARETTE

	Freq	Pct
RANGE = 1 - 74.....	24677	42.52
985 = BAD DATA Logically assigned	84	0.14
991 = NEVER USED CIGARETTES.....	33161	57.14
994 = DON'T KNOW	89	0.15
997 = REFUSED	23	0.04

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

(CG04A, CG04B, CG04C)

CIGYFU Len : 4 YEAR OF FIRST CIGARETTE USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	697	1.20
9985 = BAD DATA Logically assigned	75	0.13
9989 = LEGITIMATE SKIP Logically assigned	80	0.14
9991 = NEVER USED CIGARETTES.....	33161	57.14
9994 = DON'T KNOW	92	0.16
9997 = REFUSED	23	0.04
9998 = BLANK (NO ANSWER).....	57	0.10
9999 = LEGITIMATE SKIP	23849	41.09

TOBACCO

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

In what month in [YEAR FROM CG04a or CG04b] did you first smoke part or all of a cigarette?

(CG04C, CG04D)
CIGMFU

Len : 2 MONTH OF FIRST CIGARETTE USE - RECODE

	Freq	Pct
1 = January.....	55	0.09
2 = February.....	43	0.07
3 = March.....	53	0.09
4 = April	38	0.07
5 = May.....	45	0.08
6 = June.....	76	0.13
7 = July	74	0.13
8 = August	60	0.10
9 = September	52	0.09
10 = October	69	0.12
11 = November	59	0.10
12 = December.....	42	0.07
85 = BAD DATA Logically assigned	75	0.13
89 = LEGITIMATE SKIP Logically assigned	80	0.14
91 = NEVER USED CIGARETTES.....	33161	57.14
94 = DON'T KNOW	122	0.21
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	57	0.10
99 = LEGITIMATE SKIP.....	23849	41.09

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, that is, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette? How long has it been since you last smoked part or all of a cigarette?

(CG05, CG06, CG06DK, CG06RE)
CIGREC

Len : 2 TIME SINCE LAST SMOKED CIGARETTES

	Freq	Pct
1 = Within the past 30 days.....	7405	12.76
2 = More than 30 days ago but within the past 12 mos	2208	3.80
3 = More than 12 months ago but within the past 3 yrs.....	2602	4.48
4 = More than 3 years ago.....	12521	21.58
8 = Used at some point in the past 12 mos LOG ASSN.....	1	0.00
9 = Used at some point in the lifetime LOG ASSN.....	4	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
14 = Used more than 12 months ago LOG ASSN.....	66	0.11
19 = Used more than 30 days ago LOG ASSN	30	0.05
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	32	0.06
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED CIGARETTES.....	33161	57.14

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigarette?

(CG07)
CIG30USE

Len : 2 HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	7365	12.69
91 = NEVER USED CIGARETTES.....	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08
94 = DON'T KNOW	33	0.06
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	9	0.02

TOBACCO

What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?

(CG07DKRE)
CG30EST

Len : 2 BEST EST. # DAYS SMOKED CIG PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	2	0.00
2 = 3 to 5 days.....	3	0.01
3 = 6 to 9 days.....	9	0.02
4 = 10 to 19 days.....	2	0.00
5 = 20 to 29 days.....	4	0.01
6 = All 30 days.....	14	0.02
91 = NEVER USED CIGARETTES.....	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	9	0.02
99 = LEGITIMATE SKIP.....	7365	12.69

On the [CG07 days / CIGDKRE] you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?

(CG08, CG10)
CIG30AV

Len : 2 AVG # CIGS SMOKED PER DAY/ON DAY SMOKED

	Freq	Pct
1 = Less than one cigarette per day	774	1.33
2 = 1 cigarette per day.....	823	1.42
3 = 2 to 5 cigarettes per day	1961	3.38
4 = 6 to 15 cigarettes per day (about 1/2 pack).....	2041	3.52
5 = 16 to 25 cigarettes per day (about 1 pack).....	1348	2.32
6 = 26 to 35 cigarettes per day (about 1 1/2 packs)	314	0.54
7 = More than 35 cigs per day (abt 2 packs or more)	131	0.23
91 = NEVER USED CIGARETTES.....	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08
94 = DON'T KNOW	1	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	12	0.02

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

(CG11, CG11A, CG12S1I, CG12S2I, CG12S3I, RCG11, RCG11A, RRCG11, RRCG11A)
CIG30BR2 Len : 4 CIG BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
101 = Basic	56	0.10
102 = Benson & Hedges	17	0.03
104 = Camel	816	1.41
105 = Capri	16	0.03
106 = Carlton	3	0.01
107 = Doral	8	0.01
109 = GPC	7	0.01
111 = Kool	132	0.23
112 = Marlboro	2765	4.76
113 = Merit	4	0.01
114 = Misty	20	0.03
115 = Monarch	6	0.01
116 = Montclair	11	0.02
117 = More	4	0.01
118 = Newport	1301	2.24
119 = Pall Mall	286	0.49
120 = Parliament	43	0.07
122 = Salem	29	0.05
125 = Virginia Slims	31	0.05
126 = Winston	74	0.13
130 = Best Value	5	0.01
132 = Bugler (roll-your-own)	22	0.04
141 = L & M	148	0.26
142 = Lucky Strike	37	0.06
144 = Maverick	78	0.13
147 = Old Gold	5	0.01
148 = Players	3	0.01
149 = Pyramid	35	0.06
152 = Saratoga	4	0.01
158 = Top (roll-your-own)	58	0.10
160 = True	4	0.01
161 = American Spirit	480	0.83
175 = Djarum cigarettes, Djarum Splash	10	0.02
179 = Eagle	91	0.16
183 = First Class	5	0.01
402 = Backwoods	4	0.01
404 = Black & Mild	14	0.02
423 = Swisher Sweets	5	0.01
492 = Prime Time Little Cigars	6	0.01
507 = Red River	4	0.01
538 = American Club pipe tobacco	5	0.01
810 = Electronic/smokeless cigarette; otherwise unspcfld	13	0.02
832 = JUUL	5	0.01
1001 = Nat Sherman cigarettes	4	0.01
1018 = USA Gold	60	0.10
1020 = Waves	4	0.01
1037 = DTC	4	0.01
1041 = Sonoma	77	0.13
1048 = Carnival	6	0.01
1050 = USA	3	0.01
1064 = Seneca, cigarette company brand unspcfld	41	0.07
1083 = Liggett Select	11	0.02
1092 = Native	5	0.01
1139 = 305's cigarettes	28	0.05
1221 = Cheyenne cigarettes	17	0.03
1227 = Gambler (roll-your-own)	10	0.02
1253 = Montego	9	0.02
1268 = Decade	6	0.01
1277 = Berley	4	0.01
1287 = Wild Horse cigarettes	5	0.01
1289 = 4Aces (roll-your-own)	6	0.01
1308 = Peter Stokkebye (roll-your own)	3	0.01
1318 = Signal cigarettes	3	0.01
1335 = Good stuff (roll-your-own)	5	0.01
1344 = Edgefield	21	0.04
1346 = Largo cigarette	4	0.01
1349 = Ohm rolling tobacco	12	0.02
1359 = Timeless Time	4	0.01
1361 = Time	15	0.03

TOBACCO

1376 = Crown	8	0.01
1412 = Traffic	14	0.02
1420 = THIS (Korean)	85	0.15
1421 = L Ducat, LD	21	0.04
1998 = Roll-your-own cigarette; brand unspecified	25	0.04
1999 = Cigarette; brand otherwise unspecified	118	0.20
4999 = Cigar/Cigarillo; brand otherwise unspecified	15	0.03
5999 = Pipe tobacco; brand otherwise unspecified	12	0.02
7999 = Not a tobacco product	1	0.00
8999 = Tobacco replacement or tobacco-like product	11	0.02
9000 = Did not confirm after 3 passes thru brand Qs	2	0.00
9991 = NEVER USED CIGARETTES	33161	57.14
9993 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17459	30.08
9994 = DON'T KNOW	43	0.07
9997 = REFUSED	13	0.02
9998 = BLANK (NO ANSWER)	9	0.02

NOTE: The variable CIG30TPE corresponds to the variable CIG30TYP that existed prior to 2005. The name was changed due to the addition of a new level in 2005 for "Mediums." For this reason, data from CIG30TPE may not be comparable with data from CIG30TYP in prior years.

During the past 30 days, what type of cigarettes did you smoke most often?

(CGTARI, CGTAR2)

CIG30TPE Len : 2 WHAT TYPE OF CIG SMOKED MOST PAST 30 DAYS

	Freq	Pct
1 = Lights	2217	3.82
2 = Ultra Lights	369	0.64
3 = Mediums	819	1.41
4 = Full Flavor	3860	6.65
91 = NEVER USED CIGARETTES	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17459	30.08
94 = DON'T KNOW	68	0.12
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	74	0.13

NOTE: Prior to 2004, the question corresponding to CIG30MEN asked whether respondents smoked menthol or regular cigarettes most often. In 2004, the question was changed to the yes/no question shown below, but the variable name stayed as CIG30MEN. This change in question content does not affect trend comparisons for 2004 onward. However, data in CIG30MEN for 2004 onward are not likely to be comparable with data in CIG30MEN for 2002 and 2003.

Were the cigarettes you smoked during the past 30 days menthol?

(CGMENTH1, CGMENTH2)

CIG30MEN Len : 2 MENTHOL OR REG CIG SMOKED MOST PAST 30 DAYS

	Freq	Pct
1 = Yes	3285	5.66
2 = No	4037	6.96
91 = NEVER USED CIGARETTES	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17459	30.08
94 = DON'T KNOW	17	0.03
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	74	0.13

What length were the Marlboro cigarettes you smoked most often during the past 30 days? Were they shorts, regulars (also known as king-sized), or 100s?

(CGLNTH)

CIG30MLN Len : 2 MARLBORO CIG SMOKED PAST 30 DAYS SHORT, REG, 100'S

	Freq	Pct
1 = Shorts	1035	1.78
2 = Regulars or king-sized	861	1.48
3 = 100s	856	1.47
91 = NEVER USED CIGARETTES	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17459	30.08
94 = DON'T KNOW	7	0.01
98 = BLANK (NO ANSWER)	73	0.13
99 = LEGITIMATE SKIP	4582	7.90

TOBACCO

During the past 30 days, that is since DATEFILL, have you smoked part or all of a roll-your-own tobacco cigarette?

<i>(CG14)</i> <u>CIG30RO2</u>	Len : 2 HAVE YOU SMOKED ROLL-OWN CIG IN PAST 30 DAYS	Freq	Pct
1 = Yes.....		1244	2.14
2 = No.....		6156	10.61
91 = NEVER USED CIGARETTES.....		33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....		17459	30.08
94 = DON'T KNOW		2	0.00
97 = REFUSED		3	0.01
98 = BLANK (NO ANSWER)		9	0.02

Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?

<i>(CG15)</i> <u>CIGDLYMO</u>	Len : 2 EVER SMOKED CIG EVERY DAY FOR 30 DAYS	Freq	Pct
1 = Yes.....		8490	14.63
2 = No.....		12226	21.07
5 = Yes LOGICALLY ASSIGNED (from skip pattern)		4148	7.15
91 = NEVER USED CIGARETTES.....		33161	57.14
94 = DON'T KNOW		7	0.01
97 = REFUSED		2	0.00

How old were you when you first started smoking cigarettes every day?

<i>(CG16)</i> <u>CIGAGE</u>	Len : 3 AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY	Freq	Pct
RANGE = 1 - 71		12591	21.70
985 = BAD DATA Logically assigned		5	0.01
991 = NEVER USED CIGARETTES.....		33161	57.14
994 = DON'T KNOW		37	0.06
997 = REFUSED		7	0.01
998 = BLANK (NO ANSWER).....		7	0.01
999 = LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY)		12226	21.07

Did you first start smoking cigarettes every day in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first start smoking cigarettes every day in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

<i>(CG16M1, CG16Y1, CG16Y2)</i> <u>CIGDLYFU</u>	Len : 4 YEAR OF FIRST CIGARETTE USE EVERY DAY - RECODE	Freq	Pct
RANGE = 2019 - 2021		182	0.31
9985 = BAD DATA Logically assigned		12	0.02
9989 = LEGITIMATE SKIP Logically assigned		21	0.04
9991 = NEVER USED CIGARETTES.....		33161	57.14
9994 = DON'T KNOW		37	0.06
9997 = REFUSED		7	0.01
9998 = BLANK (NO ANSWER).....		10	0.02
9999 = LEGITIMATE SKIP.....		24604	42.40

TOBACCO

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

In what month in [YEAR FROM CG16y1 or CG16y2] did you first start smoking cigarettes every day?

(CG16M1, CG16M2)

CIGDLMFU Len : 2 MONTH OF FIRST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
1 = January.....	34	0.06
2 = February.....	20	0.03
3 = March.....	24	0.04
4 = April	11	0.02
5 = May.....	18	0.03
6 = June.....	10	0.02
7 = July	13	0.02
8 = August	12	0.02
9 = September.....	13	0.02
10 = October	10	0.02
11 = November	5	0.01
12 = December.....	9	0.02
85 = BAD DATA Logically assigned	12	0.02
89 = LEGITIMATE SKIP Logically assigned	21	0.04
91 = NEVER USED CIGARETTES.....	33161	57.14
94 = DON'T KNOW	40	0.07
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	10	0.02
99 = LEGITIMATE SKIP.....	24604	42.40

Have you smoked at least 100 cigarettes in your entire life?

(CG16A)

CIG100LF

Len : 2 HAVE YOU SMOKED 100 CIGS IN YOUR LIFE

	Freq	Pct
1 = Yes.....	10569	18.21
2 = No.....	10736	18.50
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	3533	6.09
91 = NEVER USED CIGARETTES.....	33161	57.14
94 = DON'T KNOW	29	0.05
97 = REFUSED	6	0.01

The next questions are about your use of "smokeless" tobacco such as snuff, dip, chewing tobacco, or "snus."

Have you ever used "smokeless" tobacco, even once?

(CG25, CGREF3)

SMKLSSEVR

Len : 2 EVER USED SMOKELESS TOBACCO

	Freq	Pct
1 = Yes.....	7245	12.48
2 = No.....	50757	87.46
94 = DON'T KNOW	31	0.05
97 = REFUSED	1	0.00

How old were you the first time you used "smokeless" tobacco?

(CG26)

SMKLSSTRY

Len : 3 AGE WHEN FIRST USED SMOKELESS TOBACCO

	Freq	Pct
RANGE = 1 - 71	7153	12.33
985 = BAD DATA Logically assigned	42	0.07
991 = NEVER USED SMOKELESS TOBACCO	50757	87.46
994 = DON'T KNOW	42	0.07
997 = REFUSED	9	0.02
998 = BLANK (NO ANSWER).....	31	0.05

TOBACCO

Did you first use "smokeless" tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use "smokeless" tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use "smokeless" tobacco?

(CG26A, CG26B, CG26C)

SMKLSSYFU Len : 4 YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	314	0.54
9985 = BAD DATA Logically assigned	40	0.07
9989 = LEGITIMATE SKIP Logically assigned	30	0.05
9991 = NEVER USED SMOKELESS TOBACCO	50757	87.46
9994 = DON'T KNOW	43	0.07
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER)	58	0.10
9999 = LEGITIMATE SKIP	6783	11.69

In what month in [CURRENT YEAR] did you first use "smokeless" tobacco?

In what month in [YEAR FROM CG26a or CG26b] did you first use "smokeless" tobacco?

(CG26C, CG26D)

SMKLSSMFU Len : 2 MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
1 = January	17	0.03
2 = February	20	0.03
3 = March	32	0.06
4 = April	21	0.04
5 = May	21	0.04
6 = June	43	0.07
7 = July	28	0.05
8 = August	37	0.06
9 = September	28	0.05
10 = October	15	0.03
11 = November	18	0.03
12 = December	22	0.04
85 = BAD DATA Logically assigned	40	0.07
89 = LEGITIMATE SKIP Logically assigned	30	0.05
91 = NEVER USED "smokeless" tobacco	50757	87.46
94 = DON'T KNOW	54	0.09
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	58	0.10
99 = LEGITIMATE SKIP	6783	11.69

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days -- that is, from [DATEFILL] up to and including today. During the past 30 days, have you used "smokeless" tobacco, even once?

How long has it been since you last used "smokeless" tobacco?

(CG27, CG28, CG28DK, CG28RE)

SMKLSSREC Len : 2 TIME SINCE LAST USED SMOKELESS TOBACCO

	Freq	Pct
1 = Within the past 30 days	1426	2.46
2 = More than 30 days ago but within the past 12 mos	641	1.10
3 = More than 12 months ago but within the past 3 yrs	905	1.56
4 = More than 3 years ago	4205	7.25
9 = Used at some point in the lifetime LOG ASSN	6	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED	2	0.00
14 = Used more than 12 months ago LOG ASSN	33	0.06
19 = Used more than 30 days ago LOG ASSN	14	0.02
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	13	0.02
91 = NEVER USED SMOKELESS TOBACCO	50757	87.46
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	31	0.05

TOBACCO

During the past 30 days, that is since [DATEFILL], on how many days did you use "smokeless" tobacco?

<i>(CG29)</i> <u>SMKLSS30N</u>	Len : 2 HOW MANY DAYS USED SMOKELESS TOBACCO PAST 30 DAYS	Freq	Pct
RANGE = 1 - 30.....		1420	2.45
91 = NEVER USED SMOKELESS TOBACCO.....		50757	87.46
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.....		5811	10.01
94 = DON'T KNOW.....		4	0.01
97 = REFUSED.....		3	0.01
98 = BLANK (NO ANSWER).....		39	0.07

What is your best estimate of the number of days you used "smokeless" tobacco during the past 30 days?

<i>(CG29DKRE)</i> <u>SMKLSS30E</u>	Len : 2 BEST EST. HOW MANY DAYS USED SMKLSS TOB PST 30 DYS	Freq	Pct
1 = 1 or 2 days		3	0.01
6 = All 30 days.....		1	0.00
91 = NEVER USED SMOKELESS TOBACCO.....		50757	87.46
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.....		5811	10.01
94 = DON'T KNOW.....		1	0.00
97 = REFUSED.....		2	0.00
98 = BLANK (NO ANSWER).....		39	0.07
99 = LEGITIMATE SKIP.....		1420	2.45

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

The next questions are about smoking cigars. By cigars we mean any kind, including big cigars, cigarillos, and even little cigars that look like cigarettes.

Have you ever smoked part or all of any type of cigar?

<i>(CG34, CGREF4)</i> <u>CIGAREVR</u>	Len : 2 EVER SMOKED PART OR ALL OF CIGAR	Freq	Pct
1 = Yes.....		14790	25.49
2 = No.....		43234	74.50
94 = DON'T KNOW		9	0.02
97 = REFUSED		1	0.00

How old were you the first time you smoked part or all of any type of cigar?

<i>(CG35)</i> <u>CIGARTRY</u>	Len : 3 AGE WHEN FIRST SMOKED CIGAR	Freq	Pct
RANGE = 1 - 70.....		14616	25.19
985 = BAD DATA Logically assigned.....		76	0.13
991 = NEVER USED CIGARS		43234	74.50
994 = DON'T KNOW		88	0.15
997 = REFUSED		11	0.02
998 = BLANK (NO ANSWER).....		9	0.02

TOBACCO

Did you first smoke part or all of a cigar in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar?

(CG35A, CG35B, CG35C)

CIGARYFU Len : 4 YEAR OF FIRST CIGAR USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	681	1.17
9985 = BAD DATA Logically assigned	86	0.15
9989 = LEGITIMATE SKIP Logically assigned	57	0.10
9991 = NEVER USED CIGARS	43234	74.50
9994 = DON'T KNOW	90	0.16
9997 = REFUSED	11	0.02
9998 = BLANK (NO ANSWER).....	56	0.10
9999 = LEGITIMATE SKIP.....	13819	23.81

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar?

In what month in [YEAR FROM CG35a or CG35b] did you first smoke part or all of a cigar?

(CG35C, CG35D)

CIGARMFU Len : 2 MONTH OF FIRST CIGAR USE - RECODE

	Freq	Pct
1 = January.....	52	0.09
2 = February.....	38	0.07
3 = March.....	50	0.09
4 = April	32	0.06
5 = May.....	62	0.11
6 = June.....	95	0.16
7 = July	86	0.15
8 = August	64	0.11
9 = September	51	0.09
10 = October	44	0.08
11 = November	41	0.07
12 = December.....	38	0.07
85 = BAD DATA Logically assigned	84	0.14
89 = LEGITIMATE SKIP Logically assigned	57	0.10
91 = NEVER USED CIGARS	43234	74.50
94 = DON'T KNOW	116	0.20
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	58	0.10
99 = LEGITIMATE SKIP.....	13819	23.81

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?

How long has it been since you last smoked part or all of any type of cigar?

(CG36, CG37, CG37DK, CG37RE)

CIGARREC Len : 2 TIME SINCE LAST SMOKED CIGAR

	Freq	Pct
1 = Within the past 30 days.....	2100	3.62
2 = More than 30 days ago but within the past 12 mos	1984	3.42
3 = More than 12 months ago but within the past 3 yrs.....	2504	4.31
4 = More than 3 years ago.....	8081	13.92
8 = Used at some point in the past 12 mos LOG ASSN	2	0.00
9 = Used at some point in the lifetime LOG ASSN.....	5	0.01
14 = Used more than 12 months ago LOG ASSN.....	59	0.10
19 = Used more than 30 days ago LOG ASSN	18	0.03
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	36	0.06
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED CIGARS	43234	74.50
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	9	0.02

TOBACCO

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigar?

(CG38)

CGR30USE

Len : 2 HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	2088	3.60
91 = NEVER USED CIGARS	43234	74.50
93 = DID NOT USE CIGARS IN THE PAST 30 DAYS	12682	21.85
94 = DON'T KNOW	7	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	17	0.03

What is your best estimate of the number of days you smoked part or all of a cigar during the past 30 days?

(CG38DKRE)

CI30EST

Len : 2 BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	3	0.01
3 = 6 to 9 days.....	1	0.00
4 = 10 to 19 days.....	5	0.01
5 = 20 to 29 days.....	1	0.00
6 = All 30 days.....	1	0.00
91 = NEVER USED CIGARS	43234	74.50
93 = DID NOT USE CIGARS IN THE PAST 30 DAYS	12682	21.85
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	17	0.03
99 = LEGITIMATE SKIP.....	2088	3.60

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

(CG39, CG40S11, CG40S21, CG40S31, RCG39, RRCG39)
CGR30BR2 Len : 4 CIGAR BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
112 = Marlboro	7	0.01
402 = Backwoods	189	0.33
404 = Black & Mild	460	0.79
405 = Captain Black	8	0.01
408 = Dutch Masters	52	0.09
409 = El Producto	9	0.02
411 = Garcia y Vega	36	0.06
412 = Havatampa	5	0.01
413 = King Edward	5	0.01
414 = La Corona	8	0.01
416 = Macanudos	40	0.07
418 = Partagas	8	0.01
419 = Phillies	20	0.03
423 = Swisher Sweets	299	0.52
424 = Tijuana Smalls	7	0.01
426 = White Owl	112	0.19
428 = Winchester	4	0.01
429 = Al Capone	47	0.08
431 = Arturo Fuentes	35	0.06
432 = Ashton	7	0.01
437 = Blackstone	3	0.01
443 = Cohiba cigars	59	0.10
448 = Cuban cigars; brand unspecified	14	0.02
486 = Montecristo	54	0.09
488 = Optimo	3	0.01
490 = Padron	7	0.01
492 = Prime Time Little Cigars	9	0.02
494 = Punch	11	0.02
496 = Romeo y Julieta	59	0.10
1999 = Cigarette; brand otherwise unspecified	4	0.01
4005 = Thompson	5	0.01
4054 = Acid	29	0.05
4064 = Djarum cigarillos	10	0.02
4072 = K. Hansota Gurlka	6	0.01
4083 = C.A.O.	8	0.01
4084 = Tatiana	4	0.01
4110 = Drew Estates	13	0.02
4175 = Perdomo	3	0.01
4237 = Rocky Patel	9	0.02
4245 = Oliva O	9	0.02
4265 = Cheyenne little cigars	26	0.04
4347 = Game	15	0.03
4357 = NUb	5	0.01
4361 = Good Times	6	0.01
4367 = Clipper little cigars	4	0.01
4391 = Zig Zag cigarillos	9	0.02
4455 = Talon	5	0.01
4458 = 305's cigars	5	0.01
4464 = Sweet Jane	4	0.01
4476 = Seneca cigar	3	0.01
4484 = Show	3	0.01
4493 = Zig Zag wraps	3	0.01
4606 = City Life	3	0.01
4999 = Cigar/Cigarillo; brand otherwise unspecified	260	0.45
7999 = Not a tobacco product	1	0.00
9000 = Did not confirm after 3 passes thru brand Qs	1	0.00
9991 = NEVER USED CIGARS	43234	74.50
9993 = DID NOT USE CIGARS IN THE PAST 30 DAYS	12682	21.85
9994 = DON'T KNOW	63	0.11
9997 = REFUSED	8	0.01
9998 = BLANK (NO ANSWER)	17	0.03

TOBACCO

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

These last questions on tobacco products are about using a pipe to smoke tobacco. Have you ever smoked tobacco in a pipe, even once?

(CG42, CGREF5)
PIPEEVER

Len : 2 EVER SMOKED PIPE TOBACCO

	Freq	Pct
1 = Yes.....	4500	7.75
2 = No.....	53526	92.23
94 = DON'T KNOW	7	0.01
97 = REFUSED	1	0.00

During the past 30 days, that is since [DATEFILL], have you smoked tobacco in a pipe, even once?

(CG43)
PIPE30DY

Len : 2 HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS

	Freq	Pct
1 = Yes.....	368	0.63
2 = No.....	4129	7.11
91 = NEVER USED PIPE TOBACCO.....	53526	92.23
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	7	0.01

ALCOHOL

ALCOHOL

These questions are about drinks of alcoholic beverages. Throughout these questions, by a "drink" we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink.

(AL01, ALREF)

ALCEVER Len : 2 EVER HAD DRINK OF ALCOHOLIC BEVERAGE

	Freq	Pct
1 = Yes.....	41717	71.88
2 = No.....	16302	28.09
94 = DON'T KNOW	10	0.02
97 = REFUSED	5	0.01

Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink.

(AL02)

ALCTRY

Len : 3 AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE

	Freq	Pct
RANGE = 1 - 85	41354	71.26
985 = BAD DATA Logically assigned	65	0.11
991 = NEVER USED ALCOHOL.....	16302	28.09
994 = DON'T KNOW	232	0.40
997 = REFUSED	71	0.12
998 = BLANK (NO ANSWER).....	10	0.02

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

(AL02A, AL02B, AL02C)

ALCYFU

Len : 4 YEAR OF FIRST ALCOHOL USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	2509	4.32
9985 = BAD DATA Logically assigned	170	0.29
9989 = LEGITIMATE SKIP Logically assigned	132	0.23
9991 = NEVER USED ALCOHOL.....	16302	28.09
9994 = DON'T KNOW	245	0.42
9997 = REFUSED	72	0.12
9998 = BLANK (NO ANSWER).....	15	0.03
9999 = LEGITIMATE SKIP.....	38589	66.49

ALCOHOL

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

In what month in [YEAR FROM AL02a or AL02b] did you first have a drink of an alcoholic beverage?

(AL02C, AL02D)

ALCMFU

Len : 2 MONTH OF FIRST ALCOHOL USE - RECODE

	Freq	Pct
1 = January.....	220	0.38
2 = February.....	141	0.24
3 = March.....	191	0.33
4 = April	163	0.28
5 = May.....	194	0.33
6 = June.....	275	0.47
7 = July	280	0.48
8 = August	173	0.30
9 = September.....	155	0.27
10 = October	204	0.35
11 = November	158	0.27
12 = December.....	254	0.44
85 = BAD DATA Logically assigned	170	0.29
89 = LEGITIMATE SKIP Logically assigned	132	0.23
91 = NEVER USED ALCOHOL.....	16302	28.09
94 = DON'T KNOW	343	0.59
97 = REFUSED	75	0.13
98 = BLANK (NO ANSWER)	15	0.03
99 = LEGITIMATE SKIP.....	38589	66.49

How long has it been since you last drank an alcoholic beverage?

(ALLAST3, ALRECDK, ALRECRE)

ALCREC

Len : 2 TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE

	Freq	Pct
1 = Within the past 30 days.....	26323	45.36
2 = More than 30 days ago but within the past 12 mos	8027	13.83
3 = More than 12 months ago	6899	11.89
8 = Used at some point in the past 12 mos LOG ASSN.....	315	0.54
9 = Used at some point in the lifetime LOG ASSN.....	148	0.26
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	5	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	10	0.02

(TOTDRINK)

ALCYRTOT

Len : 3 TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	34443	59.35
985 = BAD DATA Logically assigned	79	0.14
991 = NEVER USED ALCOHOL.....	16302	28.09
993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	6899	11.89
994 = DON'T KNOW	114	0.20
997 = REFUSED	39	0.07
998 = BLANK (NO ANSWER).....	158	0.27

ALTOTFG

Len : 2 TRIMMING INDICATOR FOR ALCYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing).....	5	0.01
2 = Trimmed relative to the 30-day freq	368	0.63
98 = BLANK (NO ANSWER)	57661	99.36

ALFQFLG

Len : 2 TRIMMED ALCYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	478	0.82
98 = BLANK (NO ANSWER)	57556	99.18

ALCOHOL

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.

What would be the easiest way for you to tell us how many days you drank alcoholic beverages?

(ALFRAME3)
ALBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL

	Freq	Pct
1 = Prefer to answer in days per week.....	12556	21.64
2 = Prefer to answer in days per month.....	11830	20.38
3 = Prefer to answer in days per year	9834	16.95
11 = Prefer to ans in days per wk LOG ASSN	41	0.07
12 = Prefer to ans in days per mo LOG ASSN	49	0.08
13 = Prefer to ans in days per yr LOG ASSN	224	0.39
85 = BAD DATA Logically assigned	74	0.13
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6899	11.89
94 = DON'T KNOW	43	0.07
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	158	0.27

On how many days in the past 12 months did you drink an alcoholic beverage?

(ALYRAVE)
ALDAYPYR

Len : 3 NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	10042	17.30
985 = BAD DATA Logically assigned	32	0.06
989 = LEGITIMATE SKIP Logically assigned	85	0.15
991 = NEVER USED ALCOHOL.....	16302	28.09
993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6899	11.89
994 = DON'T KNOW	62	0.11
997 = REFUSED	17	0.03
998 = BLANK (NO ANSWER).....	204	0.35
999 = LEGITIMATE SKIP.....	24391	42.03

On average, how many days did you drink an alcoholic beverage each month during the past 12 months?

(ALMONAVE)
ALDAYPMO

Len : 2 # DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31	11858	20.43
85 = BAD DATA Logically assigned	18	0.03
89 = LEGITIMATE SKIP Logically assigned	42	0.07
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6899	11.89
94 = DON'T KNOW	72	0.12
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	220	0.38
99 = LEGITIMATE SKIP.....	22597	38.94

On average, how many days did you drink an alcoholic beverage each week during the past 12 months?

(ALWKAVE)
ALDAYPWK

Len : 2 # DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7.....	12543	21.61
85 = BAD DATA Logically assigned	30	0.05
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6899	11.89
94 = DON'T KNOW	112	0.19
97 = REFUSED	39	0.07
98 = BLANK (NO ANSWER)	209	0.36
99 = LEGITIMATE SKIP.....	21900	37.74

ALCOHOL

Think specifically about the past 30 days, from [DATEFILL], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?

<i>(AL06)</i>	Len : 2 # DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS	Freq	Pct
<u>ALCDAYS</u>	RANGE = 1 - 30.....	26066	44.92
	85 = BAD DATA Logically assigned.....	404	0.70
	91 = NEVER USED ALCOHOL.....	16302	28.09
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14926	25.72
	94 = DON'T KNOW.....	93	0.16
	97 = REFUSED.....	32	0.06
	98 = BLANK (NO ANSWER).....	211	0.36

What is your best estimate of the number of days you drank alcohol during the past 30 days?

<i>(AL06DKRE)</i>	Len : 2 BEST ESTIMATE # DAYS HAD ONE OR MORE DRINKS	Freq	Pct
<u>AL30EST</u>	1 = 1 or 2 days.....	32	0.06
	2 = 3 to 5 days.....	21	0.04
	3 = 6 to 9 days.....	21	0.04
	4 = 10 to 19 days.....	18	0.03
	5 = 20 to 29 days.....	7	0.01
	6 = All 30 days.....	2	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL.....	16302	28.09
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14926	25.72
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED.....	16	0.03
	98 = BLANK (NO ANSWER).....	618	1.06
	99 = LEGITIMATE SKIP.....	26061	44.91

<u>ALDYSFG</u>	Len : 2 REVISION INDICATOR FOR ALCDAYS	Freq	Pct
	1 = Edited for consistency with ALCYRTOT or ALCBNG30D.....	10	0.02
	98 = BLANK (NO ANSWER).....	58024	99.98

NOTE: Beginning in 2015, level 975 was updated to "AT LEAST 4 or 5 Logically assigned" to reflect the change in the threshold for binge alcohol use among female respondents from 5 or more drinks on an occasion prior to 2015 to 4 or more drinks on an occasion in 2015. See the note below for ALCBNG30D.

On the ALC30DAY/ALCESTFL days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

<i>(AL07)</i>	Len : 3 USUAL # OF DRINKS PER DAY PAST 30 DAYS	Freq	Pct
<u>ALCUS30D</u>	RANGE = 1 - 90.....	25018	43.11
	975 = AT LEAST 4 OR 5 Logically assigned.....	946	1.63
	985 = BAD DATA Logically assigned.....	246	0.42
	991 = NEVER USED ALCOHOL.....	16302	28.09
	993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14926	25.72
	994 = DON'T KNOW.....	89	0.15
	997 = REFUSED.....	31	0.05
	998 = BLANK (NO ANSWER).....	476	0.82

ALCOHOL

NOTE: Beginning in 2015, female respondents were asked ALCBNG30D to report the number of days that they had 4 or more drinks on the same occasion in the past 30 days. As in prior years, male respondents in 2015 were asked for ALCBNG30D to report the number of days that they had 5 or more drinks on the same occasion in the past 30 days.

During the past 30 days, that is since [DATEFILL], on how many days did you have [4 or more]/[5 or more] drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.

(AL08)

ALCBNG30D Len : 2 # DAYS HAD FOUR/FIVE OR MORE DRINKS PAST 30 DYS

	Freq	Pct
RANGE = 0 - 30	25885	44.60
80 = NO OCCAS OF 4+ or 5+ DRINKS PST 30 DAYS Log assn.....	28	0.05
85 = BAD DATA Logically assigned	247	0.43
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14926	25.72
94 = DON'T KNOW	126	0.22
97 = REFUSED	44	0.08
98 = BLANK (NO ANSWER)	476	0.82

MARIJUANA

MARIJUANA

NOTE: Beginning in 2021, level 3 for logically assigned lifetime marijuana use was added for MJEVER. This value was assigned when respondents did not indicate lifetime marijuana use in questions MJ01 or MJREF, but reported ever vaping marijuana in question VPMJLIF.

The next questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked, either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.

Have you ever, even once, used marijuana or hashish?

(MJ01, MJREF, VAPMRJEVR)

MJEVER Len : 2 EVER USED MARIJUANA/HASHISH

	Freq	Pct
1 = Yes.....	25355	43.69
2 = No.....	32487	55.98
3 = Yes LOGICALLY ASSIGNED.....	159	0.27
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	16	0.03
97 = REFUSED	16	0.03

How old were you the first time you used marijuana or hashish?

(MJ02)

MJAGE

Len : 3 AGE WHEN FIRST USED MARIJUANA/HASHISH

	Freq	Pct
RANGE = 1 - 82	25197	43.42
985 = BAD DATA Logically assigned.....	67	0.12
991 = NEVER USED MARIJUANA	32487	55.98
994 = DON'T KNOW	61	0.11
997 = REFUSED	47	0.08
998 = BLANK (NO ANSWER).....	175	0.30

Did you first use marijuana or hashish in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use marijuana or hashish in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use marijuana or hashish?

(MJ03A, MJ03B, MJ03C)

MJYFU

Len : 4 YEAR OF FIRST MARIJUANA/HASHISH USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	1405	2.42
9985 = BAD DATA Logically assigned	132	0.23
9989 = LEGITIMATE SKIP Logically assigned.....	112	0.19
9991 = NEVER USED MARIJUANA.....	32487	55.98
9994 = DON'T KNOW	66	0.11
9997 = REFUSED	48	0.08
9998 = BLANK (NO ANSWER).....	177	0.30
9999 = LEGITIMATE SKIP.....	23607	40.68

MARIJUANA

In what month in [CURRENT YEAR] did you first use marijuana or hashish?

In what month in [YEAR FROM MJ03a or MJ03b] did you first use marijuana or hashish?

(MJ03C, MJ03D)

MJMFU

Len : 2 MONTH OF FIRST MARIJUANA/HASHISH USE - RECODE

	Freq	Pct
1 = January.....	105	0.18
2 = February.....	96	0.17
3 = March.....	113	0.19
4 = April	111	0.19
5 = May.....	97	0.17
6 = June.....	139	0.24
7 = July	125	0.22
8 = August	118	0.20
9 = September.....	99	0.17
10 = October	114	0.20
11 = November	91	0.16
12 = December.....	113	0.19
85 = BAD DATA Logically assigned	132	0.23
89 = LEGITIMATE SKIP Logically assigned	112	0.19
91 = NEVER USED MARIJUANA	32487	55.98
94 = DON'T KNOW	146	0.25
97 = REFUSED	52	0.09
98 = BLANK (NO ANSWER)	177	0.30
99 = LEGITIMATE SKIP	23607	40.68

NOTE: Beginning in 2021, new logically assigned levels (12, 13, and 19) for time since last used marijuana or hashish were added. Logical assignment was used when respondents indicated vaping marijuana more recently than they had indicated using marijuana.

How long has it been since you last used marijuana or hashish?

(MJLAST3, MJRECDK, MJRECRE, VAPMRJREC)

MJREC

Len : 2 TIME SINCE LAST USED MARIJUANA/HASHISH

	Freq	Pct
1 = Within the past 30 days.....	8176	14.09
2 = More than 30 days ago but within the past 12 mos	3840	6.62
3 = More than 12 months ago	12886	22.20
8 = Used at some point in the past 12 mos LOG ASSN.....	160	0.28
9 = Used at some point in the lifetime LOG ASSN.....	85	0.15
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	136	0.23
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	161	0.28
13 = More than 12 months ago LOGICALLY ASSIGNED.....	70	0.12
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED MARIJUANA	32487	55.98
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	16	0.03

(TOTMJ)

MJYRTOT

Len : 3 TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	12010	20.69
985 = BAD DATA Logically assigned	134	0.23
991 = NEVER USED MARIJUANA	32487	55.98
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
994 = DON'T KNOW	80	0.14
997 = REFUSED	41	0.07
998 = BLANK (NO ANSWER).....	326	0.56

MRTOTFG

Len : 2 TRIMMING INDICATOR FOR MJYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing)	14	0.02
2 = Trimmed relative to the 30-day freq	377	0.65
98 = BLANK (NO ANSWER)	57643	99.33

MARIJUANA

<u>MJFQFLG</u>	Len : 2 TRIMMED MJYRTOT IF R USED < 12 MOS	Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use	246	0.42
	98 = BLANK (NO ANSWER)	57788	99.58

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

<u>(MJFRAME3)</u>	<u>MRBSTWAY</u>	Len : 2 EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH	Freq	Pct
		1 = Prefer to answer in days per week.....	4974	8.57
		2 = Prefer to answer in days per month.....	2767	4.77
		3 = Prefer to answer in days per year	4255	7.33
		11 = Prefer to ans in days per wk LOG ASSN	15	0.03
		12 = Prefer to ans in days per mo LOG ASSN	15	0.03
		13 = Prefer to ans in days per yr LOG ASSN	62	0.11
		85 = BAD DATA Logically assigned	133	0.23
		91 = NEVER USED MARIJUANA	32487	55.98
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
		94 = DON'T KNOW	21	0.04
		97 = REFUSED	23	0.04
		98 = BLANK (NO ANSWER)	326	0.56

On how many days in the past 12 months did you use marijuana or hashish?

<u>(MJYRAVE)</u>	<u>MRDAYPYR</u>	Len : 3 # DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS	Freq	Pct
		RANGE = 1 - 366	4308	7.42
		985 = BAD DATA Logically assigned	31	0.05
		989 = LEGITIMATE SKIP Logically assigned	39	0.07
		991 = NEVER USED MARIJUANA	32487	55.98
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
		994 = DON'T KNOW	26	0.04
		997 = REFUSED	26	0.04
		998 = BLANK (NO ANSWER).....	429	0.74
		999 = LEGITIMATE SKIP.....	7732	13.32

On average, how many days did you use marijuana or hashish each month during the past 12 months?

<u>(MJMONAVE)</u>	<u>MRDAYPMO</u>	Len : 2 # DAYS PER MO USED MARIJUANA/HASHISH PAST 12 MOS	Freq	Pct
		RANGE = 1 - 31	2766	4.77
		85 = BAD DATA Logically assigned	33	0.06
		89 = LEGITIMATE SKIP Logically assigned	15	0.03
		91 = NEVER USED MARIJUANA	32487	55.98
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
		94 = DON'T KNOW	41	0.07
		97 = REFUSED	25	0.04
		98 = BLANK (NO ANSWER)	429	0.74
		99 = LEGITIMATE SKIP.....	9282	15.99

On average, how many days did you use marijuana or hashish each week during the past 12 months?

<u>(MJWKAVE)</u>	<u>MRDAYPWK</u>	Len : 2 # DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS	Freq	Pct
		RANGE = 1 - 7.....	4936	8.51
		85 = BAD DATA Logically assigned	71	0.12
		91 = NEVER USED MARIJUANA	32487	55.98
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
		94 = DON'T KNOW	78	0.13
		97 = REFUSED	41	0.07
		98 = BLANK (NO ANSWER)	391	0.67
		99 = LEGITIMATE SKIP.....	7074	12.19

MARIJUANA

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?

(MJ06)

MJDAY30A

Len : 2 # DAYS USED MARIJUANA/HASHISH PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	8124	14.00
85 = BAD DATA Logically assigned	56	0.10
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	16957	29.22
94 = DON'T KNOW	34	0.06
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	342	0.59

What is your best estimate of the number of days you used marijuana or hashish during the past 30 days?

(MJ06DKRE)

MR30EST

Len : 2 BEST EST. # DAYS USED MARIJUANA PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	9	0.02
2 = 3 to 5 days.....	11	0.02
4 = 10 to 19 days.....	15	0.03
5 = 20 to 29 days.....	4	0.01
6 = All 30 days.....	5	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	16957	29.22
94 = DON'T KNOW	3	0.01
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	398	0.69
99 = LEGITIMATE SKIP.....	8124	14.00

COCAINE

COCAINE

These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.

Have you ever, even once, used any form of cocaine?

(CC01, CCREF)

COCEVER Len : 2 EVER USED COCAINE

	Freq	Pct
1 = Yes.....	6795	11.71
2 = No.....	51225	88.27
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	11	0.02
97 = REFUSED	2	0.00

How old were you the first time you used cocaine, in any form?

(CC02)

COCAGE

Len : 3 AGE WHEN FIRST USED COCAINE

	Freq	Pct
RANGE = 1 - 70.....	6761	11.65
985 = BAD DATA Logically assigned	6	0.01
991 = NEVER USED COCAINE	51225	88.27
994 = DON'T KNOW	24	0.04
997 = REFUSED	7	0.01
998 = BLANK (NO ANSWER).....	11	0.02

Did you first use cocaine in any form in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use cocaine in any form in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use cocaine in any form?

(CC03A, CC03B, CC03C)

COCYFU

Len : 4 YEAR OF FIRST COCAINE USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	256	0.44
9985 = BAD DATA Logically assigned	23	0.04
9989 = LEGITIMATE SKIP Logically assigned.....	33	0.06
9991 = NEVER USED COCAINE	51225	88.27
9994 = DON'T KNOW	31	0.05
9997 = REFUSED	7	0.01
9998 = BLANK (NO ANSWER).....	13	0.02
9999 = LEGITIMATE SKIP.....	6446	11.11

COCAINE

In what month in [CURRENT YEAR] did you first use cocaine in any form?

In what month in [YEAR FROM CC03a or CC03b] did you first use cocaine?

(CC03C, CC03D)
COCMFU

Len : 2 MONTH OF FIRST COCAINE USE - RECODE

	Freq	Pct
1 = January.....	15	0.03
2 = February.....	16	0.03
3 = March.....	24	0.04
4 = April	20	0.03
5 = May.....	17	0.03
6 = June.....	29	0.05
7 = July	23	0.04
8 = August	23	0.04
9 = September	14	0.02
10 = October	27	0.05
11 = November	19	0.03
12 = December.....	20	0.03
85 = BAD DATA Logically assigned	23	0.04
89 = LEGITIMATE SKIP Logically assigned	33	0.06
91 = NEVER USED COCAINE	51225	88.27
94 = DON'T KNOW	38	0.07
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	13	0.02
99 = LEGITIMATE SKIP.....	6446	11.11

How long has it been since you last used cocaine?

(CCLAST3, CCRECDK, CCRECRE)

COCREC

Len : 2 TIME SINCE LAST USED COCAINE

	Freq	Pct
1 = Within the past 30 days.....	379	0.65
2 = More than 30 days ago but within the past 12 mos	687	1.18
3 = More than 12 months ago	5662	9.76
8 = Used at some point in the past 12 mos LOG ASSN.....	24	0.04
9 = Used at some point in the lifetime LOG ASSN.....	25	0.04
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	9	0.02
12 = Used >30 days ago but within ps12 mos LOG ASSN.....	9	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED COCAINE	51225	88.27
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	11	0.02

(TOTCOKE)
COCYRTOT

Len : 3 TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 364	1087	1.87
985 = BAD DATA Logically assigned	3	0.01
991 = NEVER USED COCAINE	51225	88.27
993 = DID NOT USE COCAINE IN THE PAST 12 MOS	5662	9.76
994 = DON'T KNOW	5	0.01
997 = REFUSED	3	0.01
998 = BLANK (NO ANSWER).....	49	0.08

CCTOTFG

Len : 2 TRIMMING INDICATOR FOR COCYRTOT

	Freq	Pct
2 = Trimmed relative to the 30-day freq	3	0.01
98 = BLANK (NO ANSWER)	58031	99.99

CCFQFLG

Len : 2 TRIMMED COCYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	29	0.05
98 = BLANK (NO ANSWER)	58005	99.95

COCAINE

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used cocaine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

<u>(CCFRAME3)</u> <u>CCBSTWAY</u>	Len : 2 EASIEST WAY TO TELL US # DAYS USED COCAINE	Freq	Pct
1 = Prefer to answer in days per week.....		132	0.23
2 = Prefer to answer in days per month.....		212	0.37
3 = Prefer to answer in days per year		710	1.22
11 = Prefer to ans in days per wk LOG ASSN		1	0.00
13 = Prefer to ans in days per yr LOG ASSN		3	0.01
21 = Prefer to ans in days per wk (CRBSTWAY=1,11).....		18	0.03
22 = Prefer to ans in days per mo (CRBSTWAY=2,12).....		8	0.01
23 = Prefer to ans in days per yr (CRBSTWAY=3,13).....		8	0.01
85 = BAD DATA Logically assigned		3	0.01
91 = NEVER USED COCAINE		51225	88.27
93 = DID NOT USE COCAINE IN THE PAST 12 MOS		5662	9.76
94 = DON'T KNOW		1	0.00
97 = REFUSED		2	0.00
98 = BLANK (NO ANSWER)		49	0.08

On how many days in the past 12 months did you use cocaine?

<u>(CCYRAVE)</u> <u>CCDAYPYR</u>	Len : 3 # DAYS USED COCAINE PAST 12 MONTHS	Freq	Pct
RANGE = 1 - 300		720	1.24
985 = BAD DATA Logically assigned		1	0.00
989 = LEGITIMATE SKIP Logically assigned		7	0.01
991 = NEVER USED COCAINE		51225	88.27
993 = DID NOT USE COCAINE IN THE PAST 12 MOS		5662	9.76
994 = DON'T KNOW		2	0.00
997 = REFUSED		2	0.00
998 = BLANK (NO ANSWER).....		51	0.09
999 = LEGITIMATE SKIP.....		364	0.63

On average, how many days did you use cocaine each month during the past 12 months?

<u>(CCMONAVE)</u> <u>CCDAYPMO</u>	Len : 2 # DAYS PER MONTH USED COCAINE PAST 12 MONTHS	Freq	Pct
RANGE = 1 - 30.....		219	0.38
85 = BAD DATA Logically assigned		1	0.00
89 = LEGITIMATE SKIP Logically assigned		7	0.01
91 = NEVER USED COCAINE		51225	88.27
93 = DID NOT USE COCAINE IN THE PAST 12 MOS		5662	9.76
94 = DON'T KNOW		2	0.00
97 = REFUSED		2	0.00
98 = BLANK (NO ANSWER)		52	0.09
99 = LEGITIMATE SKIP.....		864	1.49

On average, how many days did you use cocaine each week during the past 12 months?

<u>(CCWKAVE)</u> <u>CCDAYPWK</u>	Len : 2 # DAYS PER WEEK USED COCAINE PAST 12 MONTHS	Freq	Pct
RANGE = 1 - 7.....		148	0.26
85 = BAD DATA Logically assigned		1	0.00
89 = LEGITIMATE SKIP Logically assigned		1	0.00
91 = NEVER USED COCAINE		51225	88.27
93 = DID NOT USE COCAINE IN THE PAST 12 MOS		5662	9.76
94 = DON'T KNOW		4	0.01
97 = REFUSED		3	0.01
98 = BLANK (NO ANSWER)		52	0.09
99 = LEGITIMATE SKIP.....		938	1.62

COCAINE

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use cocaine?

*(CC06)
COCUS30A*

Len : 2 # DAYS USED COCAINE PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	379	0.65
85 = BAD DATA Logically assigned	20	0.03
91 = NEVER USED COCAINE	51225	88.27
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	6358	10.96
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	49	0.08

What is your best estimate of the number of days you used cocaine during the past 30 days?

*(CC06DKRE)
CC30EST*

Len : 2 BEST ESTIMATE # DAYS USED COCAINE PAST 30 DAYS

	Freq	Pct
91 = NEVER USED COCAINE	51225	88.27
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	6358	10.96
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	69	0.12
99 = LEGITIMATE SKIP.....	379	0.65

CRACK

CRACK

The next questions are about 'crack', that is cocaine in rock or chunk form, and not the other forms of cocaine.

Have you ever, even once, used 'crack'?

(CK01, CKREF) <u>CRKEVER</u>	Len : 2 EVER USED CRACK	Freq	Pct
1 = Yes.....	1595	2.75	
2 = No.....	5191	8.94	
85 = BAD DATA Logically assigned.....	2	0.00	
91 = NEVER USED COCAINE (COCEVER=2).....	51225	88.27	
94 = DON'T KNOW	7	0.01	
97 = REFUSED	3	0.01	
98 = BLANK (NO ANSWER)	11	0.02	

How old were you the first time you used 'crack'?

(CK02) <u>CRKAGE</u>	Len : 3 AGE WHEN FIRST USED CRACK	Freq	Pct
RANGE = 6 - 70	1590	2.74	
985 = BAD DATA Logically assigned.....	2	0.00	
991 = NEVER USED CRACK	56416	97.21	
994 = DON'T KNOW	5	0.01	
997 = REFUSED	3	0.01	
998 = BLANK (NO ANSWER).....	18	0.03	

Did you first use 'crack' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'crack' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'crack'?

(CK03A, CK03B, CK03C) <u>CRKYFU</u>	Len : 4 YEAR OF FIRST CRACK USE - RECODE	Freq	Pct
RANGE = 2020 - 2021	29	0.05	
9985 = BAD DATA Logically assigned	2	0.00	
9989 = LEGITIMATE SKIP Logically assigned	3	0.01	
9991 = NEVER USED CRACK	56416	97.21	
9994 = DON'T KNOW	5	0.01	
9997 = REFUSED	3	0.01	
9998 = BLANK (NO ANSWER).....	20	0.03	
9999 = LEGITIMATE SKIP.....	1556	2.68	

CRACK

In what month in [CURRENT YEAR] did you first use 'crack'?

In what month in [YEAR FROM CK03a or CK03b] did you first use 'crack'?

(CK03C, CK03D)
CRKMFU

Len : 2 MONTH OF FIRST CRACK USE - RECODE

	Freq	Pct
1 = January.....	2	0.00
2 = February.....	4	0.01
3 = March.....	2	0.00
5 = May.....	6	0.01
6 = June.....	8	0.01
7 = July	3	0.01
8 = August	1	0.00
9 = September	1	0.00
10 = October	1	0.00
11 = November	1	0.00
85 = BAD DATA Logically assigned	2	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.01
91 = NEVER USED CRACK.....	56416	97.21
94 = DON'T KNOW	5	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	20	0.03
99 = LEGITIMATE SKIP.....	1556	2.68

How long has it been since you last used 'crack'?

(CKLAST3, CKRECDK, CKRECRE)
CRAKREC

Len : 2 TIME SINCE LAST USED CRACK

	Freq	Pct
1 = Within the past 30 days.....	77	0.13
2 = More than 30 days ago but within the past 12 mos	84	0.14
3 = More than 12 months ago	1428	2.46
8 = Used at some point in the past 12 mos LOG ASSN.....	4	0.01
9 = Used at some point in the lifetime LOG ASSN.....	2	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED CRACK.....	56416	97.21
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	18	0.03

(TOTCRACK)
CRKYRTOT

Len : 3 TOTAL # DAYS USED CRACK IN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 364	162	0.28
985 = BAD DATA Logically assigned	3	0.01
991 = NEVER USED CRACK	56416	97.21
993 = DID NOT USE CRACK IN THE PAST 12 MOS	1428	2.46
994 = DON'T KNOW	1	0.00
997 = REFUSED	3	0.01
998 = BLANK (NO ANSWER)	21	0.04

CRTOTFG

Len : 2 TRIMMING INDICATOR FOR CRKYRTOT

	Freq	Pct
2 = Trimmed relative to the 30-day freq	6	0.01
98 = BLANK (NO ANSWER)	58028	99.99

CRFQFLG

Len : 2 TRIMMED CRKYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	6	0.01
98 = BLANK (NO ANSWER)	58028	99.99

CRACK

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used 'crack' during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

<u>(CKFRAME3)</u>	<u>CRBSTWAY</u>	Len : 2 EASIEST WAY TO TELL US # DAYS USED CRACK	Freq	Pct
1 = Prefer to answer in days per week.....			51	0.09
2 = Prefer to answer in days per month.....			40	0.07
3 = Prefer to answer in days per year			70	0.12
11 = Prefer to ans in days per wk LOG ASSN			1	0.00
85 = BAD DATA Logically assigned			3	0.01
91 = NEVER USED CRACK.....			56416	97.21
93 = DID NOT USE CRACK IN THE PAST 12 MOS			1428	2.46
94 = DON'T KNOW			1	0.00
97 = REFUSED			3	0.01
98 = BLANK (NO ANSWER)			21	0.04

On how many days in the past 12 months did you use 'crack'?

<u>(CKYRAVE)</u>	<u>CRDAYPYR</u>	Len : 3 # DAYS USED CRACK PAST 12 MONTHS	Freq	Pct
RANGE = 1 - 300			70	0.12
989 = LEGITIMATE SKIP Logically assigned			1	0.00
991 = NEVER USED CRACK			56416	97.21
993 = DID NOT USE CRACK IN THE PAST 12 MOS			1428	2.46
994 = DON'T KNOW			1	0.00
997 = REFUSED			3	0.01
998 = BLANK (NO ANSWER).....			24	0.04
999 = LEGITIMATE SKIP.....			91	0.16

On average, how many days did you use 'crack' each month during the past 12 months?

<u>(CKMONAVE)</u>	<u>CRDAYPMO</u>	Len : 2 # DAYS PER MONTH USED CRACK PAST 12 MONTHS	Freq	Pct
RANGE = 1 - 30			40	0.07
89 = LEGITIMATE SKIP Logically assigned			1	0.00
91 = NEVER USED CRACK.....			56416	97.21
93 = DID NOT USE CRACK IN THE PAST 12 MOS			1428	2.46
94 = DON'T KNOW			1	0.00
97 = REFUSED			3	0.01
98 = BLANK (NO ANSWER)			24	0.04
99 = LEGITIMATE SKIP.....			121	0.21

On average, how many days did you use 'crack' each week during the past 12 months?

<u>(CKWKAVE)</u>	<u>CRDAYPWK</u>	Len : 2 # DAYS PER WEEK USED CRACK PAST 12 MONTHS	Freq	Pct
RANGE = 1 - 7.....			52	0.09
85 = BAD DATA Logically assigned			3	0.01
91 = NEVER USED CRACK.....			56416	97.21
93 = DID NOT USE CRACK IN THE PAST 12 MOS			1428	2.46
94 = DON'T KNOW			1	0.00
97 = REFUSED			3	0.01
98 = BLANK (NO ANSWER)			21	0.04
99 = LEGITIMATE SKIP.....			110	0.19

CRACK

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use 'crack'?

(CK06)
CRKUS30A Len : 2 # DAYS USED CRACK PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	77	0.13
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED CRACK.....	56416	97.21
93 = DID NOT USE CRACK IN THE PAST 30 DAYS	1512	2.61
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	24	0.04

What is your best estimate of the number of days you used 'crack' during the past 30 days?

(CK06DKRE)
CR30EST Len : 2 BEST ESTIMATE # DAYS USED CRACK PAST 30 DAYS

	Freq	Pct
91 = NEVER USED CRACK.....	56416	97.21
93 = DID NOT USE CRACK IN THE PAST 30 DAYS	1512	2.61
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	26	0.04
99 = LEGITIMATE SKIP.....	77	0.13

HEROIN

HEROIN

These next questions are about heroin.

Have you ever, even once, used heroin?

(HE01, HEREF)

HEREVER

Len : 2 EVER USED HEROIN

1 = Yes.....	
2 = No.....	
94 = DON'T KNOW	
97 = REFUSED	

Freq	Pct
1133	1.95
56884	98.02
16	0.03
1	0.00

How old were you the first time you used heroin?

(HE02)

HERAGE

Len : 3 AGE WHEN FIRST USED HEROIN

RANGE = 2 - 69	
985 = BAD DATA Logically assigned	
991 = NEVER USED HEROIN.....	
994 = DON'T KNOW	
997 = REFUSED	
998 = BLANK (NO ANSWER).....	

Freq	Pct
1119	1.93
3	0.01
56884	98.02
5	0.01
7	0.01
16	0.03

Did you first use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use heroin?

(HE03A, HE03B, HE03C)

HERYFU

Len : 4 YEAR OF FIRST HEROIN USE - RECODE

RANGE = 2019 - 2021	
9985 = BAD DATA Logically assigned	
9989 = LEGITIMATE SKIP Logically assigned	
9991 = NEVER USED HEROIN.....	
9994 = DON'T KNOW	
9997 = REFUSED	
9998 = BLANK (NO ANSWER).....	
9999 = LEGITIMATE SKIP.....	

Freq	Pct
33	0.06
6	0.01
6	0.01
56884	98.02
5	0.01
7	0.01
17	0.03
1076	1.85

HEROIN

In what month in [CURRENT YEAR] did you first use heroin?

In what month in [YEAR FROM HE03a or HE03b] did you first use heroin?

<i>(HE03C, HE03D)</i>	<u>HERMFU</u>	Len : 2 MONTH OF FIRST HEROIN USE - RECODE	Freq	Pct
2 = February.....			1	0.00
3 = March.....			5	0.01
4 = April			3	0.01
5 = May.....			3	0.01
6 = June.....			2	0.00
7 = July			5	0.01
8 = August			4	0.01
9 = September			3	0.01
10 = October			2	0.00
11 = November			2	0.00
12 = December.....			2	0.00
85 = BAD DATA Logically assigned			6	0.01
89 = LEGITIMATE SKIP Logically assigned			6	0.01
91 = NEVER USED HEROIN.....			56884	98.02
94 = DON'T KNOW			6	0.01
97 = REFUSED			7	0.01
98 = BLANK (NO ANSWER)			17	0.03
99 = LEGITIMATE SKIP.....			1076	1.85

How long has it been since you last used heroin?

<i>(HELAST3, HERECDK, HERECRE)</i>	<u>HERREC</u>	Len : 2 TIME SINCE LAST USED HEROIN	Freq	Pct
1 = Within the past 30 days.....			104	0.18
2 = More than 30 days ago but within the past 12 mos			90	0.16
3 = More than 12 months ago			921	1.59
8 = Used at some point in the past 12 mos LOG ASSN.....			11	0.02
9 = Used at some point in the lifetime LOG ASSN.....			7	0.01
91 = NEVER USED HEROIN.....			56884	98.02
97 = REFUSED			1	0.00
98 = BLANK (NO ANSWER)			16	0.03

<i>(TOTHERO)</i>	<u>HERYRTOT</u>	Len : 3 TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS	Freq	Pct
RANGE = 1 - 365			193	0.33
985 = BAD DATA Logically assigned			11	0.02
991 = NEVER USED HEROIN.....			56884	98.02
993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....			921	1.59
997 = REFUSED			2	0.00
998 = BLANK (NO ANSWER).....			23	0.04

<u>HRTOTFG</u>	Len : 2 TRIMMING INDICATOR FOR HERYRTOT	Freq	Pct
2 = Trimmed relative to the 30-day freq		5	0.01
98 = BLANK (NO ANSWER)		58029	99.99

<u>HRFQFLG</u>	Len : 2 TRIMMED HERYRTOT IF R USED < 12 MOS	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use		3	0.01
98 = BLANK (NO ANSWER)		58031	99.99

HEROIN

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used heroin during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

<u>(HEFRAME3)</u>	<u>HRBSTWAY</u>	Len : 2 EASIEST WAY TO TELL US # DAYS USED HEROIN	Freq	Pct
		1 = Prefer to answer in days per week.....	60	0.10
		2 = Prefer to answer in days per month.....	50	0.09
		3 = Prefer to answer in days per year	83	0.14
		85 = BAD DATA Logically assigned	11	0.02
		91 = NEVER USED HEROIN.....	56884	98.02
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	921	1.59
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER)	23	0.04

On how many days in the past 12 months did you use heroin?

<u>(HEYRAVE)</u>	<u>HRDAYPYR</u>	Len : 3 # DAYS USED HEROIN PAST 12 MONTHS	Freq	Pct
		RANGE = 1 - 365	83	0.14
		991 = NEVER USED HEROIN.....	56884	98.02
		993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	921	1.59
		997 = REFUSED	2	0.00
		998 = BLANK (NO ANSWER).....	34	0.06
		999 = LEGITIMATE SKIP.....	110	0.19

On average, how many days did you use heroin each month during the past 12 months?

<u>(HEMONAVE)</u>	<u>HRDAYPMO</u>	Len : 2 # DAYS PER MONTH USED HEROIN PAST 12 MONTHS	Freq	Pct
		RANGE = 1 - 30.....	50	0.09
		85 = BAD DATA Logically assigned	2	0.00
		91 = NEVER USED HEROIN.....	56884	98.02
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	921	1.59
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER)	32	0.06
		99 = LEGITIMATE SKIP.....	143	0.25

On average, how many days did you use heroin each week during the past 12 months?

<u>(HEWKAVE)</u>	<u>HRDAYPWK</u>	Len : 2 # DAYS PER WEEK USED HEROIN PAST 12 MONTHS	Freq	Pct
		RANGE = 1 - 7.....	60	0.10
		85 = BAD DATA Logically assigned	9	0.02
		91 = NEVER USED HEROIN.....	56884	98.02
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	921	1.59
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER)	25	0.04
		99 = LEGITIMATE SKIP.....	133	0.23

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use heroin?

<u>(HE06)</u>	<u>HER30USE</u>	Len : 2 # DAYS USED HEROIN PAST 30 DAYS	Freq	Pct
		RANGE = 1 - 30.....	103	0.18
		91 = NEVER USED HEROIN.....	56884	98.02
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS.....	1011	1.74
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	34	0.06

HEROIN

What is your best estimate of the number of days you used heroin during the past 30 days?

(HE06DKRE)
HR30EST

Len : 2 BEST EST. # DAYS USED HEROIN PAST 30 DAYS

	Freq	Pct
2 = 3 to 5 days.....	1	0.00
91 = NEVER USED HEROIN.....	56884	98.02
93 = DID NOT USE HEROIN IN THE PAST 30 DAYS.....	1011	1.74
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	34	0.06
99 = LEGITIMATE SKIP.....	103	0.18

HALLUCINOGENS

HALLUCINOGENS

The next questions are about substances called hallucinogens. These drugs often cause people to see or experience things that are not real.

A list of some common hallucinogens is shown below. These and many other substances that people use as hallucinogens are often known by street names, and we can't list them all. Please take a moment to look at the substances listed below so you know what kind of drugs the next questions are about.

LSD, also called 'acid'
 PCP, also called 'angel dust' or phencyclidine
 Peyote
 Mescaline
 Psilocybin
 'Ecstasy' or 'Molly', also called MDMA
 Ketamine, also called 'Special K' or 'Super K'
 DMT, also called dimethyltryptamine
 AMT, also called alpha-methyltryptamine
 Foxy, also called 5-MeO-DIPT
 Salvia divinorum

Have you ever, even once, used LSD, also called 'acid'?

(LS01A, LSREF1)

LSD Len : 2 EVER USED LSD ("ACID")

	Freq	Pct
1 = Yes.....	5402	9.31
2 = No.....	3689	6.36
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED HALLUCINOGENS.....	48915	84.29
94 = DON'T KNOW.....	25	0.04
97 = REFUSED.....	2	0.00

Have you ever, even once, used PCP, also called 'angel dust' or phencyclidine?

(LS01B, LSREF2)

PCP Len : 2 EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)

	Freq	Pct
1 = Yes.....	822	1.42
2 = No.....	8272	14.25
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED HALLUCINOGENS.....	48915	84.29
94 = DON'T KNOW.....	22	0.04
97 = REFUSED.....	2	0.00

Have you ever, even once, used peyote?

(LS01C)

PEYOTE

Len : 2 EVER USED PEYOTE

	Freq	Pct
1 = Yes.....	738	1.27
2 = No.....	8345	14.38
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED HALLUCINOGENS.....	48915	84.29
94 = DON'T KNOW.....	32	0.06
97 = REFUSED.....	3	0.01

Have you ever, even once, used mescaline?

(LS01D)

MESC

Len : 2 EVER USED MESCALINE

	Freq	Pct
1 = Yes.....	916	1.58
2 = No.....	8169	14.08
91 = NEVER USED HALLUCINOGENS.....	48915	84.29
94 = DON'T KNOW.....	32	0.06
97 = REFUSED.....	2	0.00

HALLUCINOGENS

Have you ever, even once, used psilocybin, found in mushrooms?

<i>(LS01E)</i>	<u>PSILCY</u>	Len : 2 EVER USED PSILOCYBIN (MUSHROOMS)	Freq	Pct
1 = Yes.....			5705	9.83
2 = No.....			3324	5.73
3 = Yes LOGICALLY ASSIGNED.....			41	0.07
91 = NEVER USED HALLUCINOGENS			48915	84.29
94 = DON'T KNOW			45	0.08
97 = REFUSED			4	0.01

Have you ever, even once, used 'Ecstasy' or 'Molly,' also known as MDMA?

<i>(LS01F, LSREF3)</i>	<u>ECSTMOLLY</u>	Len : 2 EVER USED 'ECSTASY' OR 'MOLLY' (MDMA)	Freq	Pct
1 = Yes.....			4573	7.88
2 = No.....			4520	7.79
3 = Yes LOGICALLY ASSIGNED.....			2	0.00
91 = NEVER USED HALLUCINOGENS			48915	84.29
94 = DON'T KNOW			22	0.04
97 = REFUSED			2	0.00

Have you ever, even once, used Ketamine, also called 'Special K' or 'Super K'?

<i>(LS01I)</i>	<u>KETMINESK</u>	Len : 2 EVER USED KETAMINE	Freq	Pct
1 = Yes.....			971	1.67
2 = No.....			8106	13.97
91 = NEVER USED KETAMINE			48915	84.29
94 = DON'T KNOW			37	0.06
97 = REFUSED			5	0.01

Have you ever, even once, used any of the following:

DMT, also called dimethyltryptamine,
 AMT, also called alpha-methyltryptamine, or
 Foxy, also called 5-MeO-DIPT?

<i>(LS01J)</i>	<u>DMTAMTFXY</u>	Len : 2 EVER USED DMT, AMT, FOXY	Freq	Pct
1 = Yes.....			818	1.41
2 = No.....			8252	14.22
3 = Yes LOGICALLY ASSIGNED.....			3	0.01
91 = NEVER USED DMT, AMT, FOXY.....			48915	84.29
94 = DON'T KNOW			40	0.07
97 = REFUSED			6	0.01

Have you ever, even once, used Salvia divinorum?

<i>(LS01K)</i>	<u>SALVIADIV</u>	Len : 2 EVER USED SALVIA DIVINORUM	Freq	Pct
1 = Yes.....			1163	2.00
2 = No.....			7905	13.62
91 = NEVER USED SALVIA DIVINORUM			48915	84.29
94 = DON'T KNOW			46	0.08
97 = REFUSED			5	0.01

HALLUCINOGENS

NOTE: HALLUCOTH was assigned a code of 5 (see documentation below) when either of the following occurred: (a) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, Ecstasy, ketamine, DMT/AMT/Foxy, or Salvia divinorum but the respondent reported more recent use of any hallucinogen than was reported for these six hallucinogens; or (b) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, Ecstasy but the respondent reported earlier initiation of any hallucinogen than was reported for these three hallucinogens.

Have you ever, even once used any other hallucinogens besides the ones that have been listed?

(LS01H)

HALLUCOTH Len : 2 EVER USED OTHER HALLUCINOGEN

	Freq	Pct
1 = Yes.....	582	1.00
2 = No.....	8412	14.49
5 = Yes (specific hallucinogen unknown) LOG ASSN	46	0.08
91 = NEVER USED HALLUCINOGENS	48915	84.29
94 = DON'T KNOW	71	0.12
97 = REFUSED	8	0.01

HALLUCINOGENS

(LS01SC1)
HALLUCOT1

Len : 4 OTHER HALLUCINOGEN - SPECIFY 1

	Freq	Pct
116 = Methaqualone, Sopor, Quaalude	3	0.01
145 = Red devil(s).....	1	0.00
157 = Barbiturates.....	1	0.00
171 = NyQuil <OTC>.....	1	0.00
174 = Ambien	4	0.01
187 = Belladonna plant/flower/root, deadly nightshade.....	1	0.00
209 = Xanax.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	7	0.01
355 = Crystal meth, crystal methamphetamine	2	0.00
423 = Percocet	1	0.00
501 = Gasoline or lighter fluids.....	4	0.01
503 = Other aerosol sprays.....	4	0.01
504 = Shoeshine liquid, glue, or toluene	4	0.01
506 = Amyl nitrite,"poppers,"locker room odorizer,"rush"	3	0.01
508 = Nitrous oxide, "whippets," dentist gas	11	0.02
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	1	0.00
539 = Scotch-Gard.....	1	0.00
592 = Computer air duster, computer cleaner, dust-off	3	0.01
599 = Potpourri.....	1	0.00
601 = LSD ("acid")	42	0.07
602 = Peyote	3	0.01
603 = Mescaline.....	3	0.01
604 = Psilocybin (mushrooms), sclerotia, shrooms	53	0.09
605 = PCP ("angel dust," phencyclidine)	2	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	2	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	77	0.13
609 = Jimson weed	1	0.00
612 = Happy stick, sherm, sherman, shermstick	1	0.00
614 = MDA, Methyleneoxy amphetamine	3	0.01
616 = DET, Dimethyltryptamine, DMT	8	0.01
617 = Morning glory seeds, morning glory tendrils, ricea.....	5	0.01
618 = Acid paper, blotter (acid)	1	0.00
622 = Microdot(s), green microdot, purple microdot	4	0.01
625 = Window, window pane, 4-way pane, 4-way	2	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	3	0.01
636 = DOM, STP	1	0.00
637 = Purple haze	2	0.00
639 = Nutmeg, Mace.....	6	0.01
648 = Designer drugs	1	0.00
650 = Datura stramonium, daytura, thorn apple	3	0.01
658 = Special K, Ketamine	1	0.00
660 = Bufotenin, toad, toad licking	2	0.00
673 = Orange	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	30	0.05
703 = Opium, otherwise unspecified.....	2	0.00
802 = THC, cannabinol, marinol, tetrahydrocannabinol	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	4	0.01
804 = Hashish	1	0.00
809 = Pills.....	1	0.00
818 = Nicotine	1	0.00
829 = Robitussin DM <OTC>	5	0.01
852 = Formaldehyde, wak, whack (embalming fluid).....	1	0.00
857 = Wicki stick	1	0.00
883 = Dextromethorphan hydrobromide <OTC>	10	0.02
885 = Drixoral <OTC>	1	0.00
900 = Not a drug	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	3	0.01
1501 = Zolpidem.....	1	0.00
3051 = Betel nut, betlenut	1	0.00
3052 = Speed, otherwise unspecified	1	0.00
3116 = MCAT, Mephedrone	1	0.00
4046 = Oxycodone	1	0.00
5053 = Electrical parts cleaner, electronics cleaner	1	0.00
6005 = Sassafras, sassafras tea	7	0.01
6008 = 8-Ball	1	0.00
6029 = DXM	22	0.04
6043 = Diviner's sage, Salvia divinorum.....	1	0.00
6048 = Dex	1	0.00
6056 = Wet	1	0.00
6062 = Madderwort, wormwood	1	0.00
6074 = LSA	14	0.02
6077 = San Pedro.....	2	0.00

HALLUCINOGENS

6083 = CCC, "Triple C," C3 <OTC>.....	8	0.01
6087 = Ibogaine	1	0.00
6088 = Brugmansia.....	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	1	0.00
6102 = Absinthe.....	3	0.01
6103 = Ayahuasca, Yahe	25	0.04
6114 = Molly, not otherwise specified.....	1	0.00
6118 = Adrenochrome	1	0.00
6121 = Cactus, specifically not peyote.....	2	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	16	0.03
6127 = Skittles	1	0.00
6138 = 2C-E, 2,5-Dimethoxy-4-ethyl-phenethylamine.....	13	0.02
6141 = DPT, Dipropyltryptamine	2	0.00
6146 = 5-MeO, otherwise unspecified	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	5	0.01
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	2	0.00
6181 = 4-HO-MET, 4-Hydroxy-N-methyl-N-ethyltryptamine.....	1	0.00
6182 = 2C-P, 4-Propyl-2,5-dimethoxyphenethylamine.....	6	0.01
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-Cl, Cimbi-5.....	15	0.03
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
6203 = NBOMe; otherwise unspecified	5	0.01
6206 = Blue Egyptian lotus, blue lotus	1	0.00
6209 = 1P-LSD.....	1	0.00
6220 = ETH-LAD.....	2	0.00
6225 = DCK, Deschloroketamine	1	0.00
6228 = Synthetic hallucinogen; otherwise unspecified	1	0.00
6232 = 2-FDCK, 2-Fluorodeschloroketamine, Fluoroketamine	1	0.00
6237 = Datura inoxia	1	0.00
8012 = Coricidin <OTC>	4	0.01
8058 = Cough medicine/syrup, type unspecified	4	0.01
8110 = Over-the-counter drug/pills, type unspecified.....	1	0.00
8202 = Intal, Nasalcrom.....	1	0.00
8214 = Robo, robo tripping.....	2	0.00
8237 = Kratom.....	1	0.00
8280 = Mucinex-DM <OTC>	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	16	0.03
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8315 = Synthetic cannabis, otherwise unspecified	2	0.00
8379 = Dabs/dabbing	1	0.00
8381 = Vapor/vape juice; route of use unspecified	1	0.00
8389 = CBD oil, Hemp oil (not marijuana) <OTC>.....	2	0.00
8446 = Edibles, not otherwise specified.....	1	0.00
8545 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	2	0.00
9985 = BAD DATA Logically assigned	11	0.02
9991 = NEVER USED HALLUCINOGENS	48915	84.29
9997 = REFUSED	21	0.04
9998 = BLANK (NO ANSWER).....	117	0.20
9999 = LEGITIMATE SKIP.....	8412	14.49

HALLUCINOGENS

(LS01SC2)
HALLUCOT2

Len : 4 OTHER HALLUCINOGEN - SPECIFY 2

	Freq	Pct
187 = Belladonna plant/flower/root, deadly nightshade	1	0.00
209 = Xanax.....	1	0.00
423 = Percocet	1	0.00
504 = Shoeshine liquid, glue, or toluene	3	0.01
507 = Halothane, ether, or other anesthetics; chloroform.....	1	0.00
508 = Nitrous oxide, "whippets," dentist gas.....	4	0.01
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	1	0.00
601 = LSD ("acid")	2	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	6	0.01
605 = PCP ("angel dust," phencyclidine)	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	21	0.04
614 = MDA, Methylenedioxy amphetamine	1	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	3	0.01
618 = Acid paper, blotter (acid)	1	0.00
622 = Microdot(s), green microdot, purple microdot	1	0.00
625 = Window, window pane, 4-way pane, 4-way	1	0.00
637 = Purple haze	1	0.00
650 = Datura stramonium, daytura, thorn apple.....	3	0.01
678 = Banana peels	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	4	0.01
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
805 = Cocaine, coca, cocaine, coke, perico	1	0.00
809 = Pills.....	1	0.00
829 = Robitussin DM <OTC>	2	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	3	0.01
1001 = Benadryl, Diphenhydramine <OTC>.....	1	0.00
3017 = Dayquil <OTC>	1	0.00
3023 = Adderall	1	0.00
5053 = Electrical parts cleaner, electronics cleaner.....	1	0.00
6005 = Sassafras, sassafras tea.....	1	0.00
6029 = DXM.....	8	0.01
6061 = 5-MeO-DMT.....	1	0.00
6074 = LSA	3	0.01
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
6088 = Brugmansia	1	0.00
6100 = 2C-T-7, T7, blue mystic	1	0.00
6103 = Ayahuasca, Yahe	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	6	0.01
6132 = Amanita mushrooms, fly agaric, muscimol.....	1	0.00
6137 = Harmaline	1	0.00
6138 = 2C-E, 2,5-Dimethoxy-4-ethyl-phenethylamine	6	0.01
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	1	0.00
6182 = 2C-P, 4-Propyl-2,5-dimethoxyphenethylamine.....	2	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-Cl, Cimbi-5.....	9	0.02
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	3	0.01
6202 = 4-Acetoxy-MET, 4-AcO-MET, Metacetin.....	1	0.00
6220 = ETH-LAD	1	0.00
6225 = DCK, Deschloroketamine	1	0.00
8012 = Coricidin <OTC>	1	0.00
8058 = Cough medicine/syrup, type unspecified	3	0.01
8137 = 5-HTP, 5-hydroxytryptophan <OTC>.....	1	0.00
8237 = Kratom	2	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8315 = Synthetic cannabis, otherwise unspecified	1	0.00
8381 = Vapor/vape juice; route of use unspecified	1	0.00
8389 = CBD oil, Hemp oil (not marijuana) <OTC>.....	1	0.00
8427 = Energy drink; product unspecified	1	0.00
8430 = Batrachotoxin; source unspecified	1	0.00
8545 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	1	0.00
9985 = BAD DATA Logically assigned	12	0.02
9991 = NEVER USED HALLUCINOGENS	48915	84.29
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER).....	550	0.95
9999 = LEGITIMATE SKIP.....	8412	14.49

HALLUCINOGENS

(LS01SC3)
HALLUCOT3

Len : 4 OTHER HALLUCINOGEN - SPECIFY 3

	Freq	Pct
508 = Nitrous oxide, "whippets," dentist gas	2	0.00
520 = Old paint, paint	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	8	0.01
614 = MDA, Methylenedioxy amphetamine	3	0.01
616 = DET, Dimethyltryptamine, DMT	1	0.00
617 = Morning glory seeds, morning glory tendrils, ricea	1	0.00
618 = Acid paper, blotter (acid)	1	0.00
658 = Special K, Ketamine	1	0.00
698 = 2C-B, Bromo mescaline, Nexus	3	0.01
883 = Dextromethorphan hydrobromide <OTC>.....	1	0.00
6071 = Sinicuichi	1	0.00
6074 = LSA	3	0.01
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	5	0.01
6130 = 5-MeO-DiPT, foxy methoxy	1	0.00
6134 = Anadenanthera colubrina, cohoba, vilca	1	0.00
6138 = 2C-E, 2,5-Dimethoxy-4-ethyl-phenethylamine.....	5	0.01
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	1	0.00
6200 = AL-LAD, 6-allyl-6-nor-LSD.....	1	0.00
6203 = NBOMe; otherwise unspecified	1	0.00
6225 = DCK, Deschloroketamine	1	0.00
6229 = LSD analogue; otherwise unspecified	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8301 = Bath salts/synthetic cathinone; otherwise unspcfd	1	0.00
8546 = Scopolamine	1	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED HALLUCINOGENS	48915	84.29
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER).....	649	1.12
9999 = LEGITIMATE SKIP.....	8412	14.49

(LS01SC4)
HALLUCOT4

Len : 4 OTHER HALLUCINOGEN - SPECIFY 4

	Freq	Pct
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	4	0.01
624 = Orange sunshine, sunshine, yellow sunshine.....	1	0.00
648 = Designer drugs	1	0.00
4502 = Norco	1	0.00
6074 = LSA	1	0.00
6100 = 2C-T-7, T7, blue mystic	2	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	1	0.00
6135 = 5-MeO-AMT	1	0.00
6138 = 2C-E, 2,5-Dimethoxy-4-ethyl-phenethylamine.....	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-Cl, Cimbi-5	2	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8368 = alpha-PVP, alpha-Pyrrolidinopentiophenone	1	0.00
9985 = BAD DATA Logically assigned	2	0.00
9991 = NEVER USED HALLUCINOGENS	48915	84.29
9997 = REFUSED	8	0.01
9998 = BLANK (NO ANSWER).....	680	1.17
9999 = LEGITIMATE SKIP.....	8412	14.49

HALLUCINOGENS

(LS01SC5)
HALLUCOTS

Len : 4 OTHER HALLUCINOGEN - SPECIFY 5

		Freq	Pct
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....		1	0.00
648 = Designer drugs		1	0.00
806 = Crack, rock.....		1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....		1	0.00
6061 = 5-MeO-DMT.....		1	0.00
6074 = LSA		1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....		1	0.00
6140 = MiPT, N-methyl-N-isopropyltryptamine		1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb		1	0.00
6209 = 1P-LSD.....		1	0.00
9991 = NEVER USED HALLUCINOGENS		48915	84.29
9997 = REFUSED		9	0.02
9998 = BLANK (NO ANSWER).....		688	1.19
9999 = LEGITIMATE SKIP.....		8412	14.49

How old were you the first time you used [LSFILL]?

(LS02)
HALLUCAGE

Len : 3 AGE WHEN FIRST USED HALLUCINOGENS

		Freq	Pct
RANGE = 1 - 68.....		8898	15.33
985 = BAD DATA Logically assigned		19	0.03
991 = NEVER USED HALLUCINOGENS		48915	84.29
994 = DON'T KNOW		49	0.08
997 = REFUSED		25	0.04
998 = BLANK (NO ANSWER).....		128	0.22

(DMTAMTFXY, ECSTMOLLY, HALLUCOTH, KETMINESK, LSD, MESC, PCP, PEYOTE, PSILCY, SALVIADIV)
HALLUCEVR Len : 2 EVER USED HALLUCINOGENS

		Freq	Pct
1 = Yes.....		8989	15.49
91 = NEVER USED HALLUCINOGENS		48915	84.29
97 = REFUSED		2	0.00
98 = BLANK (NO ANSWER).....		128	0.22

Did you first use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use [LSFILL]?

(LS03A, LS03B, LS03C)

HALLUCYFU

Len : 4 YEAR OF FIRST HALLUCINOGEN USE - RECODE

		Freq	Pct
RANGE = 2019 - 2021		709	1.22
9985 = BAD DATA Logically assigned		51	0.09
9989 = LEGITIMATE SKIP Logically assigned.....		120	0.21
9991 = NEVER USED HALLUCINOGENS		48915	84.29
9994 = DON'T KNOW		50	0.09
9997 = REFUSED		26	0.04
9998 = BLANK (NO ANSWER).....		129	0.22
9999 = LEGITIMATE SKIP.....		8034	13.84

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use [LSFILL]?

In what month in [YEAR FROM LS03a or LS03b] did you first use [LSFILL]?

(LS03C, LS03D)
HALLUCMFU

Len : 2 MONTH OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
1 = January.....	65	0.11
2 = February.....	33	0.06
3 = March.....	78	0.13
4 = April	50	0.09
5 = May.....	43	0.07
6 = June.....	73	0.13
7 = July	89	0.15
8 = August	55	0.09
9 = September	36	0.06
10 = October	59	0.10
11 = November	50	0.09
12 = December.....	49	0.08
85 = BAD DATA Logically assigned	51	0.09
89 = LEGITIMATE SKIP Logically assigned	120	0.21
91 = NEVER USED HALLUCINOGENS	48915	84.29
94 = DON'T KNOW	74	0.13
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	129	0.22
99 = LEGITIMATE SKIP.....	8034	13.84

How long has it been since you last used [LSFILL]?

(LSLAST, LSRECDK, LSRECRE)

HALLUCREC

Len : 2 TIME SINCE LAST USED HALLUCINOGENS

	Freq	Pct
1 = Within the past 30 days.....	514	0.89
2 = More than 30 days ago but within the past 12 mos	1417	2.44
3 = More than 12 months ago	6885	11.86
8 = Used at some point in the past 12 mos LOG ASSN.....	48	0.08
9 = Used at some point in lifetime LOG ASSN	96	0.17
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	14	0.02
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	14	0.02
13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED HALLUCINOGENS	48915	84.29
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	128	0.22

(TOTALL)

HALLUCYFQ

Len : 3 TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	1964	3.38
985 = BAD DATA Logically assigned	12	0.02
991 = NEVER USED HALLUCINOGENS	48915	84.29
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
994 = DON'T KNOW	9	0.02
997 = REFUSED	4	0.01
998 = BLANK (NO ANSWER).....	244	0.42

HALTOTFG

Len : 2 TRIMMING INDICATOR FOR HALLUCYFQ

	Freq	Pct
2 = Trimmed relative to the 30-day freq	2	0.00
98 = BLANK (NO ANSWER)	58032	100.0

HALFQFLG

Len : 2 TRIMMED HALLUCYFQ IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	62	0.11
98 = BLANK (NO ANSWER)	57972	99.89

HALLUCINOGENS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(LSFRAME3, LSFRAME4, LSFRAME5, LSFRAME6)

HALLEASWY Len : 2 EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN

	Freq	Pct
1 = Prefer to answer in days per week.....	125	0.22
2 = Prefer to answer in days per month.....	246	0.42
3 = Prefer to answer in days per year	1590	2.74
11 = Prefer to ans in days per wk LOG ASSN	1	0.00
12 = Prefer to ans in days per mo LOG ASSN	2	0.00
13 = Prefer to ans in days per yr LOG ASSN	12	0.02
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	244	0.42

On how many days in the past 12 months did you use [LSFILL]?

(LSYRAV2, LSYRAV3, LSYRAV4, LSYRAVE)

HALLDYSYR Len : 3 # DAYS USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	1599	2.76
985 = BAD DATA Logically assigned	11	0.02
989 = LEGITIMATE SKIP Logically assigned	4	0.01
991 = NEVER USED HALLUCINOGENS	48915	84.29
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
994 = DON'T KNOW	5	0.01
998 = BLANK (NO ANSWER).....	244	0.42
999 = LEGITIMATE SKIP.....	370	0.64

On average, how many days did you use [LSFILL] each month during the past 12 months?

(LSMONAV2, LSMONAV3, LSMONAV4, LSMONAVE)

HALLDYPMO Len : 2 # DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30	247	0.43
85 = BAD DATA Logically assigned	2	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
94 = DON'T KNOW	6	0.01
98 = BLANK (NO ANSWER)	254	0.44
99 = LEGITIMATE SKIP.....	1723	2.97

On average, how many days did you use [LSFILL] each week during the past 12 months?

(LSWKAV2, LSWKAV3, LSWKAV4, LSWKAVE)

HALLDYPWK Len : 2 # DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	119	0.21
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
94 = DON'T KNOW	9	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	253	0.44
99 = LEGITIMATE SKIP.....	1845	3.18

HALLUCINOGENS

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?

(LS04, LS30, LS31, LS32)

HALLUC30N Len : 2 # DAYS USED HALLUCINOGEN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	517	0.89
85 = BAD DATA Logically assigned	23	0.04
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	8317	14.33
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	260	0.45

What is your best estimate of the number of days you used [LSFILL] during the past 30 days?

(LS04DKRE, LS30DKRE, LS31DKRE, LS32DKRE)

HALLUC30E Len : 2 BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	1	0.00
6 = All 30 days.....	1	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	8317	14.33
98 = BLANK (NO ANSWER)	281	0.48
99 = LEGITIMATE SKIP.....	517	0.89

Now think only about LSD. How old were you the first time you used LSD?

(LS05)

LSDAGE Len : 3 AGE WHEN FIRST USED LSD

	Freq	Pct
RANGE = 1 - 53	5328	9.18
985 = BAD DATA Logically assigned	10	0.02
991 = NEVER USED LSD	52604	90.64
994 = DON'T KNOW	39	0.07
997 = REFUSED	16	0.03
998 = BLANK (NO ANSWER).....	37	0.06

Did you first use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use LSD in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use LSD?

(LS06, LS07, LS08)

LSDYFU Len : 4 YEAR OF FIRST LSD USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	428	0.74
9985 = BAD DATA Logically assigned	19	0.03
9989 = LEGITIMATE SKIP Logically assigned	14	0.02
9991 = NEVER USED LSD	52604	90.64
9994 = DON'T KNOW	40	0.07
9997 = REFUSED	18	0.03
9998 = BLANK (NO ANSWER).....	42	0.07
9999 = LEGITIMATE SKIP.....	4869	8.39

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use LSD?

In what month in [YEAR FROM LS06 or LS07] did you first use LSD?

(LS08, LS09)
LSDMFU

Len : 2 MONTH OF FIRST LSD USE - RECODE

	Freq	Pct
1 = January.....	42	0.07
2 = February.....	27	0.05
3 = March.....	41	0.07
4 = April	34	0.06
5 = May.....	28	0.05
6 = June.....	36	0.06
7 = July	48	0.08
8 = August	31	0.05
9 = September	20	0.03
10 = October	40	0.07
11 = November	28	0.05
12 = December.....	25	0.04
85 = BAD DATA Logically assigned	23	0.04
89 = LEGITIMATE SKIP Logically assigned	14	0.02
91 = NEVER USED LSD	52604	90.64
94 = DON'T KNOW	59	0.10
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	42	0.07
99 = LEGITIMATE SKIP.....	4869	8.39

How long has it been since you last used LSD?

(LS10)
LSDREC

Len : 2 TIME SINCE LAST USED LSD

	Freq	Pct
1 = Within the past 30 days.....	150	0.26
2 = More than 30 days ago but within the past 12 mos	616	1.06
3 = More than 12 months ago	4570	7.87
8 = Used at some point in the past 12 mos LOG ASSN.....	17	0.03
9 = Used at some point in the lifetime LOG ASSN.....	49	0.08
11 = Used in the past 30 days LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED LSD	52604	90.64
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	25	0.04

Now think only about PCP. How old were you the first time you used PCP?

(LS11)
PCPAGE

Len : 3 AGE WHEN FIRST USED PCP

	Freq	Pct
RANGE = 1 - 64.....	799	1.38
985 = BAD DATA Logically assigned	2	0.00
991 = NEVER USED PCP.....	57187	98.54
994 = DON'T KNOW	14	0.02
997 = REFUSED	9	0.02
998 = BLANK (NO ANSWER).....	23	0.04

HALLUCINOGENS

Did you first use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use PCP in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use PCP?

(LS12, LS13, LS14)

PCPYFU Len : 4 YEAR OF FIRST PCP USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	20	0.03
9985 = BAD DATA Logically assigned	4	0.01
9989 = LEGITIMATE SKIP Logically assigned	3	0.01
9991 = NEVER USED PCP.....	57187	98.54
9994 = DON'T KNOW	14	0.02
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER).....	23	0.04
9999 = LEGITIMATE SKIP.....	774	1.33

In what month in [CURRENT YEAR] did you first use PCP?

In what month in [YEAR FROM LS12 or LS13] did you first use PCP?

(LS14, LS15)

PCPMFU Len : 2 MONTH OF FIRST PCP USE - RECODE

	Freq	Pct
1 = January.....	3	0.01
2 = February.....	3	0.01
3 = March.....	2	0.00
4 = April	1	0.00
5 = May.....	1	0.00
6 = June.....	1	0.00
7 = July	3	0.01
9 = September.....	2	0.00
11 = November.....	1	0.00
12 = December.....	1	0.00
85 = BAD DATA Logically assigned	5	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.01
91 = NEVER USED PCP.....	57187	98.54
94 = DON'T KNOW	15	0.03
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	23	0.04
99 = LEGITIMATE SKIP.....	774	1.33

How long has it been since you last used PCP?

(LS16)

PCPREC Len : 2 TIME SINCE LAST USED PCP

	Freq	Pct
1 = Within the past 30 days.....	12	0.02
2 = More than 30 days ago but within the past 12 mos	19	0.03
3 = More than 12 months ago	780	1.34
8 = Used at some point in the past 12 mos LOG ASSN.....	4	0.01
9 = Used at some point in the lifetime LOG ASSN.....	8	0.01
91 = NEVER USED PCP.....	57187	98.54
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	22	0.04

Now think only about 'Ecstasy' or 'Molly.' How old were you the first time you used 'Ecstasy' or 'Molly,' also known as MDMA?

(LS17)

ECSTMOAGE Len : 3 AGE WHEN FIRST USED ECSTASY OR MOLLY

	Freq	Pct
RANGE = 2 - 68	4537	7.82
985 = BAD DATA Logically assigned	9	0.02
991 = NEVER USED ECSTASY OR MOLLY.....	53435	92.08
994 = DON'T KNOW	14	0.02
997 = REFUSED	14	0.02
998 = BLANK (NO ANSWER).....	25	0.04

HALLUCINOGENS

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

(LS18, LS19, LS20)

ECSTMOYFU Len : 4 YEAR OF FIRST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	266	0.46
9985 = BAD DATA Logically assigned	21	0.04
9989 = LEGITIMATE SKIP Logically assigned	18	0.03
9991 = NEVER USED ECSTASY OR MOLLY	53435	92.08
9994 = DON'T KNOW	15	0.03
9997 = REFUSED	15	0.03
9998 = BLANK (NO ANSWER)	31	0.05
9999 = LEGITIMATE SKIP	4233	7.29

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

In what month in [YEAR FROM LS18 or LS19] did you first use 'Ecstasy' or 'Molly'?

(LS20, LS21)

ECSTMOMFU Len : 2 MONTH OF FIRST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
1 = January	29	0.05
2 = February	20	0.03
3 = March	22	0.04
4 = April	22	0.04
5 = May	9	0.02
6 = June	23	0.04
7 = July	26	0.04
8 = August	23	0.04
9 = September	14	0.02
10 = October	23	0.04
11 = November	23	0.04
12 = December	21	0.04
85 = BAD DATA Logically assigned	21	0.04
89 = LEGITIMATE SKIP Logically assigned	18	0.03
91 = NEVER USED ECSTASY OR MOLLY	53435	92.08
94 = DON'T KNOW	25	0.04
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	31	0.05
99 = LEGITIMATE SKIP	4233	7.29

How long has it been since you last used 'Ecstasy' or 'Molly,' also known as MDMA?

(LS22)

ECSTMOREC Len : 2 TIME SINCE LAST USED ECSTASY OR MOLLY

	Freq	Pct
1 = Within the past 30 days	130	0.22
2 = More than 30 days ago but within the past 12 mos	412	0.71
3 = More than 12 months ago	3994	6.88
8 = Used at some point in the past 12 mos LOG ASSN	5	0.01
9 = Used at some point in the lifetime LOG ASSN	34	0.06
91 = NEVER USED ECSTASY OR MOLLY	53435	92.08
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	22	0.04

HALLUCINOGENS

How long has it been since you last used Ketamine?

<i>(LS33)</i> <u>KETMINREC</u>	Len : 2 TIME SINCE LAST USED KETAMINE	Freq	Pct
1 = Within the past 30 days.....		36	0.06
2 = More than 30 days ago but within the past 12 mos		113	0.19
3 = More than 12 months ago		811	1.40
8 = Used at some point in the past 12 mos LOG ASSN.....		1	0.00
9 = Used at some point in the lifetime LOG ASSN.....		6	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....		4	0.01
91 = NEVER USED KETAMINE		57021	98.25
97 = REFUSED		5	0.01
98 = BLANK (NO ANSWER)		37	0.06

How long has it been since you last used DMT, AMT or Foxy?

<i>(LS34)</i> <u>DAMTFXREC</u>	Len : 2 TIME SINCE LAST USED DMT/AMT/FOXY	Freq	Pct
1 = Within the past 30 days.....		25	0.04
2 = More than 30 days ago but within the past 12 mos		128	0.22
3 = More than 12 months ago		661	1.14
9 = Used at some point in the lifetime LOG ASSN.....		6	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....		1	0.00
91 = NEVER USED DMT/AMT/FOXY		57167	98.51
97 = REFUSED		6	0.01
98 = BLANK (NO ANSWER)		40	0.07

How long has it been since you last used Salvia divinorum?

<i>(LS35)</i> <u>SALVIAREC</u>	Len : 2 TIME SINCE LAST USED SALVIA DIVINORUM	Freq	Pct
1 = Within the past 30 days.....		8	0.01
2 = More than 30 days ago but within the past 12 mos		21	0.04
3 = More than 12 months ago		1129	1.95
9 = Used at some point in the lifetime LOG ASSN.....		4	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....		1	0.00
91 = NEVER USED SALVIA DIVINORUM		56820	97.91
97 = REFUSED		5	0.01
98 = BLANK (NO ANSWER)		46	0.08

INHALANTS

INHALANTS

These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good.

We are not interested in times when you inhaled a substance accidentally — such as when painting, cleaning an oven, or filling a car with gasoline. The questions use the word 'inhalant' to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.

Amyl nitrite, 'poppers,' locker room odorizers, or 'rush'
 Correction fluid, degreaser, or cleaning fluid
 Gasoline or lighter fluid
 Glue, shoe polish, or toluene
 Halothane, ether, or other anesthetics
 Lacquer thinner, or other paint solvents
 Lighter gases, such as butane or propane
 Nitrous oxide or 'whippets'
 Felt-tip pens, felt-tip markers, or magic markers
 Spray paints
 Computer keyboard cleaner, also known as air duster
 Other aerosol sprays

Have you ever, even once, inhaled amyl nitrite, 'poppers,' locker room odorizers, or 'rush' for kicks or to get high?

(IN01A)
AMYLNIT

Len : 2 EVER INHALED AMYL NITRITE, 'POPPERS,' RUSH, ETC.

	Freq	Pct
1 = Yes.....	1363	2.35
2 = No.....	4372	7.53
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED INHALANTS	52267	90.06
94 = DON'T KNOW	29	0.05
97 = REFUSED	1	0.00

Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?

(IN01B)
CLEFLU

Len : 2 EVER INHALED CORRECTION FLUID, DEGREASER, ETC.

	Freq	Pct
1 = Yes.....	351	0.60
2 = No.....	5385	9.28
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED INHALANTS	52267	90.06
94 = DON'T KNOW	27	0.05
97 = REFUSED	2	0.00

Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?

(IN01C)
GAS

Len : 2 EVER INHALED GASOLINE OR LIGHTER FLUID

	Freq	Pct
1 = Yes.....	706	1.22
2 = No.....	5035	8.68
91 = NEVER USED INHALANTS	52267	90.06
94 = DON'T KNOW	20	0.03
97 = REFUSED	6	0.01

Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?

(IN01D)
GLUE

Len : 2 EVER INHALED GLUE, SHOE POLISH, OR TOLUENE

	Freq	Pct
1 = Yes.....	714	1.23
2 = No.....	5022	8.65
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED INHALANTS	52267	90.06
94 = DON'T KNOW	24	0.04
97 = REFUSED	5	0.01

INHALANTS

Have you ever, even once, inhaled halothane, ether, or other anesthetics for kicks or to get high?

<i>(IN01E)</i>	<i>ETHER</i>	Len : 2 EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC	Freq	Pct
		1 = Yes.....	152	0.26
		2 = No.....	5590	9.63
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED INHALANTS	52267	90.06
		94 = DON'T KNOW	18	0.03
		97 = REFUSED	6	0.01

Have you ever, even once, inhaled lacquer thinner or other paint solvents for kicks or to get high?

<i>(IN01F)</i>	<i>SOLVENT</i>	Len : 2 EVER INHADED LACQUER THINNER, OTHER PAINT SOLVENTS	Freq	Pct
		1 = Yes.....	290	0.50
		2 = No.....	5459	9.41
		91 = NEVER USED INHALANTS	52267	90.06
		94 = DON'T KNOW	16	0.03
		97 = REFUSED	2	0.00

Have you ever, even once, inhaled lighter gases, such as butane or propane for kicks or to get high?

<i>(IN01G)</i>	<i>LGAS</i>	Len : 2 EVER INHADED LIGHTER GASES (BUTANE, PROPANE)	Freq	Pct
		1 = Yes.....	194	0.33
		2 = No.....	5561	9.58
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED INHALANTS	52267	90.06
		94 = DON'T KNOW	9	0.02
		97 = REFUSED	2	0.00

Have you ever, even once, inhaled nitrous oxide or 'whippets' for kicks or to get high?

<i>(IN01H)</i>	<i>NITOXID</i>	Len : 2 EVER INHADED NITROUS OXIDE OR 'WHIPPETS'	Freq	Pct
		1 = Yes.....	2516	4.34
		2 = No.....	3235	5.57
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		91 = NEVER USED INHALANTS	52267	90.06
		94 = DON'T KNOW	11	0.02
		97 = REFUSED	1	0.00

Have you ever, even once, inhaled felt-tip pens, felt-tip markers, or magic markers for kicks or to get high?

<i>(IN01HI)</i>	<i>FELTMARKR</i>	Len : 2 EVER INHADED FELT-TIP PENS/MARKERS	Freq	Pct
		1 = Yes.....	2046	3.53
		2 = No.....	3659	6.30
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		91 = NEVER USED INHALANTS	52267	90.06
		94 = DON'T KNOW	50	0.09
		97 = REFUSED	6	0.01

INHALANTS

Have you ever, even once, inhaled spray paints for kicks or to get high?

<i>(IN01I)</i>	<u>SPPAINT</u>	Len : 2 EVER INHALED SPRAY PAINTS	Freq	Pct
		1 = Yes.....	466	0.80
		2 = No.....	5281	9.10
		91 = NEVER USED INHALANTS	52267	90.06
		94 = DON'T KNOW	15	0.03
		97 = REFUSED	5	0.01

Have you ever, even once, inhaled computer keyboard cleaner, also known as air duster, for kicks or to get high?

<i>(IN01II)</i>	<u>AIRDUSTER</u>	Len : 2 EVER INHALED COMPUTER KEYBOARD CLEANER/AIR DUSTER	Freq	Pct
		1 = Yes.....	705	1.21
		2 = No.....	5041	8.69
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED INHALANTS	52267	90.06
		94 = DON'T KNOW	18	0.03
		97 = REFUSED	2	0.00

Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?

<i>(IN01J)</i>	<u>OTHAEROS</u>	Len : 2 EVER INHALED OTHER AEROSOL SPRAYS	Freq	Pct
		1 = Yes.....	287	0.49
		2 = No.....	5449	9.39
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		91 = NEVER USED INHALANTS	52267	90.06
		94 = DON'T KNOW	23	0.04
		97 = REFUSED	3	0.01

Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?

<i>(IN01L)</i>	<u>INHALOTH</u>	Len : 2 EVER USED OTHER INHALANTS	Freq	Pct
		1 = Yes.....	221	0.38
		2 = No.....	5514	9.50
		91 = NEVER USED INHALANTS	52267	90.06
		94 = DON'T KNOW	25	0.04
		97 = REFUSED	7	0.01

INHALANTS

(IN01SC1)
INHALOT1

Len : 4 OTHER INHALANT - SPECIFY 1

	Freq	Pct
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
327 = Black beauties, black beauty.....	1	0.00
377 = Albuterol.....	2	0.00
501 = Gasoline or lighter fluids.....	4	0.01
503 = Other aerosol sprays.....	14	0.02
504 = Shoeshine liquid, glue, or toluene	3	0.01
506 = Amyl nitrite,"poppers,"locker room odorizer,"rush"	8	0.01
507 = Halothane, ether, or other anesthetics; chloroform.....	3	0.01
508 = Nitrous oxide, "whippets," dentist gas	5	0.01
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	22	0.04
511 = Markers, felt-tip pens, ink pens.....	11	0.02
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	19	0.03
518 = Acetone, nail polish remover	5	0.01
519 = Helium.....	18	0.03
520 = Old paint, paint	2	0.00
523 = Matches.....	1	0.00
524 = White-Out	3	0.01
526 = Nail polish.....	2	0.00
528 = Whipped-cream can	7	0.01
529 = Moth balls.....	1	0.00
531 = Candy, powdered candy, sugar	3	0.01
534 = Deodorant	1	0.00
537 = Air horn, canned air horn, condensed horn	2	0.00
539 = Scotch-Gard.....	5	0.01
540 = PAM	3	0.01
542 = Brasso, lens cleaner, spirits of ammonia	4	0.01
543 = Liquid oxygen, oxygen	2	0.00
546 = Leather or suede protector, aerosol unspecified	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	5	0.01
551 = Oven cleaner	1	0.00
592 = Computer air duster, computer cleaner, dust-off.....	1	0.00
599 = Potpourri.....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	5	0.01
818 = Nicotine	2	0.00
900 = Not a drug	1	0.00
5004 = Ink print, paper.....	1	0.00
5021 = Octane booster	2	0.00
5030 = Polyurethane spray.....	1	0.00
5042 = Fuels other than gasoline.....	1	0.00
5043 = Carbona.....	1	0.00
5045 = Cleaner, not otherwise specified	2	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	6	0.01
5053 = Electrical parts cleaner, electronics cleaner.....	1	0.00
5069 = Febreze	1	0.00
5104 = Shoe cleaner, otherwise unspecified	1	0.00
5151 = Dichloromethane.....	1	0.00
5152 = Sawdust.....	1	0.00
5153 = Breaking Styrofoam (to release gas)	1	0.00
5154 = Latex/latex glove.....	1	0.00
5157 = Spam in a plastic bag	1	0.00
5158 = Alcohol dye.....	1	0.00
5172 = Shampoo	2	0.00
6222 = Jenekem, Jenkem	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator	3	0.01
8056 = Vicks VapoRub/inhaler <OTC>	3	0.01
8379 = Dabs/dabbing	1	0.00
8381 = Vapor/vape juice; route of use unspecified	2	0.00
8446 = Edibles, not otherwise specified.....	1	0.00
9985 = BAD DATA Logically assigned	6	0.01
9991 = NEVER USED INHALANTS	52267	90.06
9997 = REFUSED	16	0.03
9998 = BLANK (NO ANSWER).....	25	0.04
9999 = LEGITIMATE SKIP.....	5514	9.50

INHALANTS

(IN01SC2)
INHALOT2

Len : 4 OTHER INHALANT - SPECIFY 2

	Freq	Pct
377 = Albuterol.....	1	0.00
503 = Other aerosol sprays.....	3	0.01
508 = Nitrous oxide, "whippits," dentist gas	2	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	5	0.01
519 = Helium	1	0.00
520 = Old paint, paint	1	0.00
521 = Propane	1	0.00
526 = Nail polish.....	1	0.00
528 = Whipped-cream can	1	0.00
534 = Deodorant	1	0.00
539 = Scotch-Gard.....	1	0.00
542 = Brasso, lens cleaner, spirits of ammonia	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	1	0.00
560 = Dishwashing detergent, laundry detergent, soap	1	0.00
573 = Furniture polish.....	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	1	0.00
5042 = Fuels other than gasoline.....	1	0.00
5043 = Carbona.....	1	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	2	0.00
5053 = Electrical parts cleaner, electronics cleaner.....	1	0.00
5076 = Water/stain repellant, type unspecified	1	0.00
5155 = Levmetamfetamine <OTC>	1	0.00
6222 = Jenkem	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	1	0.00
8373 = Electronic cigarette	1	0.00
8381 = Vapor/vape juice; route of use unspecified	1	0.00
9985 = BAD DATA Logically assigned	4	0.01
9991 = NEVER USED INHALANTS	52267	90.06
9997 = REFUSED	8	0.01
9998 = BLANK (NO ANSWER).....	205	0.35
9999 = LEGITIMATE SKIP.....	5514	9.50

(IN01SC3)
INHALOT3

Len : 4 OTHER INHALANT - SPECIFY 3

	Freq	Pct
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	5	0.01
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	2	0.00
528 = Whipped-cream can	1	0.00
539 = Scotch-Gard.....	1	0.00
5001 = Bleach	1	0.00
5156 = Liquid air	1	0.00
9991 = NEVER USED INHALANTS	52267	90.06
9997 = REFUSED	8	0.01
9998 = BLANK (NO ANSWER).....	234	0.40
9999 = LEGITIMATE SKIP.....	5514	9.50

(IN01SC4)
INHALOT4

Len : 4 OTHER INHALANT - SPECIFY 4

	Freq	Pct
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	1	0.00
9991 = NEVER USED INHALANTS	52267	90.06
9997 = REFUSED	7	0.01
9998 = BLANK (NO ANSWER).....	245	0.42
9999 = LEGITIMATE SKIP.....	5514	9.50

(IN01SC5)
INHALOT5

Len : 4 OTHER INHALANT - SPECIFY 5

	Freq	Pct
9991 = NEVER USED INHALANTS	52267	90.06
9997 = REFUSED	7	0.01
9998 = BLANK (NO ANSWER).....	246	0.42
9999 = LEGITIMATE SKIP.....	5514	9.50

INHALANTS

The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of inhalant for kicks or to get high?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, FELTMARKR, SPPAINT, AIRDUSTER, OTHAEROS, or INHALOTH. This variable also was coded as 91 if all of the above variables were coded as 91.

(AIRDUSTER, AMYLNIT, CLEFLU, ETHER, FELTMARKR, GAS, GLUE, INHALOTH, INREF, LGAS, NITOXID, OTHAEROS, SOLVENT, SPPAINT)

INHALEVER Len : 2 EVER USED INHALANTS

	Freq	Pct
1 = Yes.....	5653	9.74
91 = NEVER USED INHALANTS	52267	90.06
98 = BLANK (NO ANSWER)	114	0.20

How old were you the first time you used any inhalant for kicks or to get high?

(IN02)
INHALAGE Len : 3 AGE WHEN FIRST USED INHALANTS

	Freq	Pct
RANGE = 1 - 56.....	5319	9.17
985 = BAD DATA Logically assigned	24	0.04
991 = NEVER USED INHALANTS	52267	90.06
994 = DON'T KNOW	231	0.40
997 = REFUSED	79	0.14
998 = BLANK (NO ANSWER).....	114	0.20

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

(IN03A, IN03B, IN03C)
INHALYFU Len : 4 YEAR OF FIRST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	284	0.49
9985 = BAD DATA Logically assigned	39	0.07
9989 = LEGITIMATE SKIP Logically assigned	24	0.04
9991 = NEVER USED INHALANTS	52267	90.06
9994 = DON'T KNOW	233	0.40
9997 = REFUSED	80	0.14
9998 = BLANK (NO ANSWER).....	121	0.21
9999 = LEGITIMATE SKIP.....	4986	8.59

INHALANTS

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

In what month in [YEAR FROM IN03a or IN03b] did you first use an inhalant of any kind for kicks or to get high?

(IN03C, IN03D)
INHALMFU

Len : 2 MONTH OF FIRST INHALANT USE - RECODE

	Freq	Pct
1 = January.....	13	0.02
2 = February.....	23	0.04
3 = March.....	22	0.04
4 = April	15	0.03
5 = May.....	17	0.03
6 = June.....	23	0.04
7 = July	25	0.04
8 = August	22	0.04
9 = September.....	19	0.03
10 = October	32	0.06
11 = November	28	0.05
12 = December.....	18	0.03
85 = BAD DATA Logically assigned	39	0.07
89 = LEGITIMATE SKIP Logically assigned	24	0.04
91 = NEVER USED INHALANTS	52267	90.06
94 = DON'T KNOW	258	0.44
97 = REFUSED	82	0.14
98 = BLANK (NO ANSWER)	121	0.21
99 = LEGITIMATE SKIP.....	4986	8.59

How long has it been since you last used any inhalant for kicks or to get high?

(INLAST, INRECDK, INRECRE)
INHALREC

Len : 2 TIME SINCE LAST USED INHALANTS

	Freq	Pct
1 = Within the past 30 days.....	232	0.40
2 = More than 30 days ago but within the past 12 mos	429	0.74
3 = More than 12 months ago	4876	8.40
8 = Used at some point in the past 12 mos LOG ASSN.....	12	0.02
9 = Used at some point in lifetime LOG ASSN	104	0.18
91 = NEVER USED INHALANTS	52267	90.06
98 = BLANK (NO ANSWER)	114	0.20

(TOTINHAL)
INHALYFQ

Len : 3 TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 342	645	1.11
985 = BAD DATA Logically assigned	9	0.02
991 = NEVER USED INHALANTS	52267	90.06
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
994 = DON'T KNOW	13	0.02
997 = REFUSED	6	0.01
998 = BLANK (NO ANSWER).....	218	0.38

INHTOTFG

Len : 2 TRIMMING INDICATOR FOR INHALYFQ

	Freq	Pct
2 = Trimmed relative to the 30-day freq	3	0.01
98 = BLANK (NO ANSWER)	58031	99.99

INHFQFLG

Len : 2 TRIMMED INHALYFQ IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	32	0.06
98 = BLANK (NO ANSWER)	58002	99.94

INHALANTS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.

What would be the easiest way for you to tell us how many days you've done this?

(INFRAME3)
INHEASWY

Len : 2 EASIEST WAY TO TELL US # DAYS USED INHALANTS

	Freq	Pct
1 = Prefer to answer in days per week.....	105	0.18
2 = Prefer to answer in days per month.....	151	0.26
3 = Prefer to answer in days per year	387	0.67
11 = Prefer to ans in days per wk LOG ASSN	2	0.00
12 = Prefer to ans in days per mo LOG ASSN	2	0.00
13 = Prefer to ans in days per yr LOG ASSN	11	0.02
85 = BAD DATA Logically assigned	6	0.01
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
94 = DON'T KNOW	6	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	218	0.38

On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?

(INYRAVE)
INHDYSYR

Len : 3 # DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 222	397	0.68
985 = BAD DATA Logically assigned	4	0.01
989 = LEGITIMATE SKIP Logically assigned	4	0.01
991 = NEVER USED INHALANTS	52267	90.06
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
994 = DON'T KNOW	8	0.01
997 = REFUSED	2	0.00
998 = BLANK (NO ANSWER).....	220	0.38
999 = LEGITIMATE SKIP.....	256	0.44

On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?

(INMONAVE)
INHDYPMO

Len : 2 # DAYS PER MONTH USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30	147	0.25
85 = BAD DATA Logically assigned	2	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
94 = DON'T KNOW	10	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	223	0.38
99 = LEGITIMATE SKIP.....	502	0.87

On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?

(INWKAVE)
INHDYPWK

Len : 2 # DAYS PER WEEK USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	103	0.18
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
94 = DON'T KNOW	13	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	224	0.39
99 = LEGITIMATE SKIP.....	544	0.94

INHALANTS

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

*(IN06)
INHAL30N*

Len : 2 # DAYS USED INHALANT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	225	0.39
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	5305	9.14
94 = DON'T KNOW	6	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	220	0.38

What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?

*(IN06DKRE)
INHAL30ES*

Len : 2 BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	2	0.00
2 = 3 to 5 days.....	2	0.00
3 = 6 to 9 days.....	1	0.00
5 = 20 to 29 days.....	2	0.00
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	5305	9.14
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	230	0.40
99 = LEGITIMATE SKIP.....	224	0.39

METHAMPHETAMINE

METHAMPHETAMINE

Methamphetamine, also known as crank, ice, crystal meth, speed, glass, and many other names, is a stimulant that usually comes in crystal or powder forms. It can be smoked, "snorted," swallowed or injected.

Have you ever, even once, used methamphetamine?

(ME01, MEREF)

METHAMEVR Len : 2 EVER USED METHAMPHETAMINE

	Freq	Pct
1 = Yes.....	2664	4.59
2 = No.....	55326	95.33
94 = DON'T KNOW	42	0.07
97 = REFUSED	2	0.00

How old were you the first time you used methamphetamine?

(ME02)

METHAMAGE Len : 3 AGE 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 1 - 70.....	2645	4.56
985 = BAD DATA Logically assigned	3	0.01
991 = NEVER USED METHAMPHETAMINE	55326	95.33
994 = DON'T KNOW	15	0.03
997 = REFUSED	3	0.01
998 = BLANK (NO ANSWER).....	42	0.07

Did you first use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use methamphetamine?

(ME03A, ME03B, ME03C)

METHAMYFU Len : 4 YEAR 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 2019 - 2021	74	0.13
9985 = BAD DATA Logically assigned	6	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	12	0.02
9991 = NEVER USED METHAMPHETAMINE.....	55326	95.33
9994 = DON'T KNOW	17	0.03
9997 = REFUSED	3	0.01
9998 = BLANK (NO ANSWER).....	43	0.07
9999 = LEGITIMATE SKIP.....	2553	4.40

METHAMPHETAMINE

In what month in [CURRENT YEAR] did you first use methamphetamine?

In what month in [YEAR FROM ME03a or ME03b] did you first use methamphetamine?

(ME03C, ME03D)
METHAMMFU

Len : 2 MONTH 1ST USED METHAMPHETAMINE

	Freq	Pct
1 = January.....	5	0.01
2 = February.....	9	0.02
3 = March.....	3	0.01
4 = April	7	0.01
5 = May.....	4	0.01
6 = June.....	6	0.01
7 = July	6	0.01
8 = August	7	0.01
9 = September	2	0.00
10 = October	7	0.01
11 = November	9	0.02
12 = December.....	6	0.01
85 = BAD DATA Logically assigned	6	0.01
89 = LEGITIMATE SKIP Logically assigned	12	0.02
91 = NEVER USED METHAMPHETAMINE	55326	95.33
94 = DON'T KNOW	20	0.03
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	43	0.07
99 = LEGITIMATE SKIP.....	2553	4.40

How long has it been since you last used methamphetamine?

(MELAST3, MERECDK, MERECRE)

METHAMREC

Len : 2 TIME SINCE LAST USED METHAMPHETAMINE

	Freq	Pct
1 = Within the past 30 days.....	290	0.50
2 = More than 30 days ago but within the past 12 mos	188	0.32
3 = More than 12 months ago	2169	3.74
8 = Used at some point in the past 12 mos LOG ASSN.....	10	0.02
9 = Used at some point in lifetime LOG ASSN	7	0.01
91 = NEVER USED METHAMPHETAMINE	55326	95.33
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	42	0.07

(TOTME)

METHAMYFQ

Len : 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	474	0.82
985 = BAD DATA Logically assigned	11	0.02
991 = NEVER USED METHAMPHETAMINE	55326	95.33
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2169	3.74
994 = DON'T KNOW	1	0.00
997 = REFUSED	3	0.01
998 = BLANK (NO ANSWER).....	50	0.09

METOTFG

Len : 2 TRIMMING INDICATOR FOR METHAMYFQ

	Freq	Pct
2 = Trimmed relative to the 30-day freq	19	0.03
98 = BLANK (NO ANSWER)	58015	99.97

MEFQFLG

Len : 2 TRIMMED METHAMYFQ IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	16	0.03
98 = BLANK (NO ANSWER)	58018	99.97

METHAMPHETAMINE

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used methamphetamine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(MEFRAME3)

METHEASWY

Len : 2 EASIEST WAY TO TELL # DAYS USED METHAMPHETAMINE

	Freq	Pct
1 = Prefer to answer in days per week.....	188	0.32
2 = Prefer to answer in days per month.....	112	0.19
3 = Prefer to answer in days per year	174	0.30
11 = Prefer to ans in days per wk LOG ASSN	1	0.00
13 = Prefer to ans in days per yr LOG ASSN	1	0.00
85 = BAD DATA Logically assigned	11	0.02
91 = NEVER USED METHAMPHETAMINE	55326	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2169	3.74
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	49	0.08

On how many days in the past 12 months did you use methamphetamine?

(MEYRAVE)

METHDYSYR

Len : 3 # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	174	0.30
985 = BAD DATA Logically assigned	4	0.01
989 = LEGITIMATE SKIP Logically assigned	2	0.00
991 = NEVER USED METHAMPHETAMINE	55326	95.33
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2169	3.74
997 = REFUSED	3	0.01
998 = BLANK (NO ANSWER).....	57	0.10
999 = LEGITIMATE SKIP.....	299	0.52

On average, how many days did you use methamphetamine each month during the past 12 months?

(MEMONAVE)

METHDYPMO

Len : 2 # DAYS PER MO USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30	112	0.19
85 = BAD DATA Logically assigned	4	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	55326	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2169	3.74
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	57	0.10
99 = LEGITIMATE SKIP.....	362	0.62

On average, how many days did you use methamphetamine each week during the past 12 months?

(MEWKAVE)

METHDYPWK

Len : 2 # DAYS PER WK USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	188	0.32
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED METHAMPHETAMINE	55326	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2169	3.74
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	58	0.10
99 = LEGITIMATE SKIP.....	286	0.49

METHAMPHETAMINE

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use methamphetamine?

*(ME06)
METHAM30N*

Len : 2 # DAYS USED METHAMPHETAMINE PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	287	0.49
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED METHAMPHETAMINE	55326	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	2357	4.06
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	57	0.10

What is your best estimate of the number of days you used methamphetamine during the past 30 days?

*(ME06DKRE)
METHAM30E*

Len : 2 BEST ESTIMATE # DAYS USED METH PAST 30 DAYS

	Freq	Pct
3 = 6 to 9 days.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55326	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	2357	4.06
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	60	0.10
99 = LEGITIMATE SKIP.....	287	0.49

PAIN RELIEVERS SCREENER

PAIN RELIEVERS SCREENER

Please look at the names and pictures of the pain relievers shown below.

In the **past 12 months**, which, if any, of these pain relievers have you used?

(PR021) <u>OXCNANYR</u>	Len : 2 ANY OXYCONTIN USE PAST 12 MOS	Freq	Pct
1 = Yes.....	1237	2.13	
2 = No (not entered).....	1337	2.30	
81 = NEVER USED PAIN RLVRS Logically assigned	102	0.18	
85 = BAD DATA Logically assigned	6	0.01	
91 = NEVER USED PAIN RELIEVERS	29387	50.64	
93 = DID NOT USE IN THE PAST 12 MONTHS.....	15865	27.34	
94 = DON'T KNOW	106	0.18	
95 = I have not used any of these Pain Relievers in the past 12 months.....	9933	17.12	
97 = REFUSED	20	0.03	
98 = BLANK (NO ANSWER)	41	0.07	

Have you **ever**, even once, used **any prescription pain reliever**?

Remember, do **not** report your use of "over-the-counter" pain relievers such as aspirin, Tylenol, Advil, or Aleve.

(PRLANY) <u>PNRANYLIF</u>	Len : 2 ANY PAIN RELIEVER USE IN LIFETIME	Freq	Pct
1 = Yes.....	15697	27.05	
2 = No.....	29489	50.81	
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	12437	21.43	
94 = DON'T KNOW	314	0.54	
97 = REFUSED	16	0.03	
98 = BLANK (NO ANSWER)	81	0.14	

NOTE: PNRANYREC was created from responses of any use in the past 12 months for specific pain relievers and from PNRANYLIF for any lifetime use of pain relievers.

<u>PNRANYREC</u>	Len : 2 RC - MOST RECENT ANY PAIN RELIEVER USE (RECODE)	Freq	Pct
1 = Within the past 12 months	12437	21.43	
2 = More than 12 months ago	15617	26.91	
9 = Used at some point in the lifetime LOG ASSN.....	80	0.14	
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	248	0.43	
91 = NEVER USED PAIN RELIEVERS	29489	50.81	
98 = BLANK (NO ANSWER)	163	0.28	

The following variable for any past year use of Fentanyl Products, FENTPDAPYU, was assigned a positive response if a respondent indicated any past year use of Actiq, Duragesic, Fentora, or generic fentanyl, or past year misuse of other pain relievers that contain fentanyl.

<u>FENTANYYYR</u>	Len : 1 RC-FENTANYL PRODUCTS - ANY PAST YEAR USE	Freq	Pct
. = Missing	101	0.17	
0 = No.....	57465	99.02	
1 = Yes (See comment above)	468	0.81	

TRANQUILIZERS SCREENER

TRANQUILIZERS SCREENER

Have you ever, even once, used **any prescription tranquilizer**?

(TRLANY) <u>TRQANYLIF</u>	Len : 2 ANY TRANQUILIZER USE IN LIFETIME	Freq	Pct
1 = Yes.....	4462	7.69	
2 = No.....	47298	81.50	
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	5869	10.11	
94 = DON'T KNOW	222	0.38	
97 = REFUSED	13	0.02	
98 = BLANK (NO ANSWER)	170	0.29	

NOTE: TRQANYREC was created from responses of any use in the past 12 months for specific tranquilizers and from TRQANYLIF for any lifetime use of tranquilizers.

<u>TRQANYREC</u>	Len : 2 RC - MOST RECENT ANY TRANQUILIZER USE (RECODE)	Freq	Pct
1 = Within the past 12 months	5869	10.11	
2 = More than 12 months ago	4436	7.64	
9 = Used at some point in the lifetime LOG ASSN.....	26	0.04	
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	172	0.30	
91 = NEVER USED TRANQUILIZERS.....	47298	81.50	
98 = BLANK (NO ANSWER)	233	0.40	

The following variable for any past year use of Any Benzodiazepines Tranquilizers, TRBZOANYYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Tranquilizers or past year misuse of Benzodiazepine Tranquilizers that were specified as other Tranquilizers.

<u>TRBZOANYYR</u>	Len : 1 RC - BENZODIAZEPINES TRANQUILIZERS - ANY PAST YEAR USE	Freq	Pct
. = Missing	216	0.37	
0 = No.....	53408	92.03	
1 = Yes.....	4410	7.60	

STIMULANTS SCREENER

STIMULANTS SCREENER

Have you ever, even once, used **any prescription stimulant?**

Remember, do not include "over-the-counter" stimulants such as Dexatrim, No-Doz, Hydroxycut, or 5-Hour Energy.

(*STLANY*)

STMANYLIF Len : 2 ANY STIMULANT USE IN LIFETIME

		Freq	Pct
1 = Yes.....		3168	5.46
2 = No.....		50251	86.59
5 = Yes LOGICALLY ASSIGNED (from skip pattern)		4238	7.30
94 = DON'T KNOW		143	0.25
97 = REFUSED		14	0.02
98 = BLANK (NO ANSWER)		220	0.38

NOTE: STMANYREC was created from responses of any use in the past 12 months for specific stimulants and from STMANYLIF for any lifetime use of stimulants.

STMANYREC

Len : 2 RC - MOST RECENT ANY STIMULANT USE (RECODE)

		Freq	Pct
1 = Within the past 12 months		4238	7.30
2 = More than 12 months ago		3154	5.43
9 = Used at some point in the lifetime LOG ASSN.....		14	0.02
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn		102	0.18
91 = NEVER USED STIMULANTS.....		50251	86.59
98 = BLANK (NO ANSWER)		275	0.47

SEDATIVES SCREENER

SEDATIVES SCREENER

Have you **ever**, even once, used **any prescription sedative**?

Remember, do not include "over-the-counter" sedatives such as Sominex, Unisom, Nyquil, or Benadryl.

(SVLANY) <u>SEDANYLIF</u>	Len : 2 ANY SEDATIVE USE IN LIFETIME	Freq	Pct
1 = Yes.....	3240	5.58	
2 = No.....	51835	89.32	
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	2452	4.23	
94 = DON'T KNOW	211	0.36	
97 = REFUSED	17	0.03	
98 = BLANK (NO ANSWER)	279	0.48	

NOTE: SEDANYREC was created from responses of any use in the past 12 months for specific sedatives and from SEDANYLIF for any lifetime use of sedatives.

<u>SEDANYREC</u>	Len : 2 RC - MOST RECENT ANY SEDATIVE USE (RECODE)	Freq	Pct
1 = Within the past 12 months	2452	4.23	
2 = More than 12 months ago	3226	5.56	
9 = Used at some point in the lifetime LOG ASSN.....	14	0.02	
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	156	0.27	
91 = NEVER USED SEDATIVES	51835	89.32	
98 = BLANK (NO ANSWER)	351	0.60	

The following variable for any past year use of Any Benzodiazepines Sedatives, SVBZOANYYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Sedatives or past year misuse of Benzodiazepine Sedatives that were specified as other Sedatives.

<u>SVBZOANYYR</u>	Len : 1 RC - BENZODIAZEPINES SEDATIVES - ANY PAST YEAR USE	Freq	Pct
. = Missing	308	0.53	
0 = No.....	57416	98.94	
1 = Yes.....	310	0.53	

PAIN RELIEVERS

PAIN RELIEVERS

The next question asks about using prescription pain relievers in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription pain reliever in any way a doctor did not direct you to use it?

(PRL01, PRL02)
PNRNMLIF

Len : 2 EVER USED PAIN RELIEVER NOT DIRECTED BY DR

	Freq	Pct
1 = Yes.....	3136	5.40
2 = No.....	22999	39.63
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	1751	3.02
85 = BAD DATA Logically assigned	5	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	29489	50.81
94 = DON'T KNOW	29	0.05
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	619	1.07

In the past 12 months, did you use OxyContin in any way a doctor did not direct you to use it?

(PRY06)
OXCNNMYR

Len : 2 USED OXYCONTIN NOT DIRECTED BY DR PAST 12 MOS

	Freq	Pct
1 = Yes.....	200	0.34
2 = No.....	262	0.45
81 = NEVER MISUSED PAIN RLVRS Logically assigned	1	0.00
85 = BAD DATA Logically assigned	6	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52487	90.44
93 = DID NOT USE IN THE PAST 12 MONTHS.....	4966	8.56
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	109	0.19

Please think about the first time you ever used OxyContin in a way a doctor did not direct you to use it.

How old were you when you first used OxyContin in a way a doctor did not direct you to use it?

(PRY06A)
OXCNNMAGE

Len : 3 AGE 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
RANGE = 1 - 65	193	0.33
981 = NEVER USED PAIN RLVRS Logically assigned	1	0.00
991 = NEVER USED/MISUSED PAIN RELIEVERS	52487	90.44
993 = DID NOT USE IN THE PAST 12 MONTHS.....	5228	9.01
994 = DON'T KNOW	4	0.01
997 = REFUSED	3	0.01
998 = BLANK (NO ANSWER).....	118	0.20

Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 1] or [CURRENT YEAR]?
Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

(PRY06B, PRY06C, PRY06D)
OXCNNMYFU

Len : 4 YEAR 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
RANGE = 2019 - 2021	46	0.08
9981 = NEVER USED PAIN RLVRS Logically assigned	1	0.00
9989 = LEGITIMATE SKIP Logically assigned	2	0.00
9991 = NEVER USED/MISUSED PAIN RELIEVERS	52487	90.44
9993 = DID NOT USE IN THE PAST 12 MONTHS.....	5228	9.01
9998 = BLANK (NO ANSWER).....	125	0.22
9999 = LEGITIMATE SKIP.....	145	0.25

PAIN RELIEVERS

Earlier, you reported that you first used OxyContin in a way a doctor did not direct you to use it when you were [FILL] years old. Based on your date of birth, you turned [FILL] in [FILL].

In what month in [FILL] did you first use OxyContin in a way a doctor did not direct you to use it?

(PRY06D)
OXCNMMFU Len : 2 MONTH 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
1 = January.....	1	0.00
2 = February.....	7	0.01
3 = March.....	2	0.00
4 = April	3	0.01
5 = May.....	1	0.00
6 = June.....	5	0.01
7 = July	4	0.01
9 = September.....	7	0.01
10 = October	3	0.01
11 = November	6	0.01
12 = December.....	2	0.00
81 = NEVER USED PAIN RLVRS Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52487	90.44
93 = DID NOT USE IN THE PAST 12 MONTHS.....	5228	9.01
94 = DON'T KNOW	5	0.01
98 = BLANK (NO ANSWER)	125	0.22
99 = LEGITIMATE SKIP.....	145	0.25

NOTE: The variable PNRNMREC is a recoded variable that was created from PNRNMLIF, the 12-month misuse variables of specific pain relievers, and PNRLVNM30DY.

PNRNMREC Len : 2 RC - MOST RECENT PAIN RELIEVER MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days.....	465	0.80
2 = More than 30 days ago but within the past 12 mos	1271	2.19
3 = More than 12 months ago	3096	5.33
8 = Misused at some point in past 12 mos LOG ASSN.....	15	0.03
9 = Misused at some point in lifetime LOG ASSN	40	0.07
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	403	0.69
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
98 = BLANK (NO ANSWER)	256	0.44

NOTE: PNRNMINIT is "reverse coded" from the answers in PRL03. PRL03=1 (yes) was recoded to 2 in PNRNMINIT because this answer means that the respondent misused pain relievers before the past 12 months (and therefore is not a past year initiate for misuse of pain relievers). PRL03=2 (no) was recoded to 1 in PNRNMINIT because this answer means that the respondent did not misuse pain relievers before the past 12 months (and therefore is a past year initiate for misuse of pain relievers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription pain reliever in a way a doctor did not direct you to use it?

(PRL03)
PNRNMINIT Len : 2 PAST YEAR INITIATE FOR ANY PAIN RELIEVER MISUSE

	Freq	Pct
1 = Past year initiate.....	329	0.57
2 = Not a past year initiate	101	0.17
4 = Not past yr initiate LOG ASSN (from skip pattern).....	1312	2.26
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	403	0.69
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3096	5.33
94 = DON'T KNOW	5	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	296	0.51

PAIN RELIEVERS

NOTE: The variables PNRNMAGE, PNRNMYFU, and PNRNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of pain relievers in the 12 months prior to being interviewed (PNRNMINIT=1).

<u>PNRNMAGE</u>	Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR PNRLV INITIATES	Freq	Pct
	RANGE = 11 - 85	242	0.42
	983 = NOT A PAST YEAR INITIATE Log assn.....	403	0.69
	991 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
	993 = NOT A PAST YEAR INITIATE	4509	7.77
	998 = BLANK (NO ANSWER).....	392	0.68

<u>PNRNMYFU</u>	Len : 4 RC - YR 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES	Freq	Pct
	RANGE = 2020 - 2021	241	0.42
	9983 = NOT A PAST YEAR INITIATE Logically assigned.....	403	0.69
	9991 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
	9993 = NOT A PAST YEAR INITIATE	4509	7.77
	9998 = BLANK (NO ANSWER).....	393	0.68

<u>PNRNMMFU</u>	Len : 2 RC - MO 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES	Freq	Pct
	1 = January.....	20	0.03
	2 = February.....	19	0.03
	3 = March.....	14	0.02
	4 = April	23	0.04
	5 = May.....	17	0.03
	6 = June.....	20	0.03
	7 = July	21	0.04
	8 = August	19	0.03
	9 = September.....	18	0.03
	10 = October	19	0.03
	11 = November	21	0.04
	12 = December.....	14	0.02
	83 = NOT A PAST YEAR INITIATE Logically assigned	403	0.69
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
	93 = NOT A PAST YEAR INITIATE	4509	7.77
	98 = BLANK (NO ANSWER)	409	0.70

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

<i>(PRM01)</i> <u>PNRNM30D</u>	Len : 2 USED PAIN RLVR NOT DIRECTED BY DR PAST 30 DAYS	Freq	Pct
	1 = Yes.....	428	0.74
	2 = No.....	1271	2.19
	5 = Yes LOGICALLY ASSIGNED (from PR30ANYINIT=1)	37	0.06
	83 = DID NOT MISUSE PAIN RELIEVERS PST 30 DYS Log assn.....	94	0.16
	85 = BAD DATA Logically assigned	6	0.01
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	3405	5.87
	94 = DON'T KNOW	4	0.01
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	297	0.51

During the past 30 days, on how many days did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

<i>(PRM02)</i> <u>PNRNM30FQ</u>	Len : 2 # DAYS USED PAIN RLVR NOT DIRECTD BY DR PST 30 DYS	Freq	Pct
	RANGE = 1 - 30	458	0.79
	83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn.....	23	0.04
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	4747	8.18
	94 = DON'T KNOW	6	0.01
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	309	0.53

PAIN RELIEVERS

What is your best estimate of the number of days you used [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] during the past 30 days?

(PRM02DKRE)
PNRNM30ES

Len : 2 EST # DAYS USED PAIN RLVR NOT DIRECTED PST 30 DYS

	Freq	Pct
1 = 1 or 2 days	4	0.01
2 = 3 to 5 days.....	2	0.00
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	4769	8.22
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	311	0.54
99 = LEGITIMATE SKIP.....	458	0.79

NOTE: Responses of "yes" in PNRNM30AL were assigned a code of 11 when respondents reported that they misused pain relievers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when PNRNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

(PRM03)
PNRNM30AL

Len : 2 USED PAIN RLVR NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
1 = Yes.....	129	0.22
2 = No.....	142	0.24
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn.....	10	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	4760	8.20
98 = BLANK (NO ANSWER)	320	0.55
99 = LEGITIMATE SKIP.....	185	0.32

Which of these statements describe your use of it/them at **any** time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

(PRWYWAYS1)
PNRWYNORX

Len : 2 USED PAIN RLVR W/O OWN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	974	1.68
2 = No (not entered).....	628	1.08
83 = DID NOT MISUSE PAIN RELIEVERS IN PST 30 days Log assn	66	0.11
85 = BAD DATA Logically assigned	5	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3433	5.92
94 = DON'T KNOW	103	0.18
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	302	0.52

(PRWYWAYS2)
PNRWYGAMT

Len : 2 USED PAIN RLVR IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
1 = Yes.....	322	0.55
2 = No (not entered).....	1281	2.21
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	23	0.04
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3476	5.99
94 = DON'T KNOW	103	0.18
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	306	0.53

PAIN RELIEVERS

(PRYWAYS3)
PNRWYOFNTN

Len : 2 USED PAIN RLVR MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	275	0.47
2 = No (not entered).....	1328	2.29
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS logically assigned.....	19	0.03
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3480	6.00
94 = DON'T KNOW	103	0.18
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	306	0.53

(PRYWAYS4)
PNRWYLNGR

Len : 2 USED PAIN RLVR LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	239	0.41
2 = No (not entered).....	1364	2.35
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	25	0.04
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3474	5.99
94 = DON'T KNOW	103	0.18
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	306	0.53

(PRYWAYS5)
PNRWYOTWY

Len : 2 USED PAIN RLVR OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes.....	441	0.76
2 = No (not entered).....	1162	2.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	31	0.05
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3468	5.98
94 = DON'T KNOW	103	0.18
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	305	0.53

PAIN RELIEVERS

Now think about the last time you used a prescription pain reliever in any way a doctor did not direct you to use it.

Which of these pain relievers did you use the last time? If you used more than one pain reliever the last time, please choose one pain reliever as your best answer.

*(PRYLAST)
PNRNMLAS1*

Len : 2 LAST PAIN RLVR USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Vicodin	92	0.16
2 = Lortab	49	0.08
3 = Norco	71	0.12
4 = Zohydro ER	5	0.01
5 = Hydrocodone (generic)	308	0.53
6 = OxyContin	65	0.11
7 = Percocet	140	0.24
8 = Percodan	4	0.01
9 = Roxicodone	16	0.03
10 = Oxycodone (generic)	139	0.24
11 = Ultram	5	0.01
12 = Ultram ER	1	0.00
13 = Ultracet	2	0.00
14 = Tramadol (generic)	148	0.26
15 = Extended-release tramadol (generic)	12	0.02
16 = Tylenol with codeine 3 or 4 (NOT over-the-counter Tylenol)	263	0.45
17 = Codeine pills (generic)	30	0.05
18 = Avinza	1	0.00
19 = Kadian	1	0.00
20 = MS Contin	1	0.00
21 = Morphine (generic)	16	0.03
22 = Extended-release morphine (generic)	10	0.02
24 = Fentora	1	0.00
25 = Fentanyl (generic)	52	0.09
26 = Suboxone	56	0.10
27 = Buprenorphine (generic)	17	0.03
28 = Buprenorphine plus naloxone (generic)	8	0.01
29 = Opana	2	0.00
31 = Oxymorphone (generic)	1	0.00
32 = Extended-release oxymorphone (generic)	1	0.00
33 = Demerol	3	0.01
34 = Dilaudid or hydromorphone	8	0.01
36 = Methadone	22	0.04
37 = Some other pain reliever	167	0.29
83 = DID NOT MISUSE IN THE PST 12 MOS Logically assigned	95	0.16
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3404	5.87
94 = DON'T KNOW	12	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	301	0.52

Now think about the last time you used [PRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [PRLASTFILL2] the last time?

*(PRYMOTV1)
PNRRSPAIN*

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RLV PAIN

	Freq	Pct
1 = Yes	1167	2.01
2 = No (not entered)	509	0.88
3 = Yes LOGICALLY ASSIGNED	16	0.03
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	82	0.14
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3417	5.89
94 = DON'T KNOW	29	0.05
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	305	0.53

PAIN RELIEVERS

(PRYMOTV2)
[PNRRSRELX](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RELAX

	Freq	Pct
1 = Yes.....	443	0.76
2 = No (not entered).....	1249	2.15
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	22	0.04
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3477	5.99
94 = DON'T KNOW	29	0.05
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	307	0.53

(PRYMOTV3)
[PNRSEXPT](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes.....	119	0.21
2 = No (not entered).....	1574	2.71
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	11	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3488	6.01
94 = DON'T KNOW	29	0.05
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	308	0.53

(PRYMOTV4)
[PNRRSHIGH](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes.....	372	0.64
2 = No (not entered).....	1320	2.27
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	11	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3488	6.01
94 = DON'T KNOW	29	0.05
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	308	0.53

(PRYMOTV5)
[PNRSSLEP](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR SLEEP

	Freq	Pct
1 = Yes.....	332	0.57
2 = No (not entered).....	1360	2.34
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	17	0.03
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3482	6.00
94 = DON'T KNOW	29	0.05
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	308	0.53

(PRYMOTV6)
[PNRSEMOT](#)

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
1 = Yes.....	266	0.46
2 = No (not entered).....	1425	2.46
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	15	0.03
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3484	6.00
94 = DON'T KNOW	29	0.05
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	308	0.53

PAIN RELIEVERS

(PRYMOTV7)
PNRRSDGFX

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes.....	65	0.11
2 = No (not entered).....	1628	2.81
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	9	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3490	6.01
94 = DON'T KNOW	29	0.05
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	308	0.53

(PRYMOTV8)
PNRRSHOOK

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes.....	93	0.16
2 = No (not entered).....	1600	2.76
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	10	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3489	6.01
94 = DON'T KNOW	29	0.05
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	308	0.53

(PRYMOTV9)
PNRSSLOR

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes.....	90	0.16
2 = No (not entered).....	1603	2.76
83 = DID NOT MISUSE PAIN RELEIVERS IN PAST 12 mos Log assn.....	21	0.04
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3478	5.99
94 = DON'T KNOW	29	0.05
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	307	0.53

Please type in the other reason you used [PRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

(PRMOTOTSC)
PNRRSOTRS2

Len : 3 REASON USED LAST PAIN RLVR (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain.....	23	0.04
2 = To relax or relieve tension	1	0.00
4 = To feel good or get high.....	1	0.00
6 = To help me with my feelings or emotions.....	2	0.00
13 = I used it/them for some other reason	12	0.02
16 = Suicide attempt/suicidal thoughts	9	0.02
24 = Took them by mistake/didn't know what it was	3	0.01
26 = To replace another/other drug(s) I am addicted to.....	14	0.02
71 = They are prescribed to me; misuse not indicated.....	4	0.01
983 = DID NOT USE PAIN REL IN THE PAST 12 MOS Logically assigned.....	13	0.02
985 = BAD DATA (logically assigned).....	10	0.02
991 = NEVER USED PAIN RELIEVERS	52488	90.44
993 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	3486	6.01
994 = DON'T KNOW	6	0.01
997 = REFUSED	6	0.01
998 = BLANK (no answer).....	353	0.61
999 = LEGITIMATE SKIP.....	1603	2.76

PAIN RELIEVERS

Which was the main reason you used [PRLASTFILL2] the last time?

<u>(RPRYMO1)</u>	Len : 2 MAIN REASON USED LAST PAIN RLVR (NOT DIRECTED)	Freq	Pct
<u>PNRRSM1N</u>	1 = To relieve physical pain.....	265	0.46
	2 = To relax or relieve tension	85	0.15
	3 = To experiment or to see what it was/they were like	19	0.03
	4 = To feel good or get high.....	87	0.15
	5 = To help with my sleep.....	34	0.06
	6 = To help me with my feelings or emotions	57	0.10
	7 = To increase or decrease the effect(s) of some other drug	12	0.02
	8 = Because I am 'hooked' or I have to have it/them	40	0.07
	9 = The other reason I reported	9	0.02
	11 = To relieve physical pain LOGICALLY ASSIGNED	4	0.01
	83 = DID NOT MISUSE PAIN RELEIVERS IN PAST 12 mos Log assn.....	16	0.03
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	52488	90.44
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3483	6.00
	94 = DON'T KNOW	1	0.00
	98 = BLANK (NO ANSWER)	354	0.61
	99 = LEGITIMATE SKIP.....	1079	1.86

The following variable for past year misuse of Fentanyl Products, FENTPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Actiq, Duragesic, Fentora, generic fentanyl, or other pain relievers that contain fentanyl.

<u>FENTNMYR</u>	Len : 1 RC-FENTANYL PRODUCTS - PAST YEAR MISUSE	Freq	Pct
.	= Missing	21	0.04
0	= No	57913	99.79
1	= Yes (See comment above)	100	0.17

NOTE: PNRNORXFG is set to 1 when respondents reported that the only way they misused pain relievers in the past year was without a prescription. These respondents also reported that the last pain reliever they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

<u>PNRNORXFG</u>	Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST PNR	Freq	Pct
	1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	95	0.16
	98 = BLANK (NO ANSWER)	57939	99.84

TRANQUILIZERS

TRANQUILIZERS

The next question asks about using prescription tranquilizers in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription tranquilizer in any way a doctor did not direct you to use it?

(TRL01, TRL02)

TRQNMLIF Len : 2 EVER USED TRANQUILIZER NOT DIRECTED BY DR

	Freq	Pct
1 = Yes.....	1211	2.09
2 = No.....	8023	13.82
5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	1031	1.78
85 = BAD DATA Logically assigned	17	0.03
91 = NEVER USED/MISUSED TRANQUILIZERS	47298	81.50
94 = DON'T KNOW	14	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	435	0.75

NOTE: The variable TRQNMREC is a recoded variable that was created from TRQNMLIF, the 12-month misuse variables of specific tranquilizers, and TRANQNM30DY.

TRQNMREC

Len : 2 RC - MOST RECENT TRANQUILIZER MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days.....	276	0.48
2 = More than 30 days ago but within the past 12 mos	746	1.29
3 = More than 12 months ago	1206	2.08
8 = Misused at some point in past 12 mos LOG ASSN.....	9	0.02
9 = Misused at some point in lifetime LOG ASSN	5	0.01
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	195	0.34
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
98 = BLANK (NO ANSWER)	276	0.48

NOTE: TRQNMINIT is "reverse coded" from the answers in TRL03. TRL03=1 (yes) was recoded to 2 in TRQNMINIT because this answer means that the respondent misused tranquilizers before the past 12 months (and therefore is not a past year initiate for misuse of tranquilizers). TRL03=2 (no) was recoded to 1 in TRQNMINIT because this answer means that the respondent did not misuse tranquilizers before the past 12 months (and therefore is a past year initiate for misuse of tranquilizers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription tranquilizer in a way a doctor did not direct you to use it?

(TRL03)

TRQNMINIT

Len : 2 PAST YEAR INITIATE FOR ANY TRANQUILIZER MISUSE

	Freq	Pct
1 = Past year initiate.....	214	0.37
2 = Not a past year initiate	40	0.07
4 = Not past yr initiate LOG ASSN (from skip pattern).....	772	1.33
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	195	0.34
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	1206	2.08
94 = DON'T KNOW	5	0.01
98 = BLANK (NO ANSWER)	281	0.48

NOTE: The variables TRQNMAGE, TRQNMYFU, and TRQNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of tranquilizers in the 12 months prior to being interviewed (TRQNMINIT=1).

TRQNMAGE

Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR TRANQ INITIATES

	Freq	Pct
RANGE = 13 - 84	203	0.35
983 = NOT A PAST YEAR INITIATE Log assn.....	195	0.34
991 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
993 = NOT A PAST YEAR INITIATE	2018	3.48
998 = BLANK (NO ANSWER).....	297	0.51

TRANQUILIZERS

<u>TRQNM30FU</u>	Len : 4 RC - YR 1ST MISUSED FOR PAST YR TRANQ INITIATES	Freq	Pct
RANGE = 2020 - 2021	203	0.35	
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	195	0.34	
9991 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33	
9993 = NOT A PAST YEAR INITIATE	2018	3.48	
9998 = BLANK (NO ANSWER).....	297	0.51	

<u>TRQNM30MFU</u>	Len : 2 RC - MO 1ST MISUSED FOR PAST YR TRANQ INITIATES	Freq	Pct
1 = January.....	21	0.04	
2 = February.....	14	0.02	
3 = March.....	22	0.04	
4 = April	7	0.01	
5 = May.....	12	0.02	
6 = June.....	28	0.05	
7 = July	14	0.02	
8 = August	14	0.02	
9 = September	12	0.02	
10 = October	16	0.03	
11 = November	21	0.04	
12 = December.....	16	0.03	
83 = NOT A PAST YEAR INITIATE Logically assigned	195	0.34	
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33	
93 = NOT A PAST YEAR INITIATE	2018	3.48	
98 = BLANK (NO ANSWER)	303	0.52	

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

<i>(TRM01)</i> <u>TRQNM30D</u>	Len : 2 USED TRANQ NOT DIRECTED BY DR PAST 30 DAYS	Freq	Pct
1 = Yes.....	262	0.45	
2 = No.....	746	1.29	
5 = Yes LOGICALLY ASSIGNED.....	14	0.02	
83 = DID NOT MISUSE TRAN IN THE PST 30 DAYS LOG ASSN.....	1	0.00	
85 = BAD DATA Logically assigned	2	0.00	
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33	
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	1400	2.41	
94 = DON'T KNOW	6	0.01	
97 = REFUSED	1	0.00	
98 = BLANK (NO ANSWER)	281	0.48	

During the past 30 days, on how many days did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

<i>(TRM02)</i> <u>TRQNM30FQ</u>	Len : 2 # DAYS USED TRANQ NOT DIRECTD BY DR PST 30 DYS	Freq	Pct
RANGE = 1 - 30.....	275	0.47	
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33	
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	2147	3.70	
94 = DON'T KNOW	1	0.00	
98 = BLANK (NO ANSWER)	290	0.50	

What is your best estimate of the number of days you used [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] during the past 30 days?

<i>(TRM02DKRE)</i> <u>TRQNM30ES</u>	Len : 2 EST # DAYS USED TRANQ NOT DIRECTED PST 30 DYS	Freq	Pct
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33	
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	2147	3.70	
94 = DON'T KNOW	1	0.00	
98 = BLANK (NO ANSWER)	290	0.50	
99 = LEGITIMATE SKIP.....	275	0.47	

TRANQUILIZERS

NOTE: Responses of "yes" in TRQNM30AL were assigned a code of 11 when respondents reported that they misused tranquilizers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when TRQNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

(TRM03)
TRQNM30AL

Len : 2 USED TRANQ NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
1 = Yes.....	82	0.14
2 = No.....	113	0.19
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	2147	3.70
98 = BLANK (NO ANSWER)	291	0.50
99 = LEGITIMATE SKIP.....	80	0.14

Which of these statements describe your use of [TRNAMEFILL] at any time in the past 12 months?

(TRYWAYS1)
TRQWYNORX

Len : 2 USED TRANQ W/O OWN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	710	1.22
2 = No (not entered).....	276	0.48
83 = DID NOT MISUSE TRANQ IN THE PAST 12 MOS LOG ASSN.....	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	30	0.05
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	282	0.49

(TRYWAYS2)
TRQWYGAMT

Len : 2 USED TRANQ IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
1 = Yes.....	170	0.29
2 = No (not entered).....	816	1.41
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	30	0.05
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	281	0.48

(TRYWAYS3)
TRQWYOFNT

Len : 2 USED TRANQ MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	121	0.21
2 = No (not entered).....	865	1.49
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	30	0.05
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	282	0.49

TRANQUILIZERS

(TRYWAYS4)
TRQWYLNGR

Len : 2 USED TRANQ LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	61	0.11
2 = No (not entered).....	925	1.59
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	30	0.05
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	282	0.49

(TRYWAYS5)
TRQWYOTWY

Len : 2 USED TRANQ OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes.....	200	0.34
2 = No (not entered).....	786	1.35
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	30	0.05
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	282	0.49

Now think about the last time you used a prescription tranquilizer in any way a doctor did not direct you to use it.

Which of these tranquilizers did you use the last time? If you used more than one tranquilizer the last time, please choose one tranquilizer as your best answer.

(TRYLAST)
TRQNMLAS1

Len : 2 LAST TRANQ USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Xanax.....	495	0.85
2 = Xanax XR	12	0.02
3 = Alprazolam (generic).....	119	0.21
4 = Extended-release alprazolam (generic).....	6	0.01
5 = Ativan	19	0.03
6 = Klonopin.....	52	0.09
7 = Lorazepam (generic).....	59	0.10
8 = Clonazepam (generic).....	80	0.14
9 = Valium.....	43	0.07
10 = Diazepam (generic).....	21	0.04
11 = Cyclobenzaprine (generic), also known as Flexeril.....	76	0.13
12 = Soma.....	18	0.03
13 = Some other tranquilizer.....	25	0.04
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	1	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	280	0.48

TRANQUILIZERS

Now think about the last time you used [TRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [TRLASTFILL2] the last time?

(TRYMOTIV1)
TRQRSRELX

Len : 2 USED LAST TRANQ (NOT DIRECTED) TO RELAX

	Freq	Pct
1 = Yes.....	635	1.09
2 = No (not entered).....	376	0.65
3 = Yes LOGICALLY ASSIGNED.....	6	0.01
83 = DID NOT MISUSE TRANQ IN THE PAST 12 MOS LOG ASSN.....	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	6	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	282	0.49

(TRYMOTIV2)
TRQRSEXPT

Len : 2 USED LAST TRANQ (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes.....	105	0.18
2 = No (not entered).....	911	1.57
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	6	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	281	0.48

(TRYMOTIV3)
TRQRSHIGH

Len : 2 USED LAST TRANQ (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes.....	242	0.42
2 = No (not entered).....	774	1.33
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	6	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	282	0.49

(TRYMOTIV4)
TRQRSSLEP

Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR SLEEP

	Freq	Pct
1 = Yes.....	376	0.65
2 = No (not entered).....	640	1.10
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	6	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	282	0.49

TRANQUILIZERS

(TRYMOTIV5)
TRQRSEMOT

Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
1 = Yes.....	384	0.66
2 = No (not entered).....	631	1.09
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	6	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	282	0.49

(TRYMOTIV6)
TRQRSDGFX

Len : 2 USED LAST TRANQ (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes.....	61	0.11
2 = No (not entered).....	956	1.65
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	6	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	282	0.49

(TRYMOTIV7)
TRQRSHOOK

Len : 2 USED LAST TRANQ (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes.....	25	0.04
2 = No (not entered).....	992	1.71
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	6	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	282	0.49

(TRYMOTIV8)
TRQRSSOR

Len : 2 USED LAST TRANQ (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes.....	71	0.12
2 = No (not entered).....	946	1.63
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1400	2.41
94 = DON'T KNOW	6	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	282	0.49

TRANQUILIZERS

Please type in the other reason you used [TRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

(TRMOTOT)
TRQRSOTRS2

Len : 3 REASON USED LAST TRANQ (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain.....	29	0.05
2 = To relax or relieve tension	12	0.02
3 = To experiment or to see what it's/they're like	1	0.00
4 = To feel good or get high.....	1	0.00
5 = To help with my sleep.....	1	0.00
6 = To help me with my feelings or emotions.....	4	0.01
13 = I used it/them for some other reason	9	0.02
16 = Suicide attempt/suicidal thoughts	2	0.00
22 = To prevent/treat anxiety/panic attacks.....	3	0.01
985 = BAD DATA (logically assigned).....	5	0.01
991 = NEVER USED TRANQUILIZERS.....	55321	95.33
993 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1401	2.41
994 = DON'T KNOW	1	0.00
997 = REFUSED	3	0.01
998 = BLANK (no answer).....	295	0.51
999 = LEGITIMATE SKIP.....	946	1.63

Which was the main reason you used [TRLASTFILL2] the last time?

(RTRYMOTI)
TRQRSMAIN

Len : 2 MAIN REASON USED LAST TRANQ (NOT DIRECTED)

	Freq	Pct
1 = To relax or relieve tension	189	0.33
2 = To experiment or to see what it was/they were like	12	0.02
3 = To feel good or get high.....	51	0.09
4 = To help with my sleep.....	87	0.15
5 = To help me with my feelings or emotions.....	128	0.22
6 = To increase or decrease the effect(s) of some other drug	9	0.02
7 = Because I am 'hooked' or I have to have it/them	6	0.01
8 = The other reason I reported	7	0.01
11 = To relax or relieve tension LOGICALLY ASSIGNED.....	3	0.01
15 = To help with feelings/emotions LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	55321	95.33
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1401	2.41
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	295	0.51
99 = LEGITIMATE SKIP.....	522	0.90

The following variable for any past year use of Any Benzodiazepines Tranquilizers, TRBZONMYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Tranquilizers or past year misuse of Benzodiazepine Tranquilizers that were specified as other Tranquilizers.

TRBZONMYR

Len : 1 RC - BENZODIAZEPINES TRANQUILIZERS - PAST YEAR MISUSE

	Freq	Pct
. = Missing	234	0.40
0 = No.....	56867	97.99
1 = Yes.....	933	1.61

NOTE: TRQNORXFG is set to 1 when respondents reported that the only way they misused tranquilizers in the past year was without a prescription. These respondents also reported that the last tranquilizer they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

TRQNORXFG

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST TRANQ

	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	14	0.02
98 = BLANK (NO ANSWER)	58020	99.98

STIMULANTS

STIMULANTS

The next question asks about using prescription stimulants in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription stimulant in any way a doctor did not direct you to use it?

(*STL01, STL02*)

STMNMLIF

Len : 2 EVER USED STIMULANT NOT DIRECTED BY DR

	Freq	Pct
1 = Yes.....	1577	2.72
2 = No.....	4689	8.08
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	1089	1.88
85 = BAD DATA Logically assigned	5	0.01
91 = NEVER USED/MISUSED STIMULANTS	50251	86.59
94 = DON'T KNOW	12	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	407	0.70

NOTE: The variable STMNMREC is a recoded variable that was created from STMNMLIF, the 12-month misuse variables of specific stimulants, and STIMNM30DY.

STMNMREC

Len : 2 RC - MOST RECENT STIMULANT MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days.....	356	0.61
2 = More than 30 days ago but within the past 12 mos	732	1.26
3 = More than 12 months ago	1571	2.71
8 = Misused at some point in past 12 mos LOG ASSN.....	1	0.00
9 = Misused at some point in lifetime LOG ASSN	6	0.01
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	118	0.20
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
98 = BLANK (NO ANSWER)	310	0.53

NOTE: STMMINIT is "reverse coded" from the answers in STL03. STL03=1 (yes) was recoded to 2 in STMMINIT because this answer means that the respondent misused stimulants before the past 12 months (and therefore is not a past year initiate for misuse of stimulants). STL03=2 (no) was recoded to 1 in STMMINIT because this answer means that the respondent did not misuse stimulants before the past 12 months (and therefore is a past year initiate for misuse of stimulants).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription stimulant in a way a doctor did not direct you to use it?

(*STL03*)

STMMINIT

Len : 2 PAST YEAR INITIATE FOR ANY STIMULANT MISUSE

	Freq	Pct
1 = Past year initiate.....	214	0.37
2 = Not a past year initiate	50	0.09
4 = Not past yr initiate LOG ASSN (from skip pattern).....	824	1.42
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	118	0.20
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	1571	2.71
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	316	0.54

NOTE: The variables STMNMAGE, STMNMYFU, and STMNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of stimulants in the 12 months prior to being interviewed (STMMINIT=1).

STMNMAGE

Len : 3 RC - AGE 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
RANGE = 11 - 63	198	0.34
983 = NOT A PAST YEAR INITIATE Log assn.....	118	0.20
991 = NEVER USED/MISUSED STIMULANTS	54940	94.67
993 = NOT A PAST YEAR INITIATE	2445	4.21
998 = BLANK (NO ANSWER).....	333	0.57

STIMULANTS

<u>STMNMYFU</u>	Len : 4 RC - YR 1ST MISUSED FOR PAST YR STIM INITIATES	Freq	Pct
	RANGE = 2020 - 2021	197	0.34
	9983 = NOT A PAST YEAR INITIATE Logically assigned.....	118	0.20
	9991 = NEVER USED/MISUSED STIMULANTS	54940	94.67
	9993 = NOT A PAST YEAR INITIATE	2445	4.21
	9998 = BLANK (NO ANSWER).....	334	0.58

<u>STMNMMFU</u>	Len : 2 RC - MONTH 1ST MISUSED FOR PAST YR STIM INITIATES	Freq	Pct
	1 = January.....	13	0.02
	2 = February.....	7	0.01
	3 = March.....	14	0.02
	4 = April	24	0.04
	5 = May.....	17	0.03
	6 = June.....	14	0.02
	7 = July	11	0.02
	8 = August	14	0.02
	9 = September	19	0.03
	10 = October	16	0.03
	11 = November	22	0.04
	12 = December.....	18	0.03
	83 = NOT A PAST YEAR INITIATE Logically assigned	118	0.20
	91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
	93 = NOT A PAST YEAR INITIATE	2445	4.21
	98 = BLANK (NO ANSWER)	342	0.59

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

<i>(STM01)</i> <u>STMNM30D</u>	Len : 2 USED STIMULANT NOT DIRECTED BY DR PAST 30 DAYS	Freq	Pct
	1 = Yes.....	337	0.58
	2 = No.....	732	1.26
	5 = Yes LOGICALLY ASSIGNED	19	0.03
	83 = DID NOT MISUSE STIM IN THE PST 30 DAYS LOG ASSN	6	0.01
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	1683	2.90
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	315	0.54

During the past 30 days, on how many days did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

<i>(STM02)</i> <u>STMNM30FQ</u>	Len : 2 # DAYS USED STIMULANT NOT DIRECTD BY DR PST 30 DYS	Freq	Pct
	RANGE = 1 - 30.....	351	0.60
	83 = DID NOT MISUSE STIM IN THE PST 30 DAYS LOG ASSN	1	0.00
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	2420	4.17
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	317	0.55

STIMULANTS

What is your best estimate of the number of days you used [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] during the past 30 days?

(STM02DKRE)
STMNM30ES

Len : 2 EST # DAYS USED STIMULANT NOT DIRECTED PST 30 DYS

	Freq	Pct
1 = 1 or 2 days	1	0.00
4 = 10 to 19 days.....	1	0.00
5 = 20 to 29 days.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	2421	4.17
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	318	0.55
99 = LEGITIMATE SKIP.....	351	0.60

During the past 30 days, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

(STM03)
STMNM30AL

Len : 2 USED STIMULANT NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
1 = Yes.....	138	0.24
2 = No.....	144	0.25
83 = DID NOT MISUSE PAST 30 DAYS Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	2420	4.17
98 = BLANK (NO ANSWER)	322	0.55
99 = LEGITIMATE SKIP.....	69	0.12

Which of these statements describe your use of it/item at **any** time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

(STYWAYS1)
STMWYNORX

Len : 2 USED STIMULANT W/O OWN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	809	1.39
2 = No (not entered).....	246	0.42
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	3	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1686	2.91
94 = DON'T KNOW	22	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	316	0.54

(STYWAYS2)
STMWYGAMT

Len : 2 USED STIMULANT IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
1 = Yes.....	159	0.27
2 = No (not entered).....	896	1.54
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	3	0.01
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1686	2.91
94 = DON'T KNOW	22	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	317	0.55

(STYWAYS3)
STMWYOFNT

Len : 2 USED STIMULANT MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	96	0.17
2 = No (not entered).....	959	1.65
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1687	2.91
94 = DON'T KNOW	22	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	317	0.55

STIMULANTS

(STYWAYS4)
STMWYLNGR

Len : 2 USED STIMULANT LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	42	0.07
2 = No (not entered).....	1013	1.75
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1687	2.91
94 = DON'T KNOW	22	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	317	0.55

(STYWAYS5)
STMWYOTWY

Len : 2 USED STIMULANT OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes.....	221	0.38
2 = No (not entered).....	834	1.44
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	4	0.01
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1685	2.90
94 = DON'T KNOW	22	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	317	0.55

At any time in the past 12 months, did you ever use a needle to inject [STNAMEFILL] ?

(STYNDL)
STMNDLYR

Len : 2 USED STIMULANT WITH A NEEDLE PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	11	0.02
2 = No.....	1077	1.86
83 = DID NOT MISUSE STIM IN THE PST 12M LOG ASSN	6	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1683	2.90
98 = BLANK (NO ANSWER)	316	0.54

(STNDL30)
STMNDLREC

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT

	Freq	Pct
1 = Within the past 30 days.....	4	0.01
2 = More than 30 days ago but within the past 12 months	2	0.00
12 = More than 30 dys ago but in pst 12 mo (STMNMREC=2)	5	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1689	2.91
98 = BLANK (NO ANSWER)	316	0.54
99 = LEGITIMATE SKIP.....	1077	1.86

STIMULANTS

Now think about the last time you used a prescription stimulant in any way a doctor did not direct you to use it.

Which of these stimulants did you use the last time? If you used more than one stimulant the last time, please choose one stimulant as your best answer.

*(RSTYLAST)
STMNMLAS1*

Len : 2 LAST STIMULANT USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Adderall	640	1.10
2 = Adderall XR	153	0.26
3 = Dexedrine	1	0.00
4 = Dextroamphetamine (generic)	15	0.03
5 = Mixed amphetamine-dextroamphetamine pills (generic)	34	0.06
6 = Extend-rel amphet-dextroamp oth than Adderall XR (generic)	19	0.03
7 = Ritalin	33	0.06
8 = Ritalin LA	2	0.00
9 = Concerta	20	0.03
10 = Daytrana	1	0.00
11 = Metadate CD	1	0.00
12 = Metadate ER	1	0.00
13 = Methylphenidate (generic)	13	0.02
14 = Extended-release methylphenidate (generic)	3	0.01
15 = Focalin	6	0.01
16 = Focalin XR	6	0.01
17 = Dexmethylphenidate (generic)	3	0.01
18 = Extended-release dexmethylphenidate (generic)	2	0.00
19 = Benzphetamine	1	0.00
20 = Didrex	2	0.00
21 = Diethylpropion	2	0.00
23 = Phentermine	13	0.02
24 = Provigil	12	0.02
26 = Vyvanse	86	0.15
27 = Some other stimulant	17	0.03
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	6	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1683	2.90
94 = DON'T KNOW	2	0.00
98 = BLANK (NO ANSWER)	316	0.54

Now think about the last time you used [STLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [STLASTFILL2] the last time?

*(STYMOTIV1)
STMRSWGH*

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO LOSE WEIGHT

	Freq	Pct
1 = Yes	100	0.17
2 = No (not entered)	977	1.68
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	3	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1686	2.91
94 = DON'T KNOW	8	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	316	0.54

*(STYMOTIV2)
STMRSCONC*

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO CONCENTRATE

	Freq	Pct
1 = Yes	619	1.07
2 = No (not entered)	457	0.79
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1687	2.91
94 = DON'T KNOW	8	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	317	0.55

STIMULANTS

(STYMOTIV3)
STMRSALRT

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO BE ALERT

	Freq	Pct
1 = Yes.....	548	0.94
2 = No (not entered).....	529	0.91
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	5	0.01
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1684	2.90
94 = DON'T KNOW	8	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	317	0.55

(STYMOTIV4)
STMRSSTDY

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO STUDY

	Freq	Pct
1 = Yes.....	322	0.55
2 = No (not entered).....	755	1.30
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1688	2.91
94 = DON'T KNOW	8	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	317	0.55

(STYMOTIV5)
STMRSEXPT

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes.....	137	0.24
2 = No (not entered).....	939	1.62
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1688	2.91
94 = DON'T KNOW	8	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	317	0.55

(STYMOTIV6)
STMRSHIGH

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes.....	247	0.43
2 = No (not entered).....	829	1.43
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1687	2.91
94 = DON'T KNOW	8	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	317	0.55

(STYMOTIV7)
STMRSDFGX

Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes.....	37	0.06
2 = No (not entered).....	1039	1.79
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1688	2.91
94 = DON'T KNOW	8	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	317	0.55

STIMULANTS

(STYMOTIV8)
STMRSHOOK

Len : 2 USED LAST STIMULANT (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes.....	13	0.02
2 = No (not entered).....	1064	1.83
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1688	2.91
94 = DON'T KNOW	8	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	317	0.55

(STYMOTIV9)
STMRSSOR

Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes.....	48	0.08
2 = No (not entered).....	1029	1.77
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1687	2.91
94 = DON'T KNOW	8	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	317	0.55

Please type in the other reason you used [STLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

(STMOTOT)
STMRSOTRS2

Len : 3 REASON USED LAST STIMULANT (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain.....	4	0.01
3 = To experiment or to see what it's/they're like	1	0.00
4 = To feel good or get high.....	1	0.00
7 = To increase/decrease effects of some other drug.....	1	0.00
10 = To help me concentrate.....	1	0.00
12 = To help me study	1	0.00
13 = I used it/them for some other reason	22	0.04
15 = To get work/chores done, not studying	4	0.01
20 = To try out for medical condition	4	0.01
34 = Symptom relief, otherwise unspecified.....	3	0.01
983 = DID NOT USE STIM IN THE PAST 12 MOS Logically assigned.....	1	0.00
985 = BAD DATA (logically assigned).....	2	0.00
991 = NEVER USED STIMULANTS.....	54940	94.67
993 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1688	2.91
994 = DON'T KNOW	2	0.00
997 = REFUSED	1	0.00
998 = BLANK (no answer).....	329	0.57
999 = LEGITIMATE SKIP.....	1029	1.77

Which was the main reason you used [STLASTFILL2] the last time?

(RSTYMOI)
STMRSMAIN

Len : 2 MAIN REASON USED LAST STIMULANT (NOT DIRECTED)

	Freq	Pct
1 = To help me lose weight.....	16	0.03
2 = To help me concentrate.....	184	0.32
3 = To help me be alert or stay awake.....	136	0.23
4 = To help me study	130	0.22
5 = To experiment or to see what it was/they were like	31	0.05
6 = To feel good or get high.....	69	0.12
7 = To increase or decrease the effect(s) of some other drug	5	0.01
9 = The other reason I reported.....	10	0.02
17 = To increase/ decrease the effect(s) of other drug LOG ASSN.....	1	0.00
83 = DID NOT USE STIM IN THE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	54940	94.67
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1688	2.91
98 = BLANK (NO ANSWER)	329	0.57
99 = LEGITIMATE SKIP.....	492	0.85

STIMULANTS

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused stimulants in the past year was without a prescription. These respondents also reported that the last stimulant they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

<u>STMNORXFG</u>	Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST STIM	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx.....		17	0.03
98 = BLANK (NO ANSWER)		58017	99.97

SEDATIVES

SEDATIVES

The next question asks about using prescription sedatives in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription sedative in any way a doctor did not direct you to use it?

(*SVL01, SVL02*)

SEDNMLIF Len : 2 EVER USED SEDATIVE NOT DIRECTED BY DR

	Freq	Pct
1 = Yes.....	924	1.59
2 = No.....	4487	7.73
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	223	0.38
85 = BAD DATA Logically assigned	11	0.02
91 = NEVER USED/MISUSED SEDATIVES	51835	89.32
94 = DON'T KNOW	9	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	541	0.93

NOTE: The variable SEDNMREC is a recoded variable that was created from SEDNMLIF, the 12-month misuse variables of specific sedatives, and SEDTVNM30DY.

SEDNMREC

Len : 2 RC - MOST RECENT SEDATIVE MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days.....	60	0.10
2 = More than 30 days ago but within the past 12 mos	162	0.28
3 = More than 12 months ago	918	1.58
8 = Misused at some point in past 12 mos LOG ASSN.....	1	0.00
9 = Misused at some point in lifetime LOG ASSN	6	0.01
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	188	0.32
91 = NEVER USED/MISUSED SEDATIVES	56322	97.05
98 = BLANK (NO ANSWER)	377	0.65

NOTE: SEDNMINIT is "reverse coded" from the answers in SVL03. SVL03=1 (yes) was recoded to 2 in SEDNMINIT because this answer means that the respondent misused sedatives before the past 12 months (and therefore is not a past year initiate for misuse of sedatives). SVL03=2 (no) was recoded to 1 in SEDNMINIT because this answer means that the respondent did not misuse sedatives before the past 12 months (and therefore is a past year initiate for misuse of sedatives).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription sedative in a way a doctor did not direct you to use it?

(*SVL03*)

SEDNMINIT

Len : 2 PAST YEAR INITIATE FOR ANY SEDATIVE MISUSE

	Freq	Pct
1 = Past year initiate.....	50	0.09
2 = Not a past year initiate	21	0.04
4 = Not past yr initiate LOG ASSN (from skip pattern).....	152	0.26
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	188	0.32
91 = NEVER USED/MISUSED SEDATIVES	56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MOS	918	1.58
98 = BLANK (NO ANSWER)	383	0.66

NOTE: The variables SEDNMAGE, SEDNMYFU, and SEDNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of sedatives in the 12 months prior to being interviewed (SEDNMINIT=1).

SEDNMAGE

Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR SED INITIATES

	Freq	Pct
RANGE = 11 - 72	46	0.08
983 = NOT A PAST YEAR INITIATE Log assn.....	188	0.32
991 = NEVER USED/MISUSED SEDATIVES	56322	97.05
993 = NOT A PAST YEAR INITIATE	1091	1.88
998 = BLANK (NO ANSWER).....	387	0.67

SEDATIVES

<u>SEDNMYFU</u>	Len : 4 RC - YR 1ST MISUSED FOR PAST YR SED INITIATES	Freq	Pct
	RANGE = 2020 - 2021	46	0.08
	9983 = NOT A PAST YEAR INITIATE Logically assigned.....	188	0.32
	9991 = NEVER USED/MISUSED SEDATIVES	56322	97.05
	9993 = NOT A PAST YEAR INITIATE	1091	1.88
	9998 = BLANK (NO ANSWER).....	387	0.67

<u>SEDNMMFU</u>	Len : 2 RC - MO 1ST MISUSED FOR PAST YR SED INITIATES	Freq	Pct
	1 = January.....	2	0.00
	2 = February.....	2	0.00
	3 = March.....	8	0.01
	4 = April	4	0.01
	5 = May.....	5	0.01
	6 = June.....	6	0.01
	7 = July	2	0.00
	8 = August	5	0.01
	9 = September	3	0.01
	10 = October	3	0.01
	11 = November	4	0.01
	12 = December.....	1	0.00
	83 = NOT A PAST YEAR INITIATE Logically assigned	188	0.32
	91 = NEVER USED/MISUSED SEDATIVES	56322	97.05
	93 = NOT A PAST YEAR INITIATE	1091	1.88
	98 = BLANK (NO ANSWER)	388	0.67

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

<i>(SVM01)</i> <u>SEDNM30D</u>	Len : 2 USED SEDATIVE NOT DIRECTED BY DR PAST 30 DAYS	Freq	Pct
	1 = Yes.....	56	0.10
	2 = No.....	162	0.28
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	4	0.01
	83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	19	0.03
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED/MISUSED SEDATIVES	56322	97.05
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	1087	1.87
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	381	0.66

During the past 30 days, on how many days did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

<i>(SVM02)</i> <u>SEDNM30FQ</u>	Len : 2 # DAYS USED SEDATIVE NOT DIRECTD BY DR PST 30 DYS	Freq	Pct
	RANGE = 1 - 30.....	57	0.10
	83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	6	0.01
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED/MISUSED SEDATIVES	56322	97.05
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	1262	2.17
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	383	0.66

What is your best estimate of the number of days you used [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] during the past 30 days?

<i>(SVM02DKRE)</i> <u>SEDNM30ES</u>	Len : 2 EST # DAYS USED SEDATIVE NOT DIRECTED PST 30 DYS	Freq	Pct
	2 = 3 to 5 days.....	2	0.00
	91 = NEVER USED/MISUSED SEDATIVES	56322	97.05
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	1268	2.18
	94 = DON'T KNOW	1	0.00
	98 = BLANK (NO ANSWER)	384	0.66
	99 = LEGITIMATE SKIP	57	0.10

SEDATIVES

During the past 30 days, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

<i>(SVM03)</i>	<u>SEDNM30AL</u>	Len : 2 USED SEDATIVE NOT DIRECTED BY DR W/ALC PST 30 DYS	Freq	Pct
1 = Yes.....			15	0.03
2 = No.....			21	0.04
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN.....			3	0.01
85 = BAD DATA Logically assigned.....			1	0.00
91 = NEVER USED/MISUSED SEDATIVES.....			56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS			1265	2.18
98 = BLANK (NO ANSWER)			383	0.66
99 = LEGITIMATE SKIP.....			24	0.04

Which of these statements describe your use of [SVNAMEFILL] at any time in the past 12 months?

<i>(SVYWAYS1)</i>	<u>SEDWYNORX</u>	Len : 2 USED SEDATIVE W/O OWN RX PAST 12 MONTHS	Freq	Pct
1 = Yes.....			125	0.22
2 = No (not entered).....			90	0.16
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN			12	0.02
85 = BAD DATA Logically assigned			1	0.00
91 = NEVER USED/MISUSED SEDATIVES			56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS			1094	1.89
94 = DON'T KNOW			7	0.01
97 = REFUSED			1	0.00
98 = BLANK (NO ANSWER)			382	0.66

<i>(SVYWAYS2)</i>	<u>SEDWYGAMT</u>	Len : 2 USED SEDATIVE IN GREATER AMTS THAN RX PST 12 MOS	Freq	Pct
1 = Yes.....			63	0.11
2 = No (not entered).....			152	0.26
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN			3	0.01
85 = BAD DATA Logically assigned			1	0.00
91 = NEVER USED/MISUSED SEDATIVES			56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS			1103	1.90
94 = DON'T KNOW			7	0.01
97 = REFUSED			1	0.00
98 = BLANK (NO ANSWER)			382	0.66

<i>(SVYWAYS3)</i>	<u>SEDWYOFNT</u>	Len : 2 USED SEDATIVE MORE OFTEN THAN RX PAST 12 MONTHS	Freq	Pct
1 = Yes.....			24	0.04
2 = No (not entered).....			191	0.33
83 = DID NOT MISUSE PAST 12 MOS Logically assigned			4	0.01
91 = NEVER USED/MISUSED SEDATIVES			56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS			1102	1.90
94 = DON'T KNOW			7	0.01
97 = REFUSED			1	0.00
98 = BLANK (NO ANSWER)			383	0.66

<i>(SVYWAYS4)</i>	<u>SEDWYLNGR</u>	Len : 2 USED SEDATIVE LONGER THAN RX PAST 12 MONTHS	Freq	Pct
1 = Yes.....			16	0.03
2 = No (not entered).....			199	0.34
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN			4	0.01
91 = NEVER USED/MISUSED SEDATIVES			56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS			1102	1.90
94 = DON'T KNOW			7	0.01
97 = REFUSED			1	0.00
98 = BLANK (NO ANSWER)			383	0.66

SEDATIVES

(SVWYWAYS5)
SEDWYOTWY

Len : 2 USED SEDATIVE OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes.....	28	0.05
2 = No (not entered).....	187	0.32
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	8	0.01
91 = NEVER USED/MISUSED SEDATIVES.....	56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1098	1.89
94 = DON'T KNOW.....	7	0.01
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	383	0.66

Now think about the last time you used a prescription sedative in any way a doctor did not direct you to use it.

Which of these sedatives did you use the last time? If you used more than one sedative the last time, please choose one sedative as your best answer.

(RSVYLAST)
SEDNMLAST

Len : 2 LAST SEDATIVE USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Ambien	72	0.12
2 = Ambien CR.....	9	0.02
3 = Zolpidem (generic)	38	0.07
4 = Extended-release zolpidem (generic).....	4	0.01
5 = Lunesta or eszopiclone.....	12	0.02
7 = Halcion	4	0.01
8 = Restoril	2	0.00
9 = Flurazepam (generic), also known as Dalmane.....	1	0.00
10 = Temazepam (generic)	8	0.01
11 = Triazolam (generic).....	6	0.01
12 = Butisol	1	0.00
13 = Seconal	2	0.00
14 = Phenobarbital (generic).....	7	0.01
15 = Some other sedative	55	0.09
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	20	0.03
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	1086	1.87
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	381	0.66

Now think about the last time you used [SVLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [SVLASTFILL2] the last time?

(SVYMOTVI)
SEDRSRELX

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO RELAX

	Freq	Pct
1 = Yes.....	68	0.12
2 = No (not entered).....	151	0.26
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	8	0.01
91 = NEVER USED/MISUSED SEDATIVES.....	56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	1098	1.89
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	383	0.66

(SVYMOTV2)
SEDRSEXPT

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes.....	9	0.02
2 = No (not entered).....	210	0.36
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	1	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	1105	1.90
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	381	0.66

SEDATIVES

(SVYMOTV3)
SEDRSHIGH

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes.....	26	0.04
2 = No (not entered).....	193	0.33
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	1105	1.90
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	383	0.66

(SVYMOTV4)
SEDRSSLEP

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR SLEEP

	Freq	Pct
1 = Yes.....	168	0.29
2 = No (not entered).....	48	0.08
3 = Yes LOGICALLY ASSIGNED.....	3	0.01
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	11	0.02
91 = NEVER USED/MISUSED SEDATIVES	56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	1095	1.89
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	383	0.66

(SVYMOTV5)
SEDRSEMOT

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
1 = Yes.....	37	0.06
2 = No (not entered).....	182	0.31
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	1105	1.90
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	383	0.66

(SVYMOTV6)
SEDRSDGFX

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes.....	7	0.01
2 = No (not entered).....	212	0.37
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	1105	1.90
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	383	0.66

(SVYMOTV7)
SEDRSHOOK

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes.....	3	0.01
2 = No (not entered).....	216	0.37
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	1105	1.90
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	383	0.66

SEDATIVES

(SVYMOTV8)
SEDRSSOR

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes.....	18	0.03
2 = No (not entered).....	201	0.35
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	5	0.01
91 = NEVER USED/MISUSED SEDATIVES.....	56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1101	1.90
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	383	0.66

Please type in the other reason you used [SVLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

(SVMOTOT)
SEDRSOTRS2

Len : 3 REASON USED LAST SEDATIVE (NOT DIRECTED)

	Freq	Pct
5 = To help with my sleep.....	3	0.01
13 = I used it/them for some other reason.....	5	0.01
983 = DID NOT USE SEDATIVES IN THE PAST 12 MOS Logically assigned.....	4	0.01
985 = BAD DATA (logically assigned).....	3	0.01
991 = NEVER USED SEDATIVES.....	56322	97.05
993 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1102	1.90
994 = DON'T KNOW.....	3	0.01
997 = REFUSED.....	4	0.01
998 = BLANK (no answer).....	387	0.67
999 = LEGITIMATE SKIP.....	201	0.35

Which was the main reason you used [SVLASTFILL2] the last time?

(RSVYMOI)
SEDRSMAIN

Len : 2 MAIN REASON USED LAST SEDATIVE (NOT DIRECTED)

	Freq	Pct
1 = To relax or relieve tension	11	0.02
2 = To experiment or to see what it was/they were like	2	0.00
3 = To feel good or get high.....	2	0.00
4 = To help with my sleep.....	36	0.06
5 = To help me with my feelings or emotions.....	9	0.02
8 = The other reason I reported.....	1	0.00
14 = To help with my sleep LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	3	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	56322	97.05
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1103	1.90
98 = BLANK (NO ANSWER)	387	0.67
99 = LEGITIMATE SKIP.....	156	0.27

The following variable for past year misuse of Any Benzodiazepines Sedatives, SVBZONMYR, was assigned a positive response if a respondent indicated any past year misuse of Benzodiazepine Sedatives or past year misuse of Benzodiazepine Sedatives that were specified as other Sedatives.

SVBZONMYR

Len : 1 RC - BENZODIAZEPINES SEDATIVES - PAST YEAR MISUSE

	Freq	Pct
. = Missing	315	0.54
0 = No.....	57688	99.40
1 = Yes.....	31	0.05

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused sedatives in the past year was without a prescription. These respondents also reported that the last sedative they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

SEDNORXFG

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST SED

	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	2	0.00
98 = BLANK (NO ANSWER)	58032	100.0

RECENTY OF DRUG USE

IMPUTED SUBSTANCE USE

RECENTY OF DRUG USE

<i>(CIGREC)</i> IRCGRC	Len : 1 CIGARETTE RECENTY - IMPUTATION REVISED	Freq Pct 7409 12.77 2231 3.84 2664 4.59 12569 21.66 33161 57.14
	1 = Within the past 30 days.....	
	2 = More than 30 days ago but within the past 12 mos	
	3 = More than 12 months ago but within the past 3 yrs.....	
	4 = More than 3 years ago.....	
	9 = NEVER SMOKED CIGARETTES	
<i>(CIGREC)</i> IICIGRC	Len : 1 CIGARETTE RECENTY - IMPUTATION INDICATOR	Freq Pct 57897 99.76 1 0.00 136 0.23
	1 = Questionnaire data	
	2 = Logically assigned data.....	
	3 = Statistically imputed data.....	
<i>(CIGREC)</i> I2CIGRC	Len : 1 CIGARETTE RECENTY - DETAILED IMPUTATION INDICATOR	Freq Pct 57897 99.76 1 0.00 4 0.01 1 0.00 30 0.05 66 0.11 32 0.06 3 0.01
	1 = Questionnaire data	
	2 = Logically assigned data.....	
	4 = Statistically imputed data - edited recency = 9.....	
	5 = Statistically imputed data - edited recency = 8.....	
	6 = Statistically imputed data - edited recency = 19.....	
	7 = Statistically imputed data - edited recency = 14.....	
	8 = Statistically imputed data - edited recency = 29.....	
	9 = Statistically imputed data - edited recency = 39.....	
<i>(CIGARREC)</i> IRCGRRC	Len : 1 CIGAR RECENTY - IMPUTATION REVISED	Freq Pct 2100 3.62 2011 3.47 2565 4.42 8116 13.98 43242 74.51
	1 = Within the past 30 days.....	
	2 = More than 30 days ago but within the past 12 mos	
	3 = More than 12 months ago but within the past 3 yrs.....	
	4 = More than 3 years ago.....	
	9 = NEVER SMOKED CIGARS.....	
<i>(CIGARREC)</i> IICGRRC	Len : 1 CIGAR RECENTY - IMPUTATION INDICATOR	Freq Pct 57903 99.77 131 0.23
	1 = Questionnaire data	
	3 = Statistically imputed data.....	
<i>(CIGARREC)</i> I2CGRRC	Len : 1 CIGAR RECENTY - DETAILED IMPUTATION INDICATOR	Freq Pct 57903 99.77 10 0.02 5 0.01 2 0.00 18 0.03 59 0.10 36 0.06 1 0.00
	1 = Questionnaire data	
	3 = Statistically imputed data - lifetime use imputed	
	4 = Statistically imputed data - edited recency = 9.....	
	5 = Statistically imputed data - edited recency = 8.....	
	6 = Statistically imputed data - edited recency = 19.....	
	7 = Statistically imputed data - edited recency = 14.....	
	8 = Statistically imputed data - edited recency = 29.....	
	9 = Statistically imputed data - edited recency = 39.....	
<i>(PIPEVER)</i> IRPIPLF	Len : 1 LIFETIME PIPE USE - IMPUTATION REVISED	Freq Pct 4500 7.75 53534 92.25
	1 = Ever used pipes.....	
	9 = NEVER SMOKED PIPES.....	

RECENCY OF DRUG USE

		Freq	Pct
<i>(PIPEVER)</i> <u>IPIPLF</u>	Len : 1 LIFETIME PIPE USE - IMPUTATION INDICATOR		
1 = Questionnaire data		58026	99.99
3 = Statistically imputed data.....		8	0.01
<i>(PIPE30DY)</i> <u>IRPIPMN</u>	Len : 1 PAST MONTH PIPE USE - IMPUTATION REVISED		
1 = Within the past 30 days.....		368	0.63
2 = More than 30 days ago but within lifetime.....		4132	7.12
9 = NEVER SMOKED PIPES.....		53534	92.25
<i>(PIPE30DY)</i> <u>IPIPMN</u>	Len : 1 PAST MONTH PIPE USE - IMPUTATION INDICATOR		
1 = Questionnaire data		4497	7.75
3 = Statistically imputed data.....		11	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....		53526	92.23
<i>(SMKLSSREC)</i> <u>IRSMKLSSREC</u>	Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED		
1 = Within the past 30 days.....		1432	2.47
2 = More than 30 days ago but within the past 12 mos		650	1.12
3 = More than 12 months ago but within the past 3 yrs.....		931	1.60
4 = More than 3 years ago.....		4237	7.30
9 = NEVER USED SMOKELESS TOBACCO.....		50784	87.51
<i>(SMKLSSREC)</i> <u>IISMKLSSREC</u>	Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR		
1 = Questionnaire data		57934	99.83
2 = Logically assigned data.....		2	0.00
3 = Statistically imputed data - lifetime use imputed		32	0.06
4 = Statistically imputed data - edited recency = 9.....		6	0.01
6 = Statistically imputed data - edited recency = 19.....		14	0.02
7 = Statistically imputed data - edited recency = 14.....		33	0.06
8 = Statistically imputed data - edited recency = 29.....		13	0.02
<i>(ALCREC)</i> <u>IIRALCRC</u>	Len : 1 ALCOHOL RECENCY - IMPUTATION REVISED		
1 = Within the past 30 days.....		26560	45.77
2 = More than 30 days ago but within the past 12 mos		8224	14.17
3 = More than 12 months ago		6940	11.96
9 = NEVER USED ALCOHOL.....		16310	28.10
<i>(ALCREC)</i> <u>IIALCRC</u>	Len : 1 ALCOHOL RECENCY - IMPUTATION INDICATOR		
1 = Questionnaire data		57551	99.17
2 = Logically assigned data.....		5	0.01
3 = Statistically imputed data		478	0.82
<i>(ALCREC)</i> <u>I2ALCRC</u>	Len : 1 ALCOHOL RECENCY - DETAILED IMPUTATION INDICATOR		
1 = Questionnaire data		57551	99.17
2 = Logically assigned data.....		5	0.01
3 = Statistically imputed data - lifetime use imputed		15	0.03
4 = Statistically imputed data - edited recency = 9.....		148	0.26
5 = Statistically imputed data - edited recency = 8.....		315	0.54

RECENTY OF DRUG USE

<i>(MJREC)</i>	<i>Len : 1 MARIJUANA RECENTY - IMPUTATION REVISED</i>	Freq	Pct
<i>IRMJRC</i>	1 = Within the past 30 days.....	8450	14.56
	2 = More than 30 days ago but within the past 12 mos	4078	7.03
	3 = More than 12 months ago	13002	22.40
	9 = NEVER USED MARIJUANA	32504	56.01
<i>(MJREC)</i>	<i>Len : 1 MARIJUANA RECENTY - IMPUTATION INDICATOR</i>	Freq	Pct
<i>IIMJRC</i>	1 = Questionnaire data	57389	98.89
	2 = Logically assigned data.....	367	0.63
	3 = Statistically imputed data.....	278	0.48
<i>(MJREC)</i>	<i>Len : 1 MARIJUANA RECENTY - DETAILED IMPUTATION INDICATOR</i>	Freq	Pct
<i>I2MJRC</i>	1 = Questionnaire data	57389	98.89
	2 = Logically assigned data.....	367	0.63
	3 = Statistically imputed data - lifetime use imputed	33	0.06
	4 = Statistically imputed data - edited recency = 9.....	85	0.15
	5 = Statistically imputed data - edited recency = 8.....	160	0.28
<i>(COCREC)</i>	<i>Len : 1 COCAINE RECENTY - IMPUTATION REVISED</i>	Freq	Pct
<i>IRCOCRC</i>	1 = Within the past 30 days.....	399	0.69
	2 = More than 30 days ago but within the past 12 mos	715	1.23
	3 = More than 12 months ago	5681	9.79
	9 = NEVER USED COCAINE	51239	88.29
<i>(COCREC)</i>	<i>Len : 1 COCAINE RECENTY - IMPUTATION INDICATOR</i>	Freq	Pct
<i>IICOCRC</i>	1 = Questionnaire data	57953	99.86
	2 = Logically assigned data.....	18	0.03
	3 = Statistically imputed data.....	63	0.11
<i>(COCREC)</i>	<i>Len : 1 COCAINE RECENTY - DETAILED IMPUTATION INDICATOR</i>	Freq	Pct
<i>I2COCRC</i>	1 = Questionnaire data	57953	99.86
	2 = Logically assigned data.....	18	0.03
	3 = Statistically imputed data - lifetime use imputed	14	0.02
	4 = Statistically imputed data - edited recency = 9.....	25	0.04
	5 = Statistically imputed data - edited recency = 8.....	24	0.04
<i>(CRAKREC)</i>	<i>Len : 1 CRACK RECENTY - IMPUTATION REVISED</i>	Freq	Pct
<i>IRCRKRC</i>	1 = Within the past 30 days.....	80	0.14
	2 = More than 30 days ago but within the past 12 mos	87	0.15
	3 = More than 12 months ago	1431	2.47
	9 = NEVER USED CRACK.....	56436	97.25
<i>(CRAKREC)</i>	<i>Len : 1 CRACK RECENTY - IMPUTATION INDICATOR</i>	Freq	Pct
<i>IICRKRC</i>	1 = Questionnaire data	58005	99.95
	3 = Statistically imputed data.....	29	0.05

RECENTY OF DRUG USE

		Freq	Pct
<i>(CRAKREC)</i>	<i>I12CRKRC</i>		
Len : 1	CRACK RECENTY - DETAILED IMPUTATION INDICATOR		
1 = Questionnaire data		58005	99.95
3 = Statistically imputed data - lifetime use imputed		23	0.04
4 = Statistically imputed data - edited recency = 9		2	0.00
5 = Statistically imputed data - edited recency = 8		4	0.01
<i>(HERREC)</i>	<i>IRHERRC</i>		
Len : 1	HEROIN RECENTY - IMPUTATION REVISED		
1 = Within the past 30 days.....		111	0.19
2 = More than 30 days ago but within the past 12 mos		96	0.17
3 = More than 12 months ago		926	1.60
9 = NEVER USED HEROIN.....		56901	98.05
<i>(HERREC)</i>	<i>I1HERRC</i>		
Len : 1	HEROIN RECENTY - IMPUTATION INDICATOR		
1 = Questionnaire data		57999	99.94
3 = Statistically imputed data.....		35	0.06
<i>(HERREC)</i>	<i>I12HERRC</i>		
Len : 1	HEROIN RECENTY - DETAILED IMPUTATION INDICATOR		
1 = Questionnaire data		57999	99.94
3 = Statistically imputed data - lifetime use imputed		17	0.03
4 = Statistically imputed data - edited recency = 9		7	0.01
5 = Statistically imputed data - edited recency = 8		11	0.02
<i>(HALLUCREC)</i>	<i>IRHALLUCREC</i>		
Len : 1	HALLUCINOGEN RECENTY - IMPUTATION REVISED		
1 = Within the past 30 days.....		548	0.94
2 = More than 30 days ago but within the past 12 mos		1500	2.58
3 = More than 12 months ago		6953	11.98
9 = NEVER USED HALLUCINOGENS		49033	84.49
<i>(HALLUCREC)</i>	<i>I1HALLUCREC</i>		
Len : 1	HALLUCINOGEN RECENTY - IMPUTATION INDICATOR		
1 = Questionnaire data		57731	99.48
2 = Logically assigned data.....		29	0.05
3 = Statistically imputed data - lifetime use imputed		130	0.22
4 = Statistically imputed data - edited recency = 9		96	0.17
5 = Statistically imputed data - edited recency = 8		48	0.08
<i>(LSDREC)</i>	<i>IRLSDRC</i>		
Len : 1	LSD RECENTY - IMPUTATION REVISED		
1 = Within the past 30 days.....		156	0.27
2 = More than 30 days ago but within the past 12 mos		642	1.11
3 = More than 12 months ago		4609	7.94
9 = NEVER USED LSD		52627	90.68
<i>(LSDREC)</i>	<i>I1LSDRC</i>		
Len : 1	LSD RECENTY - IMPUTATION INDICATOR		
1 = Questionnaire data		57940	99.84
2 = Logically assigned data.....		1	0.00
3 = Statistically imputed data		93	0.16

RECENTY OF DRUG USE

		Freq	Pct
<i>(LSDREC)</i> <u>I12LSDRC</u>	Len : 1 LSD RECENTY - DETAILED IMPUTATION INDICATOR		
1 = Questionnaire data		57940	99.84
2 = Logically assigned data.....		1	0.00
3 = Statistically imputed data - lifetime use imputed		27	0.05
4 = Statistically imputed data - edited recency = 9.....		49	0.08
5 = Statistically imputed data - edited recency = 8.....		17	0.03
<i>(PCPREC)</i> <u>I1RPCPRC</u>	Len : 1 PCP RECENTY - IMPUTATION REVISED		
1 = Within the past 30 days.....		12	0.02
2 = More than 30 days ago but within the past 12 mos		25	0.04
3 = More than 12 months ago		787	1.36
9 = NEVER USED PCP		57210	98.58
<i>(PCPREC)</i> <u>I1PCPRC</u>	Len : 1 PCP RECENTY - IMPUTATION INDICATOR		
1 = Questionnaire data		57998	99.94
3 = Statistically imputed data		36	0.06
<i>(PCPREC)</i> <u>I12PCPRC</u>	Len : 1 PCP RECENTY - DETAILED IMPUTATION INDICATOR		
1 = Questionnaire data		57998	99.94
3 = Statistically imputed data - lifetime use imputed		24	0.04
4 = Statistically imputed data - edited recency = 9.....		8	0.01
5 = Statistically imputed data - edited recency = 8.....		4	0.01
<i>(ECSTMOREC)</i> <u>I1ECSTMOREC</u>	Len : 1 ECSTASY RECENTY - IMPUTATION REVISED		
1 = Within the past 30 days.....		133	0.23
2 = More than 30 days ago but within the past 12 mos		425	0.73
3 = More than 12 months ago		4023	6.93
9 = NEVER USED ECSTASY		53453	92.11
<i>(ECSTMOREC)</i> <u>I1ECSTMOREC</u>	Len : 1 ECSTASY RECENTY - IMPUTATION INDICATOR		
1 = Questionnaire data		57971	99.89
3 = Statistically imputed data - lifetime use imputed		24	0.04
4 = Statistically imputed data - edited recency = 9.....		34	0.06
5 = Statistically imputed data - edited recency = 8.....		5	0.01
<i>(KETMINREC)</i> <u>I1KETMINREC</u>	Len : 1 KETAMINE RECENTY - IMPUTATION REVISED		
1 = Within the past 30 days.....		36	0.06
2 = More than 30 days ago but within the past 12 mos		118	0.20
3 = More than 12 months ago		819	1.41
9 = NEVER USED KETAMINE		57061	98.32
<i>(KETMINREC)</i> <u>I1KETMINREC</u>	Len : 1 KETAMINE RECENTY - IMPUTATION INDICATOR		
1 = Questionnaire data		57981	99.91
2 = Logically assigned data.....		4	0.01
3 = Statistically imputed data - lifetime use imputed		42	0.07
4 = Statistically imputed data - edited recency = 9.....		6	0.01
5 = Statistically imputed data - edited recency = 8.....		1	0.00

RECENCY OF DRUG USE

(DAMTFXREC)
[IRDAMTFXREC](#)

Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	25	0.04
2 = More than 30 days ago but within the past 12 mos	131	0.23
3 = More than 12 months ago	668	1.15
9 = NEVER USED DMT/AMT/FOXY	57210	98.58

(DAMTFXREC)
[IIDAMTFXREC](#)

Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57981	99.91
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - lifetime use imputed	46	0.08
4 = Statistically imputed data - edited recency = 9.....	6	0.01

(SALVIAREC)
[IRSAVIAREC](#)

Len : 1 SALVIA RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	8	0.01
2 = More than 30 days ago but within the past 12 mos	25	0.04
3 = More than 12 months ago	1133	1.95
9 = NEVER USED SALVIA	56868	97.99

(SALVIAREC)
[IISALVIAREC](#)

Len : 1 SALVIA RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57978	99.90
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - lifetime use imputed	51	0.09
4 = Statistically imputed data - edited recency = 9.....	4	0.01

(INHALREC)
[IRINHALREC](#)

Len : 1 INHALANT RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	249	0.43
2 = More than 30 days ago but within the past 12 mos	456	0.79
3 = More than 12 months ago	4957	8.54
9 = NEVER USED INHALANTS	52372	90.24

(INHALREC)
[IIINHALREC](#)

Len : 1 INHALANT RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57804	99.60
3 = Statistically imputed data - lifetime use imputed	114	0.20
4 = Statistically imputed data - edited recency = 9.....	104	0.18
5 = Statistically imputed data - edited recency = 8.....	12	0.02

(METHAMREC)
[IRMETHAMREC](#)

Len : 1 METHAMPHETAMINE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	299	0.52
2 = More than 30 days ago but within the past 12 mos	193	0.33
3 = More than 12 months ago	2174	3.75
9 = NEVER USED METHAMPHETAMINE	55368	95.41

(METHAMREC)
[IMETHAMREC](#)

Len : 1 METHAMPHETAMINE USE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57973	99.89
3 = Statistically imputed data - lifetime use imputed	44	0.08
4 = Statistically imputed data - edited recency = 9.....	7	0.01
5 = Statistically imputed data - edited recency = 8.....	10	0.02

RECENTY OF DRUG USE

NOTE: The following 14 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the levels 'More than 12 months ago' and 'NEVER USED XXX' in analysis for the following variables: IRPNRANYREC, IRTRQANYREC, IRSTMANYREC, and IRSEDANYREC.

(PNRANYREC)

IRPNRANYREC

Len : 1 ANY PAIN RELIEVER RECENTY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	12508	21.55
2 = More than 12 months ago	15742	27.13
9 = NEVER USED PAIN RELIEVERS	29784	51.32

(PNRANYREC)

IIPNRANYREC

Len : 1 ANY PAIN RELIEVER RECENTY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57543	99.15
3 = Statistically imputed data - lifetime use imputed	411	0.71
4 = Statistically imputed data - edited recency = 9.....	80	0.14

(OXCNANYR)

IROXCNANYR

Len : 1 ANY OXYCONTIN RECENTY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	1244	2.14
9 = Did not use in the past 12 months	56790	97.86

(OXCNANYR)

IIOXCNANYR

Len : 1 ANY OXYCONTIN RECENTY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57759	99.53
2 = Logically assigned data.....	102	0.18
3 = Statistically imputed data - any use imputed.....	173	0.30

(FENTANYR)

IRFENTANYR

Len : 1 FENTANYL PRODUCTS - ANY PAST YEAR USE - IMP REV

	Freq	Pct
0 = No.....	57558	99.18
1 = Yes.....	476	0.82

(FENTANYR)

IFENTANYR

Len : 1 FENTANYL PRODUCTS - ANY PAST YEAR USE - IMP IND

	Freq	Pct
1 = Questionnaire data	57767	99.54
2 = Logically assigned data.....	88	0.15
3 = Statistically imputed data.....	179	0.31

(TRQANYREC)

IRTRQANYREC

Len : 1 ANY TRANQUILIZERS RECENTY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	5924	10.21
2 = More than 12 months ago	4476	7.71
9 = NEVER USED TRANQUILIZERS.....	47634	82.08

(TRQANYREC)

ITRQANYREC

Len : 1 ANY TRANQUILIZERS RECENTY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57603	99.26
3 = Statistically imputed data - lifetime use imputed	405	0.70
4 = Statistically imputed data - edited recency = 9.....	26	0.04

RECENTY OF DRUG USE

		Freq	Pct
<i>(STMANYREC)</i>	<u>IRSTMANYREC</u>		
Len : 1 ANY STIMULANTS RECENTY - IMPUTATION REVISED			
1 = Within the past 12 months		4274	7.36
2 = More than 12 months ago		3172	5.47
9 = NEVER USED STIMULANTS.....		50588	87.17
<i>(STMANYREC)</i>	<u>IISTMANYREC</u>		
Len : 1 ANY STIMULANTS RECENTY - IMPUTATION INDICATOR			
1 = Questionnaire data		57643	99.33
3 = Statistically imputed data - lifetime use imputed		377	0.65
4 = Statistically imputed data - edited recenty = 9.....		14	0.02
<i>(SEDANYREC)</i>	<u>IRSEDDANYREC</u>		
Len : 1 ANY SEDATIVES RECENTY - IMPUTATION REVISED			
1 = Within the past 12 months		2478	4.27
2 = More than 12 months ago		3267	5.63
9 = NEVER USED SEDATIVES.....		52289	90.10
<i>(SEDANYREC)</i>	<u>IISDEDANYREC</u>		
Len : 1 ANY SEDATIVES RECENTY - IMPUTATION INDICATOR			
1 = Questionnaire data		57513	99.10
3 = Statistically imputed data - lifetime use imputed		507	0.87
4 = Statistically imputed data - edited recenty = 9.....		14	0.02
<i>(BZOANYYR)</i>	<u>IRBZOANYYR</u>		
Len : 1 ANY BENZODIAZEPINES - PAST YEAR USE - IMPUTATION REVISED			
0 = No.....		53450	92.10
1 = Yes.....		4584	7.90
<i>(BZOANYYR)</i>	<u>IBBZOANYYR</u>		
Len : 1 ANY BENZODIAZEPINES - PAST YEAR USE - IMPUTATION INDICATOR			
1 = Questionnaire data		57705	99.43
3 = Statistically imputed data.....		329	0.57
NOTE: The following 14 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the levels 'More than 12 months ago' and 'NEVER MISUSED XXX' in analysis for the following variables: IRPNRMREC, IRTRQNMREC, IRSTMNMREC, and IRSEDNMREC.			
<i>(PNRNMREC)</i>	<u>IRPNRNMREC</u>		
Len : 1 PAIN RELIEVER MISUSE RECENTY - IMPUTATION REVISED			
1 = Within the past 30 days.....		475	0.82
2 = More than 30 days ago but within the past 12 mos		1299	2.24
3 = More than 12 months ago		3165	5.45
9 = NEVER MISUSED PAIN RELIEVERS		53095	91.49
<i>(PNRNMREC)</i>	<u>IPNPNRMREC</u>		
Len : 1 PAIN RELIEVER MISUSE RECENTY - IMPUTATION INDICATOR			
1 = Questionnaire data		57320	98.77
3 = Statistically imputed data - any use rec imputed.....		167	0.29
4 = Stat imp data - any use rec known, misuse unknown.....		89	0.15
5 = Statistically imputed data - edited recenty = 9.....		40	0.07
6 = Statistically imputed data - edited recenty = 8.....		15	0.03
7 = Stat imp data - did not misuse py, life unknown		403	0.69

RECENCY OF DRUG USE

(OXCNNMYR)
IROXCNMNYR

Len : 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Misused in the past 12 months	202	0.35
9 = Did not misuse in the past 12 months	57832	99.65

(OXCNNMYR)
IIOXCNMNYR

Len : 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57915	99.79
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	118	0.20

(FENTNMYR)
IRFENTNMYR

Len : 1 FENTANYL PRODUCTS - PAST YEAR MISUSE - IMP REV

	Freq	Pct
0 = No.....	57931	99.82
1 = Yes.....	103	0.18

(FENTNMYR)
IFENTNMYR

Len : 1 FENTANYL PRODUCTS - PAST YEAR MISUSE - IMP IND

	Freq	Pct
1 = Questionnaire data	57891	99.75
3 = Statistically imputed data.....	143	0.25

(TRQNMREC)
IRTRQNMREC

Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	285	0.49
2 = More than 30 days ago but within the past 12 mos	760	1.31
3 = More than 12 months ago	1223	2.11
9 = NEVER MISUSED TRANQUILIZERS.....	55766	96.09

(TRQNMREC)
IITRQNMREC

Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57549	99.16
3 = Statistically imputed data - any use rec imputed	233	0.40
4 = Stat imp data - any use rec known, misuse unknown	43	0.07
5 = Statistically imputed data - edited recency = 9	5	0.01
6 = Statistically imputed data - edited recency = 8.....	9	0.02
7 = Stat imp data - did not misuse py, life unknown	195	0.34

(STMNMREC)
IRSTMNMREC

Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	359	0.62
2 = More than 30 days ago but within the past 12 mos	742	1.28
3 = More than 12 months ago	1591	2.74
9 = NEVER MISUSED STIMULANTS.....	55342	95.36

(STMNMREC)
IISTMNMREC

Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57599	99.25
3 = Statistically imputed data - any use rec imputed	278	0.48
4 = Stat imp data - any use rec known, misuse unknown	32	0.06
5 = Statistically imputed data - edited recency = 9	6	0.01
6 = Statistically imputed data - edited recency = 8.....	1	0.00
7 = Stat imp data - did not misuse py, life unknown	118	0.20

RECENCY OF DRUG USE

(SEDNMREC)
IRSEDNMREC

Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	61	0.11
2 = More than 30 days ago but within the past 12 mos	164	0.28
3 = More than 12 months ago	940	1.62
9 = NEVER MISUSED SEDATIVES	56869	97.99

(SEDNMREC)
IISEDNMREC

Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57462	99.01
3 = Statistically imputed data - any use rec imputed	352	0.61
4 = Stat imp data - any use rec known, misuse unknown	25	0.04
5 = Statistically imputed data - edited recency = 9.....	6	0.01
6 = Statistically imputed data - edited recency = 8.....	1	0.00
7 = Stat imp data - did not misuse py, life unknown	188	0.32

(BZONMYR)
IRBZONMYR

Len : 1 ANY BENZODIAZEPINES - PAST YEAR MISUSE - IMPUTATION REVISED

	Freq	Pct
0 = No.....	57073	98.34
1 = Yes.....	961	1.66

(BZONMYR)
IIBZONMYR

Len : 1 ANY BENZODIAZEPINES - PAST YEAR MISUSE - IMP IND

	Freq	Pct
1 = Questionnaire data	57678	99.39
3 = Statistically imputed data.....	356	0.61

PAST YEAR FREQUENCY OF USE

PAST YEAR FREQUENCY OF USE

NOTE: The term "Past Year Frequency" is interchangeable with the term "12-Month Frequency".

*(ALCYRTOT)
IRALCFY*

Len : 3 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED

RANGE = 1 - 365	
991 = NEVER USED ALCOHOL.....	
993 = DID NOT USE ALCOHOL PAST YEAR	

Freq	Pct
34784	59.94
16310	28.10
6940	11.96

*(ALCYRTOT)
IIALCFY*

Len : 1 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR

1 = Questionnaire data	
2 = Logically assigned data.....	
3 = Statistically imputed data.....	
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	

Freq	Pct
33599	57.90
844	1.45
390	0.67
23201	39.98

*(ALCYRTOT)
I2ALCFY*

Len : 1 ALCOHOL FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

1 = Questionnaire data	
2 = Logically assigned data.....	
3 = Statistically imputed data - lifetime use imputed	
4 = Statistically imputed data - lifetime use known.....	
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	

Freq	Pct
33599	57.90
844	1.45
15	0.03
375	0.65
23201	39.98

*(MJYRTOT)
IRMJFY*

Len : 3 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED

RANGE = 1 - 365	
991 = NEVER USED MARIJUANA	
993 = DID NOT USE MARIJUANA PAST YEAR	

Freq	Pct
12528	21.59
32504	56.01
13002	22.40

*(MJYRTOT)
IIMJFY*

Len : 1 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION INDICATOR

1 = Questionnaire data	
2 = Logically assigned data.....	
3 = Statistically imputed data	
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	

Freq	Pct
11390	19.63
620	1.07
581	1.00
45443	78.30

*(MJYRTOT)
I2MJFY*

Len : 1 MARIJUANA FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

1 = Questionnaire data	
2 = Logically assigned data.....	
3 = Statistically imputed data - lifetime use imputed	
4 = Statistically imputed data - lifetime use known.....	
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	

Freq	Pct
11390	19.63
620	1.07
33	0.06
548	0.94
45443	78.30

*(COCYRTOT)
IRCOCFY*

Len : 3 COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED

RANGE = 1 - 364	
991 = NEVER USED COCAINE	
993 = DID NOT USE COCAINE PAST YEAR	

Freq	Pct
1114	1.92
51239	88.29
5681	9.79

*(COCYRTOT)
IICOCFY*

Len : 1 COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR

1 = Questionnaire data	
2 = Logically assigned data.....	
3 = Statistically imputed data	
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....	

Freq	Pct
1022	1.76
65	0.11
60	0.10
56877	98.02

PAST YEAR FREQUENCY OF USE

(COCYRTOT)
[II2COCFY](#)

Len : 1 COCAINE FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

1 = Questionnaire data
2 = Logically assigned data.....
3 = Statistically imputed data - lifetime use imputed ..
4 = Statistically imputed data - lifetime use known.....
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....

Freq	Pct
1022	1.76
65	0.11
14	0.02
46	0.08
56887	98.02

(CRKYRTOT)
[IICRKFY](#)

Len : 3 CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED

RANGE = 1 - 364
991 = NEVER USED CRACK
993 = DID NOT USE CRACK PAST YEAR.....

Freq	Pct
167	0.29
56436	97.25
1431	2.47

(CRKYRTOT)
[IICRKFY](#)

Len : 1 CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR

1 = Questionnaire data
2 = Logically assigned data.....
3 = Statistically imputed data.....
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....

Freq	Pct
152	0.26
10	0.02
28	0.05
57844	99.67

(CRKYRTOT)
[II2CRKFY](#)

Len : 1 CRACK FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

1 = Questionnaire data
2 = Logically assigned data.....
3 = Statistically imputed data - lifetime use imputed ..
4 = Statistically imputed data - lifetime use known.....
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....

Freq	Pct
152	0.26
10	0.02
23	0.04
5	0.01
57844	99.67

(HERYRTOT)
[IRHERFY](#)

Len : 3 HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED

RANGE = 1 - 365
991 = NEVER USED HEROIN.....
993 = DID NOT USE HEROIN PAST YEAR

Freq	Pct
207	0.36
56901	98.05
926	1.60

(HERYRTOT)
[IICHERFY](#)

Len : 1 HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR

1 = Questionnaire data
2 = Logically assigned data.....
3 = Statistically imputed data.....
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....

Freq	Pct
185	0.32
8	0.01
36	0.06
57805	99.61

(HERYRTOT)
[II2HERFY](#)

Len : 1 HEROIN FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

1 = Questionnaire data
2 = Logically assigned data.....
3 = Statistically imputed data - lifetime use imputed ..
4 = Statistically imputed data - lifetime use known.....
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....

Freq	Pct
185	0.32
8	0.01
17	0.03
19	0.03
57805	99.61

(HALLUCYFQ)
[IRHALLUCYFQ](#)

Len : 3 HALL FREQUENCY PAST YEAR - IMPUTATION REVISED

RANGE = 1 - 365
991 = NEVER USED HALLUCINOGENS
993 = DID NOT USE HALLUCINOGENS PAST YEAR

Freq	Pct
2048	3.53
49033	84.49
6953	11.98

PAST YEAR FREQUENCY OF USE

(HALLUCYFQ)
IHHALLUCYFQ

Len : 1 HALL FREQ PAST YEAR - IMPUTATION INDICATOR

1 = Questionnaire data
 2 = Logically assigned data.....
 3 = Statistically imputed data - lifetime use imputed ..
 4 = Statistically imputed data - lifetime use known.....
 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....

Freq	Pct
1900	3.27
64	0.11
130	0.22
139	0.24
55801	96.15

(INHALYFQ)
IIRINHALYFQ

Len : 3 INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED

RANGE = 1 - 342
 991 = NEVER USED INHALANTS
 993 = DID NOT USE INHALANTS PAST YEAR.....

Freq	Pct
705	1.21
52372	90.24
4957	8.54

(INHALYFQ)
IINHALYFQ

Len : 1 INHALANT FREQ PAST YEAR - IMPUTATION INDICATOR

1 = Questionnaire data
 2 = Logically assigned data.....
 3 = Statistically imputed data - lifetime use imputed ..
 4 = Statistically imputed data - lifetime use known.....
 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....

Freq	Pct
609	1.05
36	0.06
114	0.20
132	0.23
57143	98.46

(METHAMYFQ)
IRMETHAMYFQ

Len : 3 METH FREQUENCY PAST YEAR - IMPUTATION REVISED

RANGE = 1 - 365
 991 = NEVER USED METHAMPHETAMINE
 993 = DID NOT USE METHAMPHETAMINE PAST YEAR

Freq	Pct
492	0.85
55368	95.41
2174	3.75

(METHAMYFQ)
IIMETHAMYFQ

Len : 1 METH FREQ PAST YEAR - IMPUTATION INDICATOR

1 = Questionnaire data
 2 = Logically assigned data.....
 3 = Statistically imputed data - lifetime use imputed ..
 4 = Statistically imputed data - lifetime use known.....
 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER.....

Freq	Pct
439	0.76
35	0.06
44	0.08
21	0.04
57495	99.07

PAST MONTH FREQUENCY OF USE

PAST MONTH FREQUENCY OF USE

NOTE: The term "Past Month Frequency" is interchangeable with the term "30-Day Frequency".

(CG30EST, CIG30USE)			
<u>IRCGFM</u>		Len : 2 CIG FREQUENCY PAST MONTH - IMPUTATION REVISED	
RANGE = 1 - 30		Freq	Pct
91 = NEVER USED CIGARETTES.....		7409	12.77
93 = DID NOT USE CIGARETTES PAST MONTH.....		33161	57.14
		17464	30.09
(CG30EST, CIG30USE)			
<u>IICIGFM</u>		Len : 1 CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR	
1 = Questionnaire data		Freq	Pct
2 = Logically assigned data.....		7365	12.69
3 = Statistically imputed data.....		34	0.06
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		15	0.03
		50620	87.22
(CG30EST, CIG30USE)			
<u>I2CIGFM</u>		Len : 1 CIG FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR	
1 = Questionnaire data		Freq	Pct
2 = Logically assigned data.....		7365	12.69
4 = Statistically imputed data - lifetime use known.....		34	0.06
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		15	0.03
		50620	87.22
(CGR30USE, CI30EST)			
<u>IRCGRFM</u>		Len : 2 CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED	
RANGE = 1 - 30		Freq	Pct
91 = NEVER USED CIGARS		2100	3.62
93 = DID NOT USE CIGARS PAST MONTH		43242	74.51
		12692	21.87
(CGR30USE, CI30EST)			
<u>IICGRFM</u>		Len : 1 CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR	
1 = Questionnaire data		Freq	Pct
2 = Logically assigned data.....		2088	3.60
3 = Statistically imputed data.....		11	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		19	0.03
		55916	96.35
(CGR30USE, CI30EST)			
<u>I2CGRFM</u>		Len : 1 CIGAR FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR	
1 = Questionnaire data		Freq	Pct
2 = Logically assigned data.....		2088	3.60
3 = Statistically imputed data - lifetime use imputed		11	0.02
4 = Statistically imputed data - lifetime use known.....		10	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		9	0.02
		55916	96.35
(SMKLSS30E, SMKLSS30N)			
<u>IRSMKLSS30N</u>		Len : 2 SMOKELESS TOBACCO FREQUENCY PAST MONTH - IMPUTATION REVISED	
RANGE = 1 - 30		Freq	Pct
91 = NEVER USED SMOKELESS TOBACCO.....		1432	2.47
93 = DID NOT USE SMOKELESS TOBACCO PAST MONTH.....		50784	87.51
		5818	10.03
(SMKLSS30E, SMKLSS30N)			
<u>IISMKLSS30N</u>		Len : 1 SMOKELESS TOBACCO FREQUENCY PST MONTH - IMPUTATION INDICATOR	
1 = Questionnaire data		Freq	Pct
2 = Logically assigned data.....		1420	2.45
3 = Statistically imputed data - lifetime use imputed		4	0.01
4 = Statistically imputed data - lifetime use known.....		32	0.06
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		10	0.02
		56568	97.47

PAST MONTH FREQUENCY OF USE

(AL30EST, ALCDAYS)

IRALCFM

Len : 2 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	26560	45.77
91 = NEVER USED ALCOHOL.....	16310	28.10
93 = DID NOT USE ALCOHOL PAST MONTH.....	15164	26.13

(AL30EST, ALCDAYS)

IHALCFM

Len : 1 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	26052	44.89
2 = Logically assigned data.....	110	0.19
3 = Statistically imputed data.....	644	1.11
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	31228	53.81

(AL30EST, ALCDAYS)

I2ALCFM

Len : 1 ALCOHOL FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	26052	44.89
2 = Logically assigned data.....	110	0.19
3 = Statistically imputed data - lifetime use imputed	15	0.03
4 = Statistically imputed data - lifetime use known.....	629	1.08
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	31228	53.81

"Binge" Alcohol Frequency, IRALCBNG30D, is defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females. For this variable, "occasion" means at the same time or within a couple hours of each other. Prior to 2015, "binge" alcohol frequency was defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for everyone, regardless of sex. Therefore, IRALCBNG30D is comparable to the version of this variable created from 2002-2014, IRALCD5, among males but not overall or among females.

(ALCBNG30D)

IRALCBNG30D

Len : 2 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 0 - 30	26560	45.77
91 = NEVER USED ALCOHOL.....	16310	28.10
93 = DID NOT USE ALCOHOL PAST MONTH.....	15164	26.13

(ALCBNG30D)

IHALCBNG30D

Len : 1 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	25875	44.59
2 = Logically assigned data.....	38	0.07
3 = Statistically imputed data - recency of use imputed	483	0.83
4 = Statistically imputed data - recency of use known	410	0.71
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	31228	53.81

(MJDAY30A, MR30EST)

IRMJFM

Len : 2 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	8450	14.56
91 = NEVER USED MARIJUANA	32504	56.01
93 = DID NOT USE MARIJUANA PAST MONTH	17080	29.43

(MJDAY30A, MR30EST)

IIMJFM

Len : 1 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	8123	14.00
2 = Logically assigned data.....	45	0.08
3 = Statistically imputed data.....	422	0.73
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	49444	85.20

PAST MONTH FREQUENCY OF USE

(MJDAY30A, MR30EST)

I12MJFM

Len : 1 MARIJUANA FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	8123	14.00
2 = Logically assigned data.....	45	0.08
3 = Statistically imputed data - lifetime use imputed	33	0.06
4 = Statistically imputed data - lifetime use known.....	389	0.67
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	49444	85.20

(CC30EST, COCUS30A)

IRCOCFM

Len : 2 COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	399	0.69
91 = NEVER USED COCAINE	51239	88.29
93 = DID NOT USE COCAINE PAST MONTH	6396	11.02

(CC30EST, COCUS30A)

IICOCFM

Len : 1 COCAINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	363	0.63
2 = Logically assigned data.....	16	0.03
3 = Statistically imputed data.....	72	0.12
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	57583	99.22

(CC30EST, COCUS30A)

I12COCFM

Len : 1 COCAINE FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	363	0.63
2 = Logically assigned data.....	16	0.03
3 = Statistically imputed data - lifetime use imputed	14	0.02
4 = Statistically imputed data - lifetime use known.....	58	0.10
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	57583	99.22

(CR30EST, CRKUS30A)

IRCRKFM

Len : 2 CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	80	0.14
91 = NEVER USED CRACK.....	56436	97.25
93 = DID NOT USE CRACK PAST MONTH.....	1518	2.62

(CR30EST, CRKUS30A)

I12CRKFM

Len : 1 CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	76	0.13
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	29	0.05
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	57928	99.82

(CR30EST, CRKUS30A)

I12CRKFM

Len : 1 CRACK FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	76	0.13
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - lifetime use imputed	23	0.04
4 = Statistically imputed data - lifetime use known.....	6	0.01
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	57928	99.82

(HER30USE, HR30EST)

IRHERFM

Len : 2 HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	111	0.19
91 = NEVER USED HEROIN.....	56901	98.05
93 = DID NOT USE HEROIN PAST MONTH.....	1022	1.76

PAST MONTH FREQUENCY OF USE

(*HER30USE, HR30EST*)

I₁HERFM Len : 1 HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	103	0.18
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	35	0.06
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	57895	99.76

(*HER30USE, HR30EST*)

I₂HERFM Len : 1 HEROIN FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	103	0.18
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - lifetime use imputed	17	0.03
4 = Statistically imputed data - lifetime use known.....	18	0.03
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	57895	99.76

(*HALLUC30E, HALLUC30N*)

I₁HALLUC30N Len : 2 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	548	0.94
91 = NEVER USED HALLUCINOGENS	49033	84.49
93 = DID NOT USE HALLUCINOGENS PAST MONTH	8453	14.57

(*HALLUC30E, HALLUC30N*)

I₂HALLUC30N Len : 1 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	517	0.89
2 = Logically assigned data.....	2	0.00
3 = Statistically imputed data - lifetime use imputed	130	0.22
4 = Statistically imputed data - lifetime use known.....	153	0.26
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	57232	98.62

(*INHAL30ES, INHAL30N*)

I₁INHAL30N Len : 2 INHALANT FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	249	0.43
91 = NEVER USED INHALANTS	52372	90.24
93 = DID NOT USE INHALANTS PAST MONTH.....	5413	9.33

(*INHAL30ES, INHAL30N*)

I₂INHAL30N Len : 1 INHALANT FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	224	0.39
2 = Logically assigned data.....	7	0.01
3 = Statistically imputed data - lifetime use imputed	114	0.20
4 = Statistically imputed data - lifetime use known.....	117	0.20
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	57572	99.20

(*METHAM30E, METHAM30N*)

I₁METHAM30N Len : 2 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	299	0.52
91 = NEVER USED METHAMPHETAMINE	55368	95.41
93 = DID NOT USE METHAMPHETAMINE PAST MONTH	2367	4.08

(*METHAM30E, METHAM30N*)

I₂METHAM30N Len : 1 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	287	0.49
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - lifetime use imputed	44	0.08
4 = Statistically imputed data - lifetime use known.....	19	0.03
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	57683	99.40

PAST MONTH FREQUENCY OF USE

(PNRNM30ES, PNRNM30FQ)

IRPNRNM30FQ Len : 2 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED

RANGE = 1 - 30
91 = NEVER MISUSED PAIN RELIEVERS
93 = DID NOT MISUSE PAIN RELIEVERS PAST MONTH

Freq	Pct
475	0.82
53095	91.49
4464	7.69

(PNRNM30ES, PNRNM30FQ)

IIPNRNM30FQ Len : 1 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR

1 = Questionnaire data
2 = Logically assigned data.....
3 = Statistically imputed data - lifetime misuse imputed.....
4 = Statistically imputed data - lifetime misuse known.....
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER.....

Freq	Pct
458	0.79
6	0.01
256	0.44
56	0.10
57258	98.66

(TRQNM30ES, TRQNM30FQ)

IRTRQNM30FQ Len : 2 TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED

RANGE = 1 - 30
91 = NEVER MISUSED TRANQUILIZERS.....
93 = DID NOT MISUSE TRANQUILIZERS PAST MONTH.....

Freq	Pct
285	0.49
55766	96.09
1983	3.42

(TRQNM30ES, TRQNM30FQ)

IITRQNM30FQ Len : 1 TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR

1 = Questionnaire data
3 = Statistically imputed data - lifetime misuse imputed.....
4 = Statistically imputed data - lifetime misuse known.....
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER.....

Freq	Pct
275	0.47
276	0.48
15	0.03
57468	99.02

(STMNM30ES, STMNM30FQ)

IRSTMNM30FQ Len : 2 STIMULANTS MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED

RANGE = 1 - 30
91 = NEVER MISUSED STIMULANTS.....
93 = DID NOT MISUSE STIMULANTS PAST MONTH.....

Freq	Pct
359	0.62
55342	95.36
2333	4.02

(STMNM30ES, STMNM30FQ)

IISTMNM30FQ Len : 1 STIMULANTS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR

1 = Questionnaire data
2 = Logically assigned data.....
3 = Statistically imputed data - lifetime misuse imputed.....
4 = Statistically imputed data - lifetime misuse known.....
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER.....

Freq	Pct
350	0.60
4	0.01
310	0.53
9	0.02
57361	98.84

(SEDNM30ES, SEDNM30FQ)

IRSEDNM30FQ Len : 2 SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED

RANGE = 1 - 30
91 = NEVER MISUSED SEDATIVES
93 = DID NOT MISUSE SEDATIVES PAST MONTH

Freq	Pct
61	0.11
56869	97.99
1104	1.90

(SEDNM30ES, SEDNM30FQ)

IISEDNM30FQ Len : 1 SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION INDICATOR

1 = Questionnaire data
2 = Logically assigned data.....
3 = Statistically imputed data - lifetime misuse imputed.....
4 = Statistically imputed data - lifetime misuse known.....
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER.....

Freq	Pct
57	0.10
2	0.00
377	0.65
8	0.01
57590	99.23

AGE/DATE OF FIRST DRUG USE

AGE/DATE OF FIRST DRUG USE

<i>(CIGTRY)</i>			
<u>IRCIGAGE</u>	Len : 3 CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 74.....	Freq	Pct
	991 = NEVER USED.....	24873	42.86
		33161	57.14
<i>(CIGTRY)</i>			
<u>IICIGAGE</u>	Len : 1 CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	24662	42.50
	3 = Statistically imputed data.....	15	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	196	0.34
		33161	57.14
<i>(CIGYFU, IRCIGAGE)</i>			
<u>IRCYIGFU</u>	Len : 4 CIGARETTE YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1932 - 2021	Freq	Pct
	9999 = NEVER USED.....	24873	42.86
		33161	57.14
<i>(CIGYFU, IRCIGAGE)</i>			
<u>IICIGYFU</u>	Len : 1 CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	695	1.20
	3 = Statistically imputed data.....	2	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	24176	41.66
		33161	57.14
<i>(CIGAGE)</i>			
<u>IRCDUAGE</u>	Len : 3 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 71	Freq	Pct
	991 = NEVER USED.....	12643	21.79
	993 = NEVER A DAILY USER.....	33161	57.14
		12230	21.07
<i>(CIGAGE)</i>			
<u>IICDUAGE</u>	Len : 1 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	12590	21.69
	3 = Statistically imputed data.....	2	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	55	0.09
		45387	78.21
<i>(CIGDLYFU, IRCDUAGE)</i>			
<u>IRCD2YFU</u>	Len : 4 DAILY CIGARETTE YFU - USING CIGDLYFU - IMPUTATION REVISED		
	RANGE = 1940 - 2021	Freq	Pct
	9993 = NEVER A DAILY USER.....	12643	21.79
	9999 = NEVER USED.....	12230	21.07
		33161	57.14
<i>(CIGDLYFU, IRCDUAGE)</i>			
<u>IICD2YFU</u>	Len : 1 DAILY CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	181	0.31
	3 = Statistically imputed data.....	1	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	12465	21.48
		45387	78.21
<i>(CIGARTRY)</i>			
<u>IRCGRAGE</u>	Len : 3 CIGAR AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 70.....	Freq	Pct
	991 = NEVER USED.....	14792	25.49
		43242	74.51

AGE/DATE OF FIRST DRUG USE

(CIGARTRY)
IICGRAGE

Len : 1 CIGAR AGE OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data	
3 = Statistically imputed data.....	
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	

Freq	Pct
14616	25.19
184	0.32
43234	74.50

(CIGARYFU, IRCGRAGE)
IRCGRYFU

Len : 4 CIGAR YEAR OF FIRST USE - IMPUTATION REVISED

RANGE = 1936 - 2021	
9999 = NEVER USED.....	

Freq	Pct
14792	25.49
43242	74.51

(CIGARYFU, IRCGRAGE)
IICGRYFU

Len : 1 CIGAR YEAR OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data	
3 = Statistically imputed data.....	
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	

Freq	Pct
681	1.17
14119	24.33
43234	74.50

(SMKLSSTRY)
IRSMKLSSTRY

Len : 3 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION REVISED

RANGE = 1 - 71	
991 = NEVER USED.....	

Freq	Pct
7250	12.49
50784	87.51

(SMKLSSTRY)
IISMKLSSTRY

Len : 1 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data	
3 = Statistically imputed data.....	
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	

Freq	Pct
7153	12.33
124	0.21
50757	87.46

(IRSMKLSSTRY, SMKLSSYFU)
IRSMKLSSYFU

Len : 4 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION REVISED

RANGE = 1936 - 2021	
9999 = NEVER USED.....	

Freq	Pct
7250	12.49
50784	87.51

(IRSMKLSSTRY, SMKLSSYFU)
IISMKLSSYFU

Len : 1 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data	
3 = Statistically imputed data.....	
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	

Freq	Pct
314	0.54
6963	12.00
50757	87.46

(ALCTRY)
IRALCAGE

Len : 3 ALCOHOL AGE OF FIRST USE - IMPUTATION REVISED

RANGE = 1 - 85	
991 = NEVER USED.....	

Freq	Pct
41724	71.90
16310	28.10

(ALCTRY)
IHALCAGE

Len : 1 ALCOHOL AGE OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data	
3 = Statistically imputed data.....	
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	

Freq	Pct
41354	71.26
378	0.65
16302	28.09

(ALCYFU, IRALCAGE)
IRALCYFU

Len : 4 ALCOHOL YEAR OF FIRST USE - IMPUTATION REVISED

RANGE = 1933 - 2021	
9999 = NEVER USED.....	

Freq	Pct
41724	71.90
16310	28.10

AGE/DATE OF FIRST DRUG USE

(ALCYFU, IRALCAGE)

IIALCYFU Len : 1 ALCOHOL YEAR OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data	
3 = Statistically imputed data.....	
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	

Freq	Pct
2509	4.32
39223	67.59
16302	28.09

(MJAGE)

IRMJAGE

Len : 3 MARIJUANA AGE OF FIRST USE - IMPUTATION REVISED

RANGE = 1 - 82	
991 = NEVER USED.....	

Freq	Pct
25530	43.99
32504	56.01

(MJAGE)

IIMJAGE

Len : 1 MARIJUANA AGE OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data	
3 = Statistically imputed data.....	
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	

Freq	Pct
25197	43.42
350	0.60
32487	55.98

(IRMJAGE, MJYFU)

IRMJYFU

Len : 4 MARIJUANA YEAR OF FIRST USE - IMPUTATION REVISED

RANGE = 1955 - 2021	
9999 = NEVER USED.....	

Freq	Pct
25530	43.99
32504	56.01

(IRMJAGE, MJYFU)

IIMJYFU

Len : 1 MARIJUANA YEAR OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data	
3 = Statistically imputed data.....	
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	

Freq	Pct
1405	2.42
24142	41.60
32487	55.98

(COCAGE)

IRCOGAGE

Len : 3 COCAINE AGE OF FIRST USE - IMPUTATION REVISED

RANGE = 1 - 70	
991 = NEVER USED.....	

Freq	Pct
6795	11.71
51239	88.29

(COCAGE)

IICOCAGE

Len : 1 COCAINE AGE OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data	
2 = Logically assigned data.....	
3 = Statistically imputed data.....	
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	

Freq	Pct
6671	11.49
90	0.16
48	0.08
51225	88.27

(COCYFU, IRCOCAGE)

IRCOCYFU

Len : 4 COCAINE YEAR OF FIRST USE - IMPUTATION REVISED

RANGE = 1962 - 2021	
9999 = NEVER USED.....	

Freq	Pct
6795	11.71
51239	88.29

(COCYFU, IRCOCAGE)

IICOCYFU

Len : 1 COCAINE YEAR OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data	
2 = Logically assigned data.....	
3 = Statistically imputed data.....	
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	

Freq	Pct
255	0.44
1	0.00
6553	11.29
51225	88.27

AGE/DATE OF FIRST DRUG USE

<i>(CRKAGE)</i>			
<u>IRCRKAGE</u>	Len : 3 CRACK AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 6 - 70	Freq	Pct
	991 = NEVER USED.....	1598	2.75
		56436	97.25
<i>(CRKAGE)</i>			
<u>IICRKAGE</u>	Len : 1 CRACK AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	3 = Statistically imputed data.....	1590	2.74
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	28	0.05
		56416	97.21
<i>(CRKYFU, ICRKAGE)</i>			
<u>IRCRKYFU</u>	Len : 4 CRACK YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1966 - 2021	Freq	Pct
	9999 = NEVER USED.....	1598	2.75
		56436	97.25
<i>(CRKYFU, ICRKAGE)</i>			
<u>IICRKYFU</u>	Len : 1 CRACK YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	3 = Statistically imputed data.....	29	0.05
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	1589	2.74
		56416	97.21
<i>(HERAGE)</i>			
<u>IRHERAGE</u>	Len : 3 HEROIN AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 2 - 69	Freq	Pct
	991 = NEVER USED.....	1133	1.95
		56901	98.05
<i>(HERAGE)</i>			
<u>IIEHERAGE</u>	Len : 1 HEROIN AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	3 = Statistically imputed data.....	1119	1.93
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	31	0.05
		56884	98.02
<i>(HERYFU, IRHERAGE)</i>			
<u>IRHERYFU</u>	Len : 4 HEROIN YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1961 - 2021	Freq	Pct
	9999 = NEVER USED.....	1133	1.95
		56901	98.05
<i>(HERYFU, IRHERAGE)</i>			
<u>IIEHERYFU</u>	Len : 1 HEROIN YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	3 = Statistically imputed data.....	33	0.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	1117	1.92
		56884	98.02
<i>(HALLUCAGE)</i>			
<u>IRHALLUCAGE</u>	Len : 3 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 68	Freq	Pct
	991 = NEVER USED.....	9001	15.51
		49033	84.49



AGE/DATE OF FIRST DRUG USE

(HALLUCAGE)
IHALLUCAGE

Len : 1 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data
 2 = Logically assigned data.....
 3 = Statistically imputed data.....
 9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....

Freq	Pct
8784	15.14
114	0.20
221	0.38
48915	84.29

*(HALLUCYFU, IRHALLUCAGE)*IRHALLUCYFU Len : 4 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION REVISED

RANGE = 1947 - 2021
 9999 = NEVER USED.....

Freq	Pct
9001	15.51
49033	84.49

*(HALLUCYFU, IRHALLUCAGE)*IHALLUCYFU Len : 1 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data
 2 = Logically assigned data.....
 3 = Statistically imputed data.....
 9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....

Freq	Pct
707	1.22
2	0.00
8410	14.49
48915	84.29

*(LSDAGE)*IRLSDAGE

Len : 3 LSD AGE OF FIRST USE - IMPUTATION REVISED

RANGE = 1 - 53
 991 = NEVER USED.....

Freq	Pct
5407	9.32
52627	90.68

*(LSDAGE)*IILSDAGE

Len : 1 LSD AGE OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data
 2 = Logically assigned data.....
 3 = Statistically imputed data.....
 9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....

Freq	Pct
5326	9.18
2	0.00
102	0.18
52604	90.64

*(IRLSDAGE, LSDYFU)*IRLSDYFU

Len : 4 LSD YEAR OF FIRST USE - IMPUTATION REVISED

RANGE = 1952 - 2021
 9999 = NEVER USED.....

Freq	Pct
5407	9.32
52627	90.68

*(IRLSDAGE, LSDYFU)*IILSDYFU

Len : 1 LSD YEAR OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data
 3 = Statistically imputed data.....
 9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....

Freq	Pct
428	0.74
5002	8.62
52604	90.64

*(PCPAGE)*IRPCPAGE

Len : 3 PCP AGE OF FIRST USE - IMPUTATION REVISED

RANGE = 1 - 64
 991 = NEVER USED.....

Freq	Pct
824	1.42
57210	98.58

*(PCPAGE)*IIPCPAGE

Len : 1 PCP AGE OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data
 3 = Statistically imputed data.....
 9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....

Freq	Pct
799	1.38
48	0.08
57187	98.54

AGE/DATE OF FIRST DRUG USE

<i>(IRPCPAGE, PCPYFU)</i>	<u>IRPCPYFU</u>	Len : 4 PCP YEAR OF FIRST USE - IMPUTATION REVISED	Freq	Pct
		RANGE = 1966 - 2021	824	1.42
		9999 = NEVER USED.....	57210	98.58
<i>(IRPCPAGE, PCPYFU)</i>	<u>IIPCPYFU</u>	Len : 1 PCP YEAR OF FIRST USE - IMPUTATION INDICATOR	Freq	Pct
		1 = Questionnaire data	20	0.03
		3 = Statistically imputed data.....	827	1.43
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	57187	98.54
<i>(ECSTMOAGE)</i>	<u>IRECSTMOAGE</u>	Len : 3 ECSTASY AGE OF FIRST USE - IMPUTATION REVISED	Freq	Pct
		RANGE = 2 - 68	4581	7.89
		991 = NEVER USED.....	53453	92.11
<i>(ECSTMOAGE)</i>	<u>IIECSTMOAGE</u>	Len : 1 ECSTASY AGE OF FIRST USE - IMPUTATION INDICATOR	Freq	Pct
		1 = Questionnaire data	4536	7.82
		2 = Logically assigned data.....	1	0.00
		3 = Statistically imputed data.....	62	0.11
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	53435	92.08
<i>(ECSTMOYFU, IRECSTMOAGE)</i>	<u>IRECSTMOYFU</u>	Len : 4 ECSTASY YEAR OF FIRST USE - IMPUTATION REVISED	Freq	Pct
		RANGE = 1969 - 2021	4581	7.89
		9999 = NEVER USED.....	53453	92.11
<i>(ECSTMOYFU, IRECSTMOAGE)</i>	<u>IIECSTMOYFU</u>	Len : 1 ECSTASY YEAR OF FIRST USE - IMPUTATION INDICATOR	Freq	Pct
		1 = Questionnaire data	266	0.46
		3 = Statistically imputed data.....	4333	7.47
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	53435	92.08
<i>(INHALAGE)</i>	<u>IRINHALAGE</u>	Len : 3 INHALANTS AGE OF FIRST USE - IMPUTATION REVISED	Freq	Pct
		RANGE = 1 - 56	5662	9.76
		991 = NEVER USED.....	52372	90.24
<i>(INHALAGE)</i>	<u>IIINHALAGE</u>	Len : 1 INHALANTS AGE OF FIRST USE - IMPUTATION INDICATOR	Freq	Pct
		1 = Questionnaire data	5319	9.17
		3 = Statistically imputed data.....	448	0.77
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	52267	90.06
<i>(INHALYFU, IRINHALAGE)</i>	<u>IRINHALYFU</u>	Len : 4 INHALANTS YEAR OF FIRST USE - IMPUTATION REVISED	Freq	Pct
		RANGE = 1940 - 2021	5662	9.76
		9999 = NEVER USED.....	52372	90.24

AGE/DATE OF FIRST DRUG USE

(INHALYFU, IRINHALAGE)

IINHALYFU Len : 1 INHALANTS YEAR OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data
3 = Statistically imputed data.....
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....

Freq	Pct
284	0.49
5483	9.45
52267	90.06

(METHAMAGE)

IRMETHAMAGE

Len : 3 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION REVISED

RANGE = 1 - 70
991 = NEVER USED.....

Freq	Pct
2666	4.59
55368	95.41

(METHAMAGE)

IIMETHAMAGE

Len : 1 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data
3 = Statistically imputed data.....
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....

Freq	Pct
2645	4.56
63	0.11
55326	95.33

(IRMETHAMAGE, METHAMYFU)

IRMETHAMYFU

Len : 4 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION REVISED

RANGE = 1943 - 2021
9999 = NEVER USED.....

Freq	Pct
2666	4.59
55368	95.41

(IRMETHAMAGE, METHAMYFU)

IIMETHAMYFU

Len : 1 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION INDICATOR

1 = Questionnaire data
3 = Statistically imputed data.....
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....

Freq	Pct
74	0.13
2634	4.54
55326	95.33

The following eight variables pertain to past year initiation of prescription drugs. Past year initiation of prescription drugs is defined as the misuse of the drug for the first time in the 12 months prior to the date of the interview.

(PNRNMINIT)

IPNPNMINIT

Len : 2 PAST YR INITIATE PAIN RELIEVERS MISUSE - IMPUTATION REVISED

1 = Past year initiate.....
2 = Not a past year initiate
91 = NEVER MISUSED.....
93 = NO PAST YEAR MISUSE.....

Freq	Pct
337	0.58
1437	2.48
53095	91.49
3165	5.45

(PNRNMINIT)

IPPNPNMINIT

Len : 2 PAST YR INITIATE PAIN RELIEVER MISUSE - IMPUTATION INDICATOR

1 = Questionnaire Data
3 = Statistically imputed - recency known
4 = Statistically imputed - recency imputed.....

Freq	Pct
57729	99.47
6	0.01
299	0.52

(TRQNMINIT)

ITRQNMINIT

Len : 2 PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION REVISED

1 = Past year initiate.....
2 = Not a past year initiate
91 = NEVER MISUSED.....
93 = NO PAST YEAR MISUSE.....

Freq	Pct
219	0.38
826	1.42
55766	96.09
1223	2.11

(TRQNMINIT)

ITRQNMINIT

Len : 2 PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION INDICATOR

1 = Questionnaire Data
3 = Statistically imputed - recency known
4 = Statistically imputed - recency imputed.....

Freq	Pct
57748	99.51
2	0.00
284	0.49

AGE/DATE OF FIRST DRUG USE

(STMNMINIT)
IRSTMNMINIT

Len : 2 PAST YR INITIATE STIMULANT MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Past year initiate.....	218	0.38
2 = Not a past year initiate	883	1.52
91 = NEVER MISUSED.....	55342	95.36
93 = NO PAST YEAR MISUSE.....	1591	2.74

(STMNMINIT)
IISTMNMINIT

Len : 2 PAST YR INITIATE STIMULANT MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire Data	57717	99.45
3 = Statistically imputed - recency known	1	0.00
4 = Statistically imputed - recency imputed	316	0.54

(SEDNMINIT)
IRSEDNMINIT

Len : 2 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Past year initiate.....	50	0.09
2 = Not a past year initiate	175	0.30
91 = NEVER MISUSED.....	56869	97.99
93 = NO PAST YEAR MISUSE.....	940	1.62

(SEDNMINIT)
IISEDNMINIT

Len : 2 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire Data	57651	99.34
4 = Statistically imputed - recency imputed	383	0.66

NOTE: The following four variables pertain to the age and date of first misuse of pain relievers. Respondents who were past year initiates (IRPNRNMINIT=1), that is respondents who misused pain relievers for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRPNRNMINIT ne 1) receive an appropriate skip code.

(PNRNIMAGE, PNPNMYFU)
IRPNRNMYFU

Len : 4 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2020 - 2021	337	0.58
9993 = NOT A PAST YEAR INITIATE	4602	7.93
9999 = NEVER MISUSED.....	53095	91.49

(PNRNIMAGE, PNPNMYFU)
IPPNRNMYFU

Len : 1 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	241	0.42
3 = Statistically imputed data - Past year initiation imputed	305	0.53
4 = Statistically imputed data - Past year initiation known.....	88	0.15
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	57400	98.91

(IRPNRNMYFU, PNPNMAGE)
IRPNRNMAGE

Len : 3 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 11 - 95	337	0.58
993 = NOT A PAST YEAR INITIATE	4602	7.93
999 = NEVER MISUSED.....	53095	91.49

(IRPNRNMYFU, PNPNMAGE)
IPPNRNMAGE

Len : 1 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	242	0.42
3 = Statistically imputed data - Past year initiation imputed	305	0.53
4 = Statistically imputed data - Past year initiation known.....	87	0.15
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	57400	98.91

AGE/DATE OF FIRST DRUG USE

NOTE: The following four variables pertain to the age and date of first misuse of tranquilizers. Respondents who were past year initiates (IRTRQNMINIT=1), that is respondents who misused tranquilizers for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRTRQNMINIT ne 1) receive an appropriate skip code.

(TRQNMAGE, TRQNMYFU)

IRTRQNMYFU Len : 4 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2020 - 2021	219	0.38
9993 = NOT A PAST YEAR INITIATE	2049	3.53
9999 = NEVER MISUSED.....	55766	96.09

(TRQNMAGE, TRQNMYFU)

ITRQNMYFU Len : 1 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	203	0.35
3 = Statistically imputed data - Past year initiation imputed	286	0.49
4 = Statistically imputed data - Past year initiation known.....	11	0.02
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	57534	99.14

(IRTRQNMYFU, TRQNMAGE)

IRTRQNMAGE Len : 3 TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 11 - 84	219	0.38
993 = NOT A PAST YEAR INITIATE	2049	3.53
999 = NEVER MISUSED.....	55766	96.09

(IRTRQNMYFU, TRQNMAGE)

ITRQNMAGE Len : 1 TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	203	0.35
3 = Statistically imputed data - Past year initiation imputed	286	0.49
4 = Statistically imputed data - Past year initiation known.....	11	0.02
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	57534	99.14

NOTE: The following four variables pertain to the age and date of first misuse of stimulants. Respondents who were past year initiates (IRSTMNMINIT=1), that is respondents who misused stimulants for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRSTMNMINIT ne 1) receive an appropriate skip code.

(STMNMAGE, STMNMYFU)

IRSTMNMYFU Len : 4 STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2020 - 2021	218	0.38
9993 = NOT A PAST YEAR INITIATE	2474	4.26
9999 = NEVER MISUSED.....	55342	95.36

(STMNMAGE, STMNMYFU)

IISTMNMYFU Len : 1 STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	197	0.34
3 = Statistically imputed data - Past year initiation imputed	317	0.55
4 = Statistically imputed data - Past year initiation known.....	17	0.03
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	57503	99.09

(IRSTMNMYFU, STMNMADE)

IRSTMNMADE Len : 3 STIMULANTS AGE OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 11 - 63	218	0.38
993 = NOT A PAST YEAR INITIATE	2474	4.26
999 = NEVER MISUSED.....	55342	95.36

AGE/DATE OF FIRST DRUG USE

*(IRSTMNMYFU, STMNMA)*IISTMNMA Len : 1 STIMULANTS AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	198	0.34
3 = Statistically imputed data - Past year initiation imputed	317	0.55
4 = Statistically imputed data - Past year initiation known.....	16	0.03
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	57503	99.09

NOTE: The following four variables pertain to the age and date of first misuse of sedatives. Respondents who were past year initiates (IRSEDNMINIT=1), that is respondents who misused sedatives for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRSEDNMINIT ne 1) receive an appropriate skip code.

*(SEDNMAGE, SEDNMYFU)*IRSEDNMYFU Len : 4 SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2020 - 2021	50	0.09
9993 = NOT A PAST YEAR INITIATE	1115	1.92
9999 = NEVER MISUSED.....	56869	97.99

*(SEDNMAGE, SEDNMYFU)*IISEDNMYFU Len : 1 SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	46	0.08
3 = Statistically imputed data - Past year initiation imputed	383	0.66
4 = Statistically imputed data - Past year initiation known.....	4	0.01
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	57601	99.25

*(IRSEDNMYFU, SEDNMAGE)*IRSEDNMAGE Len : 3 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 11 - 86	50	0.09
993 = NOT A PAST YEAR INITIATE	1115	1.92
999 = NEVER MISUSED.....	56869	97.99

*(IRSEDNMYFU, SEDNMAGE)*IISEDNMAGE Len : 1 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	46	0.08
3 = Statistically imputed data - Past year initiation imputed	383	0.66
4 = Statistically imputed data - Past year initiation known.....	4	0.01
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	57601	99.25

RECODED DRUG USE

RECODED DRUG USE

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

<i>(IRCIGRC)</i> <u>CIGFLAG</u>	Len : 1 RC-CIGARETTES - EVER USED	Freq 33161 24873	Pct 57.14 42.86
	0 = Never used (IRCIGRC = 9)		
	1 = Ever used (IRCIGRC = 1-4)		
<i>(IRCIGRC)</i> <u>CIGYR</u>	Len : 1 RC-CIGARETTES - PAST YEAR USE	Freq 48394 9640	Pct 83.39 16.61
	0 = Did not use in the past year (IRCIGRC = 3,4,9)		
	1 = Used within the past year (IRCIGRC = 1,2)		
<i>(IRCIGRC)</i> <u>CIGMON</u>	Len : 1 RC-CIGARETTES - PAST MONTH USE	Freq 50625 7409	Pct 87.23 12.77
	0 = Did not use in the past month (IRCIGRC = 2-4,9)		
	1 = Used within the past month (IRCIGRC = 1)		
<i>(IRCGRRC)</i> <u>CGRFLAG</u>	Len : 1 RC-CIGARS - EVER USED	Freq 43242 14792	Pct 74.51 25.49
	0 = Never used (IRCGRRC = 9)		
	1 = Ever used (IRCGRRC = 1-4)		
<i>(IRCGRRC)</i> <u>CGRYR</u>	Len : 1 RC-CIGARS - PAST YEAR USE	Freq 53923 4111	Pct 92.92 7.08
	0 = Did not use in the past year (IRCGRRC = 3,4,9)		
	1 = Used within the past year (IRCGRRC = 1,2)		
<i>(IRCGRRC)</i> <u>CGRMON</u>	Len : 1 RC-CIGARS - PAST MONTH USE	Freq 55934 2100	Pct 96.38 3.62
	0 = Did not use in the past month (IRCGRRC = 2-4,9)		
	1 = Used within the past month (IRCGRRC = 1)		
<i>(IRPIPLF)</i> <u>PIPFLAG</u>	Len : 1 RC-PIPES - EVER USED	Freq 53534 4500	Pct 92.25 7.75
	0 = Never Used (IRPIPLF = 9)		
	1 = Ever Used (IRPIPLF = 1)		
<i>(IRPIPMN)</i> <u>PIPMON</u>	Len : 1 RC-PIPES - PAST MONTH USE	Freq 57666 368	Pct 99.37 0.63
	0 = Did not use in the past month (IRPIPMN = 2,9)		
	1 = Used within the past month (IRPIPMN = 1)		
<i>(IRSMKLSSREC)</i> <u>SMKLSSFLAG</u>	Len : 1 RC-SMOKELESS TOBACCO - EVER USED	Freq 50784 7250	Pct 87.51 12.49
	0 = Never Used (IRSMKLSSREC = 9)		
	1 = Ever Used (IRSMKLSSREC = 1-4)		

RECODED DRUG USE

		Freq	Pct
<i>(IRSMKLSSREC)</i>	<i>Len : 1 RC-SMOKELESS TOBACCO - PAST YEAR USE</i>		
<i>SMKLSSYR</i>	0 = Did not use in the past year (IRSMKLSSREC = 3,4,9)	55952	96.41
	1 = Used within the past year (IRSMKLSSREC = 1,2)	2082	3.59
 <i>(IRSMKLSSREC)</i>	 <i>Len : 1 RC-SMOKELESS TOBACCO - PAST MONTH USE</i>		
<i>SMKLSSMON</i>	0 = Did not use in the past month (IRSMKLSSREC = 2-4,9).....	56602	97.53
	1 = Used within the past month (IRSMKLSSREC = 1).....	1432	2.47
 <i>(CGRMON, CIGMON, PIPMON, SMKLSSMON)</i>	 Respondents were classified as having smoked cigarettes as the only form of tobacco used in the past month (TOBCIGONL=1) if they smoked cigarettes in the past month (CIGMON=1) and did not use cigars, pipes, or smokeless tobacco in the past month (CGRMON=0 and PIPMON=0 and SMKLSSMON=0). Respondents were classified as having used both cigarettes and another tobacco product in the past month (TOBCIGONL=2) if they smoked cigarettes in the past month (CIGMON=1) and used any of cigars, pipes, or smokeless tobacco in the past month (CGRMON=1 or PIPMON=1 or SMKLSSMON=1). Respondents were classified as having used a tobacco product but not cigarettes in the past month (TOBCIGONL=3) if they did not smoke cigarettes in the past month (CIGMON=0) and used any of cigars, pipes, or smokeless tobacco in the past month (CGRMON=1 or PIPMON=1 or SMKLSSMON=1).		
<i>TOBCIGONL</i>	<i>Len : 1 RC-CIGARETTE/NONCIGARETTE TOBACCO ONLY - PAST MONTH USE</i>		
	1 = Smoked cigarettes as only form of tob (See comment above).....	6040	10.41
	2 = Used both cigarettes and other tob prod (See comment above).....	1369	2.36
	3 = Used tobacco product but not cigarettes (See comment above)	2147	3.70
	4 = Did not use tobacco products in the past month (Otherwise)	48478	83.53
 <i>(CGRFLAG, CIGFLAG, PIPFLAG, SMKLSSFLAG)</i>	 		
<i>TOBFLAG</i>	<i>Len : 1 RC-ANY TOBACCO - EVER USED</i>		
	0 = Never Used (All source variables = 0).....	29770	51.30
	1 = Ever Used (Any source variable = 1).....	28264	48.70
 <i>(CGRYR, CIGYR, PIPMON, SMKLSSYR)</i>	 		
<i>TOBYR</i>	<i>Len : 1 RC-ANY TOBACCO - PAST YEAR USE</i>		
	0 = Did not use in the past year (All source variables = 0).....	45432	78.29
	1 = Used within the past year (Any source variable = 1).....	12602	21.71
 <i>(CGRMON, CIGMON, PIPMON, SMKLSSMON)</i>	 		
<i>TOBMON</i>	<i>Len : 1 RC-ANY TOBACCO - PAST MONTH USE</i>		
	0 = Did not use in the past month (All source variables = 0)	48478	83.53
	1 = Used within the past month (Any source variable = 1)	9556	16.47
 <i>(IRALCRC)</i>	 		
<i>ALCFLAG</i>	<i>Len : 1 RC-ALCOHOL - EVER USED</i>		
	0 = Never used (IRALCRC = 9)	16310	28.10
	1 = Ever used (IRALCRC = 1-3)	41724	71.90
 <i>(IRALCRC)</i>	 		
<i>ALCYR</i>	<i>Len : 1 RC-ALCOHOL - PAST YEAR USE</i>		
	0 = Did not use in the past year (IRALCRC = 3,9)	23250	40.06
	1 = Used within the past year (IRALCRC = 1,2)	34784	59.94
 <i>(IRALCRC)</i>	 		
<i>ALCMON</i>	<i>Len : 1 RC-ALCOHOL - PAST MONTH USE</i>		
	0 = Did not use in the past month (IRALCRC = 2-3,9).....	31474	54.23
	1 = Used within the past month (IRALCRC = 1).....	26560	45.77

RECODED DRUG USE

<i>(IRMJRC)</i>	<u>MRJFLAG</u>	Len : 1 RC-MARIJUANA - EVER USED	Freq	Pct
		0 = Never used (IRMJRC = 9).....	32504	56.01
		1 = Ever used (IRMJRC = 1-3).....	25530	43.99
<i>(IRMJRC)</i>	<u>MRJYR</u>	Len : 1 RC-MARIJUANA - PAST YEAR USE	Freq	Pct
		0 = Did not use in the past year (IRMJRC = 3,9).....	45506	78.41
		1 = Used within the past year (IRMJRC = 1,2).....	12528	21.59
<i>(IRMJRC)</i>	<u>MRJMON</u>	Len : 1 RC-MARIJUANA - PAST MONTH USE	Freq	Pct
		0 = Did not use in the past month (IRMJRC = 2-3,9)	49584	85.44
		1 = Used within the past month (IRMJRC = 1).....	8450	14.56
<i>(IRCOCRC)</i>	<u>COCFLAG</u>	Len : 1 RC-COCAINE - EVER USED	Freq	Pct
		0 = Never used (IRCOCRC = 9).....	51239	88.29
		1 = Ever used (IRCOCRC = 1-3).....	6795	11.71
<i>(IRCOCRC)</i>	<u>COCYR</u>	Len : 1 RC-COCAINE - PAST YEAR USE	Freq	Pct
		0 = Did not use in the past year (IRCOCRC = 3,9).....	56920	98.08
		1 = Used within the past year (IRCOCRC = 1,2).....	1114	1.92
<i>(IRCOCRC)</i>	<u>COCMON</u>	Len : 1 RC-COCAINE - PAST MONTH USE	Freq	Pct
		0 = Did not use in the past month (IRCOCRC = 2-3,9)	57635	99.31
		1 = Used within the past month (IRCOCRC = 1).....	399	0.69
<i>(IRCRKRC)</i>	<u>CRKFLAG</u>	Len : 1 RC-"CRACK" - EVER USED	Freq	Pct
		0 = Never used (IRCRKRC = 9).....	56436	97.25
		1 = Ever used (IRCRKRC = 1-3).....	1598	2.75
<i>(IRCRKRC)</i>	<u>CRKYR</u>	Len : 1 RC-"CRACK" - PAST YEAR USE	Freq	Pct
		0 = Did not use in the past year (IRCRKRC = 3,9).....	57867	99.71
		1 = Used within the past year (IRCRKRC = 1,2).....	167	0.29
<i>(IRCRKRC)</i>	<u>CRKMON</u>	Len : 1 RC-"CRACK" - PAST MONTH USE	Freq	Pct
		0 = Did not use in the past month (IRCRKRC = 2-3,9)	57954	99.86
		1 = Used within the past month (IRCRKRC = 1).....	80	0.14
<i>(IRHERRC)</i>	<u>HERFLAG</u>	Len : 1 RC-HEROIN - EVER USED	Freq	Pct
		0 = Never used (IRHERRC = 9)	56901	98.05
		1 = Ever used (IRHERRC = 1-3)	1133	1.95



RECODED DRUG USE

<i>(IRHERRC)</i> <u>HERYR</u>	Len : 1 RC-HEROIN - PAST YEAR USE	Freq	Pct
	0 = Did not use in the past year (IRHERRC = 3,9).....	57827	99.64
	1 = Used within the past year (IRHERRC = 1,2).....	207	0.36
<i>(IRHERRC)</i> <u>HERMON</u>	Len : 1 RC-HEROIN - PAST MONTH USE	Freq	Pct
	0 = Did not use in the past month (IRHERRC = 2-3,9).....	57923	99.81
	1 = Used within the past month (IRHERRC = 1).....	111	0.19
<i>(IRHALLUCREC)</i> <u>HALLUCFLAG</u>	Len : 1 RC-HALLUCINOGENS - EVER USED	Freq	Pct
	0 = Never used (IRHALLUCREC = 9).....	49033	84.49
	1 = Ever used (IRHALLUCREC = 1-3).....	9001	15.51
<i>(IRHALLUCREC)</i> <u>HALLUCYR</u>	Len : 1 RC-HALLUCINOGENS - PAST YEAR USE	Freq	Pct
	0 = Did not use in the past year (IRHALLUCREC = 3,9).....	55986	96.47
	1 = Used within the past year (IRHALLUCREC = 1,2).....	2048	3.53
<i>(IRHALLUCREC)</i> <u>HALLUCMON</u>	Len : 1 RC-HALLUCINOGENS - PAST MONTH USE	Freq	Pct
	0 = Did not use in the past month (IRHALLUCREC= 2-3,9).....	57486	99.06
	1 = Used within the past month (IRHALLUCREC = 1)	548	0.94
<i>(IRLSDRC)</i> <u>LSDFLAG</u>	Len : 1 RC-LSD - EVER USED	Freq	Pct
	0 = Never used (IRLSDRC = 9).....	52627	90.68
	1 = Ever used (IRLSDRC = 1-3).....	5407	9.32
<i>(IRLSDRC)</i> <u>LSDYR</u>	Len : 1 RC-LSD - PAST YEAR USE	Freq	Pct
	0 = Did not use in the past year (IRLSDRC = 3,9).....	57236	98.62
	1 = Used within the past year (IRLSDRC = 1,2).....	798	1.38
<i>(IRLSDRC)</i> <u>LSDMON</u>	Len : 1 RC-LSD - PAST MONTH USE	Freq	Pct
	0 = Did not use in the past month (IRLSDRC = 2-3,9).....	57878	99.73
	1 = Used within the past month (IRLSDRC = 1)	156	0.27
<i>(IRPCPRC)</i> <u>PCPFLAG</u>	Len : 1 RC-PCP - EVER USED	Freq	Pct
	0 = Never used (IRPCPRC = 9).....	57210	98.58
	1 = Ever used (IRPCPRC = 1-3).....	824	1.42
<i>(IRPCPRC)</i> <u>PCPYR</u>	Len : 1 RC-PCP - PAST YEAR USE	Freq	Pct
	0 = Did not use in the past year (IRPCPRC = 3,9).....	57997	99.94
	1 = Used within the past year (IRPCPRC = 1,2).....	37	0.06

RECODED DRUG USE

<i>(IRPCPRC)</i> <u>PCPMON</u>	Len : 1 RC-PCP - PAST MONTH USE	Freq	Pct
	0 = Did not use in the past month (IRPCPRC = 2-3,9)	58022	99.98
	1 = Used within the past month (IRPCPRC = 1).....	12	0.02
<i>(IRECSTMOREC)</i> <u>ECSTMOFLAG</u>	Len : 1 RC-ECSTASY - EVER USED	Freq	Pct
	0 = Never used (IRECSTMOREC = 9).....	53453	92.11
	1 = Ever used (IRECSTMOREC = 1-3).....	4581	7.89
<i>(IRECSTMOREC)</i> <u>ECSTMOYR</u>	Len : 1 RC-ECSTASY - PAST YEAR USE	Freq	Pct
	0 = Did not use in the past year (IRECSTMOREC = 3,9).....	57476	99.04
	1 = Used within the past year (IRECSTMOREC = 1,2).....	558	0.96
<i>(IRECSTMOREC)</i> <u>ECSTMOMON</u>	Len : 1 RC-ECSTASY - PAST MONTH USE	Freq	Pct
	0 = Did not use in the past month (IRECSTMOREC= 2-3,9)	57901	99.77
	1 = Used within the past month (IRECSTMOREC = 1)	133	0.23
<i>(IRDAMTFXREC)</i> <u>DAMTFXFLAG</u>	Len : 1 RC-DMT/AMT/FOXY - EVER USED	Freq	Pct
	0 = Never used (IRDAMTFXREC = 9).....	57210	98.58
	1 = Ever used (IRDAMTFXREC = 1-3).....	824	1.42
<i>(IRDAMTFXREC)</i> <u>DAMTFXYR</u>	Len : 1 RC-DMT/AMT/FOXY - PAST YEAR USE	Freq	Pct
	0 = Did not use in the past year (IRDAMTFXREC = 3,9).....	57878	99.73
	1 = Used within the past year (IRDAMTFXREC = 1,2).....	156	0.27
<i>(IRDAMTFXREC)</i> <u>DAMTFXMON</u>	Len : 1 RC-DMT/AMT/FOXY - PAST MONTH USE	Freq	Pct
	0 = Did not use in the past month (IRDAMTFXREC= 2-3,9)	58009	99.96
	1 = Used within the past month (IRDAMTFXREC = 1).....	25	0.04
<i>(IRKETMINREC)</i> <u>KETMINFLAG</u>	Len : 1 RC-KETAMINE - EVER USED	Freq	Pct
	0 = Never used (IRKETMINREC = 9)	57061	98.32
	1 = Ever used (IRKETMINREC = 1-3)	973	1.68
<i>(IRKETMINREC)</i> <u>KETMINYR</u>	Len : 1 RC-KETAMINE - PAST YEAR USE	Freq	Pct
	0 = Did not use in the past year (IRKETMINREC = 3,9)	57880	99.73
	1 = Used within the past year (IRKETMINREC = 1,2)	154	0.27
<i>(IRKETMINREC)</i> <u>KETMINMON</u>	Len : 1 RC-KETAMINE - PAST MONTH USE	Freq	Pct
	0 = Did not use in the past month (IRKETMINREC= 2-3,9)	57998	99.94
	1 = Used within the past month (IRKETMINREC = 1).....	36	0.06

RECODED DRUG USE

		Freq	Pct
<i>(IRSAVIAREC)</i> <u>SALVIAFLAG</u>	Len : 1 RC-SALVIA - EVER USED		
0 = Never used (IRSAVIAREC = 9)		56868	97.99
1 = Ever used (IRSAVIAREC = 1-3)		1166	2.01
<i>(IRSAVIAREC)</i> <u>SALVIAYR</u>	Len : 1 RC-SALVIA - PAST YEAR USE		
0 = Did not use in the past year (IRSAVIAREC = 3,9)		58001	99.94
1 = Used within the past year (IRSAVIAREC = 1,2)		33	0.06
<i>(IRSAVIAREC)</i> <u>SALVIAMON</u>	Len : 1 RC-SALVIA - PAST MONTH USE		
0 = Did not use in the past month (IRSAVIAREC = 2-3,9)		58026	99.99
1 = Used within the past month (IRSAVIAREC = 1)		8	0.01
<i>(IRINHALREC)</i> <u>INHALFLAG</u>	Len : 1 RC-INHALANTS - EVER USED		
0 = Never used (IRINHALREC = 9)		52372	90.24
1 = Ever used (IRINHALREC = 1-3)		5662	9.76
<i>(IRINHALREC)</i> <u>INHALYR</u>	Len : 1 RC-INHALANTS - PAST YEAR USE		
0 = Did not use in the past year (IRINHALREC = 3,9)		57329	98.79
1 = Used within the past year (IRINHALREC = 1,2)		705	1.21
<i>(IRINHALREC)</i> <u>INHALMON</u>	Len : 1 RC-INHALANTS - PAST MONTH USE		
0 = Did not use in the past month (IRINHALREC = 2-3,9)		57785	99.57
1 = Used within the past month (IRINHALREC = 1)		249	0.43
<i>(IRMETHAMREC)</i> <u>METHAMFLAG</u>	Len : 1 RC-METHAMPHETAMINE - EVER USED		
0 = Never used (IRMETHAMREC = 9)		55368	95.41
1 = Ever used (IRMETHAMREC = 1-3)		2666	4.59
<i>(IRMETHAMREC)</i> <u>METHAMYR</u>	Len : 1 RC-METHAMPHETAMINE - PAST YEAR USE		
0 = Did not use in the past year (IRMETHAMREC = 3,9)		57542	99.15
1 = Used within the past year (IRMETHAMREC = 1,2)		492	0.85
<i>(IRMETHAMREC)</i> <u>METHAMMON</u>	Len : 1 RC-METHAMPHETAMINE - PAST MONTH USE		
0 = Did not use in the past month (IRMETHAMREC = 2-3,9)		57735	99.48
1 = Used within the past month (IRMETHAMREC = 1)		299	0.52

RECODED DRUG USE

NOTE: The following 16 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription pain relievers (ever used/ever misused) in analysis.

<i>(IRPNRANYREC)</i>	<u>PNRANYFLAG</u>	Len : 1 RC-ANY PAIN RELIEVER - EVER USED	Freq	Pct
		0 = Never used (IRPNRANYREC = 9).....	29784	51.32
		1 = Ever used (IRPNRANYREC = 1-2)	28250	48.68

<i>(IRPNRANYREC)</i>	<u>PNRANYYR</u>	Len : 1 RC-ANY PAIN RELIEVER - PAST YEAR USE	Freq	Pct
		0 = Did not use in the past year (IRPNRANYREC = 2,9).....	45526	78.45
		1 = Used within the past year (IRPNRANYREC = 1)	12508	21.55

<i>(IROXCNANYYR)</i>	<u>OXYCNANYYR</u>	Len : 1 RC-OXYCONTIN - PAST YEAR USE	Freq	Pct
		0 = Did not use in the past year (IROXCNANYYR = 9).....	56790	97.86
		1 = Used within the past year (IROXCNANYYR = 1)	1244	2.14

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription tranquilizers (ever used/ever misused) in analysis.

<i>(IRTRQANYREC)</i>	<u>TRQANYFLAG</u>	Len : 1 RC-ANY TRANQUILIZERS - EVER USED	Freq	Pct
		0 = Never used (IRTRQANYREC = 9)	47634	82.08
		1 = Ever used (IRTRQANYREC = 1-2)	10400	17.92

<i>(IRTRQANYREC)</i>	<u>TRQANYYR</u>	Len : 1 RC-ANY TRANQUILIZERS - PAST YEAR USE	Freq	Pct
		0 = Did not use in the past year (IRTRQANYREC = 2,9)	52110	89.79
		1 = Used within the past year (IRTRQANYREC = 1)	5924	10.21

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription stimulants (ever used/ever misused) in analysis.

<i>(IRSTMANYREC)</i>	<u>STMANYFLAG</u>	Len : 1 RC-ANY STIMULANTS - EVER USED	Freq	Pct
		0 = Never used (IRSTMANYREC = 9)	50588	87.17
		1 = Ever used (IRSTMANYREC = 1-2)	7446	12.83

<i>(IRSTMANYREC)</i>	<u>STMANYYR</u>	Len : 1 RC-ANY STIMULANTS - PAST YEAR USE	Freq	Pct
		0 = Did not use in the past year (IRSTMANYREC = 2,9)	53760	92.64
		1 = Used within the past year (IRSTMANYREC = 1)	4274	7.36

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription sedatives (ever used/ever misused) in analysis.

<i>(IRSEDANYREC)</i>	<u>SEDANYFLAG</u>	Len : 1 RC-ANY SEDATIVES - EVER USED	Freq	Pct
		0 = Never used (IRSEDANYREC = 9)	52289	90.10
		1 = Ever used (IRSEDANYREC = 1-2)	5745	9.90

RECODED DRUG USE

<i>(IRSEDANYREC)</i>	Len : 1 RC-ANY SEDATIVES - PAST YEAR USE	Freq	Pct
<i>SEDANYYR</i>	0 = Did not use in the past year (IRSEDANYREC = 2,9).....	55556	95.73
	1 = Used within the past year (IRSEDANYREC = 1).....	2478	4.27

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime any use of tranquilizers or sedatives in analysis.

<i>(SEDANYFLAG, TRQANYFLAG)</i>	Len : 1 RC-ANY TRANQUILIZERS OR SEDATIVES - EVER USED	Freq	Pct
<i>TQSDANYFLG</i>	0 = Never used (Otherwise).....	45425	78.27
	1 = Ever used (TRQANYFLAG=1 OR SEDANYFLAG=1).....	12609	21.73

<i>(SEDANYYR, TRQANYYR)</i>	Len : 1 RC-ANY TRANQUILIZERS OR SEDATIVES - PAST YEAR USE	Freq	Pct
<i>TQSDANYYYR</i>	0 = Did not use in the past year (Otherwise).....	50783	87.51
	1 = Used in the past year (TRQANYYR=1 OR SEDANYYR=1)	7251	12.49

The following variable for any past year use of Any Benzodiazepines, BZOANYYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Tranquilizers (TRBZOANYYR=1), any past year use of Benzodiazepine Sedatives (SVBZOANYYR=1), past year misuse of Benzodiazepine Tranquilizers that were specified as other Sedatives, or past year misuse of Benzodiazepine Sedatives that were specified as other Tranquilizers. This is the base variable for past year use of any Benzodiazepines imputation, IRBZOANYYR.

<i>(SEDANYYR, SVBZOANYYR, TRBZOANYYR, TRQANYYR)</i>	Len : 1 RC - ANY BENZODIAZEPINES - PAST YEAR USE	Freq	Pct
<i>BZOANYYR</i>	. = Missing	57	0.10
	0 = No.....	53436	92.08
	1 = Yes.....	4541	7.82

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of any prescription psychotherapeutics (ever used/ever misused) in analysis.

<i>(PNRANYFLAG, SEDANYFLAG, STMANYFLAG, TRQANYFLAG)</i>	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER USED	Freq	Pct
<i>PSYANYFLAG</i>	0 = Never used (All source variables = 0).....	26416	45.52
	1 = Ever used (Any source variable = 1).....	31618	54.48

<i>(PNRANYYR, SEDANYYR, STMANYYR, TRQANYYR)</i>	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR USE	Freq	Pct
<i>PSYANYYYR</i>	0 = Did not use within pst year (All source variables =0)	40009	68.94
	1 = Used in past year (Any source variable = 1)	18025	31.06

<i>(HERYR, PNRANYYR)</i>	Len : 1 RC-ANY OPIOIDS - PAST YEAR USE	Freq	Pct
<i>OPIANYYR</i>	0 = Did not use within pst year (Otherwise).....	45484	78.37
	1 = Used in past year (HERYR=1 or PNRANYYR=1).....	12550	21.63

<i>(COCYR, METHAMYR, STMANYYR)</i>	Len : 1 RC-ANY CENTRAL NERVOUS SYSTEM STIMULANTS - PAST YEAR USE	Freq	Pct
<i>CNSANYYR</i>	0 = Did not use within pst year (Otherwise).....	52845	91.06
	1 = Used in past year (STMANYYR, METHAMYR, or COCYR=1)	5189	8.94

RECODED DRUG USE

NOTE: The following 25 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription pain relievers (ever misused) in analysis.

<i>(IRPNRNMREC)</i>	<u>PNRNMFLAG</u>	Len : 1 RC-PAIN RELIEVERS - EVER MISUSED	Freq	Pct
		0 = Never misused (IRPNRNMREC = 9).....	53095	91.49
		1 = Ever misused (IRPNRNMREC = 1-3).....	4939	8.51

<i>(IRPNRNMREC)</i>	<u>PNRNMRYR</u>	Len : 1 RC-PAIN RELIEVERS - PAST YEAR MISUSE	Freq	Pct
		0 = Did not misuse in the past year (IRPNRNMREC = 3,9).....	56260	96.94
		1 = Misused within the past year (IRPNRNMREC = 1,2).....	1774	3.06

<i>(IRPNRNMREC)</i>	<u>PNRNMMON</u>	Len : 1 RC-PAIN RELIEVERS - PAST MONTH MISUSE	Freq	Pct
		0 = Did not misuse in the pst mon (IRPNRNMREC = 2-3,9)	57559	99.18
		1 = Misused within the past month (IRPNRNMREC = 1)	475	0.82

<i>(IROXCNNMYR)</i>	<u>OXYCNNMYR</u>	Len : 1 RC-OXYCONTIN - PAST YEAR MISUSE	Freq	Pct
		0 = Did not misuse in the past year (IROXCNNMYR = 9).....	57832	99.65
		1 = Misused within the past year (IROXCNNMYR = 1).....	202	0.35

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription tranquilizers (ever misused) in analysis.

<i>(IRTRQNMREC)</i>	<u>TRQNMFLAG</u>	Len : 1 RC-TRANQUILIZERS - EVER MISUSED	Freq	Pct
		0 = Never misused (IRTRQNMREC = 9).....	55766	96.09
		1 = Ever misused (IRTRQNMREC = 1-3).....	2268	3.91

<i>(IRTRQNMREC)</i>	<u>TRQNMRYR</u>	Len : 1 RC-TRANQUILIZERS - PAST YEAR MISUSE	Freq	Pct
		0 = Did not misuse in the past year (IRTRQNMREC = 3,9).....	56989	98.20
		1 = Misused within the past year (IRTRQNMREC = 1,2)	1045	1.80

<i>(IRTRQNMREC)</i>	<u>TRQNMMON</u>	Len : 1 RC-TRANQUILIZERS - PAST MONTH MISUSE	Freq	Pct
		0 = Did not misuse in the pst mon (IRTRQNMREC = 2-3,9)	57749	99.51
		1 = Misused within the past month (IRTRQNMREC = 1)	285	0.49

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription stimulants (ever misused) in analysis.

<i>(IRSTMNMREC)</i>	<u>STMNMFLAG</u>	Len : 1 RC-STIMULANTS - EVER MISUSED	Freq	Pct
		0 = Never misused (IRSTMNMREC = 9).....	55342	95.36
		1 = Ever misused (IRSTMNMREC = 1-3).....	2692	4.64

RECODED DRUG USE

<i>(IRSTMNMREC)</i>			Freq	Pct
<u>STMNMYR</u>	Len : 1 RC-STIMULANTS - PAST YEAR MISUSE			
	0 = Did not misuse in the past year (IRSTMNMREC = 3,9).....		56933	98.10

1 = Misused within the past year (IRSTMNMREC = 1,2).....

1101	1.90
------	------

<i>(IRSTMNMREC)</i>			Freq	Pct
<u>STMNMMON</u>	Len : 1 RC-STIMULANTS - PAST MONTH MISUSE			
	0 = Did not misuse in the pst mon (IRSTMNMREC = 2-3,9).....		57675	99.38

1 = Misused within the past month (IRSTMNMREC = 1).....

359	0.62
-----	------

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription sedatives (ever misused) in analysis.

<i>(IRSEDNMREC)</i>			Freq	Pct
<u>SEDNMFLAG</u>	Len : 1 RC-SEDATIVES - EVER MISUSED			
	0 = Never misused (IRSEDNMREC = 9)		56869	97.99

1 = Ever misused (IRSEDNMREC = 1-3).....

1165	2.01
------	------

<i>(IRSEDNMREC)</i>			Freq	Pct
<u>SEDNMYR</u>	Len : 1 RC-SEDATIVES - PAST YEAR MISUSE			
	0 = Did not misuse in the past year (IRSEDNMREC = 3,9)		57809	99.61

1 = Misused within the past year (IRSEDNMREC = 1,2).....

225	0.39
-----	------

<i>(IRSEDNMREC)</i>			Freq	Pct
<u>SEDNMMON</u>	Len : 1 RC-SEDATIVES - PAST MONTH MISUSE			
	0 = Did not misuse in the pst mon (IRSEDNMREC = 2-3,9)		57973	99.89

1 = Misused within the past month (IRSEDNMREC = 1).....

61	0.11
----	------

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of tranquilizers or sedatives (ever misused) in analysis.

<i>(SEDNMFLAG, TRQNMFLAG)</i>			Freq	Pct
<u>TQSDNMFLAG</u>	Len : 1 RC-TRANQUILIZERS OR SEDATIVES - EVER MISUSED			
	0 = Never misused (Otherwise).....		55341	95.36

1 = Ever misused (TRQNMFLAG=1 OR SEDNMFLAG=1).....

2693	4.64
------	------

<i>(SEDNMYR, TRQNMRYR)</i>			Freq	Pct
<u>TQSDNMRYR</u>	Len : 1 RC-TRANQUILIZERS OR SEDATIVES - PAST YEAR MISUSE			
	0 = Did not misuse in the past year (Otherwise)		56862	97.98

1 = Misused in the past year (TRQNMRYR=1 OR SEDNMYR=1)

1172	2.02
------	------

<i>(SEDNMMON, TRQNMMON)</i>			Freq	Pct
<u>TQSDNMMON</u>	Len : 1 RC-TRANQUILIZERS OR SEDATIVES - PAST MONTH MISUSE			
	0 = Did not misuse in the past month (Otherwise)		57706	99.43

1 = Misused in the past month (TRQNMMON OR SEDNMMON=1).....

328	0.57
-----	------

The following variable for any past year misuse of Any Benzodiazepines, BZONMYR, was assigned a positive response if a respondent indicated past year misuse of Benzodiazepine Tranquilizers (TRBZONMYR=1), past year misuse of Benzodiazepine Sedatives (SVBZONMYR=1), past year misuse of Benzodiazepine Tranquilizers that were specified as other Sedatives, or past year misuse of Benzodiazepine Sedatives that were specified as other Tranquilizers. This is the base variable for past year misuse of any Benzodiazepines imputation, IRBZONMYR.

<i>(SEDNMYR, SVBZONMYR, TRBZONMYR, TRQNMRYR)</i>			Freq	Pct
<u>BZONMYR</u>	Len : 1 RC - ANY BENZODIAZEPINES - PAST YEAR MISUSE			
	. = Missing		15	0.03
	0 = No.....		57070	98.34

1 = Yes.....

949	1.64
-----	------

RECODED DRUG USE

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of any prescription psychotherapeutics (ever misused) in analysis.

(PNRNMFLAG, SEDNMFLAG, STMNMFLAG, TRQNMFLAG)

PSYCHFLAG Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER MISUSED

	Freq	Pct
0 = Never misused (All source variables = 0).....	51183	88.19
1 = Ever misused (Any source variable = 1).....	6851	11.81

(PNRNMYR, SEDNMYR, STMNMYR, TRQNMYR)

PSYCHYR Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse within pst year (All source variables = 0).....	54816	94.45
1 = Misused in past year (Any source variable = 1).....	3218	5.55

(PNRNMMON, SEDNMMON, STMNMMON, TRQNMMON)

PSYCHMON Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in past month (All source variables = 0).....	57036	98.28
1 = Misused in past month (Any source variable = 1).....	998	1.72

(HERYR, PNRNMYR)

OPINMYR Len : 1 RC-OPIOIDS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise)	56176	96.80
1 = Misused in the past year (HERYR=1 or PNRNMYR=1).....	1858	3.20

(HERMON, PNRNMMON)

OPINMMON Len : 1 RC-OPIOIDS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the past month (Otherwise)	57480	99.05
1 = Misused in the past month (HERMON=1 or PNRNMMON=1).....	554	0.95

(HERYR, PNRNMYR)

HERPNRYR Len : 1 RC-HEROIN USE AND/OR PAIN RELIEVER MISUSE - PAST YEAR

	Freq	Pct
1 = Heroin use and no pain rel misuse (HERYR=1 and PNRNMYR=0).....	84	0.14
2 = Pain rel misuse and no heroin use (HERYR=0 and PNRNMYR=1).....	1651	2.84
3 = Heroin use and pain rel misuse (HERYR=1 and PNRNMYR=1).....	123	0.21
4 = No heroin use and no pain rel misuse (HERYR=0 and PNRNMYR=0).....	56176	96.80

(COCYR, METHAMYR, STMNMYR)

CNSNMYR Len : 1 RC-CENTRAL NERVOUS SYSTEM STIMULANTS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise)	55834	96.21
1 = Misused in the past year (STMNMYR, METHAMYR, or COCYR=1)	2200	3.79

(COCMON, METHAMMON, STMNMMON)

CNSNMMON Len : 1 RC-CENTRAL NERVOUS SYSTEM STIMULANTS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the past month (Otherwise)	57092	98.38
1 = Misused in the past month (STMNMMON, METHAMMON, or COCMON=1)	942	1.62

(COCFLAG, HALLUCFLAG, HERFLAG, INHALFLAG, METHAMFLAG, MRJFLAG, PNRNMFLAG, SEDNMFLAG, STMNMFLAG, TRQNMFLAG)

ILLFLAG Len : 1 RC-ANY ILLICIT DRUG - EVER USED

	Freq	Pct
0 = Never used (All source variables = 0).....	29902	51.52
1 = Ever used (Any source variable = 1).....	28132	48.48

RECODED DRUG USE

(COCYR, HALLUCYR, HERYR, INHALYR, METHAMYR, MRJYR, PNRNMYR, SEDNMYR, STMNMYR, TRQNMRYR)
ILLYR Len : 1 RC-ANY ILLICIT DRUG - PAST YEAR USE

	Freq	Pct
0 = Did not use in past year (All source variables = 0).....	43655	75.22
1 = Used in past year (Any source variable = 1)	14379	24.78

(COCMON, HALLUCMON, HERMON, INHALMON, METHAMMON, MRJMON, PNRNMMON, SEDNMMON, STMNMMON, TRQNMMMON)
ILLMON Len : 1 RC-ANY ILLICIT DRUG - PAST MONTH USE

	Freq	Pct
0 = Did not use in past month (All source variables = 0).....	48767	84.03
1 = Used in past month (Any source variable = 1)	9267	15.97

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use of marijuana only variable in analysis. This variable may overestimate lifetime users of only marijuana.

(COCFLAG, HALLUCFLAG, HERFLAG, INHALFLAG, METHAMFLAG, MRJFLAG, PNRNMFLAG, SEDNMFLAG, STMNMFLAG,
TRQNMFLAG)
MJONLYFLAG Len : 1 RC-MARIJUANA ONLY - EVER USED

	Freq	Pct
0 = Never used MJ/has used both MJ & anothr illct drug	45548	78.49
1 = Marijuana is only (illicit) drug ever used	12486	21.51

(COCYR, HALLUCYR, HERYR, INHALYR, METHAMYR, MRJYR, PNRNMYR, SEDNMYR, STMNMYR, TRQNMRYR)
MJONLYYY Len : 1 RC-MARIJUANA ONLY - PAST YEAR USE

	Freq	Pct
0 = MJ not used past yr/Used MJ & othr drug past yr.....	49171	84.73
1 = Marijuana is only (illicit) drug in past year	8863	15.27

(COCMON, HALLUCMON, HERMON, INHALMON, METHAMMON, MRJMON, PNRNMMON, SEDNMMON, STMNMMON, TRQNMMMON)
MJONLYMON Len : 1 RC-MARIJUANA ONLY - PAST MONTH USE

	Freq	Pct
0 = MJ not used past mnth/Used MJ & othr drug past mo	50821	87.57
1 = Marijuana only (illicit) drug in past month	7213	12.43

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use of illicit drugs other than marijuana variable in analysis. This caution does not apply to lifetime use of any illicit drug variable given it is dominated by lifetime marijuana use.

(COCFLAG, HALLUCFLAG, HERFLAG, INHALFLAG, METHAMFLAG, PSYCHFLAG)
ILLEMFLAG Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA - EVER USED

	Freq	Pct
0 = Never used drug/used only marijuana.....	42388	73.04
1 = Illicit drug except for marijuana are ever used.....	15646	26.96

(COCYR, HALLUCYR, HERYR, INHALYR, METHAMYR, PSYCHYR)
ILLEMYR Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA - PAST YEAR

	Freq	Pct
0 = Never used drug/used only marijuana past year.....	52518	90.50
1 = Illicit drug except for marijuana used past year	5516	9.50

(COCMON, HALLUCMON, HERMON, INHALMON, METHAMMON, PSYCHMON)
ILLEMMON Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA-PAST MONTH

	Freq	Pct
0 = Never used drug/used only marijuana past month.....	55980	96.46
1 = Illicit drug except for marijuana used past month	2054	3.54

(IRCDUAGE)
CDUFLAG Len : 1 RC-CIGARETTES DAILY - EVER USED

	Freq	Pct
0 = Never Used/Never Used Daily (Otherwise).....	45391	78.21
1 = Ever Used (IRCDUAGE=1-90)	12643	21.79

RECODED DRUG USE

(IRCIGFM)
DCIGMON

Len : 1 RC-PAST MONTH DAILY CIGARETTE USE

	Freq	Pct
0 = Did Not Use Daily in Past Mon (IRCIGFM=1-29,91,93).....	53883	92.85
1 = Used Daily in the Past Month (IRCIGFM=30).....	4151	7.15

(CDUFLAG, CIGMON)

CDCGMO

Len : 1 RC-EVER USED CIG DAILY AND PAST MONTH CIG USE

	Freq	Pct
0 = No (Otherwise).....	51996	89.60
1 = Yes (CDUFLAG=1 and CIGMON=1).....	6038	10.40

(CDUFLAG, CIGMON)

CDNOCGMO

Len : 1 RC-EVER USED CIG DAILY AND NO PAST MONTH CIG USE

	Freq	Pct
0 = No (Otherwise).....	51429	88.62
1 = Yes (CDUFLAG=1 and CIGMON=0).....	6605	11.38

"Binge" Alcohol Use, BNGDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on at least one day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other.

(IRALCBNG30D)
BNGDRKMON

Len : 1 RC-BINGE ALCOHOL USE PAST 30 DAYS

	Freq	Pct
0 = Never/No "Binge" alc use (IRALCBNG30D = 0,91,93).....	45341	78.13
1 = "Binge" alcohol use (IRALCBNG30D = 1-30).....	12693	21.87

Heavy Alcohol Use, HVYDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.

(IRALCBNG30D)
HVYDRKMON

Len : 1 RC-HEAVY ALCOHOL USE PAST 30 DAYS

	Freq	Pct
0 = Never/No heavy alc use (IRALCBNG30D = 0-4,91,93).....	54497	93.91
1 = Heavy alcohol use (IRALCBNG30D = 5-30).....	3537	6.09

(ALCFLAG, ILLFLAG, TOBFLAG)

ILTOBALCFG

Len : 1 RC-ILLICIT DRUG, TOBACCO PRD, OR ALCOHOL - EVER USED

	Freq	Pct
0 = No drug, tob, or alcohol lifetime use (Otherwise).....	13582	23.40
1 = Drg, tob or alc lifetime use (ILLFLAG, TOBFLAG or ALCFLAG=1).....	44452	76.60

(ALCYR, ILLYR, TOBYR)

ILTOBALCYR

Len : 1 RC-ILLICIT DRUG, TOBACCO PRD, OR ALCOHOL - PAST YEAR USE

	Freq	Pct
0 = No drug, tob, or alcohol past yr use (Otherwise).....	19509	33.62
1 = Drug, tob, or alcohol past yr use (ILLYR, TOBYR or ALCYR=1).....	38525	66.38

(ALCMON, ILLMON, TOBMON)

ILTOBALCMN

Len : 1 RC-ILLICIT DRUG, TOBACCO PRD, OR ALC - PAST MONTH USE

	Freq	Pct
0 = No drug, tob, or alc past mon use (Otherwise).....	26543	45.74
1 = Drug, tob, or alc past mon use (ILLMON, TOBMON or ALCMON=1)	31491	54.26

(ALCMON, ILLMON)

ILLALCMON

Len : 1 RC-ILLICIT DRUG OR ALCOHOL - PAST MONTH USE

	Freq	Pct
0 = No drug or alc past mon use (Otherwise).....	28841	49.70
1 = Drug or alc past mon use (ILLMON=1 or ALCMON=1)	29193	50.30

RECODED DRUG USE

(ALCFLAG, TOBFLAG)

TOBALCFLG Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - EVER USED

0 = No tobacco or alcohol lifetime use (Otherwise).....	Freq	Pct
1 = Tobacco or alcohol lifetime use (TOBFLAG=1 or ALCFLAG=1).....	14965	25.79

Freq	Pct
43069	74.21

(ALCYR, TOBYR)

TOBALCYR Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - PAST YEAR USE

0 = No tobacco or alcohol past yr use (Otherwise).....	Freq	Pct
1 = Tobacco or alcohol past yr use (TOBYR=1 or ALCYR=1).....	20945	36.09

Freq	Pct
37089	63.91

(ALCMON, TOBMON)

TOBALCMN Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - PAST MONTH USE

0 = No tob or alc past mon use (Otherwise).....	Freq	Pct
1 = Tob or alc past mon use (TOBMON=1 or ALCMON=1).....	28116	48.45

Freq	Pct
29918	51.55

(ALCYR, ILLYR)

ILLANDALC Len : 1 RC-ILLICIT DRUG AND ALCOHOL USE - PAST YEAR USE

0 = No drug or alc past year use (Otherwise).....	Freq	Pct
1 = Drug and alc past year use (ILLYR=1 and ALCYR=1).....	45880	79.06

Freq	Pct
12154	20.94

(ALCYR, ILLYR)

ILLORALC Len : 1 RC-ILLICIT DRUG OR ALCOHOL USE - PAST YEAR USE

0 = No drug and alc past year use (Otherwise).....	Freq	Pct
1 = Drug or alc past year use (ILLYR=1 or ALCYR=1).....	21025	36.23

Freq	Pct
37009	63.77

(ALCFLAG, ILLFLAG)

ILLALCFLG Len : 1 RC-ILLICIT DRUG OR ALCOHOL - EVER USED

0 = No drug or alc lifetime use (Otherwise).....	Freq	Pct
1 = Drug or alc lifetime use (ILLFLAG=1 or ALCFLAG=1).....	14473	24.94

Freq	Pct
43561	75.06

NOTE: The following 15 variables pertain to the use of specific hallucinogens and inhalants. These variables were revised starting with the 2021 NSDUH so that respondents with unknown lifetime use of the indicated hallucinogen or inhalant were coded as a system missing.

(HALLUCFLAG, PEYOTE)

PEYOTEEVER Len : 1 RC-EVER USED PEYOTE

. = Unknown (Otherwise).....	Freq	Pct
0 = No (PEYOTE = 2,91 or HALLUCFLAG=0).....	57284	98.71
1 = Yes (PEYOTE=1,3).....	739	1.27

Freq	Pct
11	0.02

(HALLUCFLAG, MESC)

MESCEVER Len : 1 RC-EVER USED MESCALINE

. = Unknown (Otherwise).....	Freq	Pct
0 = No (MESC=2,91 or HALLUCFLAG=0).....	57106	98.40
1 = Yes (MESC=1,3).....	916	1.58

Freq	Pct
12	0.02

(HALLUCFLAG, PSILCY)

PSILCYEVER Len : 1 RC-EVER USED PSILOCYBIN (MUSHROOMS)

. = Unknown (Otherwise).....	Freq	Pct
0 = No (PSILCY=2,91 or HALLUCFLAG=0).....	52281	90.09
1 = Yes (PSILCY=1,3).....	5746	9.90

Freq	Pct
7	0.01

RECODED DRUG USE

(AMYLNIT, INHALFLAG)

AMYLNIEVER Len : 1 RC-EVER INHALED AMYL NITRITE, "POPPERS", RUSH, ETC.

. = Unknown (Otherwise).....	
0 = No (AMYLNIT=2,91 or INHALFLAG =0).....	
1 = Yes (AMYLNIT=1,3).....	

Freq	Pct
12	0.02
56657	97.63
1365	2.35

(CLEFLU, INHALFLAG)

CLEFLUEVER Len : 1 RC-EVER INHALED CORRECTION FLUID, DEGREASER, ETC.

. = Unknown (Otherwise).....	
0 = No (CLEFLU=2,91 or INHALFLAG =0).....	
1 = Yes (CLEFLU=1,3).....	

Freq	Pct
11	0.02
57670	99.37
353	0.61

(GAS, INHALFLAG)

GASEVER Len : 1 RC-EVER INHALED GASOLINE OR LIGHTER FLUID

. = Unknown (Otherwise).....	
0 = No (GAS=2,91 or INHALFLAG =0).....	
1 = Yes (GAS=1,3).....	

Freq	Pct
6	0.01
57322	98.77
706	1.22

(GLUE, INHALFLAG)

GLUEEVER Len : 1 RC-EVER INHALED GLUE, SHOE POLISH, OR TOLUENE

. = Unknown (Otherwise).....	
0 = No (GLUE=2,91 or INHALFLAG =0).....	
1 = Yes (GLUE=1,3)	

Freq	Pct
9	0.02
57309	98.75
716	1.23

(ETHER, INHALFLAG)

ETHEREVER Len : 1 RC-EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC

. = Unknown (Otherwise).....	
0 = No (ETHER=2,91 or INHALFLAG =0).....	
1 = Yes (ETHER=1,3)	

Freq	Pct
9	0.02
57872	99.72
153	0.26

(INHALFLAG, SOLVENT)

SOLVENEVER Len : 1 RC-EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS

. = Unknown (Otherwise).....	
0 = No (SOLVENT=2,91 or INHALFLAG =0).....	
1 = Yes (SOLVENT=1,3)	

Freq	Pct
7	0.01
57737	99.49
290	0.50

(INHALFLAG, LGAS)

LGASEVER Len : 1 RC-EVER INHALED LIGHTER GASES (BUTANE, PROPANE)

. = Unknown (Otherwise).....	
0 = No (LGAS=2,91 or INHALFLAG =0).....	
1 = Yes (LGAS=1,3)	

Freq	Pct
6	0.01
57833	99.65
195	0.34

(INHALFLAG, NITOXID)

NITOXIEVER Len : 1 RC-EVER INHALED NITROUS OXIDE OR "WHIPPITS"

. = Unknown (Otherwise).....	
0 = No (NITOXID=2,91 or INHALFLAG =0).....	
1 = Yes (NITOXID=1,3)	

Freq	Pct
6	0.01
55508	95.65
2520	4.34

(FELTMARKR, INHALFLAG)

FLTMRKEVER Len : 1 RC-EVER USED FELT-TIP PENS/MARKERS TO GET HIGH

. = Unknown (Otherwise).....	
0 = No (FELTMARKR=2,91 or INHALFLAG =0).....	
1 = Yes (FELTMARKR=1,3)	

Freq	Pct
7	0.01
55975	96.45
2052	3.54

RECODED DRUG USE

<i>(INHALFLAG, SPPAIN)</i>		<u>SPAINEVER</u>	Len : 1	RC-EVER INHALED SPRAY PAINTS	Freq	Pct
.	= Unknown (Otherwise).....				5	0.01
0	= No (SPPAIN=2,91 or INHALFLAG =0).....				57563	99.19
1	= Yes (SPPAIN=1,3)				466	0.80

<i>(AIRDUSTER, INHALFLAG)</i>		<u>AIRDUSEVER</u>	Len : 1	RC-EVER USED COMPUTER CLEANER/AIR DUSTER TO GET HIGH	Freq	Pct
.	= Unknown (Otherwise).....				7	0.01
0	= No (AIRDUSTER=2,91 or INHALFLAG =0)				57321	98.77
1	= Yes (AIRDUSTER=1,3).....				706	1.22

<i>(INHALFLAG, OTHAEROS)</i>		<u>OTHAEREVER</u>	Len : 1	RC-EVER USED OTHER AEROSOL SPRAY	Freq	Pct
.	= Unknown (Otherwise).....				12	0.02
0	= No (OTHAEROS=2,91 or INHALFLAG =0).....				57730	99.48
1	= Yes (OTHAEROS=1,3).....				292	0.50

NOTE: The following 12 variables pertain to prescription pain reliever subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific pain reliever subtype were coded as a system missing.

The following variable for any past year use of Hydrocodone Products, RXHYDCANY, was assigned a positive response if a respondent indicated any past year use of Vicodin, Lortab, Norco, Zohydro ER, generic hydrocodone, or past year misuse of other pain relievers that contain hydrocodone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Vicodin, Lortab, Norco, Zohydro ER, and generic hydrocodone.

<i>(PNRANYYR)</i>		<u>RXHYDCANY</u>	Len : 1	RC-HYDROCODONE PRODUCTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....				118	0.20
0	= No (See comment above).....				52198	89.94
1	= Yes (See comment above)				5718	9.85

<i>(PNRANYYR)</i>		<u>RXZOHYHYANY</u>	Len : 1	RC-ZOHYDRO ER - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....				118	0.20
0	= No				57807	99.61
1	= Yes.....				109	0.19

The following variable for any past year use of Oxycodone Products, RXOXCOANY, was assigned a positive response if a respondent indicated any past year use of OxyContin (OXYCNANYYR=1), Percocet, Percodan, Roxicodone, or generic oxycodone, or past year misuse of other pain relievers that contain oxycodone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of OxyContin (OXYCNANYYR=0), Percocet, Percodan, Roxicodone, and generic oxycodone.

<i>(OXYCNANYYR, PNRANYYR)</i>		<u>RXOXCOANY</u>	Len : 1	RC-OXYCODONE PRODUCTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....				113	0.19
0	= No (See comment above).....				54311	93.58
1	= Yes (See comment above)				3610	6.22

RECODED DRUG USE

The following variable for any past year use of Tramadol Products, RXTRAMANY, was assigned a positive response if a respondent indicated any past year use of Ultram, Ultram ER, Ultracet, generic tramadol, or generic extended-release tramadol, or past year misuse of other pain relievers that contain tramadol. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Ultram, Ultram ER, Ultracet, generic tramadol, and generic extended-release tramadol.

<i>(PNRANYYR)</i>	<u>RXTRAMANY</u>	Len : 1 RC-TRAMADOL PRODUCTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		120	0.21
0	= No (See comment above).....		55526	95.68
1	= Yes (See comment above)		2388	4.11

The following variable for any past year use of Codeine Products, RXCODEANY, was assigned a positive response if a respondent indicated any past year use of Codeine, Tylenol with Codeine 3 or 4, or past year misuse of other pain relievers that contain codeine. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Codeine and Tylenol with Codeine 3 or 4.

<i>(PNRANYYR)</i>	<u>RXCODEANY</u>	Len : 1 RC-CODEINE PRODUCTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		106	0.18
0	= No (See comment above).....		54575	94.04
1	= Yes (See comment above)		3353	5.78

The following variable for any past year use of Morphine Products, RXMORPANY, was assigned a positive response if a respondent indicated any past year use of Avinza, Kadian, MS Contin, generic morphine, or generic extended-release morphine, or past year misuse of other pain relievers that contain morphine. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Avinza, Kadian, MS Contin, generic morphine, and generic extended-release morphine.

<i>(PNRANYYR)</i>	<u>RXMORPANY</u>	Len : 1 RC-MORPHINE PRODUCTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		104	0.18
0	= No (See comment above).....		57050	98.30
1	= Yes (See comment above)		880	1.52

The following variable for any past year use of Buprenorphine Products, RXBUPRANY, was assigned a positive response if a respondent indicated any past year use of Suboxone, or generic buprenorphine, or buprenorphine plus naloxone, or past year misuse of other pain relievers that contain buprenorphine. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Suboxone, or generic buprenorphine, and buprenorphine plus naloxone.

<i>(PNRANYYR)</i>	<u>RXBUPRANY</u>	Len : 1 RC-BUPRENORPHINE PRODUCTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		99	0.17
0	= No (See comment above).....		57261	98.67
1	= Yes (See comment above)		674	1.16

The following variable for any past year use of Oxymorphone Products, RXOXYMANY, was assigned a positive response if a respondent indicated any past year use of Opana, Opana ER, generic oxymorphone, or generic extended-release oxymorphone, or past year misuse of other pain relievers that contain oxymorphone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Opana, Opana ER, generic oxymorphone, and generic extended-release oxymorphone.

<i>(PNRANYYR)</i>	<u>RXOXYMANY</u>	Len : 1 RC-OXYMORPHONE PRODUCTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		101	0.17
0	= No (See comment above).....		57723	99.46
1	= Yes (See comment above)		210	0.36

RECODED DRUG USE

The following variable for any past year use of Demerol Products, RXDEMEANY, was assigned a positive response if a respondent indicated any past year use of Demerol, or past year misuse of other pain relievers that contain demerol. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Demerol.

<u>(PNRANYYR)</u>	<u>RXDEMEANY</u>	Len : 1 RC-DEMEROL PRODUCTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		98	0.17
0	= No (See comment above).....		57839	99.66
1	= Yes (See comment above)		97	0.17

The following variable for any past year use of Hydromorphone Products, RXHYDMANY, was assigned a positive response if a respondent indicated any past year use of Dilaudid or generic hydromorphone, or Exalgo or generic extended-release hydromorphone, or past year misuse of other pain relievers that contain hydromorphone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Dilaudid or generic hydromorphone and Exalgo or generic extended-release hydromorphone.

<u>(PNRANYYR)</u>	<u>RXHYDMANY</u>	Len : 1 RC-HYDROMORPHONE PRODUCTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		98	0.17
0	= No (See comment above).....		57681	99.39
1	= Yes (See comment above)		255	0.44

The following variable for any past year use of Methadone Products, RXMTDNANY, was assigned a positive response if a respondent indicated any past year use of Methadone, or past year misuse of other pain relievers that contain methadone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Methadone.

<u>(PNRANYYR)</u>	<u>RXMTDNANY</u>	Len : 1 RC-METHADONE PRODUCTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		98	0.17
0	= No (See comment above).....		57654	99.35
1	= Yes (See comment above)		282	0.49

<u>(PNRANYYR)</u>	<u>OTHRPNRANY</u>	Len : 1 RC-OTHER PAIN RELIEVER- ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		87	0.15
0	= No		54279	93.53
1	= Yes.....		3668	6.32

NOTE: The following nine variables pertain to prescription tranquilizer subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific tranquilizer subtype were coded as a system missing.

The following variable for any past year use of Benzodiazepine Tranquilizers, RXBZOTANY, was assigned a positive response if a respondent indicated any past year use of alprazolam products (Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products, generic lorazepam), clonazepam products, generic clonazepam), diazepam products, or generic diazepam), or past year misuse of other benzodiazepine tranquilizers. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of alprazolam products (Xanax, Xanax XR, generic alprazolam, and generic extended-release alprazolam), lorazepam products (Ativan, generic lorazepam), clonazepam products (Klonopin and generic clonazepam), and diazepam products (Valium and generic diazepam).

<u>(IRBZOANYYR, TRQANYYR)</u>	<u>RXBZOTANY</u>	Len : 1 RC-BENZODIAZEPINE TRANQUILIZERS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		39	0.07
0	= No (See comment above).....		53585	92.33
1	= Yes (See comment above)		4410	7.60

RECODED DRUG USE

The following variable for any past year use of Alprazolam Products, RXALPRANY, was assigned a positive response if a respondent indicated any past year use of Xanax, Xanax XR, generic alprazolam, or generic extended-release alprazolam, or past year misuse of other tranquilizers that contain alprazolam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of Xanax, Xanax XR, generic alprazolam, and generic extended-release alprazolam.

(IRBZOANYYR, TRQANYYR)

RXALPRANY Len : 1 RC-ALPRAZOLEM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	41	0.07
0 = No (See comment above).....	55465	95.57
1 = Yes (See comment above)	2528	4.36

The following variable for any past year use of Lorazepam Products, RXLORAANY, was assigned a positive response if a respondent indicated any past year use of Ativan, or generic lorazepam, or past year misuse of other tranquilizers that contain lorazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of Ativan and generic lorazepam.

(IRBZOANYYR, TRQANYYR)

RXLORAANY Len : 1 RC-LORAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	42	0.07
0 = No (See comment above).....	56709	97.72
1 = Yes (See comment above)	1283	2.21

The following variable for any past year use of Clonazepam Products, RXCLONANY, was assigned a positive response if a respondent indicated any past year use of Klonopin, or generic clonazepam, or past year misuse of other tranquilizers that contain clonazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of Klonopin and generic clonazepam.

(IRBZOANYYR, TRQANYYR)

RXCLONANY Len : 1 RC-CLONAZEP AM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	42	0.07
0 = No (See comment above).....	56913	98.07
1 = Yes (See comment above)	1079	1.86

The following variable for any past year use of Diazepam Products, RXDIAZANY, was assigned a positive response if a respondent indicated any past year use of Valium, or generic diazepam, or past year misuse of other tranquilizers that contain diazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of Valium and generic diazepam.

(IRBZOANYYR, TRQANYYR)

RXDIAZANY Len : 1 RC-DIAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	48	0.08
0 = No (See comment above).....	57131	98.44
1 = Yes (See comment above)	855	1.47

The following variable for any past year use of Muscle Relaxants, RXMRLXANY, was assigned a positive response if a respondent indicated any past year use of cyclobenzaprine [also known as Flexeril], Soma, or past year misuse of other muscle relaxants. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0) or if a respondent indicated no past year use of cyclobenzaprine [also known as Flexeril] and Soma.

(TRQANYYR)

RXMRLXANY Len : 1 RC-MUSCLE RELAXANTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	49	0.08
0 = No (See comment above).....	56579	97.49
1 = Yes (See comment above)	1406	2.42

RECODED DRUG USE

The following variable for any past year use of Cyclobenzaprine Products, RXCYCLANY, was assigned a positive response if a respondent indicated any past year use of Flexeril, or past year misuse of other muscle relaxants that contain cyclobenzaprine. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0) or if a respondent indicated no past year use of Flexeril.

<u>(TRQANYYR)</u>	<u>RXCYCLANY</u>	Len : 1 RC-CYCLOBENZAPRINE PRODUCTS - ANY PAST YEAR USE	Freq	Pct
		. = Unknown (Otherwise).....	49	0.08
		0 = No (See comment above).....	56689	97.68
		1 = Yes (See comment above)	1296	2.23

The following variable for any past year use of Carisoprodol Products, RXSOMAANY, was assigned a positive response if a respondent indicated any past year use of Soma, or past year misuse of other muscle relaxants that contain carisoprodol. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0) or if a respondent indicated no past year use of Soma.

<u>(TRQANYYR)</u>	<u>RXSOMAANY</u>	Len : 1 RC-SOMA PRODUCTS - ANY PAST YEAR USE	Freq	Pct
		. = Unknown (Otherwise).....	49	0.08
		0 = No (See comment above).....	57840	99.67
		1 = Yes (See comment above)	145	0.25

<u>(TRQANYYR)</u>	<u>OTHRTROQANY</u>	Len : 1 RC-OTHER TRANQUILIZER- ANY PAST YEAR USE	Freq	Pct
		. = Unknown (Otherwise).....	67	0.12
		0 = No	57017	98.25
		1 = Yes.....	950	1.64

NOTE: The following six variables pertain to prescription stimulant subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific stimulant subtype were coded as a system missing.

The following variable for any past year use of Amphetamine or Methylphenidate Products, RXAMMEANY, was assigned a positive response if a respondent indicated any past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or past year misuse of other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYYR=0) or if a respondent indicated no past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate. Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

<u>(STMANYYR)</u>	<u>RXAMMEANY</u>	Len : 1 RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - ANY PAST YEAR USE	Freq	Pct
		. = Unknown (Otherwise).....	38	0.07
		0 = No (See comment above).....	54446	93.82
		1 = Yes (See comment above)	3550	6.12

RECODED DRUG USE

The following variable for any past year use of Amphetamine Products, RXAMPHANY, was assigned a positive response if a respondent indicated any past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, or generic extended-release amphetamine-dextroamphetamine combinations, or past year misuse of other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD). A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYR=0) or if a respondent indicated no past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, and generic extended-release amphetamine-dextroamphetamine combinations. Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

<i>(STMANYR)</i>	<i>RXAMPHANY</i>	Len : 1 RC-AMPHETAMINE - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		40	0.07
0	= No (See comment above).....		54922	94.64
1	= Yes (See comment above)		3072	5.29

The following variable for any past year use of Methylphenidate Products, RXMTHPANY, was assigned a positive response if a respondent indicated any past year use of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or past year misuse of other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYR=0) or if a respondent indicated no past year use of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate.

<i>(STMANYR)</i>	<i>RXMTHPANY</i>	Len : 1 RC-METHYLPHENIDATE PRODUCTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		42	0.07
0	= No (See comment above).....		57021	98.25
1	= Yes (See comment above)		971	1.67

The following variable for any past year use of Anorectic, benzphetamine, Tenuate, diethylpropion, phendimetrazine, or phentermine, or past year misuse of other stimulants that are prescribed for weight loss. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYR=0) or if a respondent indicated no past year use of Didrex, benzphetamine, Tenuate, diethylpropion, phendimetrazine, and phentermine.

<i>(STMANYR)</i>	<i>RXANORANY</i>	Len : 1 RC-ANORECTIC STIMULANTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		42	0.07
0	= No (See comment above).....		57511	99.10
1	= Yes (See comment above)		481	0.83

The following variable for any past year use of Provigil Products, RXPROVANY, was assigned a positive response if a respondent indicated any past year use of Provigil, or past year misuse of other stimulants that contain Provigil. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYR=0) or if a respondent indicated no past year use of Provigil.

<i>(STMANYR)</i>	<i>RXPROVANY</i>	Len : 1 RC-PROVIGIL PRODUCTS- ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		39	0.07
0	= No (See comment above).....		57896	99.76
1	= Yes (See comment above)		99	0.17

<i>(STMANYR)</i>	<i>OTHRSTMANY</i>	Len : 1 RC-OTHER STIMULANT - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....		41	0.07
0	= No		57508	99.09
1	= Yes.....		485	0.84

RECODED DRUG USE

NOTE: The following nine variables pertain to prescription sedative subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific sedative subtype were coded as a system missing.

The following variable for any past year use of Zolpidem Products, RXZOLPANY, was assigned a positive response if a respondent indicated any past year use of Ambien, Ambien CR, generic zolpidem, or extended-release generic zolpidem, or past year misuse of other sedatives that contain zolpidem. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0) or if a respondent indicated no past year use of Ambien, Ambien CR, generic zolpidem, and extended-release generic zolpidem.

*(SEDANYYR)
RXZOLPANY*

Len : 1 RC-ZOLPIDEM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	22	0.04
0 = No (See comment above).....	56871	98.00
1 = Yes (See comment above)	1141	1.97

The following variable for any past year use of Eszopiclone Products, RXESZOANY, was assigned a positive response if a respondent indicated any past year use of Lunesta or generic eszopiclone, or past year misuse of other sedatives that contain eszopiclone. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0) or if a respondent indicated no past year use of Lunesta or generic eszopiclone.

*(SEDANYYR)
RXESZOANY*

Len : 1 RC-ESZOPICLONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	26	0.04
0 = No (See comment above).....	57799	99.60
1 = Yes (See comment above)	209	0.36

The following variable for any past year use of Zaleplon Products, RXZALEANY, was assigned a positive response if a respondent indicated any past year use of Sonata or generic zaleplon, or past year misuse of other sedatives that contain zaleplon. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0) or if a respondent indicated no past year use of Sonata or generic zaleplon.

*(SEDANYYR)
RXZALEANY*

Len : 1 RC-ZALEPLON PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	26	0.04
0 = No (See comment above).....	57951	99.86
1 = Yes (See comment above)	57	0.10

The following variable for any past year use of Benzodiazepine Sedatives, RXBZOSANY, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane], temazepam products [Restoril, or generic temazepam], or triazolam [Halcion or generic triazolam], or past year misuse of other benzodiazepine sedatives. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of flurazepam [also known as Dalmane], temazepam products [Restoril, and generic temazepam], and triazolam [Halcion and generic triazolam].

*(IRBZOANYYR, SEDANYYR)
RXBZOSANY*

Len : 1 RC-BENZODIAZEPINE SEDATIVES - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	20	0.03
0 = No (See comment above).....	57704	99.43
1 = Yes (See comment above)	310	0.53

The following variable for any past year use of Triazolam Products, RXTRIAANY, was assigned a positive response if a respondent indicated any past year use of Halcion, or generic triazolam, or past year misuse of other sedatives that contain tirazolam. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of Halcion and generic triazolam.

*(IRBZOANYYR, SEDANYYR)
RXTRIAANY*

Len : 1 RC-TRIAZOLAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	21	0.04
0 = No (See comment above).....	57861	99.70
1 = Yes (See comment above)	152	0.26

RECODED DRUG USE

The following variable for any past year use of Temazepam Products, RXTEMAANY, was assigned a positive response if a respondent indicated any past year use of Restoril, or generic temazepam, or past year misuse of other sedatives that contain temazepam. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of Restoril and generic temazepam.

<i>(IRBZOANYYR, SEDANYYR)</i>	<u>RXTEMAANY</u>	Len : 1	RC-TEMAZEPAM PRODUCTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....			20	0.03
0	= No (See comment above).....			57871	99.72
1	= Yes (See comment above)			143	0.25

The following variable for any past year use of Flurazepam, RXFLURANY, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane], or past year misuse of other sedatives that contain flurazepam. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of flurazepam [also known as Dalmane].

<i>(IRBZOANYYR, SEDANYYR)</i>	<u>RXFLURANY</u>	Len : 1	RC-FLURAZEPAM PRODUCTS - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....			20	0.03
0	= No (See comment above).....			57991	99.93
1	= Yes (See comment above)			23	0.04

The following variable for any past year use of Barbiturates, RXBARBANY, was assigned a positive response if a respondent indicated any past year use of Butisol, Seconal, or phenobarbital, or past year misuse of other barbiturates. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0) or if a respondent indicated no past year use of Butisol, Seconal, and phenobarbital.

<i>(SEDANYYR)</i>	<u>RXBARBANY</u>	Len : 1	RC-BARBITUATES - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....			27	0.05
0	= No (See comment above).....			57888	99.75
1	= Yes (See comment above)			119	0.21

<i>(SEDANYYR)</i>	<u>OTHRSEDDANY</u>	Len : 1	RC-OTHER SEDATIVE - ANY PAST YEAR USE	Freq	Pct
.	= Unknown (Otherwise).....			28	0.05
0	= No			56865	97.99
1	= Yes.....			1141	1.97

NOTE: The following 12 variables pertain to prescription pain reliever subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific pain reliever subtype were coded as a system missing.

The following variable for past year misuse of Hydrocodone Products, RXHYDCMIS, was assigned a positive response if a respondent indicated past year misuse of Vicodin, Lortab, Norco, Zohydro ER, generic hydrocodone, or other pain relievers that contain hydrocodone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Vicodin, Lortab, Norco, Zohydro ER, and generic hydrocodone.

<i>(PNRNMYR)</i>	<u>RXHYDCMIS</u>	Len : 1	RC-HYDROCODONE PRODUCTS - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....			25	0.04
0	= No (See comment above).....			57231	98.62
1	= Yes (See comment above)			778	1.34

<i>(PNRNMYR)</i>	<u>RXZOHYMIS</u>	Len : 1	RC-ZOHYDRO ER - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....			18	0.03
0	= No			58000	99.94
1	= Yes.....			16	0.03

RECODED DRUG USE

The following variable for past year misuse of Oxycodone Products, RXOXCOTIS, was assigned a positive response if a respondent indicated past year misuse of OxyContin (OXYCOTINMYR=1), Percocet, Percodan, Roxicodone, generic oxycodone, or other pain relievers that contain oxycodone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of OxyContin (OXYCOTINMYR=0), Percocet, Percodan, Roxicodone, and generic oxycodone.

<i>(OXYCOTINMYR, PNRNMYR)</i>			Freq	Pct
<u>RXOXCOTIS</u>	Len : 1	RC-OXYCODONE PRODUCTS - PAST YEAR MISUSE		
. = Unknown (Otherwise).....			34	0.06
0 = No (See comment above).....			57425	98.95
1 = Yes (See comment above)			575	0.99

The following variable for past year misuse of Tramadol Products, RXTRAMMIS, was assigned a positive response if a respondent indicated past year misuse of Ultram, Ultram ER, Ultracet, generic tramadol, generic extended-release tramadol, or other pain relievers that contain tramadol. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Ultram, Ultram ER, Ultracet, generic tramadol, and generic extended-release tramadol.

<i>(PNRNMYR)</i>			Freq	Pct
<u>RXTRAMMIS</u>	Len : 1	RC-TRAMADOL PRODUCTS - PAST YEAR MISUSE		
. = Unknown (Otherwise).....			31	0.05
0 = No (See comment above).....			57713	99.45
1 = Yes (See comment above)			290	0.50

The following variable for past year misuse of Codeine Products, RXCODEMIS, was assigned a positive response if a respondent indicated past year misuse of Codeine, Tylenol with Codeine 3 or 4, or other pain relievers that contain codeine. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Codeine and Tylenol with Codeine 3 or 4.

<i>(PNRNMYR)</i>			Freq	Pct
<u>RXCODEMIS</u>	Len : 1	RC-CODEINE PRODUCTS - PAST YEAR MISUSE		
. = Unknown (Otherwise).....			29	0.05
0 = No (See comment above).....			57582	99.22
1 = Yes (See comment above)			423	0.73

The following variable for past year misuse of Morphine Products, RXMORPMIS, was assigned a positive response if a respondent indicated past year misuse of Avinza, Kadian, MS Contin, generic morphine, generic extended-release morphine, or other pain relievers that contain morphine. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Avinza, Kadian, MS Contin, generic morphine, and generic extended-release morphine.

<i>(PNRNMYR)</i>			Freq	Pct
<u>RXMORPMIS</u>	Len : 1	RC-MORPHINE PRODUCTS - PAST YEAR MISUSE		
. = Unknown (Otherwise).....			21	0.04
0 = No (See comment above).....			57923	99.81
1 = Yes (See comment above)			90	0.16

The following variable for past year misuse of Buprenorphine Products, RXBUPRMIS, was assigned a positive response if a respondent indicated past year misuse of Suboxone, generic buprenorphine, or buprenorphine plus naloxone, or other pain relievers that contain buprenorphine. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Suboxone, or generic buprenorphine, and buprenorphine plus naloxone.

<i>(PNRNMYR)</i>			Freq	Pct
<u>RXBUPRMIS</u>	Len : 1	RC-BUPRENORPHINE PRODUCTS - PAST YEAR MISUSE		
. = Unknown (Otherwise).....			23	0.04
0 = No (See comment above).....			57853	99.69
1 = Yes (See comment above)			158	0.27

RECODED DRUG USE

The following variable for past year misuse of Oxymorphone Products, RXOXYMMIS, was assigned a positive response if a respondent indicated past year misuse of Opana, Opana ER, generic oxymorphone, generic extended-release oxymorphone, or other pain relievers that contain oxymorphone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Opana, Opana ER, generic oxymorphone, and generic extended-release oxymorphone.

<i>(PNRNMYR)</i>	<u>RXOXYMMIS</u>	Len : 1 RC-OXYMORPHONE PRODUCTS - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....		24	0.04
0	= No (See comment above).....		57980	99.91
1	= Yes (See comment above)		30	0.05

The following variable for past year misuse of Demerol Products, RXDEMEMIS, was assigned a positive response if a respondent indicated past year misuse of Demerol, or other pain relievers that contain demerol. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Demerol.

<i>(PNRNMYR)</i>	<u>RXDEMEMIS</u>	Len : 1 RC-DEMEROL PRODUCTS - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....		17	0.03
0	= No (See comment above).....		58003	99.95
1	= Yes (See comment above)		14	0.02

The following variable for past year misuse of Hydromorphone Products, RXHYDMMIS, was assigned a positive response if a respondent indicated past year misuse of Dilaudid or generic hydromorphone, Exalgo or generic extended-release hydromorphone, or other pain relievers that contain hydromorphone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Dilaudid or generic hydromorphone and Exalgo or generic extended-release hydromorphone.ble for past year misuse of Hydromorphone Products, HYDMPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Dilaudid or generic hydromorphone, Exalgo or generic extended-release hydromorphone, or other pain relievers that contain hydromorphone.

<i>(PNRNMYR)</i>	<u>RXHYDMMIS</u>	Len : 1 RC-HYDROMORPHONE PRODUCTS - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....		20	0.03
0	= No (See comment above).....		57968	99.89
1	= Yes (See comment above)		46	0.08

The following variable for past year misuse of Methadone Products, RXMTDNMIS, was assigned a positive response if a respondent indicated past year misuse of Methadone, or other pain relievers that contain methadone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Methadone.

<i>(PNRNMYR)</i>	<u>RXMTDNMIS</u>	Len : 1 RC-METHADONE PRODUCTS - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....		21	0.04
0	= No (See comment above).....		57961	99.87
1	= Yes (See comment above)		52	0.09

RECODED DRUG USE

The following variable for the past year misuse of any other pain relievers, OTHRPNRMIS, was assigned a positive response if a respondent indicated past year misuse of any other pain relievers and the respondent did not report their only misuse of any other pain relievers in their write-in responses as containing the following: hydrocodone products, oxycodone products, tramadol products, codeine products, morphine products, fentanyl products, buprenorphine products, oxymorphone products, meperidine products, hydromorphone products, methadone products, or over-the-counter products. Codes for bad data, don't know, refused, and blank are not considered valid values. OTHRPNRMIS was assigned a negative response if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0), if a respondent did not indicate past year misuse of any other pain relievers, or a respondent indicated their only misuse of any other pain relievers in their write-in responses as containing the following: hydrocodone products, oxycodone products, tramadol products, codeine products, morphine products, fentanyl products, buprenorphine products, oxymorphone products, meperidine products, hydromorphone products, methadone products, or over-the-counter products. If a respondent had at least one valid write-in value, the respondent would still be assigned a negative response even if the remaining write-in responses are blank.

(PNRNMYR)

OTHRPNRMIS

Len : 1 RC-OTHER PAIN RELIEVER PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	97	0.17
0 = No (See comment above).....	57828	99.65
1 = Yes (See comment above)	109	0.19

NOTE: The following nine variables pertain to prescription tranquilizer subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific tranquilizer subtype were coded as a system missing.

The following variable for past year misuse of Benzodiazepine Tranquilizers, RXBZOTMIS, was assigned a positive response if a respondent indicated past year misuse of alprazolam products (Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products or generic lorazepam, clonazepam products, generic clonazepam, or diazepam products, generic diazepam, or other benzodiazepine tranquilizers. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of alprazolam products (Xanax and Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products (Ativan and generic lorazepam), clonazepam products (Klonopin and generic clonazepam), and diazepam products (Valium and generic diazepam).

(IRBZONMYR, TRQNMYR)

RXBZOTMIS

Len : 1 RC-BENZODIAZEPINE TRANQUILIZERS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	10	0.02
0 = No (See comment above).....	57091	98.38
1 = Yes (See comment above)	933	1.61

The following variable for past year misuse of Alprazolam Products, RXALPRMIS, was assigned a positive response if a respondent indicated past year misuse of Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam, or other tranquilizers that contain alprazolam. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of Xanax, Xanax XR, generic alprazolam, and generic extended-release alprazolam.

(IRBZONMYR, TRQNMYR)

RXALPRMIS

Len : 1 RC-ALPRAZOLEM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	10	0.02
0 = No (See comment above).....	57313	98.76
1 = Yes (See comment above)	711	1.23

The following variable for past year misuse of Lorazepam Products, RXLORAMIS, was assigned a positive response if a respondent indicated past year misuse of Ativan, generic lorazepam, or other tranquilizers that contain lorazepam. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of Ativan and generic lorazepam.

(IRBZONMYR, TRQNMYR)

RXLORAMIS

Len : 1 RC-LORAZEPAM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	7	0.01
0 = No (See comment above).....	57870	99.72
1 = Yes (See comment above)	157	0.27

RECODED DRUG USE

The following variable for past year misuse of Clonazepam Products, RXCLONMIS, was assigned a positive response if a respondent indicated past year misuse of Klonopin, generic clonazepam, or other tranquilizers that contain clonazepam. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYSR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of Klonopin and generic clonazepam.

<i>(IRBZONMYR, TRQNMYSR)</i>	<u>RXCLONMIS</u>	Len : 1	RC-CLONAZEPAM PRODUCTS - PAST YEAR MISUSE	Freq	Pct
			. = Unknown (Otherwise).....	12	0.02
			0 = No (See comment above).....	57800	99.60
			1 = Yes (See comment above)	222	0.38

The following variable for past year misuse of Diazepam Products, RXDIAZMIS, was assigned a positive response if a respondent indicated past year misuse of Valium, generic diazepam, or other tranquilizers that contain diazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQNMYSR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year use of Valium and generic diazepam.

<i>(IRBZONMYR, TRQNMYSR)</i>	<u>RXDIAZMIS</u>	Len : 1	RC-DIAZEPAM PRODUCTS - PAST YEAR MISUSE	Freq	Pct
			. = Unknown (Otherwise).....	13	0.02
			0 = No (See comment above).....	57886	99.74
			1 = Yes (See comment above)	135	0.23

The following variable for past year misuse of Muscle Relaxants, RXMRLXMIS, was assigned a positive response if a respondent indicated past year misuse of cyclobenzaprine [also known as Flexeril], Soma, or other muscle relaxants. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYSR=0) or if a respondent indicated no past year misuse of cyclobenzaprine [also known as Flexeril] and Soma.

<i>(TRQNMYSR)</i>	<u>RXMRLXMIS</u>	Len : 1	RC-MUSCLE RELAXANTS - PAST YEAR MISUSE	Freq	Pct
			. = Unknown (Otherwise).....	10	0.02
			0 = No (See comment above).....	57885	99.74
			1 = Yes (See comment above)	139	0.24

The following variable for past year misuse of Cyclobenzaprine Products, RXCYCLMIS, was assigned a positive response if a respondent indicated past year misuse of Flexeril, or other muscle relaxants that contain cyclobenzaprine. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYSR=0) or if a respondent indicated no past year misuse of Flexeril.

<i>(TRQNMYSR)</i>	<u>RXCYCLMIS</u>	Len : 1	RC-CYCLOBENZAPRINE PRODUCTS - PAST YEAR MISUSE	Freq	Pct
			. = Unknown (Otherwise).....	10	0.02
			0 = No (See comment above).....	57923	99.81
			1 = Yes (See comment above)	101	0.17

The following variable for past year misuse of Carisoprodol Products, RXSOMAMIS, was assigned a positive response if a respondent indicated past year misuse of Soma, or other muscle relaxants that contain carisoprodol. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYSR=0) or if a respondent indicated no past year misuse of Soma.

<i>(TRQNMYSR)</i>	<u>RXSOMAMIS</u>	Len : 1	RC-SOMA PRODUCTS - PAST YEAR MISUSE	Freq	Pct
			. = Unknown (Otherwise).....	5	0.01
			0 = No (See comment above).....	57984	99.91
			1 = Yes (See comment above)	45	0.08

RECODED DRUG USE

The following variable for the past year misuse of any other tranquilizers, OTHRTRQMIS, was assigned a positive response if a respondent indicated past year misuse of any other tranquilizers and the respondent did not report their only misuse of any other tranquilizers in their write-in responses as containing the following: benzodiazepine tranquilizers, muscle relaxants, or over-the-counter products. Codes for bad data, don't know, refused, and blank are not considered valid values. OTHRTRQMIS was assigned a negative response if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYS=0), if a respondent did not indicate past year misuse of any other tranquilizers, or a respondent indicated their only misuse of any other pain relievers in their write-in responses as containing the following: benzodiazepine tranquilizers, muscle relaxants, or over-the-counter products. If a respondent had at least one valid write-in value, the respondent would still be assigned a negative response even if the remaining write-in responses are blank.

(TRQNMYS)

OTHRTRQMIS

Len : 1 RC-OTHER TRANQUILIZER PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	21	0.04
0 = No (See comment above).....	57997	99.94
1 = Yes (See comment above)	16	0.03

NOTE: The following six variables pertain to prescription stimulant subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific stimulant subtype were coded as a system missing.

The following variable for past year misuse of Amphetamine or Methylphenidate Products, RXAMMEMIS, was assigned a positive response if a respondent indicated past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or other amphetamine that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate. Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

(STMNMYR)

RXAMMEMIS

Len : 1 RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	12	0.02
0 = No (See comment above).....	56974	98.17
1 = Yes (See comment above)	1048	1.81

The following variable for past year misuse of Amphetamine Products, RXAMPHMIS, was assigned a positive response if a respondent indicated past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, or other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD). A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, and generic extended-release amphetamine-dextroamphetamine combinations. Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

(STMNMYR)

RXAMPHMIS

Len : 1 RC-AMPHETAMINE - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	13	0.02
0 = No (See comment above).....	57039	98.29
1 = Yes (See comment above)	982	1.69

RECODED DRUG USE

The following variable for past year misuse of Methylphenidate Products, RXMTHPMIS, was assigned a positive response if a respondent indicated past year misuse of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, generic extended-release dexmethylphenidate, or other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate.

<i>(STMNMYR)</i>	<i>RXMTHPMIS</i>	Len : 1 RC-METHYLPHENIDATE PRODUCTS - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....		8	0.01
0	= No (See comment above).....		57864	99.71
1	= Yes (See comment above)		162	0.28

The following variable for past year misuse of Anorectic, benzphetamine, Tenuate, diethylpropion, phendimetrazine, phentermine, or other stimulants that are prescribed for weight loss. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Didrex, benzphetamine, Tenuate, diethylpropion, phendimetrazine, and phentermine.

<i>(STMNMYR)</i>	<i>RXANORMIS</i>	Len : 1 RC-ANORECTIC STIMULANTS - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....		8	0.01
0	= No (See comment above).....		57991	99.93
1	= Yes (See comment above)		35	0.06

The following variable for past year misuse of Provigil Products, RXPROVMIS, was assigned a positive response if a respondent indicated past year misuse of Provigil, or other stimulants that contain Provigil. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Provigil.

<i>(STMNMYR)</i>	<i>RXPROVMIS</i>	Len : 1 RC-PROVIGIL PRODUCTS- PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....		5	0.01
0	= No (See comment above).....		58004	99.95
1	= Yes (See comment above)		25	0.04

The following variable for the past year misuse of any other stimulants, OTHRSTMMIS, was assigned a positive response if a respondent indicated past year misuse of any other stimulants and the respondent did not report their only misuse of any other stimulants in their write-in responses as containing the following: amphetamine or methylphenidate products, anorectic (weight-loss) stimulants, modafinil products, or over-the-counter products. Codes for bad data, don't know, refused, and blank are not considered valid values. OTHRSTMMIS was assigned a negative response if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0), if a respondent did not indicate past year misuse of any other stimulants, or a respondent indicated their only misuse of any other pain relievers in their write-in responses as containing the following: amphetamine or methylphenidate products, anorectic (weight-loss) stimulants, modafinil products, or over-the-counter products. If a respondent had a least one valid write-in value, the respondent would still be assigned a negative response even if the remaining write-in responses are blank.

<i>(STMNMYR)</i>	<i>OTHRSTMMIS</i>	Len : 1 RC-OTHER STIMULANT PRODUCTS - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....		15	0.03
0	= No (See comment above).....		58015	99.97
1	= Yes (See comment above)		4	0.01

RECODED DRUG USE

NOTE: The following nine variables pertain to prescription sedative subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific sedative subtype were coded as a system missing.

The following variable for past year misuse of Zolpidem Products, RXZOLPMIS, was assigned a positive response if a respondent indicated past year misuse of Ambien, Ambien CR, generic zolpidem, extended-release generic zolpidem, or other sedatives that contain. A negative response was assigned if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0) or if a respondent indicated no past year misuse of Ambien, Ambien CR, generic zolpidem, and extended-release generic zolpidem.

<i>(SEDNMYR)</i> <u>RXZOLPMIS</u>	Len : 1 RC-ZOLPIDEM PRODUCTS - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....	2	0.00
0	= No (See comment above).....	57897	99.76
1	= Yes (See comment above)	135	0.23

The following variable for past year misuse of Eszopiclone Products, RXESZOMIS, was assigned a positive response if a respondent indicated past year misuse of Lunesta or generic eszopiclone, or other sedatives that contain eszopiclone. A negative response was assigned if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0) or if a respondent indicated no past year misuse of Lunesta or generic eszopiclone.

<i>(SEDNMYR)</i> <u>RXESZOMIS</u>	Len : 1 RC-ESZOPICLONE PRODUCTS - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....	4	0.01
0	= No (See comment above).....	58017	99.97
1	= Yes (See comment above)	13	0.02

Note: The following variable for the past year misuse of any other sedatives, OTHRSEDMIS2, is based on the edited variable for the misuse of any other sedatives as well as the write-in data for the specific other sedatives that respondents specified that they misused in the past year. OTHRSEDMIS2 was assigned a positive response if a respondent indicated past year misuse of any other sedatives and the respondent did not report their only misuse of any other sedatives in their write-in responses as containing the following: zolpidem products, eszopiclone products, zaleplon products, benzodiazepine sedatives, barbiturates, or over-the-counter products. OTHRSEDMIS2 was assigned a negative response if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0), if a respondent did not indicate past year misuse of any other sedatives, or a respondent indicated their only misuse of any other sedatives in their write-in responses as containing the following: zolpidem products, eszopiclone products, zaleplon products, benzodiazepine sedatives, barbiturates, or over-the-counter products.

<i>(SEDNMYR)</i> <u>OTHRSEDMIS2</u>	Len : 1 RC-OTHER SEDATIVE PRODUCTS - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....	17	0.03
0	= No (See comment above).....	57975	99.90
1	= Yes (See comment above)	42	0.07

The following variable for past year misuse of Benzodiazepine Sedatives, RXBZOSMIS, was assigned a positive response if a respondent indicated past year misuse of flurazepam [also known as Dalmane], temazepam products [Restoril or generic temazepam], or triazolam [Halcion, generic triazolam], or other benzodiazepine sedatives. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDNMYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year use of flurazepam [also known as Dalmane] (FLAZNMYR=2, 81, 91, 93, 95), temazepam products [Restoril and generic temazepam], and triazolam [Halcion and generic triazolam].

<i>(IRBZONMYR, SEDNMYR)</i> <u>RXBZOSMIS</u>	Len : 1 RC-BENZODIAZEPINE SEDATIVES - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....	3	0.01
0	= No (See comment above).....	58000	99.94
1	= Yes (See comment above)	31	0.05

RECODED DRUG USE

The following variable for past year misuse of Barbiturates, RXBARBMIS, was assigned a positive response if a respondent indicated past year misuse of Butisol, Seconal, phenobarbital, or other barbiturates. A negative response was assigned if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0) or if a respondent indicated no past year misuse of Butisol, Seconal, and phenobarbital.

<i>(SEDNMYR)</i>	<i>RXBARBMIS</i>	Len : 1 RC-BARBITURATES - PAST YEAR MISUSE	Freq	Pct
.	= Unknown (Otherwise).....		4	0.01
0	= No (See comment above).....		58016	99.97
1	= Yes (See comment above)		14	0.02

<i>(IRALCFY)</i>	<i>ALCYDAYS</i>	Len : 1 RC-# OF DAYS USED ALCOHOL IN PAST YEAR	Freq	Pct
1	= 1-11 Days (IRALCFY=1-11).....		8180	14.10
2	= 12-49 Days (IRALCFY=12-49).....		9233	15.91
3	= 50-99 Days (IRALCFY=50-99).....		5157	8.89
4	= 100-299 Days (IRALCFY=100-299).....		10138	17.47
5	= 300-365 Days (IRALCFY=300-365).....		2076	3.58
6	= Non User or No Past Year Use (IRALCFY=991,993).....		23250	40.06

<i>(IRMJFY)</i>	<i>MRJYDAYS</i>	Len : 1 RC-# OF DAYS USED MARIJUANA IN PAST YEAR	Freq	Pct
1	= 1-11 Days (IRMJFY=1-11).....		3473	5.98
2	= 12-49 Days (IRMJFY=12-49).....		2039	3.51
3	= 50-99 Days (IRMJFY=50-99).....		1057	1.82
4	= 100-299 Days (IRMJFY=100-299).....		2889	4.98
5	= 300-365 Days (IRMJFY=300-365).....		3070	5.29
6	= Non User or No Past Year Use (IRMJFY=991,993).....		45506	78.41

<i>(IRCOCFY)</i>	<i>COCYDAYS</i>	Len : 1 RC-# OF DAYS USED COCAINE IN PAST YEAR	Freq	Pct
1	= 1-11 Days (IRCOCFY=1-11).....		678	1.17
2	= 12-49 Days (IRCOCFY=12-49).....		212	0.37
3	= 50-99 Days (IRCOCFY=50-99).....		94	0.16
4	= 100-299 Days (IRCOCFY=100-299).....		101	0.17
5	= 300-365 Days (IRCOCFY=300-365).....		29	0.05
6	= Non User or No Past Year Use (IRCOCFY=991,993).....		56920	98.08

<i>(IRCRKFY)</i>	<i>CRKYDAYS</i>	Len : 1 RC-# OF DAYS USED CRACK IN PAST YEAR	Freq	Pct
1	= 1-11 Days (IRCRKFY=1-11).....		61	0.11
2	= 12-49 Days (IRCRKFY=12-49).....		34	0.06
3	= 50-99 Days (IRCRKFY=50-99).....		18	0.03
4	= 100-299 Days (IRCRKFY=100-299).....		35	0.06
5	= 300-365 Days (IRCRKFY=300-365).....		19	0.03
6	= Non User or No Past Year Use (IRCRKFY=991,993).....		57867	99.71

<i>(IRHERFY)</i>	<i>HERYDAYS</i>	Len : 1 RC-# OF DAYS USED HEROIN IN PAST YEAR	Freq	Pct
1	= 1-11 Days (IRHERFY=1-11).....		39	0.07
2	= 12-49 Days (IRHERFY=12-49).....		39	0.07
3	= 50-99 Days (IRHERFY=50-99).....		24	0.04
4	= 100-299 Days (IRHERFY=100-299).....		47	0.08
5	= 300-365 Days (IRHERFY=300-365).....		58	0.10
6	= Non User or No Past Year Use (IRHERFY=991,993).....		57827	99.64

RECODED DRUG USE

(IRHALLUCYFQ)
HALLNDAYYR

Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRHALLUCYFQ=1-11).....	1605	2.77
2 = 12-49 Days (IRHALLUCYFQ=12-49).....	291	0.50
3 = 50-99 Days (IRHALLUCYFQ=50-99).....	82	0.14
4 = 100-299 Days (IRHALLUCYFQ=100-299).....	58	0.10
5 = 300-365 Days (IRHALLUCYFQ=300-365).....	12	0.02
6 = Non User or No Past Year Use (IRHALLUCYFQ=991,993).....	55986	96.47

(IRINHALYFQ)
INHNDAYYR

Len : 1 RC-# OF DAYS USED INHALANTS IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRINHALYFQ=1-11).....	397	0.68
2 = 12-49 Days (IRINHALYFQ=12-49).....	157	0.27
3 = 50-99 Days (IRINHALYFQ=50-99).....	60	0.10
4 = 100-299 Days (IRINHALYFQ=100-299).....	85	0.15
5 = 300-365 Days (IRINHALYFQ=300-365).....	6	0.01
6 = Non User or No Past Year Use (IRINHALYFQ=991,993).....	57329	98.79

(IRMETHAMYFQ)
METHNDAYYR

Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRMETHAMYFQ=1-11).....	107	0.18
2 = 12-49 Days (IRMETHAMYFQ=12-49).....	60	0.10
3 = 50-99 Days (IRMETHAMYFQ=50-99).....	45	0.08
4 = 100-299 Days (IRMETHAMYFQ=100-299).....	165	0.28
5 = 300-365 Days (IRMETHAMYFQ=300-365).....	115	0.20
6 = Non User or No Past Year Use (IRMETHAMYFQ=991,993).....	57542	99.15

(IRCIGFM)
CIGMDAYS

Len : 1 RC-# OF DAYS USED CIGARETTES IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCIGFM=1-2).....	1017	1.75
2 = 3-5 Days (IRCIGFM=3-5).....	600	1.03
3 = 6-19 Days (IRCIGFM=6-19).....	897	1.55
4 = 20-29 Days (IRCIGFM=20-29).....	744	1.28
5 = 30 Days (IRCIGFM=30).....	4151	7.15
6 = Non User or No Past Month Use (IRCIGFM=91,93).....	50625	87.23

(IRCGRFM)
CGRMDAYS

Len : 1 RC-# OF DAYS USED CIGARS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCGRFM=1-2).....	952	1.64
2 = 3-5 Days (IRCGRFM=3-5).....	347	0.60
3 = 6-19 Days (IRCGRFM=6-19).....	347	0.60
4 = 20-30 Days (IRCGRFM=20-30).....	454	0.78
5 = Non User or No Past Month Use (IRCGRFM=91,93).....	55934	96.38

(IRSMKLSS30N)
SMKLSMDAYS

Len : 1 RC-# OF DAYS USED SMOKELESS TOBACCO IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRSMKLSS30N=1-2).....	227	0.39
2 = 3-5 Days (IRSMKLSS30N=3-5).....	170	0.29
3 = 6-19 Days (IRSMKLSS30N=6-19).....	239	0.41
4 = 20-30 Days (IRSMKLSS30N=20-30).....	796	1.37
5 = Non User or No Past Month Use (IRSMKLSS30N=91,93).....	56602	97.53

(IRALCFM)
ALCMDAYS

Len : 1 RC-# OF DAYS USED ALCOHOL IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRALCFM=1-2).....	7897	13.61
2 = 3-5 Days (IRALCFM=3-5).....	6911	11.91
3 = 6-19 Days (IRALCFM=6-19).....	7872	13.56
4 = 20-30 Days (IRALCFM=20-30).....	3880	6.69
5 = Non User or No Past Month Use (IRALCFM=91,93).....	31474	54.23

RECODED DRUG USE

(IRMJFM)
MRJMDAYS

Len : 1 RC-# OF DAYS USED MARIJUANA IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRMJFM=1-2).....	1667	2.87
2 = 3-5 Days (IRMJFM=3-5).....	1157	1.99
3 = 6-19 Days (IRMJFM=6-19).....	1633	2.81
4 = 20-30 Days (IRMJFM=20-30).....	3993	6.88
5 = Non User or No Past Month Use (IRMJFM=91,93).....	49584	85.44

(IRCOFCM)
COCMDAYS

Len : 1 RC-# OF DAYS USED COCAINE IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCOFCM=1-2).....	212	0.37
2 = 3-5 Days (IRCOFCM=3-5).....	87	0.15
3 = 6-19 Days (IRCOFCM=6-19).....	58	0.10
4 = 20-30 Days (IRCOFCM=20-30).....	42	0.07
5 = Non User or No Past Month Use (IRCOFCM=91,93).....	57635	99.31

(IRCRKFM)
CRKMDAYS

Len : 1 RC-# OF DAYS USED CRACK IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCRKFM=1-2).....	21	0.04
2 = 3-5 Days (IRCRKFM=3-5).....	18	0.03
3 = 6-19 Days (IRCRKFM=6-19).....	22	0.04
4 = 20-30 Days (IRCRKFM=20-30).....	19	0.03
5 = Non User or No Past Month Use (IRCRKFM=91,93).....	57954	99.86

(IRHERFM)
HERMDAYS

Len : 1 RC-# OF DAYS USED HEROIN IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRHERFM=1-2).....	14	0.02
2 = 3-5 Days (IRHERFM=3-5).....	13	0.02
3 = 6-19 Days (IRHERFM=6-19).....	13	0.02
4 = 20-30 Days (IRHERFM=20-30).....	71	0.12
5 = Non User or No Past Month Use (IRHERFM=91,93).....	57923	99.81

(IRHALLUC30N)
HALLNDAYPM

Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRHALLUC30N=1-2).....	429	0.74
2 = 3-5 Days (IRHALLUC30N=3-5).....	77	0.13
3 = 6-19 Days (IRHALLUC30N=6-19).....	30	0.05
4 = 20-30 Days (IRHALLUC30N=20-30).....	12	0.02
5 = Non User or No Past Month Use (IRHALLUC30N=91,93).....	57486	99.06

(IRINHAL30N)
INHNDAYPM

Len : 1 RC-# OF DAYS USED INHALANTS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRINHAL30N=1-2).....	117	0.20
2 = 3-5 Days (IRINHAL30N=3-5).....	68	0.12
3 = 6-19 Days (IRINHAL30N=6-19).....	49	0.08
4 = 20-30 Days (IRINHAL30N=20-30).....	15	0.03
5 = Non User or No Past Month Use (IRINHAL30N=91,93).....	57785	99.57

(IRMETHAM30N)
METHNDAYPM

Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRMETHAM30N=1-2)	34	0.06
2 = 3-5 Days (IRMETHAM30N=3-5)	28	0.05
3 = 6-19 Days (IRMETHAM30N=6-19)	72	0.12
4 = 20-30 Days (IRMETHAM30N=20-30)	165	0.28
5 = Non User or No Past Month Use (IRMETHAM30N=91,93).....	57735	99.48

RECODED DRUG USE

(IRPNRNM30FQ)
[PNRNDAYPM](#)

Len : 1 RC-# OF DAYS MISUSED PAIN RELIEVERS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRPNRNM30FQ=1-2).....	202	0.35
2 = 3-5 Days (IRPNRNM30FQ=3-5).....	115	0.20
3 = 6-19 Days (IRPNRNM30FQ=6-19).....	101	0.17
4 = 20-30 Days (IRPNRNM30FQ=20-30).....	57	0.10
5 = Non User or No Past Month Misuse (IRPNRNM30FQ=91,93).....	57559	99.18

(IRTRQNM30FQ)
[TRQNDAYPM](#)

Len : 1 RC-# OF DAYS MISUSED TRANQUILIZERS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRTRQNM30FQ=1-2)	139	0.24
2 = 3-5 Days (IRTRQNM30FQ=3-5)	79	0.14
3 = 6-19 Days (IRTRQNM30FQ=6-19)	51	0.09
4 = 20-30 Days (IRTRQNM30FQ=20-30).....	16	0.03
5 = Non User or No Past Month Misuse (IRTRQNM30FQ=91,93).....	57749	99.51

(IRSTMNM30FQ)
[STMNDAYPM](#)

Len : 1 RC-# OF DAYS MISUSED STIMULANTS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRSTMNM30FQ=1-2)	178	0.31
2 = 3-5 Days (IRSTMNM30FQ=3-5)	87	0.15
3 = 6-19 Days (IRSTMNM30FQ=6-19)	65	0.11
4 = 20-30 Days (IRSTMNM30FQ=20-30).....	29	0.05
5 = Non User or No Past Month Misuse (IRSTMNM30FQ=91,93)	57675	99.38

(IRSEDNM30FQ)
[SEDNDAYPM](#)

Len : 1 RC-# OF DAYS MISUSED SEDATIVES IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRSEDNM30FQ=1-2)	31	0.05
2 = 3-5 Days (IRSEDNM30FQ=3-5)	8	0.01
3 = 6-19 Days (IRSEDNM30FQ=6-19)	18	0.03
4 = 20-30 Days (IRSEDNM30FQ=20-30).....	4	0.01
5 = Non User or No Past Month Misuse (IRSEDNM30FQ=91,93)	57973	99.89

(IRALCBNG30D)
[BNGDRMDAYS](#)

Len : 1 RC-# OF DAYS BINGE USED ALCOHOL IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRALCBNG30D=1-2)	6832	11.77
2 = 3-5 Days (IRALCBNG30D=3-5)	3236	5.58
3 = 6-19 Days (IRALCBNG30D=6-19)	1961	3.38
4 = 20-30 Days (IRALCBNG30D=20-30).....	664	1.14
5 = Non User or No Past Month Use (IRALCBNG30D=91,93)	45341	78.13

(CIG30AV, IRCIGFM)
[CIGPDAY](#)

Len : 1 RC-# OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS

	Freq	Pct
1 = Fewer Than 6 (CIG30AV=1,2,3 and IRCIGFM=30).....	954	1.64
2 = 6-15 (CIG30AV=4 and IRCIGFM=30)	1646	2.84
3 = 16-25 (CIG30AV=5 and IRCIGFM=30)	1188	2.05
4 = 26 or More (CIG30AV=6,7 and IRCIGFM=30).....	357	0.62
5 = Not Reported (CIG30AV=85,94,97,98 and IRCIGFM=30).....	6	0.01
6 = No Daily Use (CIG30AV=91,93 or IRCIGFM=1-29,91,93)	53883	92.85

(CIGPDAY)
[CIG1PACK](#)

Len : 1 RC-SMKED 1+ PCK OF CIGS PER DAY AMNG DLY SMKERS (1/0)

	Freq	Pct
. = No daily use/not reported (CIGPDAY=5,6).....	53889	92.86
0 = Smoked <1 pack per day (CIGPDAY=1,2).....	2600	4.48
1 = Smoked 1+ pack per day (CIGPDAY=3,4).....	1545	2.66

RECODED DRUG USE

The following variable, CIGAVGD, was defined as the midpoint of the range the respondent reported as the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIG30AV).

<i>(CIG30AV)</i>	Len : 4 RC-AVG NUMBER OF CIGARETTES SMOKED PER DAY	Freq	Pct
.	= Not Used/Unknown (Otherwise).....	50642	87.26
0.5	= Less than 1 cigarette (CIG30AV=1)	774	1.33
1	= 1 cigarette (CIG30AV=2).....	823	1.42
3.5	= 2 to 5 cigarettes (CIG30AV=3).....	1961	3.38
10.5	= 6 to 15 cigarettes (CIG30AV=4).....	2041	3.52
20.5	= 16 to 25 cigarettes (CIG30AV=5).....	1348	2.32
30.5	= 26 to 35 cigarettes (CIG30AV=6).....	314	0.54
50	= More than 35 cigarettes (CIG30AV=7).....	131	0.23

The following variable, CIGAVGM, was defined as the product of the number of days a user smoked cigarettes in the past month (IRCIGFM) and the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIGAVGD).

<i>(CIGAVGD, IRCIGFM)</i>	Len : 6 RC-NUMBER OF CIGARETTES SMOKED PER USER IN PAST MONTH	Freq	Pct
RANGE = 0.5 - 1500		7392	12.74
. = Not Used/Unknown (CIGAVGD=. or IRCIGFM=91,93).....		50642	87.26

The following variable, ALCNUMDKPM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (ALCUS30D). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month (IRALCFM=91, 93 or ALCUS30D=991, 993) or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (ALCUS30D=985, 994, 997, 998) or logically assigned to 5 or more (ALCUS30D=975).

<i>(ALCUS30D, IRALCFM)</i>	Len : 4 RC-NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH	Freq	Pct
RANGE = 1 - 2700		25018	43.11
. = Not Used/Unknown (See comment above).....		33016	56.89

<i>(IRCIGAGE)</i>	Len : 1 RC-FIRST USED CIGARETTES PRIOR TO AGE 18	Freq	Pct
1 = Yes (IRCIGAGE<18).....		16183	27.89
2 = No (IRCIGAGE>=18).....		41851	72.11

<i>(IRCIGAGE)</i>	Len : 1 RC-FIRST USED CIGARETTES PRIOR TO AGE 21	Freq	Pct
1 = Yes (IRCIGAGE<21).....		22314	38.45
2 = No (IRCIGAGE>=21).....		35720	61.55

<i>(IRCDUAGE)</i>	Len : 1 RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 18	Freq	Pct
1 = Yes (IRCDUAGE<18).....		5832	10.05
2 = No (IRCDUAGE>=18).....		52202	89.95

<i>(IRCDUAGE)</i>	Len : 1 RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 21	Freq	Pct
1 = Yes (IRCDUAGE<21).....		10215	17.60
2 = No (IRCDUAGE>=21).....		47819	82.40

<i>(IRCGRAGE)</i>	Len : 1 RC-FIRST USED CIGARS PRIOR TO AGE 18	Freq	Pct
1 = Yes (IRCGRAGE<18).....		4182	7.21
2 = No (IRCGRAGE>=18).....		53852	92.79

RECODED DRUG USE

<i>(IRCGRAGE)</i> <u>FUCGR21</u>	Len : 1 RC-FIRST USED CIGARS PRIOR TO AGE 21	Freq	Pct
1 = Yes (IRCGRAGE<21).....	9194	15.84	
2 = No (IRCGRAGE>=21).....	48840	84.16	
<i>(IRSMKLSSTRY)</i> <u>FUSMKLSS18</u>	Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 18	Freq	Pct
1 = Yes (IRSMKLSSTRY<18).....	3697	6.37	
2 = No (IRSMKLSSTRY>=18).....	54337	93.63	
<i>(IRSMKLSSTRY)</i> <u>FUSMKLSS21</u>	Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 21	Freq	Pct
1 = Yes (IRSMKLSSTRY<21).....	5626	9.69	
2 = No (IRSMKLSSTRY>=21).....	52408	90.31	
<i>(IRALCAGE)</i> <u>FUALC18</u>	Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 18	Freq	Pct
1 = Yes (IRALCAGE<18).....	23391	40.31	
2 = No (IRALCAGE>=18).....	34643	59.69	
<i>(IRALCAGE)</i> <u>FUALC21</u>	Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 21	Freq	Pct
1 = Yes (IRALCAGE<21).....	33948	58.50	
2 = No (IRALCAGE>=21).....	24086	41.50	
<i>(IRMJAGE)</i> <u>FUMJ18</u>	Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 18	Freq	Pct
1 = Yes (IRMJAGE<18).....	14244	24.54	
2 = No (IRMJAGE>=18).....	43790	75.46	
<i>(IRMJAGE)</i> <u>FUMJ21</u>	Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 21	Freq	Pct
1 = Yes (IRMJAGE<21).....	20830	35.89	
2 = No (IRMJAGE>=21).....	37204	64.11	
<i>(IRCOCAGE)</i> <u>FUCOC18</u>	Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 18	Freq	Pct
1 = Yes (IRCOCAGE<18).....	1505	2.59	
2 = No (IRCOCAGE>=18).....	56529	97.41	
<i>(IRCOCAGE)</i> <u>FUCOC21</u>	Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 21	Freq	Pct
1 = Yes (IRCOCAGE<21).....	3729	6.43	
2 = No (IRCOCAGE>=21).....	54305	93.57	
<i>(IRCRKAGE)</i> <u>FUCRK18</u>	Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 18	Freq	Pct
1 = Yes (IRCRKAGE<18).....	300	0.52	
2 = No (IRCRKAGE>=18).....	57734	99.48	

RECODED DRUG USE

<i>(IRCRKAGE)</i>			
<u>FUCRK21</u>	Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 21		
	1 = Yes (IRCRKAGE<21).....	Freq	Pct
	2 = No (IRCRKAGE>=21).....	672	1.16
		57362	98.84
<i>(IRHERAGE)</i>			
<u>FUHER18</u>	Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 18		
	1 = Yes (IRHERAGE<18).....	Freq	Pct
	2 = No (IRHERAGE>=18).....	184	0.32
		57850	99.68
<i>(IRHERAGE)</i>			
<u>FUHER21</u>	Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 21		
	1 = Yes (IRHERAGE<21).....	Freq	Pct
	2 = No (IRHERAGE>=21).....	441	0.76
		57593	99.24
<i>(IRHALLUCAGE)</i>			
<u>FUHALLUC18</u>	Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 18		
	1 = Yes (IRHALLUCAGE<18).....	Freq	Pct
	2 = No (IRHALLUCAGE>=18).....	3113	5.36
		54921	94.64
<i>(IRHALLUCAGE)</i>			
<u>FUHALLUC21</u>	Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 21		
	1 = Yes (IRHALLUCAGE<21).....	Freq	Pct
	2 = No (IRHALLUCAGE>=21).....	6199	10.68
		51835	89.32
<i>(IRLSDAGE)</i>			
<u>FULSD18</u>	Len : 1 RC-FIRST USED LSD PRIOR TO AGE 18		
	1 = Yes (IRLSDAGE<18).....	Freq	Pct
	2 = No (IRLSDAGE>=18).....	1971	3.40
		56063	96.60
<i>(IRLSDAGE)</i>			
<u>FULSD21</u>	Len : 1 RC-FIRST USED LSD PRIOR TO AGE 21		
	1 = Yes (IRLSDAGE<21).....	Freq	Pct
	2 = No (IRLSDAGE>=21).....	3849	6.63
		54185	93.37
<i>(IRPCPAGE)</i>			
<u>FUPCP18</u>	Len : 1 RC-FIRST USED PCP PRIOR TO AGE 18		
	1 = Yes (IRPCPAGE<18).....	Freq	Pct
	2 = No (IRPCPAGE>=18).....	348	0.60
		57686	99.40
<i>(IRPCPAGE)</i>			
<u>FUPCP21</u>	Len : 1 RC-FIRST USED PCP PRIOR TO AGE 21		
	1 = Yes (IRPCPAGE<21).....	Freq	Pct
	2 = No (IRPCPAGE>=21).....	599	1.03
		57435	98.97
<i>(IRECSTMOAGE)</i>			
<u>FUECSTMO18</u>	Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 18		
	1 = Yes (IRECSTMOAGE<18).....	Freq	Pct
	2 = No (IRECSTMOAGE>=18).....	979	1.69
		57055	98.31

RECODED DRUG USE

<i>(IRECSTMOAGE)</i>	<i>FUECSTM021</i>	Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 21	Freq	Pct
		1 = Yes (IRECSTMOAGE<21).....	2538	4.37
		2 = No (IRECSTMOAGE>=21).....	55496	95.63
<i>(IRINHALAGE)</i>				
<i>FUINHAL18</i>		Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 18	Freq	Pct
		1 = Yes (IRINHALAGE<18).....	3612	6.22
		2 = No (IRINHALAGE>=18).....	54422	93.78
<i>(IRINHALAGE)</i>				
<i>FUINHAL21</i>		Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 21	Freq	Pct
		1 = Yes (IRINHALAGE<21).....	4647	8.01
		2 = No (IRINHALAGE>=21).....	53387	91.99
<i>(IRMETHAMAGE)</i>				
<i>FUMETHAM18</i>		Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 18	Freq	Pct
		1 = Yes (IRMETHAMAGE<18).....	742	1.28
		2 = No (IRMETHAMAGE>=18).....	57292	98.72
<i>(IRMETHAMAGE)</i>				
<i>FUMETHAM21</i>		Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 21	Freq	Pct
		1 = Yes (IRMETHAMAGE<21).....	1424	2.45
		2 = No (IRMETHAMAGE>=21).....	56610	97.55
<i>(IRPNRNMAGE)</i>				
<i>FUPNRNM18</i>		Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 18	Freq	Pct
		1 = Yes (IRPNRNMAGE<18).....	76	0.13
		2 = No (IRPNRNMAGE>=18).....	57958	99.87
<i>(IRPNRNMAGE)</i>				
<i>FUPNRNM21</i>		Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 21	Freq	Pct
		1 = Yes (IRPNRNMAGE<21).....	111	0.19
		2 = No (IRPNRNMAGE>=21).....	57923	99.81
<i>(IRTRQNMAGE)</i>				
<i>FUTRQNM18</i>		Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 18	Freq	Pct
		1 = Yes (IRTRQNMAGE<18).....	39	0.07
		2 = No (IRTRQNMAGE>=18).....	57995	99.93
<i>(IRTRQNMAGE)</i>				
<i>FUTRQNM21</i>		Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 21	Freq	Pct
		1 = Yes (IRTRQNMAGE<21).....	72	0.12
		2 = No (IRTRQNMAGE>=21).....	57962	99.88
<i>(IRSTMNMAGE)</i>				
<i>FUSTMNM18</i>		Len : 1 RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 18	Freq	Pct
		1 = Yes (IRSTMNMAGE<18).....	55	0.09
		2 = No (IRSTMNMAGE>=18).....	57979	99.91

RECODED DRUG USE

<i>(IRSTMNMAGE)</i>				
<u>FUSTMNM21</u>	Len : 1	RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 21	Freq	Pct
	1 = Yes (IRSTMNMAGE<21).....		101	0.17
	2 = No (IRSTMNMAGE>=21).....		57933	99.83

<i>(IRSEDNMAGE)</i>				
<u>FUSEDNM18</u>	Len : 1	RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 18	Freq	Pct
	1 = Yes (IRSEDNMAGE<18).....		11	0.02
	2 = No (IRSEDNMAGE>=18).....		58023	99.98

<i>(IRSEDNMAGE)</i>				
<u>FUSEDNM21</u>	Len : 1	RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 21	Freq	Pct
	1 = Yes (IRSEDNMAGE<21).....		19	0.03
	2 = No (IRSEDNMAGE>=21).....		58015	99.97

RECODED DRUG USE

The following main reason for misusing pain relievers, PNRMAINRSN, is defined based on answers to questions about respondents' reasons for misusing pain relievers for their last misuse. Respondents could report more than one reason for misusing pain relievers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in PNRRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to relieve physical pain (PNRRSMAIN=1,11), reported only one reason which was to relieve physical pain (PNRRSMAIN=99 and PNRRSPAIN=1), or reported some other reason as their only reason but specified that this other reason was to relieve physical pain (PNRRSMAIN=99 and PNRRSPAIN=3).
2. Main reason is to relax or relieve tension (PNRRSMAIN=2,12), reported only one reason which was to relax or relieve tension (PNRRSMAIN=99 and PNRRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (PNRRSMAIN=99 and PNRRSRELX=3).
3. Main reason is to experiment or see what it's like (PNRRSMAIN=3,13), reported only one reason which was to experiment or see what it's like (PNRRSMAIN=99 and PNRRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (PNRRSMAIN=99 and PNRRSEXPT=3).
4. Main reason is to feel good or get high (PNRRSMAIN=4,14), reported only one reason which was to feel good or get high (PNRRSMAIN=99 and PNRRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (PNRRSMAIN=99 and PNRRSHIGH=3).
5. Main reason is to help with sleep (PNRRSMAIN=5,15), reported only one reason which was to help with sleep (PNRRSMAIN=99 and PNRRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (PNRRSMAIN=99 and PNRRSSLEP=3).
6. Main reason is to help with feelings or emotions (PNRRSMAIN=6,16), reported only one reason which was to help with feelings or emotions (PNRRSMAIN=99 and PNRRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (PNRRSMAIN=99 and PNRRSEMOT=3).
7. Main reason is to increase/decrease effects of other drugs (PNRRSMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (PNRRSMAIN=99 and PNRRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (PNRRSMAIN=99 and PNRRSDGFX=3).
8. Main reason is because hooked or have to have drug (PNRRSMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (PNRRSMAIN=99 and PNRRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (PNRRSMAIN=99 and PNRRSHOOK=3).
9. Main reason is some other reason (PNRRSMAIN=9), or reported only one reason which was a valid other reason listed for pain relievers other than those defined above based on the write in data (PNRRSMAIN=99 and PNRRSSOR=1 and PNRRSOTRS2=9-71). Values of 1-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for pain relievers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (PNRRSMAIN=85,94,98) or reported only one reason and the other pain reliever reason was not a valid reason (PNRRSMAIN=99 and PNRRSSOR=1 and PNRRSOTRS2=985,994,997).

(PNRRSDGFX, PNRRSEMOT, PNRRSEXPT, PNRRSHIGH, PNRRSHOOK, PNRRSMAIN, PNRRSOTRS2, PNRRSPAIN, PNRRSRELX, PNRRSSLEP, PNRRSSOR)

PNRMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING PAIN RELIEVERS LAST EPISODE

	Freq	Pct
. = Unknown (See comment above)	367	0.63
1 = Relieve physical pain (see comment above)	1033	1.78
2 = Relax or relieve tension (see comment above).....	142	0.24
3 = Experiment/see what like (see comment above)	49	0.08
4 = Feel good/get high (see comment above).....	178	0.31
5 = Help with sleep (see comment above).....	74	0.13
6 = Help with feelings or emotions (see comment above).....	89	0.15
7 = Inc/dec effects oth drg (see comment above)	19	0.03
8 = Hooked or have to have drug (see comment above).....	64	0.11
9 = Some other reason (see comment above).....	32	0.06
10 = Did not misuse in past 12 mos (PNRRSMAIN=83,91,93).....	55987	96.47

RECODED DRUG USE

The following main reason for misusing tranquilizers, TRQMAINRSN, is defined based on answers to questions about respondents' reasons for misusing tranquilizers for their last misuse. Respondents could report more than one reason for misusing tranquilizers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in TRQRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (TRQRSMAIN=1,11), reported only one reason which was to relax or relieve tension (TRQRSMAIN=99 and TRQRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (TRQRSMAIN=99 and TRQRSRELX=3).
2. Main reason is to experiment or see what it's like (TRQRSMAIN=2,12), reported only one reason which was to experiment or see what it's like (TRQRSMAIN=99 and TRQRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (TRQRSMAIN=99 and TRQRSEXPT=3).
3. Main reason is to feel good or get high (TRQRSMAIN=3,13), reported only one reason which was to feel good or get high (TRQRSMAIN=99 and TRQRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (TRQRSMAIN=99 and TRQRSHIGH=3).
4. Main reason is to help with sleep (TRQRSMAIN=4,14), reported only one reason which was to help with sleep (TRQRSMAIN=99 and TRQRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (TRQRSMAIN=99 and TRQRSSLEP=3).
5. Main reason is to help with feelings or emotions (TRQRSMAIN=5,15), reported only one reason which was to help with feelings or emotions (TRQRSMAIN=99 and TRQRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (TRQRSMAIN=99 and TRQRSEMOT=3).
6. Main reason is to increase/decrease effects of other drugs (TRQRSMAIN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (TRQRSMAIN=99 and TRQRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (TRQRSMAIN=99 and TRQRSDGFX=3).
7. Main reason is because hooked or have to have drug (TRQRSMAIN=7,17), reported only one reason which was because they were hooked or had to have the drug (TRQRSMAIN=99 and TRQRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (TRQRSMAIN=99 and TRQRSHOOK=3).
8. Main reason is some other reason (TRQRSMAIN=8), or reported only one reason which was a valid other reason listed for tranquilizer other than those defined above based on the write in data (TRQRSMAIN=99 and TRQRSSOR=1 and TRQRSOTRS2=1, 9-72). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for tranquilizers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (TRQRSMAIN=85,94,98) or reported only one reason and the other tranquilizer reason was not a valid reason (TRQRSMAIN=99 and TRQRSSOR=1 and TRQRSOTRS2=985,994,997).

(TRQRSDGFX, TRQRSEMOT, TRQRSEXPT, TRQRSHIGH, TRQRSHOOK, TRQRSMAIN, TRQRSOTRS2, TRQRSRELX, TRQRSSLEP, TRQRSSOR)

TRQMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING TRANQUILIZERS LAST EPISODE

	Freq	Pet
. = Unknown (see comment above).....	299	0.52
1 = Relax or relieve tension (see comment above).....	405	0.70
2 = Experiment/see what like (see comment above)	42	0.07
3 = Feel good/get high (see comment above).....	109	0.19
4 = Help with sleep (see comment above).....	176	0.30
5 = Help with feelings or emotions (see comment above).....	206	0.35
6 = Inc/dec effects oth drg (see comment above).....	20	0.03
7 = Hooked or have to have drug (see comment above).....	10	0.02
8 = Some other reason (see comment above).....	45	0.08
9 = Did not misuse in past 12 mos (TRQRSMAIN=83,91,93)	56722	97.74

RECODED DRUG USE

The following main reason for misusing stimulants, STMMAINRSN, is defined based on answers to questions about respondents' reasons for misusing stimulants for their last misuse. Respondents could report more than one reason for misusing stimulants the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in STMRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to help lose weight (STMRSMAIN=1,11), reported only one reason which was to help lose weight (STMRSMAIN=99 and STMRSWGHT=1), or reported some other reason as their only reason but specified that this other reason was to help lose weight (STMRSMAIN=99 and STMRSWGHT=3).
2. Main reason is to help concentrate (STMRSMAIN=2,12), reported only one reason which was to help concentrate (STMRSMAIN=99 and STMRSCONC=1), or reported some other reason as their only reason but specified that this other reason was to help concentrate (STMRSMAIN=99 and STMRSCONC=3).
3. Main reason is to help be alert or stay awake (STMRSMAIN=3,13), reported only one reason which was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=1), or reported some other reason as their only reason but specified that this other reason was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=3).
4. Main reason is to help study (STMRSMAIN=4,14), reported only one reason which was to help study (STMRSMAIN=99 and STMRSSTDY=1), or reported some other reason as their only reason but specified that this other reason was to help study (STMRSMAIN=99 and STMRSSTDY=3).
5. Main reason is to experiment or see what it's like (STMRSMAIN=5,15), reported only one reason which was to experiment or see what it's like (STMRSMAIN=99 and STMSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (STMRSMAIN=99 and STMSEXPT=3).
6. Main reason is to feel good or get high (STMRSMAIN=6,16), reported only one reason which was to feel good or get high (STMRSMAIN=99 and STMRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (STMRSMAIN=99 and STMRSHIGH=3).
7. Main reason is to increase/decrease effects of other drugs (STMRSMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRSDEGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRSDEGFX=3).
8. Main reason is because hooked or have to have the drug (STMRSMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRSHOOK=3).
9. Main reason is some other reason (STMRSMAIN=9), or reported only one reason which was a valid other reason listed for stimulant other than those defined above based on the write in data (STMRSMAIN=99 and STMRSSOR=1 and STMRSOTRS2=1,2,6,14-35). Values of 3,4, and 7-12 that are in the specific other reason level are write in responses that do not correspond to reasons listed for stimulants but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (STMRSMAIN=85,94,98) or reported only one reason and the other reason was not a valid reason (STMRSMAIN=99 and STMRSSOR=1 and STMRSOTRS2 = 985,994,997).

(STMRSALRT, STMRSCONC, STMRSDEGFX, STMSEXPT, STMRSHIGH, STMRSHOOK, STMRSMAIN, STMRSOTRS2, STMRSSOR, STMRSSTDY, STMRSWGHT)

STMMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING STIMULANTS LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	334	0.58
1 = Help lose weight (see comment above).....	35	0.06
2 = Help concentrate (see comment above).....	342	0.59
3 = Help be alert or stay awake (see comment above)	282	0.49
4 = Help study (see comment above).....	160	0.28
5 = Experiment/see what like (see comment above)	70	0.12
6 = Feel good/get high (see comment above).....	142	0.24
7 = Inc/dec effects oth drg (see comment above).....	8	0.01
8 = Hooked or have to have drug (see comment above).....	3	0.01
9 = Some other reason (see comment above).....	29	0.05
10 = Did not misuse in past 12 mos (STMRSMAIN=83,91,93)	56629	97.58

RECODED DRUG USE

The following main reason for misusing sedatives, SEDMAINRSN, is defined based on answers to questions about respondents' reasons for misusing sedatives for their last misuse. Respondents could report more than one reason for misusing sedatives the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in SEDRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (SEDRSMAIN=1,11), reported only one reason which was to relax or relieve tension (SEDRSMAIN=99 and SEDRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (SEDRSMAIN=99 and SEDRSRELX=3).
2. Main reason is to experiment or see what it's like (SEDRSMAIN=2,12), reported only one reason which was to experiment or see what it's like (SEDRSMAIN=99 and SEDRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (SEDRSMAIN=99 and SEDRSEXPT=3).
3. Main reason is to feel good or get high (SEDRSMAIN=3,13), reported only one reason which was to feel good or get high (SEDRSMAIN=99 and SEDRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (SEDRSMAIN=99 and SEDRSHIGH=3).
4. Main reason is to help with sleep (SEDRSMAIN=4,14), reported only one reason which was to help with sleep (SEDRSMAIN=99 and SEDRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (SEDRSMAIN=99 and SEDRSSLEP=3).
5. Main reason is to help with feelings or emotions (SEDRSMAIN=5,15), reported only one reason which was to help with feelings or emotions (SEDRSMAIN=99 and SEDRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (SEDRSMAIN=99 and SEDRSEMOT=3).
6. Main reason is to increase/decrease effects of other drugs (SEDRSMAIN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (SEDRSMAIN=99 and SEDRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (SEDRSMAIN=99 and SEDRSDGFX=3).
7. Main reason is because hooked or have to have the drug (SEDRSMAIN=7,17), reported only one reason which was because they were hooked or had to have the drug (SEDRSMAIN=99 and SEDRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (SEDRSMAIN=99 and SEDRSHOOK=3).
8. Main reason is some other reason (SEDRSMAIN=8), or reported only one reason which was a valid other reason listed for sedative other than those defined above based on the write in data (SEDRSMAIN=99 and SEDRSSOR=1 and SEDRSOTRS2=1, 9-33). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for sedatives but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (SEDRSMAIN=85,94,98) or reported only one reason and the other reason was not a valid reason (SEDRSMAIN=99 and SEDRSSOR=1 and SEDRSOTRS2=985,994,997).

(SEDRSDGFX, SEDRSEMOT, SEDRSEXPT, SEDRSHIGH, SEDRSHOOK, SEDRSMAIN, SEDRSOTRS2, SEDRSRELX, SEDRSSLEP, SEDRSSOR)

SEDMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING SEDATIVES LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	394	0.68
1 = Relax or relieve tension (see comment above).....	29	0.05
2 = Experiment/see what like (see comment above)	5	0.01
3 = Feel good/get high (see comment above).....	8	0.01
4 = Help with sleep (see comment above).....	150	0.26
5 = Help with feelings or emotions (see comment above).....	13	0.02
6 = Inc/dec effects oth drg (see comment above).....	1	0.00
8 = Some other reason (see comment above).....	6	0.01
9 = Did not misuse in pst 12 mos (SEDRSMAIN=83,91,93).....	57428	98.96

RECODED DRUG USE

NOTE: The following four variables pertain to the source of a respondent's most recent misuse of prescription pain relievers (SRCPNRNM2), prescription tranquilizers (SRCTRQNM2), prescription stimulants (SRCSTMNM2), and prescription sedatives (SRCSEDNM2) within the past year.

For each variable there are eight mutually exclusive categories for specific sources, and a missing category for respondents with no past year misuse or unknown responses to the source questions. The categories for the specific sources take into account responses from a single question asking about a single, most recent source of misuse among respondents who misused in the past year.

Based on the following conditions, a respondent was classified in one of the following nine categories (including System Missing) for the source of most recent prescription drug misuse in the past year for the variables, SRCPNRNM2, SRCTRQNM2, SRCSTMNM2, and SRCSEDNM2:

1. Got From One Doctor
2. Got From More Than One Doctor
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy
4. Got From Friend or Relative for Free
5. Bought from Friend or Relative
6. Took from Friend or Relative without Asking
7. Bought from Drug Dealer or Other Stranger
8. Got Some Other Way

(System Missing) No Past Year Misuse/Unknown/Invalid Source

<u>SRCPNRNM2</u>	Len : 2 RC-SOURCE OF PAIN RELIEVERS FOR LAST MISUSE	Freq	Pct
	. = No Past Year Misuse/Unknown/Invalid Source.....	56396	97.18
	1 = Got From One Doctor	609	1.05
	2 = Got From More Than One Doctor	36	0.06
	3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	11	0.02
	4 = Got From Friend or Relative for Free	557	0.96
	5 = Bought from Friend or Relative	128	0.22
	6 = Took from Friend or Relative without Asking.....	73	0.13
	7 = Bought from Drug Dealer or Other Stranger.....	144	0.25
	8 = Got Some Other Way.....	80	0.14

<u>SRCTRQNM2</u>	Len : 2 RC-SOURCE OF TRANQUILIZERS FOR LAST MISUSE	Freq	Pct
	. = No Past Year Misuse/Unknown/Invalid Source.....	57039	98.29
	1 = Got From One Doctor	201	0.35
	2 = Got From More Than One Doctor	17	0.03
	3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	3	0.01
	4 = Got From Friend or Relative for Free	457	0.79
	5 = Bought from Friend or Relative	109	0.19
	6 = Took from Friend or Relative without Asking.....	48	0.08
	7 = Bought from Drug Dealer or Other Stranger.....	125	0.22
	8 = Got Some Other Way.....	35	0.06

<u>SRCSTMNM2</u>	Len : 2 RC-SOURCE OF STIMULANTS FOR LAST MISUSE	Freq	Pct
	. = No Past Year Misuse/Unknown/Invalid Source.....	56983	98.19
	1 = Got From One Doctor	159	0.27
	2 = Got From More Than One Doctor	20	0.03
	3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	5	0.01
	4 = Got From Friend or Relative for Free	540	0.93
	5 = Bought from Friend or Relative	214	0.37
	6 = Took from Friend or Relative without Asking.....	27	0.05
	7 = Bought from Drug Dealer or Other Stranger.....	48	0.08
	8 = Got Some Other Way.....	38	0.07

<u>SRCSEDNM2</u>	Len : 2 RC-SOURCE OF SEDATIVES FOR LAST MISUSE	Freq	Pct
	. = No Past Year Misuse/Unknown/Invalid Source.....	57823	99.64
	1 = Got From One Doctor	77	0.13
	2 = Got From More Than One Doctor	6	0.01
	3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	6	0.01
	4 = Got From Friend or Relative for Free	94	0.16
	5 = Bought from Friend or Relative	5	0.01
	6 = Took from Friend or Relative without Asking.....	9	0.02
	7 = Bought from Drug Dealer or Other Stranger.....	8	0.01
	8 = Got Some Other Way.....	6	0.01

RECODED DRUG USE

NOTE: A respondent who misused prescription drugs in the past year was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following four variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (SRCFRPNRM), prescription tranquilizers (SRCFRTRQNM), prescription stimulants (SRCFRSTMNM), and prescription sedatives (SRCFRSEDNM) within the past year.

For each of the following four variables, there are eight mutually exclusive categories for specific sources that the friend/relative obtained the drug from and a missing category for respondents who did not indicate using the drug in the past year (or lifetime) or a respondent that indicated in one of the previous questions that they had obtained the drug for most recent use from a valid source other than a friend or relative for free and respondents with unknown or invalid values.

Based on the following conditions, a respondent was classified in one of the following nine categories (including System Missing) for the source of most recent prescription drug use in the past year for the variables, SRCFRPNRM, SRCFRTRQNM, SRCFRSTMNM, and SRCFRSEDNM:

1. Got Prescription(s) from One Doctor
2. Got Prescription(s) from More Than One Doctor
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy
4. Got From Friend or Relative for Free
5. Bought from Friend or Relative
6. Took from Friend or Relative without Asking
7. Bought from Drug Dealer or Other Stranger
8. Got Some Other Way

(System Missing): No Past Year Misuse or Valid Source of Most Recent Misuse Not from Friend or Relative for Free /Unknown/Invalid Source

SRCFRPNRM Len : 2 RC-SOURCE OF FRIEND/RELATIVE PAIN RELIEVERS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	57507	99.09
1 = Got Prescription(s) from One Doctor.....	411	0.71
2 = Got Prescription(s) from More Than One Doctor	27	0.05
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	7	0.01
4 = Got from Friend or Relative for Free	30	0.05
5 = Bought from Friend or Relative	20	0.03
6 = Took from Friend or Relative without Asking.....	2	0.00
7 = Bought from Drug Dealer or Other Stranger.....	22	0.04
8 = Got Some Other Way.....	8	0.01

SRCFRTRQNM Len : 2 RC-SOURCE OF FRIEND/RELATIVE TRANQUILIZERS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	57598	99.25
1 = Got Prescription(s) from One Doctor.....	347	0.60
2 = Got Prescription(s) from More Than One Doctor	10	0.02
4 = Got from Friend or Relative for Free	30	0.05
5 = Bought from Friend or Relative	13	0.02
6 = Took from Friend or Relative without Asking.....	4	0.01
7 = Bought from Drug Dealer or Other Stranger.....	26	0.04
8 = Got Some Other Way.....	6	0.01

SRCFRSTMNM Len : 2 RC-SOURCE OF FRIEND/RELATIVE STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	57514	99.10
1 = Got Prescription(s) from One Doctor.....	433	0.75
2 = Got Prescription(s) from More Than One Doctor	16	0.03
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	2	0.00
4 = Got from Friend or Relative for Free	27	0.05
5 = Bought from Friend or Relative	22	0.04
6 = Took from Friend or Relative without Asking.....	2	0.00
7 = Bought from Drug Dealer or Other Stranger.....	17	0.03
8 = Got Some Other Way.....	1	0.00

SRCFRSEDNM Len : 2 RC-SOURCE OF FRIEND/RELATIVE SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	57944	99.84
1 = Got Prescription(s) from One Doctor.....	81	0.14
4 = Got from Friend or Relative for Free	6	0.01
5 = Bought from Friend or Relative	1	0.00
6 = Took from Friend or Relative without Asking.....	1	0.00
7 = Bought from Drug Dealer or Other Stranger.....	1	0.00

RECODED DRUG USE

NOTE: The following four variables show collapsed levels for the source of friend or relative's most recent misuse of prescription pain relievers (SRCCLFRPNR), prescription tranquilizers (SRCCLFRTRQ), prescription stimulants (SRCCLFRSTM), and prescription sedatives (SRCCLFRSED) within the past year.

<i>(SRCFRPNRM)</i>	Len : 1 RC-COLLAPSED SOURCE OF FRND/REL PAIN RLVRS FOR LAST MISUSE	Freq	Pct
<u>SRCCLFRPNR</u>	. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	57507	99.09
	1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRPNRM=1,2,3)	445	0.77
	2 = Got From Friend/Relative (SRCFRPNRM=4,5,6)	52	0.09
	3 = Got From Another Source (SRCFRPNRM=7,8).....	30	0.05
 <i>(SRCFRTRQNM)</i>	 Len : 1 RC-COLLAPSED SOURCE OF FRND/REL TRANQLZRS FOR LAST MISUSE	 Freq	 Pct
<u>SRCCLFRTRQ</u>	. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	57598	99.25
	1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRTRQNM=1,2,3)	357	0.62
	2 = Got From Friend/Relative (SRCFRTRQNM=4,5,6)	47	0.08
	3 = Got From Another Source (SRCFRTRQNM=7,8).....	32	0.06
 <i>(SRCFRSTMNM)</i>	 Len : 1 RC-COLLAPSED SOURCE OF FRND/REL STIMULANTS FOR LAST MISUSE	 Freq	 Pct
<u>SRCCLFRSTM</u>	. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	57514	99.10
	1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSTMNM=1,2,3).....	451	0.78
	2 = Got From Friend/Relative (SRCFRSTMNM=4,5,6)	51	0.09
	3 = Got From Another Source (SRCFRSTMNM=7,8).....	18	0.03
 <i>(SRCFRSEDNM)</i>	 Len : 1 RC-COLLAPSED SOURCE OF FRND/REL SEDATIVES FOR LAST MISUSE	 Freq	 Pct
<u>SRCCLFRSED</u>	. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	57944	99.84
	1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSEDNM=1,2,3).....	81	0.14
	2 = Got From Friend/Relative (SRCFRSEDNM=4,5,6)	8	0.01
	3 = Got From Another Source (SRCFRSEDNM=7,8).....	1	0.00

SPECIAL DRUGS

OTHER SELF-ADMINISTERED SECTIONSSPECIAL DRUGS

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

The last questions were about prescription drugs. The next question is about non-prescription cough or cold medicines, also known as over the counter medicines. Have you ever, even once, taken a non-prescription cough or cold medicine just to get high?

(SD01) <u>COLDMEDS</u> ¹	Len : 2 TAKEN A NONPRESCRIPTION COUGH MED TO GET HIGH	Freq	Pct
1 = Yes.....	2149	3.70	
2 = No.....	55502	95.64	
94 = DON'T KNOW	40	0.07	
97 = REFUSED	24	0.04	
98 = BLANK (NO ANSWER)	319	0.55	

How long has it been since you last took one of these cough or cold medicines to get high?

(SD02) <u>COLDREC</u> ¹	Len : 2 TIME SINCE LAST USED COUGH/COLD MED	Freq	Pct
1 = Within the past 30 days.....	128	0.22	
2 = More than 30 days ago but within the past 12 mos	301	0.52	
3 = More than 12 months ago	1667	2.87	
9 = At some point in the lifetime LOG ASSN.....	53	0.09	
91 = NEVER USED COUGH/COLD MED.....	55502	95.64	
97 = REFUSED	24	0.04	
98 = BLANK (NO ANSWER)	359	0.62	

SPECIAL DRUGS

(SD02SCI)
COLDYRI¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 1

	Freq	Pct
122.0 = Over-the-counter sleep aid; not specified <OTC>.....	1	0.00
130.0 = Phenergan, Promethazine.....	3	0.01
136.0 = Dimetapp, no other information <OTC>.....	2	0.00
171.0 = NyQuil, no other information <OTC>	88	0.15
171.1 = NyQuil cold medicine; no other information <OTC>	1	0.00
171.3 = NyQuil Cold and Flu <OTC>	1	0.00
171.5 = ZzzQuil <OTC>.....	2	0.00
171.6 = NyQuil Cough <OTC>	1	0.00
180.0 = Tylenol P.M. <OTC>.....	3	0.01
415.0 = Codeine.....	9	0.02
422.0 = Motrin, no other information <OTC>	5	0.01
425.0 = Advil, no other information <OTC>	4	0.01
435.0 = Tylenol/Children's Tylenol; otherwise unspcfed<OTC>	23	0.04
438.0 = Anaprox, Naprosyn, Naproxen, Naxen	1	0.00
442.0 = Ibuprofen	3	0.01
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>	1	0.00
821.0 = Amoxicillin, Ampicillin	1	0.00
829.0 = Robitussin, no other information <OTC>	22	0.04
829.1 = Robitussin DM <OTC>.....	4	0.01
829.2 = Robitussin Maximum Strength <OTC>	1	0.00
829.4 = Robitussin PM <OTC>	1	0.00
829.5 = Robotussin Cough, no other information <OTC>	1	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>	10	0.02
840.1 = Night cough med/syrup/drops; brand unspcfd.....	1	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	2	0.00
848.0 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>	6	0.01
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	15	0.03
3017.0 = Dayquil medication, no other information <OTC>	20	0.03
3023.0 = Adderall	1	0.00
3047.0 = Sudafed, no other information <OTC>	3	0.01
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine.....	1	0.00
6029.0 = DXM <OTC>.....	6	0.01
6083.0 = CCC, "Triple C," C3 <OTC>	1	0.00
8002.0 = Zantac <OTC>.....	1	0.00
8010.0 = Zyrtec, Cetirizine <OTC>	2	0.00
8019.0 = Azithromycin, Z-pack, Zithromax.....	1	0.00
8042.0 = Alka Seltzer, no other information <OTC>.....	3	0.01
8042.4 = Alka-Seltzer Plus; no other information.....	1	0.00
8042.6 = Alka-Seltzer Plus Cold and Flu <OTC>	1	0.00
8056.0 = Vicks, no other information <OTC>	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>	2	0.00
8070.0 = Advil Cold and Sinus <OTC>.....	2	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	11	0.02
8138.0 = Chlorphenamine maleate, Chlorpheniramine <OTC>	1	0.00
8169.0 = TheraFlu <OTC>	5	0.01
8169.2 = TheraFlu daytime; no other information <OTC>	1	0.00
8192.0 = Delsym <OTC>	4	0.01
8200.0 = Tylenol Cold and Flu medication,no othr info <OTC>	3	0.01
8201.0 = Tylenol Cough medication, no othr info <OTC>	1	0.00
8201.2 = Tylenol Cough and Cold medication; no other info	2	0.00
8202.0 = Tussin, no other information	1	0.00
8205.0 = Mucinex, no other information <OTC>	18	0.03
8205.1 = Mucinex DM <OTC>	2	0.00
8217.0 = Broncolin <OTC>	2	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite).....	5	0.01
8258.0 = Tukol <OTC>	1	0.00
8261.0 = Rompe Pecho <OTC>.....	2	0.00
8269.0 = Prednisolone	1	0.00
8299.0 = Kakkontou	1	0.00
8300.0 = Neogripal F	1	0.00
8303.0 = Antiflu-Des	1	0.00
9985.0 = BAD DATA Logically assigned	43	0.07
9991.0 = NEVER USED COUGH/COLD MED	55502	95.64
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1667	2.87
9994.0 = DON'T KNOW	42	0.07
9997.0 = REFUSED	44	0.08
9998.0 = BLANK (NO ANSWER).....	414	0.71

SPECIAL DRUGS

(SD02SC2)
COLDYR2¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 2

	Freq	Pct
130.0 = Phenergan, Promethazine	1	0.00
171.0 = NyQuil, no other information <OTC>	17	0.03
171.5 = ZzzQuil <OTC>	3	0.01
171.6 = NyQuil Cough <OTC>	1	0.00
180.0 = Tylenol P.M. <OTC>	2	0.00
415.0 = Codeine	2	0.00
422.0 = Motrin, no other information <OTC>	2	0.00
425.0 = Advil, no other information <OTC>	5	0.01
430.0 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfed<OTC>	4	0.01
442.0 = Ibuprofen	1	0.00
829.0 = Robitussin, no other information <OTC>	6	0.01
829.5 = Robotussin Cough, no other information <OTC>	1	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>	1	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	5	0.01
843.1 = Nighttime cold medication; brand unspecified <OTC>	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	3	0.01
3017.0 = Dayquil medication, no other information <OTC>	11	0.02
3047.0 = Sudafed, no other information <OTC>	3	0.01
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine	1	0.00
6083.0 = CCC, "Triple C," C3 <OTC>	1	0.00
8020.0 = Allegra, Alleva	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	3	0.01
8123.2 = Tylenol Cold and Sinus medication <OTC>	2	0.00
8169.0 = TheraFlu <OTC>	1	0.00
8169.3 = TheraFlu nighttime; no other information <OTC>	1	0.00
8192.0 = Delsym <OTC>	3	0.01
8202.0 = Tussin, no other information	2	0.00
8204.0 = Flu medication, no other information <OTC>	1	0.00
8205.0 = Mucinex, no other information <OTC>	6	0.01
8208.0 = Robo, robo tripping	1	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>	1	0.00
8216.0 = Advil Cold, no other information <OTC>	1	0.00
8302.0 = SanaTos; no other information	1	0.00
9985.0 = BAD DATA Logically assigned	35	0.06
9991.0 = NEVER USED COUGH/COLD MED	55502	95.64
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1667	2.87
9994.0 = DON'T KNOW	4	0.01
9997.0 = REFUSED	26	0.04
9998.0 = BLANK (NO ANSWER).....	704	1.21

(SD02SC3)
COLDYR3¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 3

	Freq	Pct
122.0 = Over-the-counter sleep aid; not specified <OTC>	1	0.00
171.0 = NyQuil, no other information <OTC>	6	0.01
171.1 = NyQuil cold medicine; no other information <OTC>	1	0.00
425.0 = Advil, no other information <OTC>	2	0.00
442.0 = Ibuprofen	1	0.00
814.0 = Caffeine <OTC>	1	0.00
829.0 = Robitussin, no other information <OTC>	1	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>	4	0.01
843.1 = Nighttime cold medication; brand unspecified <OTC>	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	1	0.00
1016.0 = Panadol PM <OTC>	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	2	0.00
8056.0 = Vicks, no other information <OTC>	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	2	0.00
8204.0 = Flu medication, no other information <OTC>	1	0.00
8205.0 = Mucinex, no other information <OTC>	2	0.00
8206.1 = Advil Allergy, no other information <OTC>	1	0.00
8208.0 = Robo, robo tripping	1	0.00
8291.0 = Ambroxol.....	1	0.00
9985.0 = BAD DATA Logically assigned	21	0.04
9991.0 = NEVER USED COUGH/COLD MED	55502	95.64
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1667	2.87
9994.0 = DON'T KNOW	1	0.00
9997.0 = REFUSED	24	0.04
9998.0 = BLANK (NO ANSWER).....	788	1.36

SPECIAL DRUGS

(SD02SC4)
COLDYR4¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 4

	Freq	Pct
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	2	0.00
1015.0 = Motrin PM <OTC>	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	1	0.00
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>	1	0.00
8149.1 = Desenfriol D <OTC>	1	0.00
8192.0 = Delsym <OTC>	1	0.00
8203.0 = Sinus medication, no other information <OTC>	1	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>.....	1	0.00
8216.0 = Advil Cold, no other information <OTC>.....	1	0.00
9985.0 = BAD DATA Logically assigned	10	0.02
9991.0 = NEVER USED COUGH/COLD MED	55502	95.64
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1667	2.87
9997.0 = REFUSED	24	0.04
9998.0 = BLANK (NO ANSWER).....	821	1.41

(SD02SC5)
COLDYR5¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 5

	Freq	Pct
171.0 = NyQuil, no other information <OTC>	1	0.00
377.0 = Albuterol, Proventil, Ventolin.....	1	0.00
8205.0 = Mucinex, no other information <OTC>	2	0.00
9985.0 = BAD DATA Logically assigned	5	0.01
9991.0 = NEVER USED COUGH/COLD MED	55502	95.64
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1667	2.87
9994.0 = DON'T KNOW	1	0.00
9997.0 = REFUSED	24	0.04
9998.0 = BLANK (NO ANSWER).....	831	1.43

NOTE: OTCFLAG is a "flag" variable that has a value of 1 when respondents reported use of an over-the-counter (OTC) cold medication to get high in the past year, but the only drugs that they specified were prescription-type ones. OTCFLAG has a value of 2 when respondents reported use of OTC cold medications to get high but their "OTHER, Specify" variables COLDYR1 through COLDYR5 all had codes of "bad data" or "blank."

OTCFLAG¹

Len : 2 INCONSISTENCY FLAG FOR REPORT OF OTC COLD MEDS

	Freq	Pct
1 = Specified use only of prescrip-type drugs, past yr.....	22	0.04
2 = Bad data or blank in COLDYR1-COLDYR5.....	35	0.06
98 = BLANK (OTHERWISE).....	57977	99.90

The next question is about GHB, also called "G," "Georgia Home Boy," "Grievous Bodily Harm," "Liquid G," or gamma hydroxybutyrate. Have you ever, even once, used GHB?

(SD03)
GHB¹

Len : 2 EVER USED GHB

	Freq	Pct
1 = Yes.....	275	0.47
2 = No.....	57334	98.79
94 = DON'T KNOW	76	0.13
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	331	0.57

How long has it been since you last used GHB?

(SD04)
GHBREC¹

Len : 2 TIME SINCE LAST USED GHB

	Freq	Pct
1 = Within the past 30 days.....	17	0.03
2 = More than 30 days ago but within the past 12 mos	25	0.04
3 = More than 12 months ago	231	0.40
9 = At some point in the lifetime LOG ASSN.....	2	0.00
91 = NEVER USED GHB	57334	98.79
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	407	0.70

SPECIAL DRUGS

The next questions are about the different ways that certain drugs can be used.

Have you ever, even once, used a needle to inject cocaine?

<i>(SD05)</i>	<u>COCNEEDL</u> ¹	Len : 2 EVER USED NEEDLE TO INJECT COCAINE	Freq	Pct
1 = Yes.....			395	0.68
2 = No.....			6331	10.91
3 = Yes LOGICALLY ASSIGNED.....			7	0.01
85 = BAD DATA Logically assigned.....			1	0.00
91 = NEVER USED COCAINE			51222	88.26
94 = DON'T KNOW			3	0.01
97 = REFUSED			5	0.01
98 = BLANK (NO ANSWER)			70	0.12

How long has it been since you last used a needle to inject cocaine?

<i>(SD06)</i>	<u>CONDLREC</u> ¹	Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT COCAINE	Freq	Pct
1 = Within the past 30 days.....			8	0.01
2 = More than 30 days ago but within the past 12 mos			17	0.03
3 = More than 12 months ago			367	0.63
9 = At some point in the lifetime LOG ASSN.....			3	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....			2	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....			5	0.01
91 = NEVER USED COCAINE			51222	88.26
93 = USED COCAINE BUT NEVER WITH A NEEDLE.....			6331	10.91
97 = REFUSED			5	0.01
98 = BLANK (NO ANSWER)			74	0.13

Have you ever, even once, smoked heroin?

<i>(HEOTSMK, SD07)</i>	<u>HERSMOKE</u> ¹	Len : 2 EVER SMOKED HEROIN	Freq	Pct
1 = Yes.....			547	0.94
2 = No.....			559	0.96
3 = Yes LOGICALLY ASSIGNED.....			9	0.02
91 = NEVER USED HEROIN.....			56882	98.01
97 = REFUSED			1	0.00
98 = BLANK (NO ANSWER)			36	0.06

How long has it been since you last smoked heroin?

<i>(SD08, SDHEUSE6)</i>	<u>HRSMKREC</u> ¹	Len : 2 TIME SINCE LAST SMOKED HEROIN	Freq	Pct
1 = Within the past 30 days.....			27	0.05
2 = More than 30 days ago but within the past 12 mos			48	0.08
3 = More than 12 months ago			480	0.83
9 = At some point in the lifetime LOG ASSN.....			1	0.00
91 = NEVER USED HEROIN.....			56882	98.01
93 = USED HEROIN BUT NEVER SMOKED IT.....			559	0.96
97 = REFUSED			1	0.00
98 = BLANK (NO ANSWER)			36	0.06

SPECIAL DRUGS

Have you ever, even once, sniffed or "snorted" heroin powder through your nose?

(HEOTSNF, SD09)

HERSNIFE¹

Len : 2 EVER SNIFFED HEROIN

	Freq	Pct
1 = Yes.....	745	1.28
2 = No.....	339	0.58
3 = Yes LOGICALLY ASSIGNED.....	30	0.05
91 = NEVER USED HEROIN.....	56882	98.01
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	36	0.06

How long has it been since you last sniffed or "snorted" heroin powder through your nose?

(SD10, SDHEUSE7)

HRSNFREC¹

Len : 2 TIME SINCE LAST SNIFFED HEROIN

	Freq	Pct
1 = Within the past 30 days.....	50	0.09
2 = More than 30 days ago but within the past 12 mos	70	0.12
3 = More than 12 months ago	653	1.13
9 = At some point in the lifetime LOG ASSN.....	2	0.00
91 = NEVER USED HEROIN.....	56882	98.01
93 = USED HEROIN BUT NEVER SNIFFED IT	339	0.58
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

Have you ever, even once, used a needle to inject heroin?

(HEOTNDL, SD11)

HERNEEDL¹

Len : 2 EVER USED NEEDLE TO INJECT HEROIN

	Freq	Pct
1 = Yes.....	506	0.87
2 = No.....	599	1.03
3 = Yes LOGICALLY ASSIGNED.....	12	0.02
91 = NEVER USED HEROIN.....	56882	98.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	34	0.06

Earlier the computer recorded that you had used heroin. In what way have you used heroin?

(SDHEUSE)

HEOTSMK¹

Len : 2 HOW USED HEROIN: SMOKED IT

	Freq	Pct
1 = Response entered	9	0.02
6 = Response not entered	57	0.10
91 = NEVER USED HEROIN.....	56882	98.01
94 = DON'T KNOW	4	0.01
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	37	0.06
99 = LEGITIMATE SKIP.....	1038	1.79

(SDHEUSE)

HEOTSNF¹

Len : 2 HOW USED HEROIN: SNIFFED IT

	Freq	Pct
1 = Response entered	30	0.05
6 = Response not entered	36	0.06
91 = NEVER USED HEROIN.....	56882	98.01
94 = DON'T KNOW	4	0.01
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	37	0.06
99 = LEGITIMATE SKIP.....	1038	1.79

SPECIAL DRUGS

(SDHEUSE)
HEOTNDL¹

Len : 2 HOW USED HEROIN: INJECTED IT WITH A NEEDLE

	Freq	Pct
1 = Response entered	8	0.01
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	57	0.10
91 = NEVER USED HEROIN.....	56882	98.01
94 = DON'T KNOW	4	0.01
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	37	0.06
99 = LEGITIMATE SKIP.....	1038	1.79

(SDHEUSE)
HEOTOTH¹

Len : 2 HOW USED HEROIN: SOME OTHER WAY

	Freq	Pct
1 = Response entered	20	0.03
6 = Response not entered	46	0.08
91 = NEVER USED HEROIN.....	56882	98.01
94 = DON'T KNOW	4	0.01
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	37	0.06
99 = LEGITIMATE SKIP.....	1038	1.79

(SDHUSES)
HEOTSP¹

Len : 2 HOW USED HEROIN: SPECIFY

	Freq	Pct
3 = You injected heroin with a needle.....	1	0.00
5 = You took it orally/by mouth/in pill form.....	7	0.01
6 = You sniffed or "snorted" in liquid/melted form.....	1	0.00
10 = You combined it w/Ecstasy (no othr drug mentioned).....	5	0.01
23 = You took it rectally	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HEROIN.....	56882	98.01
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	42	0.07
99 = LEGITIMATE SKIP.....	1084	1.87

How long has it been since you last used a needle to inject heroin?

(SD12)
HRNDLREC¹

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT HEROIN

	Freq	Pct
1 = Within the past 30 days.....	49	0.08
2 = More than 30 days ago but within the past 12 mos	50	0.09
3 = More than 12 months ago	414	0.71
9 = At some point in the lifetime LOG ASSN.....	2	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED HEROIN.....	56882	98.01
93 = USED HEROIN BUT NEVER WITH A NEEDLE.....	599	1.03
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	34	0.06

Have you ever, even once, used a needle to inject Methamphetamine?

(SD13)
METHNEEDL¹

Len : 2 EVER USED NEEDLE TO INJECT METHAMPHETAMINE

	Freq	Pct
1 = Yes.....	503	0.87
2 = No.....	2123	3.66
3 = Yes LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED METHAMPHETAMINE	55325	95.33
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	75	0.13

SPECIAL DRUGS

How long has it been since you last used a needle to inject Methamphetamine?

<i>(SD14)</i> <u>METHNDLRC¹</u>	Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT METH	Freq	Pct
1 = Within the past 30 days.....		61	0.11
2 = More than 30 days ago but within the past 12 mos		64	0.11
3 = More than 12 months ago		378	0.65
13 = More than 12 months ago LOGICALLY ASSIGNED.....		3	0.01
91 = NEVER USED METHAMPHETAMINE		55325	95.33
93 = USED METHAMPH BUT NEVER WITH A NEEDLE.....		2123	3.66
97 = REFUSED		3	0.01
98 = BLANK (NO ANSWER)		77	0.13

Have you ever, even once, used a needle to inject any other drug/any drug that was not prescribed for you?

<i>(SD15)</i> <u>OTDGNECL¹</u>	Len : 2 EVER USED NEEDLE TO INJECT ANY OTHER DRUG	Freq	Pct
1 = Yes.....		354	0.61
2 = No.....		57295	98.73
4 = No LOGICALLY ASSIGNED		3	0.01
94 = DON'T KNOW		33	0.06
97 = REFUSED		16	0.03
98 = BLANK (NO ANSWER)		333	0.57

SPECIAL DRUGS

(SD15SCI)
OTDGNDLA¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 1

	Freq	Pct
109 = Seconal	3	0.01
115 = Phenobarbital	2	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
157 = Barbiturates.....	2	0.00
201 = Valium.....	4	0.01
209 = Xanax.....	6	0.01
246 = Klonopin.....	1	0.00
306 = Desoxyn.....	1	0.00
311 = Preludin.....	1	0.00
318 = Ritalin	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	25	0.04
382 = Footballs, purple footballs.....	1	0.00
407 = Demerol.....	3	0.01
408 = Dilaudid, Hydromorphone	26	0.04
417 = Morphine	14	0.02
418 = Methadone	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	6	0.01
423 = Percocet	6	0.01
458 = Mepergan, Mepergan Fortis	1	0.00
465 = Fentanyl	6	0.01
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.00
601 = LSD ("acid")	5	0.01
606 = "Ecstasy" (MDMA), X-TC, "X"	5	0.01
614 = MDA, Methyleneoxy amphetamine	1	0.00
658 = Special K, Ketamine	10	0.02
702 = Heroin	26	0.04
704 = Dope	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	20	0.03
802 = THC, cannabinol, marinol, tetrahydrocannabinol	1	0.00
805 = Cocaine, coca, cocaine, coke, perico	13	0.02
806 = Crack, rock	5	0.01
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
820 = Penicillin	2	0.00
824 = Steroids	4	0.01
848 = Liquid vitamin, vitamin pills <OTC>	1	0.00
3023 = Adderall	4	0.01
3052 = Speed, otherwise unspecified	2	0.00
3077 = Concerta	1	0.00
4044 = Hydrocodone	2	0.00
4046 = Oxycodone	23	0.04
4047 = Roxicet	1	0.00
4065 = Roxicodone	3	0.01
4067 = OxyContin	19	0.03
4073 = Temgesic	1	0.00
4091 = K4	1	0.00
4109 = Suboxone	14	0.02
4119 = Buprenorphine	1	0.00
4120 = Opana	8	0.01
4150 = Subutex	2	0.00
4505 = Oxycodone product, unspecified	5	0.01
4510 = Oxymorphone	2	0.00
6114 = Molly, not otherwise specified	3	0.01
6122 = MMDA	1	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfed	1	0.00
8067 = Testosterone	6	0.01
8079 = Insulin	2	0.00
8083 = Testosterone cypronate	1	0.00
8113 = Test 250, Test 400 <OTC>	2	0.00
8184 = Ondansetron, Periset, Zofran	1	0.00
8206 = Delatestryl, Testosterone enanthate	1	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone	1	0.00
8224 = Oxytocin, Pitocin, Syntocinon	1	0.00
8245 = Human growth hormone (HGH)	1	0.00
8282 = Saline solution, salt, sodium chloride <OTC>	1	0.00
8301 = Bath salts/synthetic cathinone; otherwise unspcfed	2	0.00
8428 = Dexmedetomidine, Precedex	1	0.00
8503 = Dilantin	2	0.00
8553 = Bupropion, Wellbutrin, Zyban	2	0.00
9985 = BAD DATA Logically assigned	7	0.01
9989 = LEGITIMATE SKIP Logically assigned	3	0.01

SPECIAL DRUGS

9994 = DON'T KNOW	16	0.03
9997 = REFUSED	21	0.04
9998 = BLANK (NO ANSWER).....	366	0.63
9999 = LEGITIMATE SKIP.....	57295	98.73

(SD15SC2)
OTDGNDLB¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 2

	Freq	Pct
110 = Tuinal.....	2	0.00
201 = Valium.....	1	0.00
209 = Xanax.....	1	0.00
246 = Klonopin.....	1	0.00
306 = Desoxyn.....	1	0.00
311 = Preludin.....	1	0.00
318 = Ritalin	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	9	0.02
407 = Demerol.....	1	0.00
408 = Dilaudid, Hydromorphone	8	0.01
417 = Morphine	14	0.02
423 = Percocet	1	0.00
434 = Vicodin	1	0.00
465 = Fentanyl.....	1	0.00
601 = LSD ("acid").....	2	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	2	0.00
658 = Special K, Ketamine	3	0.01
663 = Animal tranquilizer, horse tranquilizer	1	0.00
702 = Heroin.....	7	0.01
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	3	0.01
805 = Cocaine, coca, cocaina, coke, perico.....	14	0.02
806 = Crack, rock.....	3	0.01
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
2030 = Versed.....	1	0.00
2506 = Diazepam.....	1	0.00
3023 = Adderall	6	0.01
3052 = Speed, otherwise unspecified	2	0.00
4037 = MS Contin.....	1	0.00
4044 = Hydrocodone.....	1	0.00
4046 = Oxycodone.....	4	0.01
4047 = Roxicet.....	1	0.00
4065 = Roxicodone.....	3	0.01
4067 = OxyContin	9	0.02
4109 = Suboxone	5	0.01
4120 = Opana.....	5	0.01
4150 = Subutex.....	1	0.00
4501 = Lortab	1	0.00
4505 = Oxycodone product, unspecified.....	4	0.01
8067 = Testosterone.....	1	0.00
8072 = Deca-Durabolin, Nandrolone decanoate.....	1	0.00
8245 = Human growth hormone (HGH)	1	0.00
8301 = Bath salts/synthetic cathinone; otherwise unspecfd	1	0.00
8438 = Ts and Bs	1	0.00
8553 = Bupropion, Wellbutrin, Zyban	1	0.00
9985 = BAD DATA Logically assigned	10	0.02
9994 = DON'T KNOW	8	0.01
9997 = REFUSED	19	0.03
9998 = BLANK (NO ANSWER).....	569	0.98
9999 = LEGITIMATE SKIP.....	57298	98.73

SPECIAL DRUGS

(SD15SC3)
OTDGNDLC¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 3

	Freq	Pct
105 = Placidyl, Ethchlorvynol.....	1	0.00
174 = Ambien	1	0.00
207 = Ativan	1	0.00
318 = Ritalin	3	0.01
322 = Methamphetamine ("ice" or "crank"), Meth.....	2	0.00
348 = Crystal	1	0.00
407 = Demerol	1	0.00
408 = Dilaudid, Hydromorphone	6	0.01
417 = Morphine	8	0.01
418 = Methadone	1	0.00
465 = Fentanyl.....	2	0.00
605 = PCP ("angel dust," phenyclidine).....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	2	0.00
658 = Special K, Ketamine	1	0.00
702 = Heroin.....	5	0.01
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	2	0.00
805 = Cocaine, coca, cocaina, coke, perico	4	0.01
806 = Crack, rock.....	1	0.00
3023 = Adderall	4	0.01
3052 = Speed, otherwise unspecified.....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol.....	1	0.00
4046 = Oxycodone.....	6	0.01
4065 = Roxicodone	2	0.00
4067 = OxyContin	6	0.01
4120 = Opana.....	5	0.01
4150 = Subutex.....	1	0.00
4505 = Oxycodone product, unspecified.....	2	0.00
4507 = Kadian.....	1	0.00
8067 = Testosterone.....	1	0.00
9985 = BAD DATA Logically assigned	5	0.01
9994 = DON'T KNOW	1	0.00
9997 = REFUSED	16	0.03
9998 = BLANK (NO ANSWER).....	641	1.10
9999 = LEGITIMATE SKIP.....	57298	98.73

(SD15SC4)
OTDGNDLD¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 4

	Freq	Pct
108 = Nembutal	1	0.00
110 = Tuinal.....	1	0.00
209 = Xanax.....	3	0.01
322 = Methamphetamine ("ice" or "crank"), Meth.....	6	0.01
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.00
408 = Dilaudid, Hydromorphone	6	0.01
417 = Morphine	5	0.01
418 = Methadone	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.00
805 = Cocaine, coca, cocaina, coke, perico	1	0.00
3023 = Adderall	1	0.00
4046 = Oxycodone.....	1	0.00
4067 = OxyContin	1	0.00
4505 = Oxycodone product, unspecified.....	1	0.00
6114 = Molly, not otherwise specified.....	1	0.00
9985 = BAD DATA Logically assigned	3	0.01
9997 = REFUSED	17	0.03
9998 = BLANK (NO ANSWER).....	685	1.18
9999 = LEGITIMATE SKIP.....	57298	98.73

SPECIAL DRUGS

(SD15SC5)
OTDGNDL1¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 5

	Freq	Pct
109 = Seconal	1	0.00
209 = Xanax.....	1	0.00
318 = Ritalin	1	0.00
408 = Dilaudid, Hydromorphone	1	0.00
465 = Fentanyl.....	3	0.01
601 = LSD ("acid").....	1	0.00
658 = Special K, Ketamine	1	0.00
690 = RID	1	0.00
805 = Cocaine, coca, cocaina, coke, perico	1	0.00
806 = Crack, rock.....	2	0.00
4046 = Oxycodone.....	1	0.00
4067 = OxyContin	1	0.00
4120 = Opana.....	1	0.00
4505 = Oxycodone product, unspecified.....	1	0.00
9985 = BAD DATA Logically assigned	2	0.00
9997 = REFUSED	16	0.03
9998 = BLANK (NO ANSWER).....	701	1.21
9999 = LEGITIMATE SKIP.....	57298	98.73

How long has it been since you last used a needle to inject [any other drug / any drug] that was not prescribed for you?

(SD16)
OTDGNDLRC1¹

Len : 2 TIME SINCE LAST USED A NEEDLE TO INJECT OTHER DRUG

	Freq	Pct
1 = Within the past 30 days.....	24	0.04
2 = More than 30 days ago but within the past 12 months	32	0.06
3 = More than 12 months ago	292	0.50
9 = At some point in the lifetime LOG ASSN.....	2	0.00
11 = Within the past 30 days LOGICALLY ASSIGNED	2	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	2	0.00
81 = NEVER USED ANY (OTHER) DRUG Logically assigned.....	3	0.01
91 = NEVER USED ANY (OTHER) DRUG	57295	98.73
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	366	0.63

Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?

(SD17)
GNNDREUS1¹

Len : 2 LAST TIME REUSED NEEDLE USED BEFORE

	Freq	Pct
1 = Yes.....	364	0.63
2 = No.....	533	0.92
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.01
94 = DON'T KNOW	2	0.00
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	363	0.63
99 = LEGITIMATE SKIP.....	56753	97.79

The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?

(SD18)
GNNDLSH1¹

Len : 2 LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE

	Freq	Pct
1 = Yes.....	163	0.28
2 = No.....	735	1.27
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.01
94 = DON'T KNOW	1	0.00
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	363	0.63
99 = LEGITIMATE SKIP.....	56753	97.79

SPECIAL DRUGS

The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?

<i>(SD19)</i> <u>GNNDCLEN</u> ¹	Len : 2 USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE	Freq	Pct
1 = Yes.....		165	0.28
2 = No.....		732	1.26
85 = BAD DATA Logically assigned		1	0.00
89 = LEGITIMATE SKIP Logically assigned		3	0.01
94 = DON'T KNOW		2	0.00
97 = REFUSED		15	0.03
98 = BLANK (NO ANSWER)		363	0.63
99 = LEGITIMATE SKIP.....		56753	97.79

The last time you used a needle for injecting drugs, did someone else use the needle after you?

<i>(SD20)</i> <u>GNNDLSH2</u> ¹	Len : 2 SOMEONE ELSE USED LAST NEEDLE AFTER YOU	Freq	Pct
1 = Yes.....		179	0.31
2 = No.....		719	1.24
85 = BAD DATA Logically assigned		1	0.00
89 = LEGITIMATE SKIP Logically assigned		3	0.01
94 = DON'T KNOW		2	0.00
97 = REFUSED		14	0.02
98 = BLANK (NO ANSWER)		363	0.63
99 = LEGITIMATE SKIP.....		56753	97.79

NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNDGET2 incorporates these "OTHER, Specify" data.

The last time you used a needle for injecting drugs, how did you get the needle?

<i>(SD21, SD21SC)</i> <u>GNNDGET2</u> ¹	Len : 2 HOW DID YOU GET THE NEEDLE LAST TIME	Freq	Pct
1 = Bought the needle from a pharmacy		453	0.78
2 = Got the needle from a needle exchange.....		87	0.15
3 = Bought the needle on the street.....		96	0.17
4 = Got the needle in a shooting gallery.....		5	0.01
5 = Got the needle some other way		33	0.06
41 = Given by/stole frm friend/acquaint of frnd/nonrel.....		103	0.18
42 = Given by, stolen from a relative.....		16	0.03
43 = Given by, stolen from someone, relation unspecifd		34	0.06
44 = From drug dealer/came with drugs.....		9	0.02
46 = Given by, stolen frm med facility/professionl/lab		12	0.02
47 = Given by, stolen from work		6	0.01
48 = Given by, stolen from a pharmacy or store		5	0.01
49 = Bought, given, stolen from place/location unspecfd		7	0.01
54 = Shared needle with friends/other acquaintances.....		11	0.02
59 = Bought it online/on the Internet		14	0.02
85 = BAD DATA Logically assigned		1	0.00
89 = LEGITIMATE SKIP Logically assigned		3	0.01
94 = DON'T KNOW		4	0.01
97 = REFUSED		19	0.03
98 = BLANK (NO ANSWER)		363	0.63
99 = LEGITIMATE SKIP.....		56753	97.79

IMPUTED SPECIAL DRUGS

IMPUTED SPECIAL DRUGS

(COLDMEDS, OTCFLAG)

IRNPCOLDREC Len : 1 NONPRESCRIPTION COUGH OR COLD MEDS RECENCY - IMPUTATION REV

	Freq	Pct
1 = Within the past 30 days.....	111	0.19
2 = More than 30 days ago but within the past 12 mos	276	0.48
3 = More than 12 months ago	1731	2.98
9 = Never used nonprescription cough and cold medicines.....	55916	96.35

(COLDMEDS, OTCFLAG)

IINPCOLDREC Len : 1 NONPRESCRIPTION COUGH OR COLD MEDS RECENCY - IMPUTATION IND

	Freq	Pct
1 = Questionnaire data	57541	99.15
3 = Statistically imputed data.....	440	0.76
4 = Statistically imputed data - edited recency = 9.....	53	0.09

(GHBREC)

IRGHBREC Len : 1 GHB RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	17	0.03
2 = More than 30 days ago but within the past 12 mos	25	0.04
3 = More than 12 months ago	233	0.40
9 = NEVER USED GHB	57759	99.53

(GHBREC)

IIGHBREC Len : 1 GHB RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57607	99.26
3 = Statistically imputed data.....	425	0.73
4 = Statistically imputed data - edited recency = 9.....	2	0.00

RECODED SPECIAL DRUGS

RECODED SPECIAL DRUGS

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from three of the preceding sections: Recoded Drug Use, Special Drugs, and Imputed Special Drugs.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

(CONDLREC, HRNDLREC, METHNDLRC, OTDGNDLRC)

ANYNDLREC¹ Len : 2 RC-MOST RECENT USE OF ANY DRUG WITH A NEEDLE

	Freq	Pct
1 = Within the past 30 days.....	101	0.17
2 = More than 30 days ago but within the past 12 mos	93	0.16
3 = More than 12 months ago	695	1.20
8 = At some point in the past 12 months LOG ASSN.....	5	0.01
9 = At some point in the lifetime LOG ASSN.....	3	0.01
81 = NEVER USED COC/HER/STM W/NEEDLE Log assn	3	0.01
91 = NEVER USED ANY DRUG WITH A NEEDLE.....	56752	97.79
97 = REFUSED	19	0.03
98 = MISSING (BUT NOT REFUSED).....	363	0.63

(CONDLREC, HRNDLREC, METHNDLRC)

CHMNDLREC¹ Len : 2 RC-MOST RECENT USE OF COC/HER/METH WITH A NEEDLE

	Freq	Pct
1 = Within the past 30 days.....	92	0.16
2 = More than 30 days ago but within the past 12 mos	88	0.15
3 = More than 12 months ago	641	1.10
9 = At some point in the lifetime LOG ASSN.....	4	0.01
13 = More than 12 months ago LOGICALLY ASSIGNED.....	5	0.01
91 = NEVER USED COC/HER/STM WITH A NEEDLE.....	57065	98.33
97 = REFUSED	7	0.01
98 = MISSING (BUT NOT REFUSED).....	132	0.23

NOTE: The following six variables pertain to specific needle and heroin use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown lifetime specific needle or heroin use were coded as a system missing.

(ANYNDLREC)

ANYNEDEVER

Len : 1 RC-EVER USED NEEDLE TO INJECT DRUGS

	Freq	Pct
. = Unknown (Otherwise).....	382	0.66
0 = No (ANYNDLREC=81,91).....	56755	97.80
1 = Yes (ANYNDLREC=1,2,3,8,9,13).....	897	1.55

(HERFLAG, HERNEEDL)

HERNEDEVER

Len : 1 RC-EVER USED A NEEDLE TO INJECT HEROIN

	Freq	Pct
. = Unknown (Otherwise).....	18	0.03
0 = No (HERNEEDL=2,91 or (HERNEEDL^=1,3 & HERFLAG=0)).....	57498	99.08
1 = Yes (HERNEEDL=1,3).....	518	0.89

(COCKFLAG, COCNEEIDL)

COCNEDEVER

Len : 1 RC-EVER USED A NEEDLE TO INJECT COCAINE

	Freq	Pct
. = Unknown (Otherwise).....	65	0.11
0 = No (COCNEEIDL=2,91 or (COCNEEIDL^=1,3 & COCFLAG=0)).....	57567	99.20
1 = Yes (COCNEEIDL=1,3).....	402	0.69

RECODED SPECIAL DRUGS

<i>(METHAMFLAG, METHNEEDL)</i>		
<u>MTHNEDEVER</u>	Len : 1	RC-EVER USED NEEDLE TO INJECT METHAMPHETAMINE
. = Unknown (Otherwise).....		
0 = No (METHNEEDL=2,91 or (METHNEEDL=1,3 & METHAMFLAG=0)).....		
1 = Yes (METHNEEDL=1,3).....		
	Freq	Pct
	38	0.07
	57490	99.06
	506	0.87
<i>(HERFLAG, HERSMOKE)</i>		
<u>HERSMOEVER</u>	Len : 1	RC-EVER SMOKED HEROIN
. = Unknown (Otherwise).....		
0 = No (HERSMOKE=2,91 or HERFLAG=0)		
1 = Yes (HERSMOKE=1,3)		
	Freq	Pct
	18	0.03
	57460	99.01
	556	0.96
<i>(HERFLAG, HERSNIFF)</i>		
<u>HERSNIEVER</u>	Len : 1	RC-EVER SNIFFED HEROIN
. = Unknown (Otherwise).....		
0 = No (HERSNIFF =2,91 or HERFLAG=0)		
1 = Yes (HERSNIFF=1,3)		
	Freq	Pct
	19	0.03
	57240	98.63
	775	1.34
<i>(IRNPCOLDREC)</i>		
<u>NPCOLDFLAG</u>	Len : 1	RC-NONPRESCRIPTION COUGH OR COLD MEDS - EVER USED
0 = Never used (IRNPCOLDREC = 9).....		
1 = Ever used (IRNPCOLDREC = 1-3).....		
	Freq	Pct
	55916	96.35
	2118	3.65
<i>(IRNPCOLDREC)</i>		
<u>NPCOLDYR</u>	Len : 1	RC-NONPRESCRIPTION COUGH OR COLD MEDS - PAST YEAR USE
0 = Did not use in the past year (IRNPCOLDREC = 3,9).....		
1 = Used within the past year (IRNPCOLDREC = 1,2).....		
	Freq	Pct
	57647	99.33
	387	0.67
<i>(IRNPCOLDREC)</i>		
<u>NPOLDMON</u>	Len : 1	RC-NONPRESCRIPTION COUGH OR COLD MEDS - PAST MONTH USE
0 = Did not use in the past month (IRNPCOLDREC= 2-3,9)		
1 = Used within the past month (IRNPCOLDREC = 1).....		
	Freq	Pct
	57923	99.81
	111	0.19
<i>(IRGHBREC)</i>		
<u>GHBFLAG</u>	Len : 1	RC-GHB - EVER USED
0 = Never used (IRGHBREC = 9)		
1 = Ever used (IRGHBREC = 1-3)		
	Freq	Pct
	57759	99.53
	275	0.47
<i>(IRGHBREC)</i>		
<u>GHBYR</u>	Len : 1	RC-GHB - PAST YEAR USE
0 = Did not use in the past year (IRGHBREC = 3,9)		
1 = Used within the past year (IRGHBREC = 1,2)		
	Freq	Pct
	57992	99.93
	42	0.07
<i>(IRGHBREC)</i>		
<u>GHBMON</u>	Len : 1	RC-GHB - PAST MONTH USE
0 = Did not use in the past month (IRGHBREC= 2-3,9).....		
1 = Used within the past month (IRGHBREC = 1).....		
	Freq	Pct
	58017	99.97
	17	0.03

RISK/AVAILABILITY

RISK/AVAILABILITY

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

NOTE: The variables in this section are considered to be comparable between 2015 and later years but are not comparable with variables in the 2014 NSDUH or prior years

We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.

Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.

If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.

How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?

(RK01A)

RSKCIGPKD¹

Len : 2 RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY

	Freq	Pct
1 = No risk	2620	4.51
2 = Slight risk.....	3615	6.23
3 = Moderate risk.....	12299	21.19
4 = Great risk	38763	66.79
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	335	0.58
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	363	0.63

How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?

(RK01B)

RSKMRJMON¹

Len : 2 RISK SMOKING MARIJUANA ONCE A MONTH

	Freq	Pct
1 = No risk	17175	29.59
2 = Slight risk.....	18932	32.62
3 = Moderate risk.....	11140	19.20
4 = Great risk	9826	16.93
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	543	0.94
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	373	0.64

How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?

(RK01C)

RSKMRJWK¹

Len : 2 RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK

	Freq	Pct
1 = No risk	13551	23.35
2 = Slight risk.....	17092	29.45
3 = Moderate risk.....	13289	22.90
4 = Great risk	13156	22.67
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	526	0.91
97 = REFUSED	39	0.07
98 = BLANK (NO ANSWER)	377	0.65

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they try LSD once or twice?

<i>(RK01D)</i>	<u>RSKLSDTRY</u> ¹	Len : 2 RISK TRYING LSD ONCE OR TWICE	Freq	Pct
		1 = No risk	3699	6.37
		2 = Slight risk.....	11159	19.23
		3 = Moderate risk.....	12971	22.35
		4 = Great risk	28619	49.31
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW	1142	1.97
		97 = REFUSED	54	0.09
		98 = BLANK (NO ANSWER)	386	0.67

How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?

<i>(RK01E)</i>	<u>RSKLSDWK</u> ¹	Len : 2 RISK USING LSD ONCE OR TWICE A WEEK	Freq	Pct
		1 = No risk	1470	2.53
		2 = Slight risk.....	3883	6.69
		3 = Moderate risk.....	11627	20.03
		4 = Great risk	39467	68.01
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW	1133	1.95
		97 = REFUSED	60	0.10
		98 = BLANK (NO ANSWER)	390	0.67

How much do people risk harming themselves physically and in other ways when they try heroin once or twice?

<i>(RK01F)</i>	<u>RSKHERTRY</u> ¹	Len : 2 RISK TRYING HEROIN ONCE OR TWICE	Freq	Pct
		1 = No risk	1169	2.01
		2 = Slight risk.....	3343	5.76
		3 = Moderate risk.....	8518	14.68
		4 = Great risk	43910	75.66
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW	650	1.12
		97 = REFUSED	49	0.08
		98 = BLANK (NO ANSWER)	391	0.67

How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?

<i>(RK01G)</i>	<u>RSKHERWK</u> ¹	Len : 2 RISK USING HEROIN ONCE OR TWICE A WEEK	Freq	Pct
		1 = No risk	852	1.47
		2 = Slight risk.....	780	1.34
		3 = Moderate risk.....	3662	6.31
		4 = Great risk	51649	89.00
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW	642	1.11
		97 = REFUSED	50	0.09
		98 = BLANK (NO ANSWER)	395	0.68

How much do people risk harming themselves physically and in other ways when they use cocaine once a month?

<i>(RK01H)</i>	<u>RSKCOCMON</u> ¹	Len : 2 RISK USING COCAINE ONCE A MONTH	Freq	Pct
		1 = No risk	1556	2.68
		2 = Slight risk.....	6943	11.96
		3 = Moderate risk.....	13610	23.45
		4 = Great risk	34853	60.06
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW	625	1.08
		97 = REFUSED	46	0.08
		98 = BLANK (NO ANSWER)	397	0.68

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?

<i>(RK01)</i>	<u>RSKCOCWK</u> ¹	Len : 2 RISK USING COCAINE ONCE OR TWICE A WEEK	Freq	Pct
		1 = No risk	975	1.68
		2 = Slight risk.....	1691	2.91
		3 = Moderate risk.....	7496	12.92
		4 = Great risk	46838	80.71
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW	588	1.01
		97 = REFUSED	41	0.07
		98 = BLANK (NO ANSWER)	401	0.69

How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?

<i>(RK01J)</i>	<u>RSKBNGDLY</u> ¹	Len : 2 RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY	Freq	Pct
		1 = No risk	1127	1.94
		2 = Slight risk.....	3936	6.78
		3 = Moderate risk.....	13353	23.01
		4 = Great risk	38823	66.90
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW	342	0.59
		97 = REFUSED	44	0.08
		98 = BLANK (NO ANSWER)	405	0.70

How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

<i>(RK01K)</i>	<u>RSKBNGWK</u> ¹	Len : 2 RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK	Freq	Pct
		1 = No risk	1993	3.43
		2 = Slight risk.....	10111	17.42
		3 = Moderate risk.....	21262	36.64
		4 = Great risk	23846	41.09
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW	366	0.63
		97 = REFUSED	41	0.07
		98 = BLANK (NO ANSWER)	411	0.71

The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.

How difficult or easy would it be for you to get some marijuana, if you wanted some?

<i>(RK02A)</i>	<u>DIFGETMRJ</u> ¹	Len : 2 HOW DIFFICULT TO GET MARIJUANA	Freq	Pct
		1 = Probably impossible.....	7856	13.54
		2 = Very difficult	5596	9.64
		3 = Fairly difficult.....	6885	11.86
		4 = Fairly easy	15471	26.66
		5 = Very easy	20807	35.85
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW	839	1.45
		97 = REFUSED	136	0.23
		98 = BLANK (NO ANSWER)	440	0.76

RISK/AVAILABILITY

How difficult or easy would it be for you to get some LSD, if you wanted some?

<i>(RK02B)</i> <u>DIFGETLSD</u> ¹	Len : 2 HOW DIFFICULT TO GET LSD	Freq	Pct
1 = Probably impossible.....		21990	37.89
2 = Very difficult		14636	25.22
3 = Fairly difficult.....		11689	20.14
4 = Fairly easy		5724	9.86
5 = Very easy.....		1907	3.29
85 = BAD DATA Logically assigned		4	0.01
94 = DON'T KNOW		1494	2.57
97 = REFUSED		146	0.25
98 = BLANK (NO ANSWER)		444	0.77

How difficult or easy would it be for you to get some cocaine, if you wanted some?

<i>(RK02C)</i> <u>DIFGETCOC</u> ¹	Len : 2 HOW DIFFICULT TO GET COCAINE	Freq	Pct
1 = Probably impossible.....		21297	36.70
2 = Very difficult		14371	24.76
3 = Fairly difficult.....		10126	17.45
4 = Fairly easy		7335	12.64
5 = Very easy.....		3054	5.26
85 = BAD DATA Logically assigned		4	0.01
94 = DON'T KNOW		1275	2.20
97 = REFUSED		128	0.22
98 = BLANK (NO ANSWER)		444	0.77

How difficult or easy would it be for you to get some 'crack', if you wanted some?

<i>(RK02D)</i> <u>DIFGETCRK</u> ¹	Len : 2 HOW DIFFICULT TO GET "CRACK"	Freq	Pct
1 = Probably impossible.....		24453	42.14
2 = Very difficult		15330	26.42
3 = Fairly difficult.....		8688	14.97
4 = Fairly easy		5066	8.73
5 = Very easy.....		2574	4.44
85 = BAD DATA Logically assigned		4	0.01
94 = DON'T KNOW		1340	2.31
97 = REFUSED		132	0.23
98 = BLANK (NO ANSWER)		447	0.77

How difficult or easy would it be for you to get some heroin, if you wanted some?

<i>(RK02E)</i> <u>DIFGETHER</u> ¹	Len : 2 HOW DIFFICULT TO GET HEROIN	Freq	Pct
1 = Probably impossible.....		26037	44.87
2 = Very difficult		15131	26.07
3 = Fairly difficult.....		7934	13.67
4 = Fairly easy		4617	7.96
5 = Very easy.....		2390	4.12
85 = BAD DATA Logically assigned		4	0.01
94 = DON'T KNOW		1332	2.30
97 = REFUSED		135	0.23
98 = BLANK (NO ANSWER)		454	0.78

RISK/AVAILABILITY

In the past 30 days, has anyone approached you to sell you an illegal drug?

(RK03)
APPDRGMON¹ Len : 2 APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS

	Freq	Pct
1 = Yes.....	2659	4.58
2 = No.....	54848	94.51
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	33	0.06
97 = REFUSED	30	0.05
98 = BLANK (NO ANSWER)	460	0.79

How often do you get a real kick out of doing things that are a little dangerous?

(RK04A)
RSKYFQDGR¹ Len : 2 GET A REAL KICK OUT OF DOING DANGEROUS THINGS

	Freq	Pct
1 = Never	26950	46.44
2 = Seldom.....	18351	31.62
3 = Sometimes	10297	17.74
4 = Always.....	1572	2.71
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	300	0.52
97 = REFUSED	95	0.16
98 = BLANK (NO ANSWER)	465	0.80

How often do you like to test yourself by doing something a little risky?

(RK04B)
RSKYFQTES¹ Len : 2 LIKE TO TEST YOURSELF BY DOING RISKY THINGS

	Freq	Pct
1 = Never	27583	47.53
2 = Seldom.....	20508	35.34
3 = Sometimes	8235	14.19
4 = Always.....	997	1.72
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	156	0.27
97 = REFUSED	83	0.14
98 = BLANK (NO ANSWER)	468	0.81

How often do you wear a seatbelt when you ride in the front passenger seat of a car?

(RK04C)
RKFQPBLT¹ Len : 2 WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR

	Freq	Pct
1 = Never	1687	2.91
2 = Seldom.....	1408	2.43
3 = Sometimes	3946	6.80
4 = Always.....	50443	86.92
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	41	0.07
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	472	0.81

How often do you wear a seatbelt when you drive a car?

(RK04D)
RKFQDBLT¹ Len : 2 WEAR A SEATBELT WHEN YOU DRIVE A CAR

	Freq	Pct
1 = Never	1178	2.03
2 = Seldom.....	821	1.41
3 = Sometimes	2240	3.86
4 = Always.....	42900	73.92
5 = I don't drive.....	10332	17.80
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	48	0.08
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	476	0.82

RECODED RISK/AVAILABILITY

RECODED RISK/AVAILABILITY

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

<i>(RSKCIGPKD)</i> <u>GRSKCIGPKD</u>	Len : 1 RC-GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY	Freq 737 18534 38763	Pct 1.27 31.94 66.79
	. = Unknown (Otherwise).....		
	0 = Otherwise (RSKCIGPKD=1,2,3).....		
	1 = Great Risk (RSKCIGPKD=4).....		
<i>(RSKMRJMON)</i> <u>GRSKMRJMON</u>	Len : 1 RC-GREAT RISK: USE MARIJUANA ONCE A MONTH	Freq 961 47247 9826	Pct 1.66 81.41 16.93
	. = Unknown (Otherwise).....		
	0 = Otherwise (RSKMRJMON=1,2,3).....		
	1 = Great Risk (RSKMRJMON=4).....		
<i>(RSKMRJWK)</i> <u>GRSKMRJWK</u>	Len : 1 RC-GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK	Freq 946 43932 13156	Pct 1.63 75.70 22.67
	. = Unknown (Otherwise).....		
	0 = Otherwise (RSKMRJWK=1,2,3).....		
	1 = Great Risk (RSKMRJWK=4).....		
<i>(RSKCOCMON)</i> <u>GRSKCOCMON</u>	Len : 1 RC-GREAT RISK: USE COCAINE ONCE A MONTH	Freq 1072 22109 34853	Pct 1.85 38.10 60.06
	. = Unknown (Otherwise).....		
	0 = Otherwise (RSKCOCMON=1,2,3).....		
	1 = Great Risk (RSKCOCMON=4).....		
<i>(RSKCOCWK)</i> <u>GRSKCOCWK</u>	Len : 1 RC-GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK	Freq 1034 10162 46838	Pct 1.78 17.51 80.71
	. = Unknown (Otherwise).....		
	0 = Otherwise (RSKCOCWK=1,2,3).....		
	1 = Great Risk (RSKCOCWK=4).....		
<i>(RSKHERTRY)</i> <u>GRSKHERTRY</u>	Len : 1 RC-GREAT RISK: TRYING HEROIN ONCE OR TWICE	Freq 1094 13030 43910	Pct 1.89 22.45 75.66
	. = Unknown (Otherwise).....		
	0 = Otherwise (RSKHERTRY=1,2,3).....		
	1 = Great Risk (RSKHERTRY=4).....		
<i>(RSKHERWK)</i> <u>GRSKHERWK</u>	Len : 1 RC-GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK	Freq 1091 5294 51649	Pct 1.88 9.12 89.00
	. = Unknown (Otherwise).....		
	0 = Otherwise (RSKHERWK=1,2,3).....		
	1 = Great Risk (RSKHERWK=4).....		
<i>(RSKLSDTRY)</i> <u>GRSKLSDTRY</u>	Len : 1 RC-GREAT RISK: TRYING LSD ONCE OR TWICE	Freq 1586 27829 28619	Pct 2.73 47.95 49.31
	. = Unknown (Otherwise).....		
	0 = Otherwise (RSKLSDTRY=1,2,3).....		
	1 = Great Risk (RSKLSDTRY=4).....		

RECODED RISK/AVAILABILITY

<i>(RSKLSDWK)</i>	<i>Len : 1 RC-GREAT RISK: USE LSD 1-2 TIMES PER WEEK</i>	Freq	Pct
<i>GRSKLSDWK</i>	. = Unknown (Otherwise).....	1587	2.73
	0 = Otherwise (RSKLSDWK=1,2,3)	16980	29.26
	1 = Great Risk (RSKLSDWK=4).....	39467	68.01
 <i>(RSKBNGDLY)</i>	 <i>Len : 1 RC-GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY</i>	 Freq	 Pct
<i>GRSKBNGDLY</i>	. = Unknown (Otherwise).....	795	1.37
	0 = Otherwise (RSKBNGDLY=1,2,3)	18416	31.73
	1 = Great Risk (RSKBNGDLY=4).....	38823	66.90
 <i>(RSKBNGWK)</i>	 <i>Len : 1 RC-GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK</i>	 Freq	 Pct
<i>GRSKBNGWK</i>	. = Unknown (Otherwise).....	822	1.42
	0 = Otherwise (RSKBNGWK=1,2,3)	33366	57.49
	1 = Great Risk (RSKBNGWK=4).....	23846	41.09
 <i>(DIFGETMRJ)</i>	 <i>Len : 1 RC-MARIJUANA FAIRLY OR VERY EASY TO OBTAIN</i>	 Freq	 Pct
<i>DIFOBTMRJ</i>	. = Unknown (Otherwise).....	1419	2.45
	0 = Otherwise (DIFGETMRJ=1,2,3)	20337	35.04
	1 = Fairly or Very Easy (DIFGETMRJ=4,5)	36278	62.51
 <i>(DIFGETCOC)</i>	 <i>Len : 1 RC-COCAINE FAIRLY OR VERY EASY TO OBTAIN</i>	 Freq	 Pct
<i>DIFOBTCOC</i>	. = Unknown (Otherwise).....	1851	3.19
	0 = Otherwise (DIFGETCOC=1,2,3)	45794	78.91
	1 = Fairly or Very Easy (DIFGETCOC=4,5)	10389	17.90
 <i>(DIFGETCRK)</i>	 <i>Len : 1 RC-CRACK FAIRLY OR VERY EASY TO OBTAIN</i>	 Freq	 Pct
<i>DIFOBTCRK</i>	. = Unknown (Otherwise).....	1923	3.31
	0 = Otherwise (DIFGETCRK=1,2,3)	48471	83.52
	1 = Fairly or Very Easy (DIFGETCRK=4,5)	7640	13.16
 <i>(DIFGETHER)</i>	 <i>Len : 1 RC-HEROIN FAIRLY OR VERY EASY TO OBTAIN</i>	 Freq	 Pct
<i>DIFOBTHER</i>	. = Unknown (Otherwise).....	1925	3.32
	0 = Otherwise (DIFGETHER=1,2,3)	49102	84.61
	1 = Fairly or Very Easy (DIFGETHER=4,5)	7007	12.07
 <i>(DIFGETLSD)</i>	 <i>Len : 1 RC-LSD FAIRLY OR VERY EASY TO OBTAIN</i>	 Freq	 Pct
<i>DIFOBTLS</i>	. = Unknown (Otherwise).....	2088	3.60
	0 = Otherwise (DIFGETLSD=1,2,3)	48315	83.25
	1 = Fairly or Very Easy (DIFGETLSD=4,5)	7631	13.15
 <i>(APPDRGMON)</i>	 <i>Len : 1 RC-APPROACHED BY SOMEONE SELLING DRUGS</i>	 Freq	 Pct
<i>APPDRGMON2</i>	. = Unknown (Otherwise).....	527	0.91
	0 = No (APPDRGMON=2).....	54848	94.51
	1 = Yes (APPDRGMON=1,3)	2659	4.58

BLUNTS

BLUNTS

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

NOTE: When respondents previously reported never using marijuana but reported lifetime use of cigars with marijuana in them (i.e., "blunts"), a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTEVER was assigned a code of 11 when respondents reported using blunts but they did not report use in the past 30 days, and they previously had reported never using marijuana.

Sometimes people take some tobacco out of a cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a cigar with marijuana in it?

(BL01)

BLNTEVER¹ Len : 2 EVER SMOKED CIGAR WITH MARIJUANA IN IT

	Freq	Pct
1 = Yes.....	12580	21.68
2 = No.....	44560	76.78
4 = No LOGICALLY ASSIGNED	12	0.02
11 = Yes (see note)	283	0.49
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	65	0.11
97 = REFUSED	50	0.09
98 = BLANK (NO ANSWER)	481	0.83

How old were you the first time you smoked part or all of a cigar with marijuana in it?

(BL08)

BLNTAGE¹ Len : 3 AGE WHEN FIRST SMOKED CIGAR WITH MJ IN IT

	Freq	Pct
RANGE = 1 - 78	12750	21.97
981 = NEVER USED BLUNTS Logically assigned.....	12	0.02
985 = BAD DATA Logically assigned	11	0.02
991 = NEVER USED BLUNTS	44560	76.78
994 = DON'T KNOW	73	0.13
997 = REFUSED	79	0.14
998 = BLANK (NO ANSWER).....	549	0.95

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

(BL08A, BL08B, BL08C)

BLNTYFU¹ Len : 4 YEAR OF FIRST USE OF CIGAR WITH MJ IN IT - RECODE

	Freq	Pct
RANGE = 2019 - 2021	948	1.63
9981 = NEVER USED BLUNTS Logically assigned.....	12	0.02
9985 = BAD DATA Logically assigned	23	0.04
9989 = LEGITIMATE SKIP Logically assigned	57	0.10
9991 = NEVER USED BLUNTS	44560	76.78
9994 = DON'T KNOW	76	0.13
9997 = REFUSED	80	0.14
9998 = BLANK (NO ANSWER).....	560	0.96
9999 = LEGITIMATE SKIP.....	11718	20.19

BLUNTS

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

In what month in [YEAR FROM BL08a or BL08b] did you first smoke part or all of a cigar with marijuana in it?

(BL08C, BL08D)
BLNTMFU¹

Len : 2 MONTH OF FIRST USE OF CIGAR W/MJ IN IT - RECODE

	Freq	Pct
1 = January.....	83	0.14
2 = February.....	59	0.10
3 = March.....	71	0.12
4 = April	62	0.11
5 = May.....	60	0.10
6 = June.....	115	0.20
7 = July	109	0.19
8 = August	69	0.12
9 = September	66	0.11
10 = October	71	0.12
11 = November	65	0.11
12 = December.....	57	0.10
81 = NEVER USED BLUNTS Logically assigned.....	12	0.02
85 = BAD DATA Logically assigned	23	0.04
89 = LEGITIMATE SKIP Logically assigned.....	57	0.10
91 = NEVER USED BLUNTS	44560	76.78
94 = DON'T KNOW	133	0.23
97 = REFUSED	80	0.14
98 = BLANK (NO ANSWER)	564	0.97
99 = LEGITIMATE SKIP.....	11718	20.19

NOTE: When respondents previously reported using marijuana but reported less recent use of marijuana than they reported for blunts, a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTREC was assigned a code of 12 when respondents reported last using marijuana more than 12 months ago but reported using blunts more than 30 days ago but within the past 12 months.

How long has it been since you last smoked part or all of a cigar with marijuana in it?

(BL02)
BLNTREC¹

Len : 2 TIME SINCE LAST SMOKED CIGAR WITH MJ IN IT

	Freq	Pct
1 = Within the past 30 days.....	2648	4.56
2 = More than 30 days ago but within the past 12 mos	2260	3.89
3 = More than 12 months ago	7764	13.38
9 = Used at some point in lifetime LOG ASSN	60	0.10
12 = More than 30 dys ago but in pst 12 mos (see note).....	74	0.13
19 = More than 30 days ago LOGICALLY ASSIGNED.....	54	0.09
81 = NEVER USED BLUNTS Logically assigned.....	12	0.02
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED BLUNTS	44560	76.78
97 = REFUSED	50	0.09
98 = BLANK (NO ANSWER)	549	0.95

NOTE: BLRECFL2 has nonblank values when data on initiation of use from BLNTAGE, BLNTYFU, or BLNTMFU indicate more recent use of blunts than was reported in BLNTREC.

BLRECFL2¹

Len : 2 INCONSISTENCY BETW BLNTREC AND INCIDENCE DATA

	Freq	Pct
1 = Incidence data suggest more recent use	76	0.13
98 = BLANK (NO ANSWER)	57958	99.87

On how many of the past 30 days, that is, since [DATEFILL], did you smoke part or all of a cigar with marijuana in it?

(BL02A, BL03A, BL04A)
BLNT30DY¹

Len : 2 # DAYS USED CIGAR WITH MJ IN IT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	2625	4.52
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED BLUNTS	44572	76.80
93 = DID NOT USE BLUNTS IN THE PAST 30 DAYS	10152	17.49
94 = DON'T KNOW	10	0.02
97 = REFUSED	53	0.09
98 = BLANK (NO ANSWER)	620	1.07

BLUNTS

The answer to the last question and an earlier question disagree. Which is correct?

<i>(BL03)</i>	<u>BLNT30C1</u> ¹	Len : 2 BL02/MJ01 DISAGREE, WHICH IS CORRECT	Freq	Pct
		1 = I have never used marijuana or hashish.....	12	0.02
		2 = I smoked cigar w/mj in it during the past 30 days.....	19	0.03
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	5	0.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	320	0.55
		99 = LEGITIMATE SKIP.....	57676	99.38

The answer to the last question and an earlier question disagree. Which answer is correct?

<i>(BL04)</i>	<u>BLNT30C2</u> ¹	Len : 2 BL02 AND MJ RECENTY DISAGREE, WHICH IS CORRECT	Freq	Pct
		1 = I last used marijuana or hashish [MJREC FILL].....	58	0.10
		2 = I smoked cigar w/mj in it during the past 30 days.....	57	0.10
		89 = LEGITIMATE SKIP Logically assigned	12	0.02
		98 = BLANK (NO ANSWER)	525	0.90
		99 = LEGITIMATE SKIP.....	57382	98.88

Why did you report earlier that you had never used marijuana or hashish?

<i>(BL05)</i>	<u>RSNOMRJ</u> ¹	Len : 2 WHY REPORT EARLIER THAT NEVER USED MJ OR HASHISH	Freq	Pct
		1 = I didn't consider a "blunt" to be mj or hashish.....	3	0.01
		2 = I made mistake answering earlier question about mj.....	16	0.03
		89 = LEGITIMATE SKIP Logically assigned	5	0.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	321	0.55
		99 = LEGITIMATE SKIP.....	57688	99.40

Why did you report earlier that you did not use marijuana or hashish during the past 30 days?

<i>(BL06)</i>	<u>RSNMRJMO</u> ¹	Len : 2 WHY REPRT EARLIER NOT USE MJ OR HASH PAST 30 DAYS	Freq	Pct
		1 = I didn't consider a "blunt" to be mj or hashish.....	16	0.03
		2 = I made mistake answering earlier question about mj.....	34	0.06
		3 = Some other reason.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned	8	0.01
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	525	0.90
		99 = LEGITIMATE SKIP.....	57444	98.98

BLUNTS

NOTE: The variable BLNTNOMJ was assigned a code of 5 if respondents were not asked this question because they reported in the TOBACCO module that they smoked cigars in the past 30 days but reported in the BLUNTS module that they did not smoke cigars with marijuana in them in the past 30 days. It could be logically inferred that all of the cigars that these respondents smoked in the past 30 days did not have marijuana in them. BLNTNOMJ was assigned codes of 14 or 24 if respondents were not asked this question and they reported in the BLUNTS module that they smoked a cigar with marijuana in it in the past 30 days. A code of 14 was assigned if respondents reported in the TOBACCO module that they had smoked cigars but not in the past 30 days. A code of 24 was assigned if respondents reported in the TOBACCO module that they had never smoked part or all of a cigar.

Earlier, you reported that you had smoked part or all of a cigar during the past 30 days. During the past 30 days, did you smoke any cigars that did not have marijuana in them?

(BL07)

BLNTNOMJ¹ Len : 2 SMOKE CIGARS WITH NO MARIJUANA PAST 30 DAYS

	Freq	Pct
1 = Yes.....	260	0.45
2 = No.....	400	0.69
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	1396	2.41
14 = USED BLUNTS PST 30 DY/DIDNT USE CIGARS PST 30 DY	810	1.40
24 = USED BLUNTS PST 30 DY/NEVER USED CIGARS	1173	2.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED CIGARS/BLUNTS	36963	63.69
93 = DID NOT USE CIGARS/BLUNTS IN THE PAST 30 DAYS.....	16317	28.12
98 = BLANK (NO ANSWER)	714	1.23

NOTE: Past year marijuana users could answer MEDMJYR and MEDMJALL as "yes," regardless of whether they were living in a State in which marijuana was approved for medical use. For more information, please see the appendix titled "Medical Marijuana Variables".

Earlier, you reported using marijuana in the past year. Was any of your marijuana use in the past 12 months recommended by a doctor or other health care professional?

(MJMM01)

MEDMJYR¹ Len : 2 ANY MJ USE RECMDED BY DR IN PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	1663	2.87
2 = No.....	10610	18.28
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED MARIJUANA OR BLUNTS.....	32184	55.46
93 = DID NOT USE MJ OR BLUNTS PST 12 MOS.....	13057	22.50
94 = DON'T KNOW	12	0.02
97 = REFUSED	29	0.05
98 = BLANK (NO ANSWER)	476	0.82

Was all of your marijuana use in the past 12 months recommended by a doctor or other health care professional?

(MJMM02)

MEDMJALL¹ Len : 2 ALL MJ USE RECMDED BY DR IN PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	1044	1.80
2 = No.....	615	1.06
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED MARIJUANA OR BLUNTS.....	32184	55.46
93 = DID NOT USE MJ OR BLUNTS PST 12 MOS.....	13057	22.50
94 = DON'T KNOW	1	0.00
97 = REFUSED	30	0.05
98 = BLANK (NO ANSWER)	490	0.84
99 = LEGITIMATE SKIP.....	10610	18.28

BLUNTS

NOTE: Medical marijuana variable MEDMJPA2 replaces variable MEDMJST2 that was created for the 2013 through 2017 NSDUH. MEDMJPA2 is based on the date that a medical marijuana bill was signed into law or an initiative was approved by voters. MEDMJST2 was based on an interpretation of the date when a state's law took effect.

NOTE: MEDMJPA2 indicates whether respondents were living in a State in which a law allowing use of marijuana for medical reasons had been passed at the time of the interview. The entire sample was classified into one of the following two categories: MEDMJPA2 was coded as 1 if the respondent was in a State where a law or initiative allowing the use of marijuana for medical reasons had been passed on or before the interview date; MEDMJPA2 was coded as 2 if (a) the respondent was in a State in which a law or initiative allowing the use of marijuana for medical reasons had not been passed at any time during the survey year; or (b) the respondent was in a State where a law or initiative allowing the use of marijuana for medical reasons had been passed during the survey year but after the interview date.

<u>MEDMJPA2</u>	Len : 1 STATE MEDICAL MJ LAW PASSED AT TIME OF INTERVIEW	Freq	Pct
1 = In State where medical MJ law passed before intvw.....		42524	73.27
2 = Not In State where med MJ law existed at time of intw.....		15510	26.73

NICOTINE DEPENDENCE

NICOTINE DEPENDENCE

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Please think about how true each statement is of you.

After not smoking for a while, you need to smoke in order to feel less restless and irritable.

(DRCGE01) CIGIRTBL¹	Len : 2 NEED TO SMOKE TO FEEL LESS IRRITABLE	Freq	Pct
1 = Not at all true	1928	3.32	
2 = Somewhat true	1668	2.87	
3 = Moderately true.....	1342	2.31	
4 = Very true.....	1419	2.45	
5 = Extremely true	894	1.54	
85 = BAD DATA Logically assigned	2	0.00	
91 = NEVER USED CIGARETTES.....	33161	57.14	
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08	
94 = DON'T KNOW	17	0.03	
97 = REFUSED	15	0.03	
98 = BLANK (NO ANSWER)	129	0.22	

When you don't smoke for a few hours, you start to crave cigarettes.

(DRCGE02) CIGCRAVE¹	Len : 2 START TO CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS	Freq	Pct
1 = Not at all true	2023	3.49	
2 = Somewhat true	1580	2.72	
3 = Moderately true.....	1089	1.88	
4 = Very true.....	1490	2.57	
5 = Extremely true	1075	1.85	
85 = BAD DATA Logically assigned	2	0.00	
91 = NEVER USED CIGARETTES.....	33161	57.14	
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08	
94 = DON'T KNOW	10	0.02	
97 = REFUSED	12	0.02	
98 = BLANK (NO ANSWER)	133	0.23	

You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control.

(DRCGE03) CIGCRAGP¹	Len : 2 CRAVING OF CIGS LIKE STRONG FORCE CAN'T CONTROL	Freq	Pct
1 = Not at all true	2991	5.15	
2 = Somewhat true	1407	2.42	
3 = Moderately true.....	1092	1.88	
4 = Very true.....	1058	1.82	
5 = Extremely true	702	1.21	
85 = BAD DATA Logically assigned	2	0.00	
91 = NEVER USED CIGARETTES.....	33161	57.14	
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08	
94 = DON'T KNOW	12	0.02	
97 = REFUSED	13	0.02	
98 = BLANK (NO ANSWER)	137	0.24	

NICOTINE DEPENDENCE

You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time.

<i>(DRCGE04)</i> <u>CIGINCTL</u> ¹	Len : 2 FEEL A SENSE OF CONTROL OVER YOUR SMOKING	Freq	Pct
1 = Not at all true		2034	3.50
2 = Somewhat true		2002	3.45
3 = Moderately true		1201	2.07
4 = Very true		962	1.66
5 = Extremely true		1042	1.80
85 = BAD DATA Logically assigned		3	0.01
91 = NEVER USED CIGARETTES		33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS		17459	30.08
94 = DON'T KNOW		17	0.03
97 = REFUSED		13	0.02
98 = BLANK (NO ANSWER)		140	0.24

You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them.

<i>(DRCGE05)</i> <u>CIGAVOID</u> ¹	Len : 2 TEND TO AVOID PLACES THAT DON'T ALLOW SMOKING	Freq	Pct
1 = Not at all true		4815	8.30
2 = Somewhat true		1053	1.81
3 = Moderately true		696	1.20
4 = Very true		409	0.70
5 = Extremely true		267	0.46
85 = BAD DATA Logically assigned		3	0.01
91 = NEVER USED CIGARETTES		33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS		17459	30.08
94 = DON'T KNOW		17	0.03
97 = REFUSED		11	0.02
98 = BLANK (NO ANSWER)		143	0.25

Do you have any friends who do not smoke cigarettes?

<i>(DRCGE06A)</i> <u>CIGFNSMK</u> ¹	Len : 2 HAVE FRIENDS WHO DO NOT SMOKE CIGARETTES	Freq	Pct
1 = Yes		6661	11.48
2 = No		588	1.01
85 = BAD DATA Logically assigned		3	0.01
91 = NEVER USED CIGARETTES		33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS		17459	30.08
94 = DON'T KNOW		11	0.02
97 = REFUSED		8	0.01
98 = BLANK (NO ANSWER)		143	0.25

Think about your use of cigarettes during the past 30 days as you answer these next questions.

There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke.

<i>(DRCGE06B)</i> <u>CIGFNLKE</u> ¹	Len : 2 CHOOSE NOT TO BE AROUND FRIENDS WHO DON'T SMOKE	Freq	Pct
1 = Not at all true		5160	8.89
2 = Somewhat true		730	1.26
3 = Moderately true		393	0.68
4 = Very true		225	0.39
5 = Extremely true		142	0.24
85 = BAD DATA Logically assigned		3	0.01
91 = NEVER USED CIGARETTES		33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS		17459	30.08
94 = DON'T KNOW		3	0.01
97 = REFUSED		13	0.02
98 = BLANK (NO ANSWER)		157	0.27
99 = LEGITIMATE SKIP		588	1.01

NICOTINE DEPENDENCE

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke.

(DRCGE07)
CIGPLANE¹

Len : 2 RATHER NOT TRAVEL BY AIRPLANE B/C NO SMOKING

	Freq	Pct
1 = Not at all true	5717	9.85
2 = Somewhat true	661	1.14
3 = Moderately true.....	356	0.61
4 = Very true.....	266	0.46
5 = Extremely true	231	0.40
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED CIGARETTES.....	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08
94 = DON'T KNOW	18	0.03
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	150	0.26

You sometimes worry that you will run out of cigarettes.

(DRCGE08)
CIGRNOUT¹

Len : 2 SOMETIMES WORRY THAT YOU WILL RUN OUT OF CIGS

	Freq	Pct
1 = Not at all true	3771	6.50
2 = Somewhat true	1623	2.80
3 = Moderately true.....	777	1.34
4 = Very true.....	660	1.14
5 = Extremely true	413	0.71
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED CIGARETTES.....	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08
94 = DON'T KNOW	8	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	151	0.26

You smoke cigarettes fairly regularly throughout the day.

(DRCGE09)
CIGREGDY¹

Len : 2 SMOKE CIGS FAIRLY REGULARLY THROUGHOUT THE DAY

	Freq	Pct
1 = Not at all true	2298	3.96
2 = Somewhat true	1315	2.27
3 = Moderately true.....	992	1.71
4 = Very true.....	1472	2.54
5 = Extremely true	1165	2.01
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED CIGARETTES.....	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08
94 = DON'T KNOW	7	0.01
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	152	0.26

You smoke about the same amount on weekends as on weekdays.

(DRCGE10)
CIGREGWK¹

Len : 2 SMOKE SAME AMOUNT ON WEEKENDS AS ON WEEKDAYS

	Freq	Pct
1 = Not at all true	2003	3.45
2 = Somewhat true	1248	2.15
3 = Moderately true.....	1055	1.82
4 = Very true.....	1732	2.98
5 = Extremely true	1196	2.06
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED CIGARETTES.....	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08
94 = DON'T KNOW	12	0.02
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	153	0.26

NICOTINE DEPENDENCE

You smoke just about the same number of cigarettes from day to day.

(DRCGE11)
CIGREGNM¹ Len : 2 SMOKE SAME NUMBER OF CIGS FROM DAY TO DAY

	Freq	Pct
1 = Not at all true	1837	3.17
2 = Somewhat true	1252	2.16
3 = Moderately true	1104	1.90
4 = Very true	1854	3.19
5 = Extremely true	1184	2.04
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED CIGARETTES	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17459	30.08
94 = DON'T KNOW	15	0.03
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	155	0.27

It's hard to say how many cigarettes you smoke per day because the number often changes.

(DRCGE12)
CIGNMCHG¹ Len : 2 NUMBER OF CIGS SMOKE PER DAY OFTEN CHANGES

	Freq	Pct
1 = Not at all true	2798	4.82
2 = Somewhat true	1822	3.14
3 = Moderately true	1014	1.75
4 = Very true	956	1.65
5 = Extremely true	642	1.11
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED CIGARETTES	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17459	30.08
94 = DON'T KNOW	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	157	0.27

It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later.

(DRCGE13)
CIGSVLHR¹ Len : 2 HAVE MANY CIGS IN HR, THEN NO CIGS TIL HRS LATER

	Freq	Pct
1 = Not at all true	3704	6.38
2 = Somewhat true	1457	2.51
3 = Moderately true	988	1.70
4 = Very true	695	1.20
5 = Extremely true	381	0.66
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED CIGARETTES	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17459	30.08
94 = DON'T KNOW	17	0.03
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	158	0.27

The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example.

(DRCGE14)
CIGINFLU¹ Len : 2 # OF CIGS SMOKE PER DAY INFLUENCED BY OTHER THINGS

	Freq	Pct
1 = Not at all true	1416	2.44
2 = Somewhat true	1548	2.67
3 = Moderately true	1468	2.53
4 = Very true	1633	2.81
5 = Extremely true	1163	2.00
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED CIGARETTES	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17459	30.08
94 = DON'T KNOW	8	0.01
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	162	0.28

NICOTINE DEPENDENCE

Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others.

(DRCGE15)
CIGNOINF¹

Len : 2 SMOKING NOT AFFECTED BY OTHER THINGS

	Freq	Pct
1 = Not at all true	2459	4.24
2 = Somewhat true	1820	3.14
3 = Moderately true.....	1370	2.36
4 = Very true.....	998	1.72
5 = Extremely true	567	0.98
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED CIGARETTES.....	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08
94 = DON'T KNOW	15	0.03
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	167	0.29

Since you started smoking, the amount you smoke has increased.

(DRCGE16)
CIGINCRS¹

Len : 2 AMOUNT OF SMOKING HAS INCR. SINCE STARTED SMOKING

	Freq	Pct
1 = Not at all true	2642	4.55
2 = Somewhat true	1465	2.52
3 = Moderately true.....	1076	1.85
4 = Very true.....	1156	1.99
5 = Extremely true	880	1.52
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED CIGARETTES.....	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08
94 = DON'T KNOW	11	0.02
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	169	0.29

Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied.

(DRCGE17)
CIGSATIS¹

Len : 2 NEED TO SMOKE A LOT MORE TO BE SATISFIED

	Freq	Pct
1 = Not at all true	3739	6.44
2 = Somewhat true	1382	2.38
3 = Moderately true.....	934	1.61
4 = Very true.....	663	1.14
5 = Extremely true	495	0.85
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED CIGARETTES.....	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08
94 = DON'T KNOW	12	0.02
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	173	0.30

Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything.

(DRCGE18)
CIGLOTMR¹

Len : 2 SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING

	Freq	Pct
1 = Not at all true	3889	6.70
2 = Somewhat true	1429	2.46
3 = Moderately true.....	908	1.56
4 = Very true.....	563	0.97
5 = Extremely true	414	0.71
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED CIGARETTES.....	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08
94 = DON'T KNOW	18	0.03
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	176	0.30

NICOTINE DEPENDENCE

How soon after you wake up do you have your first cigarette?

On the days that you smoke, how soon after you wake up do you have your first cigarette?

(DRCGE19A, DRCGE19B)

CIGWAKE¹ Len : 2 HOW SOON AFTER WAKING DO YOU HAVE YOUR FIRST CIG

	Freq	Pct
1 = Within the first 5 minutes after you wake up	1437	2.48
2 = Between 6 and 30 minutes after you wake up	2082	3.59
3 = Between 31 and 60 minutes after you wake up	1166	2.01
4 = More than 60 minutes after you wake up	2410	4.15
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED CIGARETTES.....	33161	57.14
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17459	30.08
94 = DON'T KNOW	73	0.13
97 = REFUSED	61	0.11
98 = BLANK (NO ANSWER)	182	0.31

NOTE: The following dependence variables were defined based on the dependence criteria according to the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND) for respondents who smoked cigarettes in the past month (i.e., CIGMON=1). The NDSS criteria for dependence was based on 17 questions pertaining to five aspects of dependence. Based on the NDSS, a respondent was defined as having nicotine dependence, NDSSDEPND=1, if the sum of the valid responses (based on actual reporting) was greater than or equal to 46.75. The FTND measure is defined by assessing how soon after waking a respondent had their first cigarette (CIGWAKE). Based on the FTND scale, a respondent was defined as having nicotine dependence, FTNDDEPND=1, if the first cigarette was smoked within 30 minutes of waking up on the days they smoked (CIGWAKE=1 or 2) and the respondent smoked cigarettes in the past month (CIGMON=1). Based on the NDSS and the FTND, a respondent who smoked cigarettes in the past month was defined as having nicotine dependence, PMNICDEP=1, if they met either the NDSS or the FTND criteria for dependence. Specific details are provided in the Nicotine Dependence and Substance Use Disorder appendix.

(CIGAVOID, CIGCRAGP, CIGCRAVE, CIGINCRS, CIGINCTL, CIGINFLU, CIGIRTBL, CIGLOTMR, CIGMON, CIGNMCHG, CIGNOINF, CIGPLANE, CIGREGDY, CIGREGNM, CIGREGWK, CIGRNOUT, CIGSATIS, CIGSVLHR)

NDSSDEPND¹ Len : 2 NICOTINE DEPENDENCE BASED ON NDSS SCORE

	Freq	Pct
. = Unknown (Otherwise).....	202	0.35
0 = No	4314	7.43
1 = Yes.....	2893	4.99
9 = DID NOT USE CIGARETTES IN THE PAST MONTH.....	50625	87.23

(CIGMON, CIGWAKE)

FTNDDEPND¹ Len : 2 NICOTINE DEPENDENCE BASED ON FTND SCALE

	Freq	Pct
. = Unknown (Otherwise).....	314	0.54
0 = No	3576	6.16
1 = Yes.....	3519	6.06
9 = DID NOT USE CIGARETTES IN THE PAST MONTH.....	50625	87.23

(FTNDDEP, NDSSDEP)

PMNICDEP¹ Len : 2 NICOTINE DEPENDENCE IN PAST MONTH

	Freq	Pct
. = Unknown (Otherwise).....	315	0.54
0 = No	2903	5.00
1 = Yes.....	4191	7.22
9 = DID NOT USE CIGARETTES IN THE PAST MONTH.....	50625	87.23

IMPUTED NICOTINE DEPENDENCE

IMPUTED NICOTINE DEPENDENCE

NOTE: The following variable, IRPMNICDEP, is the imputation-revised version of the nicotine dependence variable (PMNICDEP) derived from the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND). Based on the NDSS and the FTND, a respondent who smoked cigarettes in the past month was defined as having nicotine dependence if they met either the NDSS or the FTND criteria for dependence. Specific details are provided in the Nicotine Dependence and Substance Use Disorder appendix.

(PMNICDEP)

<u>IRPMNICDEP</u>	Len : 2 NICOTINE DEPENDENCE IN PAST MONTH - IMPUTATION REVISED	Freq	Pct
0 = No.....		53660	92.46
1 = Yes.....		4374	7.54

(CIGREC, IRPMNICDEP)

<u>IPMNICDEP</u>	Len : 2 NICOTINE DEPENDENCE IN PAST MONTH - IMPUTATION INDICATOR	Freq	Pct
1 = Questionnaire data		57586	99.23
2 = Logically assigned data.....		128	0.22
3 = Statistically imputed data.....		320	0.55

SUBSTANCE USE DISORDER

SUBSTANCE USE DISORDER

Think about your use of alcohol during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time drinking alcohol, feeling its effects, or getting over the effects of drinking?

(DPALFEEL)

UDALTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF ALCOHOL PST 12MOS

	Freq	Pct
1 = Yes.....	3676	6.33
2 = No.....	25015	43.10
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	35	0.06
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	502	0.87

During the past 12 months, did you spend a great deal of your time getting or trying to get alcohol?

(DPALGET)

UDALTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING ALC IN PST 12 MOS

	Freq	Pct
1 = Yes.....	162	0.28
2 = No.....	24885	42.88
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	5	0.01
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	506	0.87
99 = LEGITIMATE SKIP.....	3676	6.33

During the past 12 months, were there many times when you ended up drinking alcohol in larger amounts or for a longer time than you meant to?

(DPALLRGR)

UDALLRGAMTS Len : 2 DRANK ALC LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12MOS

	Freq	Pct
1 = Yes.....	4967	8.56
2 = No.....	23737	40.90
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	18	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	508	0.88

During the past 12 months, were there times when you wanted to drink alcohol so badly that you couldn't think of anything else?

(DPALBDLY)

UDALWANTBAD Len : 2 WANTED TO USE ALCOHOL SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	1173	2.02
2 = No.....	27539	47.45
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	7	0.01
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	509	0.88

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you had a strong urge to drink alcohol?

(DPALURGE)

UDALSTRURGE Len : 2 STRONG URGE TO DRINK ALCOHOL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	5543	9.55
2 = No.....	21998	37.91
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	6	0.01
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	514	0.89
99 = LEGITIMATE SKIP.....	1173	2.02

Do you need to drink a lot more alcohol than you used to in order to get the feeling you want?

(DPALMORE)

UDALNEEDMOR Len : 2 NEEDED A LOT MORE ALCOHOL TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	2055	3.54
2 = No.....	26636	45.90
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	28	0.05
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	512	0.88

Does drinking the same amount of alcohol have much less effect on you than it used to?

(DPALLESS)

UDALLESSEFF Len : 2 SAME AMT ALCOHOL HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	2325	4.01
2 = No.....	24227	41.75
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	101	0.17
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	522	0.90
99 = LEGITIMATE SKIP.....	2055	3.54

During the past 12 months, did you try to cut down or try to stop drinking alcohol?

(DPALSTOP)

UDALTRYSTOP Len : 2 TRY TO CUT DOWN/STOP ALCOHOL USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	7864	13.55
2 = No.....	20764	35.78
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	55	0.09
97 = REFUSED	49	0.08
98 = BLANK (NO ANSWER)	520	0.90

SUBSTANCE USE DISORDER

Some people who drink alcohol try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop drinking alcohol?

(DPALCANT)

UDALNOTSTOP

Len : 2 UNABLE TO CUT/STOP ALC USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	1533	2.64
2 = No.....	6311	10.87
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	15	0.03
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER)	578	1.00
99 = LEGITIMATE SKIP.....	20764	35.78

In the past 12 months, did you often wish that you could cut down or stop drinking alcohol?

(DPALWISH)

UDALWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP ALCOHOL USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	617	1.06
2 = No.....	20160	34.74
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	48	0.08
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	524	0.90
99 = LEGITIMATE SKIP.....	7864	13.55

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by drinking alcohol?

(DPALPHYS)

UDALHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY ALC PST 12 MOS

	Freq	Pct
1 = Yes.....	866	1.49
2 = No.....	27797	47.90
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	36	0.06
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	529	0.91

Did you continue to drink alcohol even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPALPCNT)

UDALHLTHCTD

Len : 2 CONTD TO USE ALCOHOL DESPITE ALCOHOL CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	544	0.94
2 = No.....	321	0.55
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	1	0.00
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	565	0.97
99 = LEGITIMATE SKIP.....	27797	47.90

SUBSTANCE USE DISORDER

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by drinking alcohol?

*(DPALMNTL)
UDALMNTLPRB* Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY ALCOHOL PAST 12 MOS

	Freq	Pct
1 = Yes.....	1304	2.25
2 = No.....	26806	46.19
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	33	0.06
97 = REFUSED	30	0.05
98 = BLANK (NO ANSWER)	538	0.93
99 = LEGITIMATE SKIP.....	544	0.94

Did you continue to drink alcohol even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

*(DPALMCNT)
UDALMNTLCTD* Len : 2 CONTD ALCOHOL USE DESPITE ALC CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	839	1.45
2 = No.....	464	0.80
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	1	0.00
97 = REFUSED	30	0.05
98 = BLANK (NO ANSWER)	571	0.98
99 = LEGITIMATE SKIP.....	27350	47.13

A blackout is lack of memory. That is, you were awake, but you have no recall of the things you did or that were done to you.

During the past 12 months, did you repeatedly have blackouts while drinking or after drinking alcohol?

*(DPALBLCK)
UDALBLCKOUT* Len : 2 REPEATED BLACKOUTS WHILE OR AFTER DRINKING ALC PAST 12 MOS

	Freq	Pct
1 = Yes.....	907	1.56
2 = No.....	26378	45.45
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	19	0.03
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	543	0.94
99 = LEGITIMATE SKIP.....	1383	2.38

Did you continue to drink alcohol even though drinking gave you repeated blackouts?

*(DPALBCNT)
UDALBLCKCTD* Len : 2 CONTINUE DRINKING ALCOHOL EVEN AFTER BLACKOUTS

	Freq	Pct
1 = Yes.....	686	1.18
2 = No.....	220	0.38
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	563	0.97
99 = LEGITIMATE SKIP.....	27761	47.84

SUBSTANCE USE DISORDER

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your alcohol use?

(DPALACTV)
UDALSTOPACT Len : 2 LESS ACTIVITIES B/C OF ALCOHOL USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	942	1.62
2 = No.....	27722	47.77
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	18	0.03
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	547	0.94

Sometimes people who drink alcohol have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your alcohol use?

(DPALSERI)
UDALWORKPRB Len : 2 ALCOHOL CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	504	0.87
2 = No.....	28160	48.52
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	13	0.02
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	550	0.95

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your alcohol use?

(DPALARU)
UDALFMLYPRB Len : 2 ALCOHOL CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	1320	2.27
2 = No.....	27343	47.12
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	16	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	551	0.95

SUBSTANCE USE DISORDER

Did you continue to drink alcohol even though it often caused arguments or problems with family or friends?

(DPALACNT)

UDALFMLYCTD Len : 2 CONTD ALCOHOL USE DESPITE ALC CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	973	1.68
2 = No.....	345	0.59
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	22	0.04
98 = BLANK (NO ANSWER).....	567	0.98
99 = LEGITIMATE SKIP.....	27343	47.12

During the past 12 months, did you repeatedly get into situations where drinking alcohol increased your chances of getting physically hurt?

(DPALHURT)

UDALGETHURT Len : 2 ALCOHOL USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	862	1.49
2 = No.....	27792	47.89
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW.....	15	0.03
97 = REFUSED.....	24	0.04
98 = BLANK (NO ANSWER).....	559	0.96

People may experience withdrawal symptoms when they drink less or stop drinking alcohol. Withdrawal symptoms are stronger and last longer than a hangover.

During the past 12 months, did you have the following withdrawal symptoms after you drank less or stopped drinking alcohol for a while?

Sweating or feeling that your heart was beating fast

(DPALWD_1)

UDALWDSWEAT Len : 2 SWEATING/RAPID HEARTBEAT - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1038	1.79
2 = No.....	27538	47.45
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW.....	43	0.07
97 = REFUSED.....	41	0.07
98 = BLANK (NO ANSWER).....	592	1.02

Having your hands tremble

(DPALWD_2)

UDALWDTRMBL Len : 2 HANDS TREMBLE - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	857	1.48
2 = No.....	27729	47.78
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW.....	35	0.06
97 = REFUSED.....	35	0.06
98 = BLANK (NO ANSWER).....	596	1.03

SUBSTANCE USE DISORDER

Having trouble sleeping

(DPALWD_3)

UDALWDSLEEP Len : 2 TROUBLE SLEEPING - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1932	3.33
2 = No.....	26657	45.93
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW.....	31	0.05
97 = REFUSED.....	35	0.06
98 = BLANK (NO ANSWER)	597	1.03

Vomiting or having an upset stomach

(DPALWD_4)

UDALWDVOMIT Len : 2 VOMITING/UPSET STOMACH - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1469	2.53
2 = No.....	27121	46.73
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW.....	31	0.05
97 = REFUSED.....	35	0.06
98 = BLANK (NO ANSWER)	596	1.03

Seeing, hearing, or feeling things that weren't really there

(DPALWD_5)

UDALWDHALUC Len : 2 SEE/HEAR/FEEL THINGS - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	395	0.68
2 = No.....	28195	48.58
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW.....	29	0.05
97 = REFUSED.....	36	0.06
98 = BLANK (NO ANSWER)	597	1.03

Feeling like you couldn't sit still

(DPALWD_6)

UDALWDSITST Len : 2 COULD NOT SIT STILL - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	904	1.56
2 = No.....	27687	47.71
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW.....	30	0.05
97 = REFUSED.....	34	0.06
98 = BLANK (NO ANSWER)	597	1.03

SUBSTANCE USE DISORDER

Feeling anxious

(DPALWD_7)

UDALWDFLANX Len : 2 FEELING ANXIOUS - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1913	3.30
2 = No.....	26675	45.96
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	33	0.06
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	596	1.03

During the past 12 months, did you use alcohol or another drug to get over or avoid having alcohol withdrawal symptoms?

(DPALOVER)

UDALAVOIDWD Len : 2 USE ALC/DRG TO GET OVER/AVOID ALC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	635	1.09
2 = No.....	27984	48.22
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	10	0.02
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	602	1.04

Which of the following did you use to get over or avoid having alcohol withdrawal symptoms during the past 12 months?

Alcohol

(DPALUSE_1)

UDALAVWALCO Len : 2 USED ALCOHOL TO GET OVER/AVOID ALC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	443	0.76
2 = No.....	188	0.32
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	1	0.00
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	613	1.06
99 = LEGITIMATE SKIP.....	27984	48.22

Prescription sedatives, tranquilizers, sleeping pills, or downers

(DPALUSE_2)

UDALAVWSVTR Len : 2 USED SED/TRQ/SLP PILLS/DWNRS TO AVOID ALC WDRWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	132	0.23
2 = No.....	495	0.85
3 = Yes LOGICALLY ASSIGNED.....	4	0.01
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW	1	0.00
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	613	1.06
99 = LEGITIMATE SKIP.....	27984	48.22

SUBSTANCE USE DISORDER

Something else

(DPALUSE_3)

UDALAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD ALC WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	284	0.49
2 = No.....	345	0.59
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	12398	21.36
94 = DON'T KNOW.....	3	0.01
97 = REFUSED.....	23	0.04
98 = BLANK (NO ANSWER).....	613	1.06
99 = LEGITIMATE SKIP.....	27984	48.22

Think about your use of marijuana or hashish during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using marijuana or hashish, feeling its effects, or getting over the effects of marijuana or hashish?

(DPMJFEEL)

UDMJTIMEUSE

Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF MJ PST 12 MOS

	Freq	Pct
1 = Yes.....	3530	6.08
2 = No.....	5905	10.18
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	15491	26.69
94 = DON'T KNOW.....	18	0.03
97 = REFUSED.....	29	0.05
98 = BLANK (NO ANSWER).....	543	0.94

During the past 12 months, did you spend a great deal of your time getting or trying to get marijuana or hashish?

(DPMJGET)

UDMJTIMEGET

Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING MJ IN PST 12 MOS

	Freq	Pct
1 = Yes.....	104	0.18
2 = No.....	5812	10.01
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	15491	26.69
94 = DON'T KNOW.....	7	0.01
97 = REFUSED.....	24	0.04
98 = BLANK (NO ANSWER).....	551	0.95
99 = LEGITIMATE SKIP.....	3530	6.08

During the past 12 months, were there many times when you ended up using marijuana or hashish in larger amounts or for a longer time than you meant to?

(DPMJLRGR)

UDMJLRGAMTS

Len : 2 USED MJ LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	2010	3.46
2 = No.....	7431	12.80
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	15491	26.69
94 = DON'T KNOW.....	8	0.01
97 = REFUSED.....	24	0.04
98 = BLANK (NO ANSWER).....	552	0.95

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you wanted to use marijuana or hashish so badly that you couldn't think of anything else?

(DPMJBDLY)
UDMJWANTBAD Len : 2 WANTED TO USE MARIJUANA SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	1216	2.10
2 = No.....	8222	14.17
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	9	0.02
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	553	0.95

During the past 12 months, were there times when you had a strong urge to use marijuana or hashish?

(DPMJURGE)
UDMJSTRURGE Len : 2 STRONG URGE TO USE MARIJUANA IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	2595	4.47
2 = No.....	5629	9.70
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	9	0.02
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	556	0.96
99 = LEGITIMATE SKIP.....	1216	2.10

Do you need to use a lot more marijuana or hashish than you used to in order to get the feeling you want?

(DPMJMORE)
UDMJNEEDMOR Len : 2 NEEDED A LOT MORE MARIJUANA TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	1912	3.29
2 = No.....	7522	12.96
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	11	0.02
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	555	0.96

Does using the same amount of marijuana or hashish have much less effect on you than it used to?

(DPMJLESS)
UDMJLESSEFF Len : 2 SAME AMT MARIJUANA HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	815	1.40
2 = No.....	6697	11.54
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	19	0.03
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	558	0.96
99 = LEGITIMATE SKIP.....	1912	3.29

SUBSTANCE USE DISORDER

During the past 12 months, did you try to cut down or try to stop using marijuana or hashish?

(DPMJSTOP)
UDMJTRYSTOP Len : 2 TRY TO CUT DOWN/STOP MARIJUANA USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	2747	4.73
2 = No.....	6683	11.52
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	12	0.02
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	556	0.96

Some people who use marijuana or hashish try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using marijuana or hashish?

(DPMJCANT)
UDMJNOTSTOP Len : 2 UNABLE TO CUT/STOP MJ USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	846	1.46
2 = No.....	1901	3.28
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	569	0.98
99 = LEGITIMATE SKIP.....	6683	11.52

In the past 12 months, did you often wish that you could cut down or stop using marijuana or hashish?

(DPMJWISH)
UDMJWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP MJ USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	255	0.44
2 = No.....	6429	11.08
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	10	0.02
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	559	0.96
99 = LEGITIMATE SKIP.....	2747	4.73

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using marijuana or hashish?

(DPMJPHYS)
UDMJHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY MJ PST 12 MOS

	Freq	Pct
1 = Yes.....	324	0.56
2 = No.....	9106	15.69
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	13	0.02
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	556	0.96

SUBSTANCE USE DISORDER

Did you continue to use marijuana or hashish even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPMJPCNT)
UDMJHLTHCTD Len : 2 CONTD TO USE MARIJUANA DESPITE MJ CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	238	0.41
2 = No.....	85	0.15
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	1	0.00
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	570	0.98
99 = LEGITIMATE SKIP.....	9106	15.69

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using marijuana or hashish?

(DPMJMNTL)
UDMJMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY MJ PAST 12 MOS

	Freq	Pct
1 = Yes.....	396	0.68
2 = No.....	8789	15.14
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	18	0.03
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	561	0.97
99 = LEGITIMATE SKIP.....	238	0.41

Did you continue to use marijuana or hashish even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPMJMCNT)
UDMJMNTLCTD Len : 2 CONTD MARIJUANA USE DESPITE MJ CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	269	0.46
2 = No.....	127	0.22
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	580	1.00
99 = LEGITIMATE SKIP.....	9027	15.55

SUBSTANCE USE DISORDER

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of marijuana or hashish?

(DPMJACTV)
UDMJSTOPACT Len : 2 LESS ACTIVITIES B/C OF MARIJUANA USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	565	0.97
2 = No.....	8863	15.27
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	13	0.02
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	560	0.96

Sometimes people who use marijuana or hashish have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of marijuana or hashish?

(DPMJSERI)
UDMJWORKPRB Len : 2 MARIJUANA CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	356	0.61
2 = No.....	9075	15.64
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	9	0.02
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	560	0.96

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of marijuana or hashish?

(DPMJARGU)
UDMJFMLYPRB Len : 2 MARIJUANA CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	399	0.69
2 = No.....	9029	15.56
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	9	0.02
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	563	0.97

SUBSTANCE USE DISORDER

Did you continue to use marijuana or hashish even though it often caused arguments or problems with family or friends?

(DPMJACNT)
UDMJFMLYCTD Len : 2 CONTD MARIJUANA USE DESPITE MJ CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	338	0.58
2 = No.....	61	0.11
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	573	0.99
99 = LEGITIMATE SKIP.....	9029	15.56

During the past 12 months, did you repeatedly get into situations where using marijuana or hashish increased your chances of getting physically hurt?

(DPMJHURT)
UDMIGETHURT Len : 2 MARIJUANA USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	160	0.28
2 = No.....	9268	15.97
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	7	0.01
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	563	0.97

People may experience withdrawal symptoms when they use less or stop using marijuana or hashish.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using marijuana or hashish for a while?

Feeling irritable or angry

(DPMJWDI)
UDMJWDANGRY Len : 2 FEELING IRRITABLE OR ANGRY-MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1572	2.71
2 = No.....	7840	13.51
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	20	0.03
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	566	0.98

Feeling anxious or nervous

(DPMJWD2)
UDMJWDFLANX Len : 2 FEELING ANXIOUS/NERVOUS - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1798	3.10
2 = No.....	7615	13.12
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	18	0.03
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	566	0.98

SUBSTANCE USE DISORDER

Having trouble sleeping

(DPMJWD3)

UDMJWDSLEEP Len : 2 HAVING TROUBLE SLEEPING - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	2049	3.53
2 = No.....	7359	12.68
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	23	0.04
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	566	0.98

Losing your appetite or losing weight without trying to

(DPMJWD4)

UDMJWDAPPET Len : 2 LOSING APPETITE OR WEIGHT - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1258	2.17
2 = No.....	8151	14.05
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	22	0.04
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	566	0.98

Feeling like you couldn't sit still

(DPMJWD5)

UDMJWDSITST Len : 2 COULDN'T SIT STILL - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	826	1.42
2 = No.....	8592	14.81
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	15	0.03
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	566	0.98

Feeling depressed

(DPMJWD6)

UDMJWDDEPRS Len : 2 FEELING DEPRESSED - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1420	2.45
2 = No.....	7991	13.77
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	22	0.04
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	566	0.98

SUBSTANCE USE DISORDER

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using marijuana or hashish for a while?

Stomach ache

(DPMJWD7)

UDMJWDSTMCH Len : 2 STOMACH ACHE - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	549	0.95
2 = No.....	8862	15.27
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	17	0.03
97 = REFUSED	30	0.05
98 = BLANK (NO ANSWER)	567	0.98

Shaking or tremors

(DPMJWD8)

UDMJWDSHAKE Len : 2 SHAKING OR TREMORS - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	273	0.47
2 = No.....	9144	15.76
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	13	0.02
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	567	0.98

Sweating

(DPMJWD9)

UDMJWDSWEAT Len : 2 SWEATING - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	384	0.66
2 = No.....	9031	15.56
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	15	0.03
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	567	0.98

Fever

(DPMJWD10)

UDMJWDFEVER Len : 2 FEVER - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	119	0.21
2 = No.....	9296	16.02
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	15	0.03
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	567	0.98

SUBSTANCE USE DISORDER

Chills

(DPMJWD11)
UDMJWDCHILL Len : 2 CHILLS - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	237	0.41
2 = No.....	9180	15.82
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	13	0.02
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	567	0.98

Headache

(DPMJWD12)
UDMJWDHEDAC Len : 2 HEADACHE - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	799	1.38
2 = No.....	8617	14.85
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	14	0.02
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	567	0.98

During the past 12 months, did you use marijuana, hashish, another cannabis product, or another drug to get over or avoid having marijuana or hashish withdrawal symptoms?

(DPMJOVER)
UDMJAVOIDWD Len : 2 USE MJ/DRG TO GET OVER/AVOID MJ WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	523	0.90
2 = No.....	8902	15.34
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	8	0.01
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	568	0.98

Which of the following did you use to get over or avoid having marijuana or hashish withdrawal symptoms during the past 12 months?

Marijuana, hashish, or another cannabis product

(DPMJUSE_1)
UDMJAVWMARJ Len : 2 USED MARIJUANA TO GET OVER/AVOID MJ WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	457	0.79
2 = No.....	64	0.11
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	1	0.00
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	577	0.99
99 = LEGITIMATE SKIP.....	8902	15.34

SUBSTANCE USE DISORDER

Something else

(DPMJUSE_2)
UDMJAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD MJ WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	115	0.20
2 = No.....	404	0.70
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	27	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	15491	26.69
94 = DON'T KNOW	2	0.00
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	578	1.00
99 = LEGITIMATE SKIP.....	8902	15.34

Think about your use of cocaine, including the form of cocaine called ‘crack,’ during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using cocaine, feeling its effects, or getting over the effects of cocaine?

(DPCCFEEL)
UDCCTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF COCAINE PST 12MOS

	Freq	Pct
1 = Yes.....	104	0.18
2 = No.....	972	1.67
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	3	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	69	0.12

During the past 12 months, did you spend a great deal of your time getting or trying to get cocaine?

(DPCCGET)
UDCCTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING COCAINE PST 12 MOS

	Freq	Pct
1 = Yes.....	7	0.01
2 = No.....	966	1.66
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	70	0.12
99 = LEGITIMATE SKIP.....	104	0.18

During the past 12 months, were there many times when you ended up using cocaine in larger amounts or for a longer time than you meant to?

(DPCCLRGR)
UDCCLRGAMTS Len : 2 USED COC LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	194	0.33
2 = No.....	882	1.52
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	3	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	69	0.12

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you wanted to use cocaine so badly that you couldn't think of anything else?

(DPCCBDLY)
UDCCWANTBAD Len : 2 WANTED TO USE COCAINE SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	115	0.20
2 = No.....	961	1.66
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	3	0.01
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	69	0.12

During the past 12 months, were there times when you had a strong urge to use cocaine?

(DPCCURGE)
UDCCSTRURGE Len : 2 STRONG URGE TO USE COCAINE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	148	0.26
2 = No.....	814	1.40
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	70	0.12
99 = LEGITIMATE SKIP.....	115	0.20

Do you need to use a lot more cocaine than you used to in order to get the feeling you want?

(DPCCMORE)
UDCCNEEDMOR Len : 2 NEEDED A LOT MORE COCAINE TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	109	0.19
2 = No.....	967	1.67
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	3	0.01
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	69	0.12

Does using the same amount of cocaine have much less effect on you than it used to?

(DPCCLESS)
UDCCLESSEFF Len : 2 SAME AMT COCAINE HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	56	0.10
2 = No.....	908	1.56
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	4	0.01
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	71	0.12
99 = LEGITIMATE SKIP.....	109	0.19

SUBSTANCE USE DISORDER

During the past 12 months, did you try to cut down or try to stop using cocaine?

(DPCCSTOP)
UDCCTRYSTOP Len : 2 TRY TO CUT DOWN/STOP COCAINE USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	324	0.56
2 = No.....	748	1.29
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	4	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	70	0.12

Some people who use cocaine try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using cocaine?

(DPCCCANT)
UDCCNOTSTOP Len : 2 UNABLE TO CUT/STOP COCAINE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	101	0.17
2 = No.....	223	0.38
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	75	0.13
99 = LEGITIMATE SKIP.....	748	1.29

In the past 12 months, did you often wish that you could cut down or stop using cocaine?

(DPCCWISH)
UDCCWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP COCAINE USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	28	0.05
2 = No.....	720	1.24
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	3	0.01
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	71	0.12
99 = LEGITIMATE SKIP.....	324	0.56

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using cocaine?

(DPCCPHYS)
UDCCHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY COC PST 12 MOS

	Freq	Pct
1 = Yes.....	60	0.10
2 = No.....	1013	1.75
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	4	0.01
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	70	0.12

SUBSTANCE USE DISORDER

Did you continue to use cocaine even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPCCPCNT)
UDCCHLTHCTD Len : 2 CONTD TO USE COCAINE DESPITE COCAINE CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	37	0.06
2 = No.....	23	0.04
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	75	0.13
99 = LEGITIMATE SKIP.....	1013	1.75

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using cocaine?

(DPCCMNTL)
UDCCMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY COCAINE PAST 12 MOS

	Freq	Pct
1 = Yes.....	76	0.13
2 = No.....	959	1.65
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	5	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	71	0.12
99 = LEGITIMATE SKIP.....	37	0.06

Did you continue to use cocaine even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPCCMCNT)
UDCCMNTLCTD Len : 2 CONTD COCAINE USE DESPITE COC CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	43	0.07
2 = No.....	32	0.06
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	1	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	77	0.13
99 = LEGITIMATE SKIP.....	996	1.72

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of cocaine?

(DPCCACTV)
UDCCSTOPACT Len : 2 LESS ACTIVITIES B/C OF COCAINE USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	105	0.18
2 = No.....	969	1.67
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	3	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	71	0.12

SUBSTANCE USE DISORDER

Sometimes people who use cocaine have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of cocaine?

(DPCCSERI)

UDCCWORKPRB Len : 2 COCAINE CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	73	0.13
2 = No.....	999	1.72
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	5	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	71	0.12

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of cocaine?

(DPCCARGU)

UDCCFMLYPRB Len : 2 COCAINE CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	101	0.17
2 = No.....	971	1.67
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	5	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	71	0.12

Did you continue to use cocaine even though it often caused arguments or problems with family or friends?

(DPCCACNT)

UDCCFMLYCTD Len : 2 CONTD COCAINE USE DESPITE COC CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	76	0.13
2 = No.....	24	0.04
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	77	0.13
99 = LEGITIMATE SKIP.....	971	1.67

During the past 12 months, did you repeatedly get into situations where using cocaine increased your chances of getting physically hurt?

(DPCCHURT)

UDCCGETHURT Len : 2 COCAINE USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	68	0.12
2 = No.....	1003	1.73
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	6	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	71	0.12

SUBSTANCE USE DISORDER

People may experience withdrawal symptoms when they use less or stop using cocaine.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using cocaine for a while?

(DPCCBLUE)

UDCCWDFBLU Len : 2 FELT BLUE OR DOWN AFTER USING LESS OR STOPPING COCAINE

	Freq	Pct
1 = Yes.....	141	0.24
2 = No.....	932	1.61
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	4	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	71	0.12

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using cocaine for a while?

Feeling tired or exhausted

(DPCCWD_1)

UDCCWDTIRED Len : 2 FEELING TIRED/EXHAUSTED - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	121	0.21
2 = No.....	19	0.03
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	76	0.13
99 = LEGITIMATE SKIP.....	932	1.61

Having bad dreams

(DPCCWD_2)

UDCCWDDREAM Len : 2 HAVING BAD DREAMS - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	61	0.11
2 = No.....	79	0.14
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	76	0.13
99 = LEGITIMATE SKIP.....	932	1.61

Having trouble sleeping or sleeping more than you normally do

(DPCCWD_3)

UDCCWDSLEEP Len : 2 TROUBLE/MORE SLEEPING - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	100	0.17
2 = No.....	40	0.07
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5658	9.75
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	76	0.13
99 = LEGITIMATE SKIP.....	932	1.61

SUBSTANCE USE DISORDER

Feeling hungry more often

(DPCCWD_4)
UDCCWDHNGRY Len : 2 FEELING HUNGRY - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	60	0.10
2 = No.....	80	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	76	0.13
99 = LEGITIMATE SKIP.....	932	1.61

Feeling either very slowed down or like you couldn't sit still

(DPCCWD_5)
UDCCWDSITST Len : 2 SLOWED DOWN/RESTLESS - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	84	0.14
2 = No.....	56	0.10
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	76	0.13
99 = LEGITIMATE SKIP.....	932	1.61

During the past 12 months, did you use cocaine or another drug to get over or avoid having cocaine withdrawal symptoms?

(DPCCOVER)
UDCCAVOIDWD Len : 2 USE COC/OTH DRUG TO GET OVER/AVOID COC WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	71	0.12
2 = No.....	1002	1.73
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	4	0.01
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	71	0.12

Which of the following did you use to get over or avoid having cocaine withdrawal symptoms during the past 12 months?

Cocaine

(DPCCUSE_1)
UDCCAVWCOCN Len : 2 USED COCAINE TO GET OVER/AVOID COC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	44	0.08
2 = No.....	26	0.04
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	76	0.13
99 = LEGITIMATE SKIP.....	1002	1.73

SUBSTANCE USE DISORDER

Methamphetamine

(DPCCUSE_2)

UDCAVWMETH Len : 2 USED METH TO GET OVER/AVOID COC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	19	0.03
2 = No.....	51	0.09
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	76	0.13
99 = LEGITIMATE SKIP.....	1002	1.73

Prescription stimulants or uppers

(DPCCUSE_3)

UDCAVWSTIM Len : 2 USED STM TO GET OVER/AVOID COC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	18	0.03
2 = No.....	52	0.09
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	76	0.13
99 = LEGITIMATE SKIP.....	1002	1.73

Something else

(DPCCUSE_4)

UDCAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD COC WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	40	0.07
2 = No.....	30	0.05
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5658	9.75
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	76	0.13
99 = LEGITIMATE SKIP.....	1002	1.73

Think about your use of heroin during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using heroin, feeling its effects, or getting over the effects of heroin?

(DPHEFEEL)

UDHETIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF HEROIN PST 12 MOS

	Freq	Pct
1 = Yes.....	119	0.21
2 = No.....	93	0.16
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	36	0.06

SUBSTANCE USE DISORDER

During the past 12 months, did you spend a great deal of your time getting or trying to get heroin?

(DPHEGET)
UDHETIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING HEROIN PST 12 MOS

	Freq	Pct
1 = Yes.....	6	0.01
2 = No.....	87	0.15
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	36	0.06
99 = LEGITIMATE SKIP.....	119	0.21

During the past 12 months, were there many times when you ended up using heroin in larger amounts or for a longer time than you meant to?

(DPHELGR)
UDHELRGAMTS Len : 2 USED HER LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	125	0.22
2 = No.....	88	0.15
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	36	0.06

During the past 12 months, were there times when you wanted to use heroin so badly that you couldn't think of anything else?

(DPHEBDLY)
UDHEWANTBAD Len : 2 WANTED TO USE HEROIN SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	125	0.22
2 = No.....	88	0.15
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	36	0.06

During the past 12 months, were there times when you had a strong urge to use heroin?

(DPHEURGE)
UDHESTURGE Len : 2 STRONG URGE TO USE HEROIN IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	21	0.04
2 = No.....	68	0.12
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	36	0.06
99 = LEGITIMATE SKIP.....	125	0.22

Do you need to use a lot more heroin than you used to in order to get the feeling you want?

(DPHEMORE)
UDHENEEDMOR Len : 2 NEEDED A LOT MORE HEROIN TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	105	0.18
2 = No.....	108	0.19
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	36	0.06

SUBSTANCE USE DISORDER

Does using the same amount of heroin have much less effect on you than it used to?

<i>(DPHELESS)</i>	<i>UDHELESSEFF</i>	Len : 2 SAME AMT HEROIN HAS LESS EFFECT THAN IT USED TO
1 = Yes.....		Freq
2 = No.....		13
91 = NEVER USED HEROIN.....		95
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		56882
97 = REFUSED		901
98 = BLANK (NO ANSWER)		1
99 = LEGITIMATE SKIP.....		37
		Pct
		0.02
		0.16
		98.01
		1.55
		0.00
		0.06
		0.18

During the past 12 months, did you try to cut down or try to stop using heroin?

<i>(DPHESTOP)</i>	<i>UDHETRYSTOP</i>	Len : 2 TRY TO CUT DOWN/STOP HEROIN USE IN PAST 12 MOS
1 = Yes.....		Freq
2 = No.....		154
91 = NEVER USED HEROIN.....		58
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		56882
97 = REFUSED		901
98 = BLANK (NO ANSWER)		2
		Pct
		0.27
		0.10
		98.01
		1.55
		0.00
		0.06

Some people who use heroin try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using heroin?

<i>(DPHECANT)</i>	<i>UDHENOTSTOP</i>	Len : 2 UNABLE TO CUT/STOP HEROIN USE MORE THAN ONE TIME PAST 12 MOS
1 = Yes.....		Freq
2 = No.....		111
91 = NEVER USED HEROIN.....		43
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		56882
97 = REFUSED		901
98 = BLANK (NO ANSWER)		37
99 = LEGITIMATE SKIP.....		58
		Pct
		0.19
		0.07
		98.01
		1.55
		0.00
		0.06
		0.10

In the past 12 months, did you often wish that you could cut down or stop using heroin?

<i>(DPHEWISH)</i>	<i>UDHEWSHSTOP</i>	Len : 2 OFTEN WISH CUT DOWN OR STOP HEROIN USE PAST 12 MOS
1 = Yes.....		Freq
2 = No.....		9
91 = NEVER USED HEROIN.....		49
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		56882
97 = REFUSED		901
98 = BLANK (NO ANSWER)		2
99 = LEGITIMATE SKIP.....		37
		Pct
		0.02
		0.08
		98.01
		1.55
		0.00
		0.06
		0.27

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using heroin?

<i>(DPHEPHYS)</i>	<i>UDHEHLTHPRB</i>	Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY HEROIN PST 12MOS
1 = Yes.....		Freq
2 = No.....		82
91 = NEVER USED HEROIN.....		130
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....		56882
94 = DON'T KNOW		901
97 = REFUSED		1
98 = BLANK (NO ANSWER)		1
		Pct
		0.14
		0.22
		98.01
		1.55
		0.00
		0.00
		0.06

SUBSTANCE USE DISORDER

Did you continue to use heroin even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPHEPCNT)
UDHEHLTHCTD Len : 2 CONTD TO USE HEROIN DESPITE HEROIN CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	74	0.13
2 = No.....	8	0.01
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	38	0.07
99 = LEGITIMATE SKIP.....	130	0.22

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using heroin?

(DPHEMNTL)
UDHEMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY HEROIN PAST 12 MOS

	Freq	Pct
1 = Yes.....	40	0.07
2 = No.....	99	0.17
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06
99 = LEGITIMATE SKIP.....	74	0.13

Did you continue to use heroin even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPHEMCNT)
UDHEMNTLCTD Len : 2 CONTD HEROIN USE DESPITE HEROIN CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	26	0.04
2 = No.....	14	0.02
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06
99 = LEGITIMATE SKIP.....	173	0.30

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of heroin?

(DPHEACTV)
UDHESTOPACT Len : 2 LESS ACTIVITIES B/C OF HEROIN USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	124	0.21
2 = No.....	87	0.15
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

SUBSTANCE USE DISORDER

Sometimes people who use heroin have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of heroin?

(DPHESERI)

UDHEWORKPRB Len : 2 HEROIN CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	114	0.20
2 = No.....	99	0.17
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of heroin?

(DPHEARGU)

UDHEFMLYPRB Len : 2 HEROIN CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	118	0.20
2 = No.....	95	0.16
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

Did you continue to use heroin even though it often caused arguments or problems with family or friends?

(DPHEACNT)

UDHEFMLYCTD Len : 2 CONTD HEROIN DESPITE HEROIN CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	106	0.18
2 = No.....	12	0.02
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06
99 = LEGITIMATE SKIP.....	95	0.16

During the past 12 months, did you repeatedly get into situations where using heroin increased your chances of getting physically hurt?

(DPHEHURT)

UDHEGETHURT Len : 2 HEROIN INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	85	0.15
2 = No.....	128	0.22
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

SUBSTANCE USE DISORDER

People may experience withdrawal symptoms when they use less or stop using heroin.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using heroin for a while?

Feeling kind of blue or down

(DPHEWD_1)
UDHEWDFBLU Len : 2 FEELING BLUE/DOWN - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	138	0.24
2 = No.....	74	0.13
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

Vomiting or feeling nauseous

(DPHEWD_2)
UDHEWDVOMIT Len : 2 VOMITING/NAUSEOUS - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	123	0.21
2 = No.....	89	0.15
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

Having cramps or muscle aches

(DPHEWD_3)
UDHEWDCRAMP Len : 2 HAVING MUSCLE CRAMPS/ACHES-HER WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	142	0.24
2 = No.....	70	0.12
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

Having teary eyes or a runny nose

(DPHEWD_4)
UDHEWDRUNNY Len : 2 TEARY EYES/RUNNY NOSE - HER WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	144	0.25
2 = No.....	68	0.12
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin

(DPHEWD_5)
UDHEWDSWEAT Len : 2 SWEaty/LRG PUPILS/HAIR STNDING UP-HER W/DRWL SYM PST 12 MOS

	Freq	Pct
1 = Yes.....	140	0.24
2 = No.....	72	0.12
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

SUBSTANCE USE DISORDER

Having diarrhea

(DPHEWD_6)
UDHEWDDIARR Len : 2 HAVING DIARRHEA - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	127	0.22
2 = No.....	85	0.15
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

Yawning

(DPHEWD_7)
UDHEWDYAWNS Len : 2 YAWNING - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	138	0.24
2 = No.....	74	0.13
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

Having a fever

(DPHEWD_8)
UDHEWDFEVER Len : 2 HAVING FEVER - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	99	0.17
2 = No.....	112	0.19
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

Having trouble sleeping

(DPHEWD_9)
UDHEWDSLEEP Len : 2 HAVING TRBL SLEEPING - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	144	0.25
2 = No.....	68	0.12
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

During the past 12 months, did you use heroin or another drug to get over or avoid having heroin withdrawal symptoms?

(DPHEOVER)
UDHEAVOIDWD Len : 2 USE HEROIN TO GET OVER/AVOID HEROIN WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	119	0.21
2 = No.....	94	0.16
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	37	0.06

SUBSTANCE USE DISORDER

Which of the following did you use to get over or avoid having heroin withdrawal symptoms during the past 12 months?

Heroin

(DPHEUSE_1)
UDHEAVWHERN Len : 2 USED HEROIN TO GET OVER/AVOID HER WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	101	0.17
2 = No.....	16	0.03
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	37	0.06
99 = LEGITIMATE SKIP.....	94	0.16

Prescription pain relievers

(DPHEUSE_2)
UDHEAVWPNRL Len : 2 USED PN RLVR TO GET OVER/AVOID HER WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	62	0.11
2 = No.....	36	0.06
3 = Yes LOGICALLY ASSIGNED.....	19	0.03
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	37	0.06
99 = LEGITIMATE SKIP.....	94	0.16

Something else

(DPHEUSE_3)
UDHEAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD HER WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	72	0.12
2 = No.....	45	0.08
91 = NEVER USED HEROIN.....	56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	901	1.55
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	37	0.06
99 = LEGITIMATE SKIP.....	94	0.16

Think about your use of hallucinogens, such as LSD, 'acid,' PCP, 'Ecstasy' or 'Molly,' psilocybin or mushrooms, mescaline, or peyote, during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using hallucinogens, feeling their effects, or getting over the effects of hallucinogens?

(DPHAFEE1)
UDHATIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF HAL PST 12 MOS

	Freq	Pct
1 = Yes.....	87	0.15
2 = No.....	1863	3.21
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER)	277	0.48

SUBSTANCE USE DISORDER

During the past 12 months, did you spend a great deal of your time getting or trying to get hallucinogens?

(DPHAGET)

UDHATIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING HAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	15	0.03
2 = No.....	1849	3.19
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	277	0.48
99 = LEGITIMATE SKIP.....	87	0.15

During the past 12 months, were there many times when you ended up using hallucinogens in larger amounts or for a longer time than you meant to?

(DPHALRGR)

UDHALRGAMTS Len : 2 USED HAL LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	83	0.14
2 = No.....	1868	3.22
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	277	0.48

During the past 12 months, were there times when you wanted to use hallucinogens so badly that you couldn't think of anything else?

(DPHABDLY)

UDHAWANTBAD Len : 2 WANTED TO USE HALLUC SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	47	0.08
2 = No.....	1903	3.28
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	277	0.48

During the past 12 months, were there times when you had a strong urge to use hallucinogens?

(DPHAURGE)

UDHASTRURGE Len : 2 STRONG URGE TO USE HALLUC IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	173	0.30
2 = No.....	1731	2.98
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	277	0.48
99 = LEGITIMATE SKIP.....	47	0.08

Do you need to use a lot more hallucinogens than you used to in order to get the feeling you want?

(DPHAMORE)

UDHANEEDMOR Len : 2 NEEDED A LOT MORE HALLUC TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	49	0.08
2 = No.....	1899	3.27
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
94 = DON'T KNOW	2	0.00
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	277	0.48

SUBSTANCE USE DISORDER

Does using the same amount of hallucinogens have much less effect on you than it used to?

(DPHALESS)
UDHALESSEFF

Len : 2 SAME AMT HALLUC HAS LESS EFFECT THAN IT USED TO

1 = Yes.....	
2 = No.....	
91 = NEVER USED HALLUCINOGENS	
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
59	0.10
1838	3.17
48915	84.29
6886	11.87
5	0.01
5	0.01
277	0.48
49	0.08

During the past 12 months, did you try to cut down or try to stop using hallucinogens?

(DPHASTOP)
UDHATRYSTOP

Len : 2 TRY TO CUT DOWN/STOP HALLUC USE IN PAST 12 MOS

1 = Yes.....	
2 = No.....	
91 = NEVER USED HALLUCINOGENS	
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	

Freq	Pct
196	0.34
1751	3.02
48915	84.29
6886	11.87
4	0.01
5	0.01
277	0.48

Some people who use hallucinogens try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using hallucinogens?

(DPHACANT)
UDHANOTSTOP

Len : 2 UNABLE TO CUT/STOP HALLUC MORE THAN ONE TIME PAST 12 MOS

1 = Yes.....	
2 = No.....	
91 = NEVER USED HALLUCINOGENS	
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
30	0.05
166	0.29
48915	84.29
6886	11.87
5	0.01
281	0.48
1751	3.02

In the past 12 months, did you often wish that you could cut down or stop using hallucinogens?

(DPHAWISH)
UDHAWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP HALLUC PAST 12 MOS

1 = Yes.....	
2 = No.....	
91 = NEVER USED HALLUCINOGENS	
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
12	0.02
1740	3.00
48915	84.29
6886	11.87
3	0.01
5	0.01
277	0.48
196	0.34

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using hallucinogens?

(DPAPHYS)
UDHAHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY HAL PST 12 MOS

1 = Yes.....	
2 = No.....	
91 = NEVER USED HALLUCINOGENS	
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	

Freq	Pct
30	0.05
1919	3.31
48915	84.29
6886	11.87
3	0.01
4	0.01
277	0.48

SUBSTANCE USE DISORDER

Did you continue to use hallucinogens even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPHAPCNT)

UDHAHLTHCTD Len : 2 CONTD TO USE HALLUC DESPITE HALLUC CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	12	0.02
2 = No.....	18	0.03
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	280	0.48
99 = LEGITIMATE SKIP.....	1919	3.31

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using hallucinogens?

(DPHAMNTL)

UDHAMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY HALLUC PAST 12 MOS

	Freq	Pct
1 = Yes.....	53	0.09
2 = No.....	1884	3.25
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	278	0.48
99 = LEGITIMATE SKIP.....	12	0.02

Did you continue to use hallucinogens even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPHAMCNT)

UDHAMNTLCTD Len : 2 CONTD HALLUC USE DESPITE HAL CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	12	0.02
2 = No.....	41	0.07
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	280	0.48
99 = LEGITIMATE SKIP.....	1896	3.27

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of hallucinogens?

(DPHAACTV)

UDHASTOPACT Len : 2 LESS ACTIVITIES B/C OF HALLUC USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	38	0.07
2 = No.....	1910	3.29
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	279	0.48

SUBSTANCE USE DISORDER

Sometimes people who use hallucinogens have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of hallucinogens?

(DPHASERI)

UDHAWORKPRB Len : 2 HALLUC CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	32	0.06
2 = No.....	1917	3.30
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	279	0.48

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of hallucinogens?

(DPHAARGU)

UDHAFMLYPRB Len : 2 HALLUC CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	35	0.06
2 = No.....	1912	3.29
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
94 = DON'T KNOW	2	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	279	0.48

Did you continue to use hallucinogens even though they often caused arguments or problems with family or friends?

(DPHAACNT)

UDHAFMLYCTD Len : 2 CONTD HALLUC USE DESPITE HAL CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	20	0.03
2 = No.....	15	0.03
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	281	0.48
99 = LEGITIMATE SKIP.....	1912	3.29

During the past 12 months, did you repeatedly get into situations where using hallucinogens increased your chances of getting physically hurt?

(DPHAHURT)

UDHAGETHURT Len : 2 HALLUC USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	41	0.07
2 = No.....	1907	3.29
91 = NEVER USED HALLUCINOGENS	48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6886	11.87
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	279	0.48

SUBSTANCE USE DISORDER

Think about your use of inhalants, such as amyl nitrite, 'poppers,' nitrous oxide, gasoline or lighter fluids, glue, spray paints, or correction fluids, during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using inhalants, feeling their effects, or getting over the effects of inhalants?

<u>(DPINFEEL)</u>	Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF INH PST 12 MOS	Freq	Pct
1 = Yes.....		38	0.07
2 = No.....		621	1.07
91 = NEVER USED INHALANTS		52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		4876	8.40
94 = DON'T KNOW		2	0.00
97 = REFUSED		2	0.00
98 = BLANK (NO ANSWER)		228	0.39

During the past 12 months, did you spend a great deal of your time getting or trying to get inhalants?

<u>(DPINGET)</u>	Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING INH IN PST 12 MOS	Freq	Pct
1 = Yes.....		3	0.01
2 = No.....		619	1.07
91 = NEVER USED INHALANTS		52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		4876	8.40
94 = DON'T KNOW		2	0.00
97 = REFUSED		1	0.00
98 = BLANK (NO ANSWER)		228	0.39
99 = LEGITIMATE SKIP.....		38	0.07

During the past 12 months, were there many times when you ended up using inhalants in larger amounts or for a longer time than you meant to?

<u>(DPINLRGR)</u>	Len : 2 USED INH LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS	Freq	Pct
1 = Yes.....		52	0.09
2 = No.....		608	1.05
91 = NEVER USED INHALANTS		52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		4876	8.40
94 = DON'T KNOW		2	0.00
97 = REFUSED		1	0.00
98 = BLANK (NO ANSWER)		228	0.39

During the past 12 months, were there times when you wanted to use inhalants so badly that you couldn't think of anything else?

<u>(DPINBDLY)</u>	Len : 2 WANTED TO USE INHALANTS SO BADLY IN PAST 12 MOS	Freq	Pct
1 = Yes.....		31	0.05
2 = No.....		629	1.08
91 = NEVER USED INHALANTS		52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		4876	8.40
94 = DON'T KNOW		2	0.00
97 = REFUSED		1	0.00
98 = BLANK (NO ANSWER)		228	0.39

During the past 12 months, were there times when you had a strong urge to use inhalants?

<u>(DPINURGE)</u>	Len : 2 STRONG URGE TO USE INHALANTS IN PAST 12 MOS	Freq	Pct
1 = Yes.....		58	0.10
2 = No.....		571	0.98
91 = NEVER USED INHALANTS		52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		4876	8.40
94 = DON'T KNOW		2	0.00
97 = REFUSED		1	0.00
98 = BLANK (NO ANSWER)		228	0.39
99 = LEGITIMATE SKIP.....		31	0.05

SUBSTANCE USE DISORDER

Do you need to use a lot more inhalants than you used to in order to get the feeling you want?

(DPINMORE)

UDINNEEDMOR

Len : 2 NEEDED A LOT MORE INHALANTS TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	42	0.07
2 = No.....	618	1.06
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	228	0.39

Does using the same amount of inhalants have much less effect on you than it used to?

(DPINLESS)

UDINLESSEFF

Len : 2 SAME AMT INHALANTS HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	32	0.06
2 = No.....	575	0.99
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
94 = DON'T KNOW	12	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	229	0.39
99 = LEGITIMATE SKIP.....	42	0.07

During the past 12 months, did you try to cut down or try to stop using inhalants?

(DPINSTOP)

UDINTRYSTOP

Len : 2 TRY TO CUT DOWN/STOP INHALANT USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	132	0.23
2 = No.....	515	0.89
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
94 = DON'T KNOW	9	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	230	0.40

Some people who use inhalants try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using inhalants?

(DPINCANT)

UDINNOTSTOP

Len : 2 UNABLE TO CUT/STOP INH USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	24	0.04
2 = No.....	108	0.19
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	239	0.41
99 = LEGITIMATE SKIP.....	515	0.89

In the past 12 months, did you often wish that you could cut down or stop using inhalants?

(DPINWISH)

UDINWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP INH USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	17	0.03
2 = No.....	496	0.85
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
94 = DON'T KNOW	7	0.01
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	230	0.40
99 = LEGITIMATE SKIP.....	132	0.23

SUBSTANCE USE DISORDER

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using inhalants?

(DPINPHYS)

UDINHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS

	Freq	Pct
1 = Yes.....	25	0.04
2 = No.....	629	1.08
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
94 = DON'T KNOW	4	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	230	0.40

Did you continue to use inhalants even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPINPCNT)

UDINHLTHCTD

Len : 2 CONTD TO USE INHALANTS DESPITE INH CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	17	0.03
2 = No.....	8	0.01
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	234	0.40
99 = LEGITIMATE SKIP.....	629	1.08

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using inhalants?

(DPINMNTL)

UDINMNTLPRB

Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY INH PAST 12 MOS

	Freq	Pct
1 = Yes.....	15	0.03
2 = No.....	621	1.07
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
94 = DON'T KNOW	6	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	230	0.40
99 = LEGITIMATE SKIP.....	17	0.03

Did you continue to use inhalants even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPINMCNT)

UDINMNTLCTD

Len : 2 CONTD INH USE DESPITE INH CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	7	0.01
2 = No.....	8	0.01
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	236	0.41
99 = LEGITIMATE SKIP.....	638	1.10

SUBSTANCE USE DISORDER

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of inhalants?

(DPINACTV)
UDINSTOACT Len : 2 LESS ACTIVITIES B/C OF INHALANT USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	21	0.04
2 = No.....	635	1.09
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	230	0.40

Sometimes people who use inhalants have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of inhalants?

(DPINSERI)
UDINWORKPRB Len : 2 INHALANTS CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	11	0.02
2 = No.....	647	1.11
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	230	0.40

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of inhalants?

(DPINARGU)
UDINFMLYPRB Len : 2 INHALANTS CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	17	0.03
2 = No.....	638	1.10
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
94 = DON'T KNOW	3	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	230	0.40

Did you continue to use inhalants even though they often caused arguments or problems with family or friends?

(DPINACNT)
UDINFMLYCTD Len : 2 CONTD INHALANT USE DESPITE INH CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	14	0.02
2 = No.....	3	0.01
91 = NEVER USED INHALANTS	52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4876	8.40
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	233	0.40
99 = LEGITIMATE SKIP.....	638	1.10

SUBSTANCE USE DISORDER

During the past 12 months, did you repeatedly get into situations where using inhalants increased your chances of getting physically hurt?

<u>(DPINHURT)</u>	<u>UDINGETHURT</u>	Len : 2 INHALANT USE INCREASED CHANCE GETTING HURT PST 12 MOS	Freq	Pct
1 = Yes.....			17	0.03
2 = No.....			639	1.10
91 = NEVER USED INHALANTS			52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS			4876	8.40
94 = DON'T KNOW			3	0.01
97 = REFUSED			2	0.00
98 = BLANK (NO ANSWER)			230	0.40

Think about your use of methamphetamine during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using methamphetamine, feeling its effects, or getting over the effects of methamphetamine?

<u>(DPMEFEEL)</u>	<u>UDMETIMEUSE</u>	Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF METH PST 12 MOS	Freq	Pct
1 = Yes.....			222	0.38
2 = No.....			248	0.43
91 = NEVER USED METHAMPHETAMINE			55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....			2162	3.73
94 = DON'T KNOW			2	0.00
97 = REFUSED			2	0.00
98 = BLANK (NO ANSWER)			73	0.13

During the past 12 months, did you spend a great deal of your time getting or trying to get methamphetamine?

<u>(DPMEGET)</u>	<u>UDMETIMEGET</u>	Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING METH IN PST 12 MOS	Freq	Pct
1 = Yes.....			9	0.02
2 = No.....			239	0.41
91 = NEVER USED METHAMPHETAMINE			55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....			2162	3.73
94 = DON'T KNOW			2	0.00
97 = REFUSED			2	0.00
98 = BLANK (NO ANSWER)			73	0.13
99 = LEGITIMATE SKIP.....			222	0.38

During the past 12 months, were there many times when you ended up using methamphetamine in larger amounts or for a longer time than you meant to?

<u>(DPMELRGR)</u>	<u>UDMELRGAMTS</u>	Len : 2 USED METH LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MO	Freq	Pct
1 = Yes.....			226	0.39
2 = No.....			243	0.42
91 = NEVER USED METHAMPHETAMINE			55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....			2162	3.73
94 = DON'T KNOW			2	0.00
97 = REFUSED			2	0.00
98 = BLANK (NO ANSWER)			74	0.13

During the past 12 months, were there times when you wanted to use methamphetamine so badly that you couldn't think of anything else?

<u>(DPMEBDLY)</u>	<u>UDMEWANTBAD</u>	Len : 2 WANTED TO USE METH SO BADLY IN PAST 12 MOS	Freq	Pct
1 = Yes.....			164	0.28
2 = No.....			306	0.53
91 = NEVER USED METHAMPHETAMINE			55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....			2162	3.73
94 = DON'T KNOW			1	0.00
97 = REFUSED			2	0.00
98 = BLANK (NO ANSWER)			74	0.13

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you had a strong urge to use methamphetamine?

(DPMEURGE)

UDMESTRURGE Len : 2 STRONG URGE TO USE METH IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	102	0.18
2 = No.....	204	0.35
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	74	0.13
99 = LEGITIMATE SKIP.....	164	0.28

Do you need to use a lot more methamphetamine than you used to in order to get the feeling you want?

(DPMEMORE)

UDMENEEDMOR Len : 2 NEEDED A LOT MORE METH TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	179	0.31
2 = No.....	289	0.50
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	74	0.13

Does using the same amount of methamphetamine have much less effect on you than it used to?

(DPMELESS)

UDMELLESSEFF Len : 2 SAME AMT METH HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	33	0.06
2 = No.....	256	0.44
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	74	0.13
99 = LEGITIMATE SKIP.....	179	0.31

During the past 12 months, did you try to cut down or try to stop using methamphetamine?

(DPMESTOP)

UDMETRYSTOP Len : 2 TRY TO CUT DOWN/STOP METH USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	261	0.45
2 = No.....	208	0.36
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	74	0.13

Some people who use methamphetamine try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using methamphetamine?

(DPMECANT)

UDMENOTSTOP Len : 2 UNABLE TO CUT/STOP METH MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	147	0.25
2 = No.....	113	0.19
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	75	0.13
99 = LEGITIMATE SKIP.....	208	0.36

SUBSTANCE USE DISORDER

In the past 12 months, did you often wish that you could cut down or stop using methamphetamine?

(DPMEWISH)

UDMEWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP METH USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	38	0.07
2 = No.....	170	0.29
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	74	0.13
99 = LEGITIMATE SKIP.....	261	0.45

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using methamphetamine?

(DPMEPHYS)

UDMEHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY METH PST 12 MOS

	Freq	Pct
1 = Yes.....	107	0.18
2 = No.....	362	0.62
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	74	0.13

Did you continue to use methamphetamine even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPMEPCNT)

UDMEHLTHCTD Len : 2 CONTD TO USE METH DESPITE METH CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	85	0.15
2 = No.....	22	0.04
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	75	0.13
99 = LEGITIMATE SKIP.....	362	0.62

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using methamphetamine?

(DPMEMNTL)

UDMEMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY METH PAST 12 MOS

	Freq	Pct
1 = Yes.....	90	0.16
2 = No.....	294	0.51
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	74	0.13
99 = LEGITIMATE SKIP.....	85	0.15

SUBSTANCE USE DISORDER

Did you continue to use methamphetamine even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPMEMCNT)

UDMEMNTLCTD Len : 2 CONTD METH USE DESPITE METH CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	64	0.11
2 = No.....	26	0.04
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	75	0.13
99 = LEGITIMATE SKIP.....	379	0.65

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of methamphetamine?

(DPMEACTV)

UDMESTOPACT Len : 2 LESS ACTIVITIES B/C OF METH USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	180	0.31
2 = No.....	291	0.50
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	74	0.13

Sometimes people who use methamphetamine have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of methamphetamine?

(DPMESERI)

UDMEWORKPRB Len : 2 METH CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	137	0.24
2 = No.....	333	0.57
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	75	0.13

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of methamphetamine?

(DPMEARGU)

UDMEFMLYPRB Len : 2 METH CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	173	0.30
2 = No.....	297	0.51
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	75	0.13

SUBSTANCE USE DISORDER

Did you continue to use methamphetamine even though it often caused arguments or problems with family or friends?

(DPMEACNT)

UDMEFMLYCTD Len : 2 CONTD METH USE DESPITE METH CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	153	0.26
2 = No.....	20	0.03
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	75	0.13
99 = LEGITIMATE SKIP.....	297	0.51

During the past 12 months, did you repeatedly get into situations where using methamphetamine increased your chances of getting physically hurt?

(DPMEHURT)

UDMEGETHURT Len : 2 METH INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	110	0.19
2 = No.....	360	0.62
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	75	0.13

People may experience withdrawal symptoms when they use less or stop using methamphetamine.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using methamphetamine for a while?

(DPMEBLUE)

UDMEWDFLBLU Len : 2 FELT BLUE OR DOWN AFTER USING LESS OR STOPPING METH

	Freq	Pct
1 = Yes.....	208	0.36
2 = No.....	261	0.45
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	75	0.13

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using methamphetamine for a while?

Feeling tired or exhausted

(DPMEWD_1)

UDMEWDTIRED Len : 2 FEELING TIRED/EXHAUSTED - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	193	0.33
2 = No.....	15	0.03
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	76	0.13
99 = LEGITIMATE SKIP.....	261	0.45

Having bad dreams

(DPMEWD_2)

UDMEWDDREAM Len : 2 HAVING BAD DREAMS - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	107	0.18
2 = No.....	101	0.17
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	76	0.13
99 = LEGITIMATE SKIP.....	261	0.45

SUBSTANCE USE DISORDER

Having trouble sleeping or sleeping more than you normally do

(DPMEWD_3)
UDMEWDSLEEP Len : 2 TROUBLE/MORE SLEEP - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	177	0.30
2 = No.....	31	0.05
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	76	0.13
99 = LEGITIMATE SKIP.....	261	0.45

Feeling hungry more often

(DPMEWD_4)
UDMEWDHNGRY Len : 2 FEELING HUNGRY - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	140	0.24
2 = No.....	68	0.12
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	76	0.13
99 = LEGITIMATE SKIP.....	261	0.45

Feeling either very slowed down or like you couldn't sit still

(DPMEWD_5)
UDMEWDSITST Len : 2 FEELING SLOWED DOWN/RESTLESS -MTH W/DRAWL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	156	0.27
2 = No.....	52	0.09
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	76	0.13
99 = LEGITIMATE SKIP.....	261	0.45

During the past 12 months, did you use methamphetamine or another drug to get over or avoid having methamphetamine withdrawal symptoms?

(DPMEOVER)
UDMEAVIDWD Len : 2 USE METH TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	124	0.21
2 = No.....	346	0.60
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	75	0.13

Which of the following did you use to get over or avoid having methamphetamine withdrawal symptoms during the past 12 months?

Methamphetamine

(DPMEUSE_1)
UDMEAIVWMETH Len : 2 USED METH TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	99	0.17
2 = No.....	24	0.04
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	75	0.13
99 = LEGITIMATE SKIP.....	346	0.60

SUBSTANCE USE DISORDER

Cocaine or crack

(DPMEUSE_2)

UDMEAVWCOCN Len : 2 USED COC/CRK TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	22	0.04
2 = No.....	101	0.17
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	75	0.13
99 = LEGITIMATE SKIP.....	346	0.60

Prescription stimulants or uppers

(DPMEUSE_3)

UDMEAVWSTIM Len : 2 USED STM TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	34	0.06
2 = No.....	90	0.16
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	75	0.13
99 = LEGITIMATE SKIP.....	346	0.60

Something else

(DPMEUSE_4)

UDMEAVWOTHR Len : 2 USED SOMTHING ELSE TO GET OVR/AVD METH WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	70	0.12
2 = No.....	54	0.09
91 = NEVER USED METHAMPHETAMINE	55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2162	3.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	75	0.13
99 = LEGITIMATE SKIP.....	346	0.60

Think about your use of prescription pain relievers during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription pain relievers, feeling their effects, or getting over the effects of any prescription pain relievers?

(DPPRFEEL)

UDPRTIMEUSE

Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF PN RLVR PST 12 MO

	Freq	Pct
1 = Yes.....	754	1.30
2 = No.....	11383	19.61
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	34	0.06
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	476	0.82

SUBSTANCE USE DISORDER

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription pain relievers?

(DPPRGET)

UDPRTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING PR IN PST 12 MOS

	Freq	Pct
1 = Yes.....	80	0.14
2 = No.....	11321	19.51
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	9	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	20	0.03
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	481	0.83
99 = LEGITIMATE SKIP.....	754	1.30

During the past 12 months, were there many times when you ended up using any prescription pain relievers in larger amounts or for a longer time than you meant to?

(DPPRLRGR)

UDPRLRGAMTS Len : 2 USED PR LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	393	0.68
2 = No.....	11751	20.25
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	30	0.05
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	479	0.83

During the past 12 months, were there times when you wanted to use any prescription pain relievers so badly that you couldn't think of anything else?

(DPPRBDSL)

UDPRWANTBAD Len : 2 WANTED TO USE PN RLVR SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	377	0.65
2 = No.....	11776	20.29
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	20	0.03
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	480	0.83

During the past 12 months, were there times when you had a strong urge to use any prescription pain relievers?

(DPPRURGE)

UDPRSTRURGE Len : 2 STRONG URGE TO USE PN RLVR IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	601	1.04
2 = No.....	11173	19.25
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	19	0.03
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	485	0.84
99 = LEGITIMATE SKIP.....	377	0.65

SUBSTANCE USE DISORDER

Do you need to use a lot more of any prescription pain relievers than you used to in order to get the feeling you want?

(DPPRMORE)
UDPRNEEDMOR Len : 2 NEEDED A LOT MORE PN RLVR TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	394	0.68
2 = No.....	11744	20.24
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	29	0.05
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	483	0.83

Does using the same amount of any prescription pain relievers have much less effect on you than it used to?

(DPPRLESS)
UDPRLESSEFF Len : 2 SAME AMT PN RLVR HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	448	0.77
2 = No.....	11236	19.36
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	11	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	83	0.14
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	487	0.84
99 = LEGITIMATE SKIP.....	394	0.68

During the past 12 months, did you try to cut down or try to stop using any prescription pain relievers?

(DPPRSTOP)
UDPRTRYSTOP Len : 2 TRY TO CUT DOWN/STOP PN RLVR IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	2024	3.49
2 = No.....	10031	17.28
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	85	0.15
97 = REFUSED	39	0.07
98 = BLANK (NO ANSWER)	487	0.84

Some people who use prescription pain relievers try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription pain relievers?

(DPPRCANT)
UDPRNOTSTOP Len : 2 UNABLE TO CUT/STOP PN RLVR MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	328	0.57
2 = No.....	1690	2.91
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	2	0.00
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	583	1.00
99 = LEGITIMATE SKIP.....	10031	17.28

SUBSTANCE USE DISORDER

In the past 12 months, did you often wish that you could cut down or stop using any prescription pain relievers?

(DPPRWISH)
UDPRWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP PN RLVR PAST 12 MOS

	Freq	Pct
1 = Yes.....	454	0.78
2 = No.....	9577	16.50
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	85	0.15
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	494	0.85
99 = LEGITIMATE SKIP.....	2024	3.49

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription pain reliever?

(DPPRPHYS)
UDPRHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY PR PST 12 MOS

	Freq	Pct
1 = Yes.....	249	0.43
2 = No.....	11863	20.44
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	37	0.06
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	491	0.85

Did you continue to use any prescription pain relievers even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPPRPCNT)
UDPRHLTHCTD Len : 2 CONTD TO USE PN RLVR DESPITE PN RLVR CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	121	0.21
2 = No.....	128	0.22
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	539	0.93
99 = LEGITIMATE SKIP.....	11863	20.44

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription pain reliever?

(DPPRMNTL)
UDPRMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY PN RLVR PAST 12 MOS

	Freq	Pct
1 = Yes.....	182	0.31
2 = No.....	11809	20.35
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	11	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	33	0.06
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	497	0.86
99 = LEGITIMATE SKIP.....	121	0.21

SUBSTANCE USE DISORDER

Did you continue to use any prescription pain relievers even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPPRMCNT)
UDPRMNTLCTD Len : 2 CONTD PN RLVR USE DESPITE PR CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	94	0.16
2 = No.....	87	0.15
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	1	0.00
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	541	0.93
99 = LEGITIMATE SKIP.....	11930	20.56

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription pain relievers?

(DPPRACTV)
UDPRSTOPACT Len : 2 LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	323	0.56
2 = No.....	11793	20.32
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	29	0.05
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	497	0.86

Sometimes people who use prescription pain relievers have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription pain relievers?

(DPPRSERI)
UDPRWORKPRB Len : 2 PN RLVR CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	215	0.37
2 = No.....	11906	20.52
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	22	0.04
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	499	0.86

SUBSTANCE USE DISORDER

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription pain reliever?

(DPPRARGU)

UDPRFMLYPRB

Len : 2 PN RLVR CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	231	0.40
2 = No.....	11881	20.47
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	29	0.05
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	500	0.86

Did you continue to use any prescription pain relievers even though they often caused arguments or problems with family or friends?

(DPPRACNT)

UDPRFMLYCTD

Len : 2 CONTD PN RLVR USE DESPITE PR CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	169	0.29
2 = No.....	62	0.11
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	540	0.93
99 = LEGITIMATE SKIP.....	11881	20.47

During the past 12 months, did you repeatedly get into situations where using a prescription pain reliever increased your chances of getting physically hurt?

(DPPRHURT)

UDPRGETHURT

Len : 2 PN RLVR INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	134	0.23
2 = No.....	11981	20.64
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	21	0.04
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	502	0.87

People may experience withdrawal symptoms when they use less or stop using prescription pain relievers.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription pain relievers for a while?

Feeling kind of blue or down

(DPPRWI_1)

UDPRWDFBLU

Len : 2 FEELING BLUE/DOWN - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	726	1.25
2 = No.....	11313	19.49
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	67	0.12
97 = REFUSED	43	0.07
98 = BLANK (NO ANSWER)	517	0.89

SUBSTANCE USE DISORDER

Vomiting or feeling nauseous

(DPPRWD_2)
UDPRWDVOMIT Len : 2 VOMITING/NAUSEOUS - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	510	0.88
2 = No.....	11553	19.91
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	48	0.08
97 = REFUSED	39	0.07
98 = BLANK (NO ANSWER)	516	0.89

Having cramps or muscle aches

(DPPRWD_3)
UDPRWDCRAMP Len : 2 MUSCLE CRAMPS/ACHES - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	817	1.41
2 = No.....	11244	19.37
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	52	0.09
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	517	0.89

Having teary eyes or a runny nose

(DPPRWD_4)
UDPRWDRUNNY Len : 2 TEARY EYES/RUNNY NOSE - PR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	611	1.05
2 = No.....	11448	19.73
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	54	0.09
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	517	0.89

Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin

(DPPRWD_5)
UDPRWDSWEAT Len : 2 SWEaty/LRG PUPILS/HAIR STNDING UP-PR W/DRAWL SYMP PST 12 MOS

	Freq	Pct
1 = Yes.....	476	0.82
2 = No.....	11588	19.97
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	50	0.09
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	517	0.89

SUBSTANCE USE DISORDER

Having diarrhea

(DPPRWD_6)
UDPRWDDIARR Len : 2 HAVING DIARRHEA - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	567	0.98
2 = No.....	11491	19.80
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	54	0.09
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	517	0.89

Yawning

(DPPRWD_7)
UDPRWDYAWNS Len : 2 YAWNING - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	857	1.48
2 = No.....	11199	19.30
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	57	0.10
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	516	0.89

Having a fever

(DPPRWD_8)
UDPRWDFEVER Len : 2 HAVING FEVER - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	300	0.52
2 = No.....	11760	20.26
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	54	0.09
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	516	0.89

Having trouble sleeping

(DPPRWD_9)
UDPRWDSLEEP Len : 2 HAVING TRBL SLEEPING - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1027	1.77
2 = No.....	11034	19.01
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	53	0.09
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	516	0.89

SUBSTANCE USE DISORDER

During the past 12 months, did you use any prescription pain relievers or other drugs to get over or avoid having prescription pain reliever withdrawal symptoms?

(DPPROVER)

UDPRAVOIDWD Len : 2 USE PN RLVR TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	304	0.52
2 = No.....	11795	20.32
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	25	0.04
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	517	0.89

Which of the following did you use to get over or avoid having prescription pain reliever withdrawal symptoms during the past 12 months?

Prescription pain relievers

(DPPRUSE_1)

UDPRAVWPNRL Len : 2 USED PN RLVR TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	187	0.32
2 = No.....	83	0.14
3 = Yes LOGICALLY ASSIGNED.....	30	0.05
13 = Yes LOG ASSN (not applicable to criterion 11b).....	2	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	1	0.00
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	551	0.95
99 = LEGITIMATE SKIP.....	11795	20.32

Heroin

(DPPRUSE_2)

UDPRAVWHERN Len : 2 USED HEROIN TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	61	0.11
2 = No.....	241	0.42
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	2	0.00
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	551	0.95
99 = LEGITIMATE SKIP.....	11795	20.32

Something else

(DPPRUSE_3)

UDPRAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD PR WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	151	0.26
2 = No.....	150	0.26
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	248	0.43
85 = BAD DATA LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED PAIN RELIEVERS	29489	50.81
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	15617	26.91
94 = DON'T KNOW	3	0.01
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	551	0.95
99 = LEGITIMATE SKIP.....	11795	20.32

SUBSTANCE USE DISORDER

Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription tranquilizers, feeling their effects, or getting over the effects of any prescription tranquilizers?

<u>(DPTRFEEL)</u>	<u>UDTRTIMEUSE</u>	Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF TRN PST 12 MOS	Freq	Pct
1 = Yes.....			275	0.47
2 = No.....			5458	9.40
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn			172	0.30
85 = BAD DATA LOGICALLY ASSIGNED			20	0.03
91 = NEVER USED TRANQUILIZERS.....			47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....			4436	7.64
94 = DON'T KNOW			16	0.03
97 = REFUSED			5	0.01
98 = BLANK (NO ANSWER)			354	0.61

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription tranquilizers?

<u>(DPTRGET)</u>	<u>UDTRTIMEGET</u>	Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING TRN IN PST 12 MOS	Freq	Pct
1 = Yes.....			20	0.03
2 = No.....			5447	9.39
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn			172	0.30
85 = BAD DATA LOGICALLY ASSIGNED			14	0.02
91 = NEVER USED TRANQUILIZERS.....			47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....			4436	7.64
94 = DON'T KNOW			9	0.02
97 = REFUSED			3	0.01
98 = BLANK (NO ANSWER)			360	0.62
99 = LEGITIMATE SKIP.....			275	0.47

During the past 12 months, were there many times when you ended up using any prescription tranquilizers in larger amounts or for a longer time than you meant to?

<u>(DPTRLRGR)</u>	<u>UDTRLRGAMTS</u>	Len : 2 USED TRN LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS	Freq	Pct
1 = Yes.....			171	0.29
2 = No.....			5569	9.60
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn			172	0.30
85 = BAD DATA LOGICALLY ASSIGNED			20	0.03
91 = NEVER USED TRANQUILIZERS.....			47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....			4436	7.64
94 = DON'T KNOW			9	0.02
97 = REFUSED			4	0.01
98 = BLANK (NO ANSWER)			355	0.61

During the past 12 months, were there times when you wanted to use any prescription tranquilizers so badly that you couldn't think of anything else?

<u>(DPTRBADLY)</u>	<u>UDTRWANTBAD</u>	Len : 2 WANTED TO USE TRN SO BADLY IN PAST 12 MOS	Freq	Pct
1 = Yes.....			146	0.25
2 = No.....			5595	9.64
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn			172	0.30
85 = BAD DATA LOGICALLY ASSIGNED			20	0.03
91 = NEVER USED TRANQUILIZERS.....			47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....			4436	7.64
94 = DON'T KNOW			7	0.01
97 = REFUSED			5	0.01
98 = BLANK (NO ANSWER)			355	0.61

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you had a strong urge to use any prescription tranquilizers?

(DPTRURGE)
UDTRSTRURGE Len : 2 STRONG URGE TO USE TRN IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	294	0.51
2 = No.....	5303	9.14
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	16	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	7	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	359	0.62
99 = LEGITIMATE SKIP.....	146	0.25

Do you need to use a lot more of any prescription tranquilizers than you used to in order to get the feeling you want?

(DPTRMORE)
UDTRNEEDMOR Len : 2 NEEDED A LOT MORE TRN TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	162	0.28
2 = No.....	5574	9.60
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	13	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	355	0.61

Does using the same amount of any prescription tranquilizers have much less effect on you than it used to?

(DPTRLESS)
UDTRLESSEFF Len : 2 SAME AMT TRN HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	192	0.33
2 = No.....	5369	9.25
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	16	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	24	0.04
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	360	0.62
99 = LEGITIMATE SKIP.....	162	0.28

During the past 12 months, did you try to cut down or try to stop using any prescription tranquilizers?

(DPTRSTOP)
UDTRTRYSTOP Len : 2 TRY TO CUT DOWN/STOP TRN USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	741	1.28
2 = No.....	4983	8.59
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	16	0.03
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	356	0.61

SUBSTANCE USE DISORDER

Some people who use prescription tranquilizers try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription tranquilizers?

<i>(DPTRCANT)</i>	<u>UDTRNOTSTOP</u>	Len : 2 UNABLE TO CUT/STOP TRN MORE THAN ONE TIME PAST 12 MOS	Freq	Pct
1 = Yes.....			117	0.20
2 = No.....			622	1.07
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn			172	0.30
85 = BAD DATA LOGICALLY ASSIGNED			5	0.01
91 = NEVER USED TRANQUILIZERS.....			47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....			4436	7.64
94 = DON'T KNOW			1	0.00
97 = REFUSED			13	0.02
98 = BLANK (NO ANSWER)			387	0.67
99 = LEGITIMATE SKIP.....			4983	8.59

In the past 12 months, did you often wish that you could cut down or stop using any prescription tranquilizers?

<i>(DPTRWISH)</i>	<u>UDTRWSHSTOP</u>	Len : 2 OFTEN WISH CUT DOWN OR STOP TRN PAST 12 MOS	Freq	Pct
1 = Yes.....			190	0.33
2 = No.....			4794	8.26
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn			172	0.30
85 = BAD DATA LOGICALLY ASSIGNED			15	0.03
91 = NEVER USED TRANQUILIZERS.....			47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....			4436	7.64
94 = DON'T KNOW			20	0.03
97 = REFUSED			7	0.01
98 = BLANK (NO ANSWER)			361	0.62
99 = LEGITIMATE SKIP.....			741	1.28

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription tranquilizer?

<i>(DPTRPHYS)</i>	<u>UDTRHLTHPRB</u>	Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY TRN PST 12 MO	Freq	Pct
1 = Yes.....			75	0.13
2 = No.....			5661	9.75
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn			172	0.30
85 = BAD DATA LOGICALLY ASSIGNED			20	0.03
91 = NEVER USED TRANQUILIZERS.....			47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....			4436	7.64
94 = DON'T KNOW			13	0.02
97 = REFUSED			3	0.01
98 = BLANK (NO ANSWER)			356	0.61

Did you continue to use any prescription tranquilizers even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

<i>(DPTRPCNT)</i>	<u>UDTRHLTHCTD</u>	Len : 2 CONTD TO USE TRN DESPITE TRN CAUSE/WORSEN PHYS PRBS	Freq	Pct
1 = Yes.....			39	0.07
2 = No.....			36	0.06
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn			172	0.30
85 = BAD DATA LOGICALLY ASSIGNED			5	0.01
91 = NEVER USED TRANQUILIZERS.....			47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....			4436	7.64
97 = REFUSED			3	0.01
98 = BLANK (NO ANSWER)			384	0.66
99 = LEGITIMATE SKIP.....			5661	9.75

SUBSTANCE USE DISORDER

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription tranquilizer?

(DPTRMNTL)
UDTRMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY TRN PAST 12 MOS

	Freq	Pct
1 = Yes.....	117	0.20
2 = No.....	5582	9.62
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	16	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	10	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	361	0.62
99 = LEGITIMATE SKIP.....	39	0.07

Did you continue to use any prescription tranquilizers even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPTRMCNT)
UDTRMNTLCNT Len : 2 CONTD TRN DESPITE TRN CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	53	0.09
2 = No.....	64	0.11
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	385	0.66
99 = LEGITIMATE SKIP.....	5621	9.69

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription tranquilizers?

(DPTRACTV)
UDTRSTOPACT Len : 2 LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	133	0.23
2 = No.....	5607	9.66
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	6	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	357	0.62

SUBSTANCE USE DISORDER

Sometimes people who use prescription tranquilizers have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription tranquilizers?

(DPTRSERI)

UDTRWORKPRB Len : 2 TRN CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	103	0.18
2 = No.....	5638	9.71
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	5	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	358	0.62

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription tranquilizer?

(DPTRARGU)

UDTRFMLYPRB Len : 2 TRN CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	112	0.19
2 = No.....	5628	9.70
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	6	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	358	0.62

Did you continue to use any prescription tranquilizers even though they often caused arguments or problems with family or friends?

(DPTRACNT)

UDTRFMLYCTD Len : 2 CONTD TRN USE DESPITE TRN CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	77	0.13
2 = No.....	35	0.06
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED	6	0.01
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	378	0.65
99 = LEGITIMATE SKIP.....	5628	9.70

SUBSTANCE USE DISORDER

During the past 12 months, did you repeatedly get into situations where using a prescription tranquilizer increased your chances of getting physically hurt?

(DPTRHURT)
UDTRGETHURT Len : 2 TRN USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	72	0.12
2 = No.....	5665	9.76
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	7	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	359	0.62

People may experience withdrawal symptoms when they use less or stop using prescription tranquilizers.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription tranquilizers for a while?

Sweating or feeling that your heart was beating fast

(DPTRWD_1)
UDTRWDSWEAT Len : 2 SWEaty/FAST HEARTBEAT - TRN WITHDRAWAL SYMPTOM PST 12 MO

	Freq	Pct
1 = Yes.....	248	0.43
2 = No.....	5476	9.44
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	15	0.03
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	363	0.63

Having your hands tremble

(DPTRWD_2)
UDTRWDTMBL Len : 2 HANDS TREMBLE -TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	231	0.40
2 = No.....	5495	9.47
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	12	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	363	0.63

Having trouble sleeping

(DPTRWD_3)
UDTRWDSLEEP Len : 2 TROUBLE SLEEPING - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	552	0.95
2 = No.....	5173	8.91
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	13	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	363	0.63

SUBSTANCE USE DISORDER

Vomiting or having an upset stomach

(DPTRWD_4)
UDTRWDVOMIT Len : 2 VOMITING/UPSET STOMACH - TRN WITHDRAWAL SYMPTOM PST 12 MO

	Freq	Pct
1 = Yes.....	165	0.28
2 = No.....	5561	9.58
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	13	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	363	0.63

Seeing, hearing, or feeling things that weren't really there

(DPTRWD_5)
UDTRWDHALUC Len : 2 SEE/HEAR/FEEL THINGS - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	123	0.21
2 = No.....	5602	9.65
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	14	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	363	0.63

Feeling like you couldn't sit still

(DPTRWD_6)
UDTRWDSITST Len : 2 COULDN'T SIT STILL - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	259	0.45
2 = No.....	5466	9.42
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	14	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	363	0.63

Feeling anxious

(DPTRWD_7)
UDTRWDFLANX Len : 2 FEELING ANXIOUS - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	574	0.99
2 = No.....	5149	8.87
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	15	0.03
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	363	0.63

SUBSTANCE USE DISORDER

During the past 12 months, did you use any prescription tranquilizers or other drugs to get over or avoid having prescription tranquilizer withdrawal symptoms?

(DPTROVER)

UDTRAVOIDWD Len : 2 USE TRN TO GET OVER/AVOID TRN WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	70	0.12
2 = No.....	5659	9.75
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED	20	0.03
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
94 = DON'T KNOW	8	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	365	0.63

Which of the following did you use to get over or avoid having prescription tranquilizer withdrawal symptoms during the past 12 months?

Prescription tranquilizers, sedatives, downers, or sleeping pills

(DPTRUSE_1)

UDTRAVWSVTR Len : 2 USED TRN/SED TO GET OVER/AVOID TRN WITHDRWL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	46	0.08
2 = No.....	23	0.04
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	388	0.67
99 = LEGITIMATE SKIP.....	5659	9.75

Alcohol

(DPTRUSE_2)

UDTRAVWALCO Len : 2 USED ALC TO GET OVER/AVOID TRN WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	24	0.04
2 = No.....	45	0.08
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	388	0.67
99 = LEGITIMATE SKIP.....	5659	9.75

Something else

(DPTRUSE_3)

UDTRAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD TRN WTHDRWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	33	0.06
2 = No.....	36	0.06
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	172	0.30
85 = BAD DATA LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED TRANQUILIZERS.....	47298	81.50
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	4436	7.64
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	388	0.67
99 = LEGITIMATE SKIP.....	5659	9.75

SUBSTANCE USE DISORDER

Think about your use of prescription stimulants during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription stimulants, feeling their effects, or getting over the effects of any prescription stimulants?

<u>(DPSTFEEL)</u>	<u>UDSTTIMEUSE</u>	Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF STM PST 12 MOS	Freq	Pct
1 = Yes.....			579	1.00
2 = No.....			3524	6.07
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn			102	0.18
85 = BAD DATA LOGICALLY ASSIGNED			8	0.01
91 = NEVER USED STIMULANTS.....			50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....			3154	5.43
94 = DON'T KNOW			28	0.05
97 = REFUSED			10	0.02
98 = BLANK (NO ANSWER)			378	0.65

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription stimulants?

<u>(DPSTGET)</u>	<u>UDSTTIMEGET</u>	Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING STM IN PST 12 MOS	Freq	Pct
1 = Yes.....			33	0.06
2 = No.....			3510	6.05
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn			102	0.18
85 = BAD DATA LOGICALLY ASSIGNED			5	0.01
91 = NEVER USED STIMULANTS.....			50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....			3154	5.43
94 = DON'T KNOW			10	0.02
97 = REFUSED			9	0.02
98 = BLANK (NO ANSWER)			381	0.66
99 = LEGITIMATE SKIP.....			579	1.00

During the past 12 months, were there many times when you ended up using any prescription stimulants in larger amounts or for a longer time than you meant to?

<u>(DPSTLGR)</u>	<u>UDSTLRGAMTS</u>	Len : 2 USE STM LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS	Freq	Pct
1 = Yes.....			172	0.30
2 = No.....			3957	6.82
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn			102	0.18
85 = BAD DATA LOGICALLY ASSIGNED			8	0.01
91 = NEVER USED STIMULANTS.....			50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....			3154	5.43
94 = DON'T KNOW			4	0.01
97 = REFUSED			8	0.01
98 = BLANK (NO ANSWER)			378	0.65

During the past 12 months, were there times when you wanted to use any prescription stimulants so badly that you couldn't think of anything else?

<u>(DPSTBDLY)</u>	<u>UDSTWANTBAD</u>	Len : 2 WANTED TO USE STM SO BADLY IN PAST 12 MOS	Freq	Pct
1 = Yes.....			119	0.21
2 = No.....			4008	6.91
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn			102	0.18
85 = BAD DATA LOGICALLY ASSIGNED			8	0.01
91 = NEVER USED STIMULANTS.....			50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....			3154	5.43
94 = DON'T KNOW			5	0.01
97 = REFUSED			9	0.02
98 = BLANK (NO ANSWER)			378	0.65

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you had a strong urge to use any prescription stimulants?

(DPSTURGE)
UDSTSTRUGE Len : 2 STRONG URGE TO USE STM IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	235	0.40
2 = No.....	3774	6.50
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	6	0.01
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	381	0.66
99 = LEGITIMATE SKIP.....	119	0.21

Do you need to use a lot more of any prescription stimulants than you used to in order to get the feeling you want?

(DPSTMORE)
UDSTNEEDMOR Len : 2 NEEDED A LOT MORE STM TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	183	0.32
2 = No.....	3932	6.78
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED.....	8	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	14	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	379	0.65

Does using the same amount of any prescription stimulants have much less effect on you than it used to?

(DPSTLESS)
UDSTLESSEFF Len : 2 SAME AMT STM HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	224	0.39
2 = No.....	3684	6.35
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED.....	5	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	38	0.07
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	384	0.66
99 = LEGITIMATE SKIP.....	183	0.32

During the past 12 months, did you try to cut down or try to stop using any prescription stimulants?

(DPSTSTOP)
UDSTTRYSTOP Len : 2 TRY TO CUT DOWN/STOP STM USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	543	0.94
2 = No.....	3562	6.14
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED.....	8	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	17	0.03
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	381	0.66

SUBSTANCE USE DISORDER

Some people who use prescription stimulants try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription stimulants?

(DPSTCANT)
UDSTNOTSTOP Len : 2 UNABLE TO CUT/STOP STM USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	112	0.19
2 = No.....	428	0.74
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	3	0.01
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	403	0.69
99 = LEGITIMATE SKIP.....	3562	6.14

In the past 12 months, did you often wish that you could cut down or stop using any prescription stimulants?

(DPSTWISH)
UDSTWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP STM USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	153	0.26
2 = No.....	3414	5.88
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	19	0.03
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	384	0.66
99 = LEGITIMATE SKIP.....	543	0.94

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription stimulant?

(DPSTPHYS)
UDSTHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS

	Freq	Pct
1 = Yes.....	115	0.20
2 = No.....	4000	6.89
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	16	0.03
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	381	0.66

Did you continue to use any prescription stimulants even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPSTPCNT)
UDSTHLTHCTD Len : 2 CONTD TO USE STM DESPITE STM CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	75	0.13
2 = No.....	40	0.07
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	402	0.69
99 = LEGITIMATE SKIP.....	4000	6.89

SUBSTANCE USE DISORDER

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription stimulant?

(DPSTMNTL)
UDSTMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY STM PAST 12 MOS

	Freq	Pct
1 = Yes.....	155	0.27
2 = No.....	3883	6.69
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	16	0.03
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	384	0.66
99 = LEGITIMATE SKIP.....	75	0.13

Did you continue to use any prescription stimulants even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPSTMCNT)
UDSTMNTLCNT Len : 2 CONTD STM USE DESPITE STM CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	94	0.16
2 = No.....	61	0.11
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	405	0.70
99 = LEGITIMATE SKIP.....	3958	6.82

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription stimulants?

(DPSTACTV)
UDSTSTOPACT Len : 2 LESS ACTIVITIES B/C OF STM USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	120	0.21
2 = No.....	4001	6.89
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	9	0.02
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	381	0.66

SUBSTANCE USE DISORDER

Sometimes people who use prescription stimulants have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription stimulants?

(DPSTSERI)

UDSTWORKPRB Len : 2 STM CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	83	0.14
2 = No.....	4039	6.96
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	7	0.01
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	381	0.66

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription stimulant?

(DPSTARGU)

UDSTFMLYPRB Len : 2 STM CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	107	0.18
2 = No.....	4018	6.92
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	5	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	381	0.66

Did you continue to use any prescription stimulants even though they often caused arguments or problems with family or friends?

(DPSTACNT)

UDSTFMLYCTD Len : 2 CONTD STM DESPITE STM CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	81	0.14
2 = No.....	26	0.04
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	391	0.67
99 = LEGITIMATE SKIP.....	4018	6.92

SUBSTANCE USE DISORDER

During the past 12 months, did you repeatedly get into situations where using a prescription stimulant increased your chances of getting physically hurt?

(DPSTHURT)
UDSTGETHURT Len : 2 STM INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	45	0.08
2 = No.....	4076	7.02
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	8	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	382	0.66

People may experience withdrawal symptoms when they use less or stop using prescription stimulants.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using any prescription stimulants for a while?

(DPSTBLUE)
UDSTWDFLBLU Len : 2 FELT BLUE OR DOWN AFTER USING LESS OR STOPPING STM

	Freq	Pct
1 = Yes.....	368	0.63
2 = No.....	3746	6.45
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	14	0.02
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	382	0.66

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using prescription stimulants for a while?

Feeling tired or exhausted

(DPSTWD_1)
UDSTWDTIRED Len : 2 FEELING TIRED/EXHAUSTED - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	323	0.56
2 = No.....	44	0.08
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	401	0.69
99 = LEGITIMATE SKIP.....	3746	6.45

Having bad dreams

(DPSTWD_2)
UDSTWDDREAM Len : 2 HAVING BAD DREAMS - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	114	0.20
2 = No.....	252	0.43
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	1	0.00
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	401	0.69
99 = LEGITIMATE SKIP.....	3746	6.45

SUBSTANCE USE DISORDER

Having trouble sleeping or sleeping more than you normally do

(DPSTWD_3)
UDSTWDSLEEP Len : 2 TROUBLE/MORE SLEEPING - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	259	0.45
2 = No.....	108	0.19
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	401	0.69
99 = LEGITIMATE SKIP.....	3746	6.45

Feeling hungry more often

(DPSTWD_4)
UDSTWDHNGRY Len : 2 FEELING HUNGRY - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	204	0.35
2 = No.....	163	0.28
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	401	0.69
99 = LEGITIMATE SKIP.....	3746	6.45

Feeling either very slowed down or like you couldn't sit still

(DPSTWD_5)
UDSTWDSTST Len : 2 FEELING SLOWED DOWN/ - STM W/DRAWL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	261	0.45
2 = No.....	105	0.18
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	1	0.00
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	401	0.69
99 = LEGITIMATE SKIP.....	3746	6.45

During the past 12 months, did you use any prescription stimulants or other drugs to get over or avoid having prescription stimulant withdrawal symptoms?

(DPSTOVER)
UDSTAVOIDWD Len : 2 USE STM TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	80	0.14
2 = No.....	4043	6.97
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED.....	8	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	7	0.01
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	382	0.66

SUBSTANCE USE DISORDER

Which of the following did you use to get over or avoid having prescription stimulant withdrawal symptoms during the past 12 months?

Prescription stimulants or uppers

(DPSTUSE_1)

UDSTAVWSTIM Len : 2 USED STM TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	42	0.07
2 = No.....	37	0.06
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	394	0.68
99 = LEGITIMATE SKIP.....	4043	6.97

Cocaine or crack

(DPSTUSE_2)

UDSTAVWCOCN Len : 2 USED COC/CRK TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	15	0.03
2 = No.....	64	0.11
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	394	0.68
99 = LEGITIMATE SKIP.....	4043	6.97

Methamphetamine

(DPSTUSE_3)

UDSTAVWMETH Len : 2 USED METH TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	17	0.03
2 = No.....	62	0.11
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
94 = DON'T KNOW	1	0.00
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	394	0.68
99 = LEGITIMATE SKIP.....	4043	6.97

Something else

(DPSTUSE_4)

UDSTAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD STM WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	37	0.06
2 = No.....	42	0.07
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	102	0.18
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED STIMULANTS.....	50251	86.59
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3154	5.43
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	394	0.68
99 = LEGITIMATE SKIP.....	4043	6.97

SUBSTANCE USE DISORDER

Think about your use of prescription sedatives during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription sedatives, feeling their effects, or getting over the effects of any prescription sedatives?

<u>(DPSVFEEL)</u>	Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF SED PST 12 MOS	Freq	Pct
1 = Yes.....		115	0.20
2 = No.....		2267	3.91
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....		156	0.27
85 = BAD DATA LOGICALLY ASSIGNED		14	0.02
91 = NEVER USED SEDATIVES		51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		3226	5.56
94 = DON'T KNOW		6	0.01
97 = REFUSED		5	0.01
98 = BLANK (NO ANSWER)		410	0.71

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription sedatives?

<u>(DPSVGET)</u>	Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING SED IN PST 12 MOS	Freq	Pct
1 = Yes.....		7	0.01
2 = No.....		2260	3.89
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....		156	0.27
85 = BAD DATA LOGICALLY ASSIGNED		12	0.02
91 = NEVER USED SEDATIVES		51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		3226	5.56
94 = DON'T KNOW		4	0.01
97 = REFUSED		7	0.01
98 = BLANK (NO ANSWER)		412	0.71
99 = LEGITIMATE SKIP.....		115	0.20

During the past 12 months, were there many times when you ended up using any prescription sedatives in larger amounts or for a longer time than you meant to?

<u>(DPSVLGR)</u>	Len : 2 USED SED LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS	Freq	Pct
1 = Yes.....		67	0.12
2 = No.....		2317	3.99
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....		156	0.27
85 = BAD DATA LOGICALLY ASSIGNED		14	0.02
91 = NEVER USED SEDATIVES		51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		3226	5.56
94 = DON'T KNOW		4	0.01
97 = REFUSED		4	0.01
98 = BLANK (NO ANSWER)		411	0.71

During the past 12 months, were there times when you wanted to use any prescription sedatives so badly that you couldn't think of anything else?

<u>(DPSVBDLY)</u>	Len : 2 WANTED TO USE SED SO BADLY IN PAST 12 MOS	Freq	Pct
1 = Yes.....		38	0.07
2 = No.....		2347	4.04
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....		156	0.27
85 = BAD DATA LOGICALLY ASSIGNED		14	0.02
91 = NEVER USED SEDATIVES		51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		3226	5.56
94 = DON'T KNOW		3	0.01
97 = REFUSED		4	0.01
98 = BLANK (NO ANSWER)		411	0.71

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you had a strong urge to use any prescription sedatives?

(DPSVURGE)
UDSVSTRURGE Len : 2 STRONG URGE TO USE SED IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	111	0.19
2 = No.....	2238	3.86
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	412	0.71
99 = LEGITIMATE SKIP.....	38	0.07

Do you need to use a lot more of any prescription sedatives than you used to in order to get the feeling you want?

(DPSVMORE)
UDSVNEEDMOR Len : 2 NEEDED A LOT MORE SED TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	79	0.14
2 = No.....	2304	3.97
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	6	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	411	0.71

Does using the same amount of any prescription sedatives have much less effect on you than it used to?

(DPSVLESS)
UDSVLESSEFF Len : 2 SAME AMT SED HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	104	0.18
2 = No.....	2193	3.78
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	13	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	412	0.71
99 = LEGITIMATE SKIP.....	79	0.14

During the past 12 months, did you try to cut down or try to stop using any prescription sedatives?

(DPSVSTOP)
UDSVTRYSTOP Len : 2 TRY TO CUT DOWN/STOP SED USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	300	0.52
2 = No.....	2076	3.58
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	9	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	411	0.71

SUBSTANCE USE DISORDER

Some people who use prescription sedatives try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription sedatives?

<i>(DPSVCANT)</i>	<i>UDSVNOTSTOP</i>	Len : 2 UNABLE TO CUT/STOP SED MORE THAN ONE TIME PAST 12 MOS	Freq	Pct
1 = Yes.....			69	0.12
2 = No.....			229	0.39
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....			156	0.27
85 = BAD DATA LOGICALLY ASSIGNED			1	0.00
91 = NEVER USED SEDATIVES			51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS			3226	5.56
94 = DON'T KNOW			1	0.00
97 = REFUSED			8	0.01
98 = BLANK (NO ANSWER)			433	0.75
99 = LEGITIMATE SKIP.....			2076	3.58

In the past 12 months, did you often wish that you could cut down or stop using any prescription sedatives?

<i>(DPSVWISH)</i>	<i>UDSVWSHSTOP</i>	Len : 2 OFTEN WISH CUT DOWN OR STOP SED USE PAST 12 MOS	Freq	Pct
1 = Yes.....			113	0.19
2 = No.....			1958	3.37
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....			156	0.27
85 = BAD DATA LOGICALLY ASSIGNED			13	0.02
91 = NEVER USED SEDATIVES			51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS			3226	5.56
94 = DON'T KNOW			13	0.02
97 = REFUSED			6	0.01
98 = BLANK (NO ANSWER)			414	0.71
99 = LEGITIMATE SKIP.....			300	0.52

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription sedative?

<i>(DPSVPYHS)</i>	<i>UDSVHLTHPRB</i>	Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY SED PST 12 MO	Freq	Pct
1 = Yes.....			44	0.08
2 = No.....			2333	4.02
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....			156	0.27
85 = BAD DATA LOGICALLY ASSIGNED			14	0.02
91 = NEVER USED SEDATIVES			51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS			3226	5.56
94 = DON'T KNOW			8	0.01
97 = REFUSED			4	0.01
98 = BLANK (NO ANSWER)			414	0.71

Did you continue to use any prescription sedatives even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

<i>(DPSVPCNT)</i>	<i>UDSVHLTHCTD</i>	Len : 2 CONTD TO USE SED DESPITE SED CAUSE/WORSEN PHYS PRBS	Freq	Pct
1 = Yes.....			21	0.04
2 = No.....			23	0.04
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....			156	0.27
85 = BAD DATA LOGICALLY ASSIGNED			1	0.00
91 = NEVER USED SEDATIVES			51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS			3226	5.56
97 = REFUSED			4	0.01
98 = BLANK (NO ANSWER)			435	0.75
99 = LEGITIMATE SKIP.....			2333	4.02

SUBSTANCE USE DISORDER

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription sedative?

*(DPSVMNTL)
UDSVMNTLPRB* Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY SED PAST 12 MOS

	Freq	Pct
1 = Yes.....	43	0.07
2 = No.....	2316	3.99
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	13	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	5	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	416	0.72
99 = LEGITIMATE SKIP.....	21	0.04

Did you continue to use any prescription sedatives even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

*(DPSVMCNT)
UDSVMNTLCNT* Len : 2 CONTD SED USE DESPITE SED CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	17	0.03
2 = No.....	26	0.04
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	433	0.75
99 = LEGITIMATE SKIP.....	2337	4.03

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription sedatives?

*(DPSVACTV)
UDSVSTOPACT* Len : 2 LESS ACTIVITIES B/C OF SED USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	61	0.11
2 = No.....	2316	3.99
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	7	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	415	0.72

SUBSTANCE USE DISORDER

Sometimes people who use prescription sedatives have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription sedatives?

(DPSVSERI)
UDSVWORKPRB Len : 2 SED CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	49	0.08
2 = No.....	2329	4.01
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	6	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	415	0.72

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription sedative?

(DPSVARGU)
UDSVFMLYPRB Len : 2 SED CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	46	0.08
2 = No.....	2333	4.02
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	3	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	416	0.72

Did you continue to use any prescription sedatives even though they often caused arguments or problems with family or friends?

(DPSVACNT)
UDSVFMLYCTD Len : 2 CONTD SED DESPITE SED CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	32	0.06
2 = No.....	13	0.02
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	1	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	431	0.74
99 = LEGITIMATE SKIP.....	2333	4.02

SUBSTANCE USE DISORDER

During the past 12 months, did you repeatedly get into situations where using a prescription sedative increased your chances of getting physically hurt?

(DPSVHURT)
DPSVGETHURT Len : 2 SED INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	40	0.07
2 = No.....	2341	4.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	4	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	416	0.72

People may experience withdrawal symptoms when they use less or stop using prescription sedatives.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription sedatives for a while?

Sweating or feeling that your heart was beating fast

(DPSVWD_1)
DPSVWDSWEAT Len : 2 SWEaty/FAST HEARTBEAT - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	89	0.15
2 = No.....	2284	3.94
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	9	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	417	0.72

Having your hands tremble

(DPSVWD_2)
DPSVWDTMBL Len : 2 HANDS TREMBLE - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	92	0.16
2 = No.....	2282	3.93
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	7	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	417	0.72

Having trouble sleeping

(DPSVWD_3)
DPSVWDSLEEP Len : 2 TROUBLE SLEEPING - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	364	0.63
2 = No.....	2011	3.47
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	7	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	417	0.72

SUBSTANCE USE DISORDER

Vomiting or having an upset stomach

(DPSVWD_4)
UDSVWDVOMIT Len : 2 VOMITING/UPSET STOMACH - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	66	0.11
2 = No.....	2311	3.98
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	5	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	417	0.72

Seeing, hearing, or feeling things that weren't really there

(DPSVWD_5)
UDSVWDHALUC Len : 2 SEE/HEAR/FEEL THINGS - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	60	0.10
2 = No.....	2317	3.99
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	5	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	417	0.72

Feeling like you couldn't sit still

(DPSVWD_6)
UDSVWDSITST Len : 2 COULDN'T SIT STILL - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	99	0.17
2 = No.....	2277	3.92
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	6	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	417	0.72

Feeling anxious

(DPSVWD_7)
UDSVWDFLANX Len : 2 FEELING ANXIOUS - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	197	0.34
2 = No.....	2178	3.75
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED.....	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	7	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	417	0.72

SUBSTANCE USE DISORDER

During the past 12 months, did you use any prescription sedatives or other drugs to get over or avoid having prescription sedative withdrawal symptoms?

(DPSVOVER)

UDSVAVOIDWD

Len : 2 USE SED TO GET OVER/AVOID SED WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	35	0.06
2 = No.....	2340	4.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	4	0.01
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	417	0.72

Which of the following did you use to get over or avoid having prescription sedative withdrawal symptoms during the past 12 months?

Prescription sedatives, tranquilizers, sleeping pills, or downers

(DPSVUSE_1)

UDSVAVWSVTR

Len : 2 USED SED/TR TO GET OVER/AVOID SED WITHDRWL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	18	0.03
2 = No.....	15	0.03
13 = Yes LOG ASSN (not applicable to criterion 11b).....	1	0.00
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	1	0.00
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	433	0.75
99 = LEGITIMATE SKIP.....	2340	4.03

Alcohol

(DPSVUSE_2)

UDSVAVWALCO

Len : 2 USED ALC TO GET OVER/AVOID SED WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	14	0.02
2 = No.....	20	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	1	0.00
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	433	0.75
99 = LEGITIMATE SKIP.....	2340	4.03

Something else

(DPSVUSE_3)

UDSVAVWOTHR

Len : 2 USED SOMETHING ELSE TO GET OVR/AVD SED WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	18	0.03
2 = No.....	16	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	156	0.27
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED SEDATIVES	51835	89.32
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3226	5.56
94 = DON'T KNOW	1	0.00
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	433	0.75
99 = LEGITIMATE SKIP.....	2340	4.03

SUBSTANCE USE DISORDER

The next set of variables are substance use disorder measures for alcohol and drugs and are based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition. Drugs include marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, and the use of prescription psychotherapeutic drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives). These variables include missing values, while the imputation-revised versions of these variables in which missing values are replaced with valid response categories are described in the "Imputed Substance Use Disorder" section. The construction of all SUD variables is described in more detail in the Nicotine Dependence and Substance Use Disorder appendix.

NOTE: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

(*ALCYR, UDALAVWALCO, UDALAVWOTHR, UDALAVWSVTR, UDALBLCKCTD, UDALFMLYCTD, UDALFMLYPRB, UDALGETHURT, UDALHLTHCTD, UDALLESSEFF, UDALLRGAMTS, UDALMNTLCTD, UDALNEEDMOR, UDALNOTSTOP, UDALSTOPACT, UDALSTRURGE, UDALTMEGET, UDALTMEUSE, UDALWANTBAD, UDALWDFLANX, UDALWDHALUC, UDALWDSITST, UDALWDSEEEP, UDALWDSWEAT, UDALWDTRMBL, UDALWDVOMIT, UDALWORKPRB, UDALWSHSTOP*)

PYUD5ALC Len : 2 ALCOHOL USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	642	1.11
0 = No	22318	38.46
1 = Yes.....	6246	10.76
91 = NEVER USED ALCOHOL.....	16310	28.10
93 = DID NOT USE ALCOHOL PAST 12 MONTHS OR USED <6 DAYS	12518	21.57

NOTE: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

(*MRJYR, UDMJAVWMARJ, UDMJAVWOTHR, UDMJFMLYCTD, UDMJFMLYPRB, UDMJGETHURT, UDMJHLTHCTD, UDMJLESSEFF, UDMJLRGAMTS, UDMJMNTLCTD, UDMJNEEDMOR, UDMJNOTSTOP, UDMJSTOPACT, UDMJSTRURGE, UDMJTIMEGET, UDMJTIMEUSE, UDMJWANTBAD, UDMJWDANGRY, UDMJWDAPPET, UDMJWDCHILL, UDMJWDDEPRS", UDMJWDFEVER, UDMJWDFLANX, UDMJWDHEDAC, UDMJWDshake, UDMJWDSITST, UDMJWDSLEEP, UDMJWDSTMCH, UDMJWDSWEAT, UDMJWORKPRB, UDMJWSHSTOP*)

PYUD5MRJ Len : 2 MARIJUANA USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	560	0.96
0 = No	5431	9.36
1 = Yes.....	3975	6.85
91 = NEVER USED MARIJUANA	32504	56.01
93 = DID NOT USE MARIJUANA PAST 12 MONTHS OR USED <6 DAYS.....	15564	26.82

NOTE: Respondents who reported lifetime but not past year use of cocaine, but were past year users of cocaine according to the variable CONDLREC, were asked the questions on cocaine use disorder. Because the editing and imputation procedures for cocaine recency do not incorporate CONDLREC, it is possible for a respondent to be a lifetime but not a past year user of cocaine according to IRCOCRC, but to be classified as having past year substance use disorder of cocaine. The few respondents who were lifetime but not past year users of cocaine according to IRCOCRC but were missing for CONDLREC were considered past year nonusers.

(*COCYR, CONDLREC, UDCCAVWCOCN, UDCCAVWMETH, UDCCAVWOTHR, UDCCAVWSTIM, UDCCFMLYCTD, UDCCFMLYPRB, UDCCGETHURT, UDCCHLTHCTD, UDCCLESSEFF, UDCCLRGAMTS, UDCCMNTLCTD, UDCCNEEDMOR, UDCCNOTSTOP, UDCCSTOPACT, UDCCSTRURGE, UDCCTIMEGET, UDCCTIMEUSE, UDCCWANTBAD, UDCCWDDREAM, UDCCWDFLBLU, UDCCWDHNGRY, UDCCWDSITST, UDCCWDSLEEP, UDCCWDTIRED, UDCCWORKPRB, UDCCWSHSTOP*)

PYUD5COC Len : 2 COCAINE USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	48	0.08
0 = No	818	1.41
1 = Yes.....	253	0.44
91 = NEVER USED COCAINE	51236	88.29
93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS	5679	9.79

SUBSTANCE USE DISORDER

NOTE: Respondents who reported lifetime but not past year use of heroin, but were past year users of heroin according to the variables HRNDLREC, HRSMKREC, or HRSNFREC were asked the questions on heroin use disorder. Because the editing and imputation procedures for heroin recency do not incorporate HRNDLREC, HRSMKREC, or HRSNFREC, it is possible for a respondent to be a lifetime but not a past year user of heroin according to IRHERRC, but to be classified as having past year substance use disorder of heroin. The few respondents who were lifetime but not past year users of heroin according to IRHERRC but were missing for HRNDLREC, HRSMKREC, or HRSNFREC were considered past year nonusers.

(HERYR, HRNDLREC, HRSMKREC, HRSNFREC, UDHEAVWHERN, UDHEAVWOTH, UDHEAVWPNRL, UDHEFMLYCTD, UDHEFMLYPRB, UDHEGETHURT, UDHEHLTHCTD, UDHELESSEFF, UDHELRGAMTS, UDHEMNTLCTD, UDHENEEDMOR, UDHENOTSTOP, UDHESTOPACT, UDHESTRURGE, UDHETIMEGET, UDHETIMEUSE, UDHEWANTBAD, UDHEWDCRAMP, UDHEWDDIARR, UDHEWDFEVER, UDHEWDFBLU, UDHEWDRUNNY, UDHEWDSLEEP, UDHEWDSWEAT, UDHEWDVOMIT, UDHEWDYAWNS, UDHEWORKPRB, UDHEWSHSTOP)

PYUD5HER Len : 2 HEROIN USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	16	0.03
0 = No.....	51	0.09
1 = Yes.....	161	0.28
91 = NEVER USED HEROIN.....	56899	98.04
93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS.....	907	1.56

(HALLUCYR, UDHAFMLYCTD, UDHAFMLYPRB, UDHAGETHURT, UDHABLTHCTD, UDHALESSEFF, UDHALRGAMTS, UDHAMNTLCTD, UDHANEEDMOR, UDHANOTSTOP, UDHASTOPACT, UDHASTRURGE, UDHATIMEGET, UDHATIMEUSE, UDHWANTBAD, UDHAWORKPRB, UDHAWSHSTOP)

PYUD5HAL Len : 2 HALLUCINOGEN USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	105	0.18
0 = No.....	1813	3.12
1 = Yes.....	130	0.22
91 = NEVER USED HALLUCINOGENS	49033	84.49
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....	6953	11.98

(INHALYR, UDINFMLYCTD, UDINFMLYPRB, UDINGETHURT, UDINHLTHCTD, UDINLESSEFF, UDINLRGAMTS, UDINMNTLCTD, UDINNEEDMOR, UDINNOTSTOP, UDINSTOPACT, UDINSTRURGE, UDINTIMEGET, UDINTIMEUSE, UDINWANTBAD, UDINWORKPRB, UDINWSHSTOP)

PYUD5INH Len : 2 INHALANT USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	60	0.10
0 = No.....	563	0.97
1 = Yes.....	82	0.14
91 = NEVER USED INHALANTS	52372	90.24
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	4957	8.54

NOTE: Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine use disorder. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not a past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year substance use disorder of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

(METHAMYR, METHNDLRC, UDMEA VWCOCN, UDMEA VWMETH, UDMEA VWOTHR, UDMEA VWSTIM, UDMEFMLYCTD, UDMEFMLYPRB, UDMEGETHURT, UDMEHBLTHCTD, UDMELESSEFF, UDMELRGAMTS, UDMEMNTLCTD, UDMENEEDMOR, UDMENOTSTOP, UDMESTOPACT, UDMESTRURGE, UDMETIMEGET, UDMETIMEUSE, UDMEWANTBAD, UDMEWDDREAM, UDMEWDFBLU, UDMEWDHNGRY, UDMEWDSITST, UDMEWDSLEEP, UDMEWDTIRED, UDMEWWORKPRB, UDMEWWSHSTOP)

PYUD5MTH Len : 2 METHAMPHETAMINE USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	32	0.06
0 = No.....	167	0.29
1 = Yes.....	301	0.52
91 = NEVER USED METHAMPHETAMINE	55367	95.40
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS	2167	3.73

SUBSTANCE USE DISORDER

NOTE: EDUD5PNRMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

(*PNRNMYS, UDPRAVWHERN, UDPRAVWOTH, UDPRAVWPNRL, UDPRFMLYCTD, UDPRFMLYPRB, UDPRETHURT, UDPRLTHCTD, UDPRLGAMTS, UDPRMNTLCRD, UDPNEEDMOR, UDPNOTSTOP, UDPSTOPACT, UDPSTRURGE, UDPRTIMEGET, UDPRTIMEUSE, UDPWANTBAD, UDPWDRCRAMP, UDPWDDIARR, UDPWDFEVER, UDPWFBLU, UDPWDRUNNY, UDPWDSLEEP, UDPWDSWEAT, UDPWDVOMIT, UDPWDYAWNS, UDPWORKPRB, UDPWSHSTOP*)

EDUD5PNRMIS Len : 2 PAIN RELIEVER USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	93	0.16
0 = No.....	1277	2.20
1 = Yes.....	404	0.70
91 = NEVER MISUSED PAIN RELIEVERS	53095	91.49
93 = DID NOT MISUSE PAIN RELIEVER IN THE PAST 12 MOS.....	3165	5.45

NOTE: EDUD5PNRUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

(*PNRANYR, PNRNMYS, UDPFMLYCTD, UDPFMLYPRB, UDPRETHURT, UDPRLTHCTD, UDPRLGAMTS, UDPRMNTLCRD, UDPNOTSTOP, UDPSTOPACT, UDPSTRURGE, UDPRTIMEGET, UDPRTIMEUSE, UDPWANTBAD, UDPWORKPRB, UDPWSHSTOP*)

EDUD5PNRUNM Len : 2 PAIN RELIEVER USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	353	0.61
0 = No.....	9890	17.04
1 = Yes.....	491	0.85
91 = NEVER USED PAIN RELIEVERS	29784	51.32
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON	17516	30.18

NOTE: EDUD5TRQMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers.

(*TRQNMYS, UDTAVWALCO, UDTAVWOTH, UDTAVWSVTR, UDTFMLYCTD, UDTFMLYPRB, UDTRETHURT, UDTRLTHCTD, UDTLNGAMTS, UDTMNTLCRD, UDTNOTSTOP, UDTSTOPACT, UDTSTRURGE, UDTRTIMEGET, UDTRTIMEUSE, UDTWANTBAD, UDTWORKPRB, UDTWSHSTOP*)

EDUD5TRQMIS Len : 2 TRANQUILIZER USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	45	0.08
0 = No.....	797	1.37
1 = Yes.....	203	0.35
91 = NEVER MISUSED TRANQUILIZERS.....	55766	96.09
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	1223	2.11

NOTE: EDUD5TRQUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription tranquilizers.

(*TRQANYR, TRQNMYS, UDTFMLYCTD, UDTFMLYPRB, UDTRETHURT, UDTRLTHCTD, UDTLNGAMTS, UDTMNTLCRD, UDTNOTSTOP, UDTSTOPACT, UDTSTRURGE, UDTRTIMEGET, UDTRTIMEUSE, UDTWANTBAD, UDTWORKPRB, UDTWSHSTOP*)

EDUD5TRQUNM Len : 2 TRANQUILIZER USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	154	0.27
0 = No.....	4566	7.87
1 = Yes.....	159	0.27
91 = NEVER USED TRANQUILIZERS.....	47634	82.08
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON	5521	9.51

SUBSTANCE USE DISORDER

NOTE: EDUD5STMMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription stimulants.

(*STMNMYR, UDSTAVWCOCN, UDSTAVWMETH, UDSTAVWOTH, UDSTAVWSTIM, UDSTFMLYCTD, UDSTFMLYPRB, UDSTGETHURT, UDSTHLTHCTD, UDSTLESSEFF, UDSTLRGAMTS, UDSTMNTLCTD, UDSTNEEDMOR, UDSTNOTSTOP, UDSTSTOPACT, UDSTSTRURGE, UDSTTIMEGET, UDSTTIMEUSE, UDSTWANTBAD, UDSTWDDREAM, UDSTWDFLBLU, UDSTWDHNGRY, UDSTWDSITST, UDSTWDSLEEP, UDSTWDTIRED, UDSTWORKPRB, UDSTWSHSTOP*)

EDUD5STMMIS Len : 2 STIMULANT USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	33	0.06
0 = No.....	861	1.48
1 = Yes.....	207	0.36
91 = NEVER MISUSED STIMULANTS.....	55342	95.36
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	1591	2.74

NOTE: EDUD5STMUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription stimulants.

(*STMANYR, STMNMYR, UDSTFMLYCTD, UDSTFMLYPRB, UDSTGETHURT, UDSTHLTHCTD, UDSTLRGAMTS, UDSTMNTLCTD, UDSTNOTSTOP, UDSTSTOPACT, UDSTSTRURGE, UDSTTIMEGET, UDSTTIMEUSE, UDSTWANTBAD, UDSTWORKPRB, UDSTWSHSTOP*)

EDUD5STMUNM Len : 2 STIMULANT USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	137	0.24
0 = No.....	2805	4.83
1 = Yes.....	231	0.40
91 = NEVER USED STIMULANTS.....	50588	87.17
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON	4273	7.36

NOTE: EDUD5SEDMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription sedatives.

(*SEDNMYR, UDSVAVWALCO, UDSVAVWOTH, UDSVAVWSVTR, UDSVFMLYCTD, UDSVFMLYPRB, UDSVGETHURT, UDSVLTHCTD, UDSVLESSEFF, UDSVLRGAMTS, UDSVMNTLCTD, UDSVNEEDMOR, UDSVNOTSTOP, UDSVSTOPACT, UDSVSTRURGE, UDSVTIMEGET, UDSVTIMEUSE, UDSVWANTBAD, UDSVWDFLANX, UDSVWDHALUC, UDSVWDSITST, UDSVWDSLEEP, UDSVWDSWEAT, UDSVWDTRMBL, UDSVWDVOMIT, UDSVWORKPRB, UDSVWSHSTOP*)

EDUD5SEDMIS Len : 2 SEDATIVE USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	13	0.02
0 = No.....	152	0.26
1 = Yes.....	60	0.10
91 = NEVER MISUSED SEDATIVES	56869	97.99
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MOS	940	1.62

NOTE: EDUD5SEDUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription sedatives.

(*SEDNYYR, SEDNMYR, UDSVFMLYCTD, UDSVFMLYPRB, UDSVGETHURT, UDSVLTHCTD, UDSVLRGAMTS, UDSVMNTLCTD, UDSVNOTSTOP, UDSVSTOPACT, UDSVSTRURGE, UDSVTIMEGET, UDSVTIMEUSE, UDSVWANTBAD, UDSVWORKPRB, UDSVWSHSTOP*)

EDUD5SEDUNM Len : 2 SEDATIVE USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	97	0.17
0 = No.....	2056	3.54
1 = Yes.....	100	0.17
91 = NEVER USED SEDATIVES	52289	90.10
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON	3492	6.02

IMPUTED SUBSTANCE USE DISORDER

IMPUTED SUBSTANCE USE DISORDER

The next set of variables are imputation-revised substance use disorder measures for alcohol and drugs and are based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition. Drugs include marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, and the use of prescription psychotherapeutic drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives). The construction of all SUD variables is described in more detail in the Nicotine Dependence and Substance Use Disorder appendix.

NOTE: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

(PYUD5ALC)		Len : 2 ALCOHOL USE DISORDER IN THE PAST YEAR - IMP REV	Freq	Pct
	IRPYUD5ALC	0 = No	51627	88.96
		1 = Yes.....	6407	11.04

(PYUD5ALC)		Len : 2 ALCOHOL USE DISORDER IN THE PAST YEAR - IMP IND	Freq	Pct
	IIPYUD5ALC	1 = Questionnaire data	28564	49.22
		3 = Statistically imputed data.....	642	1.11
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	28828	49.67

NOTE: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

(PYUD5MRJ)		Len : 2 MARIJUANA USE DISORDER IN THE PAST YEAR - IMP REV	Freq	Pct
	IRPYUD5MRJ	0 = No	53825	92.75
		1 = Yes.....	4209	7.25

(PYUD5MRJ)		Len : 2 MARIJUANA USE DISORDER IN THE PAST YEAR - IMP IND	Freq	Pct
	IIPYUD5MRJ	1 = Questionnaire data	9406	16.21
		3 = Statistically imputed data.....	560	0.96
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	48068	82.83

NOTE: Respondents who reported lifetime but not past year use of cocaine, but were past year users of cocaine according to the variable CONDLREC, were asked the questions on cocaine use disorder. Because the editing and imputation procedures for cocaine recency do not incorporate CONDLREC, it is possible for a respondent to be a lifetime but not a past year user of cocaine according to IRCOCRC, but to be classified as having past year substance use disorder of cocaine. The few respondents who were lifetime but not past year users of cocaine according to IRCOCRC but were missing for CONDLREC were considered past year nonusers.

(PYUD5COC)		Len : 2 COCAINE USE DISORDER IN THE PAST YEAR - IMP REV	Freq	Pct
	IRPYUD5COC	0 = No	57768	99.54
		1 = Yes.....	266	0.46

(PYUD5COC)		Len : 2 COCAINE USE DISORDER IN THE PAST YEAR - IMP IND	Freq	Pct
	IIPYUD5COC	1 = Questionnaire data	1071	1.85
		3 = Statistically imputed data.....	48	0.08
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	56915	98.07

IMPUTED SUBSTANCE USE DISORDER

NOTE: Respondents who reported lifetime but not past year use of heroin, but were past year users of heroin according to the variables HRNDLREC, HRSMKREC, or HRSNFREC were asked the questions on heroin use disorder. Because the editing and imputation procedures for heroin recency do not incorporate HRNDLREC, HRSMKREC, or HRSNFREC, it is possible for a respondent to be a lifetime but not a past year user of heroin according to IRHERRC, but to be classified as having past year substance use disorder of heroin. The few respondents who were lifetime but not past year users of heroin according to IRHERRC but were missing for HRNDLREC, HRSMKREC, or HRSNFREC were considered past year nonusers.

<i>(PYUD5HER)</i>	Len : 2 HEROIN USE DISORDER IN THE PAST YEAR - IMP REV	Freq	Pct
<u>IRPYUD5HER</u>	0 = No.....	57858	99.70
	1 = Yes.....	176	0.30
 <i>(PYUD5HER)</i>			
<u>IIPYUD5HER</u>	Len : 2 HEROIN USE DISORDER IN THE PAST YEAR - IMP IND	Freq	Pct
	1 = Questionnaire data	212	0.37
	3 = Statistically imputed data.....	16	0.03
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	57806	99.61
 <i>(PYUD5HAL)</i>			
<u>IRPYUD5HAL</u>	Len : 2 HALLUCINOGEN USE DISORDER IN THE PAST YEAR - IMP REV	Freq	Pct
	0 = No.....	57894	99.76
	1 = Yes.....	140	0.24
 <i>(PYUD5HAL)</i>			
<u>IIPYUD5HAL</u>	Len : 2 HALLUCINOGEN USE DISORDER IN THE PAST YEAR - IMP IND	Freq	Pct
	1 = Questionnaire data	1943	3.35
	3 = Statistically imputed data.....	105	0.18
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	55986	96.47
 <i>(PYUD5NH)</i>			
<u>IRPYUD5NH</u>	Len : 2 INHALANT USE DISORDER IN THE PAST YEAR - IMP REV	Freq	Pct
	0 = No.....	57946	99.85
	1 = Yes.....	88	0.15
 <i>(PYUD5NH)</i>			
<u>IIPYUD5NH</u>	Len : 2 INHALANT USE DISORDER IN THE PAST YEAR - IMP IND	Freq	Pct
	1 = Questionnaire data	645	1.11
	3 = Statistically imputed data.....	60	0.10
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	57329	98.79
 <i>(DEPENDHAL, PYUD5MTH)</i>			
<u>IRPYUD5MTH</u>	Len : 2 METHAMPHETAMINE USE DISORDER IN THE PAST YEAR - IMP REV	Freq	Pct
	0 = No.....	57710	99.44
	1 = Yes.....	324	0.56

NOTE: Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine use disorder. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not a past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year substance use disorder of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

<i>(DEPENDHAL, PYUD5MTH)</i>	Len : 2 METHAMPHETAMINE USE DISORDER IN THE PAST YEAR - IMP REV	Freq	Pct
<u>IRPYUD5MTH</u>	0 = No.....	57710	99.44
	1 = Yes.....	324	0.56

IMPUTED SUBSTANCE USE DISORDER

<i>(PYUD5MTH)</i>	Len : 2 METHAMPHETAMINE USE DISORDER IN THE PAST YEAR - IMP IND	Freq	Pct
	1 = Questionnaire data	468	0.81
	3 = Statistically imputed data.....	32	0.06
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER.....	57534	99.14

NOTE: IRUD5PNRMIS and IIUD5PNRMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

<i>(EDUD5PNRMIS)</i>	Len : 2 PAIN RELIEVER USE DISORDER, PY MISUERS - IMP REV	Freq	Pct
	0 = No.....	57601	99.25
	1 = Yes.....	433	0.75

<i>(EDUD5PNRMIS)</i>	Len : 2 PAIN RELIEVER USE DISORDER, PY MISUSERS - IMP IND	Freq	Pct
	1 = Questionnaire data	1681	2.90
	3 = Statistically imputed data.....	93	0.16
	9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR.....	56260	96.94

NOTE: IRUD5PNRUNM and IIUD5PNRUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

<i>(EDUD5PNRUNM)</i>	Len : 2 PAIN RELIEVER USE DISORD, PY USERS BUT NOT MISUSERS-IMP REV	Freq	Pct
	0 = No.....	57525	99.12
	1 = Yes.....	509	0.88

<i>(EDUD5PNRUNM)</i>	Len : 2 PAIN RELIEVER USE DISORD, PY USERS BUT NOT MISUSERS-IMP IND	Freq	Pct
	1 = Questionnaire data	10381	17.89
	3 = Statistically imputed data.....	353	0.61
	9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR.....	47300	81.50

NOTE: IRUD5TRQMIS and IIUD5TRQMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers.

<i>(EDUD5TRQMIS)</i>	Len : 2 TRANQUILIZER USE DISORDER, PY MISUSERS - IMP REV	Freq	Pct
	0 = No.....	57821	99.63
	1 = Yes.....	213	0.37

<i>(EDUD5TRQMIS)</i>	Len : 2 TRANQUILIZER USE DISORDER, PY MISUSERS - IMP IND	Freq	Pct
	1 = Questionnaire data	1000	1.72
	3 = Statistically imputed data.....	45	0.08
	9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR.....	56989	98.20

NOTE: IRUD5TRQUNM and IIUD5TRQUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription tranquilizers.

<i>(EDUD5TRQUNM)</i>	Len : 2 TRANQUILIZER USE DISORDER, PY USERS BUT NOT MISUSERS-IMP REV	Freq	Pct
	0 = No.....	57868	99.71
	1 = Yes.....	166	0.29

IMPUTED SUBSTANCE USE DISORDER

<i>(EDUD5TRQUNM)</i>	Len : 2 TRANQUILIZER USE DISORDER, PY USERS BUT NOT MISUSERS-IMP IND	Freq	Pct
<u>IIUD5TRQUNM</u>	1 = Questionnaire data	4725	8.14
	3 = Statistically imputed data.....	154	0.27
	9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR.....	53155	91.59

NOTE: IRUD5STMMS and IIUD5STMMS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription stimulants.

<i>(EDUD5STMMS)</i>	Len : 2 STIMULANT USE DISORDER, PY MISUSERS - IMP REV	Freq	Pct
<u>IIUD5STMMS</u>	0 = No.....	57820	99.63
	1 = Yes.....	214	0.37

<i>(EDUD5STMMIS)</i>	Len : 2 STIMULANT USE DISORDER, PY MISUSERS - IMP IND	Freq	Pct
<u>IIUD5STMMIS</u>	1 = Questionnaire data	1068	1.84
	3 = Statistically imputed data.....	33	0.06
	9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR.....	56933	98.10

NOTE: IRUD5STMUNM and IIUD5STMUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription stimulants.

<i>(EDUD5STMUNM)</i>	Len : 2 STIMULANT USE DISORDER, PY USERS BUT NOT MISUSERS - IMP REV	Freq	Pct
<u>IIUD5STMUNM</u>	0 = No.....	57792	99.58
	1 = Yes.....	242	0.42

<i>(EDUD5STMUNM)</i>	Len : 2 STIMULANT USE DISORDER, PY USERS BUT NOT MISUSERS - IMP IND	Freq	Pct
<u>IIUD5STMUNM</u>	1 = Questionnaire data	3036	5.23
	3 = Statistically imputed data.....	137	0.24
	9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR.....	54861	94.53

NOTE: IRUD5SEDMIS and IIUD5SEDMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription sedatives.

<i>(EDUD5SEDMIS)</i>	Len : 2 SEDATIVE USE DISORDER, PY MISUSERS - IMP REV	Freq	Pct
<u>IIUD5SEDMIS</u>	0 = No.....	57968	99.89
	1 = Yes.....	66	0.11

<i>(EDUD5SEDMIS)</i>	Len : 2 SEDATIVE USE DISORDER, PY MISUSERS - IMP IND	Freq	Pct
<u>IIUD5SEDMIS</u>	1 = Questionnaire data	212	0.37
	3 = Statistically imputed data.....	13	0.02
	9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR.....	57809	99.61

NOTE: IRUD5SEDUNM and IIUD5SEDUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription sedatives.

<i>(EDUD5SEDUNM)</i>	Len : 2 SEDATIVE USE DISORDER, PY USERS BUT NOT MISUSERS - IMP REV	Freq	Pct
<u>IIUD5SEDUNM</u>	0 = No.....	57927	99.82
	1 = Yes.....	107	0.18

IMPUTED SUBSTANCE USE DISORDER

(EDUD5SEDUNM)
IUD5SEDUNM

Len : 2 SEDATIVE USE DISORDER, PY USERS BUT NOT MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	2156	3.72
3 = Statistically imputed data	97	0.17
9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR	55781	96.12

The next set of variables are imputation-revised measures of substance use disorder severity for alcohol and drugs and are based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition. The severity of an SUD according to DSM-5 criteria is determined by the number of individual criteria recorded as positive for a particular substance. Respondents were classified as having an SUD of mild severity if they met two or three SUD criteria for that substance, an SUD of moderate severity if they met four or five SUD criteria for that substance, and a severe SUD if they met six or more SUD criteria for that substance. The construction of all SUD variables is described in more detail in the Nicotine Dependence and Substance Use Disorder appendix.

NOTE: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

(IRPYUD5ALC)
IRPYSEV5ALC

Len : 2 ALCOHOL USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	3788	6.53
2 = Moderate disorder.....	1359	2.34
3 = Severe disorder	1260	2.17
9 = NO PAST YEAR USE DISORDER.....	51627	88.96

IIPYSEV5ALC

Len : 2 ALCOHOL USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	6199	10.68
3 = Statistically imputed data.....	689	1.19
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	51146	88.13

NOTE: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

(IRPYUD5MRJ)
IRPYSEV5MRJ

Len : 2 MARIJUANA USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	2265	3.90
2 = Moderate disorder.....	1196	2.06
3 = Severe disorder	748	1.29
9 = NO PAST YEAR USE DISORDER.....	53825	92.75

IIPYSEV5MRJ

Len : 2 MARIJUANA USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	3947	6.80
3 = Statistically imputed data.....	588	1.01
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	53499	92.19

NOTE: Respondents who reported lifetime but not past year use of cocaine, but were past year users of cocaine according to the variable CONDLREC, were asked the questions on cocaine use disorder. Because the editing and imputation procedures for cocaine recency do not incorporate CONDLREC, it is possible for a respondent to be a lifetime but not a past year user of cocaine according to IRCOCRC, but to be classified as having past year substance use disorder of cocaine. The few respondents who were lifetime but not past year users of cocaine according to IRCOCRC but were missing for CONDLREC were considered past year nonusers.

(IRPYUD5COC)
IRPYSEV5COC

Len : 2 COCAINE USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	112	0.19
2 = Moderate disorder.....	57	0.10
3 = Severe disorder	97	0.17
9 = NO PAST YEAR USE DISORDER.....	57768	99.54

IMPUTED SUBSTANCE USE DISORDER

<u>IIPYSEV5COC</u>	Len : 2 COCAINE USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND	Freq	Pct
1 = Questionnaire data	251	0.43	
3 = Statistically imputed data.....	50	0.09	
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57733	99.48	

NOTE: Respondents who reported lifetime but not past year use of heroin, but were past year users of heroin according to the variables HRNDLREC, HRSMKREC, or HRSNFREC were asked the questions on heroin use disorder. Because the editing and imputation procedures for heroin recency do not incorporate HRNDLREC, HRSMKREC, or HRSNFREC, it is possible for a respondent to be a lifetime but not a past year user of heroin according to IRHERRC, but to be classified as having past year substance use disorder of heroin. The few respondents who were lifetime but not past year users of heroin according to IRHERRC but were missing for HRNDLREC, HRSMKREC, or HRSNFREC were considered past year nonusers.

<i>(IRPYUD5HER)</i>	<u>IIPYSEV5HER</u>	Len : 2 HEROIN USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV	Freq	Pct
1 = Mild disorder	27	0.05		
2 = Moderate disorder.....	12	0.02		
3 = Severe disorder	137	0.24		
9 = NO PAST YEAR USE DISORDER.....	57858	99.70		

<u>IIPYSEV5HER</u>	Len : 2 HEROIN USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND	Freq	Pct
1 = Questionnaire data	159	0.27	
3 = Statistically imputed data.....	18	0.03	
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57857	99.70	

NOTE: Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine use disorder. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not a past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year substance use disorder of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

<i>(IRPYUD5MTH)</i>	<u>IIPYSEV5MTH</u>	Len : 2 METHAMPHETAMINE USE DISORDER SEVERITY IN PAST YR - IMP REV	Freq	Pct
1 = Mild disorder	65	0.11		
2 = Moderate disorder.....	61	0.11		
3 = Severe disorder	198	0.34		
9 = NO PAST YEAR USE DISORDER.....	57710	99.44		

<u>IIPYSEV5MTH</u>	Len : 2 METHAMPHETAMINE USE DISORDER SEVERITY IN PAST YR - IMP IND	Freq	Pct
1 = Questionnaire data	296	0.51	
3 = Statistically imputed data.....	37	0.06	
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57701	99.43	

<i>(IRPYUD5HAL)</i>	<u>IIPYSEV5HAL</u>	Len : 2 HALLUCINOGEN USE DISORDER SEVERITY IN THE PAST YR - IMP REV	Freq	Pct
1 = Mild disorder	88	0.15		
2 = Moderate disorder.....	37	0.06		
3 = Severe disorder	15	0.03		
9 = NO PAST YEAR USE DISORDER.....	57894	99.76		

<u>IIPYSEV5HAL</u>	Len : 2 HALLUCINOGEN USE DISORDER SEVERITY IN THE PAST YR - IMP IND	Freq	Pct
1 = Questionnaire data	128	0.22	
3 = Statistically imputed data.....	107	0.18	
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57799	99.60	

IMPUTED SUBSTANCE USE DISORDER

(IRPYUD5INH)
IRPYSEV5INH

Len : 2 INHALANT USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	58	0.10
2 = Moderate disorder.....	15	0.03
3 = Severe disorder	15	0.03
9 = NO PAST YEAR USE DISORDER.....	57946	99.85

IIPYSEV5INH

Len : 2 INHALANT USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	82	0.14
3 = Statistically imputed data.....	60	0.10
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57892	99.76

NOTE: IRSEVPNRMIS and IISEVPNRMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

(IRUD5PNRMIS)
IRSEVPNRMIS

Len : 2 PAIN RELIEVER USE DISORDER SEVERITY, PY MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	182	0.31
2 = Moderate disorder.....	90	0.16
3 = Severe disorder	161	0.28
9 = Legitimate Skip.....	57601	99.25

IISEVPNRMIS

Len : 2 PAIN RELIEVER USE DISORDER SEVERITY, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	401	0.69
3 = Statistically imputed data.....	96	0.17
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57537	99.14

NOTE: IRSEVPNRUNM and IISEVPNRUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

(IRUD5PNRUM)
IRSEVPNRUNM

Len : 2 PAIN RELIEVER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP REV

	Freq	Pct
1 = Mild disorder	408	0.70
2 = Moderate disorder.....	75	0.13
3 = Severe disorder	26	0.04
9 = Legitimate Skip.....	57525	99.12

IISEVPNRUNM

Len : 2 PAIN RELIEVER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP IND

	Freq	Pct
1 = Questionnaire data	482	0.83
3 = Statistically imputed data.....	362	0.62
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57190	98.55

NOTE: IRSEVTRQMIS and IISEVTRQMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers.

(IRUD5TRQMIS)
IRSEVTRQMIS

Len : 2 TRANQUILIZER USE DISORDER SEVERITY, PY MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	91	0.16
2 = Moderate disorder.....	44	0.08
3 = Severe disorder	78	0.13
9 = Legitimate Skip.....	57821	99.63

IISEVTRQMIS

Len : 2 TRANQUILIZER USE DISORDER SEVERITY, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	199	0.34
3 = Statistically imputed data.....	49	0.08
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57786	99.57

IMPUTED SUBSTANCE USE DISORDER

NOTE: IRSEVTRQUNM and IISEVTRQUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription tranquilizers.

(IRUD5TRQUNM)

IRSEVTRQUNM Len : 2 TRANQUILIZER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP REV

	Freq	Pct
1 = Mild disorder	128	0.22
2 = Moderate disorder.....	28	0.05
3 = Severe disorder.....	10	0.02
9 = Legitimate Skip.....	57868	99.71

IISEVTRQUNM

Len : 2 TRANQUILIZER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP IND

	Freq	Pct
1 = Questionnaire data	157	0.27
3 = Statistically imputed data.....	156	0.27
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57721	99.46

NOTE: IRSEVSTMMIS and IISEVSTMMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription stimulants.

(IRUD5STMMIS)

IRSEVSTMMIS Len : 2 STIMULANT USE DISORDER SEVERITY, PY MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	89	0.15
2 = Moderate disorder.....	64	0.11
3 = Severe disorder	61	0.11
9 = Legitimate Skip.....	57820	99.63

IISEVSTMMIS

Len : 2 STIMULANT USE DISORDER SEVERITY, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	205	0.35
3 = Statistically imputed data.....	35	0.06
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57794	99.59

NOTE: IRSEVSTMUNM and IISEVSTMUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription stimulants.

(IRUD5STMUNM)

IRSEVSTMUNM Len : 2 STIMULANT USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	201	0.35
2 = Moderate disorder.....	24	0.04
3 = Severe disorder	17	0.03
9 = Legitimate Skip.....	57792	99.58

IISEVSTMUNM

Len : 2 STIMULANT USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	226	0.39
3 = Statistically imputed data.....	142	0.24
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57666	99.37

NOTE: IRSEVSEDMIS and IISEVSEDMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription sedatives.

(IRUD5SEDMIS)

IRSEVSEDMIS Len : 2 SEDATIVE USE DISORDER SEVERITY, PY MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	33	0.06
2 = Moderate disorder.....	15	0.03
3 = Severe disorder	18	0.03
9 = Legitimate Skip.....	57968	99.89

IMPUTED SUBSTANCE USE DISORDER

<u>IISEVSEDMIS</u>	Len : 2 SEDATIVE USE DISORDER SEVERITY, PY MISUSERS - IMP IND	Freq	Pct
1 = Questionnaire data	59	0.10	
3 = Statistically imputed data.....	14	0.02	
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57961	99.87	

NOTE: IRSEVSEDUNM and IISEVSEDUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription sedatives.

<i>(IRUD5SEDUNM)</i>	<u>IRSEVSEDUNM</u>	Len : 2 SEDATIVE USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP REV	Freq	Pct
1 = Mild disorder	79	0.14		
2 = Moderate disorder.....	14	0.02		
3 = Severe disorder	14	0.02		
9 = Legitimate Skip.....	57927	99.82		

<u>IISEVSEDUNM</u>	Len : 2 SEDATIVE USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP IND	Freq	Pct
1 = Questionnaire data	98	0.17	
3 = Statistically imputed data.....	99	0.17	
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57837	99.66	

RECODED SUBSTANCE USE DISORDER

RECODED SUBSTANCE USE DISORDER

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following section: Imputed Substance Use Disorder.

NOTE: UD5TRQSDMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers or sedatives.

(IRUD5SEDMIS, IRUD5TRQMIS)

UD5TRQSDMIS Len : 1 RC-TRANQUILIZER OR SEDATIVE USE DISORDER - PY MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	57785	99.57
1 = Yes (any source variable = 1)	249	0.43

NOTE: UD5TRQSDUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription tranquilizers or sedatives.

(IRUD5SEDUNM, IRUD5TRQUNM)

UD5TRQSDUNM Len : 1 RC-TRANQUILIZER/SEDATIVE USE DIS-PY USERS BUT NOT MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	57779	99.56
1 = Yes (any source variable = 1)	255	0.44

NOTE: UD5TRQSDANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription tranquilizers or sedatives.

(UDYR5SEDANY, UDYR5TRQANY)

UD5TRQSDANY Len : 1 RC-TRANQUILIZER OR SEDATIVE USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0).....	57549	99.16
1 = Yes (any source variable = 1)	485	0.84

NOTE: UD5PSYMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription drugs.

(IRUD5PNRMIS, IRUD5SEDMIS, IRUD5STMMIS, IRUD5TRQMIS)

UD5PSYMIS Len : 1 RC-PSYCHOTHERAPEUTIC USE DISORDER - PAST YEAR MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	57309	98.75
1 = Yes (any source variable = 1)	725	1.25

NOTE: UD5PSYUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription drugs.

(IRUD5PNRUNM, IRUD5SEDUNM, IRUD5STMUNM, IRUD5TRQUNM)

UD5PSYUNM Len : 1 RC-PSYCHOTHERAPEUTIC USE DISORD - PY USERS BUT NOT MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	57107	98.40
1 = Yes (any source variable = 1)	927	1.60

NOTE: UD5PSYANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(UDYR5PNRANY, UDYR5SEDANY, UDYR5STMANY, UDYR5TRQANY)

UD5PSYANY Len : 1 RC-PSYCHOTHERAPEUTIC USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0).....	56466	97.30
1 = Yes (any source variable = 1)	1568	2.70

RECODED SUBSTANCE USE DISORDER

NOTE: UD5OPIMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

(IRPYUD5HER, IRUD5PNRMIS)

UD5OPIMIS Len : 1 RC-OPIOID USE DISORDER - PAST YEAR MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	57490	99.06
1 = Yes (any source variable = 1)	544	0.94

NOTE: UD5OPIUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

(IRPYUD5HER, IRUD5PNRUNM)

UD5OPIUNM Len : 1 RC-OPIOID USE DISORDER - PY USERS BUT NOT MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	57357	98.83
1 = Yes (any source variable = 1)	677	1.17

NOTE: UD5OPIANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription pain relievers.

(IRPYUD5HER, UDYR5PNRANY)

UD5OPIANY Len : 1 RC-OPIOID USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0).....	56989	98.20
1 = Yes (any source variable = 1)	1045	1.80

NOTE: UD5HRPNRMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

(IRPYUD5HER, IRUD5PNRMIS)

UD5HRPNRMIS Len : 1 RC-HEROIN/PAIN RELIEVER USE DISORDER - PAST YEAR MISUSERS

	Freq	Pct
1 = PST YR HEROIN USE DIS (IRPYUD5HER=1 and IRUD5PNRMIS=0).....	111	0.19
2 = PST YR PNR USE DIS (IRPYUD5HER=0 and IRUD5PNRMIS=1)	368	0.63
3 = PST YR HER & PNR USE DIS (IRPYUD5HER=1 and IRUD5PNRMIS=1)	65	0.11
4 = NO PST YR HER OR PNR UD (IRPYUD5HER=0 and IRUD5PNRMIS=0)	57490	99.06

NOTE: UD5HRPNRUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

(IRPYUD5HER, IRUD5PNRUNM)

UD5HRPNRUNM Len : 1 RC-HEROIN/PAIN RELIEVER USE DISORD-PY USERS BUT NOT MISUSERS

	Freq	Pct
1 = PST YR HEROIN USE DIS (IRPYUD5HER=1 and IRUD5PNRUNM=0).....	168	0.29
2 = PST YR PNR USE DIS (IRPYUD5HER=0 and IRUD5PNRUNM=1)	501	0.86
3 = PST YR HER & PNR USE DIS (IRPYUD5HER=1 and IRUD5PNRUNM=1)	8	0.01
4 = NO PST YR HER OR PNR UD (IRPYUD5HER=0 and IRUD5PNRUNM=0)	57357	98.83

NOTE: UD5HRPNRANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription pain relievers.

(IRPYUD5HER, UDYR5PNRANY)

UD5HRPNRANY Len : 1 RC-HEROIN/PAIN RELIEVER USE DISORDER - PAST YEAR USERS

	Freq	Pct
1 = PST YR HEROIN USE DIS (IRPYUD5HER=1 and UDYR5PNRANY=0).....	103	0.18
2 = PST YR PNR USE DIS (IRPYUD5HER=0 and UDYR5PNRANY=1)	869	1.50
3 = PST YR HER & PNR USE DIS (IRPYUD5HER=1 and UDYR5PNRANY=1)	73	0.13
4 = NO PST YR HER OR PNR UD (IRPYUD5HER=0 and UDYR5PNRANY=0)	56989	98.20

RECODED SUBSTANCE USE DISORDER

NOTE: UD5CNSMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription stimulants.

(IRPYUD5COC, IRPYUD5MTH, IRUD5STMMIS)

UD5CNSMIS Len : 1 RC-CNS STIMULANT USE DISORDER - PAST YEAR MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	57328	98.78
1 = Yes (any source variable = 1)	706	1.22

NOTE: UD5CNSUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription stimulants.

(IRPYUD5COC, IRPYUD5MTH, IRUD5STMUNM)

UD5CNSUNM Len : 1 RC-CNS STIMULANT USE DISORDER - PY USERS BUT NOT MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	57264	98.67
1 = Yes (any source variable = 1)	770	1.33

NOTE: UD5CNSANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription stimulants.

(IRPYUD5COC, IRPYUD5MTH, UDYR5STMANY)

UD5CNSANY Len : 1 RC-CNS STIMULANT USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0).....	57100	98.39
1 = Yes (any source variable = 1)	934	1.61

NOTE: UD5ILLMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription drugs.

(IRPYUD5COC, IRPYUD5HAL, IRPYUD5HER, IRPYUD5JNH, IRPYUD5MRJ, IRPYUD5MTH, IRUD5PNRMIS, IRUD5SEDMIS, IRUD5STMMIS, IRUD5TRQMS)

UD5ILLMIS Len : 1 RC-ILLICIT DRUG USE DISORDER - PAST YEAR MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	53030	91.38
1 = Yes (any source variable = 1)	5004	8.62

NOTE: UD5ILLUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription drugs.

(IRPYUD5COC, IRPYUD5HAL, IRPYUD5HER, IRPYUD5JNH, IRPYUD5MRJ, IRPYUD5MTH, IRUD5PNRUNM, IRUD5SEDUM, IRUD5STMUNM, IRUD5TRQUNM)

UD5ILLUNM Len : 1 RC-DRUG USE DISORDER - PAST YEAR USERS BUT NOT MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	52636	90.70
1 = Yes (any source variable = 1)	5398	9.30

NOTE: UD5ILLANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5COC, IRPYUD5HAL, IRPYUD5HER, IRPYUD5JNH, IRPYUD5MRJ, IRPYUD5MTH, UDYR5PNRANY, UDYR5SEDANY, UDYR5STMANY, UDYR5TRQANY)

UD5ILLANY Len : 1 RC-DRUG USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0).....	52321	90.16
1 = Yes (any source variable = 1)	5713	9.84

RECODED SUBSTANCE USE DISORDER

NOTE: UD5IEMMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription drugs.

(IRPYUD5COC, IRPYUD5HAL, IRPYUD5HER, IRPYUD5INH, IRPYUD5MTH, IRUD5PNRMIS, IRUD5SEDMIS, IRUD5STMMIS, IRUD5TRQNMIS)

UD5IEMMIS Len : 1 RC-ILICIT DRUG OTHER THAN MRJ USE DISORDER - PY MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	56713	97.72
1 = Yes (any source variable = 1)	1321	2.28

NOTE: UD5IEMUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription drugs.

(IRPYUD5COC, IRPYUD5HAL, IRPYUD5HER, IRPYUD5INH, IRPYUD5MTH, IRUD5PNRUNM, IRUD5SEDUNM, IRUD5STMUNM, IRUD5TRQUNM)

UD5IEMUNM Len : 1 RC-DRUG OTHER THAN MRJ USE DISORD-PY USERS BUT NOT MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	56376	97.14
1 = Yes (any source variable = 1)	1658	2.86

NOTE: UD5IEMANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5COC, IRPYUD5HAL, IRPYUD5HER, IRPYUD5INH, IRPYUD5MTH, UDYR5PNRANY, UDYR5SEDANY, UDYR5STMANY, UDYR5TRQANY)

UD5IEMANY Len : 1 RC-DRUG OTHER THAN MRJ USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0).....	55904	96.33
1 = Yes (any source variable = 1)	2130	3.67

NOTE: UD5ILALMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription drugs.

(IRPYUD5ALC, UD5ILLMIS)

UD5ILALMIS Len : 1 RC-ILICIT DRUG OR ALCOHOL USE DISORDER - PAST YEAR MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	48329	83.28
1 = Yes (any source variable = 1)	9705	16.72

NOTE: UD5ILALUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription drugs.

(IRPYUD5ALC, UD5ILLNUM)

UD5ILALUNM Len : 1 RC-DRUG OR ALCOHOL USE DISORDER - PY USERS BUT NOT MISUSERS

	Freq	Pct
0 = No (all source variables = 0).....	47944	82.61
1 = Yes (any source variable = 1)	10090	17.39

NOTE: UD5ILALANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5ALC, UD5ILLANY)

UD5ILALANY Len : 1 RC-DRUG OR ALCOHOL USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0).....	47723	82.23
1 = Yes (any source variable = 1)	10311	17.77

RECODED SUBSTANCE USE DISORDER

NOTE: UD5ILAALMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription drugs.

(IRPYUD5ALC, UD5ILLMIS)

UD5ILAALMIS Len : 1 RC-ILLICIT DRUG AND ALCOHOL USE DISORDER-PAST YEAR MISUSERS

	Freq	Pct
0 = No (IRPYUD5ALC=0 or UD5ILLMIS=0).....	56328	97.06
1 = Yes (IRPYUD5ALC=1 and UD5ILLMIS=1).....	1706	2.94

NOTE: UD5ILAALUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription drugs.

(IRPYUD5ALC, UD5ILLUNM)

UD5ILAALUNM Len : 1 RC-DRUG AND ALCOHOL USE DISORDER - PY USERS BUT NOT MISUSERS

	Freq	Pct
0 = No (IRPYUD5ALC=0 or UD5ILLUNM=0).....	56319	97.04
1 = Yes (IRPYUD5ALC=1 and UD5ILLUNM=1).....	1715	2.96

NOTE: UD5ILAALANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5ALC, UD5ILLANY)

UD5ILAALANY Len : 1 RC-DRUG AND ALCOHOL USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (IRPYUD5ALC=0 or UD5ILLANY=0).....	56225	96.88
1 = Yes (IRPYUD5ALC=1 and UD5ILLANY=1)	1809	3.12

NOTE: UD5ILNALMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription drugs.

(IRPYUD5ALC, UD5ILLMIS)

UD5ILNALMIS Len : 1 RC-ILL DRUG USE DISORDER, NO ALC USE DISORDER - PY MISUSERS

	Freq	Pct
0 = No (IRPYUD5ALC=1 or UD5ILLMIS=0).....	54736	94.32
1 = Yes (IRPYUD5ALC=0 and UD5ILLMIS=1)	3298	5.68

NOTE: UD5ILNALUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription drugs.

(IRPYUD5ALC, UD5ILLUNM)

UD5ILNALUNM Len : 1 RC-DRUG USE DIS, NO ALC USE DIS - PY USERS BUT NOT MISUSERS

	Freq	Pct
0 = No (IRPYUD5ALC=1 or UD5ILLUNM=0).....	54351	93.65
1 = Yes (IRPYUD5ALC=0 and UD5ILLUNM=1)	3683	6.35

NOTE: UD5ILNALANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5ALC, UD5ILLANY)

UD5ILNALANY Len : 1 RC-DRUG USE DISORDER, NO ALC USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (IRPYUD5ALC=1 or UD5ILLANY=0).....	54130	93.27
1 = Yes (IRPYUD5ALC=0 and UD5ILLANY=1)	3904	6.73

RECODED SUBSTANCE USE DISORDER

NOTE: UD5ALNILMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription drugs.

(IRPYUD5ALC, UD5ILLMIS)
UD5ALNILMIS Len : 1 RC-ALC USE DISORDER, NO ILL DRUG USE DISORDER - PY MISUSERS

	Freq	Pct
0 = No (IRPYUD5ALC=0 or UD5ILLMIS=1).....	53333	91.90
1 = Yes (IRPYUD5ALC=1 and UD5ILLMIS=0).....	4701	8.10

NOTE: UD5ALNILUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription drugs.

(IRPYUD5ALC, UD5ILLUNM)
UD5ALNILUNM Len : 1 RC-ALC USE DIS, NO DRUG USE DIS-PY USERS BUT NOT MISUSERS

	Freq	Pct
0 = No (IRPYUD5ALC=0 or UD5ILLUNM=1).....	53342	91.92
1 = Yes (IRPYUD5ALC=1 and UD5ILLUNM=0).....	4692	8.08

NOTE: UD5ALNILANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5ALC, UD5ILLANY)
UD5ALNILANY Len : 1 RC-ALC USE DISORDER, NO DRUG USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (IRPYUD5ALC=0 or UD5ILLANY=1).....	53436	92.08
1 = Yes (IRPYUD5ALC=1 and UD5ILLANY=0)	4598	7.92

NOTE: The following variables UDYR5PNRANY, UDYR5SEDANY, UDYR5STMANY, UDYR5TRQANY, SEVYRPNRANY, SEVYRTRQANY, SEVYRSTMAN, and SEVYRSEDANY were created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRUD5PNRMIS, IRUD5PNRUNM)
UDYR5PNRANY Len : 2 RC-PAIN RELIEVER USE DISORDER, PY USERS

	Freq	Pct
0 = No (all source variables = 0).....	57092	98.38
1 = Yes (any source variable = 1)	942	1.62

(IRUD5SEDMIS, IRUD5SEDUNM)
UDYR5SEDANY Len : 2 RC-SEDATIVE USE DISORDER, PY USERS

	Freq	Pct
0 = No (all source variables = 0).....	57861	99.70
1 = Yes (any source variable = 1)	173	0.30

(IRUD5STMMIS, IRUD5STMUNM)
UDYR5STMANY Len : 2 RC-STIMULANT USE DISORDER, PY USERS

	Freq	Pct
0 = No (all source variables = 0).....	57578	99.21
1 = Yes (any source variable = 1)	456	0.79

(IRUD5TRQMS, IRUD5TRQUNM)
UDYR5TRQANY Len : 2 RC-TRANQUILIZER USE DISORDER, PY USERS

	Freq	Pct
0 = No (all source variables = 0).....	57655	99.35
1 = Yes (any source variable = 1)	379	0.65

(IRSEVPNRMIS, IRSEVPNRUNM)
SEVYRPNRANY Len : 2 RC-PAIN RELIEVER USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder	590	1.02
2 = Moderate disorder.....	165	0.28
3 = Severe disorder.....	187	0.32
9 = Legitimate Skip.....	57092	98.38

RECODED SUBSTANCE USE DISORDER

(IRSEVTRQMIS, IRSEVTRQUNM)
SEVYRTROANY Len : 2 RC-TRANQUILIZER USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder	219	0.38
2 = Moderate disorder.....	72	0.12
3 = Severe disorder	88	0.15
9 = Legitimate Skip.....	57655	99.35

(IRSEVSTMMS, IRSEVSTMUNM)
SEVYRSTMANY Len : 2 RC-STIMULANT USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder	290	0.50
2 = Moderate disorder.....	88	0.15
3 = Severe disorder	78	0.13
9 = Legitimate Skip.....	57578	99.21

(IRSEVSEDMIS, IRSEVSEDUNM)
SEVYRSEDANY Len : 2 RC-SEDATIVE USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder	112	0.19
2 = Moderate disorder.....	29	0.05
3 = Severe disorder	32	0.06
9 = Legitimate Skip.....	57861	99.70

SPECIAL TOPICS

SPECIAL TOPICS

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

The next questions are about encounters with the police or the court system.

Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?

Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.

<i>(SP01)</i> <u>BOOKED</u> ¹	Len : 2 EVER ARRESTED AND BOOKED FOR BREAKING THE LAW	Freq	Pct
1 = Yes.....		6045	10.42
2 = No.....		50807	87.55
3 = Yes LOGICALLY ASSIGNED.....		181	0.31
85 = BAD DATA Logically assigned		7	0.01
94 = DON'T KNOW		64	0.11
97 = REFUSED		90	0.16
98 = BLANK (NO ANSWER)		840	1.45

Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?

<i>(SP02, SP03S)</i> <u>NOBOOKY2</u> ¹	Len : 3 # TIMES ARRESTED AND BOOKED PAST 12 MONTHS	Freq	Pct
0 = None		5270	9.08
1 = One time		520	0.90
2 = Two times		137	0.24
3 = Three or more times.....		74	0.13
985 = BAD DATA Logically assigned		8	0.01
994 = DON'T KNOW		16	0.03
997 = REFUSED		114	0.20
998 = BLANK (NO ANSWER).....		1088	1.87
999 = LEGITIMATE SKIP (BOOKED=2).....		50807	87.55

The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.

In the past 12 months, were you arrested and booked for motor vehicle theft?

<i>(SP03A)</i> <u>BKMOVTHFT</u> ¹	Len : 2 ARRSTD & BOOKED FOR MOT VEH THEFT PAST 12 MONTHS	Freq	Pct
1 = Yes.....		28	0.05
2 = No.....		738	1.27
3 = Yes LOGICALLY ASSIGNED.....		1	0.00
85 = BAD DATA Logically assigned		10	0.02
89 = LEGITIMATE SKIP Logically assigned		213	0.37
97 = REFUSED		92	0.16
98 = BLANK (NO ANSWER)		1088	1.87
99 = LEGITIMATE SKIP.....		55864	96.26

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for larceny or theft? Do not include motor vehicle theft.

<i>(SP03B)</i> <u>BKLARCNY</u> ¹	Len : 2 ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS	Freq	Pct
1 = Yes.....		68	0.12
2 = No.....		687	1.18
3 = Yes LOGICALLY ASSIGNED.....		11	0.02
85 = BAD DATA Logically assigned		10	0.02
89 = LEGITIMATE SKIP Logically assigned		213	0.37
94 = DON'T KNOW		1	0.00
97 = REFUSED		91	0.16
98 = BLANK (NO ANSWER)		1088	1.87
99 = LEGITIMATE SKIP.....		55864	96.26

In the past 12 months, were you arrested and booked for burglary or breaking and entering?

<i>(SP03C)</i> <u>BKBURGL</u> ¹	Len : 2 ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS	Freq	Pct
1 = Yes.....		30	0.05
2 = No.....		737	1.27
85 = BAD DATA Logically assigned		10	0.02
89 = LEGITIMATE SKIP Logically assigned		213	0.37
94 = DON'T KNOW		1	0.00
97 = REFUSED		91	0.16
98 = BLANK (NO ANSWER)		1088	1.87
99 = LEGITIMATE SKIP.....		55864	96.26

NOTE: BKSRVIOL was created from answers to the following questions:

In the past 12 months, were you arrested and booked for aggravated assault?

In the past 12 months, were you arrested and booked for forcible rape?

In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?

<i>(SP03D, SP03G, SP03H)</i> <u>BKSRVIOL</u> ¹	Len : 2 ARRSTD & BOOKED SERIOUS VIOL OFFENSE PST 12 MOS	Freq	Pct
1 = Yes.....		70	0.12
2 = No.....		696	1.20
3 = Yes LOGICALLY ASSIGNED.....		1	0.00
85 = BAD DATA Logically assigned		10	0.02
89 = LEGITIMATE SKIP Logically assigned		213	0.37
97 = REFUSED		92	0.16
98 = BLANK (NO ANSWER)		1088	1.87
99 = LEGITIMATE SKIP.....		55864	96.26

In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?

<i>(SP03E)</i> <u>BKSMASLT</u> ¹	Len : 2 ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS	Freq	Pct
1 = Yes.....		135	0.23
2 = No.....		619	1.07
3 = Yes LOGICALLY ASSIGNED.....		13	0.02
85 = BAD DATA Logically assigned		10	0.02
89 = LEGITIMATE SKIP Logically assigned		213	0.37
94 = DON'T KNOW		1	0.00
97 = REFUSED		91	0.16
98 = BLANK (NO ANSWER)		1088	1.87
99 = LEGITIMATE SKIP.....		55864	96.26

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for robbery?

<i>(SP03F)</i>	<u>BKROB¹</u>	Len : 2 ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS	Freq	Pct
1 = Yes.....			20	0.03
2 = No.....			746	1.29
3 = Yes LOGICALLY ASSIGNED.....			2	0.00
85 = BAD DATA Logically assigned.....			10	0.02
89 = LEGITIMATE SKIP Logically assigned.....			213	0.37
97 = REFUSED.....			91	0.16
98 = BLANK (NO ANSWER).....			1088	1.87
99 = LEGITIMATE SKIP.....			55864	96.26

In the past 12 months, were you arrested and booked for arson?

<i>(SP03I)</i>	<u>BKARSON¹</u>	Len : 2 ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS	Freq	Pct
1 = Yes.....			3	0.01
2 = No.....			766	1.32
85 = BAD DATA Logically assigned.....			10	0.02
89 = LEGITIMATE SKIP Logically assigned.....			213	0.37
97 = REFUSED.....			90	0.16
98 = BLANK (NO ANSWER).....			1088	1.87
99 = LEGITIMATE SKIP.....			55864	96.26

In the past 12 months, were you arrested and booked for driving under the influence of alcohol or drugs?

<i>(SP03J)</i>	<u>BKDRVINF¹</u>	Len : 2 ARRSTD & BOOKED FOR DUI PAST 12 MONTHS	Freq	Pct
1 = Yes.....			139	0.24
2 = No.....			627	1.08
3 = Yes LOGICALLY ASSIGNED.....			3	0.01
85 = BAD DATA Logically assigned.....			10	0.02
89 = LEGITIMATE SKIP Logically assigned.....			213	0.37
97 = REFUSED.....			90	0.16
98 = BLANK (NO ANSWER).....			1088	1.87
99 = LEGITIMATE SKIP.....			55864	96.26

In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?

<i>(SP03K)</i>	<u>BKDRUNK¹</u>	Len : 2 ARRSTD & BOOKED FOR DRUNKENNESS PAST 12 MONTHS	Freq	Pct
1 = Yes.....			64	0.11
2 = No.....			702	1.21
3 = Yes LOGICALLY ASSIGNED.....			2	0.00
85 = BAD DATA Logically assigned.....			10	0.02
89 = LEGITIMATE SKIP Logically assigned.....			213	0.37
97 = REFUSED.....			91	0.16
98 = BLANK (NO ANSWER).....			1088	1.87
99 = LEGITIMATE SKIP.....			55864	96.26

In the past 12 months, were you arrested and booked for possession of tobacco?

<i>(SP03L)</i>	<u>BKPOSTOB¹</u>	Len : 2 ARRSTD & BOOKED FOR POSSES OF TOB PAST 12 MOS	Freq	Pct
1 = Yes.....			6	0.01
2 = No.....			52	0.09
85 = BAD DATA Logically assigned.....			2	0.00
89 = LEGITIMATE SKIP Logically assigned.....			8	0.01
97 = REFUSED.....			10	0.02
98 = BLANK (NO ANSWER).....			92	0.16
99 = LEGITIMATE SKIP.....			57864	99.71

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for possession, manufacture, or sale of drugs?

<i>(SP03M)</i> <u>BKDRUG</u> ¹	Len : 2 ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS	Freq	Pct
1 = Yes.....		113	0.19
2 = No.....		643	1.11
3 = Yes LOGICALLY ASSIGNED.....		9	0.02
85 = BAD DATA Logically assigned		10	0.02
89 = LEGITIMATE SKIP Logically assigned		213	0.37
94 = DON'T KNOW		1	0.00
97 = REFUSED		93	0.16
98 = BLANK (NO ANSWER)		1088	1.87
99 = LEGITIMATE SKIP.....		55864	96.26

NOTE: BKSEXNR was created from answers to the following questions:

In the past 12 months, were you arrested and booked for prostitution or commercialized sex?

In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?

<i>(SP03N, SP03O)</i> <u>BKSEXNR</u> ¹	Len : 2 ARRSTD & BOOKED SEX OFFENSE EXCL RAPE PST 12 MOS	Freq	Pct
1 = Yes.....		18	0.03
2 = No.....		750	1.29
85 = BAD DATA Logically assigned		10	0.02
89 = LEGITIMATE SKIP Logically assigned		213	0.37
97 = REFUSED		91	0.16
98 = BLANK (NO ANSWER)		1088	1.87
99 = LEGITIMATE SKIP.....		55864	96.26

In the past 12 months, were you arrested and booked for fraud, possessing stolen goods, or vandalism?

<i>(SP03P)</i> <u>BKFRAUD</u> ¹	Len : 2 ARRSTD & BOOKED FOR FRAUD/STOL GOODS PAST 12 MOS	Freq	Pct
1 = Yes.....		24	0.04
2 = No.....		736	1.27
3 = Yes LOGICALLY ASSIGNED.....		8	0.01
85 = BAD DATA Logically assigned		10	0.02
89 = LEGITIMATE SKIP Logically assigned		213	0.37
94 = DON'T KNOW		1	0.00
97 = REFUSED		90	0.16
98 = BLANK (NO ANSWER)		1088	1.87
99 = LEGITIMATE SKIP.....		55864	96.26

NOTE: For the variable BKOTH, a code of 3 indicates that respondents did not originally answer "yes" to any of the questions about specific offenses for which they were arrested/booked in the past 12 months, including the question about "some other offense." However, these respondents subsequently specified a valid response for an offense in the past 12 months. A code of 5 in BKOTH indicates that respondents reported being arrested/booked at least once in the past 12 months but did not indicate at least one offense for which they were arrested in that period.

In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.

<i>(SP03Q)</i> <u>BKOTH</u> ¹	Len : 2 ARRSTD & BOOKED FOR SOME OTHER OFF PAST 12 MOS	Freq	Pct
1 = Yes.....		152	0.26
2 = No.....		467	0.80
3 = Yes LOGICALLY ASSIGNED.....		83	0.14
5 = Offense unknown.....		67	0.12
85 = BAD DATA Logically assigned		9	0.02
89 = LEGITIMATE SKIP Logically assigned		213	0.37
97 = REFUSED		91	0.16
98 = BLANK (NO ANSWER)		1088	1.87
99 = LEGITIMATE SKIP.....		55864	96.26

SPECIAL TOPICS

(SP03QSC, SP03RSC, SP03SSC)

BKOTHOF2¹ Len : 2 OTHER OFFENSE PAST 12 MONTHS - SPECIFY

	Freq	Pct
1 = Motor vehicle theft	1	0.00
2 = Larceny or theft	14	0.02
4 = Serious violent offense.....	2	0.00
5 = Other assault, such as simple assault or battery.....	19	0.03
6 = Robbery	4	0.01
10 = Driving under the influence of alcohol or drugs.....	3	0.01
11 = Drunkenness or other liquor law violation	2	0.00
12 = Possession of tobacco	1	0.00
13 = Possession, manufacture, or sale of drugs.....	9	0.02
16 = Fraud, possessing stolen goods, vandalism	9	0.02
17 = Some other offense	8	0.01
18 = Weapons law violations	8	0.01
20 = Viol of court order/probation/parole, perjury	38	0.07
21 = Disorderly conduct.....	10	0.02
23 = All oth offns: crimes aginst persons/prpty/society	5	0.01
24 = Traffic violations	38	0.07
26 = Curfew/loitering/vagrancy violations.....	3	0.01
27 = Trespass of real property.....	5	0.01
28 = Runaway	3	0.01
29 = Family offenses, nonviolent.....	6	0.01
31 = Intimidation	6	0.01
36 = Possession of drug paraphernalia.....	3	0.01
38 = Evading/hindering/obstructing police	15	0.03
39 = False report/statement/alarm.....	3	0.01
85 = BAD DATA Logically assigned	74	0.13
94 = DON'T KNOW	8	0.01
97 = REFUSED	101	0.17
98 = BLANK (NO ANSWER)	1092	1.88
99 = LEGITIMATE SKIP.....	56544	97.43

Were you on probation at any time during the past 12 months?

(SP04)
PROBATON¹

Len : 2 ON PROBATION AT ANY TIME PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	699	1.20
2 = No.....	56349	97.10
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	86	0.15
97 = REFUSED	47	0.08
98 = BLANK (NO ANSWER)	844	1.45

Were you on parole, supervised release, or other conditional release from prison at any time during the past 12 months?

(SP05)
PAROLREL¹

Len : 2 ON PAROLE/SUPRV RELEASE PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	284	0.49
2 = No.....	56784	97.85
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	61	0.11
97 = REFUSED	44	0.08
98 = BLANK (NO ANSWER)	850	1.46

SPECIAL TOPICS

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol?

<i>(SP06A)</i>	<u>DRVINALCO</u>	Len : 2 DROVE UNDER INFLUENCE OF ALCOHOL PST 12 MOS	Freq	Pct
1 = Yes.....			2980	5.13
2 = No.....			31030	53.47
85 = BAD DATA Logically assigned			4	0.01
91 = NEVER USED ALCOHOL.....			16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....			6899	11.89
94 = DON'T KNOW			20	0.03
97 = REFUSED			31	0.05
98 = BLANK (NO ANSWER)			768	1.32

During the past 12 months, have you driven a vehicle while you were under the influence of marijuana?

<i>(SP06B)</i>	<u>DRVINMARJ</u>	Len : 2 DROVE UNDER INFLUENCE OF MARIJUANA PST 12 MOS	Freq	Pct
1 = Yes.....			2654	4.57
2 = No.....			9289	16.01
85 = BAD DATA Logically assigned			3	0.01
91 = NEVER USED MARIJUANA			32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....			12956	22.32
94 = DON'T KNOW			5	0.01
97 = REFUSED			12	0.02
98 = BLANK (NO ANSWER)			628	1.08

During the past 12 months, have you driven a vehicle while you were under the influence of [COKEFILL]?

<i>(SP06C)</i>	<u>DRVINCOCN</u>	Len : 2 DROVE UNDER INFLU OF COCAINE PST 12 MOS	Freq	Pct
1 = Yes.....			201	0.35
2 = No.....			869	1.50
85 = BAD DATA Logically assigned			2	0.00
91 = NEVER USED COCAINE			51222	88.26
93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS			5611	9.67
94 = DON'T KNOW			2	0.00
97 = REFUSED			3	0.01
98 = BLANK (NO ANSWER)			124	0.21

During the past 12 months, have you driven a vehicle while you were under the influence of heroin?

<i>(SP06D)</i>	<u>DRVINHERN</u>	Len : 2 DROVE UNDER INFLUENCE OF HEROIN PAST 12 MOS	Freq	Pct
1 = Yes.....			75	0.13
2 = No.....			132	0.23
91 = NEVER USED HEROIN.....			56882	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS.....			890	1.53
98 = BLANK (NO ANSWER)			55	0.09

During the past 12 months, have you driven a vehicle while you were under the influence of [LSFILL]?

<i>(SP06E)</i>	<u>DRVINHALL</u>	Len : 2 DROVE UNDER INFLU OF HALLUCINOGENS PAST 12 MOS	Freq	Pct
1 = Yes.....			117	0.20
2 = No.....			1827	3.15
91 = NEVER USED HALLUCINOGENS			48915	84.29
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....			6886	11.87
94 = DON'T KNOW			1	0.00
98 = BLANK (NO ANSWER)			288	0.50

SPECIAL TOPICS

During the past 12 months, have you driven a vehicle while you were under the influence of any inhalant?

<i>(SP06F)</i> <u>DRVININHL</u>	Len : 2 DROVE UNDER INFLUENCE OF INHALANTS PAST 12 MOS	Freq	Pct
1 = Yes.....		19	0.03
2 = No.....		640	1.10
85 = BAD DATA Logically assigned		1	0.00
91 = NEVER USED INHALANTS		52267	90.06
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS		4876	8.40
98 = BLANK (NO ANSWER)		231	0.40

During the past 12 months, have you driven a vehicle while you were under the influence of methamphetamine?

<i>(SP06G)</i> <u>DRVINMETH</u>	Len : 2 DROVE UNDER INFLU OF METHAMPHETAMINE PAST 12 MOS	Freq	Pct
1 = Yes.....		201	0.35
2 = No.....		265	0.46
91 = NEVER USED METHAMPHETAMINE		55325	95.33
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....		2139	3.69
94 = DON'T KNOW		1	0.00
98 = BLANK (NO ANSWER)		103	0.18

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol only?

<i>(SP06H)</i> <u>DRVINALON</u>	Len : 2 DROVE UNDER INFLUENCE OF ONLY ALCOHOL PST 12 MOS	Freq	Pct
1 = Yes.....		883	1.52
2 = No.....		93	0.16
85 = BAD DATA Logically assigned		1	0.00
91 = NEVER USED ALCOHOL.....		16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....		6899	11.89
97 = REFUSED		1	0.00
98 = BLANK (NO ANSWER)		482	0.83
99 = LEGITIMATE SKIP.....		33373	57.51

NOTE: MXMJPNLT is a renamed version of the variable MXMJPNL from prior years. In 2006 a new level (6 - No penalty) was added to the answer categories. Therefore, data from the previous variable MXMJPNL may not be comparable to data from the current variable MXMJPNLT.

What is the maximum legal penalty in [STATE FILL FROM FIPE4] for first offense possession of an ounce or less of marijuana for your own use?

<i>(SP07)</i> <u>MXMJPNLT¹</u>	Len : 2 MAX PENALTY FOR 1ST MJ POSS < OUNCE IN YOUR STATE	Freq	Pct
1 = A fine.....		16474	28.39
2 = Probation		5619	9.68
3 = Community service.....		2806	4.84
4 = Possible prison sentence		10023	17.27
5 = Mandatory prison sentence		1740	3.00
6 = No penalty		11759	20.26
85 = BAD DATA Logically assigned		118	0.20
94 = DON'T KNOW		8403	14.48
97 = REFUSED		215	0.37
98 = BLANK (NO ANSWER)		877	1.51

RECODED SPECIAL TOPICS

RECODED SPECIAL TOPICS

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

<i>(DRVINALCO)</i>	Len : 1 RC-DROVE UNDER INFLUENCE OF ALCOHOL IN PAST YEAR	Freq	Pct
<u>DRVINALCO2</u>	. = Unknown (Otherwise).....	823	1.42
	0 = No (DRVINALCO=2,91,93,99)	54231	93.45
	1 = Yes (DRVINALCO=1).....	2980	5.13

<i>(DRVINMARJ)</i>	Len : 1 RC-DROVE UNDER INFLUENCE OF MARIJUANA IN PAST YEAR	Freq	Pct
<u>DRVINMARJ2</u>	. = Unknown (Otherwise).....	648	1.12
	0 = No (DRVINMARJ=2,91,93,99)	54732	94.31
	1 = Yes (DRVINMARJ=1).....	2654	4.57

The following variable, DRVINDRG, was created by examination of this driving under the influence list of selected drugs: marijuana (DRVINMARJ), cocaine or crack (DRVINCOCN), heroin (DRVINHERN), hallucinogens (DRVINHALL), inhalants (DRVININHL), and methamphetamine (DRVINMETH).

<i>(DRVINCOCN, DRVINHALL, DRVINHERN, DRVININHL, DRVINMARJ, DRVINMETH)</i>	Len : 1 RC-DROVE UNDER INFLUENCE OF SELECTED ILL DRUGS IN PAST YR	Freq	Pct
<u>DRVINDRG</u>	. = Unknown (Otherwise).....	1122	1.93
	0 = No (All source variables=2,91,93,99)	54069	93.17
	1 = Yes (Any source variable=1).....	2843	4.90

The following variable, DRVINDROTMJ, was created by examination of this driving under the influence list of selected drugs: cocaine or crack (DRVINCOCN), heroin (DRVINHERN), hallucinogens (DRVINHALL), inhalants (DRVININHL), and methamphetamine (DRVINMETH).

<i>(DRVINCOCN, DRVINHALL, DRVINHERN, DRVININHL, DRVINMETH)</i>	Len : 1 RC-DROVE UNDER INFLUENCE OF SELECTED ILL DRG OTH MRJ IN PY	Freq	Pct
<u>DRVINDROTMJ</u>	. = Unknown (Otherwise).....	640	1.10
	0 = No (All source variables=2,91,93,99)	56918	98.08
	1 = Yes (Any source variable=1).....	476	0.82

<i>(DRVINALCO2, DRVINDRG)</i>	Len : 1 RC-DROVE UNDER INFLUENCE OF ALC OR SELECTED ILL DRG IN PY	Freq	Pct
<u>DRVINALDRG</u>	. = Unknown (Otherwise).....	1606	2.77
	0 = No (DRVINDRG=0 and DRVINALCO2=0).....	51582	88.88
	1 = Yes (DRVINDRG=1 or DRVINALCO2=1).....	4846	8.35

<i>(PAROLREL)</i>	Len : 1 RC-PAROLE/SUPERVISED RELEASE STATUS IN THE PAST YEAR	Freq	Pct
<u>PAROL</u>	. = Unknown Parole/Supervised Rel Status (Otherwise).....	966	1.66
	1 = On Parole/Supervised Release (PAROLREL=1)	284	0.49
	2 = Not on Parole/Supervised Release (PAROLREL=2)	56784	97.85

<i>(PROBATON)</i>	Len : 1 RC-PROBATION STATUS IN THE PAST YEAR	Freq	Pct
<u>PROB</u>	. = Unknown Probation Status (Otherwise).....	986	1.70
	1 = On Probation (PROBATON=1)	699	1.20
	2 = Not on Probation (PROBATON=2)	56349	97.10

PRIOR SUBSTANCE USE

PRIOR SUBSTANCE USE

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

NOTE: The variables MRJYRBFR and MRJAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use marijuana or hashish, even once?

(LU01) <u>MRJYRBFR</u> ¹	Len : 2 USE MJ OR HASHISH EVEN ONCE YR BEFORE LAST	Freq	Pct
1 = Yes.....	10674	18.39	
2 = No.....	14073	24.25	
85 = BAD DATA Logically assigned	2	0.00	
91 = NEVER USED MARIJUANA	32487	55.98	
94 = DON'T KNOW	71	0.12	
97 = REFUSED	46	0.08	
98 = BLANK (NO ANSWER)	681	1.17	

The computer recorded that you last used marijuana or hashish [MJREC FILL]. How old were you the last time you used marijuana or hashish?

(LU02) <u>MRJAGLST</u> ¹	Len : 3 HOW OLD WERE YOU THE LAST TIME USED MARIJUANA	Freq	Pct
RANGE = 1 - 85.....	15893	27.39	
985 = BAD DATA Logically assigned	418	0.72	
989 = LEGITIMATE SKIP Logically assigned	99	0.17	
991 = NEVER USED MARIJUANA	32487	55.98	
994 = DON'T KNOW	250	0.43	
997 = REFUSED	99	0.17	
998 = BLANK (NO ANSWER).....	575	0.99	
999 = LEGITIMATE SKIP.....	8213	14.15	

Did you last use marijuana or hashish in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use marijuana or hashish in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use marijuana or hashish?

(LU02A, LU02B, LU02C) <u>MRJYLU</u> ¹	Len : 4 YEAR OF LAST MARIJUANA/HASHISH USE - RECODE	Freq	Pct
RANGE = 2019 - 2021	4544	7.83	
9985 = BAD DATA Logically assigned	60	0.10	
9989 = LEGITIMATE SKIP Logically assigned	271	0.47	
9991 = NEVER USED MARIJUANA.....	32487	55.98	
9994 = DON'T KNOW	269	0.46	
9997 = REFUSED	103	0.18	
9998 = BLANK (NO ANSWER).....	990	1.71	
9999 = LEGITIMATE SKIP.....	19310	33.27	

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use marijuana or hashish?

In what month in [YEAR FROM LU02a or LU02b] did you last use marijuana or hashish?

(LU02C, LU02D)

MRJMLU¹

Len : 2 MONTH OF LAST MARIJUANA/HASHISH USE - RECODE

	Freq	Pct
1 = January.....	399	0.69
2 = February.....	345	0.59
3 = March.....	348	0.60
4 = April	300	0.52
5 = May.....	368	0.63
6 = June.....	420	0.72
7 = July	442	0.76
8 = August	376	0.65
9 = September.....	331	0.57
10 = October	328	0.57
11 = November	310	0.53
12 = December.....	364	0.63
85 = BAD DATA Logically assigned	90	0.16
89 = LEGITIMATE SKIP Logically assigned	270	0.47
91 = NEVER USED MARIJUANA	32487	55.98
94 = DON'T KNOW	435	0.75
97 = REFUSED	115	0.20
98 = BLANK (NO ANSWER)	995	1.71
99 = LEGITIMATE SKIP.....	19311	33.28

Earlier the computer recorded that you last smoked part or all of a cigarette [CG06]. How old were you the last time you smoked part or all of a cigarette?

(LU03)

CIGAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGARETTE

	Freq	Pct
RANGE = 1 - 86.....	16494	28.42
985 = BAD DATA Logically assigned	431	0.74
989 = LEGITIMATE SKIP Logically assigned	1	0.00
991 = NEVER USED CIGARETTES.....	33161	57.14
994 = DON'T KNOW	210	0.36
997 = REFUSED	35	0.06
998 = BLANK (NO ANSWER).....	297	0.51
999 = LEGITIMATE SKIP.....	7405	12.76

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

(LU03A, LU03B, LU03C)

CIGYLU¹

Len : 4 YEAR OF LAST CIGARETTE USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	2729	4.70
9985 = BAD DATA Logically assigned	51	0.09
9989 = LEGITIMATE SKIP Logically assigned	101	0.17
9991 = NEVER USED CIGARETTES.....	33161	57.14
9994 = DON'T KNOW	221	0.38
9997 = REFUSED	37	0.06
9998 = BLANK (NO ANSWER).....	737	1.27
9999 = LEGITIMATE SKIP.....	20997	36.18

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

In what month in [YEAR FROM LU03a or LU03b] did you last smoke part or all of a cigarette?

(LU03C, LU03D)
CIGMLU¹

Len : 2 MONTH OF LAST CIGARETTE USE - RECODE

	Freq	Pct
1 = January.....	239	0.41
2 = February.....	210	0.36
3 = March.....	217	0.37
4 = April	168	0.29
5 = May.....	185	0.32
6 = June.....	228	0.39
7 = July	272	0.47
8 = August	193	0.33
9 = September	208	0.36
10 = October	226	0.39
11 = November	207	0.36
12 = December.....	223	0.38
85 = BAD DATA Logically assigned	84	0.14
89 = LEGITIMATE SKIP Logically assigned	101	0.17
91 = NEVER USED CIGARETTES.....	33161	57.14
94 = DON'T KNOW	332	0.57
97 = REFUSED	40	0.07
98 = BLANK (NO ANSWER)	743	1.28
99 = LEGITIMATE SKIP.....	20997	36.18

Earlier the computer also recorded that there was a period in your life when you smoked cigarettes every day for at least 30 days. How old were you when you last smoked cigarettes daily?

(LU04)
CIGDLLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGS DAILY

	Freq	Pct
RANGE = 2 - 90.....	8094	13.95
985 = BAD DATA Logically assigned	134	0.23
991 = NEVER USED CIGARETTES.....	33161	57.14
994 = DON'T KNOW	67	0.12
997 = REFUSED	18	0.03
998 = BLANK (NO ANSWER).....	186	0.32
999 = LEGITIMATE SKIP.....	16374	28.21

Did you last smoke cigarettes daily in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke cigarettes daily in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

(LU04A, LU04B, LU04C)
CIGDLYLU¹

Len : 4 YEAR OF LAST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
RANGE = 2019 - 2021	1394	2.40
9985 = BAD DATA Logically assigned	21	0.04
9989 = LEGITIMATE SKIP Logically assigned	47	0.08
9991 = NEVER USED CIGARETTES.....	33161	57.14
9994 = DON'T KNOW	68	0.12
9997 = REFUSED	20	0.03
9998 = BLANK (NO ANSWER).....	324	0.56
9999 = LEGITIMATE SKIP.....	22999	39.63

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

In what month in [YEAR FROM LU04a or LU04b] did you last smoke cigarettes daily?

*(LU04C, LU04D)
CIGDLMLU¹*

Len : 2 MONTH OF LAST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
1 = January.....	91	0.16
2 = February.....	92	0.16
3 = March.....	145	0.25
4 = April	87	0.15
5 = May.....	98	0.17
6 = June.....	121	0.21
7 = July	128	0.22
8 = August	117	0.20
9 = September	112	0.19
10 = October	112	0.19
11 = November	110	0.19
12 = December.....	148	0.26
85 = BAD DATA Logically assigned	29	0.05
89 = LEGITIMATE SKIP Logically assigned	47	0.08
91 = NEVER USED CIGARETTES.....	33161	57.14
94 = DON'T KNOW	90	0.16
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	325	0.56
99 = LEGITIMATE SKIP.....	22999	39.63

The computer recorded that you last used "smokeless" tobacco [CGSNREC FILL]. How old were you the last time you used "smokeless" tobacco?

*(LU05)
SMKAGLAST¹*

Len : 3 HOW OLD WERE YOU LAST THE TIME USED SMOKELESS TOB

	Freq	Pct
RANGE = 1 - 70	5202	8.96
985 = BAD DATA Logically assigned	337	0.58
989 = LEGITIMATE SKIP Logically assigned	2	0.00
991 = NEVER USED SMOKELESS TOBACCO	50757	87.46
994 = DON'T KNOW	121	0.21
997 = REFUSED	25	0.04
998 = BLANK (NO ANSWER).....	164	0.28
999 = LEGITIMATE SKIP.....	1426	2.46

Did you last use "smokeless" tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "smokeless" tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "smokeless" tobacco?

*(LU05A, LU05B, LU05C)
SMKYRLAST¹*

Len : 4 YEAR OF LAST "SMOKELESS" TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	772	1.33
9985 = BAD DATA Logically assigned	28	0.05
9989 = LEGITIMATE SKIP Logically assigned	44	0.08
9991 = NEVER USED SMOKELESS TOBACCO	50757	87.46
9994 = DON'T KNOW	125	0.22
9997 = REFUSED	26	0.04
9998 = BLANK (NO ANSWER).....	492	0.85
9999 = LEGITIMATE SKIP.....	5790	9.98

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "smokeless" tobacco?

In what month in [YEAR FROM LU05a or LU05b] did you last use "smokeless" tobacco?

(LU05C, LU05D) **SMKMOLAST¹** Len : 2 MONTH OF LAST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
1 = January.....	68	0.12
2 = February.....	57	0.10
3 = March.....	73	0.13
4 = April	36	0.06
5 = May.....	47	0.08
6 = June.....	82	0.14
7 = July	80	0.14
8 = August	72	0.12
9 = September.....	40	0.07
10 = October	57	0.10
11 = November	57	0.10
12 = December.....	52	0.09
85 = BAD DATA Logically assigned	46	0.08
89 = LEGITIMATE SKIP Logically assigned	44	0.08
91 = NEVER USED SMOKELESS TOBACCO.....	50757	87.46
94 = DON'T KNOW	152	0.26
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	496	0.85
99 = LEGITIMATE SKIP.....	5790	9.98

The computer recorded that you last smoked part or all of a cigar [CG37REC FILL]. How old were you the last time you smoked part or all of a cigar?

(LU07) **CGRAGLST¹** Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGAR

	Freq	Pct
RANGE = 2 - 87.....	11614	20.01
985 = BAD DATA Logically assigned	589	1.01
991 = NEVER USED CIGARS	43234	74.50
994 = DON'T KNOW	237	0.41
997 = REFUSED	34	0.06
998 = BLANK (NO ANSWER).....	226	0.39
999 = LEGITIMATE SKIP.....	2100	3.62

Did you last smoke part or all of a cigar in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigar in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar?

(LU07A, LU07B, LU07C) **CIGARYLU¹** Len : 4 YEAR OF LAST CIGAR USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	2472	4.26
9985 = BAD DATA Logically assigned	51	0.09
9989 = LEGITIMATE SKIP Logically assigned	101	0.17
9991 = NEVER USED CIGARS	43234	74.50
9994 = DON'T KNOW	247	0.43
9997 = REFUSED	36	0.06
9998 = BLANK (NO ANSWER).....	808	1.39
9999 = LEGITIMATE SKIP.....	11085	19.10

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar?

In what month in [YEAR FROM LU07a or LU07b] did you last smoke part or all of a cigar?

<i>(LU07C, LU07D) CIGARMLU¹</i>	Len : 2 MONTH OF LAST CIGAR USE - RECODE	Freq	Pct
1 = January.....		169	0.29
2 = February.....		156	0.27
3 = March.....		176	0.30
4 = April		138	0.24
5 = May.....		189	0.33
6 = June.....		256	0.44
7 = July		294	0.51
8 = August		235	0.40
9 = September.....		188	0.32
10 = October		192	0.33
11 = November		174	0.30
12 = December.....		189	0.33
85 = BAD DATA Logically assigned		71	0.12
89 = LEGITIMATE SKIP Logically assigned		101	0.17
91 = NEVER USED CIGARS.....		43234	74.50
94 = DON'T KNOW		331	0.57
97 = REFUSED		41	0.07
98 = BLANK (NO ANSWER)		815	1.40
99 = LEGITIMATE SKIP.....		11085	19.10

The computer recorded that you last drank an alcoholic beverage [ALCREC FILL]. How old were you the last time you drank an alcoholic beverage?

<i>(LU08) ALCAGLST¹</i>	Len : 3 HOW OLD WERE YOU LAST TIME DRANK ALCOHOL BEVERAGE	Freq	Pct
RANGE = 1 - 95.....		14423	24.85
985 = BAD DATA Logically assigned		137	0.24
989 = LEGITIMATE SKIP Logically assigned		4	0.01
991 = NEVER USED ALCOHOL.....		16302	28.09
994 = DON'T KNOW		211	0.36
997 = REFUSED		54	0.09
998 = BLANK (NO ANSWER).....		579	1.00
999 = LEGITIMATE SKIP.....		26324	45.36

Did you last drink an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last drink an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

<i>(LU08A, LU08B, LU08C) ALCYLU¹</i>	Len : 4 YEAR OF LAST ALCOHOL USE - RECODE	Freq	Pct
RANGE = 2019 - 2021		8954	15.43
9985 = BAD DATA Logically assigned		111	0.19
9989 = LEGITIMATE SKIP Logically assigned		163	0.28
9991 = NEVER USED ALCOHOL.....		16302	28.09
9994 = DON'T KNOW		218	0.38
9997 = REFUSED		57	0.10
9998 = BLANK (NO ANSWER).....		719	1.24
9999 = LEGITIMATE SKIP.....		31510	54.30

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

In what month in [YEAR FROM LU08a or LU08b] did you last drink an alcoholic beverage?

(LU08C, LU08D)
ALCMLU¹

Len : 2 MONTH OF LAST ALCOHOL USE - RECODE

	Freq	Pct
1 = January.....	981	1.69
2 = February.....	642	1.11
3 = March.....	667	1.15
4 = April	554	0.95
5 = May.....	633	1.09
6 = June.....	755	1.30
7 = July	954	1.64
8 = August	691	1.19
9 = September	598	1.03
10 = October	543	0.94
11 = November	484	0.83
12 = December.....	1134	1.95
85 = BAD DATA Logically assigned	152	0.26
89 = LEGITIMATE SKIP Logically assigned	163	0.28
91 = NEVER USED ALCOHOL.....	16302	28.09
94 = DON'T KNOW	467	0.80
97 = REFUSED	74	0.13
98 = BLANK (NO ANSWER)	730	1.26
99 = LEGITIMATE SKIP.....	31510	54.30

The computer recorded that you last used cocaine [CCREC FILL]. How old were you the last time you used cocaine?

(LU09)
COCAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED COCAINE

	Freq	Pct
RANGE = 1 - 72	5771	9.94
985 = BAD DATA Logically assigned	356	0.61
989 = LEGITIMATE SKIP Logically assigned	8	0.01
991 = NEVER USED COCAINE	51225	88.27
994 = DON'T KNOW	79	0.14
997 = REFUSED	20	0.03
998 = BLANK (NO ANSWER).....	195	0.34
999 = LEGITIMATE SKIP.....	380	0.65

Did you last use cocaine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use cocaine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use cocaine?

(LU09A, LU09B, LU09C)
COCYLU¹

Len : 4 YEAR OF LAST COCAINE USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	875	1.51
9985 = BAD DATA Logically assigned	15	0.03
9989 = LEGITIMATE SKIP Logically assigned	60	0.10
9991 = NEVER USED COCAINE	51225	88.27
9994 = DON'T KNOW	84	0.14
9997 = REFUSED	20	0.03
9998 = BLANK (NO ANSWER).....	561	0.97
9999 = LEGITIMATE SKIP.....	5194	8.95

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use cocaine?

In what month in [YEAR FROM LU09a or LU09b] did you last use cocaine?

(LU09C, LU09D)
COCMLU¹

Len : 2 MONTH OF LAST COCAINE USE - RECODE

	Freq	Pct
1 = January.....	81	0.14
2 = February.....	57	0.10
3 = March.....	77	0.13
4 = April	65	0.11
5 = May.....	56	0.10
6 = June.....	76	0.13
7 = July	73	0.13
8 = August	73	0.13
9 = September	70	0.12
10 = October	73	0.13
11 = November	51	0.09
12 = December.....	85	0.15
85 = BAD DATA Logically assigned	28	0.05
89 = LEGITIMATE SKIP Logically assigned	60	0.10
91 = NEVER USED COCAINE	51225	88.27
94 = DON'T KNOW	107	0.18
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	561	0.97
99 = LEGITIMATE SKIP.....	5194	8.95

The computer recorded that you last used "crack" [CKREC FILL]. How old were you the last time you used "crack?"

(LU10)
CRKAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED CRACK

	Freq	Pct
RANGE = 12 - 72	1277	2.20
985 = BAD DATA Logically assigned	144	0.25
991 = NEVER USED CRACK	56416	97.21
994 = DON'T KNOW	28	0.05
997 = REFUSED	17	0.03
998 = BLANK (NO ANSWER).....	75	0.13
999 = LEGITIMATE SKIP.....	77	0.13

Did you last use "crack" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "crack" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "crack"?

(LU10A, LU10B, LU10C)
CRKYLU¹

Len : 4 YEAR OF LAST CRACK USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	98	0.17
9985 = BAD DATA Logically assigned	5	0.01
9989 = LEGITIMATE SKIP Logically assigned	4	0.01
9991 = NEVER USED CRACK	56416	97.21
9994 = DON'T KNOW	28	0.05
9997 = REFUSED	17	0.03
9998 = BLANK (NO ANSWER).....	217	0.37
9999 = LEGITIMATE SKIP.....	1249	2.15

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "crack"?

In what month in [YEAR FROM LU10a or LU10b] did you last use "crack"?

(LU10C, LU10D)
CRKMLU¹

Len : 2 MONTH OF LAST CRACK USE - RECODE

	Freq	Pct
1 = January.....	6	0.01
2 = February.....	7	0.01
3 = March.....	11	0.02
4 = April	8	0.01
5 = May.....	13	0.02
6 = June.....	9	0.02
7 = July	8	0.01
8 = August	5	0.01
9 = September	6	0.01
10 = October	6	0.01
11 = November	6	0.01
12 = December.....	8	0.01
85 = BAD DATA Logically assigned	9	0.02
89 = LEGITIMATE SKIP Logically assigned	4	0.01
91 = NEVER USED CRACK.....	56416	97.21
94 = DON'T KNOW	28	0.05
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	218	0.38
99 = LEGITIMATE SKIP.....	1249	2.15

The computer recorded that you last used heroin [HEREC FILL]. How old were you the last time you used heroin?

(LU11)
HERAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED HEROIN

	Freq	Pct
RANGE = 10 - 71	865	1.49
985 = BAD DATA Logically assigned	104	0.18
991 = NEVER USED HEROIN.....	56884	98.02
994 = DON'T KNOW	16	0.03
997 = REFUSED	11	0.02
998 = BLANK (NO ANSWER).....	50	0.09
999 = LEGITIMATE SKIP.....	104	0.18

Did you last use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use heroin?

(LU11A, LU11B, LU11C)
HERYLU¹

Len : 4 YEAR OF LAST HEROIN USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	124	0.21
9985 = BAD DATA Logically assigned	6	0.01
9989 = LEGITIMATE SKIP Logically assigned	5	0.01
9991 = NEVER USED HEROIN.....	56884	98.02
9994 = DON'T KNOW	17	0.03
9997 = REFUSED	11	0.02
9998 = BLANK (NO ANSWER).....	152	0.26
9999 = LEGITIMATE SKIP.....	835	1.44

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use heroin?

In what month in [YEAR FROM LU11a or LU11b] did you last use heroin?

(LU11C, LU11D)
HERMLU¹

Len : 2 MONTH OF LAST HEROIN USE - RECODE

	Freq	Pct
1 = January.....	12	0.02
2 = February.....	13	0.02
3 = March.....	12	0.02
4 = April	7	0.01
5 = May.....	6	0.01
6 = June.....	12	0.02
7 = July	10	0.02
8 = August	5	0.01
9 = September	6	0.01
10 = October	17	0.03
11 = November	7	0.01
12 = December.....	15	0.03
85 = BAD DATA Logically assigned	6	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.01
91 = NEVER USED HEROIN.....	56884	98.02
94 = DON'T KNOW	19	0.03
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	152	0.26
99 = LEGITIMATE SKIP.....	835	1.44

The computer recorded that you last used [LSFILL] [HALLREC FILL]. How old were you the last time you used [LSFILL]?

(LU12)
HALLAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED HALLUCINOGEN

	Freq	Pct
RANGE = 1 - 73	7652	13.19
985 = BAD DATA Logically assigned	395	0.68
989 = LEGITIMATE SKIP Logically assigned	12	0.02
991 = NEVER USED HALLUCINOGENS	48915	84.29
994 = DON'T KNOW	138	0.24
997 = REFUSED	39	0.07
998 = BLANK (NO ANSWER).....	367	0.63
999 = LEGITIMATE SKIP.....	516	0.89

Did you last use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [LSFILL]?

(LU12A, LU12B, LU12C)
HALLYRLST¹

Len : 4 YEAR OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	1706	2.94
9985 = BAD DATA Logically assigned	31	0.05
9989 = LEGITIMATE SKIP Logically assigned	70	0.12
9991 = NEVER USED HALLUCINOGENS	48915	84.29
9994 = DONT KNOW	148	0.26
9997 = REFUSED	40	0.07
9998 = BLANK (NO ANSWER).....	850	1.46
9999 = LEGITIMATE SKIP.....	6274	10.81

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use [LSFILL]?

In what month in [YEAR FROM LU12a or LU12b] did you last use [LSFILL]?

(LU12C, LU12D)
HALLMOLST¹

Len : 2 MONTH OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
1 = January.....	148	0.26
2 = February.....	105	0.18
3 = March.....	140	0.24
4 = April	102	0.18
5 = May.....	93	0.16
6 = June.....	174	0.30
7 = July	201	0.35
8 = August	144	0.25
9 = September	109	0.19
10 = October	127	0.22
11 = November	115	0.20
12 = December.....	131	0.23
85 = BAD DATA Logically assigned	89	0.15
89 = LEGITIMATE SKIP Logically assigned	70	0.12
91 = NEVER USED HALLUCINOGENS	48915	84.29
94 = DON'T KNOW	200	0.34
97 = REFUSED	44	0.08
98 = BLANK (NO ANSWER)	853	1.47
99 = LEGITIMATE SKIP.....	6274	10.81

The computer recorded that you last used LSD [LSDREC FILL]. How old were you the last time you used LSD?

(LU13)
LSDAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED LSD

	Freq	Pct
RANGE = 1 - 70	4689	8.08
985 = BAD DATA Logically assigned	198	0.34
989 = LEGITIMATE SKIP Logically assigned	1	0.00
991 = NEVER USED LSD	52604	90.64
994 = DON'T KNOW	79	0.14
997 = REFUSED	16	0.03
998 = BLANK (NO ANSWER).....	297	0.51
999 = LEGITIMATE SKIP.....	150	0.26

Did you last use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use LSD in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use LSD?

(LU13A, LU13B, LU13C)
LSDYLU¹

Len : 4 YEAR OF LAST LSD USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	876	1.51
9985 = BAD DATA Logically assigned	11	0.02
9989 = LEGITIMATE SKIP Logically assigned	20	0.03
9991 = NEVER USED LSD	52604	90.64
9994 = DON'T KNOW	86	0.15
9997 = REFUSED	16	0.03
9998 = BLANK (NO ANSWER).....	497	0.86
9999 = LEGITIMATE SKIP.....	3924	6.76

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use LSD?

In what month in [YEAR FROM LU13a or LU13b] did you last use LSD?

(LU13C, LU13D)
LSDMLU¹

Len : 2 MONTH OF LAST LSD USE - RECODE

	Freq	Pct
1 = January.....	76	0.13
2 = February.....	60	0.10
3 = March.....	71	0.12
4 = April	60	0.10
5 = May.....	44	0.08
6 = June.....	85	0.15
7 = July	100	0.17
8 = August	79	0.14
9 = September	41	0.07
10 = October	71	0.12
11 = November	63	0.11
12 = December.....	66	0.11
85 = BAD DATA Logically assigned	31	0.05
89 = LEGITIMATE SKIP Logically assigned	20	0.03
91 = NEVER USED LSD	52604	90.64
94 = DON'T KNOW	109	0.19
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	513	0.88
99 = LEGITIMATE SKIP.....	3924	6.76

The computer recorded that you last used PCP [PCPREC FILL]. How old were you the last time you used PCP?

(LU14)
PCPAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED PCP

	Freq	Pct
RANGE = 1 - 58	652	1.12
985 = BAD DATA Logically assigned	83	0.14
991 = NEVER USED PCP.....	57187	98.54
994 = DON'T KNOW	17	0.03
997 = REFUSED	8	0.01
998 = BLANK (NO ANSWER).....	75	0.13
999 = LEGITIMATE SKIP.....	12	0.02

Did you last use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use PCP in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use PCP?

(LU14A, LU14B, LU14C)
PCPYLU¹

Len : 4 YEAR OF LAST PCP USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	26	0.04
9989 = LEGITIMATE SKIP Logically assigned	1	0.00
9991 = NEVER USED PCP.....	57187	98.54
9994 = DON'T KNOW	17	0.03
9997 = REFUSED	8	0.01
9998 = BLANK (NO ANSWER).....	157	0.27
9999 = LEGITIMATE SKIP.....	638	1.10

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use PCP?

In what month in [YEAR FROM LU14a or LU14b] did you last use PCP?

*(LU14C, LU14D)
PCPMLU¹*

Len : 2 MONTH OF LAST PCP USE - RECODE

	Freq	Pct
1 = January.....	2	0.00
2 = February.....	1	0.00
3 = March.....	3	0.01
5 = May.....	6	0.01
6 = June.....	2	0.00
7 = July	6	0.01
11 = November.....	2	0.00
12 = December.....	1	0.00
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED PCP.....	57187	98.54
94 = DON'T KNOW	18	0.03
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	158	0.27
99 = LEGITIMATE SKIP.....	638	1.10

The computer recorded that you last used "Ecstasy" or "Molly" also known as MDMA [ECSTREC FILL]. How old were you the last time you used "Ecstasy" or "Molly" ?

(LU15)

ECSTMOAGL¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED ECSTASY/MOLLY

	Freq	Pct
RANGE = 1 - 71.....	3948	6.80
985 = BAD DATA Logically assigned	194	0.33
991 = NEVER USED ECSTASY	53435	92.08
994 = DON'T KNOW	59	0.10
997 = REFUSED	16	0.03
998 = BLANK (NO ANSWER).....	252	0.43
999 = LEGITIMATE SKIP.....	130	0.22

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

(LU15A, LU15B, LU15C)

ECSTMOYLU¹

Len : 4 YEAR OF LAST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	594	1.02
9985 = BAD DATA Logically assigned	16	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	21	0.04
9991 = NEVER USED ECSTASY OR MOLLY.....	53435	92.08
9994 = DON'T KNOW	60	0.10
9997 = REFUSED	16	0.03
9998 = BLANK (NO ANSWER).....	441	0.76
9999 = LEGITIMATE SKIP.....	3451	5.95

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

In what month in [YEAR FROM LU15a or LU15b] did you last use "Ecstasy" or "Molly"?

(LU15C, LU15D)
ECSTMOMLU¹ Len : 2 MONTH OF LAST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
1 = January.....	63	0.11
2 = February.....	39	0.07
3 = March.....	48	0.08
4 = April	33	0.06
5 = May.....	40	0.07
6 = June.....	42	0.07
7 = July	64	0.11
8 = August	54	0.09
9 = September.....	38	0.07
10 = October	54	0.09
11 = November	41	0.07
12 = December.....	46	0.08
85 = BAD DATA Logically assigned	28	0.05
89 = LEGITIMATE SKIP Logically assigned	21	0.04
91 = NEVER USED ECSTASY OR MOLLY.....	53435	92.08
94 = DON'T KNOW	70	0.12
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	450	0.78
99 = LEGITIMATE SKIP.....	3451	5.95

The computer recorded that you last used any inhalants for kicks or to get high [INREC FILL]. How old were you the last time you used any inhalants for kicks or to get high?

(LU16)
INHLAGLST¹ Len : 3 HOW OLD WERE YOU THE LAST TIME USED INHALANTS

	Freq	Pct
RANGE = 1 - 71	4503	7.76
985 = BAD DATA Logically assigned	393	0.68
991 = NEVER USED INHALANTS	52267	90.06
994 = DON'T KNOW	259	0.45
997 = REFUSED	71	0.12
998 = BLANK (NO ANSWER).....	309	0.53
999 = LEGITIMATE SKIP.....	232	0.40

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

(LU16A, LU16B, LU16C)
INHYRLST¹ Len : 4 YEAR OF LAST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	565	0.97
9985 = BAD DATA Logically assigned	18	0.03
9989 = LEGITIMATE SKIP Logically assigned	36	0.06
9991 = NEVER USED INHALANTS	52267	90.06
9994 = DON'T KNOW	266	0.46
9997 = REFUSED	72	0.12
9998 = BLANK (NO ANSWER).....	698	1.20
9999 = LEGITIMATE SKIP.....	4112	7.09

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

In what month in [YEAR FROM LU16a or LU16b] did you last use an inhalant for kicks or to get high?

(LU16C, LU16D)
INHLMOLST¹

Len : 2 MONTH OF LAST INHALANT USE - RECODE

	Freq	Pct
1 = January.....	39	0.07
2 = February.....	46	0.08
3 = March.....	54	0.09
4 = April	39	0.07
5 = May.....	39	0.07
6 = June.....	32	0.06
7 = July	40	0.07
8 = August	42	0.07
9 = September	34	0.06
10 = October	46	0.08
11 = November	44	0.08
12 = December.....	28	0.05
85 = BAD DATA Logically assigned	35	0.06
89 = LEGITIMATE SKIP Logically assigned	36	0.06
91 = NEVER USED INHALANTS	52267	90.06
94 = DON'T KNOW	316	0.54
97 = REFUSED	79	0.14
98 = BLANK (NO ANSWER)	706	1.22
99 = LEGITIMATE SKIP.....	4112	7.09

The computer recorded that you last used methamphetamine [MERECP FILL]. How old were you the last time you used methamphetamine?

(LU17)
METHAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED METH

	Freq	Pct
RANGE = 1 - 73	2062	3.55
985 = BAD DATA Logically assigned	169	0.29
991 = NEVER USED METHAMPHETAMINE	55326	95.33
994 = DON'T KNOW	54	0.09
997 = REFUSED	13	0.02
998 = BLANK (NO ANSWER).....	120	0.21
999 = LEGITIMATE SKIP.....	290	0.50

Did you last use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use methamphetamine?

(LU17A, LU17B, LU17C)
METHYRLST¹

Len : 4 YEAR OF LAST METHAMPHETAMINE USE - RECODE

	Freq	Pct
RANGE = 2019 - 2021	249	0.43
9985 = BAD DATA Logically assigned	4	0.01
9989 = LEGITIMATE SKIP Logically assigned	10	0.02
9991 = NEVER USED METHAMPHETAMINE.....	55326	95.33
9994 = DON'T KNOW	56	0.10
9997 = REFUSED	13	0.02
9998 = BLANK (NO ANSWER).....	287	0.49
9999 = LEGITIMATE SKIP.....	2089	3.60

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use methamphetamine?

In what month in [YEAR FROM LU17a or LU17b] did you last use methamphetamine?

(LU17C, LU17D)
METHMOLST¹

Len : 2 MONTH OF LAST METH USE - RECODE

	Freq	Pct
1 = January.....	26	0.04
2 = February.....	16	0.03
3 = March.....	26	0.04
4 = April	23	0.04
5 = May.....	21	0.04
6 = June.....	28	0.05
7 = July	20	0.03
8 = August	17	0.03
9 = September	13	0.02
10 = October	11	0.02
11 = November	15	0.03
12 = December.....	23	0.04
85 = BAD DATA Logically assigned	8	0.01
89 = LEGITIMATE SKIP Logically assigned	10	0.02
91 = NEVER USED METHAMPHETAMINE	55326	95.33
94 = DON'T KNOW	61	0.11
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	288	0.50
99 = LEGITIMATE SKIP.....	2089	3.60

NOTE: Respondents were assigned legitimate skip codes of 99 or 89 in CIGYRBFR if they reported in the core TOBACCO module that they last smoked a cigarette more than 3 years ago. Logically, these respondents would not have smoked a cigarette in the past 12 to 24 months. In addition, CIGYRBFR was not edited with respect to CIGAGLST or CIGDLLST. Therefore, inconsistencies could exist between CIGYRBFR and these other variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you smoke part or all of a cigarette, even once?

(LU37)
CIGYRBFR¹

Len : 2 SMOKE ALL OR PART OF CIGARETTE IN YR BEFORE LAST

	Freq	Pct
1 = Yes.....	8704	15.00
2 = No.....	3114	5.37
91 = NEVER USED CIGARETTES.....	33161	57.14
94 = DON'T KNOW	83	0.14
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	423	0.73
99 = LEGITIMATE SKIP.....	12521	21.58

NOTE: The variables ALCYRBFR and ALCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you have a drink of any type of alcoholic beverage, even once?

(LU38)
ALCYRBFR¹

Len : 2 HAVE ALCOHOLIC BEVERAGE IN YEAR BEFORE LAST

	Freq	Pct
1 = Yes.....	31068	53.53
2 = No.....	9577	16.50
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	16302	28.09
94 = DON'T KNOW	183	0.32
97 = REFUSED	79	0.14
98 = BLANK (NO ANSWER)	824	1.42

PRIOR SUBSTANCE USE

NOTE: The variables COCYRBFR and COCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use any form of cocaine, even once?

<i>(LU39)</i> <u>COCYRBFR¹</u>	Len : 2 HAVE ANY FORM OF COCAINE IN YEAR BEFORE LAST	Freq	Pct
1 = Yes.....		1134	1.95
2 = No.....		5462	9.41
85 = BAD DATA Logically assigned		1	0.00
91 = NEVER USED COCAINE		51225	88.27
94 = DON'T KNOW		13	0.02
97 = REFUSED		14	0.02
98 = BLANK (NO ANSWER)		185	0.32

DRUG TREATMENT

DRUG TREATMENT

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

NOTE: Respondents were not asked questions in the SUBSTANCE TREATMENT module if they did not report lifetime use of alcohol, marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, or lifetime misuse of prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). Codes of 91 in the edited SUBSTANCE TREATMENT variables indicate that the questions did not apply because respondents never used (or misused) any of these substances.

NOTE: Changes to the drug treatment section of NSDUH in the 2021 questionnaire, including revisions to skip logic and to the reference periods for some measures, resulted in the renaming of many edited variables in this section. The new variable names are TXYRUSEADB, TXYRUSEALC, TXYRUSEMRJ, TXYRUSECOC, TXYRUSEHER, TXYRUSEINH, TXYRUSEMTH, TXYRUSEPNR, TXYRUSETRQ, TXYRUSESTM TXYRUSES TXYRUSEOTH, TXYRUSEMAIN2, TXLTYMNPLC2, TXLTYPYHINS, TXLTYPYMCRE, TXLTYPYMCAD, TXLTYPYPUBL, TXLTYPVSVNG, TXLTYPYFAML, TXLTYPYCOUR, TXLTYPYMILT, TXLTYPYEMPL, TXLTYPYOTHR, TXLTYPYOTSP, and TXLTYPYFREE. The remaining variables in this section retained the names from previous years because the impact from the questionnaire changes was negligible.

These next questions deal with treatment for alcohol and drug problems, not including cigarettes. Please report treatment or counseling designed to help you reduce or stop your alcohol or drug use. Please include detoxification and any other treatment for medical problems associated with your alcohol or drug use.

Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

(TX01)

TXEVRRCVD¹

Len : 2 EVER RECEIVED ALCOHOL OR DRUG TREATMENT

	Freq	Pct
1 = Yes.....	2821	4.86
2 = No.....	39692	68.39
85 = BAD DATA Logically assigned	25	0.04
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	43	0.07
97 = REFUSED	62	0.11
98 = BLANK (NO ANSWER)	1421	2.45

During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

(TX02)

TXYRRECVD¹

Len : 2 EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS

	Freq	Pct
1 = Yes.....	783	1.35
2 = No.....	1953	3.37
3 = Yes LOGICALLY ASSIGNED.....	78	0.13
4 = No LOGICALLY ASSIGNED	5	0.01
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1487	2.56
99 = LEGITIMATE SKIP (TXEVRRCVD=2).....	39692	68.39

DRUG TREATMENT

During the past 12 months when you received treatment, was the treatment for alcohol use only, drug use only, or both alcohol and drug use?

(TX03)

TXYRUSEADB¹

Len : 2 RCVD TREATMENT IN PAST 12 MOS FOR ALCOHOL, DRUGS, OR BOTH

	Freq	Pct
1 = For alcohol use only.....	235	0.40
2 = For drug use only	275	0.47
3 = For both alcohol and drug use.....	218	0.38
4 = For alcohol use only LOGICALLY ASSIGNED.....	11	0.02
5 = For drug use only LOGICALLY ASSIGNED	13	0.02
6 = for both alcohol and drug use LOGICALLY ASSIGNED.....	40	0.07
11 = For alcohol use (py tmt for drugs unknown).....	1	0.00
12 = For drug use (py tmt for alc unknown).....	1	0.00
21 = For alc use only (no LT alc use or PY drug tmt reported).....	5	0.01
23 = For both alc and drug use (LT alc use not reported).....	4	0.01
25 = For alc use only (no LT alc use but PY drug tmt reported).....	2	0.00
85 = BAD DATA Logically assigned	6	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	64	0.11
98 = BLANK (NO ANSWER)	1535	2.65
99 = LEGITIMATE SKIP.....	41650	71.77

During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight or longer as an inpatient?

(TX04A)

TXYRHOSOV¹

Len : 2 RCVD TXFILL1 TRMT IN HOSP/OVERNIGHT PST 12 MOS

	Freq	Pct
1 = Yes.....	200	0.34
2 = No.....	562	0.97
5 = Yes LOGICALLY ASSIGNED (from TXLTPYMNPLC2)	22	0.04
85 = BAD DATA Logically assigned	8	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	1556	2.68
99 = LEGITIMATE SKIP.....	41650	71.77

Was the treatment you received in a hospital overnight or longer as an inpatient for your alcohol use, your drug use, or both?

(TX04A1)

TXYRHOSAD¹

Len : 2 HOSP/OVERNIGHT TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
1 = Alcohol use.....	6	0.01
2 = Drug use	8	0.01
3 = Both alcohol and drug use.....	56	0.10
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	64	0.11
98 = BLANK (NO ANSWER)	1576	2.72
99 = LEGITIMATE SKIP.....	42354	72.98

During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight or longer?

(TX04B)

TXYRRESOV¹

Len : 2 RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO

	Freq	Pct
1 = Yes.....	197	0.34
2 = No.....	559	0.96
5 = Yes LOGICALLY ASSIGNED (from TXLTPYMNPLC2)	33	0.06
85 = BAD DATA Logically assigned	9	0.02
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	64	0.11
98 = BLANK (NO ANSWER)	1551	2.67
99 = LEGITIMATE SKIP.....	41650	71.77

DRUG TREATMENT

Was the treatment you received in a residential drug or alcohol rehabilitation facility where you stayed overnight or longer for your alcohol use, your drug use, or both?

(TX04B1)

TXYRRESAD¹ Len : 2 RES ALC/DRG REH TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
1 = Alcohol use.....	4	0.01
2 = Drug use	6	0.01
3 = Both alcohol and drug use.....	59	0.10
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1581	2.72
99 = LEGITIMATE SKIP.....	42350	72.97

During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?

(TX04C)

TXYROUTPT¹ Len : 2 RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS

	Freq	Pct
1 = Yes.....	336	0.58
2 = No	414	0.71
5 = Yes LOGICALLY ASSIGNED (from TXLTPYMNPLC2).....	33	0.06
85 = BAD DATA Logically assigned	9	0.02
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	2	0.00
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	1555	2.68
99 = LEGITIMATE SKIP.....	41650	71.77

Was the treatment you received in a drug or alcohol rehabilitation facility as an outpatient for your alcohol use, your drug use, or both?

(TX04CI)

TXYROUTAD¹ Len : 2 OUTPATIENT TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
1 = Alcohol use.....	4	0.01
2 = Drug use	19	0.03
3 = Both alcohol and drug use.....	77	0.13
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1580	2.72
99 = LEGITIMATE SKIP.....	42321	72.92

During the past 12 months, have you received treatment for your [TXFILL1] in a mental health center or facility as an outpatient?

(TX04D)

TXYRMHCOP¹ Len : 2 RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO

	Freq	Pct
1 = Yes.....	315	0.54
2 = No	423	0.73
5 = Yes LOGICALLY ASSIGNED (from TXLTPYMNPLC2).....	43	0.07
85 = BAD DATA Logically assigned	9	0.02
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	3	0.01
97 = REFUSED	64	0.11
98 = BLANK (NO ANSWER)	1557	2.68
99 = LEGITIMATE SKIP.....	41650	71.77

DRUG TREATMENT

Was the treatment you received in a mental health center or facility as an outpatient for your alcohol use, your drug use, or both?

(TX04D1)

TXYRMHCAD¹

Len : 2 MNT HEALTH CNTR TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
1 = Alcohol use.....	1	0.00
2 = Drug use	9	0.02
3 = Both alcohol and drug use.....	86	0.15
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1581	2.72
99 = LEGITIMATE SKIP.....	42324	72.93

During the past 12 months, have you received treatment for your [TXFILL1] in an emergency room?

(TX04E)

TXYREMRGN¹

Len : 2 RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS

	Freq	Pct
1 = Yes.....	108	0.19
2 = No.....	656	1.13
3 = Yes LOGICALLY ASSIGNED.....	7	0.01
5 = Yes LOGICALLY ASSIGNED (from TXLTPYMNPLC2).....	7	0.01
85 = BAD DATA Logically assigned	8	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	1562	2.69
99 = LEGITIMATE SKIP.....	41650	71.77

Was the treatment you received in an emergency room for your alcohol use, your drug use, or both?

(TX04E1)

TXYREMRAD¹

Len : 2 EMERGENCY ROOM TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
1 = Alcohol use.....	5	0.01
2 = Drug use	9	0.02
3 = Both alcohol and drug use.....	18	0.03
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1569	2.70
99 = LEGITIMATE SKIP.....	42400	73.06

During the past 12 months, have you received treatment for your [TXFILL1] in a private doctor's office?

(TX04F)

TXYRDRPRV¹

Len : 2 RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS

	Freq	Pct
1 = Yes.....	206	0.35
2 = No.....	546	0.94
5 = Yes LOGICALLY ASSIGNED (from TXLTPYMNPLC2).....	23	0.04
85 = BAD DATA Logically assigned	9	0.02
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	2	0.00
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	1561	2.69
99 = LEGITIMATE SKIP.....	41650	71.77

Was the treatment you received in a private doctor's office for your alcohol use, your drug use, or both?

(TX04F1)

TXYRDRPAD¹

Len : 2 PRIV DR.'S OFFICE TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
1 = Alcohol use.....	8	0.01
2 = Drug use	11	0.02
3 = Both alcohol and drug use.....	40	0.07
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1574	2.71
99 = LEGITIMATE SKIP.....	42368	73.01

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?

<i>(TX04G)</i> <u>TXYRPRISN</u> ¹	Len : 2 RCV'D TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS	Freq	Pct
1 = Yes.....		56	0.10
2 = No.....		712	1.23
5 = Yes LOGICALLY ASSIGNED (from TXLTPYMNPLC2).....		9	0.02
85 = BAD DATA Logically assigned		9	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....		13970	24.07
94 = DON'T KNOW		1	0.00
97 = REFUSED		66	0.11
98 = BLANK (NO ANSWER)		1561	2.69
99 = LEGITIMATE SKIP.....		41650	71.77

Was the treatment you received in a prison or jail for your alcohol use, your drug use, or both?

<i>(TX04GI)</i> <u>TXYRPRIAD</u> ¹	Len : 2 PRISON/JAIL TRMT FOR ALC, DRUGS, OR BOTH	Freq	Pct
1 = Alcohol use.....		2	0.00
2 = Drug use		8	0.01
3 = Both alcohol and drug use.....		18	0.03
91 = NEVER USED ALCOHOL OR DRUGS.....		13970	24.07
97 = REFUSED		63	0.11
98 = BLANK (NO ANSWER)		1562	2.69
99 = LEGITIMATE SKIP.....		42411	73.08

During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group such as Alcoholics Anonymous or Narcotics Anonymous?

<i>(TX04H)</i> <u>TXYRSLFHP</u> ¹	Len : 2 RCV'D TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS	Freq	Pct
1 = Yes.....		331	0.57
2 = No.....		426	0.73
5 = Yes LOGICALLY ASSIGNED (from TXLTPYMNPLC2).....		26	0.04
85 = BAD DATA Logically assigned		9	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....		13970	24.07
94 = DON'T KNOW		1	0.00
97 = REFUSED		66	0.11
98 = BLANK (NO ANSWER)		1555	2.68
99 = LEGITIMATE SKIP.....		41650	71.77

Was the treatment you received in a self-help group for your alcohol use, your drug use, or both?

<i>(TX04HI)</i> <u>TXYRSLFAD</u> ¹	Len : 2 SELF-HELP GROUP TRMT FOR ALC, DRUGS, OR BOTH	Freq	Pct
1 = Alcohol use.....		9	0.02
2 = Drug use		12	0.02
3 = Both alcohol and drug use.....		99	0.17
91 = NEVER USED ALCOHOL OR DRUGS.....		13970	24.07
97 = REFUSED		63	0.11
98 = BLANK (NO ANSWER)		1586	2.73
99 = LEGITIMATE SKIP.....		42295	72.88

DRUG TREATMENT

During the past 12 months, have you received any professional counseling, medication or treatment for your alcohol or drug use **over the phone, by email, or through video calling?**

(TXSBTELE)
TXYRTELE

Len : 2 RCV'D ALC OR DRG TRMT OVER PHONE/EMAIL/VIDEO IN PAST 12 MO

	Freq	Pct
1 = Yes.....	442	0.76
2 = No.....	332	0.57
5 = Yes LOGICALLY ASSIGNED (from TXLTPYMNPLC2).....	1	0.00
85 = BAD DATA Logically assigned.....	6	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	66	0.11
98 = BLANK (NO ANSWER).....	1566	2.70
99 = LEGITIMATE SKIP.....	41650	71.77

During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?

(TX04I)
TXYROTH1¹

Len : 2 RCV'D TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS

	Freq	Pct
1 = Yes.....	107	0.18
2 = No.....	564	0.97
5 = Yes LOGICALLY ASSIGNED (from TXLTPYMNPLC2).....	111	0.19
7 = Treatment location unknown, LOG ASSN	3	0.01
85 = BAD DATA Logically assigned.....	8	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
97 = REFUSED.....	66	0.11
98 = BLANK (NO ANSWER).....	1555	2.68
99 = LEGITIMATE SKIP.....	41650	71.77

(TX04SC)
TXYROTHSP2¹

Len : 3 OTHER PLACE RCV'D TRMT PAST 12 MONTHS

	Freq	Pct
2 = A res drug/alcohol rehab facility overnight.....	2	0.00
6 = A private doctor's office.....	1	0.00
8 = Self-help group, Alcoholic/Narcotics Anonymous.....	2	0.00
9 = Some other place.....	15	0.03
40 = Home, family, friends	18	0.03
41 = School, college.....	3	0.01
42 = Church/religious/spiritual influence	7	0.01
44 = Halfway house/group home	3	0.01
45 = Rehab/intervention fac/prgrm, ptnt status unspcfed.....	6	0.01
46 = Mental health center or facility, inpatient.....	3	0.01
47 = Community/city/county/state pgm or facil; unspcfd.....	4	0.01
48 = Counselor, therapist, psychologist, psychiatrist	35	0.06
49 = Court-mandated/sponsored program	5	0.01
52 = Military/VA Hospital.....	5	0.01
53 = Hospital; mental health or patient status unspcfd.....	3	0.01
56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd	3	0.01
64 = Methadone clinic/program	16	0.03
65 = Name of facility/program given.....	35	0.06
67 = Internet.....	3	0.01
90 = Telehealth (phone, online, text)	1	0.00
985 = BAD DATA Logically assigned	15	0.03
991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
994 = DON'T KNOW	4	0.01
997 = REFUSED	69	0.12
998 = BLANK (NO ANSWER).....	1592	2.74
999 = LEGITIMATE SKIP.....	42214	72.74

DRUG TREATMENT

Was the treatment you received in this other place for your alcohol use, your drug use, or both?

<i>(TX04II)</i> <u>TXYROTHAD</u> ¹	Len : 2 OTHER PLACE TRMT FOR ALC, DRUGS, OR BOTH	Freq	Pct
2 = Drug use	4	0.01	
3 = Both alcohol and drug use.....	28	0.05	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
97 = REFUSED	63	0.11	
98 = BLANK (NO ANSWER)	1593	2.74	
99 = LEGITIMATE SKIP.....	42376	73.02	

During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

<i>(TX05)</i> <u>TXYRERDRG</u> ¹	Len : 2 EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO	Freq	Pct
1 = Yes.....	35	0.06	
2 = No.....	467	0.80	
6 = NEVER USED RELEVANT DRUGS.....	43	0.07	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
97 = REFUSED	66	0.11	
98 = BLANK (NO ANSWER)	1568	2.70	
99 = LEGITIMATE SKIP.....	41885	72.17	

During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

<i>(TX06)</i> <u>TXYRERNUM2</u> ¹	Len : 3 # TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS	Freq	Pct
RANGE = 1 - 6.....	35	0.06	
991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
997 = REFUSED	66	0.11	
998 = BLANK (NO ANSWER).....	1568	2.70	
999 = LEGITIMATE SKIP.....	42395	73.05	

Are you currently receiving treatment or counseling for your [TXFILL1]?

<i>(TX07)</i> <u>TXCURRENT</u> ¹	Len : 2 CURRENTLY RECEIVING TRMT/COUNSELING FOR TXFILL1	Freq	Pct
1 = Yes.....	455	0.78	
2 = No.....	320	0.55	
3 = Yes LOGICALLY ASSIGNED	1	0.00	
85 = BAD DATA Logically assigned	6	0.01	
89 = LEGITIMATE SKIP Logically assigned	5	0.01	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	64	0.11	
98 = BLANK (NO ANSWER)	1567	2.70	
99 = LEGITIMATE SKIP.....	41645	71.76	

During the past 12 months, did you need treatment or counseling for your alcohol or drug use?

<i>(TX08)</i> <u>NDTXYRADG</u> ¹	Len : 2 NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS	Freq	Pct
1 = Yes.....	274	0.47	
2 = No.....	41386	71.31	
11 = Yes (TXYRRECV=3).....	17	0.03	
12 = No (TXYRRECV=3)	61	0.11	
85 = BAD DATA Logically assigned	22	0.04	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	39	0.07	
97 = REFUSED	54	0.09	
98 = BLANK (NO ANSWER)	1428	2.46	
99 = LEGITIMATE SKIP.....	783	1.35	

DRUG TREATMENT

During the past 12 months, did you need additional treatment or counseling for your alcohol or drug use?

(TX09)

NDMORTXYR¹

Len : 2 NEED ADDL TRMT FOR USE OF ALCOHOL/DRUG PST 12 MOS

	Freq	Pct
1 = Yes.....	36	0.06
2 = No.....	284	0.49
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1637	2.82
99 = LEGITIMATE SKIP.....	42105	72.55

During the past 12 months, for which of the following drugs did you need additional treatment or counseling?

(TX10)

NDMORTALC¹

Len : 2 NEED ADDL TRMT FOR USE OF ALCOHOL PAST 12 MOS

	Freq	Pct
1 = Response entered	20	0.03
6 = Response not entered	15	0.03
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1638	2.82
99 = LEGITIMATE SKIP.....	42389	73.04

(TX10)

NDMORTMRJ¹

Len : 2 NEED ADDL TRMT FOR USE OF MJ/HASH PAST 12 MOS

	Freq	Pct
1 = Response entered	8	0.01
6 = Response not entered	27	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1638	2.82
99 = LEGITIMATE SKIP.....	42389	73.04

(TX10)

NDMORTCOC¹

Len : 2 NEED ADDL TRMT FOR USE OF COC/CRACK PAST 12 MOS

	Freq	Pct
1 = Response entered	8	0.01
6 = Response not entered	27	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1638	2.82
99 = LEGITIMATE SKIP.....	42389	73.04

(TX10)

NDMORTHER¹

Len : 2 NEED ADDL TRMT FOR USE OF HEROIN PAST 12 MOS

	Freq	Pct
1 = Response entered	6	0.01
6 = Response not entered	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1638	2.82
99 = LEGITIMATE SKIP.....	42389	73.04

(TX10)

NDMORTHAL¹

Len : 2 NEED ADDL TRMT FOR USE OF HALLUC PAST 12 MOS

	Freq	Pct
1 = Response entered	2	0.00
6 = Response not entered	33	0.06
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1638	2.82
99 = LEGITIMATE SKIP.....	42389	73.04

DRUG TREATMENT

<i>(TX10)</i> <u>NDMORTINH</u> ¹	Len : 2 NEED ADDL TRMT FOR USE OF INHALANTS PAST 12 MOS	Freq	Pct
6 = Response not entered	35	0.06	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
97 = REFUSED	2	0.00	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	
<i>(TX10)</i> <u>NDMORTMTH</u> ¹	Len : 2 NEED ADDL TRMT FOR USE OF METHAMPHETAMINE PAST 12 MOS	Freq	Pct
1 = Response entered	6	0.01	
6 = Response not entered	29	0.05	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
97 = REFUSED	2	0.00	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	
<i>(TX10)</i> <u>NDMORTPNR</u> ¹	Len : 2 NEED ADDL TRMT FOR USE OF PAIN REL PST 12 MOS	Freq	Pct
1 = Response entered	3	0.01	
6 = Response not entered	32	0.06	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
97 = REFUSED	2	0.00	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	
<i>(TX10)</i> <u>NDMORTTRQ</u> ¹	Len : 2 NEED ADDL TRMT FOR USE OF TRAN PAST 12 MOS	Freq	Pct
1 = Response entered	4	0.01	
6 = Response not entered	31	0.05	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
97 = REFUSED	2	0.00	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	
<i>(TX10)</i> <u>NDMORTSTM</u> ¹	Len : 2 NEED ADDL TRMT FOR USE OF STIMULANTS PST 12 MOS	Freq	Pct
6 = Response not entered	35	0.06	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
97 = REFUSED	2	0.00	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	
<i>(TX10)</i> <u>NDMORTSED</u> ¹	Len : 2 NEED ADDL TRMT FOR USE OF SEDATIVES PST 12 MOS	Freq	Pct
6 = Response not entered	35	0.06	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
97 = REFUSED	2	0.00	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	
<i>(TX10)</i> <u>NDMORTOTH</u> ¹	Len : 2 NEED ADDL TRMT FOR USE OF SOME OTH DRG PST 12 MOS	Freq	Pct
1 = Response entered	2	0.00	
6 = Response not entered	33	0.06	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
97 = REFUSED	2	0.00	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	

DRUG TREATMENT

During the past 12 months did you need treatment or counseling for your use of alcohol?

(TX11)
NDTXYRALC¹ Len : 2 NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	153	0.26
2 = No.....	116	0.20
11 = Yes (TXYRRECV=3).....	8	0.01
12 = No (TXYRRECV=3).....	8	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER)	889	1.53
99 = LEGITIMATE SKIP.....	42839	73.82

During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?

(TX12)
NDTXYRMJ¹ Len : 2 NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MOS

	Freq	Pct
1 = Yes.....	46	0.08
2 = No.....	206	0.35
3 = Yes LOGICALLY ASSIGNED.....	3	0.01
11 = Yes (TXYRRECV=3).....	2	0.00
12 = No (TXYRRECV=3).....	12	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	651	1.12
99 = LEGITIMATE SKIP.....	43117	74.30

During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?

(TX13)
NDTXYRCOC¹ Len : 2 NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	24	0.04
2 = No.....	129	0.22
11 = Yes (TXYRRECV=3).....	2	0.00
12 = No (TXYRRECV=3).....	9	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	192	0.33
99 = LEGITIMATE SKIP.....	43700	75.30

During the past 12 months, did you need treatment or counseling for your use of heroin?

(TX14)
NDTXYRHER¹ Len : 2 NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	20	0.03
2 = No.....	29	0.05
11 = Yes (TXYRRECV=3).....	4	0.01
12 = No (TXYRRECV=3).....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	57	0.10
99 = LEGITIMATE SKIP.....	43949	75.73

DRUG TREATMENT

During the past 12 months, did you need treatment or counseling for your use of hallucinogens?

(TX15)
NDTXYRHAL¹ Len : 2 NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS

1 = Yes.....	
2 = No.....	
12 = No (TXYRRECVD=3).....	
13 = Yes LOGICALLY ASSIGNED (TXYRRECVD=3).....	
91 = NEVER USED ALCOHOL OR DRUGS	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
6	0.01
160	0.28
9	0.02
1	0.00
13970	24.07
9	0.02
312	0.54
43567	75.07

During the past 12 months, did you need treatment or counseling for your use of inhalants?

(TX16)
NDTXYRINH¹ Len : 2 NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS

1 = Yes.....	
2 = No.....	
11 = Yes (TXYRRECVD=3).....	
12 = No (TXYRRECVD=3).....	
91 = NEVER USED ALCOHOL OR DRUGS	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
2	0.00
98	0.17
1	0.00
4	0.01
13970	24.07
1	0.00
10	0.02
223	0.38
43725	75.34

During the past 12 months, did you need treatment or counseling for your use of methamphetamine?

(TX16A)
NDTXYRMTH¹ Len : 2 NEED TRMT FOR USE OF METHAMPHETAMINE PAST 12 MONTHS

1 = Yes.....	
2 = No.....	
11 = Yes (TXYRRECVD=3).....	
12 = No (TXYRRECVD=3).....	
91 = NEVER USED ALCOHOL OR DRUGS	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
38	0.07
52	0.09
3	0.01
4	0.01
13970	24.07
4	0.01
119	0.21
43844	75.55

During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?

(TX17)
NDTXYRPNR¹ Len : 2 NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS

1 = Yes.....	
2 = No.....	
3 = Yes LOGICALLY ASSIGNED.....	
11 = Yes (TXYRRECVD=3).....	
12 = No (TXYRRECVD=3).....	
85 = BAD DATA Logically assigned	
91 = NEVER USED ALCOHOL OR DRUGS	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
22	0.04
87	0.15
1	0.00
2	0.00
4	0.01
1	0.00
13970	24.07
10	0.02
534	0.92
43403	74.79

DRUG TREATMENT

During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?

(TX18)
NDTXYRTRQ¹ Len : 2 NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS

	Freq	Pct
1 = Yes.....	10	0.02
2 = No.....	65	0.11
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
12 = No (TXYRRECV=3).....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	387	0.67
99 = LEGITIMATE SKIP.....	43591	75.11

During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?

(TX19)
NDTXYRSTM¹ Len : 2 NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS

	Freq	Pct
1 = Yes.....	6	0.01
2 = No.....	63	0.11
11 = Yes (TXYRRECV=3).....	2	0.00
12 = No (TXYRRECV=3).....	3	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	390	0.67
99 = LEGITIMATE SKIP.....	43592	75.11

During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?

(TX20)
NDTXYRSED¹ Len : 2 NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS

	Freq	Pct
1 = Yes.....	3	0.01
2 = No.....	35	0.06
11 = Yes (TXYRRECV=3).....	2	0.00
12 = No (TXYRRECV=3).....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
97 = REFUSED.....	8	0.01
98 = BLANK (NO ANSWER).....	452	0.78
99 = LEGITIMATE SKIP.....	43562	75.06

During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?

(TX21)
NDTXYROTH¹ Len : 2 NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS

	Freq	Pct
1 = Yes.....	15	0.03
2 = No.....	229	0.39
5 = Drug Unknown LOGICALLY ASSIGNED.....	29	0.05
11 = Yes (TXYRRECV=3).....	2	0.00
12 = No (TXYRRECV=3).....	15	0.03
91 = NEVER USED ALCOHOL OR DRUGS.....	13970	24.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	54	0.09
98 = BLANK (NO ANSWER).....	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

DRUG TREATMENT

(TX21SC1)
NDTXYOTH1¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1

	Freq	Pct
209 = Xanax.....	2	0.00
425 = Advil <OTC>.....	1	0.00
465 = Fentanyl.....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	1	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.01
883 = Dextromethorphan hydrobromide <OTC>.....	1	0.00
8373 = Electronic cigarette	1	0.00
8381 = Vapor/vape juice; route of use unspecified	1	0.00
9985 = BAD DATA Logically assigned	2	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
9994 = DON'T KNOW	2	0.00
9997 = REFUSED	54	0.09
9998 = BLANK (NO ANSWER).....	1519	2.62
9999 = LEGITIMATE SKIP.....	42474	73.19

(TX21SC2)
NDTXYOTH2¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2

	Freq	Pct
465 = Fentanyl.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
8381 = Vapor/vape juice; route of use unspecified	2	0.00
9985 = BAD DATA Logically assigned	2	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
9997 = REFUSED	54	0.09
9998 = BLANK (NO ANSWER).....	1530	2.64
9999 = LEGITIMATE SKIP.....	42474	73.19

(TX21SC3)
NDTXYOTH3¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3

	Freq	Pct
465 = Fentanyl.....	1	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
9997 = REFUSED	54	0.09
9998 = BLANK (NO ANSWER).....	1534	2.64
9999 = LEGITIMATE SKIP.....	42474	73.19

(TX21SC4)
NDTXYOTH4¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4

	Freq	Pct
465 = Fentanyl.....	1	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
9997 = REFUSED	54	0.09
9998 = BLANK (NO ANSWER).....	1534	2.64
9999 = LEGITIMATE SKIP.....	42474	73.19

(TX21SC5)
NDTXYOTH5¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5

	Freq	Pct
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
9997 = REFUSED	54	0.09
9998 = BLANK (NO ANSWER).....	1535	2.65
9999 = LEGITIMATE SKIP.....	42474	73.19

DRUG TREATMENT

NOTE: NDTXEFFRT was assigned a code of 11 if the respondent originally reported making an effort to obtain treatment but at least one of the following occurred:

- (a) the respondent was logically inferred to have gotten treatment in the past 12 months (TXYRRECD=3); or
- (b) the respondent did not perceive a need for treatment for use of any of the specific drugs that he/she was asked about (i.e., all questions about the perceived need for treatment for specific drugs were answered as "no").

During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]?

(TX22)

NDTXEFFRT¹

Len : 2 MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	82	0.14
2 = No.....	186	0.32
11 = Yes (see note)	19	0.03
12 = No (TXYRRECD=3)	4	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	54	0.09
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

(TX22A)

NDTXNOCOV¹

Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER

	Freq	Pct
1 = Response entered	64	0.11
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	218	0.38
11 = Response entered (TXYRRECD=3 or NDTXEFFRT=11)	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

(TX22A)

NDTXNOTPY¹

Len : 2 TREATMENT NOT COVERED ON HLTH CARE

	Freq	Pct
1 = Response entered	28	0.05
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	255	0.44
11 = Response entered (TXYRRECD=3 or NDTXEFFRT=11)	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

(TX22A)

NDTXTSPHR¹

Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT

	Freq	Pct
1 = Response entered	24	0.04
6 = Response not entered	261	0.45
11 = Response entered (TXYRRECD=3 or NDTXEFFRT=11)	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

DRUG TREATMENT

(TX22A)
NDTXWANTD¹

Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED

	Freq	Pct
1 = Response entered	40	0.07
6 = Response not entered	245	0.42
11 = Response entered (TXYRRECV=3 or NDTXEFFRT=11)	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

(TX22A)
NDTXNSTOP¹

Len : 2 NOT READY TO STOP USING [TXFILL2]

	Freq	Pct
1 = Response entered	120	0.21
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	159	0.27
11 = Response entered (TXYRRECV=3 or NDTXEFFRT=11)	6	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

(TX22A)
NDTPFPULL¹

Len : 2 NO OPENINGS IN THE PROGRAMS

	Freq	Pct
1 = Response entered	16	0.03
6 = Response not entered	268	0.46
11 = Response entered (TXYRRECV=3 or NDTXEFFRT=11)	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

(TX22A)
NDTDXDKWHR¹

Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT

	Freq	Pct
1 = Response entered	66	0.11
6 = Response not entered	219	0.38
11 = Response entered (TXYRRECV=3 or NDTXEFFRT=11)	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

(TX22A)
NDTXNBRNG¹

Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG OPIN

	Freq	Pct
1 = Response entered	45	0.08
6 = Response not entered	238	0.41
11 = Response entered (TXYRRECV=3 or NDTXEFFRT=11)	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

DRUG TREATMENT

(TX22A)
NDTXJOBNG¹

Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB

	Freq	Pct
1 = Response entered	53	0.09
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	229	0.39
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11)	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

(TX22B)
NDTXNNONE¹

Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME

	Freq	Pct
1 = Response entered	18	0.03
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	262	0.45
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11)	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	57	0.10
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

(TX22B)
NDTXHANDL¹

Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT

	Freq	Pct
1 = Response entered	39	0.07
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	239	0.41
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11)	5	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	57	0.10
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

(TX22B)
NDTXNOHLP¹

Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
1 = Response entered	14	0.02
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	268	0.46
13 = Response entered LOG ASSN (see level 11).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	57	0.10
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

(TX22B)
NDTXNTIME¹

Len : 2 YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)

	Freq	Pct
1 = Response entered	29	0.05
3 = Response entered LOGICALLY ASSIGNED	3	0.01
6 = Response not entered	252	0.43
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	57	0.10
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

DRUG TREATMENT

(TX22B)
NDTXFNDOU¹

Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
1 = Response entered	25	0.04
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	256	0.44
11 = Response entered (TXYRRECV=3 or NDTXEFFRT=11)	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	57	0.10
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

(TX22A, TX22B)
NDTXOTRSN¹

Len : 2 SOME OTHER REASON OR REASONS

	Freq	Pct
1 = Response entered	49	0.08
6 = Response not entered	232	0.40
11 = Response entered (TXYRRECV=3 or NDTXEFFRT=11)	5	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	42230	72.77

(TX22C1)
NDTXMIMPT¹

Len : 2 MOST IMPORTANT OTHER REASON DIDNT GET TRTMT

	Freq	Pct
1 = No health care coverage and couldn't afford cost.....	2	0.00
2 = Health care coverage didn't cover trmt/full cost.....	1	0.00
5 = You were not ready to stop using.....	4	0.01
7 = You did not know where to go to get treatment	2	0.00
9 = Concerned might have negative effect on your job	1	0.00
10 = You didn't think you needed treatment at the time.....	3	0.01
11 = You thought you could handle the problem w/o trmt.....	2	0.00
12 = You didn't think treatment would help.....	3	0.01
13 = Didn't have time (b/c of job, childcare, other).....	4	0.01
14 = Didn't want others to find out you needed trmt	4	0.01
20 = Didn't want treatment; lacked motivation	2	0.00
21 = Stopped using, treatment not indicated	1	0.00
23 = Other problems to deal w/ (emotional, family, etc).....	3	0.01
24 = No one cared	1	0.00
28 = Didn't like how treated/don't trust Drs/hospitals.....	1	0.00
29 = Services desired unavailable/currently ineligible	1	0.00
30 = Attempted to get trmt, encountered delays/refused	3	0.01
40 = COVID-19; otherwise unspecified.....	1	0.00
70 = You did get/seek treatment (incl self-help groups).....	7	0.01
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	1495	2.58
99 = LEGITIMATE SKIP.....	42462	73.17

During the past 12 months, did you make an effort to get additional treatment or counseling for your use of alcohol or any other drug?

(TX23)
NDMREFRT¹

Len : 2 MAKE EFFORT FOR ADDL TRMT FOR ALC/DRG PST 12 MOS

	Freq	Pct
1 = Yes.....	22	0.04
2 = No.....	13	0.02
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1638	2.82
99 = LEGITIMATE SKIP.....	42389	73.04

DRUG TREATMENT

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

<i>(TX23A)</i> <u>NDMRNOCOV</u> ¹	Len : 2 NOT GET ADDITIONAL TRMT COULDNT AFFORD - NO HLTH CARE COVER	Freq	Pct
1 = Response entered	7	0.01	
6 = Response not entered	26	0.04	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	3	0.01	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	
<i>(TX23A)</i> <u>NDMRNOTPY</u> ¹	Len : 2 ADDITIONAL TREATMENT NOT COVERED ON HLTH CARE	Freq	Pct
1 = Response entered	4	0.01	
6 = Response not entered	29	0.05	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	3	0.01	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	
<i>(TX23A)</i> <u>NDMRTSPHR</u> ¹	Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT FOR ADD TRMT	Freq	Pct
1 = Response entered	5	0.01	
6 = Response not entered	28	0.05	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	3	0.01	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	
<i>(TX23A)</i> <u>NDMRWANTD</u> ¹	Len : 2 ADDITIONAL TREATMENT NOT FOUND FOR TYPE WANTED	Freq	Pct
1 = Response entered	6	0.01	
6 = Response not entered	27	0.05	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	3	0.01	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	
<i>(TX23A)</i> <u>NDMRNSTOP</u> ¹	Len : 2 NOT READY TO STOP USING ALCOHOL OR DRUGS	Freq	Pct
1 = Response entered	8	0.01	
6 = Response not entered	25	0.04	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	3	0.01	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	
<i>(TX23A)</i> <u>NDMRPFULL</u> ¹	Len : 2 NO OPENINGS IN THE PROGRAMS FOR ADDITIONAL TREATMENT	Freq	Pct
1 = Response entered	3	0.01	
6 = Response not entered	30	0.05	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	3	0.01	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	

DRUG TREATMENT

<i>(TX23A)</i> <u>NDMRDKWHR</u> ¹	Len : 2 DIDN'T KNOW WHERE TO GET ADDITIONAL TREATMENT	Freq	Pct
1 = Response entered	2	0.00	
6 = Response not entered	31	0.05	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	3	0.01	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	

<i>(TX23A)</i> <u>NDMRNBRNG</u> ¹	Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG. OPIN	Freq	Pct
6 = Response not entered	33	0.06	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	3	0.01	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	

<i>(TX23A)</i> <u>NDMRJOBNG</u> ¹	Len : 2 ADDITIONAL TREATMENT MIGHT HAVE NEG. EFFECT ON JOB	Freq	Pct
1 = Response entered	3	0.01	
6 = Response not entered	30	0.05	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	3	0.01	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

<i>(TX23B)</i> <u>NDMRNONED</u> ¹	Len : 2 YOU DIDN'T THINK YOU NEEDED ADDITIONAL TREATMENT AT THE TIME	Freq	Pct
1 = Response entered	6	0.01	
6 = Response not entered	27	0.05	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	3	0.01	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	

<i>(TX23B)</i> <u>NDMRHANDL</u> ¹	Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O ADDITIONAL TREATMT	Freq	Pct
1 = Response entered	5	0.01	
3 = Response entered LOGICALLY ASSIGNED	1	0.00	
6 = Response not entered	27	0.05	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	3	0.01	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	

<i>(TX23B)</i> <u>NDMRNOHLP</u> ¹	Len : 2 YOU DIDN'T THINK ADDITIONAL TREATMENT WOULD HELP	Freq	Pct
1 = Response entered	1	0.00	
6 = Response not entered	32	0.06	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	3	0.01	
98 = BLANK (NO ANSWER)	1638	2.82	
99 = LEGITIMATE SKIP.....	42389	73.04	

DRUG TREATMENT

(TX23B)
NDMRNTIME¹

Len : 2 DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM) FOR ADD TRMT

	Freq	Pct
1 = Response entered	3	0.01
6 = Response not entered	30	0.05
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1638	2.82
99 = LEGITIMATE SKIP.....	42389	73.04

(TX23B)
NDMRFNDOU¹

Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED ADDITIONAL TRMT

	Freq	Pct
1 = Response entered	2	0.00
6 = Response not entered	31	0.05
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1638	2.82
99 = LEGITIMATE SKIP.....	42389	73.04

(TX23A, TX23B)
NDMROTRSN¹

Len : 2 SOME OTHER REASON OR REASONS FOR NOT RCVG ADD TRMT

	Freq	Pct
1 = Response entered	6	0.01
6 = Response not entered	27	0.05
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1638	2.82
99 = LEGITIMATE SKIP.....	42389	73.04

(TX23C1)
NDMRMIMPT¹

Len : 2 MOST IMPORTANT OTHR REASON DIDNT GET ADDL TRTMT

	Freq	Pct
3 = No transportation/too far away/hrs inconvenient	1	0.00
5 = You were not ready to stop using.....	1	0.00
11 = You thought you could handle the problem w/o trmt.....	1	0.00
16 = Too embarrassed,ashamed,afraid/didn't want to ask	1	0.00
23 = Other problems to deal w/ (emotional, family, etc).....	1	0.00
41 = Afraid/concerned about COVID-19	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1639	2.82
99 = LEGITIMATE SKIP.....	42416	73.09

How long has it been since you were last in treatment or counseling for your alcohol or drug use, not counting cigarettes?

(TX24)
TXRCVDREC¹

Len : 2 TIME SINCE LAST RCVD ALCOHOL OR DRUG TREATMENT

	Freq	Pct
1 = Within past 30 days -- that is, since [DATEFILL].....	55	0.09
2 = More than 30 days ago but within the past 12 mos	251	0.43
3 = More than 12 months ago	1940	3.34
7 = Still in treatment LOG ASSN (TXCURRENT=1).....	455	0.78
8 = Treatment in past year LOGICALLY ASSIGNED	100	0.17
9 = Treatment in lifetime LOGICALLY ASSIGNED.....	2	0.00
13 = Treatment > 12 mos ago LOG ASSN (TXYEARRECVD=2).....	18	0.03
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	62	0.11
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	39692	68.39

DRUG TREATMENT

NOTE: For most of the remaining questions in the SUBSTANCE TREATMENT module, the wording differed depending on whether respondents previously reported that they were still in treatment or that they were no longer in treatment. Where two question wordings appear for a given variable, the first wording was what respondents received if they reported that they were no longer in treatment. The second wording was what respondents received if they reported that they were still in treatment.

What was the main place where you received treatment the last time you started treatment/are currently receiving treatment for your alcohol or other drug use, not counting cigarettes?

(TX25, TX25SCI)
TXLTPYMNPLC2¹ Len : 3 MAIN PLACE RCV TRMT LAST TIME/CURRENTLY

	Freq	Pct
1 = A hospital overnight as an inpatient.....	40	0.07
2 = A res drug/alcohol rehab facility overnight.....	101	0.17
3 = A drug or alcohol rehab facility as an outpatient.....	149	0.26
4 = A mental health center or facility as outpatient.....	153	0.26
5 = An emergency room.....	11	0.02
6 = A private doctor's office.....	93	0.16
7 = A prison or jail.....	17	0.03
8 = Self-help group, Alcoholic/Narcotics Anonymous.....	126	0.22
9 = Some other place.....	34	0.06
40 = Home, family, friends	13	0.02
42 = Church/religious/spiritual influence.....	3	0.01
45 = Rehab/intervention fac/prgrm, ptnt status unspcf'd.....	3	0.01
48 = Counselor, therapist, psychologist, psychiatrist	29	0.05
49 = Court-mandated/sponsored program.....	4	0.01
52 = Military/VA Hospital.....	4	0.01
53 = Hospital; mental health or patient status unspcf'd.....	3	0.01
64 = Methadone clinic/program	9	0.02
65 = Name of facility/program given	18	0.03
81 = Buprenorphine/Suboxone/Subutex clinic/program	3	0.01
86 = Medication-assisted tmt (MAT) program;drug unspcf'd.....	3	0.01
90 = Telehealth (phone, online, text)	17	0.03
985 = BAD DATA Logically assigned	6	0.01
991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
994 = DON'T KNOW	13	0.02
997 = REFUSED	69	0.12
998 = BLANK (NO ANSWER).....	1493	2.57
999 = LEGITIMATE SKIP.....	41650	71.77

During the past 12 months, did you receive treatment or counseling for your use of alcohol?

(TX26)
TXYRUSEALC¹ Len : 2 RECEIVED TREATMENT IN PAST 12 MOS FOR ALCOHOL

	Freq	Pct
1 = Yes.....	33	0.06
2 = No.....	324	0.56
3 = Yes LOGICALLY ASSIGNED	1	0.00
5 = Yes LOG ASSN (TXYRUSEADB = 1).....	471	0.81
6 = NEVER USED ALCOHOL (TXEVRRRCVD = 1).....	15	0.03
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	64	0.11
98 = BLANK (NO ANSWER)	1503	2.59
99 = LEGITIMATE SKIP (TXEVRRRCVD=2/TXYRRECV=2,4).....	41650	71.77

DRUG TREATMENT

During the past 12 months, did you receive treatment or counseling for your use of marijuana or hashish?

(TX27)

TXYRUSEMRJ¹

Len : 2 RECEIVED TREATMENT IN PAST 12 MOS FOR MARIJUANA/HASHISH

	Freq	Pct
1 = Yes.....	137	0.24
2 = No.....	620	1.07
3 = Yes LOGICALLY ASSIGNED.....	3	0.01
6 = NEVER USED MARIJUANA (TXEVRRCDV = 1).....	91	0.16
85 = BAD DATA Logically assigned	5	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	64	0.11
98 = BLANK (NO ANSWER)	1493	2.57
99 = LEGITIMATE SKIP (TXEVRRCDV=2/TXYRRECD=2,4).....	41650	71.77

During the past 12 months, did you receive treatment or counseling for your use of cocaine or 'crack'?

(TX28)

TXYRUSECOC¹

Len : 2 RECEIVED TREATMENT IN PAST 12 MOS FOR COCAINE/CRACK

	Freq	Pct
1 = Yes.....	112	0.19
2 = No.....	405	0.70
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
6 = NEVER USED COCAINE (TXEVRRCDV = 1)	338	0.58
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1492	2.57
99 = LEGITIMATE SKIP (TXEVRRCDV=2/TXYRRECD=2,4).....	41650	71.77

During the past 12 months, did you receive treatment or counseling for your use of heroin?

(TX29)

TXYRUSEHER¹

Len : 2 RECEIVED TREATMENT IN PAST 12 MOS FOR HEROIN

	Freq	Pct
1 = Yes.....	163	0.28
2 = No.....	116	0.20
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
6 = NEVER USED HEROIN (TXEVRRCDV = 1).....	577	0.99
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	64	0.11
98 = BLANK (NO ANSWER)	1491	2.57
99 = LEGITIMATE SKIP (TXEVRRCDV=2/TXYRRECD=2,4).....	41650	71.77

During the past 12 months, did you receive treatment or counseling for your use of hallucinogens?

(TX30)

TXYRUSEHAL¹

Len : 2 RECEIVED TREATMENT IN PAST 12 MOS FOR HALLUCINOGENS

	Freq	Pct
1 = Yes.....	56	0.10
2 = No.....	473	0.82
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
6 = NEVER USED HALLUCINOGENS (TXEVRRCDV = 1).....	324	0.56
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	64	0.11
98 = BLANK (NO ANSWER)	1493	2.57
99 = LEGITIMATE SKIP (TXEVRRCDV=2/TXYRRECD=2,4).....	41650	71.77

DRUG TREATMENT

During the past 12 months, did you receive treatment or counseling for your use of inhalants?

(TX31)
TXYRUSEINH¹ Len : 2 RECEIVED TREATMENT IN PAST 12 MOS FOR INHALANTS

	Freq	Pct
1 = Yes.....	27	0.05
2 = No.....	292	0.50
6 = NEVER USED INHALANTS (TXEVRRCDV=1).....	537	0.93
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	2	0.00
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1490	2.57
99 = LEGITIMATE SKIP (TXEVRRCDV=2/TXYRRECDV=2,4).....	41650	71.77

During the past 12 months, did you receive treatment or counseling for your use of methamphetamine?

(TX31A)
TXYRUSEMTH¹ Len : 2 RECEIVED TREATMENT IN PAST 12 MOS FOR METHAMPHETAMINE

	Freq	Pct
1 = Yes.....	133	0.23
2 = No.....	206	0.35
3 = Yes LOGICALLY ASSIGNED.....	3	0.01
6 = NEVER USED METHAMPHETAMINE (TXEVRRCDV = 1).....	514	0.89
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	66	0.11
98 = BLANK (NO ANSWER)	1491	2.57
99 = LEGITIMATE SKIP (TXEVRRCDV=2/TXYRRECDV=2,4).....	41650	71.77

During the past 12 months, did you receive treatment or counseling for your use of prescription pain relievers?

(TX32)
TXYRUSEPNR¹ Len : 2 RCV'D TRMT IN PAST 12 MOS FOR PRESCRIPTION PAIN RELIEVERS

	Freq	Pct
1 = Yes.....	158	0.27
2 = No.....	262	0.45
3 = Yes LOGICALLY ASSIGNED.....	13	0.02
4 = No LOGICALLY ASSIGNED	1	0.00
6 = NEVER USED PAIN RELIEVERS (TXEVRRCDV = 1).....	421	0.73
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	2	0.00
97 = REFUSED	64	0.11
98 = BLANK (NO ANSWER)	1492	2.57
99 = LEGITIMATE SKIP (TXEVRRCDV=2/TXYRRECDV=2,4).....	41650	71.77

During the past 12 months, did you receive treatment or counseling for your use of prescription tranquilizers?

(TX33)
TXYRUSETRO¹ Len : 2 RCV'D TRMT IN PAST 12 MOS FOR PRESCRIPTION TRANQUILIZERS

	Freq	Pct
1 = Yes.....	53	0.09
2 = No.....	192	0.33
3 = Yes LOGICALLY ASSIGNED.....	4	0.01
4 = No LOGICALLY ASSIGNED	1	0.00
6 = NEVER USED TRANQUILIZERS (TXEVRRCDV = 1).....	606	1.04
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1494	2.57
99 = LEGITIMATE SKIP (TXEVRRCDV=2/TXYRRECDV=2,4).....	41650	71.77

DRUG TREATMENT

During the past 12 months, did you receive treatment or counseling for your use of prescription stimulants?

(TX34)

TXYRUSESTM¹

Len : 2 RECEIVED TRMT IN PAST 12 MOS FOR PRESCRIPTION STIMULANTS

	Freq	Pct
1 = Yes.....	34	0.06
2 = No.....	204	0.35
4 = No LOGICALLY ASSIGNED	1	0.00
6 = NEVER USED STIMULANTS (TXEVRRCDV = 1).....	618	1.06
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	2	0.00
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1491	2.57
99 = LEGITIMATE SKIP (TXEVRRCDV=2/TXYRRECDV=2,4).....	41650	71.77

During the past 12 months, did you receive treatment or counseling for your use of prescription sedatives?

(TX35)

TXYRUSESED¹

Len : 2 RECEIVED TRMT IN PAST 12 MOS FOR PRESCRIPTION SEDATIVE

	Freq	Pct
1 = Yes.....	31	0.05
2 = No.....	119	0.21
3 = Yes LOGICALLY ASSIGNED	2	0.00
4 = No LOGICALLY ASSIGNED	1	0.00
6 = NEVER USED SEDATIVES (TXEVRRCDV = 1).....	708	1.22
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP (TXEVRRCDV=2/TXYRRECDV=2,4).....	41650	71.77

During the past 12 months, did you receive treatment or counseling for your use of any other drug?

(TX36)

TXYRUSEOTH¹

Len : 2 TRMT IN PAST 12 MOS FOR SOME OTHER DRUG

	Freq	Pct
1 = Yes.....	76	0.13
2 = No.....	670	1.15
3 = Yes LOGICALLY ASSIGNED	5	0.01
5 = Treatment drug unknown, LOGICALLY ASSIGNED	40	0.07
7 = Treatment drug/alc unknown LOG ASSN	123	0.21
85 = BAD DATA Logically assigned	6	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1489	2.57
99 = LEGITIMATE SKIP.....	41650	71.77

DRUG TREATMENT

What was the main drug you entered treatment for the last time you were treated?

What is the main drug for which you are currently receiving treatment or counseling?

(TX37)

TXYRUSEMAIN2¹ Len : 2 MAIN DRUG FOR LAST/CURRENT TREATMENT

	Freq	Pct
1 = Alcohol	52	0.09
2 = Marijuana or hashish.....	29	0.05
3 = Cocaine or Crack	24	0.04
4 = Heroin.....	77	0.13
7 = Methamphetamine	46	0.08
8 = Prescription pain relievers.....	42	0.07
12 = Some other drug.....	24	0.04
85 = BAD DATA Logically assigned	5	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	4	0.01
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	1651	2.84
99 = LEGITIMATE SKIP.....	42041	72.44

What was the outcome of the treatment or counseling you last received?

(TX38, TX38SC)

TXLTYOCOM2¹ Len : 2 OUTCOME OF LAST/CURRENT TREATMENT

	Freq	Pct
1 = You are still in treatment.....	469	0.81
2 = You successfully completed treatment.....	262	0.45
3 = You left because you had a problem with program.....	18	0.03
4 = You left b/c you couldn't afford to continue.....	16	0.03
5 = You left because your family needed you	9	0.02
6 = You left because you began using drugs again.....	13	0.02
7 = Your last treatment had some other outcome	13	0.02
44 = You relapsed/program did not work for you	4	0.01
49 = Completed treatment/tmt required, outcome unknown	6	0.01
85 = BAD DATA Logically assigned	30	0.05
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	9	0.02
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	1498	2.58
99 = LEGITIMATE SKIP.....	41650	71.77

DRUG TREATMENT

How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX25]?

How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX17]?

How long did you stay in treatment for your alcohol or drug use during your last treatment?

How long have you been in treatment for your alcohol or drug use so far?

Please indicate whether you want to give your answer in days, months, or years.

How many days have you been in treatment for your alcohol or drug use so far?

How many days did you stay in treatment for your alcohol or drug use the last time?

How many months have you been in treatment for your alcohol or drug use so far?

How many months did you stay in treatment for your alcohol or drug use the last time?

How many years have you been in treatment for your alcohol or drug use so far?

How many years did you stay in treatment for your alcohol or drug use the last time?

(TX39, TX40DAY1, TX40DAY2, TX4IMON1, TX4IMON2, TX41YR1, TX41YR2)

TXLTYDAYS¹ Len : 5 RC - # DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE

	Freq	Pct
RANGE = 1 - 30.....	199	0.34
31 = 31 or more.....	621	1.07
99985 = BAD DATA Logically assigned	7	0.01
99991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
99994 = DON'T KNOW	22	0.04
99997 = REFUSED	71	0.12
99998 = BLANK (NO ANSWER).....	1494	2.57
99999 = LEGITIMATE SKIP.....	41650	71.77

Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?

Will private health insurance pay for the treatment you are currently receiving, even if it pays only part of the cost?

(TX42A)

TXLTPYHINS¹

Len : 2 HEALTH INSURANCE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
1 = Yes.....	413	0.71
2 = No.....	398	0.69
3 = Yes LOGICALLY ASSIGNED	2	0.00
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	27	0.05
97 = REFUSED	68	0.12
98 = BLANK (NO ANSWER)	1494	2.57
99 = LEGITIMATE SKIP.....	41650	71.77

Did Medicare pay for the last treatment you received, even if it paid only part of the cost?

Will Medicare pay for the treatment you are currently receiving, even if it pays only part of the cost?

(TX42B)

TXLTPYMCRE¹

Len : 2 MEDICARE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
1 = Yes.....	304	0.52
2 = No.....	504	0.87
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	33	0.06
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	1494	2.57
99 = LEGITIMATE SKIP.....	41650	71.77

DRUG TREATMENT

Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

(TX42C)
TXLTPYMCAD¹ Len : 2 MEDICAID PAY FOR LAST/CURRENT TRMT

	Freq	Pct
1 = Yes.....	386	0.67
2 = No.....	425	0.73
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	29	0.05
97 = REFUSED	66	0.11
98 = BLANK (NO ANSWER)	1495	2.58
99 = LEGITIMATE SKIP.....	41650	71.77

Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will a public assistance program other than Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

(TX42D)
TXLTPYPUBL¹ Len : 2 PUBLIC ASSISTANCE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
1 = Yes.....	216	0.37
2 = No.....	577	0.99
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	46	0.08
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	1495	2.58
99 = LEGITIMATE SKIP.....	41650	71.77

Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?

Will you use your own savings or earnings to pay for the treatment you are currently receiving, even if you pay only part of the cost?

(TX42E)
TXLTPYSVNG¹ Len : 2 OWN SAVINGS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
1 = Yes.....	349	0.60
2 = No.....	475	0.82
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	16	0.03
97 = REFUSED	66	0.11
98 = BLANK (NO ANSWER)	1495	2.58
99 = LEGITIMATE SKIP.....	41650	71.77

DRUG TREATMENT

Was your last treatment paid for by some other source besides those that have been listed?

Will the treatment you are currently receiving be paid for by some other source besides those that have been listed?

(TX42F, TX42G, TX42H, TX42J)

[TXLTPYOTHR2¹](#) Len : 2 SOME OTHER SOURCE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
1 = Yes.....	320	0.55
2 = No.....	478	0.82
4 = No LOG ASSN (free trmt specified).....	1	0.00
5 = Yes, payment source not specified LOG ASSN.....	24	0.04
85 = BAD DATA Logically assigned	11	0.02
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	19	0.03
97 = REFUSED	66	0.11
98 = BLANK (NO ANSWER)	1495	2.58
99 = LEGITIMATE SKIP.....	41650	71.77

Did your employer pay for the last treatment you received, even if it paid only part of the cost?

Will your employer pay for the treatment you are currently receiving, even if it pays only part of the cost?

(TX42I)

[TXLTPYEMPL¹](#) Len : 2 EMPLOYER PAY FOR LAST/CURRENT TRMT

	Freq	Pct
1 = Yes.....	36	0.06
2 = No.....	777	1.34
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	24	0.04
97 = REFUSED	68	0.12
98 = BLANK (NO ANSWER)	1495	2.58
99 = LEGITIMATE SKIP.....	41650	71.77

Was the last treatment you received free?

Is the treatment you are currently receiving free?

(TX42K)

[TXLTPYFREE¹](#) Len : 2 LAST/CURRENT TREATMENT WAS/IS FREE

	Freq	Pct
1 = Yes.....	36	0.06
2 = No.....	24	0.04
3 = Yes LOGICALLY ASSIGNED.....	3	0.01
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	1521	2.62
99 = LEGITIMATE SKIP.....	42410	73.08

Think about all the treatment or counseling you received for your [TXFILL1] during the past 12 months. Was detoxification the only [TXFILL1] treatment you received during the past 12 months?

(TX44)

[TXYRONDTX¹](#) Len : 2 WAS DETOX THE ONLY TRMT RCVD PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	154	0.27
2 = No.....	476	0.82
4 = No LOGICALLY ASSIGNED	132	0.23
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
94 = DON'T KNOW	8	0.01
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	1574	2.71
99 = LEGITIMATE SKIP.....	41650	71.77

DRUG TREATMENT

NOTE: The variables TXYALONAG, TXYALODRG, TXYALODAG, TXYDRONAG, TXYDROALC, TXYDROAAG, TXYALDAAG, and TXYALDDAG pertain to respondents who received substance treatment in the past 12 months. TXYALONAG, TXYALODRG, and TXYALODAG pertain to respondents who reported that they received treatment only for alcohol in the past 12 months. TXYDRONAG, TXYDROALC, and TXYDROAAG pertain to respondents who reported that they received treatment only for other drugs in the past 12 months. TXYALDAAG and TXYALDDAG pertain to respondents who reported receiving treatment for both alcohol and other drugs in the past 12 months.

Earlier you reported that you received treatment or counseling for your use of alcohol during the past 12 months. How old were you when you first received treatment or counseling for your alcohol use?

(TX49)

TXYALONAG¹

Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE

	Freq	Pct
RANGE = 1 - 80	268	0.46
985 = BAD DATA Logically assigned	7	0.01
991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
994 = DON'T KNOW	6	0.01
997 = REFUSED	66	0.11
998 = BLANK (NO ANSWER).....	1560	2.69
999 = LEGITIMATE SKIP.....	42157	72.64

Have you ever received treatment or counseling for your use of any drug, not including cigarettes or alcohol?

(TX49A)

TXYALODRG¹

Len : 2 EVER RCVD TRMT FOR DRUGS (ONLY PAST YR ALC TRMT)

	Freq	Pct
1 = Yes.....	23	0.04
2 = No.....	187	0.32
3 = Yes LOGICALLY ASSIGNED (TXYRUSEADB=11).....	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1596	2.75
99 = LEGITIMATE SKIP.....	42193	72.70

How old were you when you first received treatment or counseling for your drug use?

(TX49B)

TXYALODAG¹

Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE

	Freq	Pct
RANGE = 15 - 42	21	0.04
985 = BAD DATA Logically assigned	1	0.00
991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
994 = DON'T KNOW	1	0.00
997 = REFUSED	63	0.11
998 = BLANK (NO ANSWER).....	1598	2.75
999 = LEGITIMATE SKIP.....	42380	73.03

Earlier you reported that you received treatment or counseling for your drug use during the past 12 months. How old were you when you first received treatment or counseling for your drug use?

(TX50)

TXYDRONAG¹

Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE

	Freq	Pct
RANGE = 2 - 70	303	0.52
985 = BAD DATA Logically assigned	9	0.02
989 = LEGITIMATE SKIP Logically assigned.....	158	0.27
991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
994 = DON'T KNOW	5	0.01
997 = REFUSED	65	0.11
998 = BLANK (NO ANSWER).....	1567	2.70
999 = LEGITIMATE SKIP.....	41957	72.30

DRUG TREATMENT

Have you ever received treatment or counseling for your alcohol use?

(TX50A)
TXYDROALC¹ Len : 2 EVER RCVD TMT FOR ALCOHOL (ONLY PAST YR DRUG TMT)

	Freq	Pct
1 = Yes.....	25	0.04
2 = No.....	237	0.41
3 = Yes LOGICALLY ASSIGNED (TXYRUSEADB=12).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1614	2.78
99 = LEGITIMATE SKIP.....	42124	72.59

How old were you when you first received treatment or counseling for your alcohol use?

(TX50B)
TXYDROAAG¹ Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE

	Freq	Pct
RANGE = 11 - 38	24	0.04
991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
994 = DON'T KNOW	1	0.00
997 = REFUSED	63	0.11
998 = BLANK (NO ANSWER).....	1615	2.78
999 = LEGITIMATE SKIP.....	42361	72.99

Earlier, you reported that you received treatment or counseling for your drug and alcohol use during the past 12 months. How old were you when you first received treatment or counseling for your use of alcohol?

(TX51)
TXYALDAAG¹ Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE

	Freq	Pct
RANGE = 2 - 60	51	0.09
991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
994 = DON'T KNOW	4	0.01
997 = REFUSED	64	0.11
998 = BLANK (NO ANSWER).....	1785	3.08
999 = LEGITIMATE SKIP.....	42160	72.65

How old were you when you first received treatment or counseling for your drug use?

(TX51A)
TXYALDDAG¹ Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE

	Freq	Pct
RANGE = 2 - 45	49	0.08
991 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
994 = DON'T KNOW	4	0.01
997 = REFUSED	66	0.11
998 = BLANK (NO ANSWER).....	1785	3.08
999 = LEGITIMATE SKIP.....	42160	72.65

NOTE: TXFGALAGE is a "flag" variable that indicates when the first receipt of alcohol treatment in TXYALONAG, TXYDROAAG, or TXYALDAAG is inconsistent with the first use of alcohol (from ALCTRY). When TXFGALAGE=5, the respondent previously reported never using alcohol. However, the respondent subsequently reported an age for first receipt of alcohol treatment, based on some indication of alcohol treatment in TXYRUSEADB.

TXFGALAGE¹ Len : 2 CONSISTENCY OF ALC TX AGE WITH ALC AFU

	Freq	Pct
0 = 1st alc tx age consistent with alc AFU	334	0.58
2 = 1st alc tx age differs from alc AFU by 2 yrs	1	0.00
3 = 1st alc tx age differs from alc AFU by 3-4 yrs	1	0.00
4 = 1st alc tx age differs from alc AFU by >=5 yrs.....	15	0.03
5 = Never used alc in core but reported an alc tx age	8	0.01
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07
98 = UNKNOWN	1809	3.12
99 = LEGITIMATE SKIP.....	41896	72.19

DRUG TREATMENT

NOTE: TXFGDGAGE is a "flag" variable that indicates when the first receipt of drug treatment in TXYALODAG, TXYDRONAG, or TXYALDDAG is inconsistent with the earliest reported first use of drugs. When TXFGDGAGE=5, the respondent previously reported never using (or misusing) marijuana, cocaine, heroin, hallucinogens, inhalants, or prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). However, the respondent subsequently reported an age for first receipt of drug treatment, based on some indication of drug treatment in TXYRUSEADB.

TXFGDGAGE¹ Len : 2 CONSISTENCY OF FIRST DRUG TX AGE WITH DRUG AFUS

		Freq	Pct
0 = 1st drug tx age consistent w/min drug AFU.....		372	0.64
2 = 1st drug tx age differs fr min drug AFU by 2 yrs		2	0.00
4 = 1st drug tx age differs fr min drug AFU by >=5 yrs.....		9	0.02
5 = Never used drugs in core but reportd a drug tx age.....		1	0.00
91 = NEVER USED ALCOHOL OR DRUGS		13970	24.07
98 = UNKNOWN		1821	3.14
99 = LEGITIMATE SKIP.....		41859	72.13

NOTE: TXFGADAGE is a "flag" variable that indicates when an inconsistency exists between the first receipt of alcohol or drug treatment and the earliest reported first use of alcohol or drugs. If TXFGALAGE=5 or TXFGDGAGE=5, then TXFGADAGE=5.

TXFGADAGE¹ Len : 2 CONSISTENCY OF FIRST TX AGE WITH ALC/DRUG AFUS

		Freq	Pct
0 = 1st tx age consistent w/minimum AFU		549	0.95
2 = 1st tx age differs from min AFU by 2 yrs		3	0.01
3 = 1st tx age differs from min AFU by 3-4 yrs		1	0.00
4 = 1st tx age differs from min AFU by >=5 yrs.....		18	0.03
5 = Any lifetime nonuse with a related tx age.....		9	0.02
91 = NEVER USED ALCOHOL OR DRUGS		13970	24.07
98 = UNKNOWN		1834	3.16
99 = LEGITIMATE SKIP.....		41650	71.77

The next question is about self-help groups. Some examples of self-help groups for alcohol or drug use are AA or Alcoholics Anonymous, NA or Narcotics Anonymous, CA or Cocaine Anonymous, and CMA or Crystal Meth Anonymous.

During the past 12 months, did you go to any self-help group meetings or 12-step programs to receive help for your own use of alcohol or any drug, not counting cigarettes?

(TX52)

TXSHGWENT¹

Len : 2 WENT TO SELF-HELP GRP/12-STEP PGMS PAST 12 MOS

		Freq	Pct
1 = Yes.....		476	0.82
2 = No.....		41690	71.84
5 = Yes LOGICALLY ASSIGNED (from skip pattern)		331	0.57
85 = BAD DATA Logically assigned		22	0.04
91 = NEVER USED ALCOHOL OR DRUGS		13970	24.07
94 = DON'T KNOW		41	0.07
97 = REFUSED		52	0.09
98 = BLANK (NO ANSWER)		1452	2.50

Did you go to the self-help group because of your alcohol use only, your drug use only, or because of both alcohol and drug use?

(TX53)

TXSHGALDB¹

Len : 2 WENT TO SELF-HELP GRP FOR ALC ONLY/DRUG ONLY/BOTH

		Freq	Pct
1 = Alcohol use only		194	0.33
2 = Drug use only.....		114	0.20
3 = Both alcohol and drug use.....		165	0.28
11 = Alcohol use only LOGICALLY ASSIGNED (TXYRSLFAD=1)		9	0.02
12 = Drug use only LOGICALLY ASSIGNED (TXYRSLFAD=2).....		12	0.02
13 = Both alcohol and drug use LOG ASSN (TXYRSLFAD=3).....		99	0.17
91 = NEVER USED ALCOHOL OR DRUGS		13970	24.07
97 = REFUSED		54	0.09
98 = BLANK (NO ANSWER)		1540	2.65
99 = LEGITIMATE SKIP.....		41877	72.16

DRUG TREATMENT

NOTE: TXSHGFLAG compares the consistency of data in the self-help group variable TXSHGWENT and the self-help group variable TXYRSLFHP. TXSHGFLAG has a value of 1 when TXSHGWENT was answered as "yes" but TXYRSLFHP indicates that respondents did not receive treatment in a self-help group, even though they reported that they received treatment in the past 12 months. TXSHGFLAG has a value of 2 when TXSHGWENT was answered as "yes" but TXYRRECVD or TXEVRRCVD indicated that respondents never received any treatment in the past 12 months or lifetime, respectively. TXSHGFLAG has a value of 3 when TXSHGWENT was not answered as "yes" but TXYRSLFHP indicates that respondents were logically inferred to have gotten treatment in a self-help group in the past 12 months. TXSHGFLAG has a value of 4 when TXSHGWENT was answered as "yes" but TXYRSLFHP was answered as "don't know" or "refused" or it was blank. Finally, TXSHGFLAG has a value of 5 when TXSHGWENT was answered as "don't know" or "refused" but TXYRSLFHP was answered as "no."

<u>TXSHGFLAG</u> ¹	Len : 2 CONSISTENCY FLAG BETWEEN TXSHGWENT AND TXYRSLFHP	Freq	Pct
1 = TXSHGWENT=1 but TXYRSLFHP=2 (see note)	32	0.06	
2 = TXSHGWENT=1 but TXYRRECVD=2 or TXEVRRCVD=2 (see note)	411	0.71	
3 = TXSHGWENT NE 1 but TXYRSLFHP=3 or 5 (see note).....	18	0.03	
4 = TXSHGWENT=1 but TXYRSLFHP=94, 97, or 98 (see note)	25	0.04	
91 = NEVER USED ALCOHOL OR DRUGS	13970	24.07	
98 = BLANK (NO ANSWER)	43578	75.09	

RECODED DRUG TREATMENT

RECODED DRUG TREATMENT

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from three of the preceding sections: Drug Treatment or Recoded Substance Use Disorder.

NOTE: The following seven recoded variables contain information about receiving treatment at any location in lifetime or in the past year.

(TXEVRRCD)

[TXEVRRCD2](#)

Len : 1 RC-RCVD TRT ANY LOC FOR ILL DRG OR ALC USE IN LIFETIME

	Freq	Pct
0 = No/Unknown (Otherwise).....	55213	95.14
1 = Yes (TXEVRRCD=1).....	2821	4.86

(TXYRUSEADB)

[TXYRALC](#)

Len : 1 RC-RCVD TRT ANY LOC FOR ALC USE - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57518	99.11
1 = Yes (TXYRUSEADB=1,3,4,6,11,21,23,25).....	516	0.89

(TXYRUSEADB)

[TXYRILL](#)

Len : 1 RC-RCVD TRT ANY LOC FOR ILL DRG USE - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57481	99.05
1 = Yes (TXYRUSEADB=2,3,5,6,12,23,25).....	553	0.95

A respondent was classified as receiving treatment at any location in the past year for alcohol use but not illicit drug use, TXYRALNIL, if they received only alcohol use treatment at any location in the past year (TXYRUSEADB=1,4,21). Respondents with unknown illicit drug use treatment (TXYRUSEADB=4) or who reported receiving alcohol use treatment only but in later treatment questions indicated receiving illicit drug use treatment (TXYRUSEADB=25) are not classified as receiving treatment for alcohol use only.

(TXYRUSEADB)

[TXYRALNIL](#)

Len : 1 RC-RCVD TRT ANY LOC FOR ALC BUT NOT ILL DRG - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57781	99.56
1 = Yes (TXYRUSEADB=1,21,25).....	253	0.44

A respondent was classified as receiving treatment at any location in the past year for illicit drug use but not alcohol use, TXYRILNAL, if they received only illicit drug use treatment at any location in the past year (TXYRUSEADB=2,5). Respondents with unknown alcohol use treatment (TXYRUSEADB=12) are not classified as receiving treatment for illicit drug use only.

(TXYRUSEADB)

[TXYRILNAL](#)

Len : 1 RC-RCVD TRT ANY LOC FOR ILL DRG BUT NOT ALC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57746	99.50
1 = Yes (TXYRUSEADB=2,5).....	288	0.50

(TXYRRECVD)

[TXYRRECVD2](#)

Len : 1 RC-RCVD TRT ANY LOC FOR ILL DRG OR ALC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57173	98.52
1 = Yes (TXYRRECVD=1,3).....	861	1.48

(TXYRUSEADB)

[TXYRILANL](#)

Len : 1 RC-RCVD TRT ANY LOC FOR ILL DRG AND ALC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57770	99.55
1 = Yes (TXYRUSEADB=3,6,23,25).....	264	0.45

RECODED DRUG TREATMENT

NOTE: The following 14 recoded variables contain respondent information about receiving treatment in the past year for various substances.

<i>(TXYRUSEMRJ)</i>	Len : 1 RC-RCVD TREATMENT FOR MARIJUANA IN PAST YEAR	Freq	Pct
<u>TXYRUSEMRJ2</u>	0 = No/Unknown (Otherwise).....	57894	99.76
	1 = Yes (TXYRUSEMRJ=1,3).....	140	0.24
 <i>(TXYRUSECOC)</i>			
<u>TXYRUSECOC2</u>	Len : 1 RC-RCVD TREATMENT FOR COCAINE IN PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	57920	99.80
	1 = Yes (TXYRUSECOC=1,3).....	114	0.20
 <i>(TXYRUSEHER)</i>			
<u>TXYRUSEHER2</u>	Len : 1 RC-RCVD TREATMENT FOR HEROIN IN PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	57869	99.72
	1 = Yes (TXYRUSEHER=1,3).....	165	0.28
 <i>(TXYRUSEHAL)</i>			
<u>TXYRUSEHAL2</u>	Len : 1 RC-RCVD TREATMENT FOR HALLUCINOGENS IN PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	57976	99.90
	1 = Yes (TXYRUSEHAL=1,3).....	58	0.10
 <i>(TXYRUSEINH)</i>			
<u>TXYRUSEINH2</u>	Len : 1 RC-RCVD TREATMENT FOR INHALANTS IN PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	58007	99.95
	1 = Yes (TXYRUSEINH=1,3).....	27	0.05
 <i>(TXYRUSEMTH)</i>			
<u>TXYRUSEMTH2</u>	Len : 1 RC-RCVD TREATMENT FOR METHAMPHETAMINE IN PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	57898	99.77
	1 = Yes (TXYRUSEMTH=1,3).....	136	0.23
 <i>(TXYRUSEPNR)</i>			
<u>TXYRUSEPNR2</u>	Len : 1 RC-RCVD TREATMENT FOR PAIN RELIEVERS IN PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	57863	99.71
	1 = Yes (TXYRUSEPNR=1,3)	171	0.29
 <i>(TXYRUSETRQ)</i>			
<u>TXYRUSETRQ2</u>	Len : 1 RC-RCVD TREATMENT FOR TRANQUILIZERS IN PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	57977	99.90
	1 = Yes (TXYRUSETRQ=1,3)	57	0.10
 <i>(TXYRUSESTM)</i>			
<u>TXYRUSESTM2</u>	Len : 1 RC-RCVD TREATMENT FOR STIMULANTS IN PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	58000	99.94
	1 = Yes (TXYRUSESTM=1,3)	34	0.06
 <i>(TXYRUSESED)</i>			
<u>TXYRUSESED2</u>	Len : 1 RC-RCVD TREATMENT FOR SEDATIVES IN PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	58001	99.94
	1 = Yes (TXYRUSESED=1,3)	33	0.06

RECODED DRUG TREATMENT

The following variable, TXYRUSEPSY, was created by examination of the receipt of treatment in the past year for pain relievers (TXYRUSEPNR2), tranquilizers (TXYRUSETRQ2), sedatives (TXYRUSESED2), and stimulants (TXYRUSESTM2).

(TXYRUSEPNR2, TXYRUSESED2, TXYRUSESTM2, TXYRUSETRQ2)

TXYRUSEPSY Len : 1 RC-RCVD TREATMENT FOR PSYCHOTHERAPEUTICS IN PY

	Freq	Pct
0 = No/Unknown (Otherwise).....	57835	99.66
1 = Yes (Any source variable=1)	199	0.34

(TXYRUSESED2, TXYRUSETRQ2)

TXYRUSETRSD Len : 1 RC-RCVD TREATMENT FOR TRQ OR SED IN PAST YEAR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57965	99.88
1 = Yes (TXYRUSETRQ2=1 or TXYRUSESED2=1)	69	0.12

(TXYRUSEHER2, TXYRUSEPNR2)

TXYRUSEOPI Len : 1 RC-RCVD TREATMENT FOR OPIOIDS IN PAST YEAR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57778	99.56
1 = Yes (TXYRUSEHER2=1 or TXYRUSEPNR2=1)	256	0.44

(TXYRUSECOC2, TXYRUSEMTH2, TXYRUSESTM2)

TXYRUSECNS Len : 1 RC-RCVD TREATMENT FOR CNS STIM IN PAST YEAR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57820	99.63
1 = Yes (TXYRUSESTM2=1 or TXYRUSECOC2=1 or TXYRUSEMTH2=1)	214	0.37

NOTE: The following 6 recoded variables contain payment information about respondent's last or current treatment.

(TXLTPYHINS)

TXLTPYHINS2 Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY INSURANCE

	Freq	Pct
0 = No/Unknown (Otherwise).....	57619	99.28
1 = Yes (TXLTPYHINS=1,3).....	415	0.72

(TXLTPYMCRE)

TXLTPYMCRE2 Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICARE

	Freq	Pct
0 = No/Unknown (Otherwise).....	57730	99.48
1 = Yes (TXLTPYMCRE=1,3).....	304	0.52

(TXLTPYMCAD)

TXLTPYMCAD2 Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICAID

	Freq	Pct
0 = No/Unknown (Otherwise).....	57647	99.33
1 = Yes (TXLTPYMCAD=1,3).....	387	0.67

(TXLTPYPUBL)

TXLTPYPUBL2 Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY PUBLIC ASST

	Freq	Pct
0 = No/Unknown (Otherwise).....	57817	99.63
1 = Yes (TXLTPYPUBL=1,3).....	217	0.37

(TXLTPYSVNG)

TXLTPYSVNG2 Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY OWN SAVINGS

	Freq	Pct
0 = No/Unknown (Otherwise).....	57684	99.40
1 = Yes (TXLTPYSVNG=1,3).....	350	0.60

RECODED DRUG TREATMENT

*(TXLTPYEMPL)
TXLTPYEMPL2*

Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY EMPLOYER

	Freq	Pct
0 = No/Unknown (Otherwise).....	57996	99.93
1 = Yes (TXLTPYEMPL=1,3)	38	0.07

NOTE: The following seven recoded variables contain information about receiving treatment at a specialty facility in the past year.

A respondent was classified as receiving treatment in the past year for alcohol use at a specialty facility, TXYRSPALC, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of these conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRALDGB=1, 4, 11) and that treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=1, 3 or TXYRRESAD=1, 3 or TXYROUTAD=1, 3 or TXYRMHCAD=1, 3 or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86 and TXYROTHAD=1, 3)).

*(TXYRHOSAD, TXYRHOSOV, TXYRMHCAD, TXYRMHCOP, TXYROTHAD, TXYROTHSP2, TXYROUTAD, TXYROUTPT, TXYRRESAD, TXYRRESOV, TXYRUSEADB)*TXYRSPALC

Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ALC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57734	99.48
1 = Yes (See comment above)	300	0.52

A respondent was classified as receiving treatment in the past year for illicit drug use at a specialty facility, TXYRSPILL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or a mental health center if they met either of these conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRALDGB=2, 5, 12) and that treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=2, 3 or TXYRRESAD=2, 3 or TXYROUTAD=2, 3 or TXYRMHCAD=2, 3 or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86 and TXYROTHAD=2, 3)).

*(TXYRHOSAD, TXYRHOSOV, TXYRMHCAD, TXYRMHCOP, TXYROTHAD, TXYROTHSP2, TXYROUTAD, TXYROUTPT, TXYRRESAD, TXYRRESOV, TXYRUSEADB)*TXYRSPILL

Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57644	99.33
1 = Yes (See comment above)	390	0.67

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for alcohol use but not illicit drug use at a specialty facility, TXYSPALNIL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRALDGB=1) and that treatment was received at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRALDGB=11), the reported alcohol treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86), and their last or current treatment was not at one of the four specialty facilities (TXLTCURRSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving only alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=1 or TXYRRESAD=1 or TXYROUTAD=1 or TXYRMHCAD=1 or (TXYROTHAD=1 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86)) but did not report specifically receiving illicit drug treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD NE 2, 3 or TXYRRESAD NE 2, 3 or TXYROUTAD NE 2, 3 or TXYRMHCAD NE 2, 3 or TXYROTHAD NE 2, 3 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86) or TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86).

For the logically assigned levels of TXYRALDGB, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving alcohol only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRALDGB=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRALDGB=5).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol during their last or current treatment (TXYRALDGB=12).
3. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRALDGB=11) and the reported alcohol treatment was not at a specialty facility (TXYRHOSOV=2, 94, 97, 98 and TXYRRESOV=2, 94, 97, 98 and TXYROUTPT=2, 94, 97, 98 and TXYRMHCOP=2, 94, 97, 98 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86).
4. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRALDGB=11) and their reported alcohol treatment was at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86) but their last or current treatment was at a specialty facility (TXLTCURRSP=1) and included treatment for illicit drug use.

(TXLTPYCURRESP, TXYRHOSAD, TXYRHOSOV, TXYRMHCAD, TXYRMHCOP, TXYROTHAD, TXYROTHSP2, TXYROUTAD, TXYROUTPT, TXYRRESAD, TXYRRESOV, TXYRUSEADB)

TXYSPALNIL Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ALC NOT ILL DRG - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57877	99.73
1 = Yes (See comment above)	157	0.27

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug use but not alcohol use at a specialty facility, TXYSPILNAL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRALDGB=2) and that treatment was received at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRALDGB=12), the reported illicit drug treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86), and their last or current treatment was not at one of the four specialty facilities (TXLTCURRSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving only illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=2 or TXYRRESAD=2 or TXYROUTAD=2 or TXYRMHCAD=2 or (TXYROTHAD=2 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86)) but did not report specifically receiving alcohol treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD NE 1, 3 or TXYRRESAD NE 1, 3 or TXYROUTAD NE 1, 3 or TXYRMHCAD NE 1, 3 or TXYROTHAD NE 1, 3 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86) or TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86).

For the logically assigned levels of TXYRALDGB, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving illicit drug only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRALDGB=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRALDGB=5).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drugs during their last or current treatment (TXYRALDGB=11).
3. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRALDGB=12) and the reported illicit drug treatment was not at a specialty facility (TXYRHOSOV=2, 94, 97, 98 and TXYRRESOV=2, 94, 97, 98 and TXYROUTPT=2, 94, 97, 98 and TXYRMHCOP=2, 94, 97, 98 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86).
4. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRALDGB=12) and their reported illicit drug treatment was at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86) but their last or current treatment was at a specialty facility (TXLTCURRSP=1) and included treatment for alcohol use.

(TXLTPYCURRESP, TXYRHOSAD, TXYRHOSOV, TXYRMHCAD, TXYRMHCOP, TXYROTHAD, TXYROTHSP2, TXYROUTAD, TXYROUTPT, TXYRRESAD, TXYRRESOV, TXYRSEADB)

TXYSPILNAL Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG NOT ALC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57785	99.57
1 = Yes (See comment above)	249	0.43

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a specialty facility, TXYRSPILAL, if they reported receiving treatment for illicit drug or alcohol use in the past year (TXYRRECVD=1, 3) and treatment was received at either a hospital (inpatient), or rehabilitation facility (in or outpatient), or a mental health center (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81, 86).

(TXYRHOSOV, TXYRMHCOP, TXYROTHSP2, TXYROUTPT, TXYRRECVD, TXYRRESOV)

TXYRSPILAL Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG OR ALC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57417	98.94
1 = Yes (See comment above)	617	1.06

(TXYRSPALC, TXYRSPILL)

TXYSILANAL Len : 1 RC-RCVD TRT AT SPEC FAC FOR ILL DRG AND ALC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57893	99.76
1 = Yes (TXYRSPILL=1 and TXYRSPALC=1).....	141	0.24

(TXLTPYMNPCL2)

TXLTPYCURRESP Len : 1 RC-LAST/CURRENT TRT AT SPECIALTY FACILITY - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57573	99.21
1 = Yes (TXLTPYMNPCL2=1-4,21,22,23,24,45,46,56,64,76,81).....	461	0.79

RECODED DRUG TREATMENT

NOTE: The following 27 recoded variables contain information about where a respondent received treatment in the past year.

NOTE: The following nine recoded variables contain information about where a respondent received alcohol use treatment in the past year.

A respondent received treatment for alcohol use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRUSEADB=3, 6, 23) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5) and reported receiving treatment at the specific location for alcohol use or both illicit drug and alcohol use (TXYRXXXAD=1, 3).
2. Received treatment in the past 12 months for alcohol use only (including respondents with unknown illicit drug use treatment, and respondents who reported receiving treatment for a specific illicit drug in the past year) (TXYRUSEADB=1, 4, 11, 21, 25) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5).

(TXYRHOSAD, TXYRHOSOV, TXYRUSEADB)

TXYRHOSAL Len : 1 RC-RCVD ALC TRT AT A HOSPITAL AS INP - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57905	99.78
1 = Yes (See comment above)	129	0.22

(TXYRRESAD, TXYRRESOV, TXYRUSEADB)

TXYRRESAL Len : 1 RC-RCVD ALC TRT AT AN INP REHAB FAC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57901	99.77
1 = Yes (See comment above TXYRHOSAL).....	133	0.23

(TXYROUTAD, TXYROUTPT, TXYRUSEADB)

TXYROUTAL Len : 1 RC-RCVD ALC TRT AT AN OUTP REHAB FAC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57875	99.73
1 = Yes (See comment above TXYRHOSAL).....	159	0.27

(TXYRMHCAD, TXYRMHCOP, TXYRUSEADB)

TXYRMHCAL Len : 1 RC-RCVD ALC TRT AT A MNTL HLTH CNTR - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57859	99.70
1 = Yes (See comment above TXYRHOSAL).....	175	0.30

(TXYREMRAD, TXYREMRGN, TXYRUSEADB)

TXYREMRAL Len : 1 RC-RCVD ALC TRT AT AN EMERGENCY ROOM - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57970	99.89
1 = Yes (See comment above TXYRHOSAL).....	64	0.11

(TXYRDRPAD, TXYRDRPRV, TXYRUSEADB)

TXYRDRPAL Len : 1 RC-RCVD ALC TRT AT A DOCTOR'S OFFICE - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57935	99.83
1 = Yes (See comment above TXYRHOSAL).....	99	0.17

(TXYRPRIAD, TXYRPRIISN, TXYRUSEADB)

TXYRPRIAL Len : 1 RC-RCVD ALC TRT AT A PRISON/JAIL - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	58007	99.95
1 = Yes (See comment above TXYRHOSAL).....	27	0.05

(TXYRSLFAD, TXYRSLFHP, TXYRUSEADB)

TXYRSLFAL Len : 1 RC-RCVD ALC TRT AT A SELF-HELP GROUP - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57816	99.62
1 = Yes (See comment above TXYRHOSAL).....	218	0.38

RECODED DRUG TREATMENT

(TXYRTELE, TXYRUSEADB)

TXYRTEAL Len : 1 RV-RCVD VIRTUAL TREATMENT FOR ALCOHOL USE - PAST YEAR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57800	99.60
1 = Yes (See comment above TXYRHOSAL).....	234	0.40

NOTE: The following nine recoded variables contain information about where a respondent received illicit drug use treatment in the past year.

A respondent received treatment for illicit drug use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRUSEADB=3, 6, 23) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5) and reported receiving treatment at the specific location for illicit drug use or both illicit drug and alcohol use (TXYRXXXAD=2, 3).
2. Received treatment in the past 12 months for illicit drug use only (including respondents with unknown alcohol use treatment) (TXYRUSEADB=2, 5, 12) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5).

(TXYRHOSAD, TXYRHOSOV, TXYRUSEADB)

TXYRHOSIL Len : 1 RC-RCVD ILL DRUG TRT AT A HOSPITAL AS INP - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57911	99.79
1 = Yes (See comment above)	123	0.21

(TXYRRESAD, TXYRRESOV, TXYRUSEADB)

TXYRRESIL Len : 1 RC-RCVD ILL DRUG TRT AT AN INP REHAB FAC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57911	99.79
1 = Yes (See comment above TXYRHOSIL)	123	0.21

(TXYROUTAD, TXYROUTPT, TXYRUSEADB)

TXYROUTIL Len : 1 RC-RCVD ILL DRUG TRT AT AN OUTP REHAB FAC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57775	99.55
1 = Yes (See comment above TXYRHOSIL)	259	0.45

(TXYRMHCAD, TXYRMHCOP, TXYRUSEADB)

TXYRMHCIL Len : 1 RC-RCVD ILL DRUG TRT AT A MNTL HLTH CNTR - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57796	99.59
1 = Yes (See comment above TXYRHOSIL)	238	0.41

(TXYREMRAD, TXYREMRGN, TXYRUSEADB)

TXYREMRL Len : 1 RC-RCVD ILL DRUG TRT AT AN EMERGENCY ROOM - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57974	99.90
1 = Yes (See comment above TXYRHOSIL)	60	0.10

(TXYRDRPAD, TXYRDRPRV, TXYRUSEADB)

TXYRDRPIL Len : 1 RC-RCVD ILL DRUG TRT AT A DOCTOR'S OFFICE - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57882	99.74
1 = Yes (See comment above TXYRHOSIL)	152	0.26

(TXYRPRIAD, TXYRPRIISN, TXYRUSEADB)

TXYRPRIIL Len : 1 RC-RCVD ILL DRUG TRT AT A PRISON/JAIL - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57987	99.92
1 = Yes (See comment above TXYRHOSIL)	47	0.08

(TXYRSLFAD, TXYRSLFHP, TXYRUSEADB)

TXYRSLFIL Len : 1 RC-RCVD ILL DRUG TRT AT A SELF-HELP GROUP - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	57832	99.65
1 = Yes (See comment above TXYRHOSIL)	202	0.35

RECODED DRUG TREATMENT

<i>(TXYRTELE, TXYRUSEADB)</i>		
<u>TXYRTELE1</u>	Len : 1	RV-RCVD VIRTUAL TREATMENT FOR ILL DRUG USE - PAST YEAR
0 = No/Unknown (Otherwise).....		Freq
1 = Yes (See comment above TXYRHOSIL)		Pct
	57742	99.50
	292	0.50
NOTE: The following nine recoded variables contain information about where a respondent received illicit drug or alcohol use treatment in the past year.		
<i>(TXYRHOSOV)</i>		
<u>TXYRHOSOV2</u>	Len : 1	RC-RCVD ILL DRG/ALC TRT AT A HOSPITAL AS INP - PST YR
0 = No/Unknown (Otherwise).....		Freq
1 = Yes (TXYRHOSOV=1,3,5)		Pct
	57812	99.62
	222	0.38
<i>(TXYRRESOV)</i>		
<u>TXYRRESOV2</u>	Len : 1	RC-RCVD ILL DRG/ALC TRT AT AN INP REHAB FAC - PST YR
0 = No/Unknown (Otherwise).....		Freq
1 = Yes (TXYRRESOV=1,3,5)		Pct
	57804	99.60
	230	0.40
<i>(TXYROUTPT)</i>		
<u>TXYROUTPT2</u>	Len : 1	RC-RCVD ILL DRG/ALC TRT AT AN OUTP REHAB FAC - PST YR
0 = No/Unknown (Otherwise).....		Freq
1 = Yes (TXYROUTPT=1,3,5)		Pct
	57665	99.36
	369	0.64
<i>(TXYRMHCOP)</i>		
<u>TXYRMHCOP2</u>	Len : 1	RC-RCVD ILL DRG/ALC TRT AT A MNTL HLTH CNTR - PST YR
0 = No/Unknown (Otherwise).....		Freq
1 = Yes (TXYRMHCOP=1,3,5)		Pct
	57676	99.38
	358	0.62
<i>(TXYREMRGN)</i>		
<u>TXYREMRGN2</u>	Len : 1	RC-RCVD ILL DRG/ALC TRT AT AN EMERGENCY ROOM - PST YR
0 = No/Unknown (Otherwise).....		Freq
1 = Yes (TXYREMRGN=1,3,5)		Pct
	57912	99.79
	122	0.21
<i>(TXYRDRPRV)</i>		
<u>TXYRDRPRV2</u>	Len : 1	RC-RCVD ILL DRG/ALC TRT AT A DOCTOR'S OFFICE - PST YR
0 = No/Unknown (Otherwise).....		Freq
1 = Yes (TXYRDRPRV=1,3,5)		Pct
	57805	99.61
	229	0.39
<i>(TXYRPRISN)</i>		
<u>TXYRPRISN2</u>	Len : 1	RC-RCVD ILL DRG/ALC TRT AT A PRISON/JAIL - PST YR
0 = No/Unknown (Otherwise).....		Freq
1 = Yes (TXYRPRISN=1,3,5)		Pct
	57969	99.89
	65	0.11
<i>(TXYRSLFHP)</i>		
<u>TXYRSLFHP2</u>	Len : 1	RC-RCVD ILL DRG/ALC TRT AT A SELF-HELP GROUP - PST YR
0 = No/Unknown (Otherwise).....		Freq
1 = Yes (TXYRSLFHP=1,3,5)		Pct
	57677	99.38
	357	0.62
<i>(TXYRTELE)</i>		
<u>TXYRTELE2</u>	Len : 1	RC-RCVD VIRTUAL TREATMENT FOR ILL DRG OR ALC - PAST YEAR
0 = No/Unknown (Otherwise).....		Freq
1 = Yes (TXYRTELE=1,3,5)		Pct
	57591	99.24
	443	0.76

RECODED DRUG TREATMENT

NOTE: The following three recoded variables contain information about a respondent's need for treatment in the past year. TXND5YRALC, TXND5ILLMIS, and TXND5ILALMIS are based on DSM-5 use disorder criteria; recodes based on DSM-5 use disorder criteria were used starting with the 2020 Detailed Tables. Specific information about the DSM-5 use disorder criteria used in these recodes can be found in the Nicotine Dependence and Substance Use Disorder Appendix.

A respondent was classified as needing treatment for alcohol use in the past year, TXND5YRALC, if they met at least one of the following two criteria:

1. Alcohol use disorder in the past year (based on DSM-5 criteria) (IRPYUD5ALC=1)
2. Received treatment for alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (TXYRSPALC=1).

(IRPYUD5ALC, TXYRSPALC)

TXND5YRALC Len : 1 RC-NEED TREATMENT FOR ALCOHOL USE - PAST YEAR - DSM-5

	Freq	Pct
0 = No/Unknown (Otherwise).....	51506	88.75
1 = Yes (See comment above)	6528	11.25

A respondent was classified as needing treatment for illicit drug use in the past year, TXND5ILLMIS, if they met at least one of the following two criteria:

1. Illicit drug use disorder in the past year (based on DSM-5 criteria) (UD5ILLMIS=1)
2. Received treatment for illicit drug use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (TXYRSPILL=1).

(TXYRSPILL, UD5ILLMIS)

TXND5ILLMIS Len : 1 RC-NEED TRT FOR ILL DRUG USE - PAST YEAR - DSM-5 - MIS

	Freq	Pct
0 = No/Unknown (Otherwise).....	52885	91.13
1 = Yes (See comment above)	5149	8.87

A respondent was classified as needing treatment for illicit drug or alcohol use in the past year, TXND5ILALMIS, if they met at least one of the following two criteria:

1. Illicit drug or alcohol use disorder (based on DSM-5 criteria) (UD5ILALMIS=1).
2. Received treatment for illicit drug or alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (TXYRSPILAL=1).

(TXYRSPILAL, UD5ILALMIS)

TXND5ILALMIS Len : 1 RC-NEED TRT FOR SUBSTANCE USE - PAST YEAR-DSM-5 - MIS

	Freq	Pct
0 = No/Unknown (Otherwise).....	48151	82.97
1 = Yes (See comment above)	9883	17.03

NOTE: The following three recoded variables contain information about respondents feeling a need for treatment in the past year.

A respondent was classified as feeling a need for alcohol use treatment in the past year, NDFTXALC, if they met either of these conditions:

1. Reported feeling a need for treatment for alcohol in the past year (NDTXYRADG=1, 11, 13 and NDTXYRALC=1, 3, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for alcohol in the past year (NDMORTXYR=1 and NDMORTALC=1).

(NDMORTALC, NDMORTXYR, NDTXYRADG, NDTXYRALC)

NDFTXALC Len : 1 RC-FELT NEED FOR TRT FOR ALCOHOL USE - PST YR

	Freq	Pct
1 = Yes (See comment above)	181	0.31
2 = No/Unknown (Otherwise).....	57853	99.69

RECODED DRUG TREATMENT

A respondent was classified as feeling a need for illicit drug treatment in the past year, NDFLTXILL, if they met either of these conditions:

1. Reported feeling a need for illicit drug or alcohol use treatment in the past year (NDTXYRADG=1, 11, 13), and reported feeling a need for treatment for the use (or misuse for prescription drugs) of one or more illicit drugs in the past year (i.e., marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, pain relievers, tranquilizers, stimulants, or sedatives) (NDTXYRXXX=1, 3, 11, 13), or some other drug (NDTXYROTH=1, 3, 5, 11, 13).
2. Reported feeling a need for ADDITIONAL illicit drug use treatment or alcohol use treatment in the past year (NDMORTXYR=1), and reported feeling a need for ADDITIONAL treatment for the use (or misuse for prescription drugs) of one or more illicit drugs in the past year (i.e., marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, pain relievers, tranquilizers, stimulants, or sedatives) (NDMORTXXX=1), or some other drug (NDMORTOTH=1).

(NDMORTCOC, NDMORTHAL, NDMORTHER, NDMORTINH, NDMORTMRJ, NDMORTMTH, NDMORTOTH, NDMORTPNR, NDMORTSED, NDMORTSTM, NDMORTTRQ, NDMORTXYR, NDTXYRADG, NDTXYRCOC, NDTXYRHAL, NDTXYRHER, NDTXYRINH, NDTXYRMJR, NDTXYRMTH, NDTXYROTH, NDTXYRPNR, NDTXYRSED, NDTXYRSTM, NDTXYRTRQ)

NDFLTXILL Len : 1 RC-FELT NEED FOR TRT FOR ILLICIT DRUG USE - PST YR

	Freq	Pct
1 = Yes (See comment above)	205	0.35
2 = No/Unknown (Otherwise).....	57829	99.65

(NDMORTXYR, NDTXYRADG)

NDFLTXILAL Len : 1 RC-FELT NEED FOR TRT FOR ILL DRG OR ALC USE - PST YR

	Freq	Pct
1 = Yes (NDTXYRADG=1,11,13 or NDMORTXYR=1).....	327	0.56
2 = No/Unknown (Otherwise).....	57707	99.44

NOTE: The following three variables pertain to respondents feeling a need and making an effort to obtain treatment in the past year.

A respondent was classified as feeling a need for substance use treatment and making an effort to get substance use treatment in the past year, NDTXEFTXXX=1, if they felt a need for treatment for their substance use (NDFLTXXXX=1) and if they reported making an effort to get treatment (NDTXEFTRT=1,11) or reported making an effort to get ADDITIONAL treatment (NDMREFFR=1). A respondent was classified as feeling a need for and NOT making an effort to get substance use treatment in the past year, NDTXEFTXXX=2, if they felt a need for treatment for their substance use (NDFLTXXXX=1) and if they made no effort/had unknown effort to get treatment (NDTXEFTRT=2, 12, 94, 97, 98) and made no effort/had unknown effort to get ADDITIONAL treatment (NDMREFFR=2, 94, 97, 98).

(NDFLTXALC, NDMREFFR, NDTXEFFRT)

NDTXEFTALC Len : 1 RC-FELT NEED/MADE EFFORT FOR TRT FOR ALCOHOL USE - PST YR

	Freq	Pct
1 = Felt Need and Made Effort (See comment above)	72	0.12
2 = Felt Need and Made No/Unk Effort (See comment above).....	109	0.19
3 = Felt No/Unk Need for Alc Trt (NDFLTXALC=2).....	57853	99.69

(NDFLTXILL, NDMREFFR, NDTXEFFRT)

NDTXEFTILL Len : 1 RC-FELT NEED/MADE EFFORT FOR TRT FOR ILL DRG USE - PST YR

	Freq	Pct
1 = Felt Need & Made Effort (See comment above NDTXEFTALC)	83	0.14
2 = Flt Need & Made No/Unk Effort (See comment above NDTXEFTALC)	122	0.21
3 = Felt No/Unk Need for Ill Drg Trt (NDFLTXILL=2).....	57829	99.65

(NDFLTXILAL, NDMREFFR, NDTXEFFRT)

NDTXEFTILAL Len : 1 RC-FLT NEED/MADE EFFORT FOR TRT FOR ILL DRG/ALC USE - PST YR

	Freq	Pct
1 = Felt Need & Made Effort (See comment above NDTXEFTALC)	123	0.21
2 = Flt Need & Made No/Unk Effort (See comment above NDTXEFTALC)	204	0.35
3 = Felt No/Unk Need for Ill Drg/Alc Trt (NDFLTXILAL=2).....	57707	99.44

RECODED DRUG TREATMENT

NOTE: The following three recoded variables define if a respondent needed treatment in the past year but did not receive treatment at a specialty facility (treatment gap). NOSPT5YRAL, TXNR5ILLMIS, and TXNR5ILALMIS are based on DSM-5 use disorder criteria; recodes based on DSM-5 use disorder criteria were used starting with the 2020 Detailed Tables. Specific information about the DSM-5 use disorder criteria used in these recodes can be found in the Nicotine Dependence and Substance Use Disorder Appendix.

The following variable, NOSPT5YRAL, is defined as needing alcohol treatment in the past year, but not receiving alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

(TXND5YRALC, TXYRSPALC)

NOSPT5YRAL Len : 1 RC-NEED TRT FOR ALC USE, NOT RCVD TRT SPEC FAC-PST YR-DSM-5

	Freq	Pct
0 = No/Unknown (Otherwise).....	51806	89.27
1 = Yes (TXND5YRALC=1 and TXYRSPALC=0).....	6228	10.73

The following variable, TXNR5ILLMIS, is defined as needing illicit drug treatment in the past year, but not receiving illicit drug treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

(TXND5ILLMIS, TXYRSPILL)

TXNR5ILLMIS Len : 1 RC-NEED TRT ILL DRG USE, NOT RCVD TRT SPC FAC-PY-DSM-5 - MIS

	Freq	Pct
0 = No/Unknown (Otherwise).....	53275	91.80
1 = Yes (TXND5ILLMIS=1 and TXYRSPILL=0).....	4759	8.20

The following variable, TXNR5ILALMIS, is defined as needing illicit drug or alcohol treatment in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

(TXND5ILALMIS, TXYRSPILAL)

TXNR5ILALMIS Len : 1 RC-NEED TRT FOR SUB USE, NOT RCVD TRT SPC FAC-PY-DSM-5 -MIS

	Freq	Pct
0 = No/Unknown (Otherwise).....	48768	84.03
1 = Yes (TXND5ILALMIS=1 and TXYRSPILAL=0)	9266	15.97

NOTE: The following 15 recoded variables contain respondent information about reasons for not receiving substance treatment in the past year or not receiving additional substance treatment in the past year.

(NDFLTXILAL, NDMRNOCOV, NDTXNOCOV)

NDTRNNOCOV Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C COULDNT AFFORD/NO INSUR

	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	57707	99.44
0 = No/Unknown (Otherwise).....	252	0.43
1 = Yes (NDFLTXILAL=1 & (NDTXNOCOV or NDMRNOCOV=1,3,11,13))	75	0.13

(NDFLTXILAL, NDMRNOTPY, NDTXNOTPY)

NDTRNNOTPY Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C INS DIDNT COVR TRT/COST

	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	57707	99.44
0 = No/Unknown (Otherwise).....	292	0.50
1 = Yes (NDFLTXILAL=1 & (NDTXNOTPY or NDMRNOTPY=1,3,11,13)).....	35	0.06

(NDFLTXILAL, NDMRTSPHR, NDTXTSPHR)

NDTRNTSPHR Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NO TRANSPORTATION

	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	57707	99.44
0 = No/Unknown (Otherwise).....	297	0.51
1 = Yes (NDFLTXILAL=1 & (NDXTSPHR or NDMRTSPHR=1,3,11,13)).....	30	0.05

(NDFLTXILAL, NDMRWANTD, NDTXWANTD)

NDTRNWANTD Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C TRT WNTD NOT OFERD

	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	57707	99.44
0 = No/Unknown (Otherwise).....	280	0.48
1 = Yes (NDFLTXILAL=1 & (NDTXWANTD or NDMRWANTD=1,3,11,13)).....	47	0.08

RECODED DRUG TREATMENT

<i>(NDFLTXILAL, NDMRNSTOP, NDTXNSTOP)</i>	<u>NDTRNNSTOP</u> Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NOT READY TO STOP USE	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)		57707	99.44
0 = No/Unknown (Otherwise).....		192	0.33
1 = Yes (NDFLTXILAL=1 & (NDTXNSTOP or NDMRNSTOP=1,3,11,13))		135	0.23
<i>(NDFLTXILAL, NDMRPFULL, NDTXPFULL)</i>	<u>NDTRNPFULL</u> Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NO OPENINGS IN PROGRAM	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)		57707	99.44
0 = No/Unknown (Otherwise).....		306	0.53
1 = Yes (NDFLTXILAL=1 & (NDTXPFULL or NDMRPFULL=1,3,11,13))		21	0.04
<i>(NDFLTXILAL, NDMRDKWHR, NDTXDKWHR)</i>	<u>NDTRNDKWHR</u> Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT KNOW WHERE TO GO	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)		57707	99.44
0 = No/Unknown (Otherwise).....		258	0.44
1 = Yes (NDFLTXILAL=1 & (NDTXDKWHR or NDMRDKWHR=1,3,11,13))		69	0.12
<i>(NDFLTXILAL, NDMRNBRNG, NDTXNBRNG)</i>	<u>NDTRNNBRNG</u> Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NBR HAVE NEG OPIN	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)		57707	99.44
0 = No/Unknown (Otherwise).....		279	0.48
1 = Yes (NDFLTXILAL=1 & (NDTXNBRNG or NDMRNBRNG=1,3,11,13))		48	0.08
<i>(NDFLTXILAL, NDMRJOBNG, NDTXJOBNG)</i>	<u>NDTRNJOBNG</u> Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C HAVE NEG EFFECT ON JOB	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)		57707	99.44
0 = No/Unknown (Otherwise).....		267	0.46
1 = Yes (NDFLTXILAL=1 & (NDTXJOBNG or NDMRJOBNG=1,3,11,13))		60	0.10
<i>(NDFLTXILAL, NDMRNNONE, NDTXNONED)</i>	<u>NDTRNNNONE</u> Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT FEEL NEED FOR TRT	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)		57707	99.44
0 = No/Unknown (Otherwise).....		299	0.52
1 = Yes (NDFLTXILAL=1 & (NDTXNONED or NDMRNNONE=1,3,11,13))		28	0.05
<i>(NDFLTXILAL, NDMRHANDL, NDTXHANDL)</i>	<u>NDTRNHANDL</u> Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C COULD HANDL PRB W/O TRT	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)		57707	99.44
0 = No/Unknown (Otherwise).....		276	0.48
1 = Yes (NDFLTXILAL=1 & (NDTXHANDL or NDMRHANDL=1,3,11,13))		51	0.09
<i>(NDFLTXILAL, NDMRNOHLP, NDTXNOHLP)</i>	<u>NDTRNNOHLP</u> Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT THINK WOULD HELP	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)		57707	99.44
0 = No/Unknown (Otherwise).....		310	0.53
1 = Yes (NDFLTXILAL=1 & (NDTXNOHLP or NDMRNOHLP=1,3,11,13))		17	0.03
<i>(NDFLTXILAL, NDMRNNTIME, NDTXNTIME)</i>	<u>NDTRNNTIME</u> Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT HAVE TIME	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)		57707	99.44
0 = No/Unknown (Otherwise).....		292	0.50
1 = Yes (NDFLTXILAL=1 & (NDTXNTIME or NDMRNNTIME=1,3,11,13))		35	0.06

RECODED DRUG TREATMENT

(NDFLTXILAL, NDMRFNDOU, NDTXFNDOU)
NDTRNFNDOU Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NOT WANT OTHRS FIND OUT

	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	57707	99.44
0 = No/Unknown (Otherwise).....	297	0.51
1 = Yes (NDFLTXILAL=1 & (NDTXFNDLAL or NDMRFNDOU=1,3,11,13)).....	30	0.05

The following variable, NDTRNMIMPT, was assigned a positive response if a respondent felt a need for substance use treatment in the past year (NDFLTXILAL=1) and reported the reason for not receiving treatment or not receiving additional treatment as some other reason than the 14 reasons listed above (NDTXMIMPT or NDMRMIMPT=16-33, 35-69). A negative response was assigned if a respondent felt a need for substance use treatment in the past year (NDFLTXILAL=1) but did not meet the above criteria for some other reason (NDTXMIMPT or NDMRMIMPT not equal to 16-33, 35-69).

(NDFLTXILAL, NDMRMIMPT, NDTXMIMPT)
NDTRNMIMPT Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C SOME OTHER REASON

	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	57707	99.44
0 = No/Unknown (See comment above)	311	0.54
1 = Yes (See comment above)	16	0.03

HEALTH

HEALTH

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

The next questions are about your health and health care.

Are you currently pregnant?

(HLTH02)	Len : 2	ARE YOU PREGNANT	Freq	Pct
1 = Yes.....			705	1.21
2 = No.....			22196	38.25
85 = BAD DATA Logically assigned			3	0.01
94 = DON'T KNOW			27	0.05
97 = REFUSED			13	0.02
98 = BLANK (NO ANSWER)			441	0.76
99 = LEGITIMATE SKIP.....			34649	59.70

NOTE: In the variable HTANSWER, reported preferences to answer in feet and inches or in inches only were combined into a single value. Reported preferences to answer in meters and centimeters or in centimeters only were combined into a single value.

This question asks about your height.

To answer in feet and inches, press 1. To answer in meters and centimeters, press 2. To answer in inches only, press 3. To answer in centimeters only, press 4. Then press [ENTER] to continue.

(HLTH04)	Len : 2	PREFERRED WAY TO REPORT HEIGHT	Freq	Pct
1 = Feet/inches or inches only.....			54711	94.27
2 = Meters/cm or cm only			1581	2.72
85 = BAD DATA Logically assigned			7	0.01
94 = DON'T KNOW			425	0.73
97 = REFUSED			248	0.43
98 = BLANK (NO ANSWER)			1062	1.83

NOTE: HTINCHE2 was recoded to inches from reports of heights in feet and inches, meters and centimeters, or centimeters only. Heights in meters and centimeters first were converted to centimeters. For respondents who chose to report their height in metric units, a conversion factor was applied of 0.393701 inches to 1 centimeter to produce a height in inches. HTINCHE2 was then rounded to the nearest integer and top coded at 75 inches and bottom coded at 55 inches.

About how tall are you, without shoes? First, please type in the number of feet, then press [ENTER].

Please type in the number of inches and then press [ENTER].

About how tall are you, without shoes? First, please type in the number of meters, then press [ENTER].

Please type in the number of centimeters and then press [ENTER].

(HLTH05, HLTH06A, HLTH06B, HLTH07, HLTH08A, HLTH08B)	Len : 3	HEIGHT IN INCHES WITHOUT SHOES - RECODE
<u>HTINCHE2</u> ¹		
RANGE = 55 - 75		55628
985 = BAD DATA Logically assigned		169
994 = DON'T KNOW		835
997 = REFUSED		329
998 = BLANK (NO ANSWER).....		1073

Freq	Pct
55628	95.85
169	0.29
835	1.44
329	0.57
1073	1.85

HEALTH

The next question asks about your weight.

To answer in pounds, press 1. To answer in kilograms, press 2. Then press [ENTER] to continue.

(HLTH09)
WTANSWER¹

Len : 2 PREFERRED WAY TO REPORT WEIGHT

	Freq	Pct
1 = Pounds	54773	94.38
2 = Kilograms	1283	2.21
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	484	0.83
97 = REFUSED	402	0.69
98 = BLANK (NO ANSWER)	1084	1.87

NOTE: WTPOUND2 was recoded to pounds from reports of weights in kilograms. For respondents who chose to report their weight in kilograms, a conversion factor was applied of 2.20462 pounds to 1 kilogram to produce a weight in pounds. Females aged 12 to 44 who were currently pregnant were asked to report their weight before they got pregnant. WTPOUND2 was then rounded to the nearest integer and top coded at 295 pounds and bottom coded at 75 pounds.

About how much do you weigh? Please type in the number of pounds and then press [ENTER].

About how much do you weigh? Please type in the number of kilograms and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of pounds and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of kilograms and then press [ENTER].

(HLTH10, HLTH12, HLTH13, HLTH14)

WTPOUND2¹

Len : 3 WEIGHT IN POUNDS - RECODE

	Freq	Pct
RANGE = 75 - 295	55270	95.24
9985 = BAD DATA Logically assigned	170	0.29
9994 = DON'T KNOW	937	1.61
9997 = REFUSED	576	0.99
9998 = BLANK (NO ANSWER)	1081	1.86

During the past 12 months, that is since DATEFILL, how many different times have you been treated in an emergency room for any reason?

(HLTH16)

NMERTMT2

Len : 3 # OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS

	Freq	Pct
RANGE = 0 - 30	55956	96.42
31 = 31 or more.....	31	0.05
994 = DON'T KNOW	683	1.18
997 = REFUSED	274	0.47
998 = BLANK (NO ANSWER).....	1090	1.88

During the past 12 months, have you stayed overnight or longer as an inpatient in a hospital?

(HLTH17)

INHOSPYR

Len : 2 STAYED OVERNIGHT AS INPNT IN HOSP PAST 12 MOS

	Freq	Pct
1 = Yes.....	3792	6.53
2 = No.....	52914	91.18
85 = BAD DATA Logically assigned	15	0.03
94 = DON'T KNOW	129	0.22
97 = REFUSED	88	0.15
98 = BLANK (NO ANSWER)	1096	1.89

HEALTH

During the past 12 months, how many nights were you an inpatient in a hospital?

(HLTH18)

NMNGTHS2

Len : 3 # NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER

	Freq	Pct
RANGE = 1 - 30.....	3689	6.36
31 = 31 or more.....	54	0.09
985 = BAD DATA Logically assigned	6	0.01
994 = DON'T KNOW	39	0.07
997 = REFUSED	98	0.17
998 = BLANK (NO ANSWER).....	1234	2.13
999 = LEGITIMATE SKIP.....	52914	91.18

During the past 12 months, how many times have you visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place?

(HLTH19)

NMVSOPT2

Len : 3 # OUTPATIENT VISITS PAST 12 MOS - RECODE

	Freq	Pct
RANGE = 0 - 15.....	53944	92.95
16 = 16 - 20 times	601	1.04
17 = 21 - 25 times	236	0.41
18 = 26 - 30 times	214	0.37
19 = 31+ times	360	0.62
985 = BAD DATA Logically assigned	15	0.03
994 = DON'T KNOW	1338	2.31
997 = REFUSED	224	0.39
998 = BLANK (NO ANSWER).....	1102	1.90

What is your best guess of how many times you have visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place in the past 12 months?

(HLTH19DK)

NMVSOEST

Len : 2 # TIMES VISITED DR ABOUT OWN HEALTH PST YR

	Freq	Pct
0 = I have not visited a Dr in the past 12 mos	161	0.28
1 = 1 time.....	131	0.23
2 = 2-3 times	299	0.52
3 = 4-5 times	196	0.34
4 = 6-7 times	97	0.17
5 = 8-9 times	69	0.12
6 = 10-12 times	61	0.11
7 = 13-15 times	35	0.06
8 = 16 or more times	85	0.15
94 = DON'T KNOW	305	0.53
97 = REFUSED	121	0.21
98 = BLANK (NO ANSWER)	1119	1.93
99 = LEGITIMATE SKIP.....	55355	95.38

During the past 12 months, have you talked to a doctor, physician assistant, or nurse practitioner about your own health **over the phone, by email, or through video calling** instead of going to an in-person appointment?

(HLTHTELE)

TELEAPTYR

Len : 2 TALK TO DOC ABOUT HEALTH OVER PHONE/EMAIL/VIDEO PST 12 MOS

	Freq	Pct
1 = Yes.....	19955	34.39
2 = No.....	36646	63.15
85 = BAD DATA Logically assigned	17	0.03
94 = DON'T KNOW	204	0.35
97 = REFUSED	100	0.17
98 = BLANK (NO ANSWER)	1112	1.92

HEALTH

During the past 12 months, did any doctor or other health care professional ask, either in person or on a form, if you:

- a. Smoke cigarettes or use any other tobacco products?

<i>(HLTH20A)</i> <u>HPUSETOB</u>	Len : 2 HEALTH PROF ASKED PST 12 MOS: TOBACCO USE	Freq	Pct
1 = Yes.....		29676	51.14
2 = No.....		14734	25.39
85 = BAD DATA Logically assigned		17	0.03
94 = DON'T KNOW		304	0.52
97 = REFUSED		31	0.05
98 = BLANK (NO ANSWER)		1627	2.80
99 = LEGITIMATE SKIP.....		11645	20.07

- b. Drink alcohol?

<i>(HLTH20B)</i> <u>HPUSEALC</u>	Len : 2 HEALTH PROF ASKED PST 12 MOS: ALCOHOL USE	Freq	Pct
1 = Yes.....		29245	50.39
2 = No.....		15181	26.16
85 = BAD DATA Logically assigned		17	0.03
94 = DON'T KNOW		296	0.51
97 = REFUSED		23	0.04
98 = BLANK (NO ANSWER)		1627	2.80
99 = LEGITIMATE SKIP.....		11645	20.07

- c. Use marijuana or other illegal drugs?

<i>(HLTH20C)</i> <u>HPUSEDRG</u>	Len : 2 HEALTH PROF ASKED PST 12 MOS: DRUG USE	Freq	Pct
1 = Yes.....		24162	41.63
2 = No.....		20181	34.77
85 = BAD DATA Logically assigned		17	0.03
94 = DON'T KNOW		377	0.65
97 = REFUSED		23	0.04
98 = BLANK (NO ANSWER)		1629	2.81
99 = LEGITIMATE SKIP.....		11645	20.07

HEALTH

NOTE: If respondents reported that they last smoked cigarettes, used smokeless tobacco, or smoked cigars more than 12 months prior to their interview date and they did not smoke pipe tobacco in the past 30 days (or never smoked pipe tobacco), codes of 93 in HPQTTOB indicate that these respondents had not used tobacco products in the past 12 months. Respondents who smoked tobacco in a pipe in their lifetime were asked whether they did so in the past 30 days but they were not asked whether they smoked tobacco in a pipe more than 30 days ago but within the past 12 months. If respondents reported never using tobacco products or not using them in the past 12 months (including not smoking tobacco in a pipe in the past 30 days) and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits, or telehealth encounters), indication that these respondents had not used tobacco products in the past 12 months or in their lifetime (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPQTTOB applied to respondents who used tobacco products in the past 12 months or whose status as a tobacco user in the past 12 months was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional advise you to quit smoking cigarettes or quit using any other tobacco products?

(HLTH21)
HPQTTOB

Len : 2 HEALTH PROF ADVISED YOU TO QUIT TOBACCO USE

	Freq	Pct
1 = Yes.....	3951	6.81
2 = No.....	5204	8.97
85 = BAD DATA Logically assigned	8	0.01
91 = NEVER USED TOBACCO PRODUCTS	29752	51.27
93 = DID NOT USE TOBACCO IN PAST 12 MOS (See note).....	15580	26.85
94 = DON'T KNOW	9	0.02
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	607	1.05
99 = LEGITIMATE SKIP (No health care visits pst 12 mos).....	2913	5.02

NOTE: In HPALCAMT, HPALCFRQ, HPALCPRB, HPALCCUT, HPALECTX, and HPALCNOT, if respondents reported never using alcohol or not using it in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, outpatient visits, or telehealth encounters), indication that respondents never used alcohol or did not use it in the past 12 months (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in these variables applied to respondents who used alcohol in the past 12 months or whose status as a past year alcohol user was unknown but who did not have any health care visits in the past 12 months.

Please think about all of the talks you have had with a doctor or other health care professional during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussions you may have had in person with a doctor or other health professional about your alcohol use.

Please think about [VISITFILL] during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussion you may have had in person with a doctor or other health professional about your alcohol use.

To select more than one statement, press the space bar between each number you type. When you have finished, press [ENTER].

(HLTH221)
HPALCAMT

Len : 2 DOCTOR ASKED HOW MUCH YOU DRINK

	Freq	Pct
1 = Yes.....	12521	21.58
2 = No (Not entered).....	3111	5.36
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6899	11.89
94 = DON'T KNOW	305	0.53
97 = REFUSED	107	0.18
98 = BLANK (NO ANSWER)	1045	1.80
99 = LEGITIMATE SKIP.....	17740	30.57

HEALTH

(HLTH222)
HPALCFRQ

Len : 2 DOCTOR ASKED HOW OFTEN YOU DRINK

	Freq	Pct
1 = Yes.....	12376	21.33
2 = No (Not entered).....	3256	5.61
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6899	11.89
94 = DON'T KNOW	305	0.53
97 = REFUSED	107	0.18
98 = BLANK (NO ANSWER)	1046	1.80
99 = LEGITIMATE SKIP.....	17740	30.57

(HLTH223)
HPALCPRB

Len : 2 DOCTOR ASKED IF ANY DRINKING PROBS

	Freq	Pct
1 = Yes.....	2965	5.11
2 = No (Not entered).....	12667	21.83
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6899	11.89
94 = DON'T KNOW	305	0.53
97 = REFUSED	107	0.18
98 = BLANK (NO ANSWER)	1049	1.81
99 = LEGITIMATE SKIP.....	17740	30.57

(HLTH224)
HPALCCUT

Len : 2 DOCTOR ADVISED YOU TO CUT DOWN ON DRINKING

	Freq	Pct
1 = Yes.....	980	1.69
2 = No (Not entered).....	14652	25.25
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6899	11.89
94 = DON'T KNOW	305	0.53
97 = REFUSED	107	0.18
98 = BLANK (NO ANSWER)	1049	1.81
99 = LEGITIMATE SKIP.....	17740	30.57

(HLTH225)
HPALCTX

Len : 2 DOCTOR OFFERED INFO ABOUT ALCOHOL TREATMT

	Freq	Pct
1 = Yes.....	622	1.07
2 = No (Not entered).....	15010	25.86
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6899	11.89
94 = DON'T KNOW	305	0.53
97 = REFUSED	107	0.18
98 = BLANK (NO ANSWER)	1049	1.81
99 = LEGITIMATE SKIP.....	17740	30.57

(HLTH226)
HPALCNOT

Len : 2 DOCTOR DIDNT DISCUSS MY ALCOHOL USE WITH ME

	Freq	Pct
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6899	11.89
94 = DON'T KNOW	305	0.53
95 = DR DIDNT DISCUSS ALC USE PST 12 MOS.....	11162	19.23
97 = REFUSED	107	0.18
98 = BLANK (NO ANSWER)	1049	1.81
99 = LEGITIMATE SKIP.....	22210	38.27

HEALTH

NOTE: In HPDRGTALK, if respondents reported never using marijuana, cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine or not using these substances in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, outpatient visits, or telehealth encounters), indication that respondents never used these drugs or last used any of them more than 12 months ago (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPDRGTALK applied to respondents who used any of these drugs in the past 12 months or whose status as a past year user was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional talk to you about your use of [MARIJUANA/COCAINE/CRACK/HEROIN/INHALANTS/HALLUCINOGENS/METHAMPHETAMINE]?

(HLTH23)
HPDRGTALK Len : 2 HEALTH PROF DISCUSSED MY DRUG USE WITH ME

	Freq	Pct
1 = Yes.....	2732	4.71
2 = No.....	7224	12.45
85 = BAD DATA Logically assigned	9	0.02
91 = NEVER USED MJ/COC/HER/HALL/INH/METH.....	30694	52.89
93 = DID NOT USE MJ/COC/HER/HAL/INH/METH IN PST 12 MOS.....	13723	23.65
94 = DON'T KNOW	19	0.03
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	988	1.70
99 = LEGITIMATE SKIP.....	2635	4.54

These next questions are about certain medical conditions.

During the past 12 months, did you have a sexually transmitted disease such as chlamydia, gonorrhea, herpes or syphilis?

(HLTH24)
STDANYYR¹ Len : 2 HAD SEXUALLY TRANSMITTED DISEASE PST 12 MOS

	Freq	Pct
1 = Yes.....	1005	1.73
2 = No.....	55665	95.92
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	88	0.15
97 = REFUSED	97	0.17
98 = BLANK (NO ANSWER)	1161	2.00

Below is a list of health conditions that you may have had during your lifetime.

Please read the list and type in the numbers of all of the conditions that a doctor or other health care professional has ever told you that you had.

To select more than one condition, press the space bar between each number you type. When you have finished, press [ENTER].

(HLTH2501)
HRTCONDEV¹ Len : 2 EVER TOLD HAD HEART CONDITION

	Freq	Pct
1 = Yes.....	3692	6.36
2 = No (not entered).....	14006	24.13
85 = BAD DATA Logically assigned	17	0.03
94 = DON'T KNOW	379	0.65
97 = REFUSED	211	0.36
98 = BLANK (NO ANSWER)	1193	2.06
99 = LEGITIMATE SKIP.....	38536	66.40

(HLTH2502)
DIABETEVR¹ Len : 2 EVER TOLD HAD DIABETES/SUGAR DIABETES

	Freq	Pct
1 = Yes.....	3540	6.10
2 = No (not entered).....	14158	24.40
85 = BAD DATA Logically assigned	20	0.03
94 = DON'T KNOW	379	0.65
97 = REFUSED	211	0.36
98 = BLANK (NO ANSWER)	1190	2.05
99 = LEGITIMATE SKIP.....	38536	66.40

HEALTH

(HLTH2503)
COPDEVER¹

Len : 2 EVER TOLD HAD CHRONIC BRONCHITIS OR COPD

	Freq	Pct
1 = Yes.....	1275	2.20
2 = No (not entered).....	16423	28.30
85 = BAD DATA Logically assigned.....	10	0.02
94 = DON'T KNOW.....	379	0.65
97 = REFUSED.....	211	0.36
98 = BLANK (NO ANSWER).....	1200	2.07
99 = LEGITIMATE SKIP.....	38536	66.40

(HLTH2504)
CIRROSEVR¹

Len : 2 EVER TOLD HAD CIRRHOSIS OF THE LIVER

	Freq	Pct
1 = Yes.....	105	0.18
2 = No (not entered).....	17593	30.31
85 = BAD DATA Logically assigned.....	10	0.02
94 = DON'T KNOW.....	379	0.65
97 = REFUSED.....	211	0.36
98 = BLANK (NO ANSWER).....	1200	2.07
99 = LEGITIMATE SKIP.....	38536	66.40

(HLTH2505)
HEPBCEVER¹

Len : 2 EVER TOLD HAD HEPATITIS B OR C

	Freq	Pct
1 = Yes.....	408	0.70
2 = No (not entered).....	17290	29.79
85 = BAD DATA Logically assigned.....	10	0.02
94 = DON'T KNOW.....	379	0.65
97 = REFUSED.....	211	0.36
98 = BLANK (NO ANSWER).....	1200	2.07
99 = LEGITIMATE SKIP.....	38536	66.40

(HLTH2506)
KIDNYDSEV¹

Len : 2 EVER TOLD HAD KIDNEY DISEASE

	Freq	Pct
1 = Yes.....	724	1.25
2 = No (not entered).....	16974	29.25
85 = BAD DATA Logically assigned.....	10	0.02
94 = DON'T KNOW.....	379	0.65
97 = REFUSED.....	211	0.36
98 = BLANK (NO ANSWER).....	1200	2.07
99 = LEGITIMATE SKIP.....	38536	66.40

(HLTH2507)
ASTHMAEVR¹

Len : 2 EVER TOLD HAD ASTHMA

	Freq	Pct
1 = Yes.....	6958	11.99
2 = No (not entered).....	10740	18.51
85 = BAD DATA Logically assigned.....	10	0.02
94 = DON'T KNOW.....	379	0.65
97 = REFUSED.....	211	0.36
98 = BLANK (NO ANSWER).....	1200	2.07
99 = LEGITIMATE SKIP.....	38536	66.40

(HLTH2508)
HIVAIDSEV¹

Len : 2 EVER TOLD HAD HIV OR AIDS

	Freq	Pct
1 = Yes.....	98	0.17
2 = No (not entered).....	17600	30.33
85 = BAD DATA Logically assigned.....	10	0.02
94 = DON'T KNOW.....	379	0.65
97 = REFUSED.....	211	0.36
98 = BLANK (NO ANSWER).....	1200	2.07
99 = LEGITIMATE SKIP.....	38536	66.40

HEALTH

(HLTH2509)
CANCEREVR¹

Len : 2 EVER TOLD HAD CANCER

	Freq	Pct
1 = Yes.....	2056	3.54
2 = No (not entered).....	15642	26.95
85 = BAD DATA Logically assigned.....	10	0.02
94 = DON'T KNOW.....	379	0.65
97 = REFUSED.....	211	0.36
98 = BLANK (NO ANSWER).....	1200	2.07
99 = LEGITIMATE SKIP.....	38536	66.40

(HLTH2510)
HIGHBPEVR¹

Len : 2 EVER TOLD HAD HIGH BLOOD PRESSURE

	Freq	Pct
1 = Yes.....	6732	11.60
2 = No (not entered).....	10966	18.90
85 = BAD DATA Logically assigned.....	10	0.02
94 = DON'T KNOW.....	379	0.65
97 = REFUSED.....	211	0.36
98 = BLANK (NO ANSWER).....	1200	2.07
99 = LEGITIMATE SKIP.....	38536	66.40

(HLTH2511)
NONABOVEV¹

Len : 2 NEVER HAD ANY OF THESE CONDITIONS

	Freq	Pct
2 = No (not entered).....	17698	30.50
85 = BAD DATA Logically assigned.....	9	0.02
94 = DON'T KNOW.....	379	0.65
95 = Response entered.....	38536	66.40
97 = REFUSED.....	211	0.36
98 = BLANK (NO ANSWER).....	1201	2.07

What kind of cancer was it? Enter all that apply.

To select more than one category, press the space bar between the numbers. When you have finished, press [ENTER].

(HLTH2601)
CABLADDER¹

Len : 2 TYPE OF CANCER: BLADDER

	Freq	Pct
1 = Yes.....	53	0.09
2 = No (not entered).....	1961	3.38
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

(HLTH2602, HLTH2612, HLTH2615)

CABOLEULYM

Len : 2 TYPE OF CANCER: BLOOD/LEUKEMIA/LYMPHOMA

	Freq	Pct
1 = Yes.....	179	0.31
2 = No (not entered).....	1835	3.16
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

(HLTH2603, HLTH2604, HLTH2624, HLTH2630)

CAOTHER2

Len : 2 TYPE OF CANCER: OTHER

	Freq	Pct
1 = Yes.....	149	0.26
2 = No (not entered).....	1865	3.21
85 = BAD DATA Logically assigned.....	48	0.08
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1791	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

HEALTH

(HLTH2605)
CABREAST¹

Len : 2 TYPE OF CANCER: BREAST

	Freq	Pct
1 = Yes.....	380	0.65
2 = No (not entered).....	1634	2.82
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

(HLTH2606)
CACERVIX¹

Len : 2 TYPE OF CANCER: CERVIX (FEMALES ONLY)

	Freq	Pct
1 = Yes.....	95	0.16
2 = No (not entered).....	1055	1.82
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	1791	3.09
99 = LEGITIMATE SKIP.....	55068	94.89

*(HLTH2607, HLTH2621)*CACOLNRECT

Len : 2 TYPE OF CANCER: COLON/RECTUM

	Freq	Pct
1 = Yes.....	99	0.17
2 = No (not entered).....	1915	3.30
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

*(HLTH2608, HLTH2625)*CAESOPSTOM

Len : 2 TYPE OF CANCER: ESOPHAGUS/STOMACH

	Freq	Pct
1 = Yes.....	12	0.02
2 = No (not entered).....	2002	3.45
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

*(HLTH2609, HLTH2613, HLTH2619)*CAGALLIVPAN

Len : 2 TYPE OF CANCER: GALLBLADDER/LIVER/PANCREAS

	Freq	Pct
1 = Yes.....	25	0.04
2 = No (not entered).....	1989	3.43
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

(HLTH2610)
CAKIDNEY¹

Len : 2 TYPE OF CANCER: KIDNEY

	Freq	Pct
1 = Yes.....	67	0.12
2 = No (not entered).....	1947	3.35
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

HEALTH

(HLTH2611, HLTH2614)

CALARYLUNG Len : 2 TYPE OF CANCER: LARYNX/WINDPIPE/LUNG

	Freq	Pct
1 = Yes.....	52	0.09
2 = No (not entered).....	1962	3.38
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

(HLTH2616)

CAMELANOM¹

Len : 2 TYPE OF CANCER: MELANOMA

	Freq	Pct
1 = Yes.....	195	0.34
2 = No (not entered).....	1819	3.13
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

(HLTH2617, HLTH2627)

CAMOUTTHRO

Len : 2 TYPE OF CANCER: MOUTH/TONGUE/LIP/THROAT/PHARYNX

	Freq	Pct
1 = Yes.....	29	0.05
2 = No (not entered).....	1985	3.42
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

(HLTH2618)

CAOVARY¹

Len : 2 TYPE OF CANCER: OVARY (FEMALES ONLY)

	Freq	Pct
1 = Yes.....	54	0.09
2 = No (not entered).....	1096	1.89
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	1791	3.09
99 = LEGITIMATE SKIP.....	55068	94.89

(HLTH2620, HLTH2626)

CAPROSTEST

Len : 2 TYPE OF CANCER: PROSTATE/TESTIS (MALES ONLY)

	Freq	Pct
1 = Yes.....	288	0.50
2 = No (not entered).....	576	0.99
85 = BAD DATA Logically assigned.....	23	0.04
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1791	3.09
99 = LEGITIMATE SKIP.....	55354	95.38

(HLTH2622)

CASKINOTH¹

Len : 2 TYPE OF CANCER: SKIN (NOT MELANOMA)

	Freq	Pct
1 = Yes.....	385	0.66
2 = No (not entered).....	1629	2.81
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

HEALTH

(HLTH2623)
CASKINDK¹

Len : 2 TYPE OF CANCER: SKIN DON'T KNOW WHICH KIND

	Freq	Pct
1 = Yes.....	118	0.20
2 = No (not entered).....	1896	3.27
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

(HLTH2628)
CATHYROID¹

Len : 2 TYPE OF CANCER: THYROID

	Freq	Pct
1 = Yes.....	94	0.16
2 = No (not entered).....	1920	3.31
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

(HLTH2629)
CAUTERUS¹

Len : 2 TYPE OF CANCER: UTERUS (FEMALES ONLY)

	Freq	Pct
1 = Yes.....	86	0.15
2 = No (not entered).....	1064	1.83
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	1791	3.09
99 = LEGITIMATE SKIP.....	55068	94.89

NOTE: The question corresponding to CANCERYR was skipped if respondents reported first being diagnosed with any form of cancer at their current age because it could be logically inferred that they had cancer in the past year.

Did you have cancer during the past 12 months?

(HLTH29)
CANCERYR¹

Len : 2 HAD ANY CANCER PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	407	0.70
2 = No.....	1531	2.64
5 = Yes LOGICALLY ASSIGNED from skip pattern.....	109	0.19
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	7	0.01
98 = BLANK (NO ANSWER)	1792	3.09
99 = LEGITIMATE SKIP.....	54178	93.36

NOTE: The variables HRTCONDAG, DIABETEAG, COPDAGE, CIRROSAGE, HEPBAGE, KIDNYDSAG, ASTHMAAGE, HIVAIDSAG, and HIGHBPAGE represent the ages when specific health conditions other than cancer were first diagnosed. Beginning in 2016, the questions instructed respondents to enter 1 if they were diagnosed before they were 1 year old. In 2016, however, respondents were still allowed to enter 0 for the age when they were first diagnosed. Beginning in 2017, a response of 0 is no longer allowed.

How old were you when your heart condition or heart disease was first diagnosed?

(HLTH30)
HRTCONDAG¹

Len : 3 AGE HEART CONDITION 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 94	3628	6.25
985 = BAD DATA Logically assigned	17	0.03
994 = DON'T KNOW	55	0.09
997 = REFUSED	8	0.01
998 = BLANK (NO ANSWER).....	1784	3.07
999 = LEGITIMATE SKIP.....	52542	90.54

HEALTH

NOTE: The question corresponding to HRTCONDYR was skipped if respondents reported first being diagnosed with a heart condition at their current age because it could be logically inferred that they a heart condition in the past year.

Did you have any kind of heart condition or heart disease in the past 12 months?

<i>(HLTH31)</i> <u>HRTCONDYR</u> ¹	Len : 2 HAD HEART CONDITION PAST 12 MONTHS	Freq	Pct
1 = Yes.....		1790	3.08
2 = No.....		1731	2.98
5 = Yes LOGICALLY ASSIGNED from skip pattern.....		161	0.28
85 = BAD DATA Logically assigned		17	0.03
94 = DON'T KNOW		6	0.01
97 = REFUSED		3	0.01
98 = BLANK (NO ANSWER)		1784	3.07
99 = LEGITIMATE SKIP.....		52542	90.54

How old were you when your diabetes or sugar diabetes was first diagnosed?

<i>(HLTH32)</i> <u>DIABETEAG</u> ¹	Len : 3 AGE DIABETES 1ST DIAGNOSED	Freq	Pct
RANGE = 1 - 87		3473	5.98
985 = BAD DATA Logically assigned		20	0.03
994 = DON'T KNOW		56	0.10
997 = REFUSED		9	0.02
998 = BLANK (NO ANSWER).....		1782	3.07
999 = LEGITIMATE SKIP.....		52694	90.80

How old were you when your chronic bronchitis, emphysema, or chronic obstructive pulmonary disease, also called COPD were first diagnosed?

<i>(HLTH33)</i> <u>COPDAGE</u> ¹	Len : 3 AGE COPD 1ST DIAGNOSED	Freq	Pct
RANGE = 1 - 90.....		1228	2.12
985 = BAD DATA Logically assigned		10	0.02
994 = DON'T KNOW		43	0.07
997 = REFUSED		4	0.01
998 = BLANK (NO ANSWER).....		1790	3.08
999 = LEGITIMATE SKIP.....		54959	94.70

How old were you when your cirrhosis of the liver was first diagnosed?

<i>(HLTH34)</i> <u>CIRROSAGE</u> ¹	Len : 3 AGE CIRRHOsis 1ST DIAGNOSED	Freq	Pct
RANGE = 1 - 79		103	0.18
985 = BAD DATA Logically assigned		10	0.02
994 = DON'T KNOW		1	0.00
997 = REFUSED		1	0.00
998 = BLANK (NO ANSWER).....		1790	3.08
999 = LEGITIMATE SKIP.....		56129	96.72

How old were you when your hepatitis was first diagnosed?

<i>(HLTH35)</i> <u>HEPBCAGE</u> ¹	Len : 3 AGE HEPATITIS 1ST DIAGNOSED	Freq	Pct
RANGE = 1 - 72		397	0.68
985 = BAD DATA Logically assigned		10	0.02
994 = DON'T KNOW		10	0.02
997 = REFUSED		1	0.00
998 = BLANK (NO ANSWER).....		1790	3.08
999 = LEGITIMATE SKIP.....		55826	96.20

HEALTH

How old were you when your kidney disease was first diagnosed?

<i>(HLTH36)</i>	<u>KIDNYDSAG¹</u>	Len : 3 AGE KIDNEY DISEASE 1ST DIAGNOSED	Freq	Pct
		RANGE = 1 - 90.....	705	1.21
		985 = BAD DATA Logically assigned.....	10	0.02
		994 = DON'T KNOW.....	13	0.02
		997 = REFUSED.....	6	0.01
		998 = BLANK (NO ANSWER).....	1790	3.08
		999 = LEGITIMATE SKIP.....	55510	95.65

How old were you when your asthma was first diagnosed?

<i>(HLTH37)</i>	<u>ASTHMAAGE¹</u>	Len : 3 AGE ASTHMA 1ST DIAGNOSED	Freq	Pct
		RANGE = 1 - 89.....	6646	11.45
		985 = BAD DATA Logically assigned.....	10	0.02
		994 = DON'T KNOW.....	306	0.53
		997 = REFUSED.....	6	0.01
		998 = BLANK (NO ANSWER).....	1790	3.08
		999 = LEGITIMATE SKIP.....	49276	84.91

Do you still have asthma?

<i>(HLTH38)</i>	<u>ASTHMANOW¹</u>	Len : 2 STILL HAVE ASTHMA	Freq	Pct
		1 = Yes.....	4708	8.11
		2 = No.....	2183	3.76
		85 = BAD DATA Logically assigned.....	10	0.02
		94 = DON'T KNOW.....	64	0.11
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	1790	3.08
		99 = LEGITIMATE SKIP.....	49276	84.91

How old were you when you found out you had HIV or AIDS?

<i>(HLTH39)</i>	<u>HIVAIDSAG¹</u>	Len : 3 AGE 1ST FOUND OUT HAD HIV/AIDS	Freq	Pct
		RANGE = 1 - 64.....	96	0.17
		985 = BAD DATA Logically assigned.....	10	0.02
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	1	0.00
		998 = BLANK (NO ANSWER).....	1790	3.08
		999 = LEGITIMATE SKIP.....	56136	96.73

Are you currently taking prescription medicine for your high blood pressure?

<i>(HLTH40)</i>	<u>HIGHBPMED¹</u>	Len : 2 TAKING MEDS FOR HIGH BLOOD PRESSURE	Freq	Pct
		1 = Yes.....	5201	8.96
		2 = No.....	1524	2.63
		85 = BAD DATA Logically assigned.....	10	0.02
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	1792	3.09
		99 = LEGITIMATE SKIP.....	49502	85.30

HEALTH

How old were you when your high blood pressure was first diagnosed?

(HLTH41)

HIGHBPAGE¹

Len : 3 AGE WHEN HIGH BLOOD PRESSURE 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 88.....	5091	8.77
985 = BAD DATA Logically assigned	9	0.02
994 = DON'T KNOW	102	0.18
997 = REFUSED	7	0.01
998 = BLANK (NO ANSWER).....	1799	3.10
999 = LEGITIMATE SKIP.....	51026	87.92

RECODED HEALTH

RECODED HEALTH

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

<i>(PREGNANT)</i> <u>PREG</u>	Len : 1 RC-PREGNANT FEMALES AGED 12-44	Freq	Pct
	0 = Otherwise.....	57329	98.79
	1 = Pregnant Females Aged 12-44 (PREGNANT=1)	705	1.21

<i>(PREGNANT)</i> <u>PREG2</u>	Len : 1 RC-PREGNANCY STATUS OF FEMALES AGED 12-44	Freq	Pct
	. = Unknown (Otherwise).....	484	0.83
	1 = Pregnant (PREGNANT=1)	705	1.21
	2 = Not Pregnant (PREGNANT=2)	22196	38.25
	3 = Males/Females Not Aged 12-44 (PREGNANT=89,99)	34649	59.70

<i>(PREG)</i> <u>TRIMEST</u>	Len : 1 RC-CURRENT TRIMESTER OF PREGNANCY-FEMALES AGED 12-44	Freq	Pct
	. = Unknown	7	0.01
	1 = 1st 3 Months of Pregnancy	195	0.34
	2 = 2nd 3 Months of Pregnancy	246	0.42
	3 = Last 3 Months of Pregnancy	257	0.44
	4 = Males/Not Pregnant Females (PREG=0)	57329	98.79

BMI2 was created from the variables WTPOUND2 and HTINCHE2 according to the formula of 703 times WTPOUND2 divided by the square of HTINCHE2. BMI2 was set to a SAS missing value (unknown) if WTPOUND2 had a value of 9985, 9994, 9997, or 9998 or if HTINCHE2 had a value of 985, 994, 997, or 998.

<i>(HTINCHE2, WTPOUND2)</i> <u>BMI2</u>	Len : 12 RC-BODY MASS INDEX (BMI)	Freq	Pct
	RANGE = 9.373333333 - 68.557024793.....	54802	94.43
	. = Unknown (See comment above).....	3232	5.57

<i>(TELEAPTYR)</i> <u>TELEAPTYR2</u>	Len : 1 RC-TALK TO DOC ABOUT VIRTUAL SERVICE TREATMENT-PAST YEAR	Freq	Pct
	. = Not Applicable/Unknown (Otherwise)	1433	2.47
	0 = No (TELEAPTYR=2).....	36646	63.15
	1 = Yes (TELEAPTYR=1)	19955	34.39

ADULT MENTAL HEALTH SERVICE UTILIZATION

ADULT MENTAL HEALTH SERVICE UTILIZATION

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

These next questions are about treatment and counseling for problems with emotions, nerves or mental health. Please do not include treatment for alcohol or drug use.

During the past 12 months, have you stayed overnight or longer in a hospital or other facility to receive treatment or counseling for any problem you were having with your emotions, nerves, or mental health? Please do not include treatment for alcohol or drug use.

(ADMT01, ADMTREF1)

AUINPYR¹ Len : 2 STAY OVNT IN HOSP FOR MH TRMT PST 12 MOS

	Freq	Pct
1 = Yes.....	503	0.87
2 = No.....	45493	78.39
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	38	0.07
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	1195	2.06
99 = LEGITIMATE SKIP.....	10743	18.51

Where did you stay overnight or longer to receive mental health treatment or counseling during the past 12 months?

(ADMT02)

AUINPSYH¹

Len : 2 MH TRMT IN PRIV/PUB PSYCH HOSP PST 12 MOS

	Freq	Pct
1 = Response entered	149	0.26
6 = Response not entered	334	0.58
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW	11	0.02
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1236	2.13
99 = LEGITIMATE SKIP.....	56236	96.90

(ADMT02)

AUINPGEN¹

Len : 2 MH TRMT IN PSYCH UNIT OF GEN HOSP PST 12 MOS

	Freq	Pct
1 = Response entered	169	0.29
6 = Response not entered	314	0.54
94 = DON'T KNOW	11	0.02
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1241	2.14
99 = LEGITIMATE SKIP.....	56236	96.90

(ADMT02)

AUINMEDU¹

Len : 2 MH TRMT IN MED UNIT OF GEN HOSP PST 12 MOS

	Freq	Pct
1 = Response entered	99	0.17
5 = Response entered LOG ASSN	1	0.00
6 = Response not entered	384	0.66
94 = DON'T KNOW	11	0.02
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1240	2.14
99 = LEGITIMATE SKIP.....	56236	96.90

ADULT MENTAL HEALTH SERVICE UTILIZATION

(ADMT02)
AUINAHSP¹

Len : 2 MH TRMT IN ANOTHER TYPE HOSP PST 12 MOS

	Freq	Pct
1 = Response entered	26	0.04
6 = Response not entered	457	0.79
94 = DON'T KNOW	11	0.02
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1241	2.14
99 = LEGITIMATE SKIP.....	56236	96.90

(ADMT02)
AUINRESD¹

Len : 2 MH TRMT IN RESID TRMT CENTER PST 12 MOS

	Freq	Pct
1 = Response entered	56	0.10
6 = Response not entered	427	0.74
94 = DON'T KNOW	11	0.02
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1241	2.14
99 = LEGITIMATE SKIP.....	56236	96.90

(ADMT02)
AUINSFAC¹

Len : 2 MH TRMT IN SOME OTHER FACIL PST 12 MOS

	Freq	Pct
1 = Response entered	52	0.09
6 = Response not entered	431	0.74
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	11	0.02
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	1240	2.14
99 = LEGITIMATE SKIP.....	56236	96.90

During the past 12 months, how many nights did you spend in a private or public psychiatric hospital for mental health care?

(ADMT04)
AUNMPSY2¹

Len : 3 # NIGHTS IN PRIV/PUB PSYCH HOSP PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	136	0.23
31 = 31 or more.....	6	0.01
985 = BAD DATA Logically assigned	5	0.01
994 = DON'T KNOW	5	0.01
997 = REFUSED	65	0.11
998 = BLANK (NO ANSWER).....	1247	2.15
999 = LEGITIMATE SKIP.....	56570	97.48

During the past 12 months, how many nights did you spend in the psychiatric unit of a general hospital for mental health care?

(ADMT05)
AUNMPGE2¹

Len : 3 # NIGHTS IN PSYCH UNIT OF GEN HOSP PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	159	0.27
31 = 31 or more.....	6	0.01
994 = DON'T KNOW	3	0.01
997 = REFUSED	64	0.11
998 = BLANK (NO ANSWER).....	1252	2.16
999 = LEGITIMATE SKIP.....	56550	97.44

During the past 12 months, how many nights did you spend in the medical unit of a general hospital for mental health care?

(ADMT06)
AUNMMED¹

Len : 3 # NIGHTS IN MED UNIT OF GEN HOSP PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	90	0.16
31 = 31 or more.....	3	0.01
994 = DON'T KNOW	5	0.01
997 = REFUSED	64	0.11
998 = BLANK (NO ANSWER).....	1252	2.16
999 = LEGITIMATE SKIP.....	56620	97.56

ADULT MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, how many nights did you spend in some other type of hospital for mental health care?

<i>(ADMT07)</i>	<u>AUNMAHS2¹</u>	Len : 3 # NIGHTS IN ANOTHER TYPE OF HOSP PST 12 MOS	Freq	Pct
		RANGE = 1 - 10.....	24	0.04
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	64	0.11
		998 = BLANK (NO ANSWER).....	1252	2.16
		999 = LEGITIMATE SKIP.....	56693	97.69

During the past 12 months, how many nights did you spend in a residential treatment center for mental health care?

<i>(ADMT08)</i>	<u>AUNMRES2¹</u>	Len : 3 # NIGHTS IN RESID TRMT CENTER PST 12 MOS	Freq	Pct
		RANGE = 1 - 30.....	43	0.07
		31 = 31 or more.....	12	0.02
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	63	0.11
		998 = BLANK (NO ANSWER).....	1252	2.16
		999 = LEGITIMATE SKIP.....	56663	97.64

During the past 12 months, how many nights did you spend in some other type of facility for mental health care?

<i>(ADMT09)</i>	<u>AUNMSFA2¹</u>	Len : 3 # NIGHTS IN SOME OTHER FACIL PST 12 MOS	Freq	Pct
		RANGE = 1 - 30.....	44	0.08
		31 = 31 or more.....	2	0.00
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	66	0.11
		998 = BLANK (NO ANSWER).....	1251	2.16
		999 = LEGITIMATE SKIP.....	56667	97.64

Who paid or will pay for the inpatient mental health care you received during the past 12 months?

<i>(ADMT10)</i>	<u>AUPINSLF¹</u>	Len : 2 INPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR	Freq	Pct
		1 = Response entered.....	122	0.21
		6 = Response not entered.....	362	0.62
		85 = BAD DATA Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	1236	2.13
		99 = LEGITIMATE SKIP.....	56236	96.90

<i>(ADMT10)</i>	<u>AUPINOFM¹</u>	Len : 2 INPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU	Freq	Pct
		1 = Response entered.....	23	0.04
		6 = Response not entered.....	461	0.79
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	1241	2.14
		99 = LEGITIMATE SKIP.....	56236	96.90

<i>(ADMT10)</i>	<u>AUPINPHI¹</u>	Len : 2 INPAT MH CARE PYMNT: PRIVATE HEALTH INSUR	Freq	Pct
		1 = Response entered.....	106	0.18
		6 = Response not entered.....	378	0.65
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	65	0.11
		98 = BLANK (NO ANSWER).....	1241	2.14
		99 = LEGITIMATE SKIP.....	56236	96.90

ADULT MENTAL HEALTH SERVICE UTILIZATION

(ADMT10)
AUPINMCR¹

Len : 2 INPATIENT MH CARE PAYMENT: MEDICARE

	Freq	Pct
1 = Response entered	110	0.19
6 = Response not entered	374	0.64
94 = DON'T KNOW	8	0.01
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	1241	2.14
99 = LEGITIMATE SKIP.....	56236	96.90

(ADMT10)
AUPINMCD¹

Len : 2 INPATIENT MH CARE PAYMENT: MEDICAID

	Freq	Pct
1 = Response entered	141	0.24
6 = Response not entered	343	0.59
94 = DON'T KNOW	8	0.01
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	1241	2.14
99 = LEGITIMATE SKIP.....	56236	96.90

(ADMT10)
AUPINREH¹

Len : 2 INPAT MH CARE PYMNT: REHABILITATION PROG

	Freq	Pct
1 = Response entered	6	0.01
6 = Response not entered	478	0.82
94 = DON'T KNOW	8	0.01
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	1241	2.14
99 = LEGITIMATE SKIP.....	56236	96.90

(ADMT10)
AUPINEMP¹

Len : 2 INPATIENT MH CARE PAYMENT: EMPLOYER

	Freq	Pct
1 = Response entered	4	0.01
6 = Response not entered	480	0.83
94 = DON'T KNOW	8	0.01
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	1241	2.14
99 = LEGITIMATE SKIP.....	56236	96.90

(ADMT10)
AUPINMIL¹

Len : 2 INPATIENT MH CARE PAYMENT: MILITARY SOURCE

	Freq	Pct
1 = Response entered	14	0.02
6 = Response not entered	470	0.81
94 = DON'T KNOW	8	0.01
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	1241	2.14
99 = LEGITIMATE SKIP.....	56236	96.90

(ADMT10)
AUPINPUB¹

Len : 2 INPAT MH CARE PYMNT: OTHER PUBLIC SOURCE

	Freq	Pct
1 = Response entered	13	0.02
6 = Response not entered	471	0.81
94 = DON'T KNOW	8	0.01
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	1241	2.14
99 = LEGITIMATE SKIP.....	56236	96.90

ADULT MENTAL HEALTH SERVICE UTILIZATION

(ADMT10)
AUPINPRV¹

Len : 2 INPAT MH CARE PYMNT: OTHER PRIVATE SOURCE

	Freq	Pct
1 = Response entered	8	0.01
6 = Response not entered	476	0.82
94 = DON'T KNOW	8	0.01
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	1241	2.14
99 = LEGITIMATE SKIP.....	56236	96.90

(ADMT10)
AUPINFRE¹

Len : 2 INPATIENT MENTAL HEALTH CARE WAS FREE

	Freq	Pct
1 = Response entered	54	0.09
6 = Response not entered	430	0.74
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	8	0.01
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	1240	2.14
99 = LEGITIMATE SKIP.....	56236	96.90

How much did you or your family pay for the inpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.

(ADMT12)
AUPINFM2¹

Len : 2 AMT YOU/FAMILY PAID FOR INPAT MH CARE

	Freq	Pct
1 = Less than \$100.....	21	0.04
2 = \$100 to \$200.....	8	0.01
3 = \$201 to \$500.....	10	0.02
4 = \$501 to \$900.....	10	0.02
5 = \$901 to \$1,500.....	9	0.02
6 = \$1,501 to \$2,000.....	14	0.02
7 = \$2,001 to \$5,000.....	25	0.04
8 = More than \$5,000.....	24	0.04
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW	14	0.02
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	1245	2.15
99 = LEGITIMATE SKIP.....	56584	97.50

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

The list below includes some of the places where people can get outpatient treatment or counseling for problems with their emotions, nerves, or mental health.

During the past 12 months, did you receive any outpatient treatment or counseling for any problem you were having with your emotions, nerves, or mental health at any of the places listed below? Please do not include treatment for alcohol or drug use.

- An outpatient mental health clinic or center
- The office of a private therapist, psychologist, psychiatrist, social worker, or counselor that was not part of a clinic
- A doctor's office that was not part of a clinic
- An outpatient medical clinic
- A partial day hospital or day treatment program
- Some other place

(ADMT13, ADMTREF2)

AUOPTYR¹

Len : 2 RCV'D OUTPATIENT MH TRMT PST 12 MOS

	Freq	Pct
1 = Yes.....	5170	8.91
2 = No.....	40780	70.27
3 = Yes LOGICALLY ASSIGNED (from AUALOTS2)	1	0.00
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	61	0.11
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	1204	2.07
99 = LEGITIMATE SKIP.....	10743	18.51

ADULT MENTAL HEALTH SERVICE UTILIZATION

Where did you receive outpatient mental health treatment or counseling during the past 12 months?

<i>(ADMT14)</i> <u>AUOPMENT</u> ¹	Len : 2 MH TRMT IN OUTPATIENT MH CNTR PST 12 MOS	Freq	Pct
1 = Response entered	1219	2.10	
3 = Response entered LOGICALLY ASSIGNED	2	0.00	
6 = Response not entered	3922	6.76	
85 = BAD DATA Logically assigned	6	0.01	
94 = DON'T KNOW	14	0.02	
97 = REFUSED	82	0.14	
98 = BLANK (NO ANSWER)	1266	2.18	
99 = LEGITIMATE SKIP.....	51523	88.78	

<i>(ADMT14)</i> <u>AUOPTHER</u> ¹	Len : 2 MH TRMT IN PRIV THERAPIST'S OFC PST 12 MOS	Freq	Pct
1 = Response entered	3226	5.56	
3 = Response entered LOGICALLY ASSIGNED	2	0.00	
6 = Response not entered	1915	3.30	
94 = DON'T KNOW	14	0.02	
97 = REFUSED	82	0.14	
98 = BLANK (NO ANSWER)	1272	2.19	
99 = LEGITIMATE SKIP.....	51523	88.78	

<i>(ADMT14)</i> <u>AUOPDOC</u> ¹	Len : 2 MH TRMT IN NON-CLINIC DR.'S OFC PST 12 MOS	Freq	Pct
1 = Response entered	556	0.96	
6 = Response not entered	4587	7.90	
94 = DON'T KNOW	14	0.02	
97 = REFUSED	82	0.14	
98 = BLANK (NO ANSWER)	1272	2.19	
99 = LEGITIMATE SKIP.....	51523	88.78	

<i>(ADMT14)</i> <u>AUOPCLNC</u> ¹	Len : 2 MH TRMT IN OUTPAT MED CLINIC PST 12 MOS	Freq	Pct
1 = Response entered	302	0.52	
3 = Response entered LOGICALLY ASSIGNED	11	0.02	
5 = Response entered LOG ASSN (from AUALOTS2).....	1	0.00	
6 = Response not entered	4830	8.32	
94 = DON'T KNOW	14	0.02	
97 = REFUSED	82	0.14	
98 = BLANK (NO ANSWER)	1271	2.19	
99 = LEGITIMATE SKIP.....	51523	88.78	

<i>(ADMT14)</i> <u>AUOPDTMT</u> ¹	Len : 2 MH TRMT IN DAY TREATMENT PGM PST 12 MOS	Freq	Pct
1 = Response entered	67	0.12	
6 = Response not entered	5076	8.75	
94 = DON'T KNOW	14	0.02	
97 = REFUSED	82	0.14	
98 = BLANK (NO ANSWER)	1272	2.19	
99 = LEGITIMATE SKIP.....	51523	88.78	

<i>(ADMT14)</i> <u>AUOPOTOP</u> ¹	Len : 2 MH TRMT IN OTHER OUTPAT PLACE PST 12 MOS	Freq	Pct
1 = Response entered	480	0.83	
6 = Response not entered	4663	8.03	
94 = DON'T KNOW	14	0.02	
97 = REFUSED	82	0.14	
98 = BLANK (NO ANSWER)	1272	2.19	
99 = LEGITIMATE SKIP.....	51523	88.78	

ADULT MENTAL HEALTH SERVICE UTILIZATION

(ADMT15SC)
AUOPYRS2¹

Len : 2 OTH FACIL RCVD OUTPAT MH TRMT PAST 12 MOS

	Freq	Pct
1 = An outpatient mental health clinic or center.....	4	0.01
2 = Non-clinic therapist/psychologist/counselor	4	0.01
4 = An outpatient medical clinic	11	0.02
6 = Some other place.....	21	0.04
7 = Friend(s)/parent of friend.....	4	0.01
8 = Family member(s)/home.....	10	0.02
9 = School or university setting/clinic/center.....	46	0.08
10 = Spiritual or religious advisor.....	10	0.02
11 = Support group/self-help group	3	0.01
13 = Therapist/psychologist/counselor; locale unspcfid	6	0.01
14 = A doctor's office; location unspecified.....	12	0.02
15 = Work/parents' work/EAP/job trainng/career counsng	5	0.01
18 = Military facility/VA	26	0.04
19 = Emergency room.....	3	0.01
23 = Hospital/skilled nursing facilty; mntl hlth unspfd	5	0.01
24 = Clinic/center/agcy/pgm/class; type/govt/MH unspcfid.....	4	0.01
30 = Self	3	0.01
56 = Phone/online counseling, hotline/crisis unspcfid.....	263	0.45
70 = Name of facility/program or description given	18	0.03
71 = Drug or alcohol treatment/counseling specified	3	0.01
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	7	0.01
97 = REFUSED	83	0.14
98 = BLANK (NO ANSWER)	1286	2.22
99 = LEGITIMATE SKIP.....	56186	96.82

During the past 12 months, how many visits did you make to an outpatient mental health clinic or center for mental health care?

(ADMT16)
AUNMMEN2¹

Len : 3 # VISITS TO OUTPATIENT MH CNTR PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	1106	1.91
31 = 31 or more.....	84	0.14
985 = BAD DATA Logically assigned	6	0.01
994 = DON'T KNOW	30	0.05
997 = REFUSED	82	0.14
998 = BLANK (NO ANSWER).....	1281	2.21
999 = LEGITIMATE SKIP.....	55445	95.54

During the past 12 months, how many outpatient visits did you make to a private therapist, psychologist, psychiatrist, social worker, or counselor for mental health care?

(ADMT17)
AUNMTHE2¹

Len : 3 # VISITS TO PRIV THERAPIST'S OFC PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	2780	4.79
31 = 31 or more.....	386	0.67
994 = DON'T KNOW	60	0.10
997 = REFUSED	83	0.14
998 = BLANK (NO ANSWER).....	1287	2.22
999 = LEGITIMATE SKIP.....	53438	92.08

During the past 12 months, how many outpatient visits did you make to a doctor's office for mental health care?

(ADMT18)
AUNMDOC2¹

Len : 3 # VISITS TO NON-CLINIC DR.'S OFC PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	537	0.93
31 = 31 or more.....	8	0.01
994 = DON'T KNOW	9	0.02
997 = REFUSED	83	0.14
998 = BLANK (NO ANSWER).....	1287	2.22
999 = LEGITIMATE SKIP.....	56110	96.68

ADULT MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, how many outpatient visits did you make to an outpatient medical clinic for mental health care?

<i>(ADMT19)</i>	<u>AUNMCLN2¹</u>	Len : 3 # VISITS TO OUTPAT MED CLINIC PST 12 MOS	Freq	Pct
		RANGE = 1 - 30.....	289	0.50
		31 = 31 or more.....	13	0.02
		994 = DON'T KNOW	10	0.02
		997 = REFUSED	83	0.14
		998 = BLANK (NO ANSWER).....	1286	2.22
		999 = LEGITIMATE SKIP.....	56353	97.10

During the past 12 months, how many outpatient visits did you make to a partial day hospital or day treatment program for mental health care?

<i>(ADMT20)</i>	<u>AUNMDTM2¹</u>	Len : 3 # VISITS TO DAY TREATMENT PGM PST 12 MOS	Freq	Pct
		RANGE = 1 - 30.....	58	0.10
		31 = 31 or more.....	9	0.02
		997 = REFUSED	82	0.14
		998 = BLANK (NO ANSWER).....	1286	2.22
		999 = LEGITIMATE SKIP.....	56599	97.53

During the past 12 months, how many outpatient visits did you make to some other type of facility for mental health care?

<i>(ADMT21)</i>	<u>AUNMOTO2¹</u>	Len : 3 # VISIT OTPT SOME OTHER FACILITY PST 12 MOS	Freq	Pct
		RANGE = 1 - 30.....	418	0.72
		31 = 31 or more.....	34	0.06
		994 = DON'T KNOW	23	0.04
		997 = REFUSED	87	0.15
		998 = BLANK (NO ANSWER).....	1286	2.22
		999 = LEGITIMATE SKIP.....	56186	96.82

Who paid or will pay for the outpatient mental health care you received during the past 12 months?

<i>(ADMT22)</i>	<u>AUPOPSLF¹</u>	Len : 2 OUPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR	Freq	Pct
		1 = Response entered	2183	3.76
		6 = Response not entered	2940	5.07
		85 = BAD DATA Logically assigned	6	0.01
		94 = DON'T KNOW	34	0.06
		97 = REFUSED	79	0.14
		98 = BLANK (NO ANSWER)	1269	2.19
		99 = LEGITIMATE SKIP.....	51523	88.78

<i>(ADMT22)</i>	<u>AUPOPOFM¹</u>	Len : 2 OUPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU	Freq	Pct
		1 = Response entered	200	0.34
		6 = Response not entered	4923	8.48
		94 = DON'T KNOW	34	0.06
		97 = REFUSED	79	0.14
		98 = BLANK (NO ANSWER)	1275	2.20
		99 = LEGITIMATE SKIP.....	51523	88.78

<i>(ADMT22)</i>	<u>AUPOPPI¹</u>	Len : 2 OUPAT MH CARE PYMNT: PRIVATE HEALTH INSUR	Freq	Pct
		1 = Response entered	2124	3.66
		6 = Response not entered	2999	5.17
		94 = DON'T KNOW	34	0.06
		97 = REFUSED	79	0.14
		98 = BLANK (NO ANSWER)	1275	2.20
		99 = LEGITIMATE SKIP.....	51523	88.78

ADULT MENTAL HEALTH SERVICE UTILIZATION

(ADMT22)
AUPOPMCR¹

Len : 2 OUTPATIENT MH CARE PAYMENT: MEDICARE

	Freq	Pct
1 = Response entered	535	0.92
6 = Response not entered	4588	7.91
94 = DON'T KNOW	34	0.06
97 = REFUSED	79	0.14
98 = BLANK (NO ANSWER)	1275	2.20
99 = LEGITIMATE SKIP.....	51523	88.78

(ADMT22)
AUPOPMCD¹

Len : 2 OUTPATIENT MH CARE PAYMENT: MEDICAID

	Freq	Pct
1 = Response entered	803	1.38
6 = Response not entered	4320	7.44
94 = DON'T KNOW	34	0.06
97 = REFUSED	79	0.14
98 = BLANK (NO ANSWER)	1275	2.20
99 = LEGITIMATE SKIP.....	51523	88.78

(ADMT22)
AUPOPREH¹

Len : 2 OUPAT MH CARE PYMNT: REHABILITATION PROG

	Freq	Pct
1 = Response entered	6	0.01
6 = Response not entered	5117	8.82
94 = DON'T KNOW	34	0.06
97 = REFUSED	79	0.14
98 = BLANK (NO ANSWER)	1275	2.20
99 = LEGITIMATE SKIP.....	51523	88.78

(ADMT22)
AUPOPEMP¹

Len : 2 OUTPATIENT MH CARE PAYMENT: EMPLOYER

	Freq	Pct
1 = Response entered	379	0.65
6 = Response not entered	4744	8.17
94 = DON'T KNOW	34	0.06
97 = REFUSED	79	0.14
98 = BLANK (NO ANSWER)	1275	2.20
99 = LEGITIMATE SKIP.....	51523	88.78

(ADMT22)
AUPOPMIL¹

Len : 2 OUTPATIENT MH CARE PAYMENT: MILITARY SOURCE

	Freq	Pct
1 = Response entered	216	0.37
6 = Response not entered	4907	8.46
94 = DON'T KNOW	34	0.06
97 = REFUSED	79	0.14
98 = BLANK (NO ANSWER)	1275	2.20
99 = LEGITIMATE SKIP.....	51523	88.78

(ADMT22)
AUPOPPUB¹

Len : 2 OUPAT MH CARE PYMNT: OTHER PUBLIC SOURCE

	Freq	Pct
1 = Response entered	113	0.19
6 = Response not entered	5010	8.63
94 = DON'T KNOW	34	0.06
97 = REFUSED	79	0.14
98 = BLANK (NO ANSWER)	1275	2.20
99 = LEGITIMATE SKIP.....	51523	88.78

ADULT MENTAL HEALTH SERVICE UTILIZATION

<i>(ADMT22)</i> <u>AUPOPPRV¹</u>	Len : 2 OUPAT MH CARE PYMNT: OTHER PRIVATE SOURCE	Freq	Pct
1 = Response entered	65	0.11	
6 = Response not entered	5058	8.72	
94 = DON'T KNOW	34	0.06	
97 = REFUSED	79	0.14	
98 = BLANK (NO ANSWER)	1275	2.20	
99 = LEGITIMATE SKIP.....	51523	88.78	

<i>(ADMT22)</i> <u>AUPOPFR¹</u>	Len : 2 OUTPATIENT MENTAL HEALTH CARE WAS FREE	Freq	Pct
1 = Response entered	285	0.49	
6 = Response not entered	4838	8.34	
94 = DON'T KNOW	34	0.06	
97 = REFUSED	79	0.14	
98 = BLANK (NO ANSWER)	1275	2.20	
99 = LEGITIMATE SKIP.....	51523	88.78	

Who paid or will pay most of the cost for the outpatient mental health care you received during the past 12 months?

<i>(ADMT23)</i> <u>AUPOPPOS¹</u>	Len : 2 PAYMENT FOR MOST OF OUTPATIENT MH CARE	Freq	Pct
1 = Self or a family member living with you	337	0.58	
2 = A family member who does not live with you	43	0.07	
3 = Private health insurance	796	1.37	
4 = Medicare.....	152	0.26	
5 = Medicaid.....	112	0.19	
7 = Employer	89	0.15	
8 = VA or other military program.....	25	0.04	
9 = Other public source.....	11	0.02	
10 = Other private source.....	7	0.01	
11 = No one paid because the treatment was free.....	22	0.04	
97 = REFUSED	79	0.14	
98 = BLANK (NO ANSWER)	1310	2.26	
99 = LEGITIMATE SKIP.....	55051	94.86	

How much did you or your family pay for the outpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.

<i>(ADMT24)</i> <u>AUPOPAMT¹</u>	Len : 2 AMT YOU/FAMILY PAID FOR OUPAT MH CARE	Freq	Pct
1 = Less than \$100.....	455	0.78	
2 = \$100 to \$200.....	403	0.69	
3 = \$201 to \$500	482	0.83	
4 = \$501 to \$900	330	0.57	
5 = \$901 to \$1,500	220	0.38	
6 = \$1,501 to \$2,000	109	0.19	
7 = \$2,001 to \$5,000	174	0.30	
8 = More than \$5,000.....	62	0.11	
85 = BAD DATA Logically assigned	6	0.01	
94 = DON'T KNOW	83	0.14	
97 = REFUSED	82	0.14	
98 = BLANK (NO ANSWER)	1306	2.25	
99 = LEGITIMATE SKIP.....	54322	93.60	

ADULT MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months have you received any professional counseling, medication or treatment for your mental health, emotions, or behavior over the phone, by email, or through video calling?

(ATXMHTEL)

AUMHTELYR¹

Len : 2 ADULT RCVD MENTAL HLTH TRMT OVER PHONE/EMAIL/VIDEO PST 12 MS

	Freq	Pct
1 = Yes.....	6685	11.52
2 = No.....	39253	67.64
3 = Yes Logically assigned.....	18	0.03
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW.....	45	0.08
97 = REFUSED.....	70	0.12
98 = BLANK (NO ANSWER).....	1214	2.09
99 = LEGITIMATE SKIP.....	10743	18.51

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

During the past 12 months, did you take any prescription medication that was prescribed for you to treat a mental or emotional condition?

(ADMT25, ADMTREF3)

AURXYR¹

Len : 2 TOOK ANY PRESCRIP MED FOR MH COND PAST 12 MOS

	Freq	Pct
1 = Yes.....	7403	12.76
2 = No.....	38547	66.42
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW.....	59	0.10
97 = REFUSED.....	54	0.09
98 = BLANK (NO ANSWER).....	1222	2.11
99 = LEGITIMATE SKIP.....	10743	18.51

During the past 12 months, was there any time when you needed mental health treatment or counseling for yourself but didn't get it?

(ADMT26)

AUUNMTRYR¹

Len : 2 NEEDED MH TRMT BUT DIDN'T GET IT PAST 12 MOS

	Freq	Pct
1 = Yes.....	5537	9.54
2 = No.....	40360	69.55
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW.....	74	0.13
97 = REFUSED.....	84	0.14
98 = BLANK (NO ANSWER).....	1230	2.12
99 = LEGITIMATE SKIP.....	10743	18.51

Which of these statements explains why you did not get the mental health treatment or counseling you needed?

(ADMT27)

AUUNCOST¹

Len : 2 NO MH TMT COULDNT AFFORD COST

	Freq	Pct
1 = Response entered.....	2240	3.86
3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
6 = Response not entered.....	3270	5.63
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW.....	10	0.02
97 = REFUSED.....	91	0.16
98 = BLANK (NO ANSWER).....	1310	2.26
99 = LEGITIMATE SKIP.....	51103	88.06

(ADMT27)

AUUNNBR¹

Len : 2 NO MH TMT CONCERN ABOUT OPIN OF NEIGHBRS

	Freq	Pct
1 = Response entered.....	592	1.02
3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
6 = Response not entered.....	4920	8.48
94 = DON'T KNOW.....	10	0.02
97 = REFUSED.....	91	0.16
98 = BLANK (NO ANSWER).....	1316	2.27
99 = LEGITIMATE SKIP.....	51103	88.06

ADULT MENTAL HEALTH SERVICE UTILIZATION

(ADMT27)
AUUNJOB¹

Len : 2 NO MH TMT CONCERN ABOUT EFFECT ON JOB

	Freq	Pct
1 = Response entered	450	0.78
6 = Response not entered	5064	8.73
94 = DON'T KNOW	10	0.02
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	1316	2.27
99 = LEGITIMATE SKIP.....	51103	88.06

(ADMT27)
AUUNNCOV¹

Len : 2 NO MH TMT HEALTH INSUR DIDN'T COVER

	Freq	Pct
1 = Response entered	451	0.78
6 = Response not entered	5063	8.72
94 = DON'T KNOW	10	0.02
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	1316	2.27
99 = LEGITIMATE SKIP.....	51103	88.06

(ADMT27)
AUUNENUF¹

Len : 2 NO MH TMT NOT ENUF HEALTH INSUR COVERAGE

	Freq	Pct
1 = Response entered	1045	1.80
6 = Response not entered	4469	7.70
94 = DON'T KNOW	10	0.02
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	1316	2.27
99 = LEGITIMATE SKIP.....	51103	88.06

(ADMT27)
AUUNWHER¹

Len : 2 NO MH TMT DIDN'T KNOW WHERE TO GO FOR SVC

	Freq	Pct
1 = Response entered	1753	3.02
3 = Response entered LOGICALLY ASSIGNED	9	0.02
6 = Response not entered	3752	6.47
94 = DON'T KNOW	10	0.02
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	1316	2.27
99 = LEGITIMATE SKIP.....	51103	88.06

(ADMT27)
AUUNCfid¹

Len : 2 NO MH TMT CONCERN ABOUT CONFIDENTIALITY

	Freq	Pct
1 = Response entered	621	1.07
3 = Response entered LOGICALLY ASSIGNED	4	0.01
6 = Response not entered	4889	8.42
94 = DON'T KNOW	10	0.02
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	1316	2.27
99 = LEGITIMATE SKIP.....	51103	88.06

(ADMT27)
AUUNCmit¹

Len : 2 NO MH TMT MIGHT BE COMMITTED/TAKE MEDS

	Freq	Pct
1 = Response entered	803	1.38
3 = Response entered LOGICALLY ASSIGNED	17	0.03
6 = Response not entered	4694	8.09
94 = DON'T KNOW	10	0.02
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	1316	2.27
99 = LEGITIMATE SKIP.....	51103	88.06

ADULT MENTAL HEALTH SERVICE UTILIZATION

Which of these statements explain why you did not get the mental health treatment or counseling you needed?

(ADMT27A)

AUUNNOND¹

Len : 2 NO MH TMT DON'T THINK NEEDED AT THAT TIME

1 = Response entered	
3 = Response entered LOGICALLY ASSIGNED	
6 = Response not entered	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
605	1.04
18	0.03
4888	8.42
11	0.02
96	0.17
1313	2.26
51103	88.06

(ADMT27A)

AUUNHNDL¹

Len : 2 NO MH TMT THOUGHT COULD HANDLE WITHOUT TMT

1 = Response entered	
3 = Response entered LOGICALLY ASSIGNED	
6 = Response not entered	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
1616	2.78
6	0.01
3889	6.70
11	0.02
96	0.17
1313	2.26
51103	88.06

(ADMT27A)

AUUNNHLP¹

Len : 2 NO MH TMT DIDN'T THINK TMT WOULD HELP

1 = Response entered	
3 = Response entered LOGICALLY ASSIGNED	
6 = Response not entered	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
736	1.27
6	0.01
4769	8.22
11	0.02
96	0.17
1313	2.26
51103	88.06

(ADMT27A)

AUUNBUSY¹

Len : 2 NO MH TMT DIDN'T HAVE TIME

1 = Response entered	
3 = Response entered LOGICALLY ASSIGNED	
6 = Response not entered	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
1161	2.00
18	0.03
4332	7.46
11	0.02
96	0.17
1313	2.26
51103	88.06

(ADMT27A)

AUUNFOUT¹

Len : 2 NO MH TMT DIDN'T WANT OTHERS TO FIND OUT

1 = Response entered	
3 = Response entered LOGICALLY ASSIGNED	
6 = Response not entered	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
417	0.72
11	0.02
5083	8.76
11	0.02
96	0.17
1313	2.26
51103	88.06

(ADMT27A)

AUUNNTSP¹

Len : 2 NO MH TMT HAD NO TRANSPORTATION OR TMT TOO FAR

1 = Response entered	
3 = Response entered LOGICALLY ASSIGNED	
6 = Response not entered	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
292	0.50
3	0.01
5216	8.99
11	0.02
96	0.17
1313	2.26
51103	88.06

ADULT MENTAL HEALTH SERVICE UTILIZATION

(ADMT27, ADMT27A)

AUUNSOR¹ Len : 2 NO MH TMT FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	1174	2.02
6 = Response not entered	4345	7.49
94 = DON'T KNOW	10	0.02
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	1311	2.26
99 = LEGITIMATE SKIP.....	51103	88.06

(ADM27SC1)

AUUNRIM2¹

Len : 2 MOST IMPORTNT OTH REAS DIDNT GET MH TMT PST 12 MO

	Freq	Pct
1 = You couldn't afford the cost.....	36	0.06
2 = Concerned neighbors/community have neg opinion	6	0.01
3 = Concerned might have a neg effect on your job.....	3	0.01
4 = Your health ins doesnt cover any mental hlhs tmt	1	0.00
5 = Your health ins doesnt pay enuf for ment hlhs tmt.....	6	0.01
6 = You did not know where to go to get services	21	0.04
7 = Concerned info might not be kept confidential	7	0.01
8 = Concerned might be committed/take medicine	24	0.04
9 = You didn't think you needed treatment at the time.....	25	0.04
10 = You thought could handle problem w/o treatment	16	0.03
11 = You didn't think treatment would help.....	15	0.03
12 = Didn't have time (b/c of job, childcare, other).....	42	0.07
13 = Didn't want others to find out you needed treatmnt.....	24	0.04
14 = No transportation/too far away/hrs inconvenient	6	0.01
15 = Some other reason or reasons.....	13	0.02
16 = Afraid too painful/unpleasant/afraid of diagnosis	20	0.03
17 = Others dissuaded/didn't want you to/unsupportive.....	26	0.04
18 = You do not have any health insurance coverage	42	0.07
19 = Ashamed, embarrassed, afraid, or sign of weakness	56	0.10
20 = You were too stubborn/prideful to go	3	0.01
21 = You did not want to; reason unspecified.....	11	0.02
22 = Unmotivated/depressed/confused/angry/unworthy	64	0.11
23 = Services unavailable in your area/services limited.....	37	0.06
24 = Didn't want to talk about your problems w/anyone.....	8	0.01
25 = Didn't like how treated/don't like Dr(s)/hospitals.....	35	0.06
26 = Attempted to get trmt,unsuccessful in finding help.....	63	0.11
27 = Concerned how the court system would treat you.....	11	0.02
28 = No program/counselor competent/comfortable with	64	0.11
29 = Just never went/made appointment/arrangements	4	0.01
32 = Too much red tape/hassle to get services	21	0.04
33 = There were no openings/long waiting list/delays	186	0.32
34 = You had other problems/issues to deal with.....	20	0.03
38 = Too afraid to leave the house	6	0.01
40 = Unready to seek help/deal w/issues;othrwise unspfd	9	0.02
41 = Preferrd providr wont/may not accept hlhs ins plan	17	0.03
42 = Health ins wont accept preferred provider/tmt	12	0.02
44 = Services desired unavailable/currently ineligible	3	0.01
48 = Looking/need to find/don't have counselor/Dr/prgm.....	5	0.01
60 = COVID-19; otherwise unspecified.....	47	0.08
61 = COVID-related access/closures/caseloads/waitlists	37	0.06
62 = COVID-related telehealth dislike/lack of privacy	14	0.02
63 = Fear of exposure to COVID-19	10	0.02
70 = You did/had appt for mental health trmt/counseling	11	0.02
85 = BAD DATA Logically assigned	26	0.04
94 = DON'T KNOW	22	0.04
97 = REFUSED	120	0.21
98 = BLANK (NO ANSWER)	1331	2.29
99 = LEGITIMATE SKIP.....	55448	95.54

ADULT MENTAL HEALTH SERVICE UTILIZATION

Earlier, we asked whether you have received prescription medicines, inpatient treatment or outpatient treatment for your emotions, nerves or mental health. The list below contains possible sources of treatment, counseling or support that were not mentioned before.

- Acupuncturist or acupressurist
- Chiropractor
- Herbalist
- In-person support group or self-help group
- Internet support group or chat room
- Spiritual or religious advisor, such as a pastor, priest, rabbi
- Telephone hotline
- Massage therapist

Did you receive treatment, counseling or support from any other sources such as these during the past 12 months?

<i>(ADMT29A)</i> <u>AUALTYR</u> ¹	Len : 2 RCVD ALTERNATIVE MENT HLTH TRMT PAST 12 MOS	Freq	Pct
1 = Yes.....		5217	8.99
2 = No.....		40691	70.12
3 = Yes LOGICALLY ASSIGNED (from AUOPYRS2)		1	0.00
85 = BAD DATA Logically assigned		6	0.01
94 = DON'T KNOW		59	0.10
97 = REFUSED		74	0.13
98 = BLANK (NO ANSWER)		1243	2.14
99 = LEGITIMATE SKIP.....		10743	18.51

From what source did you receive other treatment, counseling or support for problems with your emotions, nerves or mental health in the past 12 months?

<i>(ADMT29B)</i> <u>AUALACUP</u> ¹	Len : 2 RCVD ALT MH TMT FROM ACUPUNCTURIST PST 12 MOS	Freq	Pct
1 = Response entered		454	0.78
3 = Response entered LOGICALLY ASSIGNED		2	0.00
6 = Response not entered		4724	8.14
85 = BAD DATA Logically assigned		6	0.01
94 = DON'T KNOW		19	0.03
97 = REFUSED		88	0.15
98 = BLANK (NO ANSWER)		1307	2.25
99 = LEGITIMATE SKIP.....		51434	88.63

<i>(ADMT29B)</i> <u>AUALCHIR</u> ¹	Len : 2 RCVD ALT MH TMT FROM CHIROPRACTOR PST 12 MOS	Freq	Pct
1 = Response entered		2250	3.88
6 = Response not entered		2930	5.05
94 = DON'T KNOW		19	0.03
97 = REFUSED		88	0.15
98 = BLANK (NO ANSWER)		1313	2.26
99 = LEGITIMATE SKIP.....		51434	88.63

<i>(ADMT29B)</i> <u>AUALHERB</u> ¹	Len : 2 RCVD ALT MH TMT FROM HERBALIST PAST 12 MONTHS	Freq	Pct
1 = Response entered		206	0.35
3 = Response entered LOGICALLY ASSIGNED		1	0.00
6 = Response not entered		4973	8.57
94 = DON'T KNOW		19	0.03
97 = REFUSED		88	0.15
98 = BLANK (NO ANSWER)		1313	2.26
99 = LEGITIMATE SKIP.....		51434	88.63

ADULT MENTAL HEALTH SERVICE UTILIZATION

(ADMT29B)
AUALGRP¹

Len : 2 RCVD ALT MH TMT FR IN-PERS SUPPORT GRP PST 12 MOS

	Freq	Pct
1 = Response entered	536	0.92
3 = Response entered LOGICALLY ASSIGNED	6	0.01
5 = Response entered LOG ASSN (from AUOPYRS2).....	1	0.00
6 = Response not entered	4637	7.99
94 = DON'T KNOW	19	0.03
97 = REFUSED	88	0.15
98 = BLANK (NO ANSWER)	1313	2.26
99 = LEGITIMATE SKIP.....	51434	88.63

(ADMT29B)
AUALINET¹

Len : 2 RCVD ALT MH TMT FROM INTERNET GROUP PST 12 MOS

	Freq	Pct
1 = Response entered	774	1.33
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	4404	7.59
94 = DON'T KNOW	19	0.03
97 = REFUSED	88	0.15
98 = BLANK (NO ANSWER)	1313	2.26
99 = LEGITIMATE SKIP.....	51434	88.63

(ADMT29B)
AUALRELG¹

Len : 2 RCVD ALT MH TMT FROM RELIGIOUS ADVISOR PST 12 MOS

	Freq	Pct
1 = Response entered	1031	1.78
3 = Response entered LOGICALLY ASSIGNED	11	0.02
5 = Response entered LOG ASSN (from AUOPYRS2).....	1	0.00
6 = Response not entered	4138	7.13
94 = DON'T KNOW	19	0.03
97 = REFUSED	88	0.15
98 = BLANK (NO ANSWER)	1312	2.26
99 = LEGITIMATE SKIP.....	51434	88.63

(ADMT29B)
AUALHLIN¹

Len : 2 RCVD ALT MH TMT FROM PHONE HOTLINE PST 12 MOS

	Freq	Pct
1 = Response entered	233	0.40
3 = Response entered LOGICALLY ASSIGNED	3	0.01
6 = Response not entered	4944	8.52
94 = DON'T KNOW	19	0.03
97 = REFUSED	88	0.15
98 = BLANK (NO ANSWER)	1313	2.26
99 = LEGITIMATE SKIP.....	51434	88.63

(ADMT29B)
AUALMASG¹

Len : 2 RCVD ALT MH TMT FROM MASSAGE THERAPIST PST 12 MOS

	Freq	Pct
1 = Response entered	2000	3.45
6 = Response not entered	3180	5.48
94 = DON'T KNOW	19	0.03
97 = REFUSED	88	0.15
98 = BLANK (NO ANSWER)	1313	2.26
99 = LEGITIMATE SKIP.....	51434	88.63

(ADMT29B)
AUALOTH¹

Len : 2 RCVD ALT MH TMT FROM OTHER SOURCE PST 12 MOS

	Freq	Pct
1 = Response entered	401	0.69
6 = Response not entered	4779	8.23
94 = DON'T KNOW	19	0.03
97 = REFUSED	88	0.15
98 = BLANK (NO ANSWER)	1313	2.26
99 = LEGITIMATE SKIP.....	51434	88.63

ADULT MENTAL HEALTH SERVICE UTILIZATION

(ADM29BSC)
AUALOTS2¹

Len : 3 OTH SOURCE OF ALTERN MH TMT PST 12 MOS - SPECIFY

	Freq	Pct
1 = Acupuncturist or acupressurist.....	2	0.00
3 = Herbalist	1	0.00
4 = In-person support group/self-help group.....	7	0.01
5 = Internet support group or chat room.....	4	0.01
6 = Spiritual or religious advisor.....	12	0.02
7 = Telephone hotline	3	0.01
9 = Other.....	37	0.06
20 = Home/family/friends.....	45	0.08
21 = Doctor/primary care doctor/medical; locale unspec.....	24	0.04
22 = Therapist/psychologist/counselor; locale unspecifd.....	68	0.12
25 = Medical specialist(inc psychiatrist);locale unspfd.....	10	0.02
26 = Health professional, not a Dr.; locale unspecified.....	30	0.05
29 = Yoga, Tai Chi, Eastern exercise, Pilates	4	0.01
31 = Medication/taking medication.....	6	0.01
33 = Personal action/self-care/self-help (not meds/grp).....	17	0.03
38 = Family/marriage counseling; type/locale unspec.....	7	0.01
39 = Energy/biofield therapist (e.g., Reiki).....	15	0.03
40 = Manipulation/irrigation (not chiropractic/massage).....	4	0.01
41 = Relig influence other than indiv or higher power.....	3	0.01
42 = Therapy, type unspecified.....	10	0.02
44 = Mind/Body Therapy (e.g., biofeedback)	8	0.01
58 = Life/personal coach.....	8	0.01
62 = Telephone counseling; hotline/crisis unspecified.....	5	0.01
70 = Name of facility/program or description given	10	0.02
71 = Reason for seeking help given	4	0.01
90 = Telehealth/online/internet counseling; chat unspcfid	31	0.05
985 = BAD DATA Logically assigned	16	0.03
994 = DON'T KNOW	4	0.01
997 = REFUSED	94	0.16
998 = BLANK (NO ANSWER).....	1332	2.30
999 = LEGITIMATE SKIP.....	56213	96.86

Please think about the mental health treatment or counseling you received during the past 12 months. Which of these statements best describes how you were prompted to get treatment?

(ADM30)
AUMOTVYR¹

Len : 2 HOW PROMPTED TO GET MH TREATMENT PST 12 MOS

	Freq	Pct
1 = I decided on my own to get treatment.....	10187	17.55
2 = I got trmt bc someone else thought I should.....	1196	2.06
3 = I was ordered to get treatment.....	322	0.55
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	277	0.48
97 = REFUSED	163	0.28
98 = BLANK (NO ANSWER)	1379	2.38
99 = LEGITIMATE SKIP.....	44504	76.69

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

NOTE: The variables in this section are recoded variables that were created from one or more variables from the following sections: Adult Mental Health Service Utilization and Recoded Drug Treatment.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

<i>(AUINPYR)</i>	Len : 1 RC-RCVD INPATIENT MENTAL HEALTH TRT IN PST YR	Freq	Pct
<u>AMHINP2</u>	. = Unknown/Aged 12-17/Log Assign Yes (Otherwise)	12038	20.74
	1 = Yes (AUINPYR=1)	503	0.87
	2 = No (AUINPYR=2).....	45493	78.39

Starting with the 2021 NSDUH, the following variable for received outpatient mental health treatment/counseling in the past year, AMHOUTP4, defines respondents who reported receiving outpatient mental health treatment/counseling in the past year at only "Some Other Place" (AUOPTYR=1 and only AUOPOTOP=1,3) and AUOPYRS2=85, 94, 97, 98 as a system missing. Levels of AUOPYRS2 were also re-classified between valid or invalid outpatient locations.

AMHOUTP4 is defined as system missing if a respondent reported receiving outpatient mental health treatment/counseling in the past year at only "'Some Other Place'" (AUOPTYR=1 and only AUOPOTOP=1, 3) and their write-in response was classified as an invalid outpatient mental health treatment/counseling location or alternative treatment/support (AUOPYRS2=7, 8, 10, 11, 17, 30, 55, 56, 59, 71, 85, 94, 97, 98). In addition to the responses described above, respondents aged 12-17 and those coded as logically assigned yes, bad data, legitimate skip, don't know, refused, or blank (AUOPTYR=3, 85, 89, 94, 97, 98, 99) were also defined as system missing. A respondent was assigned a positive response if they indicated they had received outpatient mental health treatment/counseling in the past year (AUOPTYR=1) and they did not indicate an alternative source or invalid outpatient location (AUOPYRS2 not =7, 8, 10, 11, 17, 30, 55, 56, 59, 71, 85, 94, 97, 98) as their only location for outpatient treatment.

<i>(AUOPOTOP, AUOPTYR, AUOPYRS2)</i>	Len : 1 RC-RCVD OUTPATIENT MENTAL HEALTH TRT IN PST YR	Freq	Pct
<u>AMHOUTP4</u>	. = Unknown/Aged 12-17 (See comment above)	12353	21.29
	1 = Yes (See comment above)	4901	8.45
	2 = No (AUOPTYR=2).....	40780	70.27

<i>(AURXYR)</i>	Len : 1 RC-RCVD PRESC MED FOR MENTAL HLTH TRT IN PST YR	Freq	Pct
<u>AMHRX2</u>	. = Unknown/Aged 12-17/Log Assign Yes (Otherwise)	12084	20.82
	1 = Yes (AURXYR=1)	7403	12.76
	2 = No (AURXYR=2).....	38547	66.42

The following variable for received any mental health treatment in the past year, AMHTXRC4, was revised starting with the 2021 NSDUH to use the updated outpatient mental health treatment variable (AMHOUTP4).

<i>(AMHINP2, AMHOUTP4, AMHRX2)</i>	Len : 1 RC-RCVD INPATIENT, OUTPATIENT, OR RX MH TRT IN PST YR	Freq	Pct
<u>AMHTXRC4</u>	. = Unknown/Aged 12-17 (Otherwise).....	12260	21.13
	1 = Yes (AMHINP2=1 OR AMHOUTP4=1 OR AMHRX2=1)	9279	15.99
	2 = No (AMHINP2=2 AND AMHOUTP4=2 AND AMHRX2=2).....	36495	62.89

<i>(AUMHTELYR)</i>	Len : 1 RC-RCVD VIRTUAL MENTAL HEALTH TREATMENT IN PAST YEAR	Freq	Pct
<u>AUMHTELYR2</u>	. = Unknown/Aged 12-17 (Otherwise).....	12078	20.81
	0 = No (AUMHTELYR=2).....	39253	67.64
	1 = Yes (AUMHTELYR=1,3)	6703	11.55

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

The following variable for received any mental health treatment including virtual treatment in the past year, AMHTXYR4, was revised starting with the 2021 NSDUH to use the updated outpatient mental health treatment variable (AMHOUTP4).

(AMHINP2, AMHOUTP4, AMHRX2, AUMHTELYR2)

AMHTXYR4 Len : 1 RC-RCVD INPATNT, OUTPATNT, RX, OR VIRTUAL MH TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	12135	20.91
1 = Yes (AMHINP2=1 OR AMHOUTP4=1 OR AMHRX2=1 OR AUMHTELYR2=1) ...	10436	17.98
2 = No (AMHINP2=2 & AMHOUTP4=2 & AMHRX2=2 & AUMHTELYR2=0).....	35463	61.11

The following variable, AMHSVTYP4, classifies what type of mental health treatment/counseling was received in the past year. Respondents who reported receiving treatment for mental health were classified in one of seven mutually exclusive categories. This variable was revised starting with the 2021 NSDUH to use the updated outpatient mental health treatment variable (AMHOUTP4). A respondent was assigned to level one if they reported receiving inpatient treatment only (AMHINP2=1 and AMHOUTP4=2 and AMHRX2=2), to level two if they reported receiving outpatient treatment only (AMHINP2=2 and AMHOUTP4=1 and AMHRX2=2), to level three if they reported receiving prescription medication treatment only (AMHINP2=2 and AMHOUTP4=2 and AMHRX2=1), to level four if they reported receiving both inpatient and outpatient treatment only (AMHINP2=1 and AMHOUTP4=1 and AMHRX2=2), to level five if they reported receiving inpatient and prescription medication treatment only (AMHINP2=1 and AMHOUTP4=2 and AMHRX2=1), to level six if they reported receiving outpatient and prescription medication treatment only (AMHINP2=2 and AMHOUTP4=1 and AMHRX2=1), or to level seven if they reported receiving inpatient, outpatient, and prescription medication treatment (AMHINP2=1 and AMHOUTP4=1 and AMHRX2=1). Respondents who did not receive inpatient, outpatient, or prescription medication mental health treatment in the past year were assigned to level eight (AMHINP2=2 and AMHOUTP4=2 and AMHRX2=2). Respondents whose specific treatment was not distinguishable due to missing values in one or more of the three source variables (AMHINP2, AMHOUTP4, or AMHRX2) were assigned a system missing.

(AMHINP2, AMHOUTP4, AMHRX2)

AMHSVTYP4 Len : 1 RC-TYPE OF MENTAL HEALTH TRT RCVD IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	12409	21.38
1 = Inpatient Only (See comment above).....	127	0.22
2 = Outpatient Only (See comment above)	1690	2.91
3 = Presc Medication Only (See comment above)	4029	6.94
4 = Inpatient and Outpatient Only (See comment above).....	38	0.07
5 = Inpatient and Presc Med Only (See comment above).....	79	0.14
6 = Outpatient and Presc Med Only (See comment above).....	2927	5.04
7 = Inp & Outp & Presc Medication (See comment above)	240	0.41
8 = Did Not Receive Any of These MH Trt (See comment above).....	36495	62.89

The following variable, AMHTXND2, is defined as feeling a perceived need for mental health treatment/counseling that was not received. This is often referred to as "unmet need."

(AUUNMTYR)

AMHTXND2 Len : 1 RC-PERCEIVED UNMET NEED/DID NOT RCV MH TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	12137	20.91
1 = Yes (AUUNMTYR=1)	5537	9.54
2 = No (AUUNMTYR=2).....	40360	69.55

The following variable, AMHTXAND4, is defined as feeling a perceived need for mental health treatment/counseling that was not received (often referred to as "unmet need") and receipt of mental health treatment/counseling. This variable was revised starting with the 2021 NSDUH to use the updated received any mental health treatment variable (AMHTXRC4).

(AMHTXND2, AMHTXRC4)

AMHTXAND4 Len : 1 RC-PERCEIVED UNMET NEED/RECEIPT OF INP, OUTP, RX MH TRT STAT

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	12348	21.28
1 = Perc Unmet Need/No MH TRT (AMHTXND2=1 and AMHTXRC4=2)	2972	5.12
2 = No Perc Unmet Need/No MH TRT (AMHTXND2=2 and AMHTXRC4=2)	33463	57.66
3 = Perc Unmet Need/Rcvd MH TRT (AMHTXND2=1 and AMHTXRC4=1).....	2519	4.34
4 = No Perc Nd/Rcvd MH TRT (AMHTXND2=2 and AMHTXRC4=1).....	6732	11.60

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following seven variables contain information about the location of outpatient mental health treatment/counseling received in the past year. These variables were revised starting with the 2021 NSDUH to use the updated outpatient mental health treatment variable (AMHOUTP4).

Only respondents who reported having received outpatient mental health treatment/counseling (AMHOUTP4=1) can be defined as having received it at the location. A respondent was allowed to report any of five specific locations or "Some Other Place". If a respondent reported "Some Other Place," they were asked to provide a description of the other location in a follow-up question. The first five variables below were created by examination of the variables containing information on the five specific locations, while the last two variables were created by examination of the variables containing information on the other-specify locations which were grouped into two main categories.

(AMHOUTP4, AUOPMNT)

MHLMNT4 Len : 1 RC-RCVD OUTP MH TRT AT MH CLINIC/CENTER IN PST YR

	Freq	Pct
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	12380	21.33
0 = No (AMHOUTP4=2 or [AMHOUTP4=1 and AUOPMNT=6]).....	44433	76.56
1 = Yes (AMHOUTP4=1 and AUOPMNT=1,3).....	1221	2.10

(AMHOUTP4, AUOPTHER)

MHLTHER4 Len : 1 RC-RCVD OUTP MH TRT AT PRIV THERAPIST OFC IN PST YR

	Freq	Pct
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	12380	21.33
0 = No (AMHOUTP4=2 or [AMHOUTP4=1 and AUOPTHER=6]).....	42426	73.11
1 = Yes (AMHOUTP4=1 and AUOPTHER=1,3).....	3228	5.56

(AMHOUTP4, AUOPDOC)

MHLDOC4 Len : 1 RC-RCVD OUTP MH TRT AT NON CLINIC DR OFFCE IN PST YR

	Freq	Pct
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	12380	21.33
0 = No (AMHOUTP4=2 or [AMHOUTP4=1 and AUOPDOC=6]).....	45098	77.71
1 = Yes (AMHOUTP4=1 and AUOPDOC=1,3).....	556	0.96

(AMHOUTP4, AUOPCLNC)

MHLCCLNC4 Len : 1 RC-RCVD OUTP MH TRT AT MEDICAL CLINIC IN PST YR

	Freq	Pct
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	12380	21.33
0 = No (AMHOUTP4=2 or [AMHOUTP4=1 and AUOPCLNC=6]).....	45341	78.13
1 = Yes (AMHOUTP4=1 and AUOPCLNC=1,3).....	313	0.54

(AMHOUTP4, AUOPDTMT)

MHLDTMT4 Len : 1 RC-RCVD OUTP MH TRT AT DAY HOSP OR TRT PGM IN PST YR

	Freq	Pct
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	12380	21.33
0 = No (AMHOUTP4=2 or [AMHOUTP4=1 and AUOPDTMT=6]).....	45587	78.55
1 = Yes (AMHOUTP4=1 and AUOPDTMT=1,3).....	67	0.12

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following variables, MHLSCHL4 and MHLOTH4, were created by examination of the other-specify write-in responses for locations where a respondent received outpatient mental health treatment/counseling. See additional information included above the location of outpatient mental health treatment recode variable, MHLMNT4. In addition to changes discussed in that note, these two variables have been further revised due to the reclassification of some AUOPYRS2 levels (i.e., valid or invalid outpatient locations).

The following variable, MHLSCHL4, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP4=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as ""School or University Setting/Clinic/Center"" (AUOPYRS2=9). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP4=1) at one of the five locations defined above but not some location other than these five locations (AUOPOTOP=6 AND AUOPYRS2=99), at some location other than the five locations defined above or ""School or University Setting/Clinic/Center"" and this location was classified as a valid outpatient treatment location (AUOPYRS2=1-5, 12-15, 18-21, 23, 24, 25, 27, 31, 40, 41, 43, 53, 58, 60, 70, 73, 77), or if they did not receive outpatient mental health treatment in the past year (AMHOUTP4=2). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP4=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRS2=7, 8, 10, 11, 17, 30, 55, 56, 59, 71), bad data, don't know, refused, or blank (AUOPYRS2=85, 94, 97, 98), aged 12-17 (AUOPYRS2=89, 99 and AMHOUTP4=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP4=.) were set to system missing.

(AMHOUTP4, AUOPOTOP, AUOPYRS2)

MHLSCHL4 Len : 1 RC-RCVD OUTP MH TRT AT A SCHOOL SETTING IN PST YR

	Freq	Pct
. = Otherwise (See comment above)	12433	21.42
0 = No (See comment above).....	45555	78.50
1 = Yes (See comment above)	46	0.08

The following variable, MHLOTH4, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP4=1) at some location other than the six locations defined above and was classified as a valid location for outpatient mental health treatment/counseling and not considered an alternative source of treatment (AUOPOTOP=1 and AUOPYRS2=12-15, 18-21, 23, 24, 25, 27, 31, 40, 41, 43, 53, 58, 60, 70, 73, 77). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP4=1) at one of the first five specified locations but not some location other than these locations (AUOPOTOP=6 and AUOPYRS2=99), indicated some other location to be one of the six specified locations defined above (AUOPYRS2=1-5, 9), or if reported not receiving outpatient mental health treatment in the past year (AMHOUTP4=2). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP4=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRS2=7, 8, 10, 11, 17, 30, 55, 56, 59, 71), bad data, don't know, refused, or blank (AUOPYRS2=85, 94, 97, 98), aged 12-17 (AUOPYRS2=89, 99 and AMHOUTP4=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP4=.) were set to system missing.

(AMHOUTP4, AUOPOTOP, AUOPYRS2)

MHLOTH4 Len : 1 RC-RCVD OUTP MH TRT AT SOME OTHER PLACE IN PST YR

	Freq	Pct
. = Otherwise (See comment above)	12433	21.42
0 = No (See comment above).....	45508	78.42
1 = Yes (See comment above)	93	0.16

NOTE: The following 11 variables contain information about the source of payment for outpatient mental health treatment/counseling received in the past year. These variables were revised starting with the 2021 NSDUH to use the updated outpatient mental health treatment variable (AMHOUTP4). A respondent must have reported having received outpatient mental health treatment in the past year (AMHOUTP4=1) in order to be asked questions on the source of payment for treatment. A respondent was allowed to report any of 11 specific sources of payment.

(AMHOUTP4, AUPOPSLF)

MHPDSL4 Len : 1 RC-SELF/HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	53174	91.63
0 = No (AMHOUTP4=1 and AUPOPSLF=6).....	2789	4.81
1 = Yes (AMHOUTP4=1 and AUPOPSLF=1).....	2071	3.57

(AMHOUTP4, AUPOPOFM)

MHPDOFM4 Len : 1 RC-NON-HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	53174	91.63
0 = No (AMHOUTP4=1 and AUPOPOFM=6).....	4667	8.04
1 = Yes (AMHOUTP4=1 and AUPOPOFM=1).....	193	0.33

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

<i>(AMHOUTP4, AUPOPPHI)</i>	<i>MHPDPHI4</i>	Len : 1	RC-PRIV HEALTH INSUR PAID FOR OUTP MH TRT IN PST YR	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....				53174	91.63
0 = No (AMHOUTP4=1 and AUPOPPHI=6).....				2827	4.87
1 = Yes (AMHOUTP4=1 and AUPOPPHI=1).....				2033	3.50
<i>(AMHOUTP4, AUPOPMCR)</i>	<i>MHPDMCR4</i>	Len : 1	RC-MEDICARE PAID FOR OUTP MH TRT IN PST YR	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....				53174	91.63
0 = No (AMHOUTP4=1 and AUPOPMCR=6)				4349	7.49
1 = Yes (AMHOUTP4=1 and AUPOPMCR=1).....				511	0.88
<i>(AMHOUTP4, AUPOPMCD)</i>	<i>MHPDMCD4</i>	Len : 1	RC-MEDICAID PAID FOR OUTP MH TRT IN PST YR	Freq	Pct
. = No/Unkn MH Trt /Unkwn Sourc/Aged 12-17 (Otherwise).....				53174	91.63
0 = No (AMHOUTP4=1 and AUPOPMCD=6)				4077	7.03
1 = Yes (AMHOUTP4=1 and AUPOPMCD=1).....				783	1.35
<i>(AMHOUTP4, AUPOPREH)</i>	<i>MHPDREH4</i>	Len : 1	RC-REHAB PGM PAID FOR OUTP MH TRT IN PST YR	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....				53174	91.63
0 = No (AMHOUTP4=1 and AUPOPREH=6)				4854	8.36
1 = Yes (AMHOUTP4=1 and AUPOPREH=1).....				6	0.01
<i>(AMHOUTP4, AUPOPEMP)</i>	<i>MHPDEMP4</i>	Len : 1	RC-EMPLOYER PAID FOR OUTP MH TRT IN PST YR	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....				53174	91.63
0 = No (AMHOUTP4=1 and AUPOPEMP=6)				4506	7.76
1 = Yes (AMHOUTP4=1 and AUPOPEMP=1).....				354	0.61
<i>(AMHOUTP4, AUPOPMIL)</i>	<i>MHPDMIL4</i>	Len : 1	RC-VA OR MILITARY PGM PAID FOR OUTP MH TRT IN PST YR	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....				53174	91.63
0 = No (AMHOUTP4=1 and AUPOPMIL=6)				4653	8.02
1 = Yes (AMHOUTP4=1 and AUPOPMIL=1).....				207	0.36
<i>(AMHOUTP4, AUPOPPUB)</i>	<i>MHPDPUB4</i>	Len : 1	RC-OTH PUBLIC SOURCE PAID FOR OUTP MH TRT IN PST YR	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....				53174	91.63
0 = No (AMHOUTP4=1 and AUPOPPUB=6)				4750	8.18
1 = Yes (AMHOUTP4=1 and AUPOPPUB=1).....				110	0.19
<i>(AMHOUTP4, AUPOPPRV)</i>	<i>MHPDPRV4</i>	Len : 1	RC-OTH PRIVATE SOURCE PAID FOR OUTP MH TRT IN PST YR	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....				53174	91.63
0 = No (AMHOUTP4=1 and AUPOPPRV=6)				4798	8.27
1 = Yes (AMHOUTP4=1 and AUPOPPRV=1).....				62	0.11
<i>(AMHOUTP4, AUPOPFR)</i>	<i>MHPDFRE4</i>	Len : 1	RC-FREE - NOBODY PAID FOR OUTP MH TRT IN PST YR	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....				53174	91.63
0 = No (AMHOUTP4=1 and AUPOPFR=6)				4608	7.94
1 = Yes (AMHOUTP4=1 and AUPOPFR=1).....				252	0.43

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following 16 variables contain information about the reasons for not receiving mental health treatment/counseling that was needed in the past year. A respondent must have reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) in order to be asked the questions on the reason for not receiving treatment. A respondent was allowed to report any of eight specific reasons or "Some Other Reason." If a respondent reported "Some Other Reason," they were allowed to report any of six additional specific reasons or report "Some Other Reason" again. If a respondent reported "Some Other Reason" again, they were then asked to provide the most important other reason in a followup question. The first 14 variables below were created by examination of the variables containing information on the 14 specific reasons; while the last two variables were created by examination of the most important other-specify reasons.

(AMHTXND2, AUUNCOST)

MHR COST2 Len : 1 RC-NO MH TRT IN PST YR B/C COULD NOT AFFORD COST

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52520	90.50
0 = No (AMHTXND2=1 and AUUNCOST=6).....	3270	5.63
1 = Yes (AMHTXND2=1 and AUUNCOST=1,3).....	2244	3.87

(AMHTXND2, AUUNNBR)

MHR NBR S2 Len : 1 RC-NO MH TRT IN PST YR B/C FEAR OF NEIGHBRS NEG OPIN

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52520	90.50
0 = No (AMHTXND2=1 and AUUNNBR=6).....	4920	8.48
1 = Yes (AMHTXND2=1 and AUUNNBR=1,3).....	594	1.02

(AMHTXND2, AUUNJOB)

MHR JOBS2 Len : 1 RC-NO MH TRT IN PST YR B/C FEAR OF NEG AFFECT ON JOB

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52520	90.50
0 = No (AMHTXND2=1 and AUUNJOB=6).....	5064	8.73
1 = Yes (AMHTXND2=1 and AUUNJOB=1,3).....	450	0.78

(AMHTXND2, AUUNNCOV)

MHR NCOV2 Len : 1 RC-NO MH TRT IN PST YR B/C INSUR NOT COVER AT ALL

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52520	90.50
0 = No (AMHTXND2=1 and AUUNNCOV=6).....	5063	8.72
1 = Yes (AMHTXND2=1 and AUUNNCOV=1,3).....	451	0.78

(AMHTXND2, AUUNENUF)

MHR ENUF2 Len : 1 RC-NO MH TRT IN PST YR B/C INSUR NOT PAY ENOUGH

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52520	90.50
0 = No (AMHTXND2=1 and AUUNENUF=6).....	4469	7.70
1 = Yes (AMHTXND2=1 and AUUNENUF=1,3).....	1045	1.80

(AMHTXND2, AUUNWHER)

MHR WHER2 Len : 1 RC-NO MH TRT IN PST YR B/C DID NOT KNOW WHERE TO GO

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52520	90.50
0 = No (AMHTXND2=1 and AUUNWHER=6).....	3752	6.47
1 = Yes (AMHTXND2=1 and AUUNWHER=1,3)	1762	3.04

(AMHTXND2, AUUNCFID)

MHR CFID2 Len : 1 RC-NO MH TRT IN PST YR B/C CONFIDENTIALITY CONCERNS

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52520	90.50
0 = No (AMHTXND2=1 and AUUNCFID=6).....	4889	8.42
1 = Yes (AMHTXND2=1 and AUUNCFID=1,3)	625	1.08

(AMHTXND2, AUUNCMT)

MHR CMT2 Len : 1 RC-NO MH TRT IN PST YR B/C FEAR BEING COMMITTED/MED

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52520	90.50
0 = No (AMHTXND2=1 and AUUNCMT=6).....	4694	8.09
1 = Yes (AMHTXND2=1 and AUUNCMT=1,3)	820	1.41

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

<i>(AMHTXND2, AUUNNOND)</i>	<u>MHRNOND2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C DIDN'T THINK TRT NEEDED	Freq	Pct
		. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52523	90.50
		0 = No (AMHTXND2=1 and AUUNNOND=6).....	4888	8.42
		1 = Yes (AMHTXND2=1 and AUUNNOND=1,3)	623	1.07
<i>(AMHTXND2, AUUHNDL)</i>	<u>MHRHAND2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C THGT COULD HANDLE PRB W/O	Freq	Pct
		. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52523	90.50
		0 = No (AMHTXND2=1 and AUUHNDL=6).....	3889	6.70
		1 = Yes (AMHTXND2=1 and AUUHNDL=1,3)	1622	2.79
<i>(AMHTXND2, AUUNNHLP)</i>	<u>MHRNOHP2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C DIDN'T THNK TRT WOULD HELP	Freq	Pct
		. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52523	90.50
		0 = No (AMHTXND2=1 and AUUNNHLP=6).....	4769	8.22
		1 = Yes (AMHTXND2=1 and AUUNNHLP=1,3)	742	1.28
<i>(AMHTXND2, AUUNBUSY)</i>	<u>MHRTIME2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C DIDN'T HAVE TIME	Freq	Pct
		. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52523	90.50
		0 = No (AMHTXND2=1 and AUUNBUSY=6).....	4332	7.46
		1 = Yes (AMHTXND2=1 and AUUNBUSY=1,3)	1179	2.03
<i>(AMHTXND2, AUUNFOUT)</i>	<u>MHRFOUT2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C DIDNT WANT OTH TO FIND OUT	Freq	Pct
		. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52523	90.50
		0 = No (AMHTXND2=1 and AUUNFOUT=6).....	5083	8.76
		1 = Yes (AMHTXND2=1 and AUUNFOUT=1,3)	428	0.74
<i>(AMHTXND2, AUUNNTSP)</i>	<u>MHRTRAN2</u>	Len : 1 RC-NO MH TRT IN PST YR B/C NO TRANS OR INCONVENIENT	Freq	Pct
		. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52523	90.50
		0 = No (AMHTXND2=1 and AUUNNTSP=6).....	5216	8.99
		1 = Yes (AMHTXND2=1 and AUUNNTSP=1,3)	295	0.51

NOTE: The following variables, MHRCOVID and MHRSOTH2, were created by examination of the other-specify write-in responses for the most important reason adults did not receive mental health services. See additional information included above MHRCOST2, the reason for not receiving mental health treatment/counseling that was needed in the past year.

The following variable, MHRCOVID, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported the most important other-specify reason for not receiving that treatment was a COVID-19-related reason (AUUNRIMP=60-65). A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported the most important other-specify reason was not COVID-19 related, did/had apt for mental health treatment/counseling, or did not report the most important other-specify reason for not receiving this treatment (AUUNSOR=1, 6 and AUUNRIMP=1-59, 70, 85, 94, 97, 98, 99).

<i>(AMHTXND2, AUUNRIM2, AUUNSOR)</i>	<u>MHRCOVID</u>	Len : 1 RC-NO MH TRT IN PST YR B/C COVID-19 RELATED REASON	Freq	Pct
		. = No/Unkn Unmet Need/Unmet Need&Unkn Reas/Age 12-17(Otherwise)	52517	90.49
		0 = No (See comment above).....	5408	9.32
		1 = Yes (See comment above)	109	0.19

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

The following variable, MHRSTH2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and the reason for not receiving that treatment was other than the fourteen reasons listed above (AUUNSOR=1 and AUUNRIM2=15-59). A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported one of the reasons listed in the fourteen variables above, respondent did/had appt for mental health treatment/counseling or did not report an other-specify reason for not receiving this treatment (AUUNSOR=1, 6 and AUUNRIM2=1-14, 60-70, 85, 94, 97, 98, 99).

(AMHTXND2, AUUNRIM2, AUUNSOR)

MHRSTH2 Len : 1 RC-NO MH TRT IN PST YR B/C SOME OTHER REASON

	Freq	Pct
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52517	90.49
0 = No (See comment above)	4784	8.24
1 = Yes (See comment above)	733	1.26

NOTE: The following four variables were created by using a combination of variables from the following sections: Recoded Adult Mental Health Service Utilization and Recoded Drug Treatment. Specifications on how the individual Recoded Adult Mental Health Service Utilization variable was defined can be found above. Specifications on how the individual Recoded Drug Treatment variable was defined can be found in the Recoded Drug Treatment section. These variables were revised starting with the 2021 NSDUH to use the updated received any mental health treatment variable (AMHTXRC4).

(AMHTXRC4, TXYRSPILAL)

RCVMHOSPTX4 Len : 1 RC-RCVD MH TRT OR SUB TRT AT SPEC FAC IN PST YR

	Freq	Pct
. = Yth/Unkn (AGE3<4 or (AMHTXRC4=. & TXYRSPILAL=0))	12238	21.09
0 = No MH & No/Unk Sub Trt (AMHTXRC4=2 & TXYRSPILAL=0)	36273	62.50
1 = MH or Sub Trt at Spc Fac (AMHTXRC4=1 or TXYRSPILAL=1)	9523	16.41

(AMHTXRC4, TXYRSPILAL)

RCVMHNSPTX4 Len : 1 RC-RCVD MH TRT BUT NOT SUB TRT AT SPEC FAC IN PST YR

	Freq	Pct
. = Yth/Unkn (AGE3<4 or (AMHTXRC4=. & TXYRSPILAL=0))	12238	21.09
0 = No MH or Sub Trt at Spc Fac (AMHTXRC4=2 or TXYRSPILAL=1)	36857	63.51
1 = Mental Hlth Trt Only (AMHTXRC4=1 and TXYRSPILAL=0)	8939	15.40

(AMHTXRC4, TXYRSPILAL)

RCVSPTXNMH4 Len : 1 RC-RCVD SUB TRT AT SPEC FAC BUT NOT MH TRT IN PST YR

	Freq	Pct
. = Yth/Unkn (AGE3<4 or (AMHTXRC4=. & TXYRSPILAL=1))	10765	18.55
0 = No/Unk Sub Trt or MH Trt (AMHTXRC4=1 or TXYRSPILAL=0)	47047	81.07
1 = Sub Trt at Spc Fac Only (AMHTXRC4=2 & TXYRSPILAL=1)	222	0.38

(AMHTXRC4, TXYRSPILAL)

RCVMHASPTX4 Len : 1 RC-RCVD BOTH MH TRT AND SUB TRT AT SPEC FAC IN PST YR

	Freq	Pct
. = Yth/Unkn (AGE3<4 or (AMHTXRC4=. & TXYRSPILAL=1))	10765	18.55
0 = No MH or No/Unk Sub Trt (AMHTXRC4=2 or TXYRSPILAL=0)	46929	80.86
1 = MH & Sub Trt at Spc Fac (AMHTXRC4=1 & TXYRSPILAL=1)	340	0.59

NOTE: The following four variables were created by using a combination of variables from the following sections: Recoded Adult Mental Health Service Utilization and Recoded Drug Treatment. Specifications on how the individual Recoded Adult Mental Health Service Utilization variable was defined can be found above. Specifications on how the individual Recoded Drug Treatment variable was defined can be found in the Recoded Drug Treatment section. These variables were revised starting with the 2021 NSDUH to use the updated received any mental health treatment variable (AMHTXYR4).

(AMHTXYR4, TXYRSPILAL)

RVMHVROSPTX4 Len : 1 RC-RCVD MH/VIRTUAL TRT OR SUB TRT AT SPEC FAC IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise)	12116	20.88
0 = No MH & No/Unk Sub Trt (AMHTXYR4=2 & TXYRSPILAL=0)	35259	60.76
1 = MH or Sub Trt at Spc Fac (AMHTXYR4=1 or TXYRSPILAL=1)	10659	18.37

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

*(AMHTXYR4, TXYRSPILAL)*RVMHVRNSPTX4 Len : 1 RC-RCVD MH/VIRTUAL TRT BUT NOT SUB TRT AT SPEC FAC IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	12116	20.88
0 = No MH or Sub Trt at Spc Fac (AMHTXYR4 =2 or TXYRSPILAL=1)	35843	61.76
1 = Mental Hlth Trt Only (AMHTXYR4 =1 and TXYRSPILAL=0).....	10075	17.36

*(AMHTXYR4, TXYRSPILAL)*RVSPTXNMHVR4 Len : 1 RC-RCVD SUB TRT AT SPEC FAC BUT NOT MH/VIRTUAL TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	10762	18.54
0 = No/Unk Sub Trt or MH Trt (AMHTXYR4 =1 or TXYRSPILAL=0).....	47068	81.10
1 = Sub Trt at Spc Fac Only (AMHTXYR4 =2 & TXYRSPILAL=1).....	204	0.35

*(AMHTXYR4, TXYRSPILAL)*RVMHVRAASPTX4 Len : 1 RC-RCVD BOTH MH/VIRTUAL TRT AND SUB TRT AT SPEC FAC PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	10762	18.54
0 = No MH or No/Unk Sub Trt (AMHTXYR4 =2 or TXYRSPILAL=0).....	46911	80.83
1 = MH & Sub Trt at Sp Fac (AMHTXYR4 =1 & TXYRSPILAL=1).....	361	0.62

SOCIAL ENVIRONMENT

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

The next questions are about things you might or might not have done recently.

During the past 12 months, how many times have you sold illegal drugs?

(SEN12A) <u>SNYSELL</u> ¹	Len : 2 SOLD ILLEGAL DRUGS	Freq	Pct
1 = 0 times	45158	77.81	
2 = 1 or 2 times	386	0.67	
3 = 3 to 5 times	133	0.23	
4 = 6 to 9 times	49	0.08	
5 = 10 or more times	184	0.32	
85 = BAD DATA Logically assigned	12	0.02	
94 = DON'T KNOW	39	0.07	
97 = REFUSED	69	0.12	
98 = BLANK (NO ANSWER)	1261	2.17	
99 = LEGITIMATE SKIP.....	10743	18.51	

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

(SEN12B) <u>SNYSTOLE</u> ¹	Len : 2 STOLEN/TRYED TO STEAL ANYTHING WORTH > \$50	Freq	Pct
1 = 0 times	45428	78.28	
2 = 1 or 2 times	323	0.56	
3 = 3 to 5 times	78	0.13	
4 = 6 to 9 times	14	0.02	
5 = 10 or more times	76	0.13	
85 = BAD DATA Logically assigned	12	0.02	
94 = DON'T KNOW	36	0.06	
97 = REFUSED	61	0.11	
98 = BLANK (NO ANSWER)	1263	2.18	
99 = LEGITIMATE SKIP.....	10743	18.51	

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

(SEN12C) <u>SNYATTAK</u> ¹	Len : 2 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM	Freq	Pct
1 = 0 times	45491	78.39	
2 = 1 or 2 times	354	0.61	
3 = 3 to 5 times	43	0.07	
4 = 6 to 9 times	7	0.01	
5 = 10 or more times	24	0.04	
85 = BAD DATA Logically assigned	12	0.02	
94 = DON'T KNOW	29	0.05	
97 = REFUSED	65	0.11	
98 = BLANK (NO ANSWER)	1266	2.18	
99 = LEGITIMATE SKIP.....	10743	18.51	

How do you feel about adults trying marijuana or hashish once or twice?

(SEN13B) <u>SNFAMJEV</u> ¹	Len : 2 HOW YOU FEEL: ADLTS TRYING MJ/HASH	Freq	Pct
1 = Neither approve nor disapprove	32812	56.54	
2 = Somewhat disapprove	4978	8.58	
3 = Strongly disapprove	7799	13.44	
85 = BAD DATA Logically assigned	12	0.02	
94 = DON'T KNOW	229	0.39	
97 = REFUSED	188	0.32	
98 = BLANK (NO ANSWER)	1273	2.19	
99 = LEGITIMATE SKIP.....	10743	18.51	



SOCIAL ENVIRONMENT

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

(SENRELAT) <u>SNRLGSVC</u> ¹	Len : 2 PAST 12 MOS, HOW MANY RELIG. SERVICES	Freq	Pct
1 = 0 times	26979	46.49	
2 = 1 to 2 times	4336	7.47	
3 = 3 to 5 times	3175	5.47	
4 = 6 to 24 times	3950	6.81	
5 = 25 to 52 times	4193	7.23	
6 = More than 52 times	3157	5.44	
85 = BAD DATA Logically assigned	12	0.02	
94 = DON'T KNOW	90	0.16	
97 = REFUSED	121	0.21	
98 = BLANK (NO ANSWER)	1278	2.20	
99 = LEGITIMATE SKIP.....	10743	18.51	

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

(SENREBE1) <u>SNRLGIMP</u> ¹	Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT	Freq	Pct
1 = Strongly Disagree	10179	17.54	
2 = Disagree.....	7895	13.60	
3 = Agree	14618	25.19	
4 = Strongly Agree.....	12735	21.94	
85 = BAD DATA Logically assigned	12	0.02	
94 = DON'T KNOW	270	0.47	
97 = REFUSED	292	0.50	
98 = BLANK (NO ANSWER)	1290	2.22	
99 = LEGITIMATE SKIP.....	10743	18.51	

Your religious beliefs influence how you make decisions in your life.

(SENREBE2) <u>SNRLDCSN</u> ¹	Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS	Freq	Pct
1 = Strongly Disagree	10726	18.48	
2 = Disagree.....	8805	15.17	
3 = Agree	14988	25.83	
4 = Strongly Agree.....	10952	18.87	
85 = BAD DATA Logically assigned	12	0.02	
94 = DON'T KNOW	242	0.42	
97 = REFUSED	270	0.47	
98 = BLANK (NO ANSWER)	1296	2.23	
99 = LEGITIMATE SKIP.....	10743	18.51	

It is important that your friends share your religious beliefs.

(SENREBE3) <u>SNRLFRND</u> ¹	Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS	Freq	Pct
1 = Strongly Disagree	17226	29.68	
2 = Disagree.....	17789	30.65	
3 = Agree	7746	13.35	
4 = Strongly Agree.....	2701	4.65	
85 = BAD DATA Logically assigned	12	0.02	
94 = DON'T KNOW	258	0.44	
97 = REFUSED	260	0.45	
98 = BLANK (NO ANSWER)	1299	2.24	
99 = LEGITIMATE SKIP.....	10743	18.51	

YOUTH EXPERIENCES

YOUTH EXPERIENCES

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

The next questions are about school. By "school," we mean elementary school, junior high or middle school, high school, or a college or university. Please include home schooling as well.

Have you attended any type of school at any time during the past 12 months?

(YE09) <u>YEATNDYR</u> ¹	Len : 2 ATTENDED ANY TYPE OF SCHOOL PAST 12 MONTHS	Freq	Pct
1 = Yes.....		10003	17.24
2 = No.....		637	1.10
85 = BAD DATA Logically assigned.....		16	0.03
94 = DON'T KNOW		55	0.09
97 = REFUSED		17	0.03
98 = BLANK (NO ANSWER)		15	0.03
99 = LEGITIMATE SKIP.....		47291	81.49

Some parents decide to educate their children at home rather than send them to school. Have you been home-schooled at any time during the past 12 months?

(YE09A) <u>YEHMSLYR</u> ¹	Len : 2 HOME SCHOOLED AT ANY TIME DURING THE PAST 12 MOS	Freq	Pct
1 = Yes.....		181	0.31
2 = No.....		492	0.85
85 = BAD DATA Logically assigned.....		13	0.02
94 = DON'T KNOW		25	0.04
97 = REFUSED		10	0.02
98 = BLANK (NO ANSWER)		19	0.03
99 = LEGITIMATE SKIP.....		57294	98.72

Which of the statements below best describes how you felt overall about going to school during the past 12 months?

(YE10) <u>YESCHFLT</u> ¹	Len : 2 HOW YOU FELT OVERALL ABT GOING TO SCHL PAST 12 MOS	Freq	Pct
1 = You liked going to school a lot		2189	3.77
2 = You kind of liked going to school.....		5095	8.78
3 = You didn't like going to school very much.....		2074	3.57
4 = You hated going to school		801	1.38
85 = BAD DATA Logically assigned		5	0.01
94 = DON'T KNOW		20	0.03
97 = REFUSED		15	0.03
98 = BLANK (NO ANSWER)		84	0.14
99 = LEGITIMATE SKIP.....		47751	82.28

During the past 12 months, how often did you feel that the school work you were assigned to do was meaningful and important?

(YE11) <u>YESCHWRK</u> ¹	Len : 2 HOW OFTEN FELT SCHL WORK MEANINGFUL PST 12 MOS	Freq	Pct
1 = Always.....		1831	3.16
2 = Sometimes		4997	8.61
3 = Seldom.....		2375	4.09
4 = Never		948	1.63
85 = BAD DATA Logically assigned		5	0.01
94 = DON'T KNOW		26	0.04
97 = REFUSED		17	0.03
98 = BLANK (NO ANSWER)		84	0.14
99 = LEGITIMATE SKIP.....		47751	82.28

YOUTH EXPERIENCES

How important do you think the things you have learned in school during the past 12 months are going to be to you later in life?

<i>(YE12)</i> <u>YESCHIMP</u> ¹	Len : 2 HOW IMPT THINGS LEARNED PST 12 MOS ARE GOING TO BE	Freq	Pct
1 = Very important.....		2304	3.97
2 = Somewhat important.....		4705	8.11
3 = Somewhat unimportant.....		2290	3.95
4 = Very unimportant.....		854	1.47
85 = BAD DATA Logically assigned		5	0.01
94 = DON'T KNOW		25	0.04
97 = REFUSED		16	0.03
98 = BLANK (NO ANSWER)		84	0.14
99 = LEGITIMATE SKIP.....		47751	82.28

How interesting do you think most of your courses at school during the past 12 months have been?

<i>(YE13)</i> <u>YESCHINT</u> ¹	Len : 2 HOW INTERESTING ARE COURSES AT SCHL PAST 12 MONTHS	Freq	Pct
1 = Very interesting		1798	3.10
2 = Somewhat interesting.....		4872	8.40
3 = Somewhat boring.....		2428	4.18
4 = Very boring.....		1053	1.81
85 = BAD DATA Logically assigned		5	0.01
94 = DON'T KNOW		24	0.04
97 = REFUSED		19	0.03
98 = BLANK (NO ANSWER)		84	0.14
99 = LEGITIMATE SKIP.....		47751	82.28

During the past 12 months, how often did your teachers at school let you know when you were doing a good job with you school work?

<i>(YE14)</i> <u>YETCGJOB</u> ¹	Len : 2 HOW OFTEN TCHR SAY DOING A GOOD JOB PAST 12 MONTHS	Freq	Pct
1 = Always.....		2907	5.01
2 = Sometimes		4572	7.88
3 = Seldom.....		1805	3.11
4 = Never		864	1.49
85 = BAD DATA Logically assigned		5	0.01
94 = DON'T KNOW		31	0.05
97 = REFUSED		15	0.03
98 = BLANK (NO ANSWER)		84	0.14
99 = LEGITIMATE SKIP.....		47751	82.28

What were your grades for the last semester or grading period you completed?

<i>(YE15)</i> <u>YELSTGRD</u> ¹	Len : 2 GRADES FOR LAST SEMESTER/GRADING PERIOD COMPLETED	Freq	Pct
1 = An "A+", "A" or "A-minus" average		4078	7.03
2 = A "B+", "B" or "B-minus" average		3335	5.75
3 = A "C+", "C" or "C-minus" average		1465	2.52
4 = A "D" or less than a "D" average		608	1.05
5 = My school does not give these grades.....		467	0.80
85 = BAD DATA Logically assigned		6	0.01
94 = DON'T KNOW		163	0.28
97 = REFUSED		77	0.13
98 = BLANK (NO ANSWER)		84	0.14
99 = LEGITIMATE SKIP.....		47751	82.28

YOUTH EXPERIENCES

How many of the students in your grade at school would you say smoke cigarettes?

Please think about the school you would be attending if you were not home-schooled, as you answer these next questions.

How many of the students in your grade at school would you say smoke cigarettes?

<i>(YE16A)</i> <u>YESSTSCIG</u> ¹	Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE SMOKE CIGARETTES	Freq	Pct
1 = None of them	3789	6.53	
2 = A few of them	5124	8.83	
3 = Most of them	707	1.22	
4 = All of them	56	0.10	
85 = BAD DATA Logically assigned	6	0.01	
94 = DON'T KNOW	490	0.84	
97 = REFUSED	26	0.04	
98 = BLANK (NO ANSWER)	85	0.15	
99 = LEGITIMATE SKIP	47751	82.28	

How many of the students in your grade at school would you say use marijuana or hashish?

<i>(YE16B)</i> <u>YESSTSMJ</u> ¹	Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE USE MJ/HASH	Freq	Pct
1 = None of them	3971	6.84	
2 = A few of them	3804	6.55	
3 = Most of them	1744	3.01	
4 = All of them	128	0.22	
85 = BAD DATA Logically assigned	6	0.01	
94 = DON'T KNOW	520	0.90	
97 = REFUSED	25	0.04	
98 = BLANK (NO ANSWER)	85	0.15	
99 = LEGITIMATE SKIP	47751	82.28	

How many of the students in your grade at school would you say drink alcoholic beverages?

<i>(YE16C)</i> <u>YESSTALC</u> ¹	Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE DRINK ALCOHOL	Freq	Pct
1 = None of them	3470	5.98	
2 = A few of them	4037	6.96	
3 = Most of them	2039	3.51	
4 = All of them	138	0.24	
85 = BAD DATA Logically assigned	6	0.01	
94 = DON'T KNOW	485	0.84	
97 = REFUSED	23	0.04	
98 = BLANK (NO ANSWER)	85	0.15	
99 = LEGITIMATE SKIP	47751	82.28	

How many of the students in your grade at school would you say get drunk at least once a week?

<i>(YE16D)</i> <u>YESSTSDNK</u> ¹	Len : 2 HOW MANY SDNTS YOU KNOW GET DRUNK WEEKLY	Freq	Pct
1 = None of them	5385	9.28	
2 = A few of them	3440	5.93	
3 = Most of them	658	1.13	
4 = All of them	53	0.09	
85 = BAD DATA Logically assigned	6	0.01	
94 = DON'T KNOW	630	1.09	
97 = REFUSED	26	0.04	
98 = BLANK (NO ANSWER)	85	0.15	
99 = LEGITIMATE SKIP	47751	82.28	

YOUTH EXPERIENCES

The next questions ask about your parents. By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians who live in your household.

During the past 12 months, how often did your parents check on whether you had done your homework?

<i>(YE06A)</i> <u>YPECHKHW</u> ¹	Len : 2 PRNTS CHECK IF YOU'VE DONE HOMEWORK PST 12 MOS	Freq	Pct
1 = Always.....	5345	9.21	
2 = Sometimes	3174	5.47	
3 = Seldom.....	958	1.65	
4 = Never	662	1.14	
85 = BAD DATA Logically assigned	6	0.01	
94 = DON'T KNOW	28	0.05	
97 = REFUSED	24	0.04	
98 = BLANK (NO ANSWER)	86	0.15	
99 = LEGITIMATE SKIP.....	47751	82.28	

During the past 12 months, how often did your parents provide help with your homework when you needed it?

<i>(YE06B)</i> <u>YPELPHW</u> ¹	Len : 2 PRNTS HELPED YOU W/HOMEWORK PAST 12 MONTHS	Freq	Pct
1 = Always.....	5736	9.88	
2 = Sometimes	2410	4.15	
3 = Seldom.....	990	1.71	
4 = Never	977	1.68	
85 = BAD DATA Logically assigned	6	0.01	
94 = DON'T KNOW	41	0.07	
97 = REFUSED	37	0.06	
98 = BLANK (NO ANSWER)	86	0.15	
99 = LEGITIMATE SKIP.....	47751	82.28	

During the past 12 months, how often did your parents make you do chores around the house?

<i>(YE06C)</i> <u>YPECHORE</u> ¹	Len : 2 PRNTS MADE YOU DO WORK/CHORES PAST 12 MONTHS	Freq	Pct
1 = Always.....	5063	8.72	
2 = Sometimes	4395	7.57	
3 = Seldom.....	859	1.48	
4 = Never	317	0.55	
85 = BAD DATA Logically assigned	18	0.03	
94 = DON'T KNOW	49	0.08	
97 = REFUSED	25	0.04	
98 = BLANK (NO ANSWER)	17	0.03	
99 = LEGITIMATE SKIP.....	47291	81.49	

During the past 12 months, how often did your parents limit the amount of time you watched TV?

<i>(YE06D)</i> <u>YPELMTTV</u> ¹	Len : 2 PRNTS LIMITED YOUR AMT OF TV TIME PST 12 MOS	Freq	Pct
1 = Always.....	1323	2.28	
2 = Sometimes	2858	4.92	
3 = Seldom.....	2092	3.60	
4 = Never	4317	7.44	
85 = BAD DATA Logically assigned	18	0.03	
94 = DON'T KNOW	91	0.16	
97 = REFUSED	27	0.05	
98 = BLANK (NO ANSWER)	17	0.03	
99 = LEGITIMATE SKIP.....	47291	81.49	

YOUTH EXPERIENCES

During the past 12 months, how often did your parents limit the amount of time you went out with friends on school nights?

<i>(YE06E)</i>	<u>YEPLMTSN</u> ¹	Len : 2 PRNTS LIMITED YOUR TIME OUT W/FRNDS PST 12 MOS	Freq	Pct
1 = Always.....			3238	5.58
2 = Sometimes			2753	4.74
3 = Seldom.....			1637	2.82
4 = Never			2266	3.90
85 = BAD DATA Logically assigned			6	0.01
94 = DON'T KNOW			230	0.40
97 = REFUSED			67	0.12
98 = BLANK (NO ANSWER)			86	0.15
99 = LEGITIMATE SKIP.....			47751	82.28

During the past 12 months, how often did your parents let you know when you'd done a good job?

<i>(YE06F)</i>	<u>YPEGDJOB</u> ¹	Len : 2 PRNTS LET YOU KNOW DONE A GOOD JOB PST 12 MOS	Freq	Pct
1 = Always.....			5219	8.99
2 = Sometimes			3605	6.21
3 = Seldom.....			1219	2.10
4 = Never			581	1.00
85 = BAD DATA Logically assigned			18	0.03
94 = DON'T KNOW			59	0.10
97 = REFUSED			25	0.04
98 = BLANK (NO ANSWER)			17	0.03
99 = LEGITIMATE SKIP.....			47291	81.49

During the past 12 months, how often did your parents tell you they were proud of you for something you had done?

<i>(YE06G)</i>	<u>YEPPROUD</u> ¹	Len : 2 TELL YOU THEY'RE PROUD OF SOMETHING YOU'D DONE	Freq	Pct
1 = Always.....			5196	8.95
2 = Sometimes			3473	5.98
3 = Seldom.....			1337	2.30
4 = Never			622	1.07
85 = BAD DATA Logically assigned			18	0.03
94 = DON'T KNOW			54	0.09
97 = REFUSED			26	0.04
98 = BLANK (NO ANSWER)			17	0.03
99 = LEGITIMATE SKIP.....			47291	81.49

During the past 12 months, how many times have you argued or had a fight with at least one of your parents?

<i>(YE18A)</i>	<u>YEYARGUP</u> ¹	Len : 2 ARGUED/HAD A FIGHT WITH AT LEAST ONE OF YOUR PRNTS	Freq	Pct
1 = 0 times			2178	3.75
2 = 1 or 2 times.....			3058	5.27
3 = 3 to 5 times.....			2149	3.70
4 = 6 to 9 times			1065	1.84
5 = 10 or more times			2044	3.52
85 = BAD DATA Logically assigned			18	0.03
94 = DON'T KNOW			137	0.24
97 = REFUSED			77	0.13
98 = BLANK (NO ANSWER)			17	0.03
99 = LEGITIMATE SKIP.....			47291	81.49

YOUTH EXPERIENCES

During the past 12 months, how many times have you gotten into a serious fight at school or work?

<i>(YE18B)</i> <u>YEYFGTSW¹</u>	Len : 2 GOTTN INTO A SERIOUS FIGHT AT SCHOOL/WORK	Freq	Pct
1 = 0 times		9178	15.81
2 = 1 or 2 times		1113	1.92
3 = 3 to 5 times		210	0.36
4 = 6 to 9 times		69	0.12
5 = 10 or more times		51	0.09
85 = BAD DATA Logically assigned		18	0.03
94 = DON'T KNOW		56	0.10
97 = REFUSED		31	0.05
98 = BLANK (NO ANSWER)		17	0.03
99 = LEGITIMATE SKIP.....		47291	81.49

During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?

<i>(YE18C)</i> <u>YEYFGTGP¹</u>	Len : 2 TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP	Freq	Pct
1 = 0 times		9581	16.51
2 = 1 or 2 times		816	1.41
3 = 3 to 5 times		143	0.25
4 = 6 to 9 times		39	0.07
5 = 10 or more times		43	0.07
85 = BAD DATA Logically assigned		18	0.03
94 = DON'T KNOW		62	0.11
97 = REFUSED		24	0.04
98 = BLANK (NO ANSWER)		17	0.03
99 = LEGITIMATE SKIP.....		47291	81.49

During the past 12 months, how many times have you carried a handgun?

<i>(YE18D)</i> <u>YEYHGUN¹</u>	Len : 2 CARRIED A HANDGUN	Freq	Pct
1 = 0 times		10150	17.49
2 = 1 or 2 times		336	0.58
3 = 3 to 5 times		79	0.14
4 = 6 to 9 times		29	0.05
5 = 10 or more times		42	0.07
85 = BAD DATA Logically assigned		18	0.03
94 = DON'T KNOW		44	0.08
97 = REFUSED		27	0.05
98 = BLANK (NO ANSWER)		18	0.03
99 = LEGITIMATE SKIP.....		47291	81.49

During the past 12 months, how many times have you sold illegal drugs?

<i>(YE18E)</i> <u>YEYSELL¹</u>	Len : 2 SOLD ILLEGAL DRUGS	Freq	Pct
1 = 0 times		10531	18.15
2 = 1 or 2 times		67	0.12
3 = 3 to 5 times		20	0.03
4 = 6 to 9 times		11	0.02
5 = 10 or more times		26	0.04
85 = BAD DATA Logically assigned		18	0.03
94 = DON'T KNOW		31	0.05
97 = REFUSED		19	0.03
98 = BLANK (NO ANSWER)		20	0.03
99 = LEGITIMATE SKIP.....		47291	81.49

YOUTH EXPERIENCES

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

<i>(YE18F)</i>	<u>YEYSTOLE</u> ¹	Len : 2 STOLEN/TRYED TO STEAL ANYTHING WORTH >\$50	Freq	Pct
1 = 0 times			10380	17.89
2 = 1 or 2 times.....			199	0.34
3 = 3 to 5 times			43	0.07
4 = 6 to 9 times			18	0.03
5 = 10 or more times			14	0.02
85 = BAD DATA Logically assigned			18	0.03
94 = DON'T KNOW			29	0.05
97 = REFUSED			21	0.04
98 = BLANK (NO ANSWER)			21	0.04
99 = LEGITIMATE SKIP.....			47291	81.49

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

<i>(YE18G)</i>	<u>YEYATTAK</u> ¹	Len : 2 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM	Freq	Pct
1 = 0 times			10152	17.49
2 = 1 or 2 times.....			402	0.69
3 = 3 to 5 times			52	0.09
4 = 6 to 9 times			18	0.03
5 = 10 or more times			20	0.03
85 = BAD DATA Logically assigned			18	0.03
94 = DON'T KNOW			34	0.06
97 = REFUSED			26	0.04
98 = BLANK (NO ANSWER)			21	0.04
99 = LEGITIMATE SKIP.....			47291	81.49

How do you think your parents would feel about you smoking one or more packs of cigarettes per day?

<i>(YE07A)</i>	<u>YEPPKCIG</u> ¹	Len : 2 HOW PRNTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY	Freq	Pct
1 = Neither approve nor disapprove			385	0.66
2 = Somewhat disapprove			270	0.47
3 = Strongly disapprove			9944	17.13
85 = BAD DATA Logically assigned			18	0.03
94 = DON'T KNOW			76	0.13
97 = REFUSED			29	0.05
98 = BLANK (NO ANSWER)			21	0.04
99 = LEGITIMATE SKIP.....			47291	81.49

How do you think your parents would feel about you trying marijuana or hashish once or twice?

<i>(YE07B)</i>	<u>YEPMJEV</u> ¹	Len : 2 HOW PRNTS WLD FEEL: YOU TRYING MJ/HASH	Freq	Pct
1 = Neither Approve or Disapprove			738	1.27
2 = Somewhat Disapprove			1116	1.92
3 = Strongly Disapprove			8733	15.05
85 = BAD DATA Logically assigned			18	0.03
94 = DON'T KNOW			80	0.14
97 = REFUSED			37	0.06
98 = BLANK (NO ANSWER)			21	0.04
99 = LEGITIMATE SKIP.....			47291	81.49

YOUTH EXPERIENCES

How do you think your parents would feel about you using marijuana or hashish once a month or more?

(YE07B1)
YEPMJMO¹ Len : 2 HOW PRNTS WLD FEEL: YOU USING MJ/HASH MONTHLY

	Freq	Pct
1 = Neither Approve or Disapprove.....	633	1.09
2 = Somewhat Disapprove	877	1.51
3 = Strongly Disapprove	9071	15.63
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	84	0.14
97 = REFUSED	39	0.07
98 = BLANK (NO ANSWER)	21	0.04
99 = LEGITIMATE SKIP.....	47291	81.49

How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?

(YE07C)
YEPALDLY¹ Len : 2 HOW PRNTS WLD FEEL: YOU DRINKING ALC DAILY

	Freq	Pct
1 = Neither Approve or Disapprove.....	386	0.67
2 = Somewhat Disapprove	674	1.16
3 = Strongly Disapprove	9530	16.42
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	78	0.13
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	21	0.04
99 = LEGITIMATE SKIP.....	47291	81.49

How do you feel about someone your age smoking one or more packs of cigarettes a day?

(YE19A)
YEGPKCIG¹ Len : 2 HOW YOU FEEL S/ONE YOUR AGE SMOKG 1+ PK CIGS/DY

	Freq	Pct
1 = Neither approve nor disapprove.....	775	1.34
2 = Somewhat disapprove	988	1.70
3 = Strongly disapprove	8823	15.20
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	88	0.15
97 = REFUSED	30	0.05
98 = BLANK (NO ANSWER)	21	0.04
99 = LEGITIMATE SKIP.....	47291	81.49

How do you feel about someone your age trying marijuana or hashish once or twice?

(YE19B)
YEGMJEVR¹ Len : 2 HOW YOU FEEL S/ONE YOUR AGE TRYING MJ/HASH

	Freq	Pct
1 = Neither approve nor disapprove.....	2263	3.90
2 = Somewhat disapprove	1624	2.80
3 = Strongly disapprove	6692	11.53
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	93	0.16
97 = REFUSED	32	0.06
98 = BLANK (NO ANSWER)	21	0.04
99 = LEGITIMATE SKIP.....	47291	81.49

How do you feel about someone your age using marijuana once a month or more?

(YE19B1)
YEGMJMO¹ Len : 2 HOW YOU FEEL S/ONE YOUR AGE USING MJ/HASH MONTHLY

	Freq	Pct
1 = Neither approve nor disapprove	2200	3.79
2 = Somewhat disapprove	1611	2.78
3 = Strongly disapprove	6771	11.67
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	93	0.16
97 = REFUSED	29	0.05
98 = BLANK (NO ANSWER)	21	0.04
99 = LEGITIMATE SKIP.....	47291	81.49

YOUTH EXPERIENCES

How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

<i>(YE19C)</i>	<u>YEFALDLY¹</u>	Len : 2 HOW YOU FEEL S/ONE YOUR AGE DRINKING ALC DLY	Freq	Pct
1 = Neither approve nor disapprove.....	1058	1.82		
2 = Somewhat disapprove.....	1432	2.47		
3 = Strongly disapprove.....	8098	13.95		
85 = BAD DATA Logically assigned.....	18	0.03		
94 = DON'T KNOW.....	84	0.14		
97 = REFUSED.....	32	0.06		
98 = BLANK (NO ANSWER).....	21	0.04		
99 = LEGITIMATE SKIP.....	47291	81.49		

How do you think your close friends would feel about you smoking one or more packs of cigarettes a day?

<i>(YE20A)</i>	<u>YEFPKCIG¹</u>	Len : 2 HOW YOU FEEL FRIENDS SMOKING 1+ PACK CIGS/DAY	Freq	Pct
1 = Neither approve nor disapprove.....	885	1.52		
2 = Somewhat disapprove.....	1357	2.34		
3 = Strongly disapprove.....	8308	14.32		
85 = BAD DATA Logically assigned.....	18	0.03		
94 = DON'T KNOW.....	124	0.21		
97 = REFUSED.....	30	0.05		
98 = BLANK (NO ANSWER).....	21	0.04		
99 = LEGITIMATE SKIP.....	47291	81.49		

How do you think your close friends would feel about you trying marijuana or hashish once or twice?

<i>(YE20B)</i>	<u>YEFMJEVR¹</u>	Len : 2 HOW YOU FEEL FRIENDS USING MJ 1X/MO	Freq	Pct
1 = Neither approve nor disapprove.....	2265	3.90		
2 = Somewhat disapprove.....	1739	3.00		
3 = Strongly disapprove.....	6546	11.28		
85 = BAD DATA Logically assigned.....	18	0.03		
94 = DON'T KNOW.....	124	0.21		
97 = REFUSED.....	30	0.05		
98 = BLANK (NO ANSWER).....	21	0.04		
99 = LEGITIMATE SKIP.....	47291	81.49		

How do you think your close friends would feel about you using marijuana or hashish once a month or more?

<i>(YE20B1)</i>	<u>YEFMJMO¹</u>	Len : 2 HOW YOU FEEL FRIENDS USING MJ MONTHLY	Freq	Pct
1 = Neither approve nor disapprove.....	2076	3.58		
2 = Somewhat disapprove.....	1614	2.78		
3 = Strongly disapprove.....	6852	11.81		
85 = BAD DATA Logically assigned.....	18	0.03		
94 = DON'T KNOW.....	131	0.23		
97 = REFUSED.....	31	0.05		
98 = BLANK (NO ANSWER).....	21	0.04		
99 = LEGITIMATE SKIP.....	47291	81.49		

How do you think your close friends would feel about you having one or two drinks of an alcoholic beverage nearly every day?

<i>(YE20C)</i>	<u>YEFALDLY¹</u>	Len : 2 HOW YOU FEEL FRIENDS DRINKING ALC DAILY	Freq	Pct
1 = Neither approve nor disapprove.....	1093	1.88		
2 = Somewhat disapprove.....	1583	2.73		
3 = Strongly disapprove.....	7874	13.57		
85 = BAD DATA Logically assigned.....	18	0.03		
94 = DON'T KNOW.....	123	0.21		
97 = REFUSED.....	30	0.05		
98 = BLANK (NO ANSWER).....	22	0.04		
99 = LEGITIMATE SKIP.....	47291	81.49		

YOUTH EXPERIENCES

NOTE: In the variables YETLKPARD, YETLKBF, YETLKOTA and YETLKSOP, codes of 11 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.

If you wanted to talk to someone about a serious problem, which of the following people would you turn to?

<i>(YE22)</i> <u>YETLKNON</u> ¹		Len : 2 THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS	Freq	Pct
1 = Response entered			674	1.16
6 = Response not entered			9683	16.69
11 = Response entered (& other responses entered).....			188	0.32
85 = BAD DATA Logically assigned			7	0.01
94 = DON'T KNOW			104	0.18
97 = REFUSED			54	0.09
98 = BLANK (NO ANSWER)			33	0.06
99 = LEGITIMATE SKIP.....			47291	81.49

<i>(YE22)</i> <u>YETLKPARD</u> ¹		Len : 2 MY MOTHER/FATHER/GUARDIAN	Freq	Pct
1 = Response entered			7481	12.89
6 = Response not entered			2981	5.14
11 = Response entered (YETLKNON=11).....			83	0.14
85 = BAD DATA Logically assigned			11	0.02
94 = DON'T KNOW			104	0.18
97 = REFUSED			54	0.09
98 = BLANK (NO ANSWER)			29	0.05
99 = LEGITIMATE SKIP.....			47291	81.49

<i>(YE22)</i> <u>YETLKBF</u> ¹		Len : 2 MY BOYFRIEND/GIRLFRIEND	Freq	Pct
1 = Response entered			2039	3.51
6 = Response not entered			8459	14.58
11 = Response entered (YETLKNON=11).....			47	0.08
94 = DON'T KNOW			104	0.18
97 = REFUSED			54	0.09
98 = BLANK (NO ANSWER)			40	0.07
99 = LEGITIMATE SKIP.....			47291	81.49

<i>(YE22)</i> <u>YETLKOTA</u> ¹		Len : 2 SOME OTHER ADULT	Freq	Pct
1 = Response entered			2308	3.98
6 = Response not entered			8188	14.11
11 = Response entered (YETLKNON=11).....			49	0.08
94 = DON'T KNOW			104	0.18
97 = REFUSED			54	0.09
98 = BLANK (NO ANSWER)			40	0.07
99 = LEGITIMATE SKIP.....			47291	81.49

<i>(YE22)</i> <u>YETLKSOP</u> ¹		Len : 2 SOME OTHER PERSON	Freq	Pct
1 = Response entered			3708	6.39
6 = Response not entered			6749	11.63
11 = Response entered (YETLKNON=11).....			88	0.15
94 = DON'T KNOW			104	0.18
97 = REFUSED			54	0.09
98 = BLANK (NO ANSWER)			40	0.07
99 = LEGITIMATE SKIP.....			47291	81.49

YOUTH EXPERIENCES

Now think about the past 12 months, that is, from [DATEFILL] through today. During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians -- whether or not they live with you.

(YE08)

YEPRTDNG¹

Len : 2 HAVE YOU TALKED W/PARENT(S) ABT DANGER OF TOB/ALC

	Freq	Pct
1 = Yes.....	5631	9.70
2 = No.....	4864	8.38
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	171	0.29
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP.....	47291	81.49

During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?

(YE23B)

YEPRBSLV¹

Len : 2 PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR

	Freq	Pct
1 = Yes.....	2545	4.39
2 = No.....	7836	13.50
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	289	0.50
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP.....	47291	81.49

During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?

(YE23C)

YEVIOPRV¹

Len : 2 VIOLENCE PREVENTION PROGRAMS

	Freq	Pct
1 = Yes.....	922	1.59
2 = No.....	9628	16.59
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	126	0.22
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP.....	47291	81.49

During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?

(YE23G)

YEDGPRGP¹

Len : 2 ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL

	Freq	Pct
1 = Yes.....	889	1.53
2 = No.....	9681	16.68
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	102	0.18
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP.....	47291	81.49

During the past 12 months have you participated in a program or meeting to help you deal with drug or alcohol use by you or another member of your family, such as Alcoholics Anonymous, Alateen, or individual or group counseling?

(YE23J)

YESLFHLP¹

Len : 2 AA/ALATEEN/INDIVIDUAL OR GROUP COUNSELING

	Freq	Pct
1 = Yes.....	285	0.49
2 = No.....	10279	17.71
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	102	0.18
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP.....	47291	81.49

YOUTH EXPERIENCES

During the past 12 months have you participated in pregnancy or sexually transmitted disease prevention programs?

<i>(YE23O)</i> <u>YEPRGSTD</u> ¹	Len : 2 PREGNANCY OR SEXUALLY TRANSMITTED DISEASE PGMS	Freq	Pct
1 = Yes.....		381	0.66
2 = No.....		10216	17.60
85 = BAD DATA Logically assigned		18	0.03
94 = DON'T KNOW		78	0.13
97 = REFUSED		28	0.05
98 = BLANK (NO ANSWER)		22	0.04
99 = LEGITIMATE SKIP.....		47291	81.49

During the past 12 months, in how many different kinds of school-based activities, such as team sports, cheerleading, choir, band, student government, or clubs, have you participated?

<i>(YE23P)</i> <u>YESCHACT</u> ¹	Len : 2 # OF SCHOOL-BASED ACT. PARTIC. IN PAST 12 MONTHS	Freq	Pct
0 = None		2655	4.57
1 = One		2887	4.97
2 = Two.....		2639	4.55
3 = 3 or more.....		2410	4.15
85 = BAD DATA Logically assigned		18	0.03
94 = DON'T KNOW		86	0.15
97 = REFUSED		26	0.04
98 = BLANK (NO ANSWER)		22	0.04
99 = LEGITIMATE SKIP.....		47291	81.49

During the past 12 months, in how many different kinds of community-based activities, such as volunteer activities, sports, clubs, or groups have you participated?

<i>(YE23Q)</i> <u>YECOMACT</u> ¹	Len : 2 # OF COMM.-BASED ACT. PARTIC. IN PAST 12 MONTHS	Freq	Pct
0 = None		3742	6.45
1 = One		2682	4.62
2 = Two.....		2139	3.69
3 = 3 or more.....		1990	3.43
85 = BAD DATA Logically assigned		18	0.03
94 = DON'T KNOW		123	0.21
97 = REFUSED		27	0.05
98 = BLANK (NO ANSWER)		22	0.04
99 = LEGITIMATE SKIP.....		47291	81.49

During the past 12 months, in how many different kinds of church or faith-based activities, such as clubs, youth groups, Saturday or Sunday school, prayer groups, youth trips, service or volunteer activities have you participated?

<i>(YE23R)</i> <u>YEFAIACT</u> ¹	Len : 2 # OF FAITH-BASED ACT. PARTIC. IN PAST 12 MONTHS	Freq	Pct
0 = None		5582	9.62
1 = One		2112	3.64
2 = Two.....		1033	1.78
3 = 3 or more.....		1807	3.11
85 = BAD DATA Logically assigned		18	0.03
94 = DON'T KNOW		133	0.23
97 = REFUSED		35	0.06
98 = BLANK (NO ANSWER)		23	0.04
99 = LEGITIMATE SKIP.....		47291	81.49

YOUTH EXPERIENCES

During the past 12 months, in how many different kinds of other activities, such as dance lessons, piano lessons, karate lessons, or horseback riding lessons, have you participated?

<i>(YE23S)</i>	<u>YEOTHACT¹</u>	Len : 2 # OF OTHER ACT. PARTIC. IN PAST 12 MONTHS	Freq	Pct
0 = None			6939	11.96
1 = One			1982	3.42
2 = Two.....			843	1.45
3 = 3 or more.....			815	1.40
85 = BAD DATA Logically assigned			18	0.03
94 = DON'T KNOW			92	0.16
97 = REFUSED			31	0.05
98 = BLANK (NO ANSWER)			23	0.04
99 = LEGITIMATE SKIP.....			47291	81.49

During the past 12 months have you had a special class about drugs or alcohol in school?

<i>(YE24A)</i>	<u>YEDECLAS¹</u>	Len : 2 A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL	Freq	Pct
1 = Yes.....			3371	5.81
2 = No.....			6665	11.48
85 = BAD DATA Logically assigned			6	0.01
94 = DON'T KNOW			122	0.21
97 = REFUSED			29	0.05
98 = BLANK (NO ANSWER)			90	0.16
99 = LEGITIMATE SKIP.....			47751	82.28

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?

<i>(YE24B)</i>	<u>YEDERGRL¹</u>	Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS	Freq	Pct
1 = Yes.....			5322	9.17
2 = No.....			4707	8.11
85 = BAD DATA Logically assigned			6	0.01
94 = DON'T KNOW			125	0.22
97 = REFUSED			33	0.06
98 = BLANK (NO ANSWER)			90	0.16
99 = LEGITIMATE SKIP.....			47751	82.28

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?

<i>(YE24C)</i>	<u>YEDESPCL¹</u>	Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS	Freq	Pct
1 = Yes.....			2562	4.41
2 = No.....			7431	12.80
85 = BAD DATA Logically assigned			6	0.01
94 = DON'T KNOW			157	0.27
97 = REFUSED			37	0.06
98 = BLANK (NO ANSWER)			90	0.16
99 = LEGITIMATE SKIP.....			47751	82.28

YOUTH EXPERIENCES

During the past 12 months have you seen or heard any alcohol or drug prevention messages from sources outside school such as posters, pamphlets, radio, or TV?

<i>(YE25)</i>	<u>YEPVNTYR¹</u>	Len : 2 SEEN/HEARD ALC/DRG PREV MESSAGES FRM SOURC OUT SC	Freq	Pct
1 = Yes.....			6835	11.78
2 = No.....			3683	6.35
85 = BAD DATA Logically assigned.....			18	0.03
94 = DON'T KNOW			150	0.26
97 = REFUSED			32	0.06
98 = BLANK (NO ANSWER)			23	0.04
99 = LEGITIMATE SKIP.....			47293	81.49

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

<i>(YERELATT)</i>	<u>YERLGSVC¹</u>	Len : 2 PAST 12 MOS, HOW MANY RELIG. SERVICES	Freq	Pct
1 = 0 times			5211	8.98
2 = 1 to 2 times			1472	2.54
3 = 3 to 5 times			726	1.25
4 = 6 to 24 times			949	1.64
5 = 25 to 52 times			860	1.48
6 = More than 52 times			1193	2.06
85 = BAD DATA Logically assigned.....			18	0.03
94 = DON'T KNOW			229	0.39
97 = REFUSED			60	0.10
98 = BLANK (NO ANSWER)			25	0.04
99 = LEGITIMATE SKIP.....			47291	81.49

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

<i>(YEREBEL1)</i>	<u>YERLGIMP¹</u>	Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT	Freq	Pct
1 = Strongly Disagree			1905	3.28
2 = Disagree			2010	3.46
3 = Agree			3814	6.57
4 = Strongly Agree.....			2646	4.56
85 = BAD DATA Logically assigned.....			18	0.03
94 = DON'T KNOW			248	0.43
97 = REFUSED			74	0.13
98 = BLANK (NO ANSWER)			28	0.05
99 = LEGITIMATE SKIP.....			47291	81.49

Your religious beliefs influence how you make decisions in your life.

<i>(YEREBEL2)</i>	<u>YERLDCSN¹</u>	Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS	Freq	Pct
1 = Strongly Disagree			2277	3.92
2 = Disagree			2526	4.35
3 = Agree			3542	6.10
4 = Strongly Agree.....			2046	3.53
85 = BAD DATA Logically assigned.....			18	0.03
94 = DON'T KNOW			231	0.40
97 = REFUSED			75	0.13
98 = BLANK (NO ANSWER)			28	0.05
99 = LEGITIMATE SKIP.....			47291	81.49

YOUTH EXPERIENCES

It is important that your friends share your religious beliefs.

(*YEREBEL3*)
*YERLFRND*¹

Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS

	Freq	Pct
1 = Strongly Disagree	4004	6.90
2 = Disagree.....	3843	6.62
3 = Agree	1823	3.14
4 = Strongly Agree.....	698	1.20
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	258	0.44
97 = REFUSED	71	0.12
98 = BLANK (NO ANSWER)	28	0.05
99 = LEGITIMATE SKIP.....	47291	81.49

RECODED YOUTH EXPERIENCES

RECODED YOUTH EXPERIENCES

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

<i>(YESCHFLT)</i> <u>SCHFELT</u>	Len : 1 RC-HOW YTH FELT: ABOUT GOING TO SCHOOL IN PST YR	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 47875 82.49 1 = Liked A Lot/Kind of Liked (YESCHFLT=1,2)..... 7284 12.55 2 = Didn't Like Very Much/Hated (YESCHFLT=3,4)..... 2875 4.95
<i>(YETCGJOB)</i> <u>TCHGJOB</u>	Len : 1 RC-TEACHER LET YTH KNOW DOING GOOD JOB IN PST YR	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 47886 82.51 1 = Always/Sometimes (YETCGJOB=1,2)..... 7479 12.89 2 = Seldom/Never (YETCGJOB=3,4) 2669 4.60
<i>(YELSTGRD)</i> <u>AVGGRADE</u>	Len : 1 RC-GRADE AVERAGE FOR LAST GRADING PERIOD COMPLETED	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 48548 83.65 1 = D or Lower (YELSTGRD=4)..... 608 1.05 2 = A, B, or C (YELSTGRD=1,2,3) 8878 15.30
<i>(YESTSCIG)</i> <u>STNDSCIG</u>	Len : 1 RC-STUDENTS IN YTH GRADE SMOKE CIGARETTES	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 48358 83.33 1 = Most/All (YESTSCIG=3,4)..... 763 1.31 2 = None/Few (YESTSCIG=1,2)..... 8913 15.36
<i>(YESTSMJ)</i> <u>STNDSMJ</u>	Len : 1 RC-STUDENTS IN YTH GRADE USE MARIJUANA	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 48387 83.38 1 = Most/All (YESTSMJ=3,4)..... 1872 3.23 2 = None/Few (YESTSMJ=1,2)..... 7775 13.40
<i>(YESTSALC)</i> <u>STNDALC</u>	Len : 1 RC-STUDENTS IN YTH GRADE DRINK ALCOHOLIC BEVERAGES	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 48350 83.31 1 = Most/All (YESTSALC=3,4)..... 2177 3.75 2 = None/Few (YESTSALC=1,2)..... 7507 12.94
<i>(YESTSDNK)</i> <u>STNDDNK</u>	Len : 1 RC-STUDENTS IN YTH GRADE GET DRUNK ONCE/WEEK	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 48498 83.57 1 = Most/All (YESTSDNK=3,4)..... 711 1.23 2 = None/Few (YESTSDNK=1,2)..... 8825 15.21
<i>(YPECHKHW)</i> <u>PARCHKHW</u>	Len : 1 RC-PARENTS CHECK IF HOMEWORK DONE IN PST YR	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 47895 82.53 1 = Always/Sometimes (YPECHKHW=1,2) 8519 14.68 2 = Seldom/Never (YPECHKHW=3,4) 1620 2.79

RECODED YOUTH EXPERIENCES

<i>(YEPHLPHW)</i>	<i>PARHLPHW</i>		Freq	Pct
Len : 1 RC-PARENTS HELP WITH HOMEWORK IN PST YR				
. = Unknown/Aged 18+ (Otherwise).....			47921	82.57
1 = Always/Sometimes (YEPHLPHW=1,2).....			8146	14.04
2 = Seldom/Never (YEPHLPHW=3,4).....			1967	3.39
 <i>(YPECHORE)</i>				
<i>PRCHORE2</i>				
Len : 1 RC-PARENTS MAKE YTH DO CHORES AROUND HOUSE IN PST YR				
. = Unknown/Aged 18+ (Otherwise).....			47400	81.68
1 = Always/Sometimes (YPECHORE=1,2).....			9458	16.30
2 = Seldom/Never (YPECHORE=3,4).....			1176	2.03
 <i>(YEPLMTTV)</i>				
<i>PRLMTTV2</i>				
Len : 1 RC-PARENTS LIMIT AMOUNT OF TV IN PST YR				
. = Unknown/Aged 18+ (Otherwise).....			47444	81.75
1 = Always/Sometimes (YEPLMTTV=1,2).....			4181	7.20
2 = Seldom/Never (YEPLMTTV=3,4)			6409	11.04
 <i>(YEPLMTSN)</i>				
<i>PARLMTSN</i>				
Len : 1 RC-PARENTS LIMIT TIME OUT ON SCHOOL NIGHT IN PST YR				
. = Unknown/Aged 18+ (Otherwise).....			48140	82.95
1 = Always/Sometimes (YEPLMTSN=1,2).....			5991	10.32
2 = Seldom/Never (YEPLMTSN=3,4)			3903	6.73
 <i>(YEPGDJOB)</i>				
<i>PRGDJOB2</i>				
Len : 1 RC-PARENTS TELL YTH HAD DONE GOOD JOB IN PST YR				
. = Unknown/Aged 18+ (Otherwise).....			47410	81.69
1 = Always/Sometimes (YEPGDJOB=1,2).....			8824	15.20
2 = Seldom/Never (YEPGDJOB=3,4)			1800	3.10
 <i>(YEPPROUD)</i>				
<i>PRPROUD2</i>				
Len : 1 RC-PARENTS TELL YTH PROUD OF THINGS DONE IN PST YR				
. = Unknown/Aged 18+ (Otherwise).....			47406	81.69
1 = Always/Sometimes (YEPPROUD=1,2).....			8669	14.94
2 = Seldom/Never (YEPPROUD=3,4)			1959	3.38
 <i>(YEYARGUP)</i>				
<i>ARGUPAR</i>				
Len : 1 RC-TIMES ARGUED/HAD A FIGHT WITH ONE PARENT IN PST YR				
. = Unknown/Aged 18+ (Otherwise).....			47540	81.92
1 = 9 or Fewer (YEYARGUP=1,2,3,4).....			8450	14.56
2 = 10 or More (YEYARGUP=5).....			2044	3.52
 <i>(YEYFGTSW)</i>				
<i>YOFIGHT2</i>				
Len : 1 RC-YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK				
. = Unknown/Aged 18+ (Otherwise).....			47413	81.70
1 = One or More Times (YEYFGTSW=2,3,4,5).....			1443	2.49
2 = None (YEYFGTSW=1).....			9178	15.81
 <i>(YEYFGTGP)</i>				
<i>YOGRPFT2</i>				
Len : 1 RC-YOUTH FOUGHT WITH GROUP VS OTHER GROUP				
. = Unknown/Aged 18+ (Otherwise).....			47412	81.70
1 = One or More Times (YEYFGTGP=2,3,4,5).....			1041	1.79
2 = None (YEYFGTGP=1).....			9581	16.51

RECODED YOUTH EXPERIENCES

<i>(YEYHGUN)</i>	<i>YOHGUN2</i>	Len : 1 RC-YOUTH CARRIED A HANDGUN	Freq	Pct
.	= Unknown/Aged 18+ (Otherwise).....	47398	81.67	
1	= One or More Times (YEYHGUN=2,3,4,5).....	486	0.84	
2	= None (YEYHGUN=1).....	10150	17.49	
<i>(YEYSELL)</i>	<i>YOSELL2</i>	Len : 1 RC-YOUTH SOLD ILLEGAL DRUGS	Freq	Pct
.	= Unknown/Aged 18+ (Otherwise).....	47379	81.64	
1	= One or More Times (YEYSELL=2,3,4,5).....	124	0.21	
2	= None (YEYSELL=1).....	10531	18.15	
<i>(YEYSTOLE)</i>	<i>YOSTOLE2</i>	Len : 1 RC-YOUTH STOLE/TRYED TO STEAL ITEM >\$50	Freq	Pct
.	= Unknown/Aged 18+ (Otherwise).....	47380	81.64	
1	= One or More Times (YEYSTOLE=2,3,4,5).....	274	0.47	
2	= None (YEYSTOLE=1).....	10380	17.89	
<i>(YEYATTAK)</i>	<i>YOATTAK2</i>	Len : 1 RC-YOUTH ATTACKED WITH INTENT TO SERIOUSLY HARM	Freq	Pct
.	= Unknown/Aged 18+ (Otherwise).....	47390	81.66	
1	= One or More Times (YEYATTAK=2,3,4,5).....	492	0.85	
2	= None (YEYATTAK=1).....	10152	17.49	
<i>(YEPPKCIG)</i>	<i>PRPKCIG2</i>	Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH SMOKE PACK CIG/DAY	Freq	Pct
.	= Unknown/Aged 18+ (Otherwise).....	47435	81.74	
1	= Strongly Disapprove (YEPPKCIG=3).....	9944	17.13	
2	= Somewhat Disapprove or Neither (YEPPKCIG=1,2).....	655	1.13	
<i>(YEPMJEVR)</i>	<i>PRMJEV2</i>	Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH TRY MARIJUANA	Freq	Pct
.	= Unknown/Aged 18+ (Otherwise).....	47447	81.76	
1	= Strongly Disapprove (YEPMJEVVR=3).....	8733	15.05	
2	= Somewhat Disapprove or Neither (YEPMJEVVR=1,2).....	1854	3.19	
<i>(YEPMJMO)</i>	<i>PRMJMO</i>	Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH USE MARIJUANA MNTHLY	Freq	Pct
.	= Unknown/Aged 18+ (Otherwise).....	47453	81.77	
1	= Strongly Disapprove (YEPMJMO=3).....	9071	15.63	
2	= Somewhat Disapprove or Neither (YEPMJMO=1,2).....	1510	2.60	
<i>(YEPALDLY)</i>	<i>PRALDLY2</i>	Len : 1 RC-YTH THINK: PARNTS FEEL ABT YTH DRK 1-2 ALC BEV/DAY	Freq	Pct
.	= Unknown/Aged 18+ (Otherwise).....	47444	81.75	
1	= Strongly Disapprove (YEPALDLY=3).....	9530	16.42	
2	= Somewhat Disapprove or Neither (YEPALDLY=1,2).....	1060	1.83	
<i>(YEGPKCIG)</i>	<i>YFLPKCG2</i>	Len : 1 RC-HOW YTH FEELS: PEERS SMOKE PACK/DAY CIG	Freq	Pct
.	= Unknown/Aged 18+ (Otherwise).....	47448	81.76	
1	= Strongly/Somewhat Disapprove (YEGPKCIG=2,3).....	9811	16.91	
2	= Neither Approve Nor Disapprove (YEGPKCIG=1).....	775	1.34	

RECODED YOUTH EXPERIENCES

(YEGMJEVR)
[YFLTMRJ2](#)

Len : 1 RC-HOW YTH FEELS: PEERS TRY MARIJUANA

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47455	81.77
1 = Strongly/Somewhat Disapprove (YEGMJEVR=2,3).....	8316	14.33
2 = Neither Approve Nor Disapprove (YEGMJEVR=1)	2263	3.90

(YEGMJMO)
[YFLMJMO](#)

Len : 1 RC-HOW YTH FEELS: PEERS USING MARIJUANA MONTHLY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47452	81.77
1 = Strongly/Somewhat Disapprove (YEGMJMO=2,3)	8382	14.44
2 = Neither Approve Nor Disapprove (YEGMJMO=1)	2200	3.79

(YEGALDLY)
[YFLADLY2](#)

Len : 1 RC-HOW YTH FEELS: PEERS DRNK 1-2 ALC BEV/DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47446	81.76
1 = Strongly/Somewhat Disapprove (YEGALDLY=2,3)	9530	16.42
2 = Neither Approve Nor Disapprove (YEGALDLY=1)	1058	1.82

(YEFPKCIG)
[FRDPCIG2](#)

Len : 1 RC-YTH THINK: CLSE FRND FEEL ABT YTH SMK 1+ PAC DAILY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47484	81.82
1 = Strongly/Somewhat Disapprove (YEFPKCIG=2,3)	9665	16.65
2 = Neither Approve Nor Disapprove (YEFPKCIG=1)	885	1.52

(YEFMJEVR)
[FRDMEVR2](#)

Len : 1 RC-YTH THINK: CLOSE FRNDS FEEL ABT YTH TRY MARIJUANA

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47484	81.82
1 = Strongly/Somewhat Disapprove (YEFMJEVR=2,3)	8285	14.28
2 = Neither Approve Nor Disapprove (YEFMJEVR=1)	2265	3.90

(YEFMJMO)
[FRDMJMOM](#)

Len : 1 RC-YTH THINK: CLSE FRNDS FEEL ABT YTH USE MARIJUANA MON

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47492	81.83
1 = Strongly/Somewhat Disapprove (YEFMJMO=2,3)	8466	14.59
2 = Neither Approve Nor Disapprove (YEFMJMO=1)	2076	3.58

(YEFAFDLY)
[FRDADLY2](#)

Len : 1 RC-YTH THINK: CLSE FRND FEEL ABT YTH HAVE 1-2 ALC/DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47484	81.82
1 = Strongly/Somewhat Disapprove (YEFAFDLY=2,3)	9457	16.30
2 = Neither Approve Nor Disapprove (YEFAFDLY=1)	1093	1.88

The following variable, TALKPROB, was created from the variables containing information on who youths would talk with about serious problems: No one (YETLKNON), parent/guardian (YETLKPARD), boyfriend/girlfriend (YETLKBGF), other adults (YETLKOTA), or some other person (YETLKSOP). Youths who did not report a positive response to at least one of the source variables (no source variables=1), or youths who reported both being able to talk with no one (YETLKNON=11) and being able to talk to someone (YETLKPARD, YETLKBGF, YETLKOTA, or YETLKSOP=11), or respondents over the age of 17 (all source variables=99) were coded as system missing.

(YETLKBGF, YETLKNON, YETLKOTA, YETLKPARD, YETLKSOP)

[TALKPROB](#) Len : 1 RC-WHO YTH TALKS WITH ABOUT SERIOUS PROBLEMS

	Freq	Pct
. = Otherwise (See comment above)	47677	82.15
1 = No One (YETLKNON=1)	674	1.16
2 = Someone (YETLKPARD, YETLKBGF, YETLKOTA, or YETLKSOP=1)	9683	16.69

RECODED YOUTH EXPERIENCES

<i>(YEPRTDNG)</i>	<i>PRTALK3</i>	Len : 1 RC-TALKED WITH PARENT ABOUT DANGER TOB/ALC/DRG	Freq	Pct
		. = Unknown/Aged 18+ (Otherwise).....	47539	81.92
		1 = Yes (YEPRTDNG=1).....	5631	9.70
		2 = No (YEPRTDNG=2).....	4864	8.38
<i>(YEPRBSLV)</i>	<i>PRBSOLV2</i>	Len : 1 RC-PARTICIPATED IN PRBSLV/COMMSKILL/SELFESTEEM GROUP	Freq	Pct
		. = Unknown/Aged 18+ (Otherwise).....	47653	82.11
		1 = Yes (YEPRBSLV=1).....	2545	4.39
		2 = No (YEPRBSLV=2).....	7836	13.50
<i>(YEVIOPRV)</i>	<i>PREVIOL2</i>	Len : 1 RC-PARTICIPATED IN VIOLENCE PREVENTION PROGRAM	Freq	Pct
		. = Unknown/Aged 18+ (Otherwise).....	47484	81.82
		1 = Yes (YEVIOPRV=1).....	922	1.59
		2 = No (YEVIOPRV=2).....	9628	16.59
<i>(YEDGPRGP)</i>	<i>PRVDRGO2</i>	Len : 1 RC-PARTICIPATED IN SUBSTANCE PREV PROGRAM OUTSIDE SCHOOL	Freq	Pct
		. = Unknown/Aged 18+ (Otherwise).....	47464	81.79
		1 = Yes (YEDGPRGP=1).....	889	1.53
		2 = No (YEDGPRGP=2).....	9681	16.68
<i>(YESLFHLP)</i>	<i>GRPCNSL2</i>	Len : 1 RC-PARTICIPATED IN PROGRAM TO HELP SUBSTANCE USE	Freq	Pct
		. = Unknown/Aged 18+ (Otherwise).....	47470	81.80
		1 = Yes (YESLFHLP=1).....	285	0.49
		2 = No (YESLFHLP=2).....	10279	17.71
<i>(YEPRGSTD)</i>	<i>PREPGPM2</i>	Len : 1 RC-PARTICIPATED IN PREG/STD PREVENTION PROGRAM	Freq	Pct
		. = Unknown/Aged 18+ (Otherwise).....	47437	81.74
		1 = Yes (YEPRGSTD=1).....	381	0.66
		2 = No (YEPRGSTD=2).....	10216	17.60
The following variable, YTHACT2, was created by counting the number of positive responses reported over the following four youth activity questions: School-based (YESCHACT), community-based (YECOMACT), church or faith-based (YEFAIACT), or other activities (YEOTHACT). Youth respondents who reported participation in two or more activities were included in the "Two or more activities" category regardless of how many other activity questions were answered. Youth respondents who did not answer two or more of the four youth activity questions with a "yes" or "no" response were coded as system missing. To be included in the "None or one activity" category, a youth respondent must have answered two or more of the activity questions and reported they participated in either zero or one activity.				
<i>(YECOMACT, YEFAIACT, YEOTHACT, YESCHACT)</i>	<i>YTHACT2</i>	Len : 1 RC-YTH PARTICIPATED IN YOUTH ACTIVITIES	Freq	Pct
		. = Otherwise/Aged 18+ (See comment above).....	47420	81.71
		1 = None or one activity (See comment above)	2578	4.44
		2 = Two or more activities (See comment above).....	8036	13.85
<i>(YEPVNTYR)</i>	<i>DRPRVME3</i>	Len : 1 RC-YTH SEEN ALC OR DRUG PREVENTION MESSAGE OUTSIDE SCHOOL	Freq	Pct
		. = Unknown/Aged 18+ (Otherwise).....	47516	81.88
		1 = Yes (YEPVNTYR=1).....	6835	11.78
		2 = No (YEPVNTYR=2).....	3683	6.35

RECODED YOUTH EXPERIENCES

(YEDECLAS, YEDERGLR, YEDESPCL)

ANYEDUC3

Len : 1 RC-YTH HAD ANY DRUG OR ALCOHOL EDUCATION IN SCHOOL

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	48011	82.73
1 = Yes (YEDECLAS=1 or YEDERGLR=1 or YEDESPCL=1).....	6174	10.64
2 = No (YEDECLAS=2 & YEDERGLR=2 & YEDESPCL=2).....	3849	6.63

(YERLGSVC)

RLGATTD

Len : 1 RC-NUMBER TIMES ATTEND RELIGIOUS SERVICES IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47623	82.06
1 = 25 or More (YERLGSVC=5,6).....	2053	3.54
2 = Less than 25 (YERLGSVC=1,2,3,4).....	8358	14.40

(YERLGIMP)

RLGIMPT

Len : 1 RC-RELIGIOUS BELIEFS VERY IMPORTANT IN LIFE

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47659	82.12
1 = Agree/Strongly Agree (YERLGIMP=3,4)	6460	11.13
2 = Strongly Disagree/Disagree (YERLGIMP=1,2).....	3915	6.75

(YERLDCSN)

RLGDCSN

Len : 1 RC-RELIGIOUS BELIEFS INFLUENCE LIFE DECISIONS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47643	82.09
1 = Agree/Strongly Agree (YERLDCSN=3,4).....	5588	9.63
2 = Strongly Disagree/Disagree (YERLDCSN=1,2).....	4803	8.28

(YERLFRND)

RLGFRND

Len : 1 RC-IMPORTANT FOR FRIENDS TO SHARE RELIGIOUS BELIEFS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47666	82.13
1 = Agree/Strongly Agree (YERLFRND=3,4).....	2521	4.34
2 = Strongly Disagree/Disagree (YERLFRND=1,2).....	7847	13.52

MENTAL HEALTH

MENTAL HEALTH

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

These questions ask how you have been feeling during the past 30 days.

During the past 30 days, how often did you feel nervous?

(NERVE30) <u>DSTNRV30¹</u>	Len : 2 HOW OFTEN FELT NERVOUS PAST 30 DAYS	Freq	Pct
1 = All of the time.....	1496	2.58	
2 = Most of the time.....	3432	5.91	
3 = Some of the time.....	11172	19.25	
4 = A little of the time.....	14545	25.06	
5 = None of the time	15109	26.03	
85 = BAD DATA Logically assigned	11	0.02	
94 = DON'T KNOW	81	0.14	
97 = REFUSED	97	0.17	
98 = BLANK (NO ANSWER)	1348	2.32	
99 = LEGITIMATE SKIP.....	10743	18.51	

During the past 30 days, how often did you feel hopeless?

(HOPE30) <u>DSTHOP30¹</u>	Len : 2 HOW OFTEN FELT HOPELESS PAST 30 DAYS	Freq	Pct
1 = All of the time.....	880	1.52	
2 = Most of the time.....	1764	3.04	
3 = Some of the time.....	5337	9.20	
4 = A little of the time.....	9325	16.07	
5 = None of the time	28439	49.00	
85 = BAD DATA Logically assigned	11	0.02	
94 = DON'T KNOW	77	0.13	
97 = REFUSED	103	0.18	
98 = BLANK (NO ANSWER)	1355	2.33	
99 = LEGITIMATE SKIP.....	10743	18.51	

During the past 30 days, how often did you feel restless or fidgety?

(FIDG30) <u>DSTRST30¹</u>	Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY PST 30 DYS	Freq	Pct
1 = All of the time.....	1414	2.44	
2 = Most of the time.....	3007	5.18	
3 = Some of the time.....	8472	14.60	
4 = A little of the time.....	12320	21.23	
5 = None of the time	20534	35.38	
85 = BAD DATA Logically assigned	11	0.02	
94 = DON'T KNOW	78	0.13	
97 = REFUSED	93	0.16	
98 = BLANK (NO ANSWER)	1362	2.35	
99 = LEGITIMATE SKIP.....	10743	18.51	

MENTAL HEALTH

During the past 30 days, how often did you feel so sad or depressed that nothing could cheer you up?

(NOCHR30)

DSTCHR30¹

Len : 2 HOW OFTEN FELT SAD NOTHING COULD CHEER YOU UP

	Freq	Pct
1 = All of the time.....	779	1.34
2 = Most of the time.....	1831	3.16
3 = Some of the time.....	5231	9.01
4 = A little of the time.....	9342	16.10
5 = None of the time	28560	49.21
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	75	0.13
97 = REFUSED	98	0.17
98 = BLANK (NO ANSWER)	1364	2.35
99 = LEGITIMATE SKIP.....	10743	18.51

During the past 30 days, how often did you feel that everything was an effort?

(EFFORT30)

DSTEFF30¹

Len : 2 HOW OFT FELT EVERYTHING EFFORT PST 30 DYS

	Freq	Pct
1 = All of the time.....	2156	3.72
2 = Most of the time.....	3672	6.33
3 = Some of the time.....	7475	12.88
4 = A little of the time.....	11827	20.38
5 = None of the time	20513	35.35
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	157	0.27
97 = REFUSED	109	0.19
98 = BLANK (NO ANSWER)	1371	2.36
99 = LEGITIMATE SKIP.....	10743	18.51

During the past 30 days, how often did you feel down on yourself, no good or worthless?

(DOWN30)

DSTNGD30¹

Len : 2 HOW OFT FELT DOWN/WTHLSS/NO GOOD PST 30 DYS

	Freq	Pct
1 = All of the time.....	1173	2.02
2 = Most of the time.....	2365	4.08
3 = Some of the time.....	5420	9.34
4 = A little of the time.....	9387	16.18
5 = None of the time	27377	47.17
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	80	0.14
97 = REFUSED	102	0.18
98 = BLANK (NO ANSWER)	1376	2.37
99 = LEGITIMATE SKIP.....	10743	18.51

The last questions asked about how you have been feeling during the past 30 days. Now think about the past 12 months. Was there a month in the past 12 months when you felt more depressed, anxious, or emotionally stressed than you felt during the past 30 days?

(WORST30)

DSTWORST¹

Len : 2 MON IN PST 12 MOS FELT WORSE THAN PST 30 DYS

	Freq	Pct
1 = Yes.....	16753	28.87
2 = No.....	28894	49.79
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	146	0.25
97 = REFUSED	102	0.18
98 = BLANK (NO ANSWER)	1385	2.39
99 = LEGITIMATE SKIP.....	10743	18.51

MENTAL HEALTH

Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed.

During that month, how often did you feel nervous?

(DSNERVI)

DSTNRV12¹

Len : 2 HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS

	Freq	Pct
1 = All of the time.....	2354	4.06
2 = Most of the time.....	4930	8.50
3 = Some of the time.....	5513	9.50
4 = A little of the time.....	3142	5.41
5 = None of the time	800	1.38
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	9	0.02
97 = REFUSED	105	0.18
98 = BLANK (NO ANSWER)	1538	2.65
99 = LEGITIMATE SKIP.....	39637	68.30

During that same month when you were at your worst emotionally...

how often did you feel hopeless?

(DSHOPDE)

DSTHOP12¹

Len : 2 HOW OFTEN FELT HOPELESS IN WORST MONTH

	Freq	Pct
1 = All of the time.....	1959	3.38
2 = Most of the time.....	3421	5.89
3 = Some of the time.....	4414	7.61
4 = A little of the time.....	3472	5.98
5 = None of the time	3466	5.97
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	9	0.02
97 = REFUSED	110	0.19
98 = BLANK (NO ANSWER)	1540	2.65
99 = LEGITIMATE SKIP.....	39637	68.30

During that same month when you were at your worst emotionally...

how often did you feel restless or fidgety?

(DSFIDG)

DSTRST12¹

Len : 2 HOW OFTEN FELT RESTLESS IN WORST MONTH

	Freq	Pct
1 = All of the time.....	1862	3.21
2 = Most of the time.....	3190	5.50
3 = Some of the time.....	4843	8.35
4 = A little of the time.....	4154	7.16
5 = None of the time	2677	4.61
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	13	0.02
97 = REFUSED	109	0.19
98 = BLANK (NO ANSWER)	1543	2.66
99 = LEGITIMATE SKIP.....	39637	68.30

MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel so sad or depressed that nothing could cheer you up?

(DSNOCHR)
DSTCHR12¹

Len : 2 HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH

	Freq	Pct
1 = All of the time.....	1969	3.39
2 = Most of the time.....	3385	5.83
3 = Some of the time.....	4186	7.21
4 = A little of the time.....	3668	6.32
5 = None of the time	3523	6.07
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	8	0.01
97 = REFUSED	108	0.19
98 = BLANK (NO ANSWER)	1544	2.66
99 = LEGITIMATE SKIP.....	39637	68.30

During that same month when you were at your worst emotionally...

how often did you feel that everything was an effort?

(DSEFFORT)
DSTEFF12¹

Len : 2 HOW OFT FELT EVERYTHING AN EFFORT IN WORST MON

	Freq	Pct
1 = All of the time.....	2882	4.97
2 = Most of the time.....	3929	6.77
3 = Some of the time.....	4119	7.10
4 = A little of the time.....	3580	6.17
5 = None of the time	2199	3.79
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	24	0.04
97 = REFUSED	112	0.19
98 = BLANK (NO ANSWER)	1546	2.66
99 = LEGITIMATE SKIP.....	39637	68.30

During that same month when you were at your worst emotionally...

how often did you feel down on yourself, no good, or worthless?

(DSDOWN)
DSTNGD12¹

Len : 2 HOW OFTEN FELT NO GOOD IN WORST MONTH

	Freq	Pct
1 = All of the time.....	2188	3.77
2 = Most of the time.....	3108	5.36
3 = Some of the time.....	3727	6.42
4 = A little of the time.....	3470	5.98
5 = None of the time	4228	7.29
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	10	0.02
97 = REFUSED	110	0.19
98 = BLANK (NO ANSWER)	1550	2.67
99 = LEGITIMATE SKIP.....	39637	68.30

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have remembering to do things you needed to do?

(LIREMEM)
IMPREMEM¹

Len : 2 DIFFICULTY REMEMBERING ONE MO IN PAST 12 MOS

	Freq	Pct
1 = No difficulty	16736	28.84
2 = Mild difficulty.....	12058	20.78
3 = Moderate difficulty	5516	9.50
4 = Severe difficulty.....	1766	3.04
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	76	0.13
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	81	0.14
99 = LEGITIMATE SKIP.....	21749	37.48

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have concentrating on doing something important when other things were going on around you?

(LICONCEN)
IMP CONCN¹

Len : 2 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS

	Freq	Pct
1 = No difficulty	14031	24.18
2 = Mild difficulty.....	12726	21.93
3 = Moderate difficulty	6680	11.51
4 = Severe difficulty.....	2632	4.54
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	68	0.12
97 = REFUSED	48	0.08
98 = BLANK (NO ANSWER)	89	0.15
99 = LEGITIMATE SKIP.....	21749	37.48

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have going out of the house and getting around on your own?

(LIGOOUT)
IMP GOUT¹

Len : 2 DIFFICULTY GOING OUT ONE MO IN PST 12 MO

	Freq	Pct
1 = No difficulty	21515	37.07
2 = Mild difficulty.....	6763	11.65
3 = Moderate difficulty	4431	7.64
4 = Severe difficulty.....	1977	3.41
5 = You didn't leave the house on your own	1396	2.41
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	49	0.08
97 = REFUSED	49	0.08
98 = BLANK (NO ANSWER)	94	0.16
99 = LEGITIMATE SKIP.....	21749	37.48

Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?

(LIGOOUT2)
IMP GOUTM¹

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE

	Freq	Pct
1 = Yes.....	866	1.49
2 = No.....	526	0.91
94 = DON'T KNOW	4	0.01
97 = REFUSED	49	0.08
98 = BLANK (NO ANSWER)	154	0.27
99 = LEGITIMATE SKIP.....	56435	97.24

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have dealing with people you did not know well?

(LISTRAN)
IMP PEOP¹

Len : 2 DIFFICULTY DEALING W STRANGERS ONE MO IN PST 12 M

	Freq	Pct
1 = No difficulty	18321	31.57
2 = Mild difficulty.....	8465	14.59
3 = Moderate difficulty	5027	8.66
4 = Severe difficulty.....	2355	4.06
5 = You didn't deal with people you did not know well.....	1896	3.27
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	57	0.10
97 = REFUSED	49	0.08
98 = BLANK (NO ANSWER)	104	0.18
99 = LEGITIMATE SKIP.....	21749	37.48

MENTAL HEALTH

Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?

<i>(LISTRAN2)</i> <u>IMPPEOPM</u> ¹	Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM DEALING W STRAGR	Freq	Pct
1 = Yes.....	768	1.32	
2 = No.....	1119	1.93	
94 = DON'T KNOW	6	0.01	
97 = REFUSED	52	0.09	
98 = BLANK (NO ANSWER)	172	0.30	
99 = LEGITIMATE SKIP.....	55917	96.35	

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have participating in social activities, like visiting friends or going to parties?

<i>(LISOC1)</i> <u>IMPSOC</u> ¹	Len : 2 DIFFICULTY PARTICIPATE IN SOCIAL ACT 1 MO /12 MO	Freq	Pct
1 = No difficulty	16516	28.46	
2 = Mild difficulty.....	7979	13.75	
3 = Moderate difficulty	5009	8.63	
4 = Severe difficulty.....	2739	4.72	
5 = You didn't participate in social activities	3823	6.59	
85 = BAD DATA Logically assigned	11	0.02	
94 = DON'T KNOW	49	0.08	
97 = REFUSED	50	0.09	
98 = BLANK (NO ANSWER)	109	0.19	
99 = LEGITIMATE SKIP.....	21749	37.48	

Did problems with your emotions, nerves, or mental health keep you from participating in social activities?

<i>(LISOC2)</i> <u>IMPSOCM</u> ¹	Len : 2 EMOTIONAL PROBS KEEP YOU FROM PART IN SOCIAL	Freq	Pct
1 = Yes.....	1485	2.56	
2 = No.....	2327	4.01	
94 = DON'T KNOW	7	0.01	
97 = REFUSED	54	0.09	
98 = BLANK (NO ANSWER)	169	0.29	
99 = LEGITIMATE SKIP.....	53992	93.04	

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of household responsibilities?

<i>(LIHHRES1)</i> <u>IMPHHLD</u> ¹	Len : 2 DIFFICULTY HOUSE RESPONS ONE MO IN PST 12 MO	Freq	Pct
1 = No difficulty	17478	30.12	
2 = Mild difficulty.....	9464	16.31	
3 = Moderate difficulty	5582	9.62	
4 = Severe difficulty.....	2905	5.01	
5 = You didn't take care of household responsibilities	644	1.11	
85 = BAD DATA Logically assigned	11	0.02	
94 = DON'T KNOW	42	0.07	
97 = REFUSED	43	0.07	
98 = BLANK (NO ANSWER)	116	0.20	
99 = LEGITIMATE SKIP.....	21749	37.48	

MENTAL HEALTH

Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?

<i>(LIHHRES2)</i> <u>IMPHHLD¹</u>	Len : 2 EMOTIONL PROBS MAKE KEEP YOU FRM TAKING CARE HOUS	Freq	Pct
1 = Yes.....	416	0.72	
2 = No.....	225	0.39	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	45	0.08	
98 = BLANK (NO ANSWER)	169	0.29	
99 = LEGITIMATE SKIP.....	57178	98.53	

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of your daily responsibilities at work or school?

<i>(LIWKRES1)</i> <u>IMPRES¹</u>	Len : 2 DIFFICULTY WORK RESPONS ONE MO IN PST 12 MO	Freq	Pct
1 = No difficulty	17978	30.98	
2 = Mild difficulty.....	8483	14.62	
3 = Moderate difficulty	4581	7.89	
4 = Severe difficulty.....	2097	3.61	
5 = You didn't work or go to school.....	2894	4.99	
85 = BAD DATA Logically assigned	11	0.02	
94 = DON'T KNOW	61	0.11	
97 = REFUSED	56	0.10	
98 = BLANK (NO ANSWER)	124	0.21	
99 = LEGITIMATE SKIP.....	21749	37.48	

Did problems with your emotions, nerves, or mental health keep you from working or going to school?

<i>(LIWKRES2)</i> <u>IMPRESP¹</u>	Len : 2 DID EMOTIONAL PROBS KEEP YOU FROM WORK/SCHOOL	Freq	Pct
1 = Yes.....	533	0.92	
2 = No.....	2342	4.04	
94 = DON'T KNOW	6	0.01	
97 = REFUSED	69	0.12	
98 = BLANK (NO ANSWER)	196	0.34	
99 = LEGITIMATE SKIP.....	54888	94.58	

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting your daily work done as quickly as needed?

<i>(LIWKQUIC)</i> <u>IMPWORK¹</u>	Len : 2 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MO	Freq	Pct
1 = No difficulty	15981	27.54	
2 = Mild difficulty.....	10328	17.80	
3 = Moderate difficulty	4920	8.48	
4 = Severe difficulty.....	1915	3.30	
85 = BAD DATA Logically assigned	11	0.02	
94 = DON'T KNOW	56	0.10	
97 = REFUSED	54	0.09	
98 = BLANK (NO ANSWER)	126	0.22	
99 = LEGITIMATE SKIP.....	24643	42.46	

MENTAL HEALTH

You mentioned having difficulty with or being unable to do such things as [FILL].

During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

<i>(IMWEEK1)</i> <u>IMPWEEKS¹</u>	Len : 2 NUM WEEKS HAVE DIFFICULTIES BECAUSE OF MENTL HLTH	Freq	Pct
RANGE = 1 - 52	27005	46.53	
85 = BAD DATA Logically assigned	5	0.01	
94 = DON'T KNOW	679	1.17	
97 = REFUSED	158	0.27	
98 = BLANK (NO ANSWER)	227	0.39	
99 = LEGITIMATE SKIP.....	29960	51.62	

During that/those [IMWEEK1] week/weeks did you have these kinds of difficulties every day, most days, or only one or two days a week?

<i>(IMDAYS)</i> <u>IMPDYFRQ¹</u>	Len : 2 HOW MANY DAYS IN WEEK DID YOU HAVE DIFFICULTIES	Freq	Pct
1 = Every day.....	1698	2.93	
2 = Most days.....	9836	16.95	
3 = Only one or two days a week.....	15387	26.51	
85 = BAD DATA Logically assigned	5	0.01	
94 = DON'T KNOW	63	0.11	
97 = REFUSED	172	0.30	
98 = BLANK (NO ANSWER)	913	1.57	
99 = LEGITIMATE SKIP.....	29960	51.62	

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your emotions, nerves or mental health?

You can use any number between 0 and 365 to answer.

<i>(LIAD68)</i> <u>IMPYDAYS¹</u>	Len : 3 HOW MANY DAY IN PAST YR YOU WERE UNABLE TO WORK	Freq	Pct
RANGE = 0 - 365	27367	47.16	
985 = BAD DATA Logically assigned	5	0.01	
994 = DON'T KNOW	367	0.63	
997 = REFUSED	95	0.16	
998 = BLANK (NO ANSWER).....	240	0.41	
999 = LEGITIMATE SKIP.....	29960	51.62	

The next few questions are about thoughts of suicide. At any time in the past 12 months, that is from [DATEFILL] up to and including today, did you seriously think about trying to kill yourself?

<i>(SUIJ01)</i> <u>SUICTHNK¹</u>	Len : 2 SERIOUSLY THINK ABOUT KILLING SELF PST 12 MOS	Freq	Pct
1 = Yes.....	3055	5.26	
2 = No.....	42494	73.22	
85 = BAD DATA Logically assigned	12	0.02	
94 = DON'T KNOW	66	0.11	
97 = REFUSED	150	0.26	
98 = BLANK (NO ANSWER)	1514	2.61	
99 = LEGITIMATE SKIP.....	10743	18.51	

MENTAL HEALTH

Was this because of the COVID-19 pandemic?

<i>(COV9)</i> <u>COSUITHINK</u>	Len : 2 ADULT THINK ABOUT KILLING YOURSELF DUE TO COVID-19	Freq	Pct
1 = Yes.....		515	0.89
2 = No.....		2518	4.34
85 = BAD DATA Logically assigned		7	0.01
94 = DON'T KNOW		19	0.03
97 = REFUSED		3	0.01
98 = BLANK (NO ANSWER)		1735	2.99
99 = LEGITIMATE SKIP.....		53237	91.73

During the past 12 months, did you make any plans to kill yourself?

<i>(SUI02)</i> <u>SUIPLANRYR</u> ¹	Len : 2 ADULT MAKE PLANS TO KILL SELF PST 12 MOS	Freq	Pct
1 = Yes.....		945	1.63
2 = No.....		44660	76.95
85 = BAD DATA Logically assigned		12	0.02
94 = DON'T KNOW		45	0.08
97 = REFUSED		113	0.19
98 = BLANK (NO ANSWER)		1516	2.61
99 = LEGITIMATE SKIP.....		10743	18.51

Was this because of the COVID-19 pandemic?

<i>(COV10)</i> <u>COSUIPLNYR</u>	Len : 2 ADULT MAKE PLAN TO KILL YOURSELF DUE TO COVID-19	Freq	Pct
1 = Yes.....		143	0.25
2 = No.....		791	1.36
85 = BAD DATA Logically assigned		7	0.01
94 = DON'T KNOW		5	0.01
97 = REFUSED		6	0.01
98 = BLANK (NO ANSWER)		1679	2.89
99 = LEGITIMATE SKIP.....		55403	95.47

NOTE: The following variable, KSSLR6MONED, is a score with values ranging from 0 to 24 indicating the level of psychological distress over the past 30 days (past month). This variable is based on data collected from a series of six questions known as the K6, asking adult respondents how frequently they experienced symptoms of psychological distress during the past 30 days. These questions include the following symptoms of distress: feeling nervous (DSTNRV30), feeling hopeless (DSTHOP30), feeling restless or fidgety (DSTRST30), feeling so sad or depressed that nothing could cheer you up (DSTCHR30), feeling that everything was an effort (DSTEFF30), and feeling down on yourself, no good, or worthless (DSTNGD30). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6MONED. Specific details about this variable are provided in the Recoded Mental Health Appendix.

<i>(DSTCHR30, DSTEFF30, DSTHOP30, DSTNGD30, DSTNRV30, DSTRST30)</i> <u>KSSLR6MONED</u>	Len : 2 K6 TOTAL SCORE IN PAST MONTH	Freq	Pct
RANGE = 0 - 24.....		45511	78.42
. = missing or Aged 12-17.....		12523	21.58

MENTAL HEALTH

NOTE: The following variable, KSSLR6YRED, is a score with values ranging from 0 to 24 indicating the level of psychological distress during the worst month of the past year, that was not the past 30 days. This variable is only defined for respondents who reported that there was a month in the past 12 months when he/she was more depressed, anxious, or emotionally stressed than during the past 30 days (DSTWORST=1). This score variable is based on a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during their worst month in the past year (only if the worst month was not the past 30 days). These questions are from the K6 and include the following symptoms of distress: feeling nervous (DSTNRV12), feeling hopeless (DSTHOP12), feeling restless or fidgety (DSTRST12), feeling so sad or depressed that nothing could cheer them up (DSTCHR12), feeling that everything was an effort (DSTEFL12), and feeling down on themselves, no good, or worthless (DSTNGD12). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6YRED. For respondents who indicated that they did not have a month in the past year worse than the past 30 days, KSSLR6YRED was set to missing. Specific details about this variable are provided in the Recoded Mental Health Appendix.

(DSTCHR12, DSTEFL12, DSTHOP12, DSTNGD12, DSTNRV12, DSTRST12, DSTWORST)
KSSLR6YRED Len : 2 K6 TOTAL SCORE IN PAST YEAR

	Freq	Pet
RANGE = 0 - 24.....	16679	28.74
. = Aged 12-17, missing, or DSTWORST in (2,85,94,97,98)	41355	71.26

NOTE: The following two variables, WHODASSCED and WHODASDAED, are score variables that indicate the level of impairment for respondents. These variables are based on data collected from a series of thirteen questions asking respondents how much difficulty they experienced in doing eight daily activities in the one month in the past year when they were at their worst emotionally. These questions, drawn from the World Health Organization Disability Assessment Schedule (WHODAS), comprise an abbreviated scale which is used to capture information on impairment (see the Recoded Mental Health Appendix for more information). Respondents who had indicated during the administration of any of the K6 items that they had experienced at least one of the K6 symptoms (defined in the note above variables KSSLR6MONED and KSSLR6YRED) at least "a little of the time" (i.e., KSSLR6MONED greater than 0 or KSSLR6YRED greater than 0) were asked about remembering to do things they needed to do (IMPREMEM), concentrating on doing something important when other things were going on around them (IMPCONCN), going out of the house and getting around on their own (IMPGOUT, IMPGOUTM), dealing with people they did not know well (IMPPEOP, IMPPEOPM), participating in social activities (IMPSOC, IMPSOCM), taking care of household responsibilities (IMPHHLD, IMPHHLDM), taking care of daily responsibilities at work or school (IMPRESP, IMPRESPM), and getting daily work done as quickly as needed (IMPWORK, IMPRESPM). Respondents who reported that they did not engage in an activity were asked a follow-up question to determine if they did not do so because of emotions, nerves, or mental health.

For the WHODAS total score, WHODASSCED, a value of 3 was assigned for each of the daily activities that a respondent indicated having "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. A value of 2 was assigned for each of the daily activities that a respondent indicated having "moderate" difficulty performing, and a value of 1 was assigned for "mild" difficulty. For activities that had a follow-up question, a response of "yes" was assigned a value of 3 as having "severe difficulty." A value of 0 was assigned for all other non-missing responses for each activity. These assigned values were summed to calculate a total score for WHODASSCED which ranges from 0 to 24. WHODASSCED was set equal to 0 for respondents with KSSLR6MAX=0.

For the alternative WHODAS total score, WHODASDAED, a value of 1 was assigned for each of the daily activities that a respondent indicated having "moderate" or "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. For activities that had a follow-up question, a response of "yes" was assigned a value of 1 as having "moderate or severe difficulty." A value of 0 was assigned for all other non-missing responses for each activity. These assigned values were summed to calculate a total score for WHODASDAED which ranges from 0 to 8. WHODASDAED was set equal to 0 for respondents with KSSLR6MAX=0.

Specific details about these variables are provided in the Recoded Mental Health Appendix.

(IMPCONCN, IMPGOUT, IMPGOUTM, IMPHHLD, IMPHHLDM, IMPPEOP, IMPPEOPM, IMPREMEM, IMPRESP, IMPRESPM, IMPSOC, IMPSOCM, IMPWORK, KSSLR6MAX)
WHODASSCED Len : 2 WHODAS TOTAL SCORE

	Freq	Pet
RANGE = 0 - 24.....	45628	78.62
. = missing or Aged 12-17.....	12406	21.38

(IMPCONCN, IMPGOUT, IMPGOUTM, IMPHHLD, IMPHHLDM, IMPPEOP, IMPPEOPM, IMPREMEM, IMPRESP, IMPRESPM, IMPSOC, IMPSOCM, IMPWORK, KSSLR6MAX)
WHODASDAED Len : 2 ALTERNATIVE WHODAS SCORE

	Freq	Pet
RANGE = 0 - 8.....	45628	78.62
. = missing or Aged 12-17.....	12406	21.38

IMPUTED MENTAL HEALTH

IMPUTED MENTAL HEALTH

(DSTNRV30)

IRDSTNRV30

Len : 2 HOW OFTEN FELT NERVOUS PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time.....	1548	2.67
2 = Most of the time.....	3555	6.13
3 = Some of the time.....	11565	19.93
4 = A little of the time.....	14993	25.83
5 = None of the time.....	15630	26.93
99 = LEGITIMATE SKIP.....	10743	18.51

(DSTNRV30)

IIDSTNRV30

Len : 2 HOW OFTEN FELT NERVOUS PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data	45754	78.84
3 = Statistically imputed data.....	1537	2.65
9 = LEGITIMATE SKIP.....	10743	18.51

(DSTHOP30)

IRDSTHOP30

Len : 2 HOW OFTEN FELT HOPELESS PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time.....	912	1.57
2 = Most of the time.....	1836	3.16
3 = Some of the time.....	5564	9.59
4 = A little of the time.....	9642	16.61
5 = None of the time	29337	50.55
99 = LEGITIMATE SKIP.....	10743	18.51

(DSTHOP30)

IIDSTHOP30

Len : 2 HOW OFTEN FELT HOPELESS PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data	45745	78.82
3 = Statistically imputed data.....	1546	2.66
9 = LEGITIMATE SKIP.....	10743	18.51

(DSTRST30)

IRDSTRST30

Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time.....	1475	2.54
2 = Most of the time.....	3131	5.40
3 = Some of the time.....	8755	15.09
4 = A little of the time.....	12716	21.91
5 = None of the time	21214	36.55
99 = LEGITIMATE SKIP.....	10743	18.51

(DSTRST30)

IIDSTRST30

Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data	45747	78.83
3 = Statistically imputed data.....	1544	2.66
9 = LEGITIMATE SKIP.....	10743	18.51

(DSTCHR30)

IRDSTCHR30

Len : 2 HOW OFTEN FELT COULDN'T BE CHEERED UP PST 30 DYS - IMP REV

	Freq	Pct
1 = All of the time.....	805	1.39
2 = Most of the time.....	1908	3.29
3 = Some of the time.....	5443	9.38
4 = A little of the time.....	9671	16.66
5 = None of the time	29464	50.77
99 = LEGITIMATE SKIP.....	10743	18.51

IMPUTED MENTAL HEALTH

(DSTCHR30)
IIDSTCHR30

Len : 2 HOW OFTEN FELT COULDN'T BE CHEERED UP PST 30 DYS - IMP IND

1 = Questionnaire data
3 = Statistically imputed data
9 = LEGITIMATE SKIP.....

Freq	Pct
45743	78.82
1548	2.67
10743	18.51

(DSTEFF30)
IRDSTEFF30

Len : 2 HOW OFTEN FELT EVERYTHING EFFORT PAST 30 DAYS - IMP REV

1 = All of the time.....
2 = Most of the time.....
3 = Some of the time.....
4 = A little of the time.....
5 = None of the time
99 = LEGITIMATE SKIP.....

Freq	Pct
2244	3.87
3815	6.57
7772	13.39
12237	21.09
21223	36.57
10743	18.51

(DSTEFF30)
IIDSTEFF30

Len : 2 HOW OFTEN FELT EVERYTHING EFFORT PAST 30 DAYS - IMP IND

1 = Questionnaire data
3 = Statistically imputed data
9 = LEGITIMATE SKIP.....

Freq	Pct
45643	78.65
1648	2.84
10743	18.51

(DSTNGD30)
IRDSTNGD30

Len : 2 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD PAST 30 DAYS - IMP REV

1 = All of the time.....
2 = Most of the time.....
3 = Some of the time.....
4 = A little of the time.....
5 = None of the time
99 = LEGITIMATE SKIP.....

Freq	Pct
1228	2.12
2447	4.22
5650	9.74
9695	16.71
28271	48.71
10743	18.51

(DSTNGD30)
IIDSTNGD30

Len : 2 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD PAST 30 DAYS - IMP IND

1 = Questionnaire data
3 = Statistically imputed data
9 = LEGITIMATE SKIP.....

Freq	Pct
45722	78.78
1569	2.70
10743	18.51

(DSTWORST)
IRDSTWORST

Len : 2 MONTH IN PAST 12 MOS FELT WORSE THAN PAST 30 DAYS - IMP REV

1 = Yes.....
2 = No.....
99 = LEGITIMATE SKIP.....

Freq	Pct
17375	29.94
29916	51.55
10743	18.51

(DSTWORST)
IIDSTWORST

Len : 2 MONTH IN PAST 12 MOS FELT WORSE THAN PAST 30 DAYS - IMP IND

1 = Questionnaire data
3 = Statistically imputed data
9 = LEGITIMATE SKIP.....

Freq	Pct
45647	78.66
1644	2.83
10743	18.51

(DSTNRV12)
IRDSTNRV12

Len : 2 HOW OFTEN FELT NERVOUS WRST MONTH - IMP REV

1 = All of the time.....
2 = Most of the time.....
3 = Some of the time.....
4 = A little of the time.....
5 = None of the time
99 = LEGITIMATE SKIP.....

Freq	Pct
2434	4.19
5125	8.83
5701	9.82
3276	5.64
839	1.45
40659	70.06

IMPUTED MENTAL HEALTH

(DSTNRV12)
IIDSTNRV12

Len : 2 HOW OFTEN FELT NERVOUS WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	16739	28.84
3 = Statistically imputed data.....	636	1.10
9 = LEGITIMATE SKIP.....	40659	70.06

(DSTHOP12)
IRDSTHOP12

Len : 2 HOW OFTEN FELT HOPELESS WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time.....	2033	3.50
2 = Most of the time.....	3565	6.14
3 = Some of the time.....	4566	7.87
4 = A little of the time.....	3617	6.23
5 = None of the time	3594	6.19
99 = LEGITIMATE SKIP.....	40659	70.06

(DSTHOP12)
IIDSTHOP12

Len : 2 HOW OFTEN FELT HOPELESS WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	16732	28.83
3 = Statistically imputed data.....	643	1.11
9 = LEGITIMATE SKIP.....	40659	70.06

(DSTRST12)
IRDSTRST12

Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time.....	1937	3.34
2 = Most of the time.....	3332	5.74
3 = Some of the time.....	5029	8.67
4 = A little of the time.....	4317	7.44
5 = None of the time	2760	4.76
99 = LEGITIMATE SKIP.....	40659	70.06

(DSTRST12)
IIDSTRST12

Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	16726	28.82
3 = Statistically imputed data.....	649	1.12
9 = LEGITIMATE SKIP.....	40659	70.06

(DSTCHR12)
IRDSTCHR12

Len : 2 HOW OFTEN FELT COULDN'T BE CHEERED UP WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time.....	2048	3.53
2 = Most of the time.....	3526	6.08
3 = Some of the time.....	4335	7.47
4 = A little of the time.....	3824	6.59
5 = None of the time	3642	6.28
99 = LEGITIMATE SKIP.....	40659	70.06

(DSTCHR12)
IIDSTCHR12

Len : 2 HOW OFTEN FELT COULDN'T BE CHEERED UP WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	16731	28.83
3 = Statistically imputed data.....	644	1.11
9 = LEGITIMATE SKIP.....	40659	70.06

IMPUTED MENTAL HEALTH

(DSTEFF12)
IRDSTEFF12

Len : 2 HOW OFTEN FELT EVERYTHING EFFORT WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time.....	3001	5.17
2 = Most of the time.....	4099	7.06
3 = Some of the time.....	4272	7.36
4 = A little of the time.....	3722	6.41
5 = None of the time	2281	3.93
99 = LEGITIMATE SKIP.....	40659	70.06

(DSTEFF12)
IIDSTEFF12

Len : 2 HOW OFTEN FELT EVERYTHING EFFORT WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	16709	28.79
3 = Statistically imputed data.....	666	1.15
9 = LEGITIMATE SKIP.....	40659	70.06

(DSTNGD12)
IRDSTNGD12

Len : 2 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time.....	2291	3.95
2 = Most of the time.....	3221	5.55
3 = Some of the time.....	3863	6.66
4 = A little of the time.....	3617	6.23
5 = None of the time	4383	7.55
99 = LEGITIMATE SKIP.....	40659	70.06

(DSTNGD12)
IIDSTNGD12

Len : 2 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	16721	28.81
3 = Statistically imputed data.....	654	1.13
9 = LEGITIMATE SKIP.....	40659	70.06

(IMPREMEM)
IRIMPREMEM

Len : 2 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	17389	29.96
2 = Mild difficulty.....	12505	21.55
3 = Moderate difficulty	5745	9.90
4 = Severe difficulty.....	1839	3.17
99 = LEGITIMATE SKIP.....	20556	35.42

(IMPREMEM)
IIIMPREMEM

Len : 2 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	36076	62.16
3 = Statistically imputed data.....	1402	2.42
9 = LEGITIMATE SKIP.....	20556	35.42

(IMPCONCN)
IRIMPCONCN

Len : 2 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	14574	25.11
2 = Mild difficulty.....	13208	22.76
3 = Moderate difficulty	6950	11.98
4 = Severe difficulty.....	2746	4.73
99 = LEGITIMATE SKIP.....	20556	35.42

(IMPCONCN)
IIIMPCONCN

Len : 2 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	36069	62.15
3 = Statistically imputed data.....	1409	2.43
9 = LEGITIMATE SKIP.....	20556	35.42

IMPUTED MENTAL HEALTH

		Freq	Pct
<i>(IMPGOUT)</i>	<i>IRIMPGOUT</i>		
Len : 2 DIFFICULTY GOING OUT ONE MO IN PST 12 MOS - IMP REV			
1 = No difficulty		22334	38.48
2 = Mild difficulty.....		7031	12.12
3 = Moderate difficulty		4594	7.92
4 = Severe difficulty.....		2066	3.56
5 = You didn't leave the house on your own		1453	2.50
99 = LEGITIMATE SKIP.....		20556	35.42
<i>(IMPGOUT)</i>	<i>IIIMPGOUT</i>		
Len : 2 DIFFICULTY GOING OUT ONE MO IN PST 12 MOS - IMP IND			
1 = Questionnaire data		36082	62.17
3 = Statistically imputed data.....		1396	2.41
9 = LEGITIMATE SKIP.....		20556	35.42
<i>(IMPGOUTM)</i>	<i>IRIMPGOUTM</i>		
Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE - IMP REV			
1 = Yes.....		906	1.56
2 = No.....		547	0.94
99 = LEGITIMATE SKIP.....		56581	97.50
<i>(IMPGOUTM)</i>	<i>IIIMPGOUTM</i>		
Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE - IMP IND			
1 = Questionnaire data		36078	62.17
3 = Statistically imputed data.....		1400	2.41
9 = LEGITIMATE SKIP.....		20556	35.42
<i>(IMPPEOP)</i>	<i>IRIMPPEOP</i>		
Len : 2 DIFFICULTY DEALING W STRNGERS ONE MO IN PST 12 MOS - IMP REV			
1 = No difficulty		19014	32.76
2 = Mild difficulty.....		8813	15.19
3 = Moderate difficulty		5228	9.01
4 = Severe difficulty.....		2449	4.22
5 = You didn't deal with people you did not know well.....		1974	3.40
99 = LEGITIMATE SKIP.....		20556	35.42
<i>(IMPPEOP)</i>	<i>IIIMPPEOP</i>		
Len : 2 DIFFICULTY DEALING W STRNGERS ONE MO IN PST 12 MOS - IMP IND			
1 = Questionnaire data		36064	62.14
3 = Statistically imputed data.....		1414	2.44
9 = LEGITIMATE SKIP.....		20556	35.42
<i>(IMPPEOPM)</i>	<i>IRIMPPEOPM</i>		
Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM DEALING W STRNGRS - IMP REV			
1 = Yes.....		806	1.39
2 = No.....		1168	2.01
99 = LEGITIMATE SKIP.....		56060	96.60
<i>(IMPPEOPM)</i>	<i>IIIMPPEOPM</i>		
Len : 2 EMOTIONAL PRBLMS KEEP YOU FROM DEALING W STRNGRS - IMP IND			
1 = Questionnaire data		36055	62.13
3 = Statistically imputed data.....		1423	2.45
9 = LEGITIMATE SKIP.....		20556	35.42

IMPUTED MENTAL HEALTH

(IMPSOC)
IRIMPSOC

Len : 2 DIFFICULTY PART IN SOCIAL ACT ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	17154	29.56
2 = Mild difficulty.....	8275	14.26
3 = Moderate difficulty	5213	8.98
4 = Severe difficulty.....	2854	4.92
5 = You didn't participate in social activities	3982	6.86
99 = LEGITIMATE SKIP.....	20556	35.42

(IMPSOC)
IIIMPSOC

Len : 2 DIFFICULTY PART IN SOCIAL ACT ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	36066	62.15
3 = Statistically imputed data.....	1412	2.43
9 = LEGITIMATE SKIP.....	20556	35.42

(IMPSOCM)
IRIMPSOCM

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM SOCIAL ACT - IMP REV

	Freq	Pct
1 = Yes.....	1553	2.68
2 = No.....	2429	4.19
99 = LEGITIMATE SKIP.....	54052	93.14

(IMPSOCM)
IIIMPSOCM

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM SOCIAL ACT - IMP IND

	Freq	Pct
1 = Questionnaire data	36055	62.13
3 = Statistically imputed data.....	1423	2.45
9 = LEGITIMATE SKIP.....	20556	35.42

(IMPHHLD)
IRIMPHHLD

Len : 2 DIFFICULTY HHLD RESPON ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	18150	31.27
2 = Mild difficulty.....	9828	16.93
3 = Moderate difficulty	5813	10.02
4 = Severe difficulty.....	3012	5.19
5 = You didn't take care of household responsibilities	675	1.16
99 = LEGITIMATE SKIP.....	20556	35.42

(IMPHHLD)
IIIMPHHLD

Len : 2 DIFFICULTY HHLD RESPON ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	36073	62.16
3 = Statistically imputed data.....	1405	2.42
9 = LEGITIMATE SKIP.....	20556	35.42

(IMPHHLD)
IRIMPHHLD

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM HHLD RESP - IMP REV

	Freq	Pct
1 = Yes.....	442	0.76
2 = No.....	233	0.40
99 = LEGITIMATE SKIP.....	57359	98.84

(IMPHHLD)
IIIMPHHLD

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM HHLD RESP - IMP IND

	Freq	Pct
1 = Questionnaire data	36070	62.15
3 = Statistically imputed data.....	1408	2.43
9 = LEGITIMATE SKIP.....	20556	35.42

IMPUTED MENTAL HEALTH

(IMPRES)
IRIMPRESP

Len : 2 DIFFICULTY WORK RESPNS ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	18691	32.21
2 = Mild difficulty.....	8826	15.21
3 = Moderate difficulty	4768	8.22
4 = Severe difficulty.....	2181	3.76
5 = You didn't work or go to school.....	3012	5.19
99 = LEGITIMATE SKIP.....	20556	35.42

(IMPRES)
IIIMPRESP

Len : 2 DIFFICULTY WORK RESPNS ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	36033	62.09
3 = Statistically imputed data.....	1445	2.49
9 = LEGITIMATE SKIP.....	20556	35.42

(IMPRESPM)
IRIMPRESPM

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM WORK OR SCHOOL - IMP REV

	Freq	Pct
1 = Yes.....	562	0.97
2 = No.....	2450	4.22
99 = LEGITIMATE SKIP.....	55022	94.81

(IMPRESPM)
IIIMPRESPM

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM WORK OR SCHOOL - IMP IND

	Freq	Pct
1 = Questionnaire data	36014	62.06
3 = Statistically imputed data.....	1464	2.52
9 = LEGITIMATE SKIP.....	20556	35.42

(IMPWORK)
IRIMPWORK

Len : 2 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	16612	28.62
2 = Mild difficulty.....	10732	18.49
3 = Moderate difficulty	5132	8.84
4 = Severe difficulty.....	1990	3.43
99 = LEGITIMATE SKIP.....	23568	40.61

(IMPWORK)
IIIMPWORK

Len : 2 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	36038	62.10
3 = Statistically imputed data.....	1440	2.48
9 = LEGITIMATE SKIP.....	20556	35.42

(SUICTHNK)
IRSUICTHNK

Len : 2 ADULT SERIOUSLY THOUGHT ABOUT KILLING SELF PST YR - IMP REV

	Freq	Pct
. = Aged 12-17	10743	18.51
0 = No.....	44114	76.01
1 = Yes.....	3177	5.47

(SUICTHNK)
IISUICTHNK

Len : 2 ADULT SERIOUSLY THOUGHT ABOUT KILLING SELF PST YR - IMP IND

	Freq	Pct
1 = Questionnaire data	45549	78.49
3 = Statistically imputed data.....	1742	3.00
9 = LEGITIMATE SKIP.....	10743	18.51

IMPUTED MENTAL HEALTH

(COSUITHNK)
[IRCOSUITHNK](#)

Len : 2 ADULT THOUGHT OF KILLING SELF DUE TO COVID-19 PY - IMP REV

. = Aged 12-17.....
0 = No.....
1 = Yes.....
9 = LEGITIMATE SKIP.....

Freq	Pct
10743	18.51
2637	4.54
540	0.93
44114	76.01

(COSUITHNK)
[IICOSUITHNK](#)

Len : 2 ADULT THOUGHT OF KILLING SELF DUE TO COVID-19 PY - IMP IND

1 = Questionnaire data,
3 = Statistically imputed data,
9 = LEGITIMATE SKIP.....

Freq	Pct
3033	5.23
1764	3.04
53237	91.73

(SUIPLANYR)
[IRSUPLANYR](#)

Len : 2 ADULT MADE PLANS TO KILL SELF IN PST YR - IMP REV

. = Aged 12-17,
0 = No.....
1 = Yes.....

Freq	Pct
10743	18.51
46319	79.81
972	1.67

(SUIPLANYR)
[HSUPLANYR](#)

Len : 2 ADULT MADE PLANS TO KILL SELF IN PST YR - IMP IND

1 = Questionnaire data,
3 = Statistically imputed data,
9 = LEGITIMATE SKIP.....

Freq	Pct
45605	78.58
1686	2.91
10743	18.51

(COSUIPLNYR)
[IRCOSUIPLNYR](#)

Len : 2 ADULT MADE PLANS TO KILL SELF DUE TO COVID-19 PY - IMP REV

. = Aged 12-17,
0 = No.....
1 = Yes.....
9 = LEGITIMATE SKIP.....

Freq	Pct
10743	18.51
826	1.42
146	0.25
46319	79.81

(COSUIPLNYR)
[IICOSUIPLNYR](#)

Len : 2 ADULT MADE PLANS TO SELF DUE TO COVID-19 PY - IMP IND

1 = Questionnaire data,
3 = Statistically imputed data,
9 = LEGITIMATE SKIP.....

Freq	Pct
934	1.61
1697	2.92
55403	95.47

[IRSUITRYR](#)

Len : 2 ADULT ATTEMPTED TO KILL SELF IN PST YR - IMP REV

. = Aged 12-17,
0 = No.....
1 = Yes.....

Freq	Pct
10743	18.51
46856	80.74
435	0.75

[IISUITRYR](#)

Len : 2 ADULT ATTEMPTED TO KILL SELF IN PST YR - IMP IND

1 = Questionnaire data,
3 = Statistically imputed data,
9 = LEGITIMATE SKIP.....

Freq	Pct
45623	78.61
1668	2.87
10743	18.51

[IRCOSUITRYR](#)

Len : 2 ADULT ATTEMPTED TO KILL SELF DUE TO COVID-19 PY - IMP REV

. = Aged 12-17,
0 = No.....
1 = Yes.....
9 = LEGITIMATE SKIP.....

Freq	Pct
10743	18.51
356	0.61
79	0.14
46856	80.74

IMPUTED MENTAL HEALTH

IICOSUITRYYR Len : 2 ADULT ATTEMPTED TO KILL SELF DUE TO COVID-19 PY - IMP IND

1 = Questionnaire data
3 = Statistically imputed data.....
9 = LEGITIMATE SKIP.....

Freq	Pct
412	0.71
1672	2.88
55950	96.41

RECODED MENTAL HEALTH

RECODED MENTAL HEALTH

NOTE: The following variable, KSSLR6MON, is a score with values ranging from 0 to 24 indicating the level of psychological distress over the past 30 days (past month). This variable is based on imputed data collected from a series of six questions known as the K6, asking adult respondents how frequently they experienced symptoms of psychological distress during the past 30 days. These questions include the following symptoms of distress: feeling nervous (IRDSTNRV30), feeling hopeless (IRDSTHOP30), feeling restless or fidgety (IRDSTRST30), feeling so sad or depressed that nothing could cheer you up (IRDSTCHR30), feeling that everything was an effort (IRDSTEFF30), and feeling down on yourself, no good, or worthless (IRDSTNGD30). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6MON. Specific details about this variable are provided in the Recoded Mental Health Appendix.

(IRDSTCHR30, IRDSTEFF30, IRDSTHOP30, IRDSTNGD30, IRDSTNRV30, IRDSTRST30)
KSSLR6MON Len : 2 RC-K6 TOTAL SCORE IN PAST MONTH

	Freq	Pct
RANGE = 0 - 24	47291	81.49
. = Aged 12-17	10743	18.51

(KSSLR6MON)
SPDPSTMON

Len : 1 RC-PAST MONTH SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR

	Freq	Pct
. = Aged 12-17	10743	18.51
0 = No (KSSLR6MON<13).....	42439	73.13
1 = Yes (KSSLR6MON>=13)	4852	8.36

NOTE: The following variable, KSSLR6YR, is a score with values ranging from 0 to 24 indicating the level of psychological distress during the worst month of the past year, that was not the past 30 days. This variable is only defined for respondents who reported that there was a month in the past 12 months when he/she was more depressed, anxious, or emotionally stressed than during the past 30 days (IRDSTWORST=1). This score variable is based on imputation-revised values for a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during their worst month in the past year (only if the worst month was not the past 30 days). These questions are from the K6 and include the following symptoms of distress: feeling nervous (IRDSTNRV12), feeling hopeless (IRDSTHOP12), feeling restless or fidgety (IRDSTRST12), feeling so sad or depressed that nothing could cheer them up (IRDSTCHR12), feeling that everything was an effort (IRDSTEFF12), and feeling down on themselves, no good, or worthless (IRDSTNGD12). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6YR. For respondents who indicated that they did not have a month in the past year worse than the past 30 days, KSSLR6YR was set to missing. Specific details about this variable are provided in the Recoded Mental Health Appendix.

(IRDSTCHR12, IRDSTEFF12, IRDSTHOP12, IRDSTNGD12, IRDSTNRV12, IRDSTRST12, IRDSTWORST)
KSSLR6YR Len : 2 RC-K6 TOTAL SCORE IN PAST YEAR

	Freq	Pct
RANGE = 0 - 24	17375	29.94
. = Aged 12-17 or IRDSTWORST=2.....	40659	70.06

NOTE: The following variable, KSSLR6MAX, is defined to be the higher K6 score between the past month K6 total score (KSSLR6MON) variable, and the K6 total score in the worst month of the past year if the worst month was not the past 30 days (KSSLR6YR) variable.

(KSSLR6MON, KSSLR6YR)
KSSLR6MAX Len : 2 RC-WORST K6 TOTAL SCORE IN PAST YEAR

	Freq	Pct
RANGE = 0 - 24	47291	81.49
. = Aged 12-17	10743	18.51

(KSSLR6MAX)
SPDPSTYR

Len : 1 RC-PAST YEAR SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR

	Freq	Pct
. = Aged 12-17	10743	18.51
0 = No (KSSLR6MAX<13).....	38120	65.69
1 = Yes (KSSLR6MAX>=13)	9171	15.80

RECODED MENTAL HEALTH

NOTE: The following variable, AKSSLR6WRST, is an alternative version of the original worst K6 total score in the past year (KSSLR6MAX) with values ranging from 0 to 17 rather than 0 to 24. This alternative total score was calculated by assigning a value of 0 when KSSLR6MAX had a value from 0 to 7 and assigning a value of 1 to 17 when KSSLR6MAX had a corresponding value from 8 to 24. This alternative version was used in the regression model to determine SMI because SMI prevalence was typically extremely low for respondents with worst K6 total scores less than 8. Specific details about this variable are provided in the Recoded Mental Health Appendix.

<i>(KSSLR6MAX)</i>	<u>AKSSLR6WRST</u>	Len : 2 RC-ALTERNATIVE WORST K6 TOTAL SCORE	Freq	Pct
		RANGE = 0 - 17	47291	81.49
		. = Aged 12-17	10743	18.51

NOTE: The following two variables, WHODASTOTSC and WHODASDASC, are score variables that indicate the level of impairment for respondents. These variables are based on imputation-revised data collected from a series of thirteen questions asking respondents how much difficulty they experienced in doing eight daily activities in the one month in the past year when they were at their worst emotionally (defined in the note above variables WHODASSCED and WHODASDAED).

For the original WHODAS total score, WHODASTOTSC, a value of 3 was assigned for each of the daily activities that a respondent indicated having "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. A value of 2 was assigned for each of the daily activities that a respondent indicated having "moderate" difficulty performing, and a value of 1 was assigned for "mild" difficulty. For activities that had a follow-up question, a response of "yes" was assigned a value of 3 as having "severe difficulty." A value of 0 was assigned for all other responses (or imputed values) for each activity. These assigned values were summed to calculate a total score for WHODASTOTSC which ranges from 0 to 24. WHODASTOTSC was set equal to 0 for respondents with KSSLR6MAX=0.

For the alternative WHODAS total score, WHODASDASC, a value of 1 was assigned for each of the daily activities that a respondent indicated having "moderate" or "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. For activities that had a follow-up question, a response of "yes" was assigned a value of a 1 as having "moderate or severe difficulty." A value of 0 was assigned for all other responses (or imputed values) for each activity. These assigned values were summed to calculate a total score for WHODASDASC which ranges from 0 to 8. WHODASDASC was set equal to 0 for respondents with KSSLR6MAX=0. The alternative version of the WHODAS total score (WHODASDASC) was used in the regression model to determine SMI.

Specific details about these variables are provided in the Recoded Mental Health Appendix.

<i>(IRIMPCONCN, IRIMPGOUT, IRIMPGOUTM, IRIMPHLD, IRIMPHLDM, IRIMPPEOP, IRIMPPEOPM, IRIMPREMEM, IRIMPRESP, IRIMPRESPM, IRIMPSOC, IRIMPSOCM, IRIMPWORK, KSSLR6MAX)</i>	<u>WHODASTOTSC</u>	Len : 2 RC-WHODAS TOTAL SCORE	Freq	Pct
		RANGE = 0 - 24	47291	81.49
		. = Aged 12-17	10743	18.51

<i>(IRIMPCONCN, IRIMPGOUT, IRIMPGOUTM, IRIMPHLD, IRIMPHLDM, IRIMPPEOP, IRIMPPEOPM, IRIMPREMEM, IRIMPRESP, IRIMPRESPM, IRIMPSOC, IRIMPSOCM, IRIMPWORK, KSSLR6MAX)</i>	<u>WHODASDASC</u>	Len : 2 RC-ALTERNATIVE WHODAS SCORE	Freq	Pct
		RANGE = 0 - 8	47291	81.49
		. = Aged 12-17	10743	18.51

NOTE: The following eight mental illness variables are based on the 2012 mental illness prediction model. Starting with the 2021 NSDUH, the inputs to the 2012 mental illness prediction model were statistically imputed. Specific details about these variables and the prediction models are provided in the Recoded Mental Health Appendix.

The following variable, SMIPPPY, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using the 2012 logistic regression model. SMIPPPY was used to determine these levels of mental illness: Serious (SMI), Serious or Moderate (SMMI), and Any (AMI). The categories of Moderate (MMI) and Mild (LMI) were determined by subtraction.

<i>(AKSSLR6WRST, IRAMDEYR, IRSUICTHNK, WHODASDASC)</i>	<u>SMIPPPY</u>	Len : 12 RC-IMP PREDICTED SERIOUS MENTAL ILLNESS PROB PY	Freq	Pct
		RANGE = 0.0025409721 - 0.9291205406	47291	81.49
		. = Aged 12-17 (AGE3<4) Aged 12-17 (AGE3<4)	10743	18.51

RECODED MENTAL HEALTH

NOTE: The following six variables (SMIPY, AMIPY, SMMIPY, MMIPY, LMIPY, and LMMIPY) are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of these variables can be found in the Recoded Mental Health Appendix.

The following variable, SMIPY, is a Serious Mental Illness (SMI) indicator for respondents based on the 2012 predicted probability of SMI (SMIPPPY). If SMIPPPY is greater than or equal to a specified cutoff point (0.260573529) then SMIPY=1, and if SMIPPPY is less than the cutoff point then SMIPY=0. Specific details about this variable can be found in the Recoded Mental Health Appendix.

<i>(SMIPPPY)</i>			Freq	Pct
<u>SMIPY</u>	Len : 1 RC-IMP SMI IND (1/0) BASED ON PREDICTED SMI PROB PY	.	10743	18.51
		. = Aged 12-17 (AGE3<4)	10743	18.51
		0 = No Past Year SMI (See comment above).....	43806	75.48
		1 = Past Year SMI (See comment above)	3485	6.01

The following variable, AMIPY, is an indicator for Any Mental Illness (AMI) based on the 2012 predicted probability of SMI (SMIPPPY). If SMIPPPY is greater than or equal to a specified cutoff point (0.0192519810) then AMIPY=1, and if SMIPPPY is less than the cutoff point then AMIPY=0. AMI is defined as having Serious, Moderate, or Mild Mental Illness. Specific details about this variable can be found in the Recoded Mental Health Appendix.

<i>(SMIPPPY)</i>			Freq	Pct
<u>AMIPY</u>	Len : 1 RC-IMP AMI IND (1/0) BASED ON PREDICTED SMI PROB PY	.	10743	18.51
		. = Aged 12-17 (AGE3<4)	10743	18.51
		0 = No Past Yr Any Mental Illness (See comment above).....	34212	58.95
		1 = Past Year Any Mental Illness (See comment above)	13079	22.54

The following variable, SMMIPY, is an indicator for Serious or Moderate Mental Illness (SMMI) based on the 2012 predicted probability of SMI (SMIPPPY). If SMIPPPY is greater than or equal to a specified cutoff point (0.077686285365) then SMMIPY=1, and if SMIPPPY is less than the cutoff point then SMMIPY=0. Specific details about this variable can be found in the Recoded Mental Health Appendix.

<i>(SMIPPPY)</i>			Freq	Pct
<u>SMMIPY</u>	Len : 1 RC-IMP SMMI IND (1/0) BASED ON PREDICTED SMI PROB PY	.	10743	18.51
		. = Aged 12-17 (AGE3<4)	10743	18.51
		0 = No Past Year SMMI (See comment above).....	40250	69.36
		1 = Past Year SMMI (See comment above)	7041	12.13

The following variable, MMIPY, is an indicator for Moderate Mental Illness (MMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

<i>(SMIPY, SMMIPY)</i>			Freq	Pct
<u>MMIPY</u>	Len : 1 RC-IMP MOD MI IND (1/0) BASED ON PRED SMI PROB PY	.	10743	18.51
		. = Aged 12-17 (AGE3<4)	10743	18.51
		0 = No Past Year MMI (Otherwise).....	43735	75.36
		1 = Past Year MMI (SMMIPY=1 and SMIPY=0)	3556	6.13

The following variable, LMIPY, is an indicator for Mild (Low) Mental Illness (LMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

<i>(AMIPY, SMMIPY)</i>			Freq	Pct
<u>LMIPY</u>	Len : 1 RC-IMP MILD MI IND (1/0) BASED ON PRED SMI PROB PY	.	10743	18.51
		. = Aged 12-17 (AGE3<4)	10743	18.51
		0 = No Past Year LMI (Otherwise).....	41253	71.08
		1 = Past Year LMI (AMIPY=1 and SMMIPY=0)	6038	10.40

RECODED MENTAL HEALTH

The following variable, LMMIPY, is an indicator for Mild (Low) Mental Illness (LMI) or Moderate Mental Illness (MMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable are provided in the Recoded Mental Health Appendix. This mental illness variable is referred to as any mental illness (AMI) excluding serious mental illness (SMI).

<u>(LMIPY, MMIPY)</u>	Len : 1 RC-LMMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB	Freq	Pct
<u>LMMIPY</u>	. = Aged 12-17 (AGE3<4)	10743	18.51
	0 = No Past Year LMMI (Otherwise)	37697	64.96
	1 = Past Year LMMI (LMIPY=1 or MMIPY=1)	9594	16.53

The following variable, MICATPY, is a categorical mental illness indicator. This indicator is derived from mental illness variables based on the 2012 model. MICATPY is not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor is it recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of this variable can be found in the Recoded Mental Health Appendix.

<u>(LMIPY, MMIPY, SMIPY)</u>	Len : 1 RC-IMP CATEGORICAL MI INDICATOR PY	Freq	Pct
<u>MICATPY</u>	. = Aged 12-17 (AGE3<4)	10743	18.51
	0 = No Past Year MI (SMIPY & LMIPY & MMIPY=0).....	34212	58.95
	1 = Past Year Mild Mental Illness (LMIPY=1).....	6038	10.40
	2 = Past Year Moderate Mental Illness (MMIPY=1)	3556	6.13
	3 = Past Year Serious Mental Illness (SMIPY=1).....	3485	6.01

NOTE: The following six variables are recodes that combine mental illness measures based on the 2012 predicted probability of SMI (SMIPPPY) with substance use disorder (SUD) in the past year. Starting with the 2021 NSDUH, the inputs to the 2012 mental illness prediction model were statistically imputed.

SMISUD5MIS, AMISUD5MIS, and LMMISUD5MIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription drugs. SMISUD5ANY, AMISUD5ANY, and LMMISUD5ANY were created using the DSM-5 based SUD variables that include use disorder data from past year users but not misusers of prescription drugs.

<u>(SMIPY, UD5ILALMIS)</u>	Len : 1 RC-IMP SMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - MIS	Freq	Pct
<u>SMISUD5MIS</u>	. = Aged 12-17 (SMIPY=.)	10743	18.51
	1 = Yes (SMIPY=1 and UD5ILALMIS=1).....	1495	2.58
	2 = No (SMIPY=0 or UD5ILALMIS=0)	45796	78.91

<u>(SMIPY, UD5ILALANY)</u>	Len : 1 RC-IMP SMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - ANY	Freq	Pct
<u>SMISUD5ANY</u>	. = Aged 12-17 (SMIPY=.)	10743	18.51
	1 = Yes (SMIPY=1 and UD5ILALANY=1)	1603	2.76
	2 = No (SMIPY=0 or UD5ILALANY=0)	45688	78.73

<u>(AMIPY, UD5ILALMIS)</u>	Len : 1 RC-IMP AMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - MIS	Freq	Pct
<u>AMISUD5MIS</u>	. = Aged 12-17 (AMIPY=.)	10743	18.51
	1 = Yes (AMIPY=1 and UD5ILALMIS=1)	4348	7.49
	2 = No (AMIPY=0 or UD5ILALMIS =0)	42943	74.00

<u>(AMIPY, UD5ILALANY)</u>	Len : 1 RC-IMP AMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - ANY	Freq	Pct
<u>AMISUD5ANY</u>	. = Aged 12-17 (AMIPY=.)	10743	18.51
	1 = Yes (AMIPY=1 and UD5ILALANY=1)	4639	7.99
	2 = No (AMIPY=0 or UD5ILALANY =0)	42652	73.49

RECODED MENTAL HEALTH

(LMMIPY, UD5ILALMIS)

LMMISUD5MIS Len : 1 RC-IMP LMMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - MIS

	Freq	Pct
. = Aged 12-17 (LMMIPY=.)	10743	18.51
0 = No (LMMIPY=0 or UD5ILALMIS =0)	44438	76.57
1 = Yes (LMMIPY=1 and UD5ILALMIS =1)	2853	4.92

(LMMIPY, UD5ILALANY)

LMMISUD5ANY Len : 1 RC-IMP LMMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - ANY

	Freq	Pct
. = Aged 12-17 (LMMIPY=.)	10743	18.51
0 = No (LMMIPY=0 or UD5ILALANY =0)	44255	76.26
1 = Yes (LMMIPY=1 and UD5ILALANY =1)	3036	5.23

NOTE: The following four variables are recodes that combine mental illness measures based on the 2012 revised predicted probability of SMI (SMIPPY) with substance use disorder (SUD) in the past year. SMIRSUD5ANY, SMISUD5ANYO, AMIRSUD5ANY, and AMISUD5ANYO were created using the DSM-5 based SUD estimates including prescription drug use data from all past year users of prescription drugs. These recodes replace variables SMIORSUD5, SMISUD5ONL, AMIORSUD5, and AMISUD5ONL, and were used starting with the 2021 First Findings Report appendix tables.

(SMIPY, UD5ILALANY)

SMIRSUD5ANY Len : 1 RC-IMP SMI OR SUB USE DISORDER - PAST YEAR-DSM-5 - ANY

	Freq	Pct
. = Aged 12-17 (SMIPY=.)	10743	18.51
1 = Yes (SMIPY=1 or UD5ILALANY=1)	11347	19.55
2 = No (SMIPY=0 and UD5ILALANY=0)	35944	61.94

(SMIPY, UD5ILALANY)

SMISUD5ANYO Len : 1 RC-ONLY IMP SMI, ONLY SUD, BOTH, OR NEITHER - PY-DSM-5-ANY

	Freq	Pct
. = Aged 12-17 (SMIPY=.)	10743	18.51
1 = SUD only, no SMI (SMIPY=0 and UD5ILALANY=1)	7862	13.55
2 = SMI only, no SUD (SMIPY=1 and UD5ILALANY=0)	1882	3.24
3 = SUD and SMI (SMIPY=1 and UD5ILALANY=1)	1603	2.76
4 = Neither SUD or SMI (SMIPY=0 and UD5ILALANY=0)	35944	61.94

(AMIPY, UD5ILALANY)

AMIRSUD5ANY Len : 1 RC-IMP AMI OR SUB USE DISORDER - PAST YEAR-DSM-5 - ANY

	Freq	Pct
. = Aged 12-17 (AMIPY=.)	10743	18.51
1 = Yes (AMIPY=1 or UD5ILALANY=1)	17905	30.85
2 = No (AMIPY=0 and UD5ILALANY=0)	29386	50.64

(AMIPY, UD5ILALANY)

AMISUD5ANYO Len : 1 RC-ONLY IMP AMI, ONLY SUD, BOTH, OR NEITHER - PY-DSM-5-ANY

	Freq	Pct
. = Aged 12-17 (AMIPY=.)	10743	18.51
1 = SUD only, no AMI (AMIPY=0 and UD5ILALANY=1)	4826	8.32
2 = AMI only, no SUD (AMIPY=1 and UD5ILALANY=0)	8440	14.54
3 = SUD and AMI (AMIPY=1 and UD5ILALANY=1)	4639	7.99
4 = Neither SUD or AMI (AMIPY=0 and UD5ILALANY=0)	29386	50.64

ADULT DEPRESSION

ADULT DEPRESSION

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

NOTE: All of the respondents aged 18 or older were asked the questions in the Adult Depression module in this current survey year. In the 2004 survey, a subset of the adults was asked these questions.

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty or depressed?

(ASC21) <u>ADDPREV</u> ¹	Len : 2 SEVERAL DAYS OR LNGR WHEN FELT SAD/EMPTY/DPRSD	Freq	Pct
1 = Yes.....	16069	27.69	
2 = No.....	29524	50.87	
85 = BAD DATA Logically assigned	7	0.01	
94 = DON'T KNOW	59	0.10	
97 = REFUSED	108	0.19	
98 = BLANK (NO ANSWER)	1524	2.63	
99 = LEGITIMATE SKIP.....	10743	18.51	

Have you ever had a period of time lasting several days or longer when most of the day you were very discouraged about how things were going in your life?

(ASC22) <u>ADDSCEV</u> ¹	Len : 2 SEVERAL DAYS OR LNGR FELT DISCOURAGED ABT LIFE	Freq	Pct
1 = Yes.....	3096	5.33	
2 = No.....	26415	45.52	
94 = DON'T KNOW	68	0.12	
97 = REFUSED	105	0.18	
98 = BLANK (NO ANSWER)	1538	2.65	
99 = LEGITIMATE SKIP.....	26812	46.20	

Have you ever had a period of time lasting several days or longer when you lost interest in most things you usually enjoy like work, hobbies, and personal relationships?

(ASC23) <u>ADLOSEV</u> ¹	Len : 2 EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS	Freq	Pct
1 = Yes.....	1121	1.93	
2 = No.....	25314	43.62	
94 = DON'T KNOW	53	0.09	
97 = REFUSED	97	0.17	
98 = BLANK (NO ANSWER)	1541	2.66	
99 = LEGITIMATE SKIP.....	29908	51.54	

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

(AD01) <u>ADDPDISC</u> ¹	Len : 2 FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED	Freq	Pct
1 = Yes.....	14965	25.79	
2 = No.....	1086	1.87	
85 = BAD DATA Logically assigned	7	0.01	
94 = DON'T KNOW	12	0.02	
97 = REFUSED	5	0.01	
98 = BLANK (NO ANSWER)	1641	2.83	
99 = LEGITIMATE SKIP.....	40318	69.47	

ADULT DEPRESSION

During the times when you felt sad, empty, or depressed, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

(AD01A, AD01B)
[ADDPLSIN¹](#)

Len : 2 EVER LOSE INT IN THNGS WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
1 = Yes.....	13809	23.79
2 = No.....	2240	3.86
85 = BAD DATA Logically assigned.....	7	0.01
94 = DON'T KNOW.....	14	0.02
97 = REFUSED.....	3	0.01
98 = BLANK (NO ANSWER).....	1643	2.83
99 = LEGITIMATE SKIP.....	40318	69.47

During times when you felt discouraged about how things were going in your life, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

(AD02)
[ADDSSLIN¹](#)

Len : 2 EVER LOSE INT IN THNGS WHEN FEELING DISCOURGAGED

	Freq	Pct
1 = Yes.....	1729	2.98
2 = No.....	1358	2.34
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	1668	2.87
99 = LEGITIMATE SKIP.....	53272	91.79

Did you ever have a period of time like this that lasted most of the day nearly every day for two weeks or longer?

(AD09)
[ADLSI2WK¹](#)

Len : 2 PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	Freq	Pct
1 = Yes.....	213	0.37
2 = No.....	902	1.55
94 = DON'T KNOW.....	4	0.01
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	1691	2.91
99 = LEGITIMATE SKIP.....	55222	95.15

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, nearly every day, for two weeks or longer?

(AD12)
[ADPPR2WK¹](#)

Len : 2 TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	Freq	Pct
1 = Yes.....	12486	21.51
2 = No.....	6617	11.40
85 = BAD DATA Logically assigned.....	7	0.01
94 = DON'T KNOW.....	38	0.07
97 = REFUSED.....	14	0.02
98 = BLANK (NO ANSWER).....	1669	2.88
99 = LEGITIMATE SKIP.....	37203	64.11

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

(AD16)
[ADWRHRS¹](#)

Len : 2 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	Freq	Pct
1 = Less than 1 hour.....	592	1.02
2 = At least 1 hour but no more than 3 hours.....	2212	3.81
3 = At least 3 hours but no more than 5 hours.....	2951	5.08
4 = 5 hours or more.....	6852	11.81
85 = BAD DATA Logically assigned.....	7	0.01
94 = DON'T KNOW.....	81	0.14
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	1754	3.02
99 = LEGITIMATE SKIP.....	43576	75.09

ADULT DEPRESSION

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how severe was your emotional distress during those times?

(AD17)
ADWRDST¹

Len : 2 HOW SEVERE WAS EMOTIONAL DISTRESS DURING 2 WKS

	Freq	Pct
1 = Mild	974	1.68
2 = Moderate.....	4723	8.14
3 = Severe	4397	7.58
4 = Very Severe	1972	3.40
94 = DON'T KNOW	26	0.04
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	1765	3.04
99 = LEGITIMATE SKIP.....	44168	76.11

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that nothing could cheer you up?

(AD18)
ADWRCHR¹

Len : 2 EMOT DISTRSS SO SEVERE NOTHING COULD CHEER YOU UP

	Freq	Pct
1 = Often.....	3824	6.59
2 = Sometimes	5831	10.05
3 = Rarely	1876	3.23
4 = Never	530	0.91
94 = DON'T KNOW	30	0.05
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1769	3.05
99 = LEGITIMATE SKIP.....	44168	76.11

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that you could not carry out your daily activities?

(AD19)
ADWRIMP¹

Len : 2 EMOT DISTRSS SO SEVERE COULD NT DO DLY ACTIVITIES

	Freq	Pct
1 = Often.....	2493	4.30
2 = Sometimes	5021	8.65
3 = Rarely	2928	5.05
4 = Never	1627	2.80
94 = DON'T KNOW	20	0.03
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1771	3.05
99 = LEGITIMATE SKIP.....	44168	76.11

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

(AD21)
ADDPPROB¹

Len : 2 EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER

	Freq	Pct
1 = Yes.....	10213	17.60
2 = No.....	1695	2.92
94 = DON'T KNOW	14	0.02
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	1773	3.06
99 = LEGITIMATE SKIP.....	44331	76.39

ADULT DEPRESSION

Think again about these other problems we just mentioned. They include things like changes in

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Please think of a time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

Is there one particular time like this that stands out in your mind as the worst one you ever had?

(AD22)

ADWRPROB¹ Len : 2 ONE PARTICULAR TIME THAT IS THE WORST ONE EVER

	Freq	Pct
1 = Yes.....	6645	11.45
2 = No.....	3517	6.06
94 = DON'T KNOW	38	0.07
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	1798	3.10
99 = LEGITIMATE SKIP.....	46026	79.31

How old were you when that worst period of time started?

Then think of the most recent time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

How old were you when that time started?

(AD22A, AD22C)

ADWRAGE¹ Len : 3 AGE WHEN WORST PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 98	10004	17.24
985 = BAD DATA Logically assigned	5	0.01
994 = DON'T KNOW	176	0.30
997 = REFUSED	23	0.04
998 = BLANK (NO ANSWER).....	1800	3.10
999 = LEGITIMATE SKIP.....	46026	79.31

In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.

In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.

During that time, did you feel sad, empty, or depressed most of the day nearly every day?

(AD24A)

ADWRDEPR¹ Len : 2 WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY

	Freq	Pct
1 = Yes.....	8502	14.65
2 = No.....	1664	2.87
94 = DON'T KNOW	31	0.05
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	1801	3.10
99 = LEGITIMATE SKIP.....	46026	79.31

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

(AD24C)

ADWRDISC¹ Len : 2 WHEN PRBLMS WORST FELT DISCRGED ABT LIFE EVERYDAY

	Freq	Pct
1 = Yes.....	8554	14.74
2 = No.....	1617	2.79
94 = DON'T KNOW	28	0.05
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	1802	3.11
99 = LEGITIMATE SKIP.....	46026	79.31

ADULT DEPRESSION

During that [TIMEFILL] period of time, did you lose interest in almost all things like work and hobbies and things you like to do for fun?

(AD24E)

ADWRLSIN¹

Len : 2 WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS

	Freq	Pct
1 = Yes.....	8400	14.47
2 = No.....	1781	3.07
94 = DON'T KNOW	20	0.03
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1804	3.11
99 = LEGITIMATE SKIP.....	46026	79.31

During that [TIMEFILL] period of time, did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented?

(AD24F)

ADWRPLSR¹

Len : 2 WHEN PRBLMS WORST LOSE PLSURE IN GOOD THINGS

	Freq	Pct
1 = Yes.....	7248	12.49
2 = No.....	2916	5.02
94 = DON'T KNOW	32	0.06
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	1805	3.11
99 = LEGITIMATE SKIP.....	46026	79.31

The next questions are about changes in appetite and weight.

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a much smaller appetite than usual nearly every day during that time?

(AD26A)

ADWRELES¹

Len : 2 WHEN PRBLMS WORST HAVE SMALLER APPETITE EVERY DAY

	Freq	Pct
1 = Yes.....	5759	9.92
2 = No.....	3836	6.61
94 = DON'T KNOW	39	0.07
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1832	3.16
99 = LEGITIMATE SKIP.....	46564	80.24

Did you have a much larger appetite than usual nearly every day?

(AD26B)

ADWREMEMR¹

Len : 2 WHEN PRBLMS WORST HAVE LARGER APPETITE EVERY DAY

	Freq	Pct
1 = Yes.....	1951	3.36
2 = No.....	1889	3.25
94 = DON'T KNOW	36	0.06
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1832	3.16
99 = LEGITIMATE SKIP.....	52323	90.16

Did you gain weight without trying to during that [TIMEFILL] period of time?

(AD26C)

ADWRGAIN¹

Len : 2 WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING

	Freq	Pct
1 = Yes.....	2202	3.79
2 = No.....	1643	2.83
94 = DON'T KNOW	29	0.05
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1832	3.16
99 = LEGITIMATE SKIP.....	52323	90.16

ADULT DEPRESSION

Did you gain weight without trying to because you were growing?

(AD26C1)

ADWRGROW¹

Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING

1 = Yes.....	
2 = No.....	
94 = DON'T KNOW	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
160	0.28
702	1.21
10	0.02
1888	3.25
55274	95.24

Did you gain weight without trying to because you were pregnant?

(AD26C2)

ADWRPREG¹

Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC PRGN

1 = Yes.....	
2 = No.....	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
57	0.10
1375	2.37
1018	1.75
55584	95.78

How many pounds did you gain? Please enter your answer as a whole number.

(AD26D)

ADWRGNL²1

Len : 3 WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING

RANGE = 0 - 20	
21 = 21 to 25 pounds.....	
22 = 26 to 30 pounds.....	
23 = 31 to 35 pounds.....	
24 = 36 to 40 pounds.....	
25 = 41 to 45 pounds.....	
26 = 46 to 50 pounds.....	
27 = 51 or more pounds	
994 = DON'T KNOW	
997 = REFUSED	
998 = BLANK (NO ANSWER)	
999 = LEGITIMATE SKIP.....	

Freq	Pct
1060	1.83
121	0.21
225	0.39
44	0.08
115	0.20
15	0.03
141	0.24
199	0.34
57	0.10
7	0.01
1867	3.22
54183	93.36

Did you lose weight without trying to?

(AD26E)

ADWRLOSE¹

Len : 2 WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING

1 = Yes.....	
2 = No.....	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
4197	7.23
3173	5.47
60	0.10
5	0.01
1843	3.18
48756	84.01

Did you lose weight without trying to because you were sick or on a diet?

(AD26E1)

ADWRDIET¹

Len : 2 WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT

1 = Yes.....	
2 = No.....	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
760	1.31
3429	5.91
6	0.01
1	0.00
1909	3.29
51929	89.48

ADULT DEPRESSION

How many pounds did you lose?

Please enter your answer as a whole number.

(AD26F)

ADWRLSL2¹

Len : 3 WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING

	Freq	Pct
RANGE = 0 - 20	2569	4.43
21 = 21 to 25 pounds.....	167	0.29
22 = 26 to 30 pounds.....	226	0.39
23 = 31 to 35 pounds.....	57	0.10
24 = 36 to 40 pounds.....	102	0.18
25 = 41 to 45 pounds.....	27	0.05
26 = 46 to 50 pounds.....	68	0.12
27 = 51 or more pounds	128	0.22
994 = DON'T KNOW	84	0.14
997 = REFUSED	8	0.01
998 = BLANK (NO ANSWER).....	1909	3.29
999 = LEGITIMATE SKIP.....	52689	90.79

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [TIMEFILL] period of time?

(AD26G)

ADWRSLEP¹

Len : 2 WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY

	Freq	Pct
1 = Yes.....	7667	13.21
2 = No.....	1941	3.34
94 = DON'T KNOW	24	0.04
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1835	3.16
99 = LEGITIMATE SKIP.....	46564	80.24

During that [TIMEFILL] period of time, did you sleep a lot more than usual nearly every night?

(AD26H)

ADWRSMOR¹

Len : 2 WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL

	Freq	Pct
1 = Yes.....	1197	2.06
2 = No.....	754	1.30
94 = DON'T KNOW	13	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1836	3.16
99 = LEGITIMATE SKIP.....	54231	93.45

During that [TIMEFILL] period of time, did you feel tired or low in energy nearly every day, even when you had not been working very hard?

(AD26J)

ADWRENRG¹

Len : 2 WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY

	Freq	Pct
1 = Yes.....	8930	15.39
2 = No.....	689	1.19
94 = DON'T KNOW	11	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1838	3.17
99 = LEGITIMATE SKIP.....	46564	80.24

ADULT DEPRESSION

Did you talk or move more slowly than is normal for you nearly every day?

(AD26L)

ADWRSLOW¹

Len : 2 WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL

	Freq	Pct
1 = Yes.....	5093	8.78
2 = No.....	4474	7.71
94 = DON'T KNOW	63	0.11
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1838	3.17
99 = LEGITIMATE SKIP.....	46564	80.24

Did anyone else notice that you were talking or moving slowly?

(AD26M)

ADWRSLNO¹

Len : 2 WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL

	Freq	Pct
1 = Yes.....	3060	5.27
2 = No.....	1996	3.44
94 = DON'T KNOW	36	0.06
98 = BLANK (NO ANSWER)	1904	3.28
99 = LEGITIMATE SKIP.....	51038	87.94

Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still?

(AD26N)

ADWRJITT¹

Len : 2 WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY

	Freq	Pct
1 = Yes.....	1091	1.88
2 = No.....	3434	5.92
94 = DON'T KNOW	11	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1839	3.17
99 = LEGITIMATE SKIP.....	51657	89.01

Did anyone else notice that you were restless?

(AD26O)

ADWRJINO¹

Len : 2 WHEN PRBLMS WORST PEOP NOTICE YOU WERE RSTLSS

	Freq	Pct
1 = Yes.....	706	1.22
2 = No.....	374	0.64
94 = DON'T KNOW	11	0.02
98 = BLANK (NO ANSWER)	1852	3.19
99 = LEGITIMATE SKIP.....	55091	94.93

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that [TIMEFILL] time, did your thoughts come much more slowly than usual or seem confused nearly every day?

(AD26P)

ADWRTHOT¹

Len : 2 WHEN PRBLMS WORST THGHTS SLOWER/MORE CONFUSING

	Freq	Pct
1 = Yes.....	5116	8.82
2 = No.....	4428	7.63
94 = DON'T KNOW	72	0.12
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	1846	3.18
99 = LEGITIMATE SKIP.....	46564	80.24

ADULT DEPRESSION

Did you have a lot more trouble concentrating than usual nearly every day?

(AD26R)

ADWRCONC¹

Len : 2 WHEN PRBLMS WORST HAVE TROUBLE CONCENTRATING

	Freq	Pct
1 = Yes.....	7337	12.64
2 = No.....	2240	3.86
94 = DON'T KNOW	40	0.07
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1848	3.18
99 = LEGITIMATE SKIP.....	46564	80.24

Were you unable to make decisions about things you ordinarily have no trouble deciding about?

(AD26S)

ADWRDCSN¹

Len : 2 WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS

	Freq	Pct
1 = Yes.....	5696	9.81
2 = No.....	3871	6.67
94 = DON'T KNOW	51	0.09
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1848	3.18
99 = LEGITIMATE SKIP.....	46564	80.24

Did you feel that you were not as good as other people nearly every day?

(AD26U)

ADWRNOGD¹

Len : 2 WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE

	Freq	Pct
1 = Yes.....	7520	12.96
2 = No.....	2075	3.58
94 = DON'T KNOW	21	0.04
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1849	3.19
99 = LEGITIMATE SKIP.....	46564	80.24

Did you feel totally worthless nearly every day?

(AD26V)

ADWRWRTH¹

Len : 2 WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY

	Freq	Pct
1 = Yes.....	5877	10.13
2 = No.....	1638	2.82
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1875	3.23
99 = LEGITIMATE SKIP.....	48639	83.81

(D_MDEA1)

AD_MDEA1¹

Len : 2 SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED

	Freq	Pct
1 = Has symptom	9093	15.67
2 = Does not have symptom.....	1082	1.86
94 = DON'T KNOW	28	0.05
97 = REFUSED	4	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	37084	63.90
99 = LEGITIMATE SKIP.....	10743	18.51

(D_MDEA2)

AD_MDEA2¹

Len : 2 LOST INTEREST OR PLEASURE IN MOST THINGS

	Freq	Pct
1 = Has symptom	8882	15.30
2 = Does not have symptom.....	1297	2.23
94 = DON'T KNOW	20	0.03
97 = REFUSED	4	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	37088	63.91
99 = LEGITIMATE SKIP.....	10743	18.51

ADULT DEPRESSION

(D_MDEA3)
AD_MDEA3¹

Len : 2 CHANGES IN APPETITE OR WT

	Freq	Pct
1 = Has symptom	8157	14.06
2 = Does not have symptom.....	1406	2.42
94 = DON'T KNOW	69	0.12
97 = REFUSED	6	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	37653	64.88
99 = LEGITIMATE SKIP.....	10743	18.51

(D_MDEA4)
AD_MDEA4¹

Len : 2 SLEEP PROBLEMS

	Freq	Pct
1 = Has symptom	8864	15.27
2 = Does not have symptom.....	747	1.29
94 = DON'T KNOW	19	0.03
97 = REFUSED	4	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	37657	64.89
99 = LEGITIMATE SKIP.....	10743	18.51

(D_MDEA5)
AD_MDEA5¹

Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC

	Freq	Pct
1 = Has symptom	3766	6.49
2 = Does not have symptom.....	5817	10.02
94 = DON'T KNOW	47	0.08
98 = OTHER MISSING/NOT APPLICABLE.....	37661	64.89
99 = LEGITIMATE SKIP.....	10743	18.51

(D_MDEA6)
AD_MDEA6¹

Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	8930	15.39
2 = Does not have symptom.....	689	1.19
94 = DON'T KNOW	11	0.02
97 = REFUSED	2	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	37659	64.89
99 = LEGITIMATE SKIP.....	10743	18.51

(D_MDEA7)
AD_MDEA7¹

Len : 2 FELT WORTHLESS NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	5877	10.13
2 = Does not have symptom.....	3739	6.44
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	37670	64.91
99 = LEGITIMATE SKIP.....	10743	18.51

(D_MDEA8)
AD_MDEA8¹

Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS

	Freq	Pct
1 = Has symptom	7975	13.74
2 = Does not have symptom.....	1607	2.77
94 = DON'T KNOW	35	0.06
97 = REFUSED	7	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	37667	64.91
99 = LEGITIMATE SKIP.....	10743	18.51

ADULT DEPRESSION

(DSMMDE42)
ADSMMDA¹

Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9

	Freq	Pct
1 = Has 5 or more symptoms.....	8918	15.37
2 = Has less than 5 symptoms.....	1264	2.18
94 = SUM OF SYMPTOMS AND DON'T KNOW >=5	22	0.04
97 = SUM OF SYMPTOMS AND REFUSED >=5	3	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	37084	63.90
99 = LEGITIMATE SKIP.....	10743	18.51

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] and these other problems interfere with your work, your social life, or your personal relationships?

(AD28)
ADPBINTF¹

Len : 2 WHEN PRBLMS WORST INTERFERE WITH WORK/ PRSNL LIFE

	Freq	Pct
1 = Not at all	229	0.39
2 = A little.....	1038	1.79
3 = Some.....	2710	4.67
4 = A lot.....	3179	5.48
5 = Extremely	1909	3.29
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	12	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1874	3.23
99 = LEGITIMATE SKIP.....	47078	81.12

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities because of these problems with your mood?

(AD28A)
ADPBDLYA¹

Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
1 = Often.....	2700	4.65
2 = Sometimes	4110	7.08
3 = Rarely	1526	2.63
4 = Never	499	0.86
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	12	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1877	3.23
99 = LEGITIMATE SKIP.....	47307	81.52

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] for most of the day nearly every day and also had some of the other problems we just asked about.

Can you remember your exact age?

(AD37)
ADPBRMBR¹

Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
1 = Yes.....	5556	9.57
2 = No.....	3433	5.92
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	77	0.13
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1878	3.24
99 = LEGITIMATE SKIP.....	47078	81.12

ADULT DEPRESSION

How old were you?

(AD37A, AD37B)

ADPBAGE¹

Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 98.....	8833	15.22
985 = BAD DATA Logically assigned.....	8	0.01
994 = DON'T KNOW	208	0.36
997 = REFUSED	16	0.03
998 = BLANK (NO ANSWER).....	1891	3.26
999 = LEGITIMATE SKIP.....	47078	81.12

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

(AD52)

ADPBNUM¹

Len : 4 # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE

	Freq	Pct
RANGE = 1 - 1000	8553	14.74
9985 = BAD DATA Logically assigned.....	1	0.00
9994 = DON'T KNOW	485	0.84
9997 = REFUSED	35	0.06
9998 = BLANK (NO ANSWER).....	1882	3.24
9999 = LEGITIMATE SKIP.....	47078	81.12

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

(AD38)

ADPB2WK¹

Len : 2 FELT THIS 2 WKS+ W/OTH PRBS DURING PAST 12 MOS

	Freq	Pct
1 = Yes.....	5162	8.89
2 = No.....	3827	6.59
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	66	0.11
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	1883	3.24
99 = LEGITIMATE SKIP.....	47078	81.12

ADULT DEPRESSION

NOTE: Beginning with the 2008 survey, the questions corresponding to the variables ADPSHMGMT, ADPSWORK, ADPSRELS, and ADPSSOC no longer allow respondents to choose the category 95 (ACTIVITY DOES NOT APPLY).

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] most severe.

Using the 0 to 10 scale shown below, where 0 means no interference and 10 means very severe interference, select the number that describes how much [NUMPROBS] interfered with your ability to do each of the following activities during that period. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] interfere with your ability to do home management task, like cleaning, shopping, and working around the house, apartment, or yard?

(AD66A)

ADPSHMGMT¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH HOME MNGMT

	Freq	Pct
0 = No Interference	120	0.21
1 = Mild - 1	110	0.19
2 = Mild - 2	245	0.42
3 = Mild - 3	343	0.59
4 = Moderate - 4	395	0.68
5 = Moderate - 5	759	1.31
6 = Moderate - 6	828	1.43
7 = Severe - 7	773	1.33
8 = Severe - 8	718	1.24
9 = Severe - 9	342	0.59
10 = Very Severe Interference	510	0.88
94 = DON'T KNOW	9	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	1970	3.39
99 = LEGITIMATE SKIP.....	50905	87.72

During that time in the past 12 months when your [FEELNOUN] was most severe, how much did this interfere with your ability to work?

You can use any number between 0 and 10 to answer.

(AD66B)

ADPSWORK¹

Len : 2 HOW MUCH DID FEELING INTERFERE WITH ABLTY TO WORK

	Freq	Pct
0 = No Interference	390	0.67
1 = Mild - 1	220	0.38
2 = Mild - 2	374	0.64
3 = Mild - 3	495	0.85
4 = Moderate - 4	453	0.78
5 = Moderate - 5	703	1.21
6 = Moderate - 6	603	1.04
7 = Severe - 7	571	0.98
8 = Severe - 8	524	0.90
9 = Severe - 9	292	0.50
10 = Very Severe Interference	502	0.87
94 = DON'T KNOW	19	0.03
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	1973	3.40
99 = LEGITIMATE SKIP.....	50905	87.72

ADULT DEPRESSION

How much did your [FEELNOUN] interfere with your ability to form and maintain close relationships with other people during that period of time?

You can use any number between 0 and 10 to answer.

<i>(AD66C)</i> <u>ADPSRELS</u> ¹	Len : 2 HOW MUCH DID FEELING INTERFERE WITH RELATIONSHIPS	Freq	Pct
0 = No Interference		186	0.32
1 = Mild - 1		140	0.24
2 = Mild - 2		281	0.48
3 = Mild - 3		412	0.71
4 = Moderate - 4		432	0.74
5 = Moderate - 5		773	1.33
6 = Moderate - 6		678	1.17
7 = Severe - 7		696	1.20
8 = Severe - 8		649	1.12
9 = Severe - 9		388	0.67
10 = Very Severe Interference		505	0.87
94 = DON'T KNOW		10	0.02
97 = REFUSED		6	0.01
98 = BLANK (NO ANSWER)		1973	3.40
99 = LEGITIMATE SKIP.....		50905	87.72

How much did [NUMPROBS] interfere with your ability to have a social life during that period of time?

You can use any number between 0 and 10 to answer.

<i>(AD66D)</i> <u>ADPSSOC</u> ¹	Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE	Freq	Pct
0 = No Interference		169	0.29
1 = Mild - 1		90	0.16
2 = Mild - 2		221	0.38
3 = Mild - 3		328	0.57
4 = Moderate - 4		389	0.67
5 = Moderate - 5		628	1.08
6 = Moderate - 6		605	1.04
7 = Severe - 7		711	1.23
8 = Severe - 8		744	1.28
9 = Severe - 9		563	0.97
10 = Very Severe Interference		694	1.20
94 = DON'T KNOW		8	0.01
97 = REFUSED		6	0.01
98 = BLANK (NO ANSWER)		1973	3.40
99 = LEGITIMATE SKIP.....		50905	87.72

NOTE: Beginning with the 2008 survey, respondents who answered "don't know" or "refused" to questions corresponding to the variables ADPSHMGMT, ADPSWORK, ADPSRELS, and ADPSSOC are no longer asked the question corresponding to ADPSDAYS unless they entered a response of 1 to 10 in at least one of the other questions corresponding to ADPSHMGT through ADPSSOC.

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer

<i>(AD68)</i> <u>ADPSDAYS</u> ¹	Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS	Freq	Pct
RANGE = 0 - 365		5012	8.64
994 = DON'T KNOW		107	0.18
997 = REFUSED		8	0.01
998 = BLANK (NO ANSWER).....		1981	3.41
999 = LEGITIMATE SKIP.....		50926	87.75

ADULT DEPRESSION

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

(AD86)

ADSEEDOC¹

Len : 2 SEE/TALK TO DR/OTH PROF ABT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Yes.....	4149	7.15
2 = No.....	4894	8.43
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	10	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1891	3.26
99 = LEGITIMATE SKIP.....	47078	81.12

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

(AD86A)

ADFAMDOC¹

Len : 2 GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	2005	3.45
6 = Response not entered	2140	3.69
94 = DON'T KNOW	1	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1902	3.28
99 = LEGITIMATE SKIP.....	51972	89.55

(AD86A)

ADOTHDOC¹

Len : 2 OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	323	0.56
3 = Response entered LOGICALLY ASSIGNED	7	0.01
6 = Response not entered	3815	6.57
94 = DON'T KNOW	1	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1902	3.28
99 = LEGITIMATE SKIP.....	51972	89.55

(AD86A)

ADPSYCH¹

Len : 2 PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	1281	2.21
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	2863	4.93
94 = DON'T KNOW	1	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1902	3.28
99 = LEGITIMATE SKIP.....	51972	89.55

(AD86A)

ADPSYMD¹

Len : 2 PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	1494	2.57
6 = Response not entered	2651	4.57
94 = DON'T KNOW	1	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1902	3.28
99 = LEGITIMATE SKIP.....	51972	89.55

ADULT DEPRESSION

(AD86A)
ADSOCWRK¹

Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	446	0.77
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	3698	6.37
94 = DON'T KNOW	1	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1902	3.28
99 = LEGITIMATE SKIP.....	51972	89.55

(AD86A)
ADCOUNS¹

Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	1488	2.56
3 = Response entered LOGICALLY ASSIGNED	4	0.01
6 = Response not entered	2653	4.57
94 = DON'T KNOW	1	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1902	3.28
99 = LEGITIMATE SKIP.....	51972	89.55

(AD86A)
ADOTHMHP¹

Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	435	0.75
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	3709	6.39
94 = DON'T KNOW	1	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1902	3.28
99 = LEGITIMATE SKIP.....	51972	89.55

(AD86A)
ADNURSE¹

Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	322	0.55
3 = Response entered LOGICALLY ASSIGNED	9	0.02
6 = Response not entered	3814	6.57
94 = DON'T KNOW	1	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1902	3.28
99 = LEGITIMATE SKIP.....	51972	89.55

(AD86A)
ADRELIG¹

Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS

	Freq	Pct
1 = Response entered	396	0.68
3 = Response entered LOGICALLY ASSIGNED	6	0.01
6 = Response not entered	3743	6.45
94 = DON'T KNOW	1	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1902	3.28
99 = LEGITIMATE SKIP.....	51972	89.55

(AD86A)
ADHERBAL¹

Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	228	0.39
3 = Response entered LOGICALLY ASSIGNED	3	0.01
6 = Response not entered	3914	6.74
94 = DON'T KNOW	1	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1902	3.28
99 = LEGITIMATE SKIP.....	51972	89.55

ADULT DEPRESSION

<i>(AD86A)</i> <u>ADOTHHLP¹</u>	Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS	Freq	Pct
1 = Response entered	140	0.24	
6 = Response not entered	4005	6.90	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	14	0.02	
98 = BLANK (NO ANSWER)	1902	3.28	
99 = LEGITIMATE SKIP.....	51972	89.55	

Are you currently receiving professional treatment or counseling for [NUMPROBS] with your mood?

<i>(AD86B)</i> <u>ADMTMTNOW¹</u>	Len : 2 CURRENTLY RCVNG PROF TREATMENT/COUNSLG FOR MOOD	Freq	Pct
1 = Yes.....	2666	4.59	
2 = No.....	1480	2.55	
94 = DON'T KNOW	2	0.00	
97 = REFUSED	12	0.02	
98 = BLANK (NO ANSWER)	1902	3.28	
99 = LEGITIMATE SKIP.....	51972	89.55	

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

<i>(AD86C)</i> <u>ADRX12MO¹</u>	Len : 2 TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS	Freq	Pct
1 = Yes.....	3519	6.06	
2 = No.....	5535	9.54	
85 = BAD DATA Logically assigned	1	0.00	
94 = DON'T KNOW	5	0.01	
97 = REFUSED	5	0.01	
98 = BLANK (NO ANSWER)	1891	3.26	
99 = LEGITIMATE SKIP.....	47078	81.12	

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

<i>(AD86D)</i> <u>ADRXNOW¹</u>	Len : 2 CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD	Freq	Pct
1 = Yes.....	3042	5.24	
2 = No.....	476	0.82	
97 = REFUSED	6	0.01	
98 = BLANK (NO ANSWER)	1897	3.27	
99 = LEGITIMATE SKIP.....	52613	90.66	

During the past 12 months, how much has this prescription medication helped you?

<i>(AD86E)</i> <u>ADRXHLP¹</u>	Len : 2 HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MO	Freq	Pct
1 = Not at all	173	0.30	
2 = A little.....	370	0.64	
3 = Some.....	957	1.65	
4 = A lot.....	1287	2.22	
5 = Extremely	723	1.25	
94 = DON'T KNOW	8	0.01	
97 = REFUSED	6	0.01	
98 = BLANK (NO ANSWER)	1897	3.27	
99 = LEGITIMATE SKIP.....	52613	90.66	

ADULT DEPRESSION

During the past 12 months, how much has treatment or counseling helped you?

(AD86F)

ADTMTHLP¹

Len : 2 HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS

	Freq	Pct
1 = Not at all	449	0.77
2 = A little.....	629	1.08
3 = Some.....	1092	1.88
4 = A lot.....	1256	2.16
5 = Extremely	691	1.19
94 = DON'T KNOW	25	0.04
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	1902	3.28
99 = LEGITIMATE SKIP.....	51972	89.55

NOTE: The following variable, AMDELT, identifies an adult as having a major depressive episode (MDE) in their lifetime and AMDEYR identifies an adult as having MDE in the prior year. Beginning in 2021, missing values for AMDELT and AMDEYR were replaced using statistical imputation. The imputation-revised variables used in analysis, IRAMDELT and IRAMDEYR, appear in the Imputed Adult Depression section.

A respondent was classified as having a major depressive episode (MDE) in their lifetime, AMDELT=1, if they reported experiencing at least five out of the nine criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (ADSMMDA=1). An adult was classified as NOT having a major depressive episode (MDE) in their lifetime, AMDELT=2, if they met either of these conditions:

1. Reported experiencing fewer than five out of the nine criteria used to define an adult as having had MDE in their lifetime (ADSMMDA=2).
2. If the number of criteria used to define an adult as having had MDE in their lifetime is unknown (ADSMMDA=98) and the respondent reported at least one of the following:
 1. Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (ADDPREV=2), discouraged about how things were going in life (ADDSCEV=2), and lost interest in most things usually enjoyable (ADLOSEV=2).
 2. Experienced the feelings in (i), but they did not last most of the day, nearly every day for two weeks or longer (ADLSI2WK=2) or (ADDPR2WK=2).
 3. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (ADWRHRS=1).
 4. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but emotional distress was mild (ADWRDST=1), there was never a time when emotional distress was so severe that you could not be cheered up (ADWRCHR=4), and there was never a time when your emotional distress was so severe that you could not carry out your daily activities (ADWRIMP=4).
 5. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer for at least an hour and the severe distress were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (ADDPPROB=2).

(ADDPPROB, ADDPR2WK, ADDPREV, ADDSCEV, ADLOSEV, ADLSI2WK, ADSMMDA, ADWRCHR, ADWRDST, ADWRHRS, ADWRIMP)
AMDELT Len : 1 ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	12612	21.73
1 = Yes (ADSMMDA=1).....	8918	15.37
2 = No (See comment above).....	36504	62.90

NOTE: Beginning in 2021, missing values for AMDEYR were replaced using statistical imputation. The imputation-revised variable used in analysis, IRAMDEYR, appears in the Imputed Adult Depression section.

(ADPB2WK, AMDELT)

AMDEYR

Len : 1 ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	12718	21.91
1 = Yes (AMDELT=1 & ADPB2WK=1)	5107	8.80
2 = No (AMDELT=2 or [AMDELT=1 & ADPB2WK=2])	40209	69.29

ADULT DEPRESSION

NOTE: The following four variables make up the four role domains (home management, work, close relationships with others, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on an adult's life.

(ADPSHMGT)
ASDSHOM2

Len : 1 ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - HOME MANAGEMENT

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise).....	52891	91.14
1 = None (ADPSHMGT=0).....	120	0.21
2 = Mild (ADPSHMGT=1,2,3).....	698	1.20
3 = Moderate (ADPSHMGT=4,5,6)	1982	3.42
4 = Severe (ADPSHMGT=7,8,9).....	1833	3.16
5 = Very Severe (ADPSHMGT=10).....	510	0.88

(ADPSWORK)
ASDSWRK2

Len : 1 ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - ABILITY TO WORK

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise).....	52907	91.17
1 = None (ADPSWORK=0)	390	0.67
2 = Mild (ADPSWORK=1,2,3)	1089	1.88
3 = Moderate (ADPSWORK=4,5,6)	1759	3.03
4 = Severe (ADPSWORK=7,8,9)	1387	2.39
5 = Very Severe (ADPSWORK=10).....	502	0.87

(ADPSRELS)
ASDSREL2

Len : 1 ADULT: DEP FEELINGS ROLE IMPAIRMENT - CLOSE RELATIONSHIPS

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise).....	52894	91.14
1 = None (ADPSRELS=0).....	186	0.32
2 = Mild (ADPSRELS=1,2,3).....	833	1.44
3 = Moderate (ADPSRELS=4,5,6)	1883	3.24
4 = Severe (ADPSRELS=7,8,9).....	1733	2.99
5 = Very Severe (ADPSRELS=10).....	505	0.87

(ADPSSOC)
ASDSSOC2

Len : 1 ADULT: DEPRESSIVE FEELINGS ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise).....	52892	91.14
1 = None (ADPSSOC=0).....	169	0.29
2 = Mild (ADPSSOC=1,2,3).....	639	1.10
3 = Moderate (ADPSSOC=4,5,6)	1622	2.79
4 = Severe (ADPSSOC=7,8,9).....	2018	3.48
5 = Very Severe (ADPSSOC=10).....	694	1.20

The following variable, AMDEIMP, is restricted to adults with past year MDE (AMDEYR) and is derived from the maximum level of interference over the four role domains of SDS: home management (ASDSHOM2), ability to work (ASDSWRK2), close relationships (ASDSREL2), and social life (ASDSSOC2). Adults with a past year MDE (AMDEYR=1) and a "severe" or "very severe" maximum level of interference are assigned AMDEIMP=1. Adults without a past year MDE (AMDEYR=2) or a maximum level of interference of "none", "mild", or "moderate" (and no missing data across the four role domains) are assigned AMDEIMP=2. All other respondents are assigned a missing value for AMDEIMP. Beginning in 2021, missing values for AMDEIMP were replaced using statistical imputation. The imputation-revised variable used in analysis, IRAMDEIMP, appears in the Imputed Adult Depression section.

(AMDEYR, ASDSHOM2, ASDSREL2, ASDSSOC2, ASDSWRK2)

AMDEIMP

Len : 1 ADULT: MDE WITH SEVERE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	12745	21.96
1 = Yes.....	3597	6.20
2 = No	41692	71.84

IMPUTED ADULT DEPRESSION

IMPUTED ADULT DEPRESSION

<i>(AMDELT)</i>	Len : 2 ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE) - IMP REV	Freq	Pct
<u>IHAMDELT</u>	. = Aged 12-17	10743	18.51
	0 = No.....	37975	65.44
	1 = Yes.....	9316	16.05
<i>(AMDELT)</i>	Len : 2 ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE) - IMP IND	Freq	Pct
<u>IHAMDELT</u>	1 = Questionnaire data	45422	78.27
	3 = Statistically imputed data.....	1869	3.22
	9 = LEGITIMATE SKIP.....	10743	18.51
<i>(AMDEYR)</i>	Len : 2 ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE) - IMP REV	Freq	Pct
<u>IHAMDEYR</u>	. = Aged 12-17	10743	18.51
	0 = No.....	41867	72.14
	1 = Yes.....	5424	9.35
<i>(AMDEYR)</i>	Len : 2 ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE) - IMP IND	Freq	Pct
<u>IHAMDEYR</u>	1 = Questionnaire data	45316	78.09
	3 = Statistically imputed data.....	1975	3.40
	9 = LEGITIMATE SKIP.....	10743	18.51
<i>(AMDEIMP)</i>	Len : 2 ADULT: MDE WITH SEVERE ROLE IMPAIRMENT - IMP REV	Freq	Pct
<u>IHAMDEIMP</u>	. = Aged 12-17	10743	18.51
	0 = No.....	43439	74.85
	1 = Yes.....	3852	6.64
<i>(AMDEIMP)</i>	Len : 2 ADULT: MDE WITH SEVERE ROLE IMPAIRMENT - IMP IND	Freq	Pct
<u>IHAMDEIMP</u>	1 = Questionnaire data	45289	78.04
	3 = Statistically imputed data.....	2002	3.45
	9 = LEGITIMATE SKIP.....	10743	18.51

RECODED ADULT DEPRESSION

RECODED ADULT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or imputed variables from the preceding sections.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The following 16 variables are among all adult respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adults with MDE, the analysis will need to be restricted by either the lifetime MDE variable (IRAMDELT) or the past year MDE variable (IRAMDEYR).

*(ADSEEDOC)
ATXMDEYR*

Len : 1 RC-ADULT: SAW/TALK TO MD/PROF ABT DEPRESSIVE FEELNGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	48991	84.42
0 = No (ADSEEDOC=2)	4894	8.43
1 = Yes (ADSEEDOC=1).....	4149	7.15

*(ADRX12MO)
ARXMDEYR*

Len : 1 RC-ADULT: USED RX MEDICATION FOR DEPRESSIVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	48980	84.40
0 = No (ADRX12MO=2).....	5535	9.54
1 = Yes (ADRX12MO=1).....	3519	6.06

The following variable, AMDETXRX, is defined as having received treatment/counseling for MDE in the past year if (1) saw or talked to a medical doctor or other professional about depressive feelings or (2) used prescription medication for depressive feelings.

(ARXMDEYR, ATXMDEYR)

AMDETXRX

Len : 1 RC-ADULT: RCVD TRT/CNSLG OR RX MED FOR DEPRESS FEELING IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	48986	84.41
0 = No (ATXMDEYR=0 and ARXMDEYR=0).....	4211	7.26
1 = Yes (ATXMDEYR=1 or ARXMDEYR=1).....	4837	8.33

(ADFAMDOC, ADSEEDOC)

ADOCMDE

Len : 1 RC-ADULT: SAW/TALK TO GEN PRAC/FAM MD ABT DEP FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	48995	84.42
0 = No (ADSEEDOC=2 or ADFAMDOC=6)	7034	12.12
1 = Yes (ADFAMDOC=1,3)	2005	3.45

(ADOTHDOC, ADSEEDOC)

AOMDMDE

Len : 1 RC-ADULT: SAW/TALK TO OTHER MD ABT DEPRESSIVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	48995	84.42
0 = No (ADSEEDOC=2 or ADOTHDOC=6)	8709	15.01
1 = Yes (ADOTHDOC=1,3)	330	0.57

(ADPSYCH, ADSEEDOC)

APSY1MDE

Len : 1 RC-ADULT: SAW/TALK TO PSYCHOLOGIST ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	48995	84.42
0 = No (ADSEEDOC=2 or ADPSYCH=6)	7757	13.37
1 = Yes (ADPSYCH=1,3)	1282	2.21

(ADPSYMD, ADSEEDOC)

APSY2MDE

Len : 1 RC-ADULT: SAW/TALK TO PSYCHIATRIST ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	48995	84.42
0 = No (ADSEEDOC=2 or ADPSYMD=6)	7545	13.00
1 = Yes (ADPSYMD=1,3)	1494	2.57

RECODED ADULT DEPRESSION

(ADSEEDOC, ADSOCWRK)

ASOCMDE Len : 1 RC-ADULT: SAW/TALK TO SOCIAL WORKR ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	48995	84.42
0 = No (ADSEEDOC=2 or ADSOCWRK=6)	8592	14.81
1 = Yes (ADSOCWRK=1,3)	447	0.77

(ADCOUNS, ADSEEDOC)

ACOUNMDE Len : 1 RC-ADULT: SAW/TALK TO COUNSELOR ABT DEPRESSVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	48995	84.42
0 = No (ADSEEDOC=2 or ADCOUNS=6).....	7547	13.00
1 = Yes (ADCOUNS=1,3).....	1492	2.57

(ADOTHMHP, ADSEEDOC)

AOMHMDE Len : 1 RC-ADULT: SAW/TALK TO OTH MENT HLTH PROF ABT DEP FEELINGS-PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	48995	84.42
0 = No (ADSEEDOC=2 or [ADOTHMHP=6 & No Writ-in Enter])	8584	14.79
1 = Yes (ADOTHMHP=1,3 or Write-in Response Entered).....	455	0.78

(ADNURSE, ADSEEDOC)

ANURSMDE Len : 1 RC-ADULT: SAW/TALK TO NURSE/OCC THERA ABT DEP FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	48995	84.42
0 = No (ADSEEDOC=2 or ADNURSE=6)	8708	15.00
1 = Yes (ADNURSE=1,3)	331	0.57

(ADRELIG, ADSEEDOC)

ARELMDE Len : 1 RC-ADULT: SAW/TALK TO RELIG ADVISR ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	48995	84.42
0 = No (ADSEEDOC=2 or ADRELIG=6)	8637	14.88
1 = Yes (ADRELIG=1,3).....	402	0.69

(ADHERBAL, ADSEEDOC)

AHBCHMDE Len : 1 RC-ADULT: SAW/TALK TO ANOTHER HEALER ABT DEPR FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	48995	84.42
0 = No (ADSEEDOC=2 or ADHERBAL=6)	8808	15.18
1 = Yes (ADHERBAL=1,3).....	231	0.40

The following variable, AOTHMDE, defines an adult as having seen or talked to another professional about MDE during the past year if s/he entered a valid write-in response other than the responses that matched existing categories.

An adult was classified as NOT having seen or talked to another professional about MDE during the past year, AOTHMDE=0, if s/he met either of these conditions:

1. Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2).
2. Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHHLP=6).
3. Write-in response entered matched an existing category.

(ADOTHHLP, ADSEEDOC)

AOTHMDE Len : 1 RC-ADULT: SAW/TALK TO OTHER PROF ABOUT MDE IN PST YR

	Freq	Pct
. = Aged 12-17/Unknwn/Legit Skip/Invalid Spec. Resp.	49033	84.49
0 = No (See comment above).....	8966	15.45
1 = Yes (See comment above)	35	0.06

RECODED ADULT DEPRESSION

The following variable, AHLTMDE, indicates whether an adult reported seeing or talking to a health professional about MDE in the past year. Adults were classified as having seen or talked to a health professional, AHLTMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (ADOCMDE=1); other medical doctor (AOMDMDE=1); psychologist (APSY1MDE=1); psychiatrist or psychotherapist (APSY2MDE=1); social worker (ASOCMDE=1); counselor (ACOUNMDE=1); other mental health professional (AOMHMDE=1); or nurse, occupational therapist, or other health professional (ANURSMDE=1). Respondents were classified as having not seen or talked to a health professional, AHLTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

(ACOUNMDE, ADOCMD, ANURSMDE, AOMDMDE, AOMHMDE, APSY1MDE, APSY2MDE, ASOCMDE)
AHLTMDE Len : 1 RC-ADULT: SAW/TALK TO HLTH PROF ABT DEPRESSVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	48995	84.42
0 = No (See comment above).....	4994	8.61
1 = Yes (See comment above)	4045	6.97

The following variable, AALTMDE, indicates whether an adult reported seeing or talking to an alternative service professional about MDE in the past year. Adults were classified as having seen or talked to an alternative service professional, AALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (ARELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (AHBCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, AALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

(AHBCHMDE, ARELMDE)
AALTMDE Len : 1 RC-ADULT: SAW/TALK TO ALT SERV PROF ABT DEPRS FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	48995	84.42
0 = No (See comment above).....	8456	14.57
1 = Yes (See comment above)	583	1.00

YOUTH MENTAL HEALTH SERVICE UTILIZATION

YOUTH MENTAL HEALTH SERVICE UTILIZATION

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

These next questions are about treatment and counseling for problems with your behaviors or emotions that were not caused by alcohol or drugs.

During the past 12 months, have you stayed overnight or longer in any type of hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

(YSU01)	<u>YUHOSPYR¹</u>	Len : 2 STAY OVNT IN HOSP FOR EMOT TRMT PST 12 MOS	Freq	Pct
1 = Yes.....			247	0.43
2 = No.....			10358	17.85
85 = BAD DATA Logically assigned.....			9	0.02
94 = DON'T KNOW			67	0.12
97 = REFUSED			33	0.06
98 = BLANK (NO ANSWER)			29	0.05
99 = LEGITIMATE SKIP.....			47291	81.49

During the past 12 months, how many nights altogether did you stay in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

(YSU02)	<u>YUHOSPN2¹</u>	Len : 3 # NIGHTS STAYED IN HOSP FOR EMOT TRMT PST 12 MOS	Freq	Pct
RANGE = 1 - 30.....			215	0.37
31 = 31 or more.....			9	0.02
985 = BAD DATA Logically assigned.....			8	0.01
994 = DON'T KNOW			17	0.03
997 = REFUSED			39	0.07
998 = BLANK (NO ANSWER).....			97	0.17
999 = LEGITIMATE SKIP.....			57649	99.34

(YSU03)	<u>YUHODEPR¹</u>	Len : 2 STAYED IN HOSP BEC YOU FELT DEPRESSED	Freq	Pct
1 = Response entered			120	0.21
6 = Response not entered			109	0.19
94 = DON'T KNOW			8	0.01
97 = REFUSED			43	0.07
98 = BLANK (NO ANSWER)			105	0.18
99 = LEGITIMATE SKIP.....			57649	99.34

(YSU03)	<u>YUHOFEAR¹</u>	Len : 2 STAYED IN HOSP BEC YOU FELT AFRAID/TENSE	Freq	Pct
1 = Response entered			46	0.08
6 = Response not entered			183	0.32
94 = DON'T KNOW			8	0.01
97 = REFUSED			43	0.07
98 = BLANK (NO ANSWER)			105	0.18
99 = LEGITIMATE SKIP.....			57649	99.34

(YSU03)	<u>YUHOBKRU¹</u>	Len : 2 STAYED IN HOSP BEC BREAKING RULES/ACTING OUT	Freq	Pct
1 = Response entered			33	0.06
3 = Response entered LOGICALLY ASSIGNED			1	0.00
6 = Response not entered			195	0.34
94 = DON'T KNOW			8	0.01
97 = REFUSED			43	0.07
98 = BLANK (NO ANSWER)			105	0.18
99 = LEGITIMATE SKIP.....			57649	99.34

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU03)
YUHOEATP¹

Len : 2 STAYED IN HOSP BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	26	0.04
6 = Response not entered	203	0.35
94 = DON'T KNOW	8	0.01
97 = REFUSED	43	0.07
98 = BLANK (NO ANSWER)	105	0.18
99 = LEGITIMATE SKIP.....	57649	99.34

What was the other emotional or behavioral problem for which you last stayed overnight in a hospital?

(YSU03A)
YUHOANGR¹

Len : 2 STAYED IN HOSP BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
1 = Response entered	9	0.02
6 = Response not entered	217	0.37
94 = DON'T KNOW	9	0.02
97 = REFUSED	45	0.08
98 = BLANK (NO ANSWER)	105	0.18
99 = LEGITIMATE SKIP.....	57649	99.34

(YSU03A)
YUHOFITE¹

Len : 2 STAYED IN HOSP BEC HAD GOTTN INTO PHYS FIGHTS

	Freq	Pct
1 = Response entered	1	0.00
6 = Response not entered	225	0.39
94 = DON'T KNOW	9	0.02
97 = REFUSED	45	0.08
98 = BLANK (NO ANSWER)	105	0.18
99 = LEGITIMATE SKIP.....	57649	99.34

(YSU03A)
YUHOFMLY¹

Len : 2 STAYED IN HOSP BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
1 = Response entered	11	0.02
6 = Response not entered	215	0.37
94 = DON'T KNOW	9	0.02
97 = REFUSED	45	0.08
98 = BLANK (NO ANSWER)	105	0.18
99 = LEGITIMATE SKIP.....	57649	99.34

(YSU03A)
YUHOFRND¹

Len : 2 STAYED IN HOSP BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
1 = Response entered	5	0.01
6 = Response not entered	221	0.38
94 = DON'T KNOW	9	0.02
97 = REFUSED	45	0.08
98 = BLANK (NO ANSWER)	105	0.18
99 = LEGITIMATE SKIP.....	57649	99.34

(YSU03A)
YUHOOTPP¹

Len : 2 STAYED IN HOSP BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
1 = Response entered	3	0.01
6 = Response not entered	223	0.38
94 = DON'T KNOW	9	0.02
97 = REFUSED	45	0.08
98 = BLANK (NO ANSWER)	105	0.18
99 = LEGITIMATE SKIP.....	57649	99.34

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU03A)
YUHOSCHL¹

Len : 2 STAYED IN HOSP BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
1 = Response entered	12	0.02
6 = Response not entered	214	0.37
94 = DON'T KNOW	9	0.02
97 = REFUSED	45	0.08
98 = BLANK (NO ANSWER)	105	0.18
99 = LEGITIMATE SKIP.....	57649	99.34

(YSU03, YSU03A)
YUHOSOR¹

Len : 2 STAYED IN HOSP FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	54	0.09
6 = Response not entered	175	0.30
94 = DON'T KNOW	8	0.01
97 = REFUSED	43	0.07
98 = BLANK (NO ANSWER)	105	0.18
99 = LEGITIMATE SKIP.....	57649	99.34

During the past 12 months, did you stay overnight or longer in a residential treatment center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

(YSU04)
YURSIDYR¹

Len : 2 STAYED IN RESID CTR FOR EMOT TRMT PST 12 MOS

	Freq	Pct
1 = Yes.....	138	0.24
2 = No.....	10463	18.03
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	68	0.12
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	29	0.05
99 = LEGITIMATE SKIP.....	47291	81.49

During the past 12 months, how many nights altogether did you stay in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs?

(YSU05)
YURSIDN2¹

Len : 3 # NIGHTS IN RESID CTR FOR EMOT TRMT PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	116	0.20
31 = 31 or more.....	12	0.02
985 = BAD DATA Logically assigned	9	0.02
994 = DON'T KNOW	7	0.01
997 = REFUSED	39	0.07
998 = BLANK (NO ANSWER).....	97	0.17
999 = LEGITIMATE SKIP.....	57754	99.52

(YSU06)
YURSDEPR¹

Len : 2 STAYED IN RESID CTR BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	76	0.13
6 = Response not entered	58	0.10
94 = DON'T KNOW	3	0.01
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	57754	99.52

(YSU06)
YURSFEAR¹

Len : 2 STAYED IN RESID CTR BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	30	0.05
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	102	0.18
94 = DON'T KNOW	3	0.01
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	57754	99.52

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU06)
YURSBKRU¹

Len : 2 STAYED IN RESID CTR BEC BRKING RULES/ACT OUT

	Freq	Pct
1 = Response entered	23	0.04
6 = Response not entered	111	0.19
94 = DON'T KNOW	3	0.01
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	57754	99.52

(YSU06)
YURSEATP¹

Len : 2 STAYED IN RESID CTR BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	18	0.03
6 = Response not entered	116	0.20
94 = DON'T KNOW	3	0.01
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	57754	99.52

What was the other emotional or behavioral problem for which you last stayed overnight in a residential treatment center?

(YSU06A)
YURSANGR¹

Len : 2 STAYED IN RESID CTR BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
1 = Response entered	11	0.02
6 = Response not entered	121	0.21
94 = DON'T KNOW	4	0.01
97 = REFUSED	38	0.07
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	57754	99.52

(YSU06A)
YURSFITE¹

Len : 2 STAYED IN RESID CTR BEC HAD GOTN INTO PHYS FIGHTS

	Freq	Pct
1 = Response entered	5	0.01
6 = Response not entered	127	0.22
94 = DON'T KNOW	4	0.01
97 = REFUSED	38	0.07
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	57754	99.52

(YSU06A)
YURSFMLY¹

Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
1 = Response entered	9	0.02
6 = Response not entered	123	0.21
94 = DON'T KNOW	4	0.01
97 = REFUSED	38	0.07
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	57754	99.52

(YSU06A)
YURSFRND¹

Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
1 = Response entered	5	0.01
6 = Response not entered	127	0.22
94 = DON'T KNOW	4	0.01
97 = REFUSED	38	0.07
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	57754	99.52

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU06A)
YURSOTPP¹

Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
1 = Response entered	5	0.01
6 = Response not entered	127	0.22
94 = DON'T KNOW	4	0.01
97 = REFUSED	38	0.07
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	57754	99.52

(YSU06A)
YURSSCHL¹

Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
1 = Response entered	5	0.01
6 = Response not entered	127	0.22
94 = DON'T KNOW	4	0.01
97 = REFUSED	38	0.07
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	57754	99.52

(YSU06, YSU06A)
YURSSOR¹

Len : 2 STAYED IN RESID CTR FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	20	0.03
6 = Response not entered	114	0.20
94 = DON'T KNOW	3	0.01
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	57754	99.52

During the past 12 months, did you stay overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?

(YSU07)
YUFCAHYR¹

Len : 2 SPENT TIME IN FOST CARE FOR EMOT PROB PST 12 MOS

	Freq	Pct
1 = Yes.....	37	0.06
2 = No.....	10568	18.21
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	64	0.11
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	29	0.05
99 = LEGITIMATE SKIP.....	47291	81.49

During the past 12 months, how many nights altogether did you stay in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?

(YSU08)
YUFCAHRY¹

Len : 3 # NIGHTS IN FOST CARE FOR EMOT PROB PST 12 MOS

	Freq	Pct
RANGE = 1 - 29	27	0.05
31 = 31 or more.....	4	0.01
985 = BAD DATA Logically assigned	8	0.01
994 = DON'T KNOW	4	0.01
997 = REFUSED	38	0.07
998 = BLANK (NO ANSWER).....	94	0.16
999 = LEGITIMATE SKIP.....	57859	99.70

(YSU09)
YUFCDDEPR¹

Len : 2 STAYED IN FOST CARE BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	7	0.01
6 = Response not entered	27	0.05
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	2	0.00
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	101	0.17
99 = LEGITIMATE SKIP.....	57859	99.70

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU09)
YUFCFEAR¹

Len : 2 STAYED IN FOST CARE BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	3	0.01
6 = Response not entered	31	0.05
94 = DON'T KNOW	2	0.00
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	102	0.18
99 = LEGITIMATE SKIP.....	57859	99.70

(YSU09)
YUFCBKRU¹

Len : 2 STAYED IN FOST CARE BEC BRKING RULES/ACT OUT

	Freq	Pct
1 = Response entered	4	0.01
6 = Response not entered	30	0.05
94 = DON'T KNOW	2	0.00
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	102	0.18
99 = LEGITIMATE SKIP.....	57859	99.70

(YSU09)
YUFCEATP¹

Len : 2 STAYED IN FOST CARE BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	1	0.00
6 = Response not entered	33	0.06
94 = DON'T KNOW	2	0.00
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	102	0.18
99 = LEGITIMATE SKIP.....	57859	99.70

What was the other emotional or behavioral problem for which you last stayed overnight or longer in foster care or a therapeutic foster care home?

(YSU09A)
YUFCANGR¹

Len : 2 STAYED IN FOST CARE BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
6 = Response not entered	34	0.06
94 = DON'T KNOW	2	0.00
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	102	0.18
99 = LEGITIMATE SKIP.....	57859	99.70

(YSU09A)
YUFCFITE¹

Len : 2 STAYED IN FOST CARE BEC HAD GOTN INTO PHYS FIGHTS

	Freq	Pct
6 = Response not entered	34	0.06
94 = DON'T KNOW	2	0.00
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	102	0.18
99 = LEGITIMATE SKIP.....	57859	99.70

(YSU09A)
YUFCFMLY¹

Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
1 = Response entered	3	0.01
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	30	0.05
94 = DON'T KNOW	2	0.00
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	102	0.18
99 = LEGITIMATE SKIP.....	57859	99.70

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU09A)
YUFCFRND¹

Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
6 = Response not entered	34	0.06
94 = DON'T KNOW	2	0.00
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	102	0.18
99 = LEGITIMATE SKIP.....	57859	99.70

(YSU09A)
YUFCOTPP¹

Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
6 = Response not entered	34	0.06
94 = DON'T KNOW	2	0.00
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	102	0.18
99 = LEGITIMATE SKIP.....	57859	99.70

(YSU09A)
YUFCSCHL¹

Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
6 = Response not entered	34	0.06
94 = DON'T KNOW	2	0.00
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	102	0.18
99 = LEGITIMATE SKIP.....	57859	99.70

(YSU09, YSU09A)
YUFCSOR¹

Len : 2 STAYED IN FOST CARE FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	9	0.02
6 = Response not entered	25	0.04
94 = DON'T KNOW	2	0.00
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	102	0.18
99 = LEGITIMATE SKIP.....	57859	99.70

During the past 12 months, did you receive treatment or counseling at a partial day hospital or day treatment program because you had problems with your behavior or emotions that were not caused by alcohol or drugs?

(YSU10)
YUDYTXYR¹

Len : 2 SPENT TIME IN DAY TRMT PROG PAST 12 MOS

	Freq	Pct
1 = Yes.....	184	0.32
2 = No.....	10401	17.92
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	80	0.14
97 = REFUSED	39	0.07
98 = BLANK (NO ANSWER)	30	0.05
99 = LEGITIMATE SKIP.....	47291	81.49

During the past 12 months, how many times did you visit a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs?

(YSU11)
YUDYTXN2¹

Len : 3 # TIMES VISITED DAY TRMT PROG PAST 12 MOS

	Freq	Pct
RANGE = 1 - 30	149	0.26
31 = 31 or more.....	11	0.02
985 = BAD DATA Logically assigned	8	0.01
994 = DON'T KNOW	23	0.04
997 = REFUSED	40	0.07
998 = BLANK (NO ANSWER).....	111	0.19
999 = LEGITIMATE SKIP.....	57692	99.41

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU12)
YUDYDEPR¹

Len : 2 VISITED DAY TRMT BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	112	0.19
6 = Response not entered	63	0.11
94 = DON'T KNOW	6	0.01
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	119	0.21
99 = LEGITIMATE SKIP.....	57692	99.41

(YSU12)
YUDYFEAR¹

Len : 2 VISITED DAY TRMT BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	45	0.08
3 = Response entered LOGICALLY ASSIGNED	9	0.02
6 = Response not entered	121	0.21
94 = DON'T KNOW	6	0.01
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	119	0.21
99 = LEGITIMATE SKIP.....	57692	99.41

(YSU12)
YUDYBKRU¹

Len : 2 VISITED DAY TRMT BEC BRKING RULES/ACT OUT

	Freq	Pct
1 = Response entered	24	0.04
6 = Response not entered	151	0.26
94 = DON'T KNOW	6	0.01
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	119	0.21
99 = LEGITIMATE SKIP.....	57692	99.41

(YSU12)
YUDYEATP¹

Len : 2 VISITED DAY TRMT BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	33	0.06
6 = Response not entered	142	0.24
94 = DON'T KNOW	6	0.01
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	119	0.21
99 = LEGITIMATE SKIP.....	57692	99.41

What was the other emotional or behavioral problem for which you last visited a partial day hospital or day treatment program?

(YSU12A)
YUDYANGR¹

Len : 2 VISITED DAY TRMT BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
1 = Response entered	16	0.03
6 = Response not entered	158	0.27
94 = DON'T KNOW	7	0.01
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	119	0.21
99 = LEGITIMATE SKIP.....	57692	99.41

(YSU12A)
YUDYFITE¹

Len : 2 VISITED DAY TRMT BEC HAD GOTTN INTO PHYS FIGHTS

	Freq	Pct
1 = Response entered	2	0.00
6 = Response not entered	172	0.30
94 = DON'T KNOW	7	0.01
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	119	0.21
99 = LEGITIMATE SKIP.....	57692	99.41

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU12A)
YUDYFMLY¹

Len : 2 VISITED DAY TRMT BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
1 = Response entered	13	0.02
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	160	0.28
94 = DON'T KNOW	7	0.01
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	119	0.21
99 = LEGITIMATE SKIP.....	57692	99.41

(YSU12A)
YUDYFRND¹

Len : 2 VISITED DAY TRMT BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
1 = Response entered	13	0.02
6 = Response not entered	161	0.28
94 = DON'T KNOW	7	0.01
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	119	0.21
99 = LEGITIMATE SKIP.....	57692	99.41

(YSU12A)
YUDYOTPP¹

Len : 2 VISITED DAY TRMT BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
1 = Response entered	9	0.02
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	164	0.28
94 = DON'T KNOW	7	0.01
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	119	0.21
99 = LEGITIMATE SKIP.....	57692	99.41

(YSU12A)
YUDYSCHL¹

Len : 2 VISITED DAY TRMT BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
1 = Response entered	14	0.02
6 = Response not entered	160	0.28
94 = DON'T KNOW	7	0.01
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	119	0.21
99 = LEGITIMATE SKIP.....	57692	99.41

(YSU12, YSU12A)
YUDYSOR¹

Len : 2 VISITED DAY TRMT FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	44	0.08
6 = Response not entered	131	0.23
94 = DON'T KNOW	6	0.01
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	119	0.21
99 = LEGITIMATE SKIP.....	57692	99.41

During the past 12 months, did you receive treatment or counseling at a mental health clinic or center because you had problems with your behavior or emotions that were not caused by alcohol or drugs?

(YSU13)
YUMHCRYR¹

Len : 2 RCVD EMOT TRMT IN MENT HLTH CLNC PST 12 MOS

	Freq	Pct
1 = Yes.....	550	0.95
2 = No.....	10022	17.27
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	94	0.16
97 = REFUSED	38	0.07
98 = BLANK (NO ANSWER)	30	0.05
99 = LEGITIMATE SKIP.....	47291	81.49

YOUTH MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, how many times did you visit a mental health clinic or center to receive treatment or counseling because you had emotional or behavioral problems that were not caused by alcohol or drugs?

<i>(YSU14)</i>	<u>YUMHCRN2¹</u>	Len : 3 # TIMES VISITED MENT HLTH CLNC PST 12 MOS	Freq	Pct
RANGE = 1 - 30.....			455	0.78
31 = 31 or more.....			45	0.08
985 = BAD DATA Logically assigned.....			7	0.01
994 = DON'T KNOW.....			46	0.08
997 = REFUSED.....			42	0.07
998 = BLANK (NO ANSWER).....			126	0.22
999 = LEGITIMATE SKIP.....			57313	98.76

<i>(YSU15)</i>	<u>YUMHDEPR¹</u>	Len : 2 VISITED MH CLNC BEC YOU FELT DEPRESSED	Freq	Pct
1 = Response entered.....			385	0.66
6 = Response not entered.....			152	0.26
94 = DON'T KNOW.....			5	0.01
97 = REFUSED.....			46	0.08
98 = BLANK (NO ANSWER).....			133	0.23
99 = LEGITIMATE SKIP.....			57313	98.76

<i>(YSU15)</i>	<u>YUMHFEAR¹</u>	Len : 2 VISITED MH CLNC BEC YOU FELT AFRAID/TENSE	Freq	Pct
1 = Response entered.....			207	0.36
3 = Response entered LOGICALLY ASSIGNED.....			19	0.03
6 = Response not entered.....			311	0.54
94 = DON'T KNOW.....			5	0.01
97 = REFUSED.....			46	0.08
98 = BLANK (NO ANSWER).....			133	0.23
99 = LEGITIMATE SKIP.....			57313	98.76

<i>(YSU15)</i>	<u>YUMHBKRU¹</u>	Len : 2 VISITED MH CLNC BEC BREAKING RULES/ACTING OUT	Freq	Pct
1 = Response entered.....			69	0.12
3 = Response entered LOGICALLY ASSIGNED.....			2	0.00
6 = Response not entered.....			466	0.80
94 = DON'T KNOW.....			5	0.01
97 = REFUSED.....			46	0.08
98 = BLANK (NO ANSWER).....			133	0.23
99 = LEGITIMATE SKIP.....			57313	98.76

<i>(YSU15)</i>	<u>YUMHEATP¹</u>	Len : 2 VISITED MH CLNC BEC YOU HAD EATING PROBS	Freq	Pct
1 = Response entered.....			116	0.20
6 = Response not entered.....			421	0.73
94 = DON'T KNOW.....			5	0.01
97 = REFUSED.....			46	0.08
98 = BLANK (NO ANSWER).....			133	0.23
99 = LEGITIMATE SKIP.....			57313	98.76

What was the other emotional or behavioral problem for which you last visited a mental health clinic or center?

<i>(YSU15A)</i>	<u>YUMHANGR¹</u>	Len : 2 VISITED MH CLNC BEC HAD TRBLE CONTRLNG ANGER	Freq	Pct
1 = Response entered.....			57	0.10
6 = Response not entered.....			478	0.82
94 = DON'T KNOW.....			6	0.01
97 = REFUSED.....			47	0.08
98 = BLANK (NO ANSWER).....			133	0.23
99 = LEGITIMATE SKIP.....			57313	98.76

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU15A)
YUMHFITE¹

Len : 2 VISITE MH CLNC BEC HAD GOTTEN INTO PHYS FIGHTS

	Freq	Pct
1 = Response entered	3	0.01
6 = Response not entered	532	0.92
94 = DON'T KNOW	6	0.01
97 = REFUSED	47	0.08
98 = BLANK (NO ANSWER)	133	0.23
99 = LEGITIMATE SKIP.....	57313	98.76

(YSU15A)
YUMHFMLY¹

Len : 2 VISITED MH CLNC BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
1 = Response entered	92	0.16
6 = Response not entered	443	0.76
94 = DON'T KNOW	6	0.01
97 = REFUSED	47	0.08
98 = BLANK (NO ANSWER)	133	0.23
99 = LEGITIMATE SKIP.....	57313	98.76

(YSU15A)
YUMHFRND¹

Len : 2 VISITED MH CLNC BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
1 = Response entered	49	0.08
6 = Response not entered	486	0.84
94 = DON'T KNOW	6	0.01
97 = REFUSED	47	0.08
98 = BLANK (NO ANSWER)	133	0.23
99 = LEGITIMATE SKIP.....	57313	98.76

(YSU15A)
YUMHOTPP¹

Len : 2 VISITED MH CLNC BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
1 = Response entered	35	0.06
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	498	0.86
94 = DON'T KNOW	6	0.01
97 = REFUSED	47	0.08
98 = BLANK (NO ANSWER)	133	0.23
99 = LEGITIMATE SKIP.....	57313	98.76

(YSU15A)
YUMHSCHL¹

Len : 2 VISITED MH CLNC BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
1 = Response entered	70	0.12
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	464	0.80
94 = DON'T KNOW	6	0.01
97 = REFUSED	47	0.08
98 = BLANK (NO ANSWER)	133	0.23
99 = LEGITIMATE SKIP.....	57313	98.76

(YSU15, YSU15A)
YUMHSOR¹

Len : 2 VISITED MH CLNC FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	149	0.26
6 = Response not entered	388	0.67
94 = DON'T KNOW	5	0.01
97 = REFUSED	46	0.08
98 = BLANK (NO ANSWER)	133	0.23
99 = LEGITIMATE SKIP.....	57313	98.76

YOUTH MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

<i>(YSU16)</i>	<u>YUTPSTYR</u> ¹	Len : 2 RCVD EMOT TRMT FROM THERAPIST PST 12 MOS	Freq	Pct
1 = Yes.....			1635	2.82
2 = No.....			8926	15.38
85 = BAD DATA Logically assigned.....			9	0.02
94 = DON'T KNOW.....			97	0.17
97 = REFUSED.....			45	0.08
98 = BLANK (NO ANSWER).....			31	0.05
99 = LEGITIMATE SKIP.....			47291	81.49

During the past 12 months, how many times did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

<i>(YSU17)</i>	<u>YUTPSTN2</u> ¹	Len : 3 # TIMES VISITED THERAPIST PAST 12 MONTHS	Freq	Pct
RANGE = 1 - 30.....			1288	2.22
31 = 31 or more.....			164	0.28
985 = BAD DATA Logically assigned.....			9	0.02
994 = DON'T KNOW.....			173	0.30
997 = REFUSED.....			55	0.09
998 = BLANK (NO ANSWER).....			128	0.22
999 = LEGITIMATE SKIP.....			56217	96.87

<i>(YSU18)</i>	<u>YUTPDEPR</u> ¹	Len : 2 VISITED THERAPIST BEC YOU FELT DEPRESSED	Freq	Pct
1 = Response entered.....			951	1.64
3 = Response entered LOGICALLY ASSIGNED.....			1	0.00
6 = Response not entered.....			642	1.11
85 = BAD DATA Logically assigned.....			1	0.00
94 = DON'T KNOW.....			19	0.03
97 = REFUSED.....			67	0.12
98 = BLANK (NO ANSWER).....			136	0.23
99 = LEGITIMATE SKIP.....			56217	96.87

<i>(YSU18)</i>	<u>YUTPFEAR</u> ¹	Len : 2 VISITED THERAPIST BEC YOU FELT AFRAID/TENSE	Freq	Pct
1 = Response entered.....			539	0.93
3 = Response entered LOGICALLY ASSIGNED.....			73	0.13
6 = Response not entered.....			982	1.69
94 = DON'T KNOW.....			19	0.03
97 = REFUSED.....			67	0.12
98 = BLANK (NO ANSWER).....			137	0.24
99 = LEGITIMATE SKIP.....			56217	96.87

<i>(YSU18)</i>	<u>YUTPBKRU</u> ¹	Len : 2 VISITED THERAPIST BEC BRKNG RULES/ACT OUT	Freq	Pct
1 = Response entered.....			204	0.35
3 = Response entered LOGICALLY ASSIGNED.....			3	0.01
6 = Response not entered.....			1387	2.39
94 = DON'T KNOW.....			19	0.03
97 = REFUSED.....			67	0.12
98 = BLANK (NO ANSWER).....			137	0.24
99 = LEGITIMATE SKIP.....			56217	96.87

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU18)
YUTPEATP¹

Len : 2 VISITED THERAPIST BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	261	0.45
6 = Response not entered	1333	2.30
94 = DON'T KNOW	19	0.03
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	137	0.24
99 = LEGITIMATE SKIP.....	56217	96.87

What was the other emotional or behavioral problem for which you last visited a private therapist, psychologist, psychiatrist, social worker or counselor?

(YSU18A)
YUTPANGR¹

Len : 2 VISITED THERAPIST BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
1 = Response entered	172	0.30
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	1413	2.43
94 = DON'T KNOW	24	0.04
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	137	0.24
99 = LEGITIMATE SKIP.....	56217	96.87

(YSU18A)
YUTPFITE¹

Len : 2 VISITED THERAPIST BEC HAD GOTN INTO PHYS FIGHTS

	Freq	Pct
1 = Response entered	21	0.04
6 = Response not entered	1566	2.70
94 = DON'T KNOW	24	0.04
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	137	0.24
99 = LEGITIMATE SKIP.....	56217	96.87

(YSU18A)
YUTPFMLY¹

Len : 2 VISITED THERAPIST BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
1 = Response entered	322	0.55
3 = Response entered LOGICALLY ASSIGNED	9	0.02
6 = Response not entered	1256	2.16
94 = DON'T KNOW	24	0.04
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	137	0.24
99 = LEGITIMATE SKIP.....	56217	96.87

(YSU18A)
YUTPFRND¹

Len : 2 VISITED THERAPIST BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
1 = Response entered	191	0.33
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	1394	2.40
94 = DON'T KNOW	24	0.04
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	137	0.24
99 = LEGITIMATE SKIP.....	56217	96.87

(YSU18A)
YUTPOTPP¹

Len : 2 VISITED THERAPIST BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
1 = Response entered	113	0.19
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	1472	2.54
94 = DON'T KNOW	24	0.04
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	137	0.24
99 = LEGITIMATE SKIP.....	56217	96.87

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU18A)
YUTPSCHL¹

Len : 2 VISITED THERAPIST BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
1 = Response entered	228	0.39
3 = Response entered LOGICALLY ASSIGNED	5	0.01
6 = Response not entered	1354	2.33
94 = DON'T KNOW	24	0.04
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	137	0.24
99 = LEGITIMATE SKIP.....	56217	96.87

(YSU18, YSU18A)
YUTPSOR¹

Len : 2 VISITED THERAPIST FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	444	0.77
6 = Response not entered	1150	1.98
94 = DON'T KNOW	19	0.03
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	137	0.24
99 = LEGITIMATE SKIP.....	56217	96.87

During the past 12 months, did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?

(YSU19)
YUIHTPYR¹

Len : 2 RCVD EMOT TRMT FROM IN HOME COUNS PST 12 MOS

	Freq	Pct
1 = Yes.....	465	0.80
2 = No.....	10076	17.36
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	114	0.20
97 = REFUSED	48	0.08
98 = BLANK (NO ANSWER)	31	0.05
99 = LEGITIMATE SKIP.....	47291	81.49

During the past 12 months, how many times did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?

(YSU20)
YUIHTPN2¹

Len : 2 # TIMES RCVD TRMT FR IN HOME COUNS PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	378	0.65
31 = 31 or more.....	29	0.05
985 = BAD DATA Logically assigned	7	0.01
994 = DON'T KNOW	51	0.09
997 = REFUSED	55	0.09
998 = BLANK (NO ANSWER).....	147	0.25
999 = LEGITIMATE SKIP.....	57367	98.85

(YSU21)
YUIHDEPR¹

Len : 2 SAW IN HOME COUNS BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	242	0.42
6 = Response not entered	205	0.35
94 = DON'T KNOW	8	0.01
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	154	0.27
99 = LEGITIMATE SKIP.....	57367	98.85

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU21)
YUIHFEAR¹

Len : 2 SAW IN HOME COUNS BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	110	0.19
3 = Response entered LOGICALLY ASSIGNED	7	0.01
6 = Response not entered	330	0.57
94 = DON'T KNOW	8	0.01
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	154	0.27
99 = LEGITIMATE SKIP.....	57367	98.85

(YSU21)
YUIHBKRU¹

Len : 2 SAW IN HOME COUNS BEC BRKING RULES/ACT OUT

	Freq	Pct
1 = Response entered	79	0.14
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	367	0.63
94 = DON'T KNOW	8	0.01
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	154	0.27
99 = LEGITIMATE SKIP.....	57367	98.85

(YSU21)
YUIHEATP¹

Len : 2 SAW IN HOME COUNS BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	58	0.10
6 = Response not entered	389	0.67
94 = DON'T KNOW	8	0.01
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	154	0.27
99 = LEGITIMATE SKIP.....	57367	98.85

What was the other emotional or behavioral problem for which you last saw an in-home therapist, counselor, or family preservation worker?

(YSU21A)
YUIHANGR¹

Len : 2 SAW IN HOME COUNS BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
1 = Response entered	39	0.07
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	405	0.70
94 = DON'T KNOW	10	0.02
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	154	0.27
99 = LEGITIMATE SKIP.....	57367	98.85

(YSU21A)
YUIHFITE¹

Len : 2 SAW IN HOME COUNS BEC HAD GOTTON INTO PHYS FIGHTS

	Freq	Pct
1 = Response entered	7	0.01
6 = Response not entered	438	0.75
94 = DON'T KNOW	10	0.02
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	154	0.27
99 = LEGITIMATE SKIP.....	57367	98.85

(YSU21A)
YUIHFMLY¹

Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
1 = Response entered	72	0.12
3 = Response entered LOGICALLY ASSIGNED	6	0.01
6 = Response not entered	367	0.63
94 = DON'T KNOW	10	0.02
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	154	0.27
99 = LEGITIMATE SKIP.....	57367	98.85

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU21A)
YUIHFRND¹

Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
1 = Response entered	34	0.06
6 = Response not entered	411	0.71
94 = DON'T KNOW	10	0.02
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	154	0.27
99 = LEGITIMATE SKIP.....	57367	98.85

(YSU21A)
YUIHOTPP¹

Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
1 = Response entered	20	0.03
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	424	0.73
94 = DON'T KNOW	10	0.02
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	154	0.27
99 = LEGITIMATE SKIP.....	57367	98.85

(YSU21A)
YUIHSCHL¹

Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
1 = Response entered	40	0.07
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	403	0.69
94 = DON'T KNOW	10	0.02
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	154	0.27
99 = LEGITIMATE SKIP.....	57367	98.85

(YSU21, YSU21A)
YUIHSOR¹

Len : 2 SAW IN HOME COUNS FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	96	0.17
6 = Response not entered	351	0.60
94 = DON'T KNOW	8	0.01
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	154	0.27
99 = LEGITIMATE SKIP.....	57367	98.85

During the past 12 months, did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?

(YSU22)
YUFDOCYR¹

Len : 2 RCVD EMOT TRMT FROM FAMLY DOC PST 12 MOS

	Freq	Pct
1 = Yes.....	399	0.69
2 = No.....	10146	17.48
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	111	0.19
97 = REFUSED	47	0.08
98 = BLANK (NO ANSWER)	31	0.05
99 = LEGITIMATE SKIP.....	47291	81.49

YOUTH MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, how many times did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?

<i>(YSU23)</i> <u>YUFDOCN2¹</u>	Len : 3 # TIMES RCVD TRMT FROM FAMLY DOC PST 12 MOS	Freq Pct 356 0.61 12 0.02 8 0.01 30 0.05 48 0.08 143 0.25 57437 98.97
	RANGE = 1 - 30.....	
	31 = 31 or more.....	
	985 = BAD DATA Logically assigned.....	
	994 = DON'T KNOW.....	
	997 = REFUSED.....	
	998 = BLANK (NO ANSWER).....	
	999 = LEGITIMATE SKIP.....	
<i>(YSU24)</i> <u>YUFDDEPR¹</u>	Len : 2 SAW FAMLY DOC BEC YOU FELT DEPRESSED	Freq Pct 217 0.37 1 0.00 166 0.29 9 0.02 53 0.09 151 0.26 57437 98.97
	1 = Response entered.....	
	3 = Response entered LOGICALLY ASSIGNED.....	
	6 = Response not entered.....	
	94 = DON'T KNOW.....	
	97 = REFUSED.....	
	98 = BLANK (NO ANSWER).....	
	99 = LEGITIMATE SKIP.....	
<i>(YSU24)</i> <u>YUFDFEAR¹</u>	Len : 2 SAW FAMLY DOC BEC YOU FELT AFRAID/TENSE	Freq Pct 112 0.19 14 0.02 258 0.44 9 0.02 53 0.09 151 0.26 57437 98.97
	1 = Response entered.....	
	3 = Response entered LOGICALLY ASSIGNED.....	
	6 = Response not entered.....	
	94 = DON'T KNOW.....	
	97 = REFUSED.....	
	98 = BLANK (NO ANSWER).....	
	99 = LEGITIMATE SKIP.....	
<i>(YSU24)</i> <u>YUFDBKRU¹</u>	Len : 2 SAW FAMLY DOC BEC BREAKING RULES/ACTING OUT	Freq Pct 35 0.06 1 0.00 348 0.60 9 0.02 53 0.09 151 0.26 57437 98.97
	1 = Response entered.....	
	3 = Response entered LOGICALLY ASSIGNED.....	
	6 = Response not entered.....	
	94 = DON'T KNOW.....	
	97 = REFUSED.....	
	98 = BLANK (NO ANSWER).....	
	99 = LEGITIMATE SKIP.....	
<i>(YSU24)</i> <u>YUFDEATP¹</u>	Len : 2 SAW FAMLY DOC BEC YOU HAD EATING PROBS	Freq Pct 67 0.12 317 0.55 9 0.02 53 0.09 151 0.26 57437 98.97
	1 = Response entered.....	
	6 = Response not entered.....	
	94 = DON'T KNOW.....	
	97 = REFUSED.....	
	98 = BLANK (NO ANSWER).....	
	99 = LEGITIMATE SKIP.....	
What was the other emotional or behavioral problem for which you last visited a pediatrician or other family doctor?		
<i>(YSU24A)</i> <u>YUFDANGR¹</u>	Len : 2 SAW FAMLY DOC BEC HAD TRBLE CONTRLNG ANGER	Freq Pct 25 0.04 355 0.61 11 0.02 55 0.09 151 0.26 57437 98.97
	1 = Response entered.....	
	6 = Response not entered.....	
	94 = DON'T KNOW.....	
	97 = REFUSED.....	
	98 = BLANK (NO ANSWER).....	
	99 = LEGITIMATE SKIP.....	

YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YSU24A)
YUFDFITE¹

Len : 2 SAW FAMLY DOC BEC HAD GOTTN INTO PHYS FIGHTS

	Freq	Pct
1 = Response entered	5	0.01
6 = Response not entered	375	0.65
94 = DON'T KNOW	11	0.02
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	151	0.26
99 = LEGITIMATE SKIP.....	57437	98.97

(YSU24A)
YUFDFMLY¹

Len : 2 SAW FAMLY DOC BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
1 = Response entered	38	0.07
6 = Response not entered	342	0.59
94 = DON'T KNOW	11	0.02
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	151	0.26
99 = LEGITIMATE SKIP.....	57437	98.97

(YSU24A)
YUFDFRND¹

Len : 2 SAW FAMLY DOC BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
1 = Response entered	19	0.03
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	360	0.62
94 = DON'T KNOW	11	0.02
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	151	0.26
99 = LEGITIMATE SKIP.....	57437	98.97

(YSU24A)
YUFDOTPP¹

Len : 2 SAW FAMLY DOC BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
1 = Response entered	16	0.03
6 = Response not entered	364	0.63
94 = DON'T KNOW	11	0.02
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	151	0.26
99 = LEGITIMATE SKIP.....	57437	98.97

(YSU24A)
YUFDSCHL¹

Len : 2 SAW FAMLY DOC BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
1 = Response entered	39	0.07
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	340	0.59
94 = DON'T KNOW	11	0.02
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	151	0.26
99 = LEGITIMATE SKIP.....	57437	98.97

(YSU24, YSU24A)
YUFDSOR¹

Len : 2 SAW FAMLY DOC FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	110	0.19
6 = Response not entered	274	0.47
94 = DON'T KNOW	9	0.02
97 = REFUSED	53	0.09
98 = BLANK (NO ANSWER)	151	0.26
99 = LEGITIMATE SKIP.....	57437	98.97

YOUTH MENTAL HEALTH SERVICE UTILIZATION

Sometimes students get treatment or counseling through the school system. This counseling is often provided by school social workers, school psychologists or school counselors.

During the past 12 months, that is, since [DATEFILL], did you receive any treatment or counseling from a school social worker, a school psychologist, or a school counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

<i>(YSU30)</i>	<u>YUSWSCYR¹</u>	Len : 2 RCVD EMOT TMT FROM SCH/SOC WORKER IN PST 12 MOS	Freq	Pct
		1 = Yes.....	943	1.62
		2 = No.....	8928	15.38
		85 = BAD DATA Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	79	0.14
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	94	0.16
		99 = LEGITIMATE SKIP.....	47928	82.59
<i>(YSU31)</i>	<u>YUSWDEPR¹</u>	Len : 2 TALKED W/SCH SOC WORK BEC YOU FELT DEPRESSED	Freq	Pct
		1 = Response entered.....	422	0.73
		6 = Response not entered.....	499	0.86
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	177	0.30
		99 = LEGITIMATE SKIP.....	56856	97.97
<i>(YSU31)</i>	<u>YUSWFEAR¹</u>	Len : 2 TALKED W/SCH SOC WORK BEC YOU FELT AFRAID/TENSE	Freq	Pct
		1 = Response entered.....	257	0.44
		3 = Response entered LOGICALLY ASSIGNED.....	26	0.04
		6 = Response not entered.....	638	1.10
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	178	0.31
		99 = LEGITIMATE SKIP.....	56856	97.97
<i>(YSU31)</i>	<u>YUSWBKRU¹</u>	Len : 2 TALKED W/SCH SOC WORK BEC BRKING RULES/ACT OUT	Freq	Pct
		1 = Response entered.....	119	0.21
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	799	1.38
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	178	0.31
		99 = LEGITIMATE SKIP.....	56856	97.97
<i>(YSU31)</i>	<u>YUSWEATP¹</u>	Len : 2 TALKED W/SCH SOC WORK BEC YOU HAD EATING PROBS	Freq	Pct
		1 = Response entered.....	76	0.13
		6 = Response not entered.....	845	1.46
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	178	0.31
		99 = LEGITIMATE SKIP.....	56856	97.97

YOUTH MENTAL HEALTH SERVICE UTILIZATION

What was the other reason for your last talk with a school social worker, school psychologist or school counselor?

<i>(YSU31A)</i>	<u>YUSWANGR</u> ¹	Len : 2 TALKED W/SCH SOC WORK BEC HAD TRBLE CONTRLNG ANGR	Freq	Pct
		1 = Response entered	58	0.10
		3 = Response entered LOGICALLY ASSIGNED	2	0.00
		6 = Response not entered	852	1.47
		94 = DON'T KNOW	17	0.03
		97 = REFUSED	71	0.12
		98 = BLANK (NO ANSWER)	178	0.31
		99 = LEGITIMATE SKIP.....	56856	97.97
<i>(YSU31A)</i>	<u>YUSWFITE</u> ¹	Len : 2 TLKED W/SCH COUNS BEC HAD GOTTEN INTO PHYS FIGHTS	Freq	Pct
		1 = Response entered	14	0.02
		6 = Response not entered	898	1.55
		94 = DON'T KNOW	17	0.03
		97 = REFUSED	71	0.12
		98 = BLANK (NO ANSWER)	178	0.31
		99 = LEGITIMATE SKIP.....	56856	97.97
<i>(YSU31A)</i>	<u>YUSWFMLY</u> ¹	Len : 2 TALKED W/SCH SOC WORK BEC HAD PRBLMS AT HOME/FMLY	Freq	Pct
		1 = Response entered	112	0.19
		3 = Response entered LOGICALLY ASSIGNED	10	0.02
		6 = Response not entered	790	1.36
		94 = DON'T KNOW	17	0.03
		97 = REFUSED	71	0.12
		98 = BLANK (NO ANSWER)	178	0.31
		99 = LEGITIMATE SKIP.....	56856	97.97
<i>(YSU31A)</i>	<u>YUSWFRND</u> ¹	Len : 2 TALKED W/SCH SOC WORK BEC HAD PRBLMS WITH FRIENDS	Freq	Pct
		1 = Response entered	115	0.20
		3 = Response entered LOGICALLY ASSIGNED	6	0.01
		6 = Response not entered	791	1.36
		94 = DON'T KNOW	17	0.03
		97 = REFUSED	71	0.12
		98 = BLANK (NO ANSWER)	178	0.31
		99 = LEGITIMATE SKIP.....	56856	97.97
<i>(YSU31A)</i>	<u>YUSWOTPP</u> ¹	Len : 2 TALKED W/SCH SOC WORK BEC HAD PRBLMS WITH OTHERS	Freq	Pct
		1 = Response entered	72	0.12
		3 = Response entered LOGICALLY ASSIGNED	4	0.01
		6 = Response not entered	836	1.44
		94 = DON'T KNOW	17	0.03
		97 = REFUSED	71	0.12
		98 = BLANK (NO ANSWER)	178	0.31
		99 = LEGITIMATE SKIP.....	56856	97.97
<i>(YSU31A)</i>	<u>YUSWSCHL</u> ¹	Len : 2 TALKED W/SCH SOC WORK BEC HAD PRBLMS AT SCHOOL	Freq	Pct
		1 = Response entered	178	0.31
		3 = Response entered LOGICALLY ASSIGNED	17	0.03
		6 = Response not entered	717	1.24
		94 = DON'T KNOW	17	0.03
		97 = REFUSED	71	0.12
		98 = BLANK (NO ANSWER)	178	0.31
		99 = LEGITIMATE SKIP.....	56856	97.97

YOUTH MENTAL HEALTH SERVICE UTILIZATION

*(YSU31, YSU31A)
YUSWSOR¹*

Len : 2 TALKED W/SCH SOC WORK FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	233	0.40
6 = Response not entered	688	1.19
94 = DON'T KNOW	11	0.02
97 = REFUSED	68	0.12
98 = BLANK (NO ANSWER)	178	0.31
99 = LEGITIMATE SKIP.....	56856	97.97

At any time during the past 12 months, that is since [DATEFILL], did you attend a school for students with emotional or behavioral problems?

*(YSU32)
YUSCEMYR¹*

Len : 2 ATTEND SCH FOR STUDENTS W/EMOT PRBLMS PST 12 MOS

	Freq	Pct
1 = Yes.....	289	0.50
2 = No.....	9600	16.54
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW	69	0.12
97 = REFUSED	49	0.08
98 = BLANK (NO ANSWER)	94	0.16
99 = LEGITIMATE SKIP.....	47928	82.59

Regular schools sometimes provide programs for students with emotional or behavioral problems.

At any time during the past 12 months, did you participate in a school program that was just for students with emotional or behavioral problems?

*(YSU33)
YUSCPGYR¹*

Len : 2 ATTND SCH PGM FOR STDNTS W/EMOT PRBLMS PST 12 MOS

	Freq	Pct
1 = Yes.....	142	0.24
2 = No.....	9458	16.30
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	63	0.11
97 = REFUSED	54	0.09
98 = BLANK (NO ANSWER)	98	0.17
99 = LEGITIMATE SKIP.....	48217	83.08

These next questions are about experiences with the justice system.

During the past 12 months, that is, since [DATEFILL], did you stay overnight or longer in any type of juvenile detention center, sometimes called "juvie", prison, or jail?

*(YSU34)
YUJVDTON¹*

Len : 2 STAYED OVRNT/LONGER IN JAIL/JUV DET PST 12 MOS

	Freq	Pct
1 = Yes.....	35	0.06
2 = No.....	10574	18.22
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	56	0.10
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	32	0.06
99 = LEGITIMATE SKIP.....	47291	81.49

During the past 12 months, how many nights altogether did you stay in any type of juvenile detention center, prison or jail?

*(YSU35)
YUJVDTN2¹*

Len : 3 # NIGHTS IN JAIL OR JUV DET IN PST 12 MOS

	Freq	Pct
RANGE = 1 - 5.....	23	0.04
8 = 8 or more.....	8	0.01
985 = BAD DATA Logically assigned	8	0.01
994 = DON'T KNOW	2	0.00
997 = REFUSED	39	0.07
998 = BLANK (NO ANSWER).....	89	0.15
999 = LEGITIMATE SKIP.....	57865	99.71

YOUTH MENTAL HEALTH SERVICE UTILIZATION

Sometimes, the court system provides treatment or counseling in juvenile detention centers, prisons or jails. These services are often provided by psychiatrists, psychologists, social workers or counselors who work for the court system.

While you were in a juvenile detention center, prison or jail during the past 12 months, did you receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

<i>(YSU36)</i> <u>YUJVDTYR¹</u>	Len : 2 RCVD EMOT TMT IN JAIL/JUV DET IN PST 12 MOS	Freq	Pct
1 = Yes.....		12	0.02
2 = No.....		23	0.04
85 = BAD DATA Logically assigned		8	0.01
97 = REFUSED		37	0.06
98 = BLANK (NO ANSWER)		89	0.15
99 = LEGITIMATE SKIP.....		57865	99.71

During the past 12 months have you received any professional counseling, medication or treatment for your mental health, emotions, or behavior **over the phone, by email, or through video calling?**

<i>(YTDXMHTEL)</i> <u>YUMHTELRY</u>	Len : 2 YOUTH RCVD MENTAL HLTH TRMT OVER PHONE/EMAIL/VIDEO PST 12 MS	Freq	Pct
1 = Yes.....		1090	1.88
2 = No.....		9490	16.35
85 = BAD DATA Logically assigned		9	0.02
94 = DON'T KNOW		81	0.14
97 = REFUSED		41	0.07
98 = BLANK (NO ANSWER)		32	0.06
99 = LEGITIMATE SKIP.....		47291	81.49

The next few questions are about thoughts of suicide. **At any time in the past 12 months**, that is from [DATEFILL] up to and including today, did you **seriously think about trying to kill yourself?**

<i>(YSUI01)</i> <u>YUSUITHK</u>	Len : 2 YOUTH SERIOUSLY THINK ABOUT KILLING SELF PST 12 MOS	Freq	Pct
1 = Yes.....		1338	2.31
2 = No.....		7597	13.09
3 = I'm not sure		781	1.35
4 = I don't want to answer		841	1.45
85 = BAD DATA Logically assigned		9	0.02
94 = DON'T KNOW		56	0.10
97 = REFUSED		89	0.15
98 = BLANK (NO ANSWER)		32	0.06
99 = LEGITIMATE SKIP.....		47291	81.49

Was this because of the COVID-19 pandemic?

<i>(YCOV9)</i> <u>YUCOSUITHK</u>	Len : 2 YOUTH SERIOUSLY THINK ABOUT KILLING SELF DUE TO COVID-19	Freq	Pct
1 = Yes.....		200	0.34
2 = No.....		1110	1.91
85 = BAD DATA Logically assigned		8	0.01
94 = DON'T KNOW		27	0.05
97 = REFUSED		1	0.00
98 = BLANK (NO ANSWER)		1800	3.10
99 = LEGITIMATE SKIP.....		54888	94.58

YOUTH MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, did you make any plans to kill yourself?

(YSUI02)

YUSUIPLN

Len : 2 YOUTH MAKE PLANS TO KILL YOURSELF PST 12 MOS

	Freq	Pct
1 = Yes.....	645	1.11
2 = No.....	8942	15.41
3 = I'm not sure	344	0.59
4 = I don't want to answer	653	1.13
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	47	0.08
97 = REFUSED	70	0.12
98 = BLANK (NO ANSWER)	32	0.06
99 = LEGITIMATE SKIP.....	47291	81.49

Was this because of the COVID-19 pandemic?

(YCOV10)

YUCOSUIPLN

Len : 2 YOUTH MAKE PLAN TO KILL YOURSELF DUE TO COVID-19

	Freq	Pct
1 = Yes.....	63	0.11
2 = No.....	573	0.99
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	9	0.02
98 = BLANK (NO ANSWER)	1147	1.98
99 = LEGITIMATE SKIP.....	56233	96.90

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The following recoded variables contain information about whether youths received mental health care in the past year from each of 11 specific services for problems with behaviors or emotions that were not caused by alcohol or drugs.

<i>(YUHOSPYR)</i> <u>YHOSP</u>	Len : 1 RC-STAYED OVNT IN HOSP FOR EMOT TRMT IN PST YR	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 47429 81.73 0 = No (YUHOSPYR=2,4)..... 10358 17.85 1 = Yes (YUHOSPYR=1)..... 247 0.43
<i>(YURSIDYR)</i> <u>YRESID</u>	Len : 1 RC-STAYED IN RESID CTR FOR EMOT TRMT IN PST YR	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 47433 81.73 0 = No (YURSIDYR=2,4)..... 10463 18.03 1 = Yes (YURSIDYR=1)..... 138 0.24
<i>(YUFCARYR)</i> <u>YFOST</u>	Len : 1 RC-SPENT TIME IN FOST CARE FOR EMOT PROB IN PST YR	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 47429 81.73 0 = No (YUFCARYR=2,4)..... 10568 18.21 1 = Yes (YUFCARYR=1)..... 37 0.06
<i>(YUDYTXYR)</i> <u>YDAYTRT</u>	Len : 1 RC-SPENT TIME IN DAY TRMT PRG FOR EMOT PRB IN PST YR	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 47449 81.76 0 = No (YUDYTXYR=2,4)..... 10401 17.92 1 = Yes (YUDYTXYR=1)..... 184 0.32
<i>(YUMHCRYR)</i> <u>YCLIN</u>	Len : 1 RC-RCVD EMOT TRMT IN MENT HLTH CLNC IN PST YR	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 47462 81.78 0 = No (YUMHCRYR=2,4)..... 10022 17.27 1 = Yes (YUMHCRYR=1)..... 550 0.95
<i>(YUTPSTYR)</i> <u>YTHER</u>	Len : 1 RC-RCVD EMOT TRMT FROM THERAPIST IN PST YR	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 47473 81.80 0 = No (YUTPSTYR=2,4)..... 8926 15.38 1 = Yes (YUTPSTYR=1)..... 1635 2.82
<i>(YUIHTPYR)</i> <u>YHOME</u>	Len : 1 RC-RCVD EMOT TRMT FROM IN-HOME COUNS IN PST YR	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 47493 81.84 0 = No (YUIHTPYR=2,4)..... 10076 17.36 1 = Yes (YUIHTPYR=1)..... 465 0.80
<i>(YUFDOCYR)</i> <u>YPED</u>	Len : 1 RC-RCVD EMOT TRMT FROM FAMLY DOC IN PST YR	Freq Pct . = Unknown/Aged 18+ (Otherwise)..... 47489 81.83 0 = No (YUFDOCYR=2,4)..... 10146 17.48 1 = Yes (YUFDOCYR=1)..... 399 0.69

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YEATNDYR, YUSCEMYR, YUSCPGYR)

YSPEC

Len : 1 RC-ATTND SCHOOL OR PROGRAM FOR EMOT PROB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47534	81.91
0 = No ((YUSCEMYR=2,4 and YUSCPGYR=2,4) or YEATNDYR=2)	10069	17.35
1 = Yes (YUSCEMYR=1 or YUSCPGYR=1).....	431	0.74

(YEATNDYR, YUSWSCYR)

YSHSW

Len : 1 RC-TLKD W/SCH SOC WKR/PSY/COUNS FOR EMOT PROB PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47526	81.89
0 = No (YUSWSCYR=2,4 or YEATNDYR=2)	9565	16.48
1 = Yes (YUSWSCYR=1).....	943	1.62

(YUJVDTON, YUJVDTYR)

YJAIL

Len : 1 RC-YTH RCVD SVCS FOR EMOT PROB IN PY IN JUV JUSTICE

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47425	81.72
0 = No (YUJVDTYR=2,4 or YUJVDTON=2)	10597	18.26
1 = Yes (YUJVDTYR=1).....	12	0.02

The following variable, ANYMHIN2, indicates whether a youth reported receiving specialty inpatient/residential mental health services in the past year from any of two specific inpatient/residential sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following two sources of treatment variables: stayed overnight in hospital (YHOSP) and stayed in residential treatment facility (YRESID). Youths who reported a positive response (source variable=1) to either question were included in the yes category. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults, were included in the unknown/18+ category.

(YHOSP, YRESID)

ANYMHIN2

Len : 1 RC-REV YTH RCVD SPEC INPATIENT MH SERVICES IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47441	81.75
0 = No (YHOSP=0 and YRESID=0)	10312	17.77
1 = Yes (YHOSP=1 or YRESID=1)	281	0.48

The following variable, ANYMHOUT, indicates whether a youth reported receiving specialty outpatient mental health services in the past year from any of four specific outpatient sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following four source of treatment variables: spent time in a day treatment facility (YDAYTRT), received treatment at a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the four questions were included in the yes category regardless of how many of the four questions they answered. Youths who did not report a positive response, but answered all four of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

(YCLIN, YDAYTRT, YHOME, YTHER)

ANYMHOUT

Len : 1 RC-YTH RCVD SPEC OUTPATIENT MH SERVICES IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47480	81.81
0 = No (YDAYTRT, YCLIN, YTHER, and YHOME=0).....	8690	14.97
1 = Yes (YDAYTRT, YCLIN, YTHER, or YHOME=1).....	1864	3.21

The following variable, ANYSMH2, indicates whether a youth reported receiving specialty mental health services in the past year from any of six specific inpatient/residential or outpatient specialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following six source of treatment variables: stayed overnight in a hospital (YHOSP), stayed in a residential treatment facility (YRESID), spent time in a day treatment facility (YDAYTRT), received treatment from a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the six questions were included in the yes category regardless of how many of the six questions they answered. Youths who did not report a positive response, but answered all six of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

(YCLIN, YDAYTRT, YHOME, YHOSP, YRESID, YTHER)

ANYSMH2

Len : 1 RC-REV YTH RCVD SPECIALTY MENTAL HLTH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above)	47481	81.82
0 = No (All source variables=0).....	8576	14.78
1 = Yes (Any source variable=1)	1977	3.41

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, ANYNSMH, indicates whether a youth reported receiving nonspecialty mental health services in the past year from any of five specific nonspecialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following five source of treatment variables: school social worker, school psychologist, or school counselor (YSHSW), special school or program within a regular school for students with emotional or behavioral problems (YSPEC), pediatrician or other family doctor (YPED), juvenile detention center, prison, or jail (YJAIL), and foster care or therapeutic foster care (YFOST). Youths who reported a positive response (source variable=1) to one or more of the five questions were included in the yes category regardless of how many of the five questions they answered. Youths who did not report a positive response, but answered all five of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

(YFOST, YJAIL, YPED, YSHSW, YSPEC)

ANYNSMH Len : 1 RC-YTH RCV'D NONSPECIALTY MENTAL HLTH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above)	47606	82.03
0 = No (All source variables=0).....	8900	15.34
1 = Yes (Any source variable=1)	1528	2.63

The following variable, ANYMHED2, indicates whether a youth enrolled in school reported receiving mental health services in the past year from education sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following source of treatment variables: talked to school social worker, school psychologists, or school counselors for problems (YSHSW) and attended a special school or participated in a special program at a regular school for problems (YSPEC). Youths who reported a positive response (source variable=1) to one or more of these questions were included in the yes category regardless of how many of the questions they answered. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults were included in the unknown/18+ category.

(YSHSW, YSPEC)

ANYMHED2 Len : 1 RC-YTH RCV'D EDUCATION MENTAL HEALTH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47558	81.95
0 = No (YSHSW=0 and YSPEC=0)	9234	15.91
1 = Yes (YSHSW=1 or YSPEC=1)	1242	2.14

The following variable, ANYSEDMF, indicates whether a youth reported receiving specialty mental health services along with services from education, general medicine (family doctor/pediatrician), or foster care or therapeutic foster care settings in the past year for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following four source of treatment variables: received specialty mental health services (ANYSMH2), education setting-based mental health services (ANYMHED2), treatment from a family doctor/pediatrician (YPED), and foster care or therapeutic foster care (YFOST). Included in the unknown/18+ category were youths who did not provide enough information to determine whether mental health care was received at both a specialty mental health service along with services from either an education, general medical, or foster care setting [ANYSMH2=. or {ANYSMH2=1 and (none of ANYMHED2, YPED, or YFOST equal 1 but at least one is missing)}] and adults.

(ANYMHED2, ANYSMH2, YFOST, YPED)

ANYSEDMF Len : 1 RC-YTH RCV'D SPEC MH AND ED, MED, OR FOST SRVC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (See comment above)	47494	81.84
0 = No (ANYSMH2=0 or (ANYMHED2=0, YPED=0, & YFOST=0))	9691	16.70
1 = Yes (ANYSMH2=1 & (ANYMHED2=1, YPED=1, or YFOST=1))	849	1.46

(ANYNSMH, ANYSMH2)

ANYANSMH Len : 1 RC-YTH RCV'D SPEC AND NONSPEC MH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47494	81.84
0 = No (ANYSMH2=0 or ANYNSMH=0).....	9688	16.69
1 = Yes (ANYSMH2=1 & ANYNSMH=1)	852	1.47

(YUMHTELYR)

YUMHTELYR2 Len : 1 RC-YOUTH RCV'D VIRTUAL MENTAL HEALTH SERVICES IN PAST YEAR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47454	81.77
0 = No (YUMHTELYR=2).....	9490	16.35
1 = Yes (YUMHTELYR=1)	1090	1.88

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

(ANYNSMH, ANYSMH2, YUMHTELYR2)

ANYMHovr Len : 1 RC-YTH RCVD MH SERVICES INCLUDING VIRTUAL IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47592	82.01
1 = Yes (ANYSMH2=1 or ANYNSMH=1 or YUMHTELYR2=1).....	2786	4.80
2 = No (ANYSMH2=0 & ANYNSMH=0 & YUMHTELYR2=0)	7656	13.19

NOTE: The following 10 variables contain information on the number of times a youth received mental health services from specific mental health sources.

(YUHOSPN2, YUHOSPYR)

HospVst Len : 1 RC-# NIGHTS YTH STAYED IN HOSP FOR MH SRVC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47452	81.77
1 = 1 Night (YUHOSPN2=1).....	92	0.16
2 = 2 Nights (YUHOSPN2=2).....	23	0.04
3 = 3-6 Nights (YUHOSPN2=3-6).....	37	0.06
4 = 7-24 Nights (YUHOSPN2=7-24).....	60	0.10
5 = 25 or More Nights (YUHOSPN2=25-31)	12	0.02
6 = No Nights (YUHOSPYR=2,4).....	10358	17.85

(YURSIDN2, YURSIDYR)

Residvst Len : 1 RC-# NIGHTS YTH STAYED IN RESID CTR FOR MH SRVC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47443	81.75
1 = 1 Night (YURSIDN2=1).....	35	0.06
2 = 2 Nights (YURSIDN2=2).....	10	0.02
3 = 3-6 Nights (YURSIDN2=3-6).....	27	0.05
4 = 7-24 Nights (YURSIDN2=7-24).....	42	0.07
5 = 25 or More Nights (YURSIDN2=25-31)	14	0.02
6 = No Nights (YURSIDYR=2,4).....	10463	18.03

(YUFCARN2, YUFCARYR)

Fostvst Len : 1 RC-# NIGHTS YTH STAYED IN FOST CARE FOR MH SRVC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47435	81.74
1 = 1 Night (YUFCARN2=1)	13	0.02
2 = 2 Nights (YUFCARN2=2).....	5	0.01
3 = 3-6 Nights (YUFCARN2=3-6)	7	0.01
5 = 25 or More Nights (YUFCARN2=25-31)	6	0.01
6 = No Nights (YUFCARYR=2,4)	10568	18.21

(YUDYTXN2, YUDYTXYR)

Dytxvst Len : 1 RC-# TIMES YTH VISITED DAY TRMT PROG IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47473	81.80
1 = 1 Visit (YUDYTXN2=1)	47	0.08
2 = 2 Visits (YUDYTXN2=2).....	29	0.05
3 = 3-6 Visits (YUDYTXN2=3-6)	34	0.06
4 = 7-24 Visits (YUDYTXN2=7-24)	34	0.06
5 = 25 or More Visits (YUDYTXN2=25-31)	16	0.03
6 = No Visits (YUDYTXYR=2,4)	10401	17.92

(YUMHCRN2, YUMHCRYR)

Clinvst Len : 1 RC-# TIMES YTH VISITED MENT HLTH CLIN IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47512	81.87
1 = 1 Visit (YUMHCRN2=1)	102	0.18
2 = 2 Visits (YUMHCRN2=2).....	65	0.11
3 = 3-6 Visits (YUMHCRN2=3-6)	144	0.25
4 = 7-24 Visits (YUMHCRN2=7-24)	125	0.22
5 = 25 or More Visits (YUMHCRN2=25-31)	64	0.11
6 = No Visits (YUMHCRYR=2,4)	10022	17.27

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YUTPSTN2, YUTPSTYR)

THERVST Len : 1 RC-# TIMES YTH VISITED THERAPIST IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47656	82.12
1 = 1 Visit (YUTPSTN2=1).....	206	0.35
2 = 2 Visits (YUTPSTN2=2).....	152	0.26
3 = 3-6 Visits (YUTPSTN2=3-6).....	389	0.67
4 = 7-24 Visits (YUTPSTN2=7-24).....	461	0.79
5 = 25 or More Visits (YUTPSTN2=25-31)	244	0.42
6 = No Visits (YUTPSTYR=2,4).....	8926	15.38

(YUIHTPN2, YUIHTPYR)

HOMEVST

Len : 1 RC-# TIMES YTH RCVD IN-HOME COUNSELING IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47551	81.94
1 = 1 Time (YUIHTPN2=1).....	88	0.15
2 = 2 Times (YUIHTPN2=2).....	63	0.11
3 = 3-6 Times (YUIHTPN2=3-6).....	102	0.18
4 = 7-24 Times (YUIHTPN2=7-24).....	110	0.19
5 = 25 or More Times (YUIHTPN2=25-31)	44	0.08
6 = No Times (YUIHTPYR=2,4).....	10076	17.36

The following variable, SPINVST2, indicates how many overnight stays were reported at an inpatient/residential specialty mental health service in the past year. The number of overnight stays is calculated by adding the number of overnight stays at a hospital (YUHOSPN2) and residential treatment center (YURSIDN2). A value of 6 (No Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR=2 and YURSIDYR=2). A value of missing was assigned when the response to whether received treatment or number of overnight stays was unknown for either of the locations (YUHOSPYR or YURSIDYR=85, 94, 97, 98 OR either of YUHOSPN2 or YURSIDN2=985, 994, 997, 998), unless the overnight stays for the service with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

(YUHOSPN2, YUHOSPYR, YURSIDN2, YURSIDYR)

SPINVST2

Len : 1 RC-REV # NIGHTS YTH STAYED IN SPECIALTY INPATIENT MH SRVC

	Freq	Pct
. = Unknown/Aged 18+ (See comment above)	47473	81.80
1 = 1 Overnight Stay (See comment above).....	75	0.13
2 = 2 Overnight Stays (See comment above).....	34	0.06
3 = 3-6 Overnight Stays (See comment above).....	35	0.06
4 = 7-24 Overnight Stays (See comment above).....	77	0.13
5 = 25 or More Overnight Stays (See comment above).....	28	0.05
6 = No Overnight Stays (See comment above)	10312	17.77

The following variable, SPOUTVST, indicates how many times a specialty outpatient mental health service was visited in the past year. The number of visits is calculated by adding the number of visits to a day treatment facility (YUDYTXN2), mental health clinic (YUMHCRN2), private therapist (YUTPSTN2), and an in-home therapist (YUIHTPN2). A value of 6 (No Visits) was assigned whenever a respondent said they had used none of the services (YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits was unknown for any of the 4 locations (any of YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR=85, 94, 97, 98 OR any of YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2=985, 994, 997, 998), unless the sum of the visits for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits) was assigned. A missing value was also assigned for respondents aged 18 or older.

(YUDYTXN2, YUDYTXYR, YUIHTPN2, YUIHTPYR, YUMHCRN2, YUMHCRYR, YUTPSTN2, YUTPSTYR)

SPOUTVST

Len : 1 RC-# TIMES YTH VISITED A SPECIALTY OUTPATIENT MH SRVC

	Freq	Pct
. = Unknown/Aged 18+ (See comment above)	47751	82.28
1 = 1 Visit (See comment above).....	175	0.30
2 = 2 Visits (See comment above)	171	0.29
3 = 3-6 Visits (See comment above)	374	0.64
4 = 7-24 Visits (See comment above)	512	0.88
5 = 25 or more Visits (See comment above)	361	0.62
6 = No Visits (See comment above)	8690	14.97

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SMHVST2, indicates the number of visits or overnight stays to a specialty mental health service in the past year. The number of visits/overnight stays is calculated by adding the number of overnight stays in a hospital (YUHOSPN2) and residential treatment center (YURSIDN2), and the number of visits to a day treatment facility (YUDYTXN2), mental health clinic (YUMHCRN2), private therapist (YUTPSTN2), and in-home therapist (YUIHTPN2). A value of 6 (No Visits/Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR, YURSIDYR, YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits/stays was unknown for any of the 6 locations (any of YUHOSPYR, YURSIDYR, YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR=85, 94, 97, 98 OR any of YUHOSPN2, YURSIDN2, YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2=985, 994, 997, 998), unless the sum of the visits/overnight stays for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits/stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

(YUDYTXN2, YUDYTXYR, YUHOSPN2, YUHOSPYR, YUIHTPN2, YUIHTPYR, YUMHCRN2, YUMHCRYR, YURSIDN2, YURSIDYR, YUTPSTN2, YUTPSTYR)

SMHVST2 Len : 1 RC-REV # STAYS/VISITS YTH MADE TO SPEC MH SERVICE

	Freq	Pct
. = Unknown/Aged 18+ (See comment above)	47776	82.32
1 = 1 Visit/Overnight Stay (See comment above)	205	0.35
2 = 2 Visits/Overnight Stays (See comment above)	191	0.33
3 = 3-6 Visits/Overnight Stays (See comment above)	376	0.65
4 = 7-24 Visits/Overnight Stays (See comment above)	521	0.90
5 = 25 or More Visits/Stays (See comment above)	389	0.67
6 = No Visits/Stays (See comment above)	8576	14.78

The following variable, SIMHDPR2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR) or residential treatment center (YURSDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUHODEPR, YURSDEPR)

SIMHDPR2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C DEPRESSED

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	57811	99.62
0 = Reason Not Indicated (Otherwise)	84	0.14
1 = Reason Indicated (Any source variable=1,3)	139	0.24

The following variable, SIMHFEA2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR) or residential treatment center (YURSFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUHOFEAR, YURSFEAR)

SIMHFEA2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C AFRAID/TENSE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	57810	99.61
0 = Reason Not Indicated (Otherwise)	166	0.29
1 = Reason Indicated (Any source variable=1,3)	58	0.10

The following variable, SIMHBRK2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU) or residential treatment center (YURSBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUHOBKRU, YURSBKRU)

SIMHBRK2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C BROKE RULES

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	57813	99.62
0 = Reason Not Indicated (Otherwise)	180	0.31
1 = Reason Indicated (Any source variable=1,3)	41	0.07

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SIMHEAT2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP) or residential treatment center (YURSEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<i>(YUHOEATP, YURSEATP)</i>		<u>SIMHEAT2</u>	Len : 1	RC-REV YTH LST RCVD INPT SP MH SVC B/C EATING PRBLMS	Freq	Pct
		.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	57814	99.62	
		0	= Reason Not Indicated (Otherwise).....	187	0.32	
		1	= Reason Indicated (Any source variable=1,3)	33	0.06	

The following variable, SIMHANG2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR) or residential treatment center (YURSANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<i>(YUHOANGR, YURSANGR)</i>		<u>SIMHANG2</u>	Len : 1	RC-REV YTH LST RCVD INPT SP MH SVC B/C ANGER CONTROL	Freq	Pct
		.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	57815	99.62	
		0	= Reason Not Indicated (Otherwise).....	203	0.35	
		1	= Reason Indicated (Any source variable=1,3)	16	0.03	

The following variable, SIMHFIT2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFITE) or residential treatment center (YURSFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<i>(YUHOFITE, YURSFITE)</i>		<u>SIMHFIT2</u>	Len : 1	RC-REV YTH LST RCVD INPT SP MH SVC B/C PHYS FIGHT	Freq	Pct
		.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	57817	99.63	
		0	= Reason Not Indicated (Otherwise).....	211	0.36	
		1	= Reason Indicated (Any source variable=1,3)	6	0.01	

The following variable, SIMHFML2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY) or residential treatment center (YURSFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital or residential treatment center was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<i>(YUHOFMLY, YURSFMLY)</i>		<u>SIMHFML2</u>	Len : 1	RC-REV YTH LST RCVD INPT SP MH SVC B/C HOME/FAM PROB	Freq	Pct
		.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).	57816	99.62	
		0	= Reason Not Indicated (Otherwise).....	202	0.35	
		1	= Reason Indicated (See comment above)	16	0.03	

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SIMHFRD2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND) or residential treatment center (YURSFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<i>(YUHOFRND, YURSFRND)</i>	SIMHFRD2	Len : 1	RC-REV YTH LST RCVD INPT SP MH SVC B/C PROB W/FRND	Freq	Pct
			. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	57816	99.62
			0 = Reason Not Indicated (Otherwise)	209	0.36
			1 = Reason Indicated (Any source variable=1,3)	9	0.02

The following variable, SIMHOTP2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP) or residential treatment center (YURSOTPP) because they had problems with people other than family or friends, as well as the corresponding write-in other-specify variables: most important reason for staying overnight in a hospital or residential treatment center was because they had problems with people other than family or friends. A respondent was classified as having indicated that they received inpatient mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated problems with others. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<i>(YUHOOTPP, YURSOTPP)</i>	SIMHOTP2	Len : 1	RC-REV YTH LST RCVD INPT SP MH SVC B/C PRB W/OTH PERS	Freq	Pct
			. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	57817	99.63
			0 = Reason Not Indicated (Otherwise)	211	0.36
			1 = Reason Indicated (See comment above)	6	0.01

The following variable, SIMHSCH2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL) or residential treatment center (YURSSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<i>(YUHOSCHL, YURSSCHL)</i>	SIMHSCH2	Len : 1	RC-REV YTH LST RCVD INPT SP MH SVC B/C PROB AT SCH	Freq	Pct
			. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	57816	99.62
			0 = Reason Not Indicated (Otherwise)	204	0.35
			1 = Reason Indicated (Any source variable=1,3)	14	0.02

The following variable, SIMHMEN2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital or residential treatment center was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHMEN2	Len : 1	RC-REV YTH LST RCVD INPT SP MH SVC B/C DIAG MNTL DIS	Freq	Pct
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	57820	99.63
		0 = Reason Not Indicated (Otherwise)	210	0.36
		1 = Reason Indicated (See comment above)	4	0.01

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SIMHOTH3, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital or residential treatment center was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<u>SIMHOTH3</u>	Len : 1 RC-YTH RCV'D LAST SPEC MH SRVC IN PY B/C OTHER REASONS	Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	57820	99.63
0	= Reason Not Indicated (Otherwise).....	204	0.35
1	= Reason Indicated (See comment above)	10	0.02

The following variable, SOMHDPR, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), and received treatment from in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<i>(YUDYDEPR, YUIHDEPR, YUMHDEPR, YUTPDEPR)</i>	<u>SOMHDPR</u>	Len : 1 RC-YTH RCV'D LAST OUTPT SPEC MH SRVC B/C DEPRESSED	Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	56296	97.01	
0	= Reason Not Indicated (Otherwise).....	646	1.11	
1	= Reason Indicated (Any source variable=1,3)	1092	1.88	

The following variable, SOMHFEA, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), and received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<i>(YUDYFEAR, YUIHFEAR, YUMHFEAR, YUTPFEAR)</i>	<u>SOMHFEA</u>	Len : 1 RC-YTH RCV'D LAST OUTPT SPEC MH SRVC B/C AFRAID/TENSE	Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	56311	97.03	
0	= Reason Not Indicated (Otherwise).....	1015	1.75	
1	= Reason Indicated (Any source variable=1,3)	708	1.22	

The following variable, SOMHBRK, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), and received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<i>(YUDYBKRU, YUIHBKRU, YUMHBKRU, YUTPBKRU)</i>	<u>SOMHBRK</u>	Len : 1 RC-YTH RCV'D LAST OUTPT SPEC MH SRVC B/C BROKE RULE	Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	56338	97.08	
0	= Reason Not Indicated (Otherwise).....	1426	2.46	
1	= Reason Indicated (Any source variable=1,3)	270	0.47	

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SOMHEAT, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), and received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYEATP, YUIHEATP, YUMHEATP, YUTPEATP)

SOMHEAT Len : 1 RC-YTH RCV'D LAST OUTPT SPEC MH SRVC B/C EATING PROBS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56336	97.07
0 = Reason Not Indicated (Otherwise).....	1384	2.38
1 = Reason Indicated (Any source variable=1,3)	314	0.54

The following variable, SOMHANGR, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems controlling anger. This recode was created by examination of the following source variables: visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), and received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYANGR, YUIHANGR, YUMHANGR, YUTPANGR)

SOMHANGR Len : 1 RC-YTH RCV'D LAST OUTPT SPEC MH SRVC B/C ANGER CONTROL

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56343	97.09
0 = Reason Not Indicated (Otherwise).....	1464	2.52
1 = Reason Indicated (Any source variable=1,3)	227	0.39

The following variable, SOMHFITE, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFITE), mental health center (YUMHFITE), private therapist (YUTPFITE), and received treatment from an in-home therapist (YUIHFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYFITE, YUIHFITE, YUMHFITE, YUTPFITE)

SOMHFITE Len : 1 RC-YTH RCV'D LAST OUTPT SPEC MH SRVC B/C PHYS FIGHT

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56354	97.11
0 = Reason Not Indicated (Otherwise).....	1653	2.85
1 = Reason Indicated (Any source variable=1,3)	27	0.05

The following variable, SOMHFMLY, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), and received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for visits to a day treatment program, mental health center, private therapist, and treatment from an in-home therapist was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYFMLY, YUIHFMLY, YUMHFMLY, YUTPFMLY)

SOMHFMLY Len : 1 RC-YTH RCV'D LAST OUTPT SPEC MH SRVC B/C HOME/FAM PROB

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56337	97.08
0 = Reason Not Indicated (Otherwise).....	1285	2.21
1 = Reason Indicated (See comment above)	412	0.71

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SOMHFRND, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), and received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYFRND, YUIHFRND, YUMHFRND, YUTPFRND)

SOMHFRND Len : 1 RC-YTH RCV'D LAST OUTPT SPEC MH SRVC B/C PROB W/ FRND

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56340	97.08
0 = Reason Not Indicated (Otherwise)	1465	2.52
1 = Reason Indicated (Any source variable=1,3)	229	0.39

The following variable, SOMHOTPP, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had had problems with people other than family or friends. This recode was created by examination of the following source variables: visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), and received treatment from an in-home therapist (YUIHOTPP) because they had problems with people other than family or friends, as well as the write-in other-specify variables: most important reason visited a day treatment program, mental health center, private therapist, and received treatment from an in-home therapist was because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated problems with others. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYOTPP, YUIHOTPP, YUMHOTPP, YUTPOTPP)

SOMHOTPP Len : 1 RC-YTH RCV'D LST OUTPT SPC MH SRVC B/C PROB W/ OTH PERS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56344	97.09
0 = Reason Not Indicated (Otherwise)	1551	2.67
1 = Reason Indicated (See comment above)	139	0.24

The following variable, SOMHSCHL, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), and received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYSCHL, YUIHSCHL, YUMHSCHL, YUTPSCHL)

SOMHSCHL Len : 1 RC-YTH RCV'D LAST OUTPT SPEC MH SRVC B/C PROB AT SCH

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56340	97.08
0 = Reason Not Indicated (Otherwise)	1407	2.42
1 = Reason Indicated (Any source variable=1,3)	287	0.49

The following variable, SOMHMEND, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was based only on responses to other specify write-in variables: most important reason visited a day treatment program, mental health center, private therapist, and received treatment from an in-home therapist was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHMEND Len : 1 RC-YTH RCV'D LAST OUTPT SPEC MH SRVC B/C DIAG MNTL DIS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56375	97.14
0 = Reason Not Indicated (Otherwise)	1584	2.73
1 = Reason Indicated (See comment above)	75	0.13

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SOMHOTH2, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because of some other reasons. This recode was created based only on responses to other-specify write-in variables: most important reason visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the write-in other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<u>SOMHOTH2</u>	Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C OTHER REASONS	Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	56364	97.12
0	= Reason Not Indicated (Otherwise).....	1434	2.47
1	= Reason Indicated (See comment above)	236	0.41

The following variable, SMHDPR2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR), residential treatment center (YURSDEPR), or visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), or received treatment from an in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<u>SMHDPR2</u>	(YUDYDEPR, YUHODEPR, YUIHDEPR, YUMHDEPR, YURSDEPR, YUTPDEPR) Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC DEPRESSED	Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	56236	96.90
0	= Reason Not Indicated (Otherwise).....	669	1.15
1	= Reason Indicated (Any source variable=1,3)	1129	1.95

The following variable, SMHFEA2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR), residential treatment center (YURSFEAR), or visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), or received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<u>SMHFEA2</u>	(YUDYFEAR, YUHOFEAR, YUIHFEAR, YUMHFEAR, YURSFEAR, YUTPFEAR) Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC AFRAID/TENSE	Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	56255	96.93
0	= Reason Not Indicated (Otherwise).....	1047	1.80
1	= Reason Indicated (Any source variable=1,3)	732	1.26

The following variable, SMHBRK2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU), residential treatment center (YURSBKRU), or visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), or received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<u>SMHBRK2</u>	(YUDYBKRU, YUHOBKRU, YUIHBKRU, YUMHBKRU, YURSBKRU, YUTPBKRU) Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC BROKE RULES	Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	56284	96.98
0	= Reason Not Indicated (Otherwise).....	1459	2.51
1	= Reason Indicated (Any source variable=1,3)	291	0.50

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SMHEAT2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP), residential treatment center (YURSEATP), or visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), or received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYEATP, YUHOEATP, YUIHEATP, YUMHEATP, YURSEATP, YUTPEATP)
SMHEAT2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC EATING PROBS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56287	96.99
0 = Reason Not Indicated (Otherwise)	1424	2.45
1 = Reason Indicated (Any source variable=1,3)	323	0.56

The following variable, SMHANGR2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR), residential treatment center (YURSANGR), or visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), or received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYANGR, YUHOANGR, YUIHANGR, YUMHANGR, YURSANGR, YUTPANGR)
SMHANGR2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC ANGER CNTRL

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56289	96.99
0 = Reason Not Indicated (Otherwise)	1510	2.60
1 = Reason Indicated (Any source variable=1,3)	235	0.40

The following variable, SMHFITE2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFITE), residential treatment center (YURSFITE), or visited a day treatment program (YUDYFITE), mental health center (YUMHFITE), private therapist (YUTPFITE), or received treatment from an in-home therapist (YUIHFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYFITE, YUHOFITE, YUIHFITE, YUMHFITE, YURSFITE, YUTPFITE)
SMHFITE2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC PHYS FIGHT

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56307	97.02
0 = Reason Not Indicated (Otherwise)	1697	2.92
1 = Reason Indicated (Any source variable=1,3)	30	0.05

The following variable, SMHFMLY2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY), residential treatment center (YURSFMLY), or visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), or received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYFMLY, YUHOFMLY, YUIHFMLY, YUMHFMLY, YURSFMLY, YUTPFMLY)
SMHFMLY2 Len : 1 RC-YTH RCVD LAST SPEC MH SRVC IN PY B/C HOME/FAM PRB

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56287	96.99
0 = Reason Not Indicated (Otherwise)	1325	2.28
1 = Reason Indicated (See comment above)	422	0.73

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SMHFRND2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND), residential treatment center (YURSRND), or visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), or received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYFRND, YUHOFRND, YUIHFRND, YUMHFRND, YURSRND, YUTPFRND)
SMHFRND2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC PROB W/FRND

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56293	97.00
0 = Reason Not Indicated (Otherwise)	1506	2.60
1 = Reason Indicated (Any source variable=1,3)	235	0.40

The following variable, SMHOTPP2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP), residential treatment center (YURSOTPP), or visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), or received treatment from an in-home therapist (YUIHOTPP) because they had problems with other people other than family or friends, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, or visits to a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated problems with others. Adults that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYOTPP, YUHOOTPP, YUIHOTPP, YUMHOTPP, YURSOTPP, YUTPOTPP)
SMHOTPP2 Len : 1 RC-YTH RCVD LST SPC MH SRVC IN PY B/C PRB W/ OTH PERS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56297	97.01
0 = Reason Not Indicated (Otherwise)	1595	2.75
1 = Reason Indicated (See comment above)	142	0.24

The following variable, SMHSCHL2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL), residential treatment center (YURSSCHL), or visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), or received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

(YUDYSCHL, YUHOSCHL, YUIHSCHL, YUMHSCHL, YURSSCHL, YUTPSCHL)
SMHSCHL2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC PROB AT SCH

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56291	97.00
0 = Reason Not Indicated (Otherwise)	1446	2.49
1 = Reason Indicated (Any source variable=1,3)	297	0.51

The following variable, SMHMEND2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHMEND2 Len : 1 RC-YTH RCVD LAST SPEC MH SRVC IN PY B/C DIAG MNTL DIS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56330	97.06
0 = Reason Not Indicated (Otherwise)	1626	2.80
1 = Reason Indicated (See comment above)	78	0.13

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SMHOTH3, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<u>SMHOTH3</u>	Len : 1 RC-YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS	Freq	Pct
.	. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	56319	97.04
0	0 = Reason Not Indicated (Otherwise).....	1474	2.54
1	1 = Reason Indicated (See comment above)	241	0.42

NOTE: The following 12 variables contain the reasons youths last talked with their school social worker, school psychologist, or school counselor in the past year.

The following variables, SHSWXXX, indicate whether a respondent last talked with their school social worker, school psychologist, or school counselor in the past year because of respective reasons. Youths were assigned a "Reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their school social worker, school psychologist, or school counselor (YUSWXXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a school social worker, school psychologist, or school counselor in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category.

<u>(YUSWDEPR)</u> <u>SHSWDPR</u>	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C DEPRESSED	Freq	Pct
.	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57150	98.48
0	0 = Reason Not Indicated (See comment).....	462	0.80
1	1 = Reason Indicated (YUSWDEPR=1,3)	422	0.73

<u>(YUSWFEAR)</u> <u>SHSWFEA</u>	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C AFRD/TENSE	Freq	Pct
.	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57150	98.48
0	0 = Reason Not Indicated (See comment).....	601	1.04
1	1 = Reason Indicated (YUSWFEAR=1,3)	283	0.49

<u>(YUSWBKRU)</u> <u>SHSWBRK</u>	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C BROKE RULE	Freq	Pct
.	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See commentl)	57150	98.48
0	0 = Reason Not Indicated (See comment).....	762	1.31
1	1 = Reason Indicated (YUSWBKRU=1,3)	122	0.21

<u>(YUSWEATP)</u> <u>SHSWEAT</u>	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C EATNG PROB	Freq	Pct
.	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57150	98.48
0	0 = Reason Not Indicated (See comment).....	808	1.39
1	1 = Reason Indicated (YUSWEATP=1,3).....	76	0.13

<u>(YUSWANGR)</u> <u>SHSWANGR</u>	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C ANGR CNTRL	Freq	Pct
.	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57154	98.48
0	0 = Reason Not Indicated (See comment).....	820	1.41
1	1 = Reason Indicated (YUSWANGR=1,3).....	60	0.10

<u>(YUSWFITE)</u> <u>SHSWFITE</u>	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C PHYS FIGHT	Freq	Pct
.	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57154	98.48
0	0 = Reason Not Indicated (See comment).....	866	1.49
1	1 = Reason Indicated (YUSWFITE=1,3)	14	0.02

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

<i>(YUSWFMLY)</i>	<i>SHSWFMLY</i>	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WKR IN PY B/C HME/FAM PRB	Freq	Pct
.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57154	98.48	
0	= Reason Not Indicated (See comment).....	758	1.31	
1	= Reason Indicated (YUSWFMLY=1,3 or home/fam prob)	122	0.21	

<i>(YUSWFRND)</i>	<i>SHSWFRND</i>	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C FRND PROB	Freq	Pct
.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57154	98.48	
0	= Reason Not Indicated (See comment).....	759	1.31	
1	= Reason Indicated (YUSWFRND=1,3).....	121	0.21	

<i>(YUSWOTPP)</i>	<i>SHSWOTPP</i>	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C PRB W/ OTH	Freq	Pct
.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57154	98.48	
0	= Reason Not Indicated (See comment).....	799	1.38	
1	= Reason Indicated(YUSWOTPP=1,3 or problem w/others).....	81	0.14	

<i>(YUSWSCHL)</i>	<i>SHWSCHL</i>	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C SCHL PROB	Freq	Pct
.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57154	98.48	
0	= Reason Not Indicated (See comment).....	685	1.18	
1	= Reason Indicated (YUSWSCHL=1,3)	195	0.34	

NOTE: The following two variables indicate whether a respondent last talked with their school social worker, school psychologist, or school counselor in the past year because they had a self-reported mental disorder or because of some other reason.

<i>SHSWMEND</i>	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRK IN PY B/C SR MNTL DISDR	Freq	Pct
.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57166	98.50
0	= Reason Not Indicated (See comment).....	858	1.48
1	= Reason Indicated (YUSWIMPR=18-25,27,28,36,65-67,69-71,73,75).....	10	0.02

For the following variable, SHSWOTH2, a respondent was classified as having indicated that they talked with school social worker for some other reason.

<i>SHSWOTH2</i>	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C OTH REASON	Freq	Pct
.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	57166	98.50
0	= Reason Not Indicated (See comment).....	796	1.37
1	= Reason Indicated (Indicated some other reason).....	72	0.12

NOTE: The following 12 variables contain the reasons youths last talked with their family doctor or pediatrician in the past year.

The following variables, FDOCXXX, indicate whether a respondent last talked with their family doctor or pediatrician in the past year because of respective reasons. Youths were assigned a "Reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their family doctor or pediatrician (YUFDXXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a family doctor or pediatrician in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category.

<i>(YUFDDEPR)</i>	<i>FDOC DPR</i>	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C DEPRESSED	Freq	Pct
.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57673	99.38	
0	= Reason Not Indicated (See comment).....	143	0.25	
1	= Reason Indicated (YUFDDEPR=1,3)	218	0.38	

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YUFDFEAR)
FDOCFEA

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C AFRAID/TENSE

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57673	99.38
0 = Reason Not Indicated (See comment).....	235	0.40
1 = Reason Indicated (YUFDFEAR=1,3)	126	0.22

(YUFDBKRU)
FDOCBRK

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C BROKE RULES

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57673	99.38
0 = Reason Not Indicated (See comment).....	325	0.56
1 = Reason Indicated (YUFDBKRU=1,3)	36	0.06

(YUFDEATP)
FDOCEAT

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C EATING PROBS

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57673	99.38
0 = Reason Not Indicated (See comment).....	294	0.51
1 = Reason Indicated (YUFDEATP=1,3)	67	0.12

(YUFDANGR)
FDOCANGR

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C ANGER CONTROL

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57674	99.38
0 = Reason Not Indicated (See comment).....	335	0.58
1 = Reason Indicated (YUFDANGR=1,3)	25	0.04

(YUFDFITE)
FDOCFITE

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PHYS FIGHT

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57674	99.38
0 = Reason Not Indicated (See comment).....	355	0.61
1 = Reason Indicated (YUFDFITE=1,3)	5	0.01

(YUDFMLY)
FDOCFMLY

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C HOME/FAM PROB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57674	99.38
0 = Reason Not Indicated (See comment).....	322	0.55
1 = Reason Indicated (YUDFMLY=1,3 or home/fam prob)	38	0.07

(YUDFRND)
FDOCFRND

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PROB W/ FRND

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57674	99.38
0 = Reason Not Indicated (See comment).....	340	0.59
1 = Reason Indicated (YUDFRND=1,3)	20	0.03

(YUFDOTPP)
FDOCOTPP

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PROB W/ OTHER PERS

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57674	99.38
0 = Reason Not Indicated (See comment).....	344	0.59
1 = Reason Indicated(YUFDOTPP=1,3 or problem w/others)	16	0.03

(YUFDSCHL)
FDOC SCHL

Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PROB AT SCH

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57674	99.38
0 = Reason Not Indicated (See comment).....	320	0.55
1 = Reason Indicated (YUFDSCHL=1,3)	40	0.07

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following two variables indicate whether a respondent last talked with their family doctor or pediatrician in the past year because they had a self-reported mental disorder or because of some other reason.

<u>FDOCMDN</u>	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C SR MNTL DISDR	Freq	Pct
.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57677	99.38
0	= Reason Not Indicated (See comment).....	341	0.59
1	= Reason Indicated (Diagnosed with mental disorder).....	16	0.03

For the following variable, FDOCOTH2, a respondent was classified as having indicated that they talked with their family doctor or pediatrician for some other reason.

<u>FDOCOTH2</u>	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C OTHER REASNS	Freq	Pct
.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	57677	99.38
0	= Reason Not Indicated (See comment).....	322	0.55
1	= Reason Indicated (See comment above)	35	0.06

NOTE: The following four variables were created by using a combination of variables from the following sections: Recoded Youth Mental Health Service Utilization and Recoded Drug Treatment. Specifications on how the individual Recoded Youth Mental Health Service Utilization variables were defined can be found above. Specifications on how the individual Recoded Drug Treatment variable was defined can be found in the Recoded Drug Treatment section.

The following four variables were created based on three source variables: received specialty mental health services in the past year (ANYSMH2), received non-specialty mental health services in the past year (ANYNSMH), and received substance use treatment at a specialty facility in the past year (TXYRSPILAL).

The following variable, YMHSPTX, indicates whether a youth reported receiving mental health services in the past year or substance use treatment at a specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty/non-specialty mental health services, or received substance use treatment at a specialty facility in the past year (AGE2=1-6 and ((ANYSMH2=1 or ANYNSMH=1) or TXYRSPILAL=1)). A respondent was assigned a negative response if they were 12 to 17 years old and did not receive specialty or non-specialty mental health services, and did not receive substance use treatment at a specialty facility in the past year (AGE3=1-3 and (ANYSMH2=0 and ANYNSMH=0) and TXYRSPILAL=0).

(ANYNSMH, ANYSMH2, TXYRSPILAL)

<u>YMHSPTX</u>	Len : 1 RC-YOUTH: RCVD MH SRVC OR SUB TRT AT SPEC FAC IN PST YR	Freq	Pct
.	= Unknown/Aged 18+ (Otherwise).....	47590	82.00
0	= No MH & No Sub Trt (see comment above)	7780	13.41
1	= MH or Sub Trt at Spc Fac (see comment above).....	2664	4.59

The following variable, YMHSPTX, indicates whether a youth reported receiving mental health services in the past year but not substance use treatment at a specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty or non-specialty mental health services, but did not receive substance use treatment at a specialty facility in the past year (AGE3=1-3 and (ANYSMH2=1 or ANYNSMH=1) and TXYRSPILAL=0). A respondent was assigned a negative response if they were 12 to 17 years old and they either did not receive specialty or non-specialty mental health services, or they received substance use treatment at a specialty facility in the past year (AGE3=1-3 and ((ANYSMH2=0 and ANYNSMH=0) or TXYRSPILAL=1)).

(ANYNSMH, ANYSMH2, TXYRSPILAL)

<u>YMHSPTX</u>	Len : 1 RC-YOUTH: RCVD MH SRVC BUT NOT SUB TRT AT SPEC FAC IN PST YR	Freq	Pct
.	= Unknown/Aged 18+ (Otherwise).....	47590	82.00
0	= Otherwise (See comment above)	7813	13.46
1	= Mental Health Srvc Only (see comment above).....	2631	4.53

The following variable, YSPTXNMH, indicates whether a youth reported receiving substance use treatment at specialty facility in the past year but not receiving mental health services in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and did not receive specialty or non-specialty mental health services, but did receive substance use treatment at a specialty facility in the past year (AGE3=1-3 and (ANYSMH2=0 and ANYNSMH=0) and TXYRSPILAL=1). A respondent was assigned a negative response if they were 12 to 17 years old and either received specialty or non-specialty mental health services, or they did not receive substance use treatment at a specialty facility in the past year (AGE3=1-3 and ((ANYSMH2=1 or ANYNSMH=1) or TXYRSPILAL=0)).

(ANYNSMH, ANYSMH2, TXYRSPILAL)

<u>YSPTXNMH</u>	Len : 1 RC-YOUTH: RCVD SUB TRT AT SPEC FAC BUT NOT MH SRVC IN PST YR	Freq	Pct
.	= Unknown/Aged 18+ (Otherwise).....	47294	81.49
0	= Otherwise (see comment above)	10732	18.49
1	= Sub Trt at Spc Fac Only (see comment above)	8	0.01

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, YMHASPTX, indicates whether a youth reported receiving both mental treatment services and substance use treatment at specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty or non-specialty mental health services, and received substance use treatment at a specialty facility in the past year (AGE3=1-3 and (ANYNSMH=1 and TXYRSPILAL=1). A respondent was assigned a negative response if they were 12 to 17 years old and did not receive specialty or non-specialty mental health services, or did not receive substance use treatment at a specialty facility in the past year (AGE3=1-3 and ((ANYSMH2=0 and ANYNSMH=0) or TXYRSPILAL=0)).

(ANYNSMH, ANYSMH2, TXYRSPILAL)

YMHASPTX Len : 1 RC-YOUTH: RCVD BOTH MH SRVC AND SUB TRT AT SPEC FAC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47294	81.49
0 = Otherwise (see comment above)	10718	18.47
1 = MH Srvc & Sub Trt at Sp Fac(see comment above).....	22	0.04

NOTE: The following two variables were created by using a combination of variables from the following sections: Recoded Youth Mental Health Service Utilization and Recoded Drug Treatment. Specifications on how the individual Recoded Youth Mental Health Service Utilization variables were defined can be found above. Specifications on how the individual Recoded Drug Treatment variable was defined can be found in the Recoded Drug Treatment section. The following two variables were created based on four source variables: received specialty mental health services in the past year (ANYSMH2), received non-specialty mental health services in the past year (ANYNSMH), received virtual mental health services in the past year (YUMHTELYR2), and received substance use treatment at a specialty facility in the past year (TXYRSPILAL). The following variable, YMHVROSPTX, indicates whether a youth reported receiving mental health services (including virtual services) in the past year or substance use treatment at a specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty, non-specialty, or virtual mental health services, or received substance use treatment at a specialty facility in the past year (AGE3=1-3 and ((ANYSMH2=1 or ANYNSMH=1 or YUMHTELYR2=1) or TXYRSPILAL=1)). A respondent was assigned a negative response if they were 12 to 17 years old and did not receive specialty, non-specialty, or virtual mental health services, and did not receive substance use treatment at a specialty facility in the past year (AGE3=1-3 and (ANYSMH2=0 and ANYNSMH=0 and YUMHTELYR2=0) and TXYRSPILAL=0)).

(ANYNSMH, ANYSMH2, TXYRSPILAL, YUMHTELYR2)

YMHVROSPTX Len : 1 RC-YTH: RCVD MH/VIRTUAL SRVC OR SUB TRT AT SPEC FAC - PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47589	82.00
0 = No MH & No Sub Trt (see comment above)	7649	13.18
1 = MH or Sub Trt at Spc Fac (see comment above).....	2796	4.82

The following variable, YMVRNSPTX, indicates whether a youth reported receiving mental health services (including virtual services) in the past year but not substance use treatment at a specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty, non-specialty, or virtual mental health services, but did not receive substance use treatment at a specialty facility in the past year (AGE3=1-3 and (ANYSMH2=1 or ANYNSMH=1 or YUMHTELYR2=1) and TXYRSPILAL=0)). A respondent was assigned a negative response if they were 12 to 17 years old and they either did not receive specialty, non-specialty, or virtual mental health services, or they received substance use treatment at a specialty facility in the past year (AGE3=1-3 and ((ANYSMH2=0 and ANYNSMH=0 and YUMHTELYR2=0) or TXYRSPILAL=1)).

(ANYNSMH, ANYSMH2, TXYRSPILAL, YUMHTELYR2)

YMHVRNSPTX Len : 1 RC-YTH: RCVD MH/VIRTUAL SRVC BUT NOT SUB TRT AT SPEC FAC-PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47589	82.00
0 = Otherwise (See comment above)	7682	13.24
1 = Mental Health Srv Only (see comment above).....	2763	4.76

NOTE: The following four variables present youth suicide information based on responses to the youth suicidal ideation screen.

(YUSUITHK)

YUSUITHKYR

Len : 1 RC-YOUTH SERIOUSLY THOUGHT ABOUT KILLING SELF PAST YEAR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47332	81.56
1 = Yes (YUSUITHK=1).....	1338	2.31
2 = No (YUSUITHK=2).....	7597	13.09
3 = I'm not sure/Don't know (YUSUITHK=3,94)	837	1.44
4 = I don't want to answer/Refused (YUSUITHK=4,97)	930	1.60

(YUCOSUITHK)

YUCOSUITHK2

Len : 1 RC-YTH SERIOUSLY THOUGHT ABOUT KILLING SELF DUE COVID PY

	Freq	Pct
. = Unknown/Aged 18+/No Suicide Thoughts (Otherwise)	56724	97.74
0 = No (YUCOSUITHK=2).....	1110	1.91
1 = Yes (YUCOSUITHK=1)	200	0.34

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

(YUSUIPLN)
[YUSUIPLNYR](#)

Len : 1 RC-YOUTH MADE PLANS TO KILL SELF IN PAST YEAR

. = Unknown/Aged 18+ (Otherwise).....	
1 = Yes (YUSUIPLN=1)	
2 = No (YUSUIPLN=2).....	
3 = I'm not sure/Don't know (YUSIPLN=3,94).....	
4 = I don't want to answer/Refused (YUSUIPLN=4,97).....	

Freq	Pct
47333	81.56
645	1.11
8942	15.41
391	0.67
723	1.25

(YUCOSUIPLN)
[YUCOSUIPLN2](#)

Len : 1 RC-YTH MADE PLANS TO KILL SELF DUE TO COVID-19 PAST YEAR

. = Unknown/Aged 18+/No Suicide Plans (Otherwise).....	
0 = No (YUCOSUIPLN=2).....	
1 = Yes (YUCOSUIPLN=1).....	

Freq	Pct
57398	98.90
573	0.99
63	0.11

ADOLESCENT DEPRESSION

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty, or depressed?

(YDS21) <u>YODPREV</u> ¹	Len : 2 EVER HAD SEVERAL DAYS WHRE FELT SAD/EMPTY/DEPRSSD	Freq	Pct
1 = Yes.....	5599	9.65	
2 = No.....	4912	8.46	
85 = BAD DATA Logically assigned	5	0.01	
94 = DON'T KNOW	110	0.19	
97 = REFUSED	84	0.14	
98 = BLANK (NO ANSWER)	33	0.06	
99 = LEGITIMATE SKIP.....	47291	81.49	

Have you ever had a period of time lasting several days or longer when most of the day you felt very discouraged or hopeless about how things were going in your life?

(YDS22) <u>YODSCEV</u> ¹	Len : 2 EVER HAD PER OF TIME WHERE FELT DISCRGD OR HPELSS	Freq	Pct
1 = Yes.....	416	0.72	
2 = No.....	4525	7.80	
94 = DON'T KNOW	94	0.16	
97 = REFUSED	70	0.12	
98 = BLANK (NO ANSWER)	39	0.07	
99 = LEGITIMATE SKIP.....	52890	91.14	

Have you ever had a period of time lasting several days or longer when you lost interest and became bored with most things you usually enjoy, like work, hobbies, and personal relationships?

(YDS23) <u>YOLOSEV</u> ¹	Len : 2 EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS	Freq	Pct
1 = Yes.....	659	1.14	
2 = No.....	3899	6.72	
94 = DON'T KNOW	75	0.13	
97 = REFUSED	56	0.10	
98 = BLANK (NO ANSWER)	39	0.07	
99 = LEGITIMATE SKIP.....	53306	91.85	

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

(YD01) <u>YODPDISC</u> ¹	Len : 2 FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED	Freq	Pct
1 = Yes.....	4905	8.45	
2 = No.....	656	1.13	
85 = BAD DATA Logically assigned	5	0.01	
94 = DON'T KNOW	32	0.06	
97 = REFUSED	6	0.01	
98 = BLANK (NO ANSWER)	139	0.24	
99 = LEGITIMATE SKIP.....	52291	90.10	

ADOLESCENT DEPRESSION

During the times when you felt sad, empty, or depressed, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

(YD01A, YD01B)
[YDPLSIN¹](#)

Len : 2 EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
1 = Yes.....	4338	7.47
2 = No.....	1227	2.11
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW	29	0.05
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	139	0.24
99 = LEGITIMATE SKIP.....	52291	90.10

During times when you felt discouraged about how things were going in your life, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

(YD02)
[YDLSLSIN¹](#)

Len : 2 EVER LOSE INT IN THGS WHEN FEELING DISCOURGAGED

	Freq	Pct
1 = Yes.....	227	0.39
2 = No.....	184	0.32
94 = DON'T KNOW	5	0.01
98 = BLANK (NO ANSWER)	152	0.26
99 = LEGITIMATE SKIP.....	57466	99.02

Did you ever have a period of time like this that lasted most of the day almost every day for two weeks or longer?

(YD09)
[YOLSI2WK¹](#)

Len : 2 PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	Freq	Pct
1 = Yes.....	101	0.17
2 = No.....	538	0.93
94 = DON'T KNOW	20	0.03
98 = BLANK (NO ANSWER)	170	0.29
99 = LEGITIMATE SKIP.....	57205	98.57

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, almost every day, for two weeks or longer?

(YD12)
[YODPR2WK¹](#)

Len : 2 TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	Freq	Pct
1 = Yes.....	3966	6.83
2 = No.....	1971	3.40
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW	70	0.12
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	147	0.25
99 = LEGITIMATE SKIP.....	51867	89.37

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

(YD16)
[YOWRHRS¹](#)

Len : 2 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	Freq	Pct
1 = Less than 1 hour.....	358	0.62
2 = At least 1 hour but no more than 3 hours	1037	1.79
3 = At least 3 hours but no more than 5 hours.....	998	1.72
4 = 5 hours or more.....	1605	2.77
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW	55	0.09
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	263	0.45
99 = LEGITIMATE SKIP.....	53699	92.53

ADOLESCENT DEPRESSION

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how strong were your bad feelings during those times?

(YD17)

YOWRDST¹

Len : 2 HOW STRONG WERE BAD FEELINGS DURING 2 WKS

	Freq	Pct
1 = Mild	446	0.77
2 = Moderate.....	1540	2.65
3 = Severe	1203	2.07
4 = Very Severe	457	0.79
94 = DON'T KNOW	44	0.08
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	268	0.46
99 = LEGITIMATE SKIP.....	54057	93.15

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that nothing could cheer you up?

(YD18)

YOWRCHR¹

Len : 2 BAD FEELINGS SO SEVERE NOTHING COULD CHEER YOU UP

	Freq	Pct
1 = Often.....	1100	1.90
2 = Sometimes	1679	2.89
3 = Not very often.....	683	1.18
4 = Never	211	0.36
94 = DON'T KNOW	23	0.04
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	268	0.46
99 = LEGITIMATE SKIP.....	54057	93.15

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that you could not carry out your daily activities?

(YD19)

YOWRIMP¹

Len : 2 MOOD SO SEVERE COULDN'T DO DLY ACTIVITIES

	Freq	Pct
1 = Often.....	982	1.69
2 = Sometimes	1334	2.30
3 = Not very often.....	852	1.47
4 = Never	505	0.87
94 = DON'T KNOW	28	0.05
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	268	0.46
99 = LEGITIMATE SKIP.....	54057	93.15

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

(YD21)

YODPPROB¹

Len : 2 EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER

	Freq	Pct
1 = Yes.....	3062	5.28
2 = No.....	552	0.95
94 = DON'T KNOW	17	0.03
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	268	0.46
99 = LEGITIMATE SKIP.....	54128	93.27

ADOLESCENT DEPRESSION

Think again about these other problems we just mentioned. They include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Can you think of the worst time when you [FEELFILL] for two weeks or longer and also had these other problems at the same time?

(YD22)
YOWRPROB¹ Len : 2 ONE PARTICULAR TIME THAT IS THE WORST ONE EVER

	Freq	Pct
1 = Yes.....	2494	4.30
2 = No.....	537	0.93
94 = DON'T KNOW	25	0.04
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	292	0.50
99 = LEGITIMATE SKIP.....	54680	94.22

How old were you when that worst period of time started?

Then think of the most recent time you [FEELFILL] for two weeks or longer and you had these other problems at the same time.

How old were you when that time started?

(YD22A, YD22C)
YOWRAGE¹ Len : 3 AGE WHEN WORST PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 17.....	2931	5.05
994 = DONT KNOW	108	0.19
997 = REFUSED	23	0.04
998 = BLANK (NO ANSWER).....	292	0.50
999 = LEGITIMATE SKIP.....	54680	94.22

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that time, did you feel sad, empty, or depressed for most of the day nearly every day?

(YD24A)
YOWRDEPR¹ Len : 2 WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY

	Freq	Pct
1 = Yes.....	2394	4.13
2 = No.....	635	1.09
94 = DON'T KNOW	22	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	292	0.50
99 = LEGITIMATE SKIP.....	54680	94.22

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

(YD24C)
YOWRDISC¹ Len : 2 WHEN PRBLMS WRST FELT DISCRGED ABT LIFE EVERY DAY

	Freq	Pct
1 = Yes.....	2428	4.18
2 = No.....	599	1.03
94 = DONT KNOW	18	0.03
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	292	0.50
99 = LEGITIMATE SKIP.....	54680	94.22

ADOLESCENT DEPRESSION

During that [TIMEFILL] period of time, did you become bored with almost everything like school, work, hobbies, and things you like to do for fun?

(YD24E)

YOWRLSIN¹

Len : 2 WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS

	Freq	Pct
1 = Yes.....	2572	4.43
2 = No.....	457	0.79
94 = DON'T KNOW	24	0.04
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	292	0.50
99 = LEGITIMATE SKIP.....	54680	94.22

During that [TIMEFILL] period of time, did you feel like nothing was fun even when good things were happening?

(YD24F)

YOWRPLSR¹

Len : 2 WHEN PRBLMS WORST FEEL NO FUN IN GOOD THINGS

	Freq	Pct
1 = Yes.....	2261	3.90
2 = No.....	764	1.32
94 = DON'T KNOW	28	0.05
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	292	0.50
99 = LEGITIMATE SKIP.....	54680	94.22

The next questions are about changes in appetite and weight.

In answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you eat much less than usual almost every day during that time?

(YD26A)

YOWRELES¹

Len : 2 WHEN PRBLMS WORST EAT LESS THAN USUAL EVERY DAY

	Freq	Pct
1 = Yes.....	1678	2.89
2 = No.....	1186	2.04
94 = DON'T KNOW	40	0.07
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	303	0.52
99 = LEGITIMATE SKIP.....	54812	94.45

Did you eat much more than usual almost every day?

(YD26B)

YOWREMOR¹

Len : 2 WHEN PRBLMS WORST EAT MORE THAN USUAL EVERY DAY

	Freq	Pct
1 = Yes.....	445	0.77
2 = No.....	751	1.29
94 = DON'T KNOW	39	0.07
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	303	0.52
99 = LEGITIMATE SKIP.....	56490	97.34

Did you gain weight without trying to during that [TIMEFILL] period of time?

(YD26C)

YOWRGAIN¹

Len : 2 WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING

	Freq	Pct
1 = Yes.....	427	0.74
2 = No.....	759	1.31
94 = DON'T KNOW	50	0.09
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	303	0.52
99 = LEGITIMATE SKIP.....	56490	97.34

ADOLESCENT DEPRESSION

Did you gain weight without trying to because you were growing?

<i>(YD26C1)</i>	<u>YOWRGROW¹</u>	Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING	Freq	Pct
		1 = Yes.....	186	0.32
		2 = No.....	201	0.35
		94 = DON'T KNOW	39	0.07
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	358	0.62
		99 = LEGITIMATE SKIP.....	57249	98.65

Did you gain weight without trying to because you were pregnant?

<i>(YD26C2)</i>	<u>YOWRPREG¹</u>	Len : 2 WHEN PRBLMS WRST GAIN WGHT W/O TRYING BC PREGNANT	Freq	Pct
		2 = No.....	173	0.30
		98 = BLANK (NO ANSWER)	204	0.35
		99 = LEGITIMATE SKIP.....	57657	99.35

How many pounds did you gain?

Please enter your answer as a whole number.

<i>(YD26D)</i>	<u>YOWRGNL¹</u>	Len : 3 WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING	Freq	Pct
		RANGE = 0 - 20	127	0.22
		21 = 21 to 25 pounds.....	10	0.02
		22 = 26 to 30 pounds.....	32	0.06
		23 = 31 to 35 pounds.....	2	0.00
		24 = 36 to 40 pounds.....	9	0.02
		25 = 41 to 45 pounds.....	1	0.00
		26 = 46 to 50 pounds.....	9	0.02
		27 = 51 or more pounds	14	0.02
		994 = DON'T KNOW	31	0.05
		997 = REFUSED	6	0.01
		998 = BLANK (NO ANSWER).....	358	0.62
		999 = LEGITIMATE SKIP.....	57435	98.97

Did you lose weight without trying to?

<i>(YD26E)</i>	<u>YOWRLOSE¹</u>	Len : 2 WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING	Freq	Pct
		1 = Yes.....	1155	1.99
		2 = No.....	1228	2.12
		94 = DON'T KNOW	102	0.18
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER)	312	0.54
		99 = LEGITIMATE SKIP.....	55230	95.17

Did you lose weight without trying to because you were sick or on a diet?

<i>(YD26E1)</i>	<u>YOWRDIET¹</u>	Len : 2 WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT	Freq	Pct
		1 = Yes.....	254	0.44
		2 = No.....	890	1.53
		94 = DON'T KNOW	10	0.02
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	421	0.73
		99 = LEGITIMATE SKIP.....	56458	97.28

ADOLESCENT DEPRESSION

How many pounds did you lose?

Please enter your answer as a whole number.

(YD26F)

YOWRLSL2¹

Len : 3 WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING

	Freq	Pct
RANGE = 0 - 20	686	1.18
21 = 21 to 25 pounds.....	28	0.05
22 = 26 to 30 pounds.....	31	0.05
23 = 31 to 35 pounds.....	5	0.01
24 = 36 to 40 pounds.....	7	0.01
25 = 41 to 45 pounds.....	2	0.00
26 = 46 to 50 pounds.....	3	0.01
27 = 51 or more pounds	14	0.02
994 = DON'T KNOW	112	0.19
997 = REFUSED	13	0.02
998 = BLANK (NO ANSWER).....	421	0.73
999 = LEGITIMATE SKIP.....	56712	97.72

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep or staying asleep most nights or waking too early most mornings during that [TIMEFILL] time?

(YD26G)

YOWRSLEP¹

Len : 2 WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY

	Freq	Pct
1 = Yes.....	2330	4.01
2 = No.....	561	0.97
94 = DON'T KNOW	21	0.04
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	303	0.52
99 = LEGITIMATE SKIP.....	54812	94.45

During that [TIMEFILL] period of time, did you sleep a lot more than usual?

(YD26H)

YOWRSMOR¹

Len : 2 WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL

	Freq	Pct
1 = Yes.....	336	0.58
2 = No.....	239	0.41
94 = DON'T KNOW	12	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	303	0.52
99 = LEGITIMATE SKIP.....	57142	98.46

On most days during that [TIMEFILL] period of time, did you feel that you didn't have much energy?

(YD26J)

YOWRENRG¹

Len : 2 WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY

	Freq	Pct
1 = Yes.....	2698	4.65
2 = No.....	211	0.36
94 = DON'T KNOW	8	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	303	0.52
99 = LEGITIMATE SKIP.....	54812	94.45

ADOLESCENT DEPRESSION

Did you feel as though you were talking or moving more slowly than usual on most days during that [TIMEFILL] period of time?

<i>(YD26L)</i>	<u>YOWRSLOW</u> ¹	Len : 2 WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL	Freq	Pct
1 = Yes.....			2066	3.56
2 = No.....			814	1.40
94 = DON'T KNOW			35	0.06
97 = REFUSED			4	0.01
98 = BLANK (NO ANSWER)			303	0.52
99 = LEGITIMATE SKIP.....			54812	94.45

Did anyone else notice that you were talking or moving more slowly than usual?

<i>(YD26M)</i>	<u>YOWRSLNO</u> ¹	Len : 2 WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL	Freq	Pct
1 = Yes.....			957	1.65
2 = No.....			1062	1.83
94 = DON'T KNOW			45	0.08
97 = REFUSED			2	0.00
98 = BLANK (NO ANSWER)			342	0.59
99 = LEGITIMATE SKIP.....			55626	95.85

Were you so restless or jittery that you walked up or down or couldn't sit still?

<i>(YD26N)</i>	<u>YOWRJITT</u> ¹	Len : 2 WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY	Freq	Pct
1 = Yes.....			310	0.53
2 = No.....			521	0.90
94 = DON'T KNOW			18	0.03
97 = REFUSED			4	0.01
98 = BLANK (NO ANSWER)			303	0.52
99 = LEGITIMATE SKIP.....			56878	98.01

Did anyone else notice that you couldn't sit still?

<i>(YD26O)</i>	<u>YOWRJINO</u> ¹	Len : 2 WHEN PRBLMS WRST PEOP NOTICE YOU CLDN'T SIT STILL	Freq	Pct
1 = Yes.....			143	0.25
2 = No.....			162	0.28
94 = DON'T KNOW			5	0.01
98 = BLANK (NO ANSWER)			325	0.56
99 = LEGITIMATE SKIP.....			57399	98.91

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

On most days during that [TIMEFILL] time, did your thinking seem slower than usual or seem mixed up?

<i>(YD26P)</i>	<u>YOWRTHOT</u> ¹	Len : 2 WHEN PRBLMS WORST THGHTS SLOWER/MIXED UP	Freq	Pct
1 = Yes.....			2141	3.69
2 = No.....			730	1.26
94 = DON'T KNOW			39	0.07
97 = REFUSED			9	0.02
98 = BLANK (NO ANSWER)			303	0.52
99 = LEGITIMATE SKIP.....			54812	94.45

ADOLESCENT DEPRESSION

On most days, did you have a lot more trouble than usual keeping your mind on things?

<i>(YD26R)</i>	<u>YOWRCONC¹</u>	Len : 2 WHEN PRBLMS WRST HAVE TRBLE KEEPING MIND ON THNGS	Freq	Pct
1 = Yes.....			2409	4.15
2 = No.....			477	0.82
94 = DON'T KNOW			27	0.05
97 = REFUSED			6	0.01
98 = BLANK (NO ANSWER)			303	0.52
99 = LEGITIMATE SKIP.....			54812	94.45

Were you unable to make up your mind about things you ordinarily have no trouble deciding about?

<i>(YD26S)</i>	<u>YWRDCSN¹</u>	Len : 2 WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS	Freq	Pct
1 = Yes.....			1817	3.13
2 = No.....			1047	1.80
94 = DON'T KNOW			50	0.09
97 = REFUSED			5	0.01
98 = BLANK (NO ANSWER)			303	0.52
99 = LEGITIMATE SKIP.....			54812	94.45

Did you feel that you were not as good as other people nearly every day?

<i>(YD26U)</i>	<u>YOWRNODG¹</u>	Len : 2 WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE	Freq	Pct
1 = Yes.....			2432	4.19
2 = No.....			460	0.79
94 = DON'T KNOW			14	0.02
97 = REFUSED			13	0.02
98 = BLANK (NO ANSWER)			303	0.52
99 = LEGITIMATE SKIP.....			54812	94.45

Did you feel totally worthless nearly every day?

<i>(YD26V)</i>	<u>YOWWRTH¹</u>	Len : 2 WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY	Freq	Pct
1 = Yes.....			1885	3.25
2 = No.....			527	0.91
94 = DON'T KNOW			6	0.01
97 = REFUSED			13	0.02
98 = BLANK (NO ANSWER)			331	0.57
99 = LEGITIMATE SKIP.....			55272	95.24

<i>(D_MDEA1Y)</i>	<u>YO_MDEA1¹</u>	Len : 2 SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED	Freq	Pct
1 = Has symptom			2668	4.60
2 = Does not have symptom.....			370	0.64
94 = DON'T KNOW			13	0.02
97 = REFUSED			11	0.02
98 = OTHER MISSING/NOT APPLICABLE.....			7681	13.24
99 = LEGITIMATE SKIP.....			47291	81.49

<i>(D_MDEA2Y)</i>	<u>YO_MDEA2¹</u>	Len : 2 LOST INTEREST OR PLEASURE IN MOST THINGS	Freq	Pct
1 = Has symptom			2798	4.82
2 = Does not have symptom.....			303	0.52
94 = DON'T KNOW			41	0.07
97 = REFUSED			9	0.02
98 = OTHER MISSING/NOT APPLICABLE.....			7592	13.08
99 = LEGITIMATE SKIP.....			47291	81.49

ADOLESCENT DEPRESSION

(D_MDEA3Y)
YO_MDEA3¹

Len : 2 CHANGES IN APPETITE OR WT

	Freq	Pct
1 = Has symptom	2191	3.78
2 = Does not have symptom.....	634	1.09
94 = DON'T KNOW	84	0.14
97 = REFUSED	10	0.02
98 = OTHER MISSING/NOT APPLICABLE.....	7824	13.48
99 = LEGITIMATE SKIP.....	47291	81.49

(D_MDEA4Y)
YO_MDEA4¹

Len : 2 SLEEP PROBLEMS

	Freq	Pct
1 = Has symptom	2666	4.59
2 = Does not have symptom.....	232	0.40
94 = DON'T KNOW	15	0.03
97 = REFUSED	6	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	7824	13.48
99 = LEGITIMATE SKIP.....	47291	81.49

(D_MDEA5Y)
YO_MDEA5¹

Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC

	Freq	Pct
1 = Has symptom	1100	1.90
2 = Does not have symptom.....	1767	3.04
94 = DON'T KNOW	50	0.09
97 = REFUSED	2	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	7824	13.48
99 = LEGITIMATE SKIP.....	47291	81.49

(D_MDEA6Y)
YO_MDEA6¹

Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	2698	4.65
2 = Does not have symptom.....	211	0.36
94 = DON'T KNOW	8	0.01
97 = REFUSED	2	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	7824	13.48
99 = LEGITIMATE SKIP.....	47291	81.49

(D_MDEA7Y)
YO_MDEA7¹

Len : 2 FELT WORTHLESS NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	1885	3.25
2 = Does not have symptom.....	1014	1.75
94 = DON'T KNOW	6	0.01
97 = REFUSED	13	0.02
98 = OTHER MISSING/NOT APPLICABLE.....	7825	13.48
99 = LEGITIMATE SKIP.....	47291	81.49

(D_MDEA8Y)
YO_MDEA8¹

Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS

	Freq	Pct
1 = Has symptom	2637	4.54
2 = Does not have symptom.....	257	0.44
94 = DON'T KNOW	18	0.03
97 = REFUSED	7	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	7824	13.48
99 = LEGITIMATE SKIP.....	47291	81.49

ADOLESCENT DEPRESSION

(DSMMDEAY)
YODSMMDE¹

Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9

	Freq	Pct
1 = Has 5 or more symptoms.....	2691	4.64
2 = Has less than 5 symptoms.....	432	0.74
94 = SUM OF SYMPTOMS AND DON'T KNOW >=5	24	0.04
97 = SUM OF SYMPTOMS AND REFUSED >=5	4	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	7592	13.08
99 = LEGITIMATE SKIP.....	47291	81.49

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] interfere or cause problems with your school work, your job, or your relationships with family and friends?

(YD28)
YOPBINTF¹

Len : 2 WHEN PRBLMS WORST INTERFERE WITH SCHL/ PRSNL LIFE

	Freq	Pct
1 = Not at all	138	0.24
2 = A little.....	490	0.84
3 = Some.....	808	1.39
4 = A lot.....	853	1.47
5 = Extremely	429	0.74
94 = DON'T KNOW	12	0.02
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	329	0.57
99 = LEGITIMATE SKIP.....	54965	94.71

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities or to take care of yourself because of these problems with your mood?

(YD28A)
YOPBDLYA¹

Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
1 = Often.....	778	1.34
2 = Sometimes	1184	2.04
3 = Not very often.....	504	0.87
4 = Never	114	0.20
94 = DON'T KNOW	16	0.03
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	329	0.57
99 = LEGITIMATE SKIP.....	55103	94.95

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] and also had some of the other problems we just asked about.

Can you remember your exact age?

(YD37)
YOPBRMBR¹

Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
1 = Yes.....	1574	2.71
2 = No.....	1135	1.96
94 = DON'T KNOW	22	0.04
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	329	0.57
99 = LEGITIMATE SKIP.....	54965	94.71

How old were you?

(YD37A, YD37B)
YOPBAGE¹

Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 17	2540	4.38
994 = DON'T KNOW	167	0.29
997 = REFUSED	24	0.04
998 = BLANK (NO ANSWER).....	338	0.58
999 = LEGITIMATE SKIP.....	54965	94.71

ADOLESCENT DEPRESSION

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

(YD52)

YOPBNUM¹

Len : 4 # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE

	Freq	Pct
RANGE = 1 - 1000	2301	3.96
9994 = DON'T KNOW	377	0.65
9997 = REFUSED	62	0.11
9998 = BLANK (NO ANSWER).....	329	0.57
9999 = LEGITIMATE SKIP.....	54965	94.71

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

(YD38)

YOPB2WK¹

Len : 2 FELT THIS WAY 2 WKS+ W/OTH PRBS DURING PST 12 MOS

	Freq	Pct
1 = Yes.....	2042	3.52
2 = No.....	615	1.06
94 = DON'T KNOW	60	0.10
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	329	0.57
99 = LEGITIMATE SKIP.....	54965	94.71

NOTE: Beginning with the 2008 survey, the questions corresponding to the variables YOPSHMGT, YOPSWORK, YOPSRELS, and YOPSSOC no longer allow respondents to choose the category 95 (ACTIVITY DOES NOT APPLY).

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] the worst.

Using the 0 to 10 scale shown below, where 0 means no problems and 10 means very severe problems, select the number that describes how much your [FEELNOUN] caused problems with your ability to do each of the following activities during that time. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] cause problems with your chores at home?

(YD66A)

YOPSHMGT¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH HOME CHORES

	Freq	Pct
0 = No Problems	88	0.15
1 = Mild - 1	62	0.11
2 = Mild - 2	121	0.21
3 = Mild - 3	162	0.28
4 = Moderate - 4	202	0.35
5 = Moderate - 5	314	0.54
6 = Moderate - 6	332	0.57
7 = Severe - 7	246	0.42
8 = Severe - 8	234	0.40
9 = Severe - 9	99	0.17
10 = Very Severe Problems.....	156	0.27
94 = DON'T KNOW	19	0.03
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	413	0.71
99 = LEGITIMATE SKIP.....	55580	95.77

ADOLESCENT DEPRESSION

During that time in the past 12 months when your [FEELNOUN] was worst, how much did this cause problems with your ability to do well at school or work?

You can use any number between 0 and 10 to answer.

(YD66B)

YOPSWORK¹

Len : 2 HOW MCH DID FLNGS INTRFR W/ABLTY TO DO WLL SCH/WK

	Freq	Pct
0 = No Problems	74	0.13
1 = Mild - 1	60	0.10
2 = Mild - 2	143	0.25
3 = Mild - 3	137	0.24
4 = Moderate - 4	173	0.30
5 = Moderate - 5	222	0.38
6 = Moderate - 6	236	0.41
7 = Severe - 7	256	0.44
8 = Severe - 8	269	0.46
9 = Severe - 9	174	0.30
10 = Very Severe Problems.....	272	0.47
94 = DON'T KNOW	16	0.03
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	413	0.71
99 = LEGITIMATE SKIP.....	55580	95.77

How much did your [FEELNOUN] cause problems with your ability to get along with your family during that time?

You can use any number between 0 and 10 to answer.

(YD66C)

YOPSRELS¹

Len : 2 HOW MUCH DID FLNGS INTRFR W/GETTING ALONG W/FAM

	Freq	Pct
0 = No Problems	82	0.14
1 = Mild - 1	67	0.12
2 = Mild - 2	148	0.26
3 = Mild - 3	153	0.26
4 = Moderate - 4	169	0.29
5 = Moderate - 5	231	0.40
6 = Moderate - 6	273	0.47
7 = Severe - 7	241	0.42
8 = Severe - 8	257	0.44
9 = Severe - 9	157	0.27
10 = Very Severe Problems.....	238	0.41
94 = DON'T KNOW	17	0.03
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	413	0.71
99 = LEGITIMATE SKIP.....	55580	95.77

How much did your [FEELNOUN] cause problems with your social life during that time?

You can use any number between 0 and 10 to answer.

(YD66D)

YOPSSOC¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
0 = No Problems	69	0.12
1 = Mild - 1	47	0.08
2 = Mild - 2	90	0.16
3 = Mild - 3	126	0.22
4 = Moderate - 4	151	0.26
5 = Moderate - 5	230	0.40
6 = Moderate - 6	240	0.41
7 = Severe - 7	274	0.47
8 = Severe - 8	274	0.47
9 = Severe - 9	238	0.41
10 = Very Severe Problems.....	277	0.48
94 = DON'T KNOW	18	0.03
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	413	0.71
99 = LEGITIMATE SKIP.....	55580	95.77

ADOLESCENT DEPRESSION

NOTE: Beginning with the 2008 survey, respondents who answered "don't know" or "refused" to questions corresponding to the variables YOPSHMGT, YOPSWORK, YOPSRELS, and YOPSSOC are no longer asked the question corresponding to YOPSDAYS unless they entered a response of 1 to 10 in at least one of the other questions corresponding to YOPSHMGT through YOPSSOC.

About how many days out of 365 in the past 12 months were you totally unable to go to school or work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer.

<i>(YD68) <u>YOPSDAYS</u>¹</i>	Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS	Freq	Pct
RANGE = 0 - 365		1858	3.20
994 = DON'T KNOW		153	0.26
997 = REFUSED		11	0.02
998 = BLANK (NO ANSWER).....		427	0.74
999 = LEGITIMATE SKIP.....		55585	95.78

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

<i>(YD86) <u>YOSEEDOC</u>¹</i>	Len : 2 SEE/TALK TO A DR/OTH PROF ABT FEELINGS PAST 12 MOS	Freq	Pct
1 = Yes.....		982	1.69
2 = No.....		1722	2.97
94 = DON'T KNOW		15	0.03
97 = REFUSED		20	0.03
98 = BLANK (NO ANSWER)		330	0.57
99 = LEGITIMATE SKIP.....		54965	94.71

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

<i>(YD86A) <u>YOFAMDOC</u>¹</i>	Len : 2 GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS	Freq	Pct
1 = Response entered		282	0.49
6 = Response not entered		681	1.17
94 = DON'T KNOW		10	0.02
97 = REFUSED		29	0.05
98 = BLANK (NO ANSWER)		345	0.59
99 = LEGITIMATE SKIP.....		56687	97.68

<i>(YD86A) <u>YOOTHDOC</u>¹</i>	Len : 2 OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS	Freq	Pct
1 = Response entered		44	0.08
3 = Response entered LOGICALLY ASSIGNED		2	0.00
6 = Response not entered		917	1.58
94 = DON'T KNOW		10	0.02
97 = REFUSED		29	0.05
98 = BLANK (NO ANSWER)		345	0.59
99 = LEGITIMATE SKIP.....		56687	97.68

ADOLESCENT DEPRESSION

(YD864)
YOPSYCH¹

Len : 2 PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	321	0.55
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	641	1.10
94 = DON'T KNOW	10	0.02
97 = REFUSED	29	0.05
98 = BLANK (NO ANSWER)	345	0.59
99 = LEGITIMATE SKIP.....	56687	97.68

(YD864)
YOPSYMD¹

Len : 2 PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	254	0.44
6 = Response not entered	709	1.22
94 = DON'T KNOW	10	0.02
97 = REFUSED	29	0.05
98 = BLANK (NO ANSWER)	345	0.59
99 = LEGITIMATE SKIP.....	56687	97.68

(YD864)
YOSOCWRK¹

Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	140	0.24
6 = Response not entered	823	1.42
94 = DON'T KNOW	10	0.02
97 = REFUSED	29	0.05
98 = BLANK (NO ANSWER)	345	0.59
99 = LEGITIMATE SKIP.....	56687	97.68

(YD864)
YOCOUNS¹

Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	533	0.92
3 = Response entered LOGICALLY ASSIGNED	4	0.01
6 = Response not entered	426	0.73
94 = DON'T KNOW	10	0.02
97 = REFUSED	29	0.05
98 = BLANK (NO ANSWER)	345	0.59
99 = LEGITIMATE SKIP.....	56687	97.68

(YD864)
YOOTHMHP¹

Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	112	0.19
6 = Response not entered	851	1.47
94 = DON'T KNOW	10	0.02
97 = REFUSED	29	0.05
98 = BLANK (NO ANSWER)	345	0.59
99 = LEGITIMATE SKIP.....	56687	97.68

(YD864)
YONURSE¹

Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	136	0.23
3 = Response entered LOGICALLY ASSIGNED	3	0.01
6 = Response not entered	824	1.42
94 = DON'T KNOW	10	0.02
97 = REFUSED	29	0.05
98 = BLANK (NO ANSWER)	345	0.59
99 = LEGITIMATE SKIP.....	56687	97.68

ADOLESCENT DEPRESSION

		Freq	Pct
(YD86A) <u>YORELIG</u> ¹	Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS		
1 = Response entered		38	0.07
6 = Response not entered		925	1.59
94 = DON'T KNOW		10	0.02
97 = REFUSED		29	0.05
98 = BLANK (NO ANSWER)		345	0.59
99 = LEGITIMATE SKIP.....		56687	97.68

		Freq	Pct
(YD86A) <u>YOHERBAL</u> ¹	Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
1 = Response entered		13	0.02
6 = Response not entered		950	1.64
94 = DON'T KNOW		10	0.02
97 = REFUSED		29	0.05
98 = BLANK (NO ANSWER)		345	0.59
99 = LEGITIMATE SKIP.....		56687	97.68

		Freq	Pct
(YD86A) <u>YOOHTHLP</u> ¹	Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
1 = Response entered		58	0.10
6 = Response not entered		905	1.56
94 = DON'T KNOW		10	0.02
97 = REFUSED		29	0.05
98 = BLANK (NO ANSWER)		345	0.59
99 = LEGITIMATE SKIP.....		56687	97.68

Are you currently receiving treatment or counseling for [NUMPROBS] with your mood?

		Freq	Pct
(YD86B) <u>YOTMTNOW</u> ¹	Len : 2 CURRENTLY RCVNG TREATMENT/COUNSLG FOR MOOD		
1 = Yes.....		575	0.99
2 = No.....		399	0.69
94 = DON'T KNOW		4	0.01
97 = REFUSED		24	0.04
98 = BLANK (NO ANSWER)		345	0.59
99 = LEGITIMATE SKIP.....		56687	97.68

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

		Freq	Pct
(YD86C) <u>YORX12MQ</u> ¹	Len : 2 TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS		
1 = Yes.....		534	0.92
2 = No.....		2185	3.77
94 = DON'T KNOW		8	0.01
97 = REFUSED		12	0.02
98 = BLANK (NO ANSWER)		330	0.57
99 = LEGITIMATE SKIP.....		54965	94.71

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

		Freq	Pct
(YD86D) <u>YORXNOW</u> ¹	Len : 2 CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD		
1 = Yes.....		421	0.73
2 = No.....		112	0.19
94 = DON'T KNOW		1	0.00
97 = REFUSED		12	0.02
98 = BLANK (NO ANSWER)		338	0.58
99 = LEGITIMATE SKIP.....		57150	98.48

ADOLESCENT DEPRESSION

During the past 12 months, how much has this prescription medication helped you?

<i>(YD86E)</i> <u>YORXHLP¹</u>	Len : 2 HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MOS	Freq	Pct
1 = Not at all		73	0.13
2 = A little.....		81	0.14
3 = Some.....		146	0.25
4 = A lot.....		158	0.27
5 = Extremely		65	0.11
94 = DON'T KNOW		10	0.02
97 = REFUSED		13	0.02
98 = BLANK (NO ANSWER)		338	0.58
99 = LEGITIMATE SKIP.....		57150	98.48

During the past 12 months, how much has treatment or counseling helped you?

<i>(YD86F)</i> <u>YOTMTHLP¹</u>	Len : 2 HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS	Freq	Pct
1 = Not at all		144	0.25
2 = A little.....		206	0.35
3 = Some.....		272	0.47
4 = A lot.....		236	0.41
5 = Extremely		107	0.18
94 = DON'T KNOW		12	0.02
97 = REFUSED		25	0.04
98 = BLANK (NO ANSWER)		345	0.59
99 = LEGITIMATE SKIP.....		56687	97.68

RECODED ADOLESCENT DEPRESSION

RECODED ADOLESCENT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or recoded variables from the preceding sections.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: Respondents were administered separate age-appropriate depression modules designed to measure whether or not respondents had experienced a major depressive episode (MDE) in their lifetime and past year. All adolescent (youth) respondents aged 12 to 17 were asked questions from the Youth Depression section. All adults aged 18 or older were administered the questions in the Adult Depression section.

Additional details on these adolescent depression recoded variables are provided in the Recoded Depression Variable Documentation Appendix.

The following variable, YMDELT, classifies an adolescent as having a major depressive episode (MDE) in their lifetime, YMDELT=1, if they reported experiencing at least 5 out of the 9 criteria used to define an adolescent as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (YODSMMDE=1). An adolescent was classified as NOT having a major depressive episode (MDE) in their lifetime, YMDELT=2, if they met either of these conditions.

- Reported experiencing fewer than five out of the nine criteria used to define an adolescent as having had MDE in their lifetime (YODSMMDE=2).
- If the number of criteria used to define an adolescent as having had MDE in their lifetime is unknown (YODSMMDE=94, 97, 98) and the respondent reported at least one of the following:
 - Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (YODPREV=2), discouraged or hopeless about how things were going in life (YODSCEV=2), and lost interest and became bored with most things usually enjoyable (YOLOSEV=2).
 - Experienced the feelings in (i), but they did not last most of the day, almost every day for two weeks or longer [YOLSI2WK=2 or YODPR2WK=2].
 - Experienced the feelings in (i) most of the day, almost every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (YOWRhrs=1).
 - Experienced the feelings in (i) most of the day, almost every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but the bad feelings were mild (YOWRDST=1), there was never a time when you felt so bad that nothing could cheer you up (YOWRCHR=4), and there was never a time when you felt so bad that you could not carry out your daily activities (YOWRIMP=4).
 - Experienced the feelings in (i) most of the day, almost every day for two weeks or longer for at least an hour with bad feelings that were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, eating, energy, the ability to keep mind on things, or feeling badly about self (YODPPROB=2).

(YODPPROB, YODPR2WK, YODPREV, YODSCEV, YODSMMDE, YOLOSEV, YOLSI2WK, YOWRCHR, YOWRDST, YOWRhrs, YOWRIMP)
YMDELT Len : 1 RC-YOUTH: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	47635	82.08
1 = Yes (YODSMMDE=1).....	2691	4.64
2 = No (See comment above).....	7708	13.28

(YMDELT, YOPB2WK)
YMDEYR Len : 1 RC-YOUTH: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	47717	82.22
1 = Yes (YMDELT=1 & YOPB2WK=1)	2026	3.49
2 = No (YMDELT=2 or [YMDELT=1 & YOPB2WK=2])	8291	14.29

NOTE: The following four recoded variables define if a respondent had co-occurring major depressive episode and a use disorder. YMDEAUD5YR is created using the DSM-5 based SUD variable and was used starting with the 2020 Detailed Tables. YMIUD5YANY and YMSUD5YANY are created using the DSM-5 based SUD variables that include use disorder data from past year users but not misusers of prescription drugs. YMSUD5Ymis is created using the DSM-5 based SUD variable that does not include use disorder data from past year users but not misusers of prescription drugs. The SUD variable used to create YMSUD5Ymis is defined consistently with how the SUD variable in the 2020 Detailed Tables was defined. YMSUD5Ymis was renamed to better distinguish between the version that includes use disorder data from past year users but not misusers of prescription drugs and the version that does not include use disorder data from past year users but not misusers of prescription drugs. Specific information about the DSM-5 use disorder criteria used in these recodes can be found in the Nicotine Dependence and Substance Use Disorder Appendix.

(IRPYUD5ALC, YMDEYR)
YMDEAUD5YR Len : 1 RC-YOUTH: PAST YEAR MDE AND ALC USE DISORDER-DSM-5

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.).....	47717	82.22
0 = No (YMDEYR=2 or IRPYUD5ALC=0)	10162	17.51
1 = Yes (YMDEYR=1 & IRPYUD5ALC=1)	155	0.27

RECODED ADOLESCENT DEPRESSION

(UD5ILLANY, YMDEYR)

YMIUD5YANY Len : 1 RC-YOUTH: PY MDE AND ILL DRUG USE DISORDER-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.)	47717	82.22
0 = No (YMDEYR=2 or UD5ILLANY=0).....	10037	17.30
1 = Yes (YMDEYR=1 & UD5ILLANY =1).....	280	0.48

(UD5ILALANY, YMDEYR)

YMSUD5YANY Len : 1 RC-YOUTH: PY MDE AND SUB USE DISORDER-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.)	47717	82.22
0 = No (YMDEYR=2 or UD5ILALANY=0).....	9965	17.17
1 = Yes (YMDEYR=1 & UD5ILALANY =1).....	352	0.61

(UD5ILALMIS, YMDEYR)

YMSUD5YMIC Len : 1 RC-YOUTH: PY MDE AND SUB USE DISORDER-DSM-5 - MIS

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.)	47717	82.22
0 = No (YMDEYR=2 or UD5ILALMIS=0).....	10013	17.25
1 = Yes (YMDEYR=1 & UD5ILALMIS =1).....	304	0.52

NOTE: The following two recoded variables define if a respondent had major depressive episode and/or a substance use disorder.

YMDERSUD5ANY and YMDESUD5ANYO are based on DSM-5 SUD estimates including prescription drug use data from all past year users of prescription drugs. These recodes replace variables YMDEORSUD5 and YMDESUD5ONL, and were used starting with the 2021 First Findings Report appendix tables.

(UD5ILALANY, YMDEYR)

YMDERSUD5ANY Len : 1 RC-YTH: MDE OR SUBSTANCE USE DISORDER-PAST YEAR-DSM-5-ANY

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR= and UD5ILALANY=0)	38215	65.85
0 = No (YMDEYR=2 and UD5ILALANY=0)	7834	13.50
1 = Yes (YMDEYR =1 or UD5ILALANY=1)	11985	20.65

(UD5ILALANY, YMDEYR)

YMDESUD5ANYO Len : 1 RC-YTH:ONLY MDE, ONLY SUD, BOTH, OR NEITHER-PY-DSM-5-ANY

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.)	47717	82.22
1 = SUD only, no MDE (YMDEYR=2 and UD5ILALANY=1).....	457	0.79
2 = MDE only, no SUD (YMDEYR =1 and UD5ILALANY=0).....	1674	2.88
3 = SUD and MDE (YMDEYR=1 and UD5ILALANY=1)	352	0.61
4 = Neither SUD or MDE (YMDEYR=2 and UD5ILALANY=0).....	7834	13.50

NOTE: The following recoded variable defines if a respondent had major depressive episode and/or an illicit drug or alcohol use disorder.

YMDESUD5MISO is based on DSM-5 SUD estimates that do not include use disorder data from past year users but not misusers of prescription drugs. This recode replaces variable YMDESUD5ONL, and was used starting with the 2021 First Findings Report appendix tables.

(UD5ILALMIS, YMDEYR)

YMDESUD5MISO Len : 1 RC-YTH:ONLY MDE, ONLY SUD, BOTH, OR NEITHER-PY-DSM-5-MIS

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.)	47717	82.22
1 = SUD only, no MDE (YMDEYR=2 and UD5ILALMIS=1)	396	0.68
2 = MDE only, no SUD (YMDEYR =1 and UD5ILALMIS=0)	1722	2.97
3 = SUD and MDE (YMDEYR=1 and UD5ILALMIS=1)	304	0.52
4 = Neither SUD or MDE (YMDEYR=2 and UD5ILALMIS=0)	7895	13.60

RECODED ADOLESCENT DEPRESSION

NOTE: The following 25 variables are among all adolescent respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adolescents with MDE, the analysis will need to be restricted by either the lifetime MDE variable (YMDELT) or the past year MDE variable (YMDLYR).

<i>(YOSEEDOC)</i>	<i>YTXMDEYR</i>	Len : 1 RC-YOUTH: SAW OR TALK TO MD/PROF FOR MDE IN PAST YEAR	Freq	Pct
		. = Aged 18+/Unknown (Otherwise).....	55330	95.34
		0 = No (YOSEEDOC=2).....	1722	2.97
		1 = Yes (YOSEEDOC=1).....	982	1.69
<i>(YORX12MO)</i>	<i>YRXMDEYR</i>	Len : 1 RC-YOUTH: USED RX MEDICATION FOR MDE IN PAST YEAR	Freq	Pct
		. = Aged 18+/Unknown (Otherwise).....	55315	95.31
		0 = No (YORX12MO=2).....	2185	3.77
		1 = Yes (YORX12MO=1).....	534	0.92
In the following variable, YMDETXRX, an adolescent is defined as having received treatment/counseling if he/she saw or talked to a medical doctor or other professional for MDE.				
<i>(YRXMDEYR, YTXMDEYR)</i>	<i>YMDETXRX</i>	Len : 1 RC-YOUTH: RCVD TRT/CNSLG OR RX MED FOR MDE IN PST YR	Freq	Pct
		. = Aged 18+/Unknown (Otherwise).....	55330	95.34
		0 = No (YTXMDEYR=0 and YRXMDEYR=0).....	1644	2.83
		1 = Yes (YTXMDEYR=1 or YRXMDEYR=1).....	1060	1.83
<i>(YOFAMDOC, YOSEEDOC)</i>	<i>YDOCMD</i>	Len : 1 RC-YOUTH: SAW/TALK TO GEN PRAC/FAM MD ABOUT MDE IN PY	Freq	Pct
		. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	55349	95.37
		0 = No (YOSEEDOC=2 or YOFAMDOC=6)	2403	4.14
		1 = Yes (YOFAMDOC=1,3)	282	0.49
<i>(YOOTHDOC, YOSEEDOC)</i>	<i>YOMDMDE</i>	Len : 1 RC-YOUTH: SAW/TALK TO OTHER MD ABOUT MDE IN PAST YEAR	Freq	Pct
		. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	55349	95.37
		0 = No (YOSEEDOC=2 or YOOTHDOC=6)	2639	4.55
		1 = Yes (YOOTHDOC=1,3)	46	0.08
<i>(YOPSYCH, YOSEEDOC)</i>	<i>YPSY1MDE</i>	Len : 1 RC-YOUTH: SAW/TALK TO PSYCHOLOGIST ABT MDE IN PST YR	Freq	Pct
		. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	55349	95.37
		0 = No (YOSEEDOC=2 or YOPSYCH=6)	2363	4.07
		1 = Yes (YOPSYCH=1,3)	322	0.55
<i>(YOPSYMD, YOSEEDOC)</i>	<i>YPSY2MDE</i>	Len : 1 RC-YOUTH: SAW/TALK TO PSYCHIATRIST ABT MDE IN PAST YR	Freq	Pct
		. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	55349	95.37
		0 = No (YOSEEDOC=2 or YOPSYMD=6)	2431	4.19
		1 = Yes (YOPSYMD=1,3)	254	0.44
<i>(YOSEEDOC, YOSOCWRK)</i>	<i>YSOCMDE</i>	Len : 1 RC-YOUTH: SAW/TALK TO SOCIAL WORKER ABOUT MDE IN PY	Freq	Pct
		. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	55349	95.37
		0 = No (YOSEEDOC=2 or YOSOCWRK=6)	2545	4.39
		1 = Yes (YOSOCWRK=1,3)	140	0.24

RECODED ADOLESCENT DEPRESSION

(YOCOUNS, YOSEEDOC)

YCOUNMDE Len : 1 RC-YOUTH: SAW/TALK TO COUNSELOR ABOUT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	55349	95.37
0 = No (YOSEEDOC=2 or YOCOUNS=6).....	2148	3.70
1 = Yes (YOCOUNS=1,3).....	537	0.93

(YOOTHMHP, YOSEEDOC)

YOMHMDE Len : 1 RC-YOUTH: SAW/TALK TO OTH MENT HLTH PROF ABOUT MDE-PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	55349	95.37
0 = No (YOSEEDOC=2 or [YOOTHMHP=6 & No Writ-in Enter]).....	2558	4.41
1 = Yes (YOOTHMHP=1,3 or Write-in Response Entered).....	127	0.22

(YONURSE, YOSEEDOC)

YNURSMDE Len : 1 RC-YOUTH: SAW/TALK TO NURSE/OCC THERA ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	55349	95.37
0 = No (YOSEEDOC=2 or YONURSE=6).....	2546	4.39
1 = Yes (YONURSE=1,3)	139	0.24

(YORELIG, YOSEEDOC)

YRELMDE Len : 1 RC-YOUTH: SAW/TALK TO RELIG ADVISOR ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	55349	95.37
0 = No (YOSEEDOC=2 or YORELIG=6).....	2647	4.56
1 = Yes (YORELIG=1,3).....	38	0.07

(YOHERBAL, YOSEEDOC)

YHBCHMDE Len : 1 RC-YOUTH: SAW/TALK TO ANOTHER HEALER ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	55349	95.37
0 = No (YOSEEDOC=2 or YOHERBAL=6).....	2672	4.60
1 = Yes (YOHERBAL=1,3).....	13	0.02

The following variable, YOTHMDE, defines an adolescent as having seen or talked to another professional about MDE during the past year, YOTHMDE=1, if s/he entered a valid write-in response other than the responses that matched the existing categories.

An adolescent was classified as NOT having seen or talked to another professional about MDE during the past year, YOTHMDE=0, if s/he met either of these conditions:

1. Reported NOT seeing or talking to a medical doctor or other professional during the past year (YOSEEDOC=2).
2. Response not entered for whether other mental health professional was seen or talked to during the past year (YOOTHHLP=6).
3. Write-in response entered matched an existing category.

(YOOTHHLP, YOSEEDOC)

YOTHMDE Len : 1 RC-YOUTH: SAW/TALK TO OTHER PROF ABOUT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown/Legit Skip/Invalid Spec. Resp.	55373	95.41
0 = No (See comment above).....	2657	4.58
1 = Yes (See comment above)	4	0.01

The following variable, YHTLMDE, indicates whether a youth reported seeing or talking to a health professional about MDE in the past year. Youths were classified as having seen or talked to a health professional, YHTLMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (YDOCMD=1); other medical doctor (YOMDMDE=1); psychologist (YPSY1MDE=1); psychiatrist or psychotherapist (YPSY2MDE=1); social worker (YSOCMDE=1); counselor (YCOUNMDE=1); other mental health professional (YOMHMDE=1); or nurse, occupational therapist, or other health professional (YNURSMDE=1). Respondents were classified as having not seen or talked to a health professional, YHTLMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

(YCOUNMDE, YDOCMD, YNURSMDE, YOMDMDE, YOMHMDE, YPSY1MDE, YPSY2MDE, YSOCMDE)

YHTLMDE Len : 1 RC-YOUTH: SAW/TALK TO HEALTH PROF ABOUT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	55349	95.37
0 = No (See comment above).....	1740	3.00
1 = Yes (See comment above)	945	1.63

RECODED ADOLESCENT DEPRESSION

The following variable, YALTMDE, indicates whether a youth reported seeing or talking to an alternative service professional about MDE in the past year. Youths were classified as having seen or talked to an alternative service professional, YALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (YRELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (YHBCMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, YALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

<i>(YHBCMDE, YRELMDE)</i>	<i>YALTMDE</i>	Len : 1 RC-YOUTH: SAW/TALK TO ALT SERV PROF ABOUT MDE IN PY	Freq	Pct
		. = Aged 18+/Unknown (Otherwise).....	55349	95.37
		0 = No (See comment above).....	2635	4.54
		1 = Yes (See comment above)	50	0.09

<i>(YHLTMDE, YRXMDEYR)</i>	<i>YMDEHPRX</i>	Len : 1 RC-YOUTH: SAW HEALTH PROF OR RX MED FOR MDE IN PST YR	Freq	Pct
		. = Aged 18+/Unknown (Otherwise).....	55340	95.36
		0 = No (YHLTMDE=0 and YRXMDEYR=0).....	1661	2.86
		1 = Yes (YHLTMDE=1 or YRXMDEYR=1).....	1033	1.78

<i>(YHLTMDE, YRXMDEYR)</i>	<i>YMDEHPO</i>	Len : 1 RC-YOUTH: SAW HEALTH PROF ONLY FOR MDE IN PAST YEAR	Freq	Pct
		. = Aged 18+/Unknown (Otherwise).....	55338	95.35
		0 = No (YHLTMDE=0 or YRXMDEYR=1)	2199	3.79
		1 = Yes (YHLTMDE=1 and YRXMDEYR=0).....	497	0.86

<i>(YHLTMDE, YRXMDEYR)</i>	<i>YMDERXO2</i>	Len : 1 RC-YOUTH: RCVD RX MED, NO HEALTH PROF FOR MDE IN PY	Freq	Pct
		. = Aged 18+/Unknown (Otherwise).....	55326	95.33
		0 = No (YRXMDEYR=0 or YHLTMDE=1)	2633	4.54
		1 = Yes (YRXMDEYR=1 and YHLTMDE=0)	75	0.13

<i>(YHLTMDE, YRXMDEYR)</i>	<i>YMDEHARX</i>	Len : 1 RC-YOUTH: SAW HEALTH PROF AND RX MED FOR MDE IN PY	Freq	Pct
		. = Aged 18+/Unknown (Otherwise).....	55324	95.33
		0 = No (YHLTMDE=0 or YRXMDEYR=0)	2264	3.90
		1 = Yes (YHLTMDE=1 and YRXMDEYR=1)	446	0.77

NOTE: The following four variables make up the four role domains (chores at home, school or work, close relationships with family, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on an adolescent's life.

<i>(YOPSHMGT)</i>	<i>YSDSHOME</i>	Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - CHORES AT HOME	Freq	Pct
		. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56018	96.53
		1 = None (YOPSHMGT=0)	88	0.15
		2 = Mild (YOPSHMGT=1,2,3)	345	0.59
		3 = Moderate (YOPSHMGT=4,5,6)	848	1.46
		4 = Severe (YOPSHMGT=7,8,9)	579	1.00
		5 = Very Severe (YOPSHMGT=10).....	156	0.27

<i>(YOPSWORK)</i>	<i>YSDSWRK</i>	Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - SCHOOL OR WORK	Freq	Pct
		. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56018	96.53
		1 = None (YOPSWORK=0)	74	0.13
		2 = Mild (YOPSWORK=1,2,3)	340	0.59
		3 = Moderate (YOPSWORK=4,5,6)	631	1.09
		4 = Severe (YOPSWORK=7,8,9)	699	1.20
		5 = Very Severe (YOPSWORK=10).....	272	0.47

RECODED ADOLESCENT DEPRESSION

(YOPSRELS)
YSDSREL

Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - FAMILY RELATIONSHIPS

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56018	96.53
1 = None (YOPSRELS=0).....	82	0.14
2 = Mild (YOPSRELS=1,2,3).....	368	0.63
3 = Moderate (YOPSRELS=4,5,6)	673	1.16
4 = Severe (YOPSRELS=7,8,9).....	655	1.13
5 = Very Severe (YOPSRELS=10).....	238	0.41

(YOPSSOC)
YSDSSOC

Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56018	96.53
1 = None (YOPSSOC=0).....	69	0.12
2 = Mild (YOPSSOC=1,2,3).....	263	0.45
3 = Moderate (YOPSSOC=4,5,6)	621	1.07
4 = Severe (YOPSSOC=7,8,9).....	786	1.35
5 = Very Severe (YOPSSOC=10).....	277	0.48

The following variable, YSDSOVRL, is assigned the maximum level of interference over the four role domains of SDS: chores at home (YSDSHOME), school or work (YSDSWRK), family relationships (YSDSREL), and social life (YSDSSOC).

(YSDSHOME, YSDSREL, YSDSSOC, YSDSWRK)

YSDSOVRL

Len : 1 RC-YOUTH: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56007	96.51
1 = None (See comment above).....	5	0.01
2 = Mild (See comment above).....	77	0.13
3 = Moderate (See comment above).....	421	0.73
4 = Severe (See comment above).....	989	1.70
5 = Very Severe (See comment above)	535	0.92

The following variable, MDEIMPY, is derived from the maximum severity level of MDE role impairment (YSDSOVRL) and is restricted to adolescents with past year MDE (YMDEYR).

(YMDEYR, YSDSOVRL)

MDEIMPY

Len : 1 RC-YOUTH: MDE WITH SEVERE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	47730	82.24
1 = Yes (YMDEYR=1 and YSDSOVRL=4,5)	1518	2.62
2 = No (YMDEYR=2 or YSDSOVRL=1,2,3)	8786	15.14

NOTE: The following four recoded variables define if a respondent had co-occurring major depressive episode with severe impairment and a use disorder. YMDEIMAD5YR is created using the DSM-5 based SUD variable and was used starting with the 2020 Detailed Tables. YMIM5YANY and YMIMS5YANY are created using the DSM-5 based SUD variables that include use disorder data from past year users but not misusers of prescription drugs. YMIMS5YMIS is created using the DSM-5 based SUD variable that does not include use disorder data from past year users but not misusers of prescription drugs. The SUD variable used to create YMIMS5YMIS is defined consistently with how the SUD variable in the 2020 Detailed Tables was defined. YMIMS5YMIS was renamed to better distinguish between the version that includes use disorder data from past year users but not misusers of prescription drugs and the version that does not include use disorder data from past year users but not misusers of prescription drugs. Specific information about the DSM-5 use disorder criteria used in these recodes can be found in the Nicotine Dependence and Substance Use Disorder Appendix.

(IRPYUD5ALC, MDEIMPY)

YMDEIMAD5YR

Len : 1 RC-YOUTH: PY MDE WITH SEVERE IMP AND ALC USE DISORDER-DSM-5

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.)	47730	82.24
0 = No (MDEIMPY=2 or IRPYUD5ALC=0).....	10173	17.53
1 = Yes (MDEIMPY=1 & IRPYUD5ALC=1).....	131	0.23

(MDEIMPY, UD5ILLANY)

YMIM5YANY

Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIR & ILL DRG USE DIS-DSM-5-ANY

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.)	47730	82.24
0 = No (MDEIMPY=2 or UD5ILLANY=0).....	10071	17.35
1 = Yes (MDEIMPY=1 & UD5ILLANY =1).....	233	0.40

RECODED ADOLESCENT DEPRESSION

*(MDEIMPY, UD5ILALANY)*YMIMSSYANY Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIR AND SUB USE DIS-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.)	47730	82.24
0 = No (MDEIMPY=2 or UD5ILALANY=0).....	10014	17.26
1 = Yes (MDEIMPY=1 & UD5ILALANY =1).....	290	0.50

*(MDEIMPY, UD5ILALMIS)*YMIMSSYMS Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIR AND SUB USE DIS-DSM-5 - MIS

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.)	47730	82.24
0 = No (MDEIMPY=2 or UD5ILALMIS=0).....	10055	17.33
1 = Yes (MDEIMPY=1 & UD5ILALMIS =1).....	249	0.43

CONSUMPTION OF ALCOHOL

CONSUMPTION OF ALCOHOL

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

NOTE: Beginning in 2017, respondents who reported that they used alcohol on 0 days in the past 30 days are no longer asked questions in the consumption of alcohol module that pertain to the past 30 days. This change has resulted in an increase in the number of respondents who were coded as "blank" compared with data from 2016 and prior years. However, this change was determined not to have affected the comparability of estimates since 2017 with those prior to 2017.

Next we return to the topic of alcohol. Remember that by a "drink", we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Earlier, the computer recorded that you drank at least one alcoholic beverage within the past 30 days, that is, since [DATEFILL].

Please think about the last time you drank any alcoholic beverage. How many drinks did you have that time?

(CA01)

CADRLAST¹

Len : 3 # OF DRINKS THE LAST TIME DRANK IN PAST 30 DAYS

	Freq	Pet
RANGE = 1 - 90	25221	43.46
985 = BAD DATA Logically assigned	9	0.02
991 = NEVER USED ALCOHOL	16302	28.09
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	14926	25.72
994 = DON'T KNOW	116	0.20
997 = REFUSED	84	0.14
998 = BLANK (NO ANSWER)	1376	2.37

This last time you drank, were you alone or were you with one or more other people?

(CA02A)

CADRPEOP¹

Len : 2 ALONE OR W/ MORE THAN ONE PERSON LAST TIME DRANK

	Freq	Pet
1 = I was alone the last time I drank.....	243	0.42
2 = I was with one other person the last time I drank.....	419	0.72
3 = I was with >one other person the last time I drank.....	1481	2.55
85 = BAD DATA Logically assigned	5	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	14926	25.72
94 = DON'T KNOW	8	0.01
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	240	0.41
99 = LEGITIMATE SKIP.....	24399	42.04

Where did you drink alcoholic beverages this last time you drank?

(CA02B)

CADRCAR¹

Len : 2 I DRANK IN A CAR OR OTHER VEHICLE

	Freq	Pet
1 = Response entered	71	0.12
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	2051	3.53
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	14926	25.72
94 = DON'T KNOW	14	0.02
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	245	0.42
99 = LEGITIMATE SKIP.....	24400	42.04

CONSUMPTION OF ALCOHOL

(CA02B)
CADRHOME¹

Len : 2 I DRANK AT MY HOME

	Freq	Pct
1 = Response entered	999	1.72
3 = Response entered LOGICALLY ASSIGNED	5	0.01
6 = Response not entered	1120	1.93
85 = BAD DATA Logically assigned	2	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14926	25.72
94 = DON'T KNOW	14	0.02
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	246	0.42
99 = LEGITIMATE SKIP.....	24399	42.04

(CA02B)
CADROTHM¹

Len : 2 I DRANK AT SOMEONE ELSE'S HOME

	Freq	Pct
1 = Response entered	860	1.48
3 = Response entered LOGICALLY ASSIGNED	16	0.03
6 = Response not entered	1248	2.15
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14926	25.72
94 = DON'T KNOW	14	0.02
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	248	0.43
99 = LEGITIMATE SKIP.....	24400	42.04

(CA02B)
CADRPUBL¹

Len : 2 I DRANK AT A PARK, ON A BEACH OR IN A PARKING LOT

	Freq	Pct
1 = Response entered	103	0.18
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	2019	3.48
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14926	25.72
94 = DON'T KNOW	14	0.02
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	248	0.43
99 = LEGITIMATE SKIP.....	24400	42.04

(CA02B)
CADRBAR¹

Len : 2 I DRANK IN A RESTAURANT, BAR OR CLUB

	Freq	Pct
1 = Response entered	147	0.25
3 = Response entered LOGICALLY ASSIGNED	3	0.01
6 = Response not entered	1974	3.40
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14926	25.72
94 = DON'T KNOW	14	0.02
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	248	0.43
99 = LEGITIMATE SKIP.....	24400	42.04

(CA02B)
CADREVNT¹

Len : 2 I DRANK AT A CONCERT OR SPORTS GAME

	Freq	Pct
1 = Response entered	25	0.04
6 = Response not entered	2099	3.62
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14926	25.72
94 = DON'T KNOW	14	0.02
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	248	0.43
99 = LEGITIMATE SKIP.....	24400	42.04

CONSUMPTION OF ALCOHOL

		Freq	Pct
<i>(CA02B)</i>	<i>CADRSCHL¹</i>		
Len : 2 I DRANK AT SCHOOL			
1 = Response entered		10	0.02
6 = Response not entered		2114	3.64
91 = NEVER USED ALCOHOL.....		16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....		14926	25.72
94 = DON'T KNOW		14	0.02
97 = REFUSED		20	0.03
98 = BLANK (NO ANSWER)		248	0.43
99 = LEGITIMATE SKIP.....		24400	42.04
<i>(CA02B)</i>	<i>CADROTH¹</i>		
Len : 2 I DRANK AT SOME OTHER PLACE			
1 = Response entered		180	0.31
6 = Response not entered		1944	3.35
91 = NEVER USED ALCOHOL.....		16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....		14926	25.72
94 = DON'T KNOW		14	0.02
97 = REFUSED		20	0.03
98 = BLANK (NO ANSWER)		248	0.43
99 = LEGITIMATE SKIP.....		24400	42.04
<i>(CA02SC)</i>	<i>CADROTS2¹</i>		
Len : 2 OTHER PLACE YOU LAST DRANK ALCOHOL			
1 = I drank in a car or other vehicle		2	0.00
2 = I drank at my home		6	0.01
3 = I drank at someone else's home		19	0.03
4 = I drank at a park, on a beach, or in a parking lot		2	0.00
5 = I drank in a restaurant, bar or club		3	0.01
8 = I drank at some other place		10	0.02
9 = At respondent's place of work/business.....		4	0.01
14 = At a cabin, cottage, vacation home/vacation condo.....		3	0.01
15 = Hotel/motel/resort/BB; restaurnt/bar/club not spec.....		16	0.03
17 = At a house/apt/garage; no other information		4	0.01
22 = Camping/hunting/fishing; no other information.....		15	0.03
23 = Street/road/alley/neighborhood		3	0.01
24 = Outside; park, beach, parkng lot, water unspcfed		14	0.02
26 = Place of entertainment; club/sports/concert unspec.....		4	0.01
35 = At a party/wedding/celebration/event; no othr info.....		37	0.06
36 = With friends/family, hanging out; location unspfd.....		3	0.01
70 = City/State/Country/vacation, location unspecified		13	0.02
85 = BAD DATA Logically assigned		9	0.02
91 = NEVER USED ALCOHOL.....		16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....		14926	25.72
94 = DON'T KNOW		4	0.01
97 = REFUSED		28	0.05
98 = BLANK (NO ANSWER)		263	0.45
99 = LEGITIMATE SKIP.....		26344	45.39
Did you pay for the last alcoholic beverage that you drank?			
<i>(CA03)</i>	<i>CABUYFRE¹</i>		
Len : 2 PAY FOR THE LAST ALCOHOLIC BEVERAGE THAT U DRANK			
1 = Yes.....		580	1.00
2 = No.....		1560	2.69
85 = BAD DATA Logically assigned		5	0.01
89 = LEGITIMATE SKIP Logically assigned		1	0.00
91 = NEVER USED ALCOHOL.....		16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....		14926	25.72
94 = DON'T KNOW		7	0.01
97 = REFUSED		11	0.02
98 = BLANK (NO ANSWER)		243	0.42
99 = LEGITIMATE SKIP.....		24399	42.04

CONSUMPTION OF ALCOHOL

Did you buy this last alcoholic beverage yourself, or did you give money to someone else to buy it for you?

(CA04)

CAGVMONY¹

Len : 2 DID YOU/SOMEONE ELSE BUY LAST ALCOHOLIC BEVERAGE

	Freq	Pct
1 = I bought it myself.....	226	0.39
2 = I gave money to someone else who bought it for me	350	0.60
85 = BAD DATA Logically assigned	3	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14926	25.72
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	262	0.45
99 = LEGITIMATE SKIP.....	25959	44.73

People often buy alcoholic beverages at stores, restaurants, bars, clubs, or events. Sometimes they buy alcohol from other people. Which of these statements describes the way you bought the last alcoholic beverage that you drank?

(CA05)

CABUYWHO¹

Len : 2 STATEMENT BEST DESCRIBES PURCHASE OF LAST ALCOHOL

	Freq	Pct
1 = I bought it at a store/restaurant/bar/club/event	187	0.32
2 = I bought it from another person.....	38	0.07
85 = BAD DATA Logically assigned	3	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14926	25.72
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	266	0.46
99 = LEGITIMATE SKIP.....	26309	45.33

At which of these places did you buy the last alcoholic beverage that you drank?

(CA05A)

CABPLACE¹

Len : 2 WHERE YOU BOUGHT LAST ALCOHOLIC BEVERAGE

	Freq	Pct
1 = I bought it at a liquor/convenience/grocery store	132	0.23
2 = I bought it at a restaurant, bar or club	50	0.09
3 = I bought it at a concert, sports or other event	4	0.01
85 = BAD DATA Logically assigned	3	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14926	25.72
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	267	0.46
99 = LEGITIMATE SKIP.....	26347	45.40

Did you buy this last alcoholic beverage from someone who was under age 21, or were they 21 or older?

(CA05B)

CABUNDAG¹

Len : 2 BUY LAST ALCOHOLIC BEVERAGE FR SOMEONE <21 OR 21+

	Freq	Pct
1 = Under age 21.....	13	0.02
2 = Age 21 or older.....	25	0.04
91 = NEVER USED ALCOHOL.....	16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14926	25.72
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	270	0.47
99 = LEGITIMATE SKIP.....	26497	45.66

CONSUMPTION OF ALCOHOL

Who bought the alcoholic beverage for you?

(CA06) <u>CAGVWHO</u> ¹	Len : 2 WHO BOUGHT THE ALCOHOLIC BEVERAGE FOR YOU	Freq	Pct
1 = My parent or guardian.....		24	0.04
2 = Another family member who is 21 or older		40	0.07
3 = Someone not related to me who is 21 or older		226	0.39
4 = Someone under age 21		46	0.08
91 = NEVER USED ALCOHOL.....		16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....		14926	25.72
94 = DON'T KNOW		2	0.00
97 = REFUSED		13	0.02
98 = BLANK (NO ANSWER)		269	0.46
99 = LEGITIMATE SKIP.....		26186	45.12

How did you get the last alcoholic beverage that you drank?

(CA07) <u>CAFREWHO</u> ¹	Len : 2 HOW DID U GET THE LAST ALCOHOLIC BEVERAGE U DRANK	Freq	Pct
1 = My parent or guardian.....		299	0.52
2 = Another family member who is 21 or older		253	0.44
3 = Someone not related to me who is 21 or older		429	0.74
4 = Someone under age 21		196	0.34
5 = I took it from home.....		140	0.24
6 = I took it from someone else's home.....		30	0.05
7 = I got it some other way		142	0.24
12 = Another family member who is 21 or older LOG ASSN		1	0.00
13 = Non-relative who is 21 or older LOGICALLY ASSIGNED.....		2	0.00
14 = Someone under age 21 LOGICALLY ASSIGNED		1	0.00
15 = I took it from home LOGICALLY ASSIGNED		3	0.01
16 = I took it from someone else's home LOGICALLY ASSN		4	0.01
85 = BAD DATA Logically assigned		2	0.00
91 = NEVER USED ALCOHOL.....		16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....		14926	25.72
94 = DON'T KNOW		15	0.03
97 = REFUSED		46	0.08
98 = BLANK (NO ANSWER)		263	0.45
99 = LEGITIMATE SKIP.....		24980	43.04

(CA07SC) <u>CAFRESP2</u> ¹	Len : 2 OTHER WAY YOU GOT THE LAST ALCOHOLIC BEVERAGE	Freq	Pct
2 = Another family member 21 y-o or older gave to me		1	0.00
3 = Someone not related & 21 y-o or older gave to me.....		2	0.00
4 = Someone under age 21 gave it to me.....		1	0.00
5 = I took it from home		3	0.01
6 = I took it from someone else's home.....		4	0.01
7 = I got it some other way		19	0.03
9 = I bought/ordered it; not asked for ID.....		3	0.01
13 = Got/bought it in a store/liquor store; how unspcf.....		5	0.01
14 = Got frm bartender/at bar/restaurant;age/how unspec.....		5	0.01
16 = Got it at party/celebration; no other info		10	0.02
19 = I took/got/stole it; location unspcf or unclear		6	0.01
21 = Given by/got from relative; age unspecified		3	0.01
22 = Given by/got fr friend/acquaint; age/how unspc		38	0.07
24 = Given by/got from person; age/relationship unspec		11	0.02
30 = Just there/already there; no other information		3	0.01
31 = Just got it/had it; no other information		6	0.01
85 = BAD DATA Logically assigned		17	0.03
91 = NEVER USED ALCOHOL.....		16302	28.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....		14926	25.72
94 = DON'T KNOW		7	0.01
97 = REFUSED		55	0.09
98 = BLANK (NO ANSWER)		280	0.48
99 = LEGITIMATE SKIP.....		26327	45.36

CONSUMPTION OF ALCOHOL

NOTE: Beginning in 2015, questions about the misuse of prescription pain relievers, tranquilizers, stimulants, and sedatives with alcohol in the past 30 days were asked in the relevant sections of the interview about the misuse of prescription drugs instead of being asked in the consumption of alcohol section of the interview.

Think again about this last time you drank any alcoholic beverages, when you had [CA01 FILL] [drink/drinks]. Did you also use [DRUGFILL] while you were drinking or within a couple of hours of drinking?

(CA08)

CADRKDRUG¹ Len : 2 ALSO USE [DRUGFILL] WHILE YOU WERE DRINKING

	Freq	Pct
1 = Yes.....	3041	5.24
2 = No.....	2931	5.05
85 = BAD DATA Logically assigned	8	0.01
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	25193	43.41
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26117	45.00
94 = DON'T KNOW	13	0.02
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	710	1.22

What other drug or drugs did you use while you were drinking or within a couple of hours of drinking?

(CA09)

CADRKMARJ¹ Len : 2 MARIJUANA OR HASHISH

	Freq	Pct
1 = Response entered	380	0.65
5 = Response entered LOG ASSN (from skip pattern).....	2554	4.40
6 = Response not entered	38	0.07
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	25193	43.41
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26117	45.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	522	0.90
99 = LEGITIMATE SKIP.....	3227	5.56

(CA09)

CADRKCOCN¹ Len : 2 COCAINE OR 'CRACK'

	Freq	Pct
1 = Response entered	69	0.12
5 = Response entered LOG ASSN (from skip pattern).....	22	0.04
6 = Response not entered	98	0.17
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	25193	43.41
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26117	45.00
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	55	0.09
99 = LEGITIMATE SKIP.....	6478	11.16

(CA09)

CADRKHERN¹ Len : 2 HEROIN

	Freq	Pct
1 = Response entered	17	0.03
6 = Response not entered	13	0.02
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	25193	43.41
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26117	45.00
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	23	0.04
99 = LEGITIMATE SKIP.....	6669	11.49

CONSUMPTION OF ALCOHOL

(CA09)
CADRKHALL¹

Len : 2 HALLUCINOGENS

	Freq	Pct
1 = Response entered	32	0.06
5 = Response entered LOG ASSN (from skip pattern).....	2	0.00
6 = Response not entered	194	0.33
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	25193	43.41
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26117	45.00
98 = BLANK (NO ANSWER)	107	0.18
99 = LEGITIMATE SKIP.....	6387	11.01

(CA09)
CADRKINHL¹

Len : 2 INHALANTS

	Freq	Pct
1 = Response entered	15	0.03
5 = Response entered LOG ASSN (from skip pattern).....	5	0.01
6 = Response not entered	56	0.10
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	25193	43.41
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26117	45.00
98 = BLANK (NO ANSWER)	45	0.08
99 = LEGITIMATE SKIP.....	6601	11.37

(CA09)
CADRKMETH¹

Len : 2 METHAMPHETAMINE

	Freq	Pct
1 = Response entered	66	0.11
5 = Response entered LOG ASSN (from skip pattern).....	21	0.04
6 = Response not entered	28	0.05
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	25193	43.41
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26117	45.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	40	0.07
99 = LEGITIMATE SKIP.....	6567	11.32

NOTE: Beginning in 2015, female respondents were asked for CABINGEV, CABINGAGE, CABINGYFU, and CABINGMFU to report about consumption of 4 or more drinks on the same occasion. As in prior years, male respondents in 2015 were asked for CABINGEV, CABINGAGE, CABINGYFU, and CABINGMFU to report about consumption of 5 or more drinks on the same occasion. Variables pertaining to consumption of 5 or more drinks or 4 or more drinks on the same occasion have been edited with respect to ALCUS30D and ALCBNG30D.

CABINGFLG takes into account the editing of the variables ALCUS30D and ALCBNG30D in the ALCOHOL module.

CABINGFLG¹

Len : 2 ANY REPORT OF 4+ OR 5+ DRINKS FROM ALCOHOL MODULE

	Freq	Pct
0 = No report of 4+/5+ drinks or not applicable.....	45374	78.19
1 = Binge alcohol use on 1+ days (ALCBNG30D=1-30).....	12336	21.26
11 = Report of 4+/5+ drinks in ALCUS30D.....	78	0.13
85 = BAD DATA Logically assigned	246	0.42

CONSUMPTION OF ALCOHOL

Earlier the computer recorded that you have had at least one drink of an alcoholic beverage in your lifetime. Have you ever had [4 or more]/[5 or more] drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

(CA10)

CABINGEVR¹

Len : 2 EVER HAD 4/5 OR MORE DRINKS ON THE SAME OCCASION

	Freq	Pct
1 = Yes.....	12747	21.96
2 = No.....	15255	26.29
3 = Yes LOGICALLY ASSIGNED.....	17	0.03
5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	12670	21.83
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL.....	16302	28.09
94 = DON'T KNOW	52	0.09
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	920	1.59

Earlier the computer recorded that you had [4 or more]/[5 or more] drinks on the same occasion in the past 30 days. How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

(CA11)

CABINGAGE¹

Len : 3 AGE 1ST TIME HAD 4 OR 5 OR MORE DRINKS SAME OCCASION

	Freq	Pct
RANGE = 1 - 82	23910	41.20
985 = BAD DATA Logically assigned	486	0.84
991 = NEVER USED ALCOHOL.....	16302	28.09
994 = DON'T KNOW	438	0.75
997 = REFUSED	78	0.13
998 = BLANK (NO ANSWER).....	1565	2.70
999 = LEGITIMATE SKIP.....	15255	26.29

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

(CA11A, CA11B, CA11C)

CABINGYFU¹

Len : 4 YEAR OF FIRST 4 OR 5 + DRINKS ON SAME OCCASION - RECODE

	Freq	Pct
RANGE = 2019 - 2021	2312	3.98
9985 = BAD DATA Logically assigned	56	0.10
9989 = LEGITIMATE SKIP Logically assigned	74	0.13
9991 = NEVER USED ALCOHOL.....	16302	28.09
9994 = DON'T KNOW	446	0.77
9997 = REFUSED	79	0.14
9998 = BLANK (NO ANSWER).....	2046	3.53
9999 = LEGITIMATE SKIP.....	36719	63.27

CONSUMPTION OF ALCOHOL

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

In what month in [YEAR FROM CA11a or CA11b] did you first have [4 or more]/[5 or more] drinks on the same occasion?

(CA11C, CA11D)
CABINGMFU¹

Len : 2 MONTH OF 4 OR 5+ DRINKS ON SAME OCCASION - RECODE

	Freq	Pct
1 = January.....	241	0.42
2 = February.....	141	0.24
3 = March.....	183	0.32
4 = April	156	0.27
5 = May.....	183	0.32
6 = June.....	220	0.38
7 = July	260	0.45
8 = August	198	0.34
9 = September	156	0.27
10 = October	190	0.33
11 = November	112	0.19
12 = December.....	167	0.29
85 = BAD DATA Logically assigned	77	0.13
89 = LEGITIMATE SKIP Logically assigned	74	0.13
91 = NEVER USED ALCOHOL.....	16302	28.09
94 = DON'T KNOW	516	0.89
97 = REFUSED	84	0.14
98 = BLANK (NO ANSWER)	2055	3.54
99 = LEGITIMATE SKIP.....	36719	63.27

NOTE: EIBINGAGE is an "editing indicator" for the variable CABINGAGE. The default value of EIBINGAGE is 1, when no editing has been done to CABINGAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGAGE has values of 2 when values in CABINGAGE have logically been replaced with other values as part of the data editing procedures.

EIBINGAGE¹

Len : 1 EDITING INDICATOR FOR CABINGAGE

	Freq	Pct
1 = Questionnaire data (or bad data/legitimate skip).....	58015	99.97
2 = Logically assigned data.....	19	0.03

NOTE: EIBINGYFU is an "editing indicator" for the variable CABINGYFU. The default value of EIBINGYFU is 1, when no editing has been done to CABINGYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGYFU has values of 2 when values in CABINGYFU have logically been replaced with other values as part of the data editing procedures.

EIBINGYFU¹

Len : 1 EDITING INDICATOR FOR CABINGYFU

	Freq	Pct
1 = Questionnaire data (or bad data/legitimate skip).....	58015	99.97
2 = Logically assigned data.....	19	0.03

NOTE: EIBINGMFU is an "editing indicator" for the variable CABINGMFU. The default value of EIBINGMFU is 1, when no editing has been done to CABINGMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGMFU has values of 2 when values in CABINGMFU have logically been replaced with other values as part of the data editing procedures.

EIBINGMFU¹

Len : 1 EDITING INDICATOR FOR CABINGMFU

	Freq	Pct
1 = Questionnaire data (or bad data/legitimate skip).....	58024	99.98
2 = Logically assigned data.....	10	0.02

RECODED CONSUMPTION OF ALCOHOL

RECODED CONSUMPTION OF ALCOHOL

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

The following variable defines the social context of a respondent's last alcohol use, including whether they drank alone or if they were with one or more persons.

<i>(CADRPEOP)</i> <u>UADPEOP</u>	Len : 1 RC-SOCIAL CONTEXT OF MOST RECENT ALCOHOL USE	Freq Pct
		. = Unknown (Otherwise).....
		1 = Drank Alone (CADRPEOP=1).....
		2 = Drank with One Other Person (CADRPEOP=2).....
		3 = Drank with More Than One Person (CADRPEOP=3).....
		4 = No Past Mon Alc/Aged 21+ (CADRPEOP=89,91,93,99).....
		55628 95.85

NOTE: The following eight variables define the locations where respondents had their most recent alcohol use.

<i>(CADRCAR)</i> <u>UADCAR</u>	Len : 1 RC-MOST RECENT ALCOHOL USE IN A CAR	Freq Pct
		. = Unknown/No PM Use/Aged 21+ (Otherwise).....
		1 = Yes (CADRCAR=1,3).....
		2 = No (CADRCAR=6).....
		55910 96.34
		73 0.13
		2051 3.53

<i>(CADRHOM)</i> <u>UADHOME</u>	Len : 1 RC-MOST RECENT ALCOHOL USE AT HOME	Freq Pct
		. = Unknown/No PM Use/Aged 21+ (Otherwise).....
		1 = Yes (CADRHOM=1,3).....
		2 = No (CADRHOM=6).....
		55910 96.34
		1004 1.73
		1120 1.93

<i>(CADROTHM)</i> <u>UADOTHM</u>	Len : 1 RC-MOST RECENT ALCOHOL USE AT SOMEONE ELSE'S HOME	Freq Pct
		. = Unknown/No PM Use/Aged 21+ (Otherwise).....
		1 = Yes (CADROTHM=1,3).....
		2 = No (CADROTHM=6).....
		55910 96.34
		876 1.51
		1248 2.15

<i>(CADRPUBL)</i> <u>UADPUBL</u>	Len : 1 RC-MOST RECENT ALCOHOL USE AT A PARK, BEACH, OR LOT	Freq Pct
		. = Unknown/No PM Use/Aged 21+ (Otherwise).....
		1 = Yes (CADRPUBL=1,3).....
		2 = No (CADRPUBL=6).....
		55910 96.34
		105 0.18
		2019 3.48

<i>(CADRBAR)</i> <u>UADBART</u>	Len : 1 RC-MOST RECENT ALCOHOL USE AT RESTAURANT, BAR, OR CLUB	Freq Pct
		. = Unknown/No PM Use/Aged 21+ (Otherwise).....
		1 = Yes (CADRBART=1,3).....
		2 = No (CADRBART=6).....
		55910 96.34
		150 0.26
		1974 3.40

<i>(CADREVNT)</i> <u>UADEVNT</u>	Len : 1 RC-MOST RECENT ALCOHOL USE AT CONCERT OR SPORTS GAME	Freq Pct
		. = Unknown/No PM Use/Aged 21+ (Otherwise).....
		1 = Yes (CADREVNT=1,3).....
		2 = No (CADREVNT=6).....
		55910 96.34
		25 0.04
		2099 3.62

RECODED CONSUMPTION OF ALCOHOL

(CADRSCHL)
UADSCHL

Len : 1 RC-MOST RECENT ALCOHOL USE AT SCHOOL

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise).....	55910	96.34
1 = Yes (CADRSCHL=1,3).....	10	0.02
2 = No (CADRSCHL=6).....	2114	3.64

The following variable, UADROTH, was assigned a negative response if a respondent indicated not receiving their most recent alcohol from some other place (CADROTH=6) or indicated receiving their most recent alcohol from one of the other specific locations asked about (CADROTH=1 & CADROTS2=1-7). A missing was assigned if a respondent indicated that they received their most recent alcohol from some other place (CADROTH=1) and their response to the other-specify follow-up question was invalid or unknown (CADROTS2=70, 85, 94, 97, 98) or if they were not alcohol users, or did not indicate any location for their most recent alcohol use (CADROTH=91, 93, 94, 97, 98, 99).

(CADROTH, CADROTS2)

UADROTH

Len : 1 RC-MOST RECENT ALCOHOL USE AT SOME OTHER PLACE

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (See comment above).....	55945	96.40
1 = Yes (CADROTH=1 and CADROTS2=8-41).....	113	0.19
2 = No (See comment above).....	1976	3.40

UADOTSP2

Len : 1 RC-OTHER LOCATIONS OF MOST RECENT ALCOHOL USE

	Freq	Pct
. = Unknown (CADROTS2=70,85,94,97,98).....	317	0.55
1 = Party, Wedding, or Celebration (CADROTS2=35).....	37	0.06
2 = Outside; Location Not Specified (CADROTS2=24).....	14	0.02
3 = Hotel, Motel, or Resort (CADROTS2=15).....	16	0.03
4 = Camping, Hunting, or Fishing (CADROTS2=22).....	15	0.03
5 = Cabin, Cottage, Vacation Home, Etc. (CADROTS2=14)	3	0.01
7 = Other Location, Nonuser, or Aged 21+ (Otherwise).....	57632	99.31

(CABUYFRE)
UADPAID

Len : 1 RC-UNDERAGE DRINKER PAID FOR MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	266	0.46
1 = Yes (CABUYFRE=1).....	580	1.00
2 = No (CABUYFRE=2).....	1560	2.69
3 = No Past Mon Alc/Aged 21+/No Pay (CABUYFRE=89,91,93,99)	55628	95.85

A respondent was assigned a value of UADMONY=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but did not pay for their most recent alcohol (CAGVMONY=89, 91, 93, 99).

(CAGVMONY)
UADMONY

Len : 1 RC-UNDERAGE DRINKER PURCHASED MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	270	0.47
1 = Bought Myself (CAGVMONY=1).....	226	0.39
2 = Gave Money to Someone Else to Buy (CAGVMONY=2).....	350	0.60
3 = No Pst Mon Alc/Aged 21+/No Pay (See comment above).....	57188	98.54

A respondent was assigned a value of UADBWHO=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUYWHO=89, 91, 93, 99).

(CABUYWHO)
UADBWHO

Len : 1 RC-HOW UNDERAGE DRINKER PURCHASED MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	271	0.47
1 = Bought at a Store/Restaurant/Etc. (CABUYWHO=1)	187	0.32
2 = Bought From Another Person (CABUYWHO=2)	38	0.07
3 = No PM Alc/Aged 21+/No Pay, Buy (See comment above).....	57538	99.15

RECODED CONSUMPTION OF ALCOHOL

A respondent was assigned a value of UADPLACE=4 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but bought from another person, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABPLACE=89, 91, 93, 99).

<i>(CABPLACE)</i>	Len : 1 RC-WHERE UNDERAGE DRINKER PURCHSD MOST RECENT ALCOHOL	Freq	Pct
<u>UADPLACE</u>	. = Unknown (Otherwise).....	272	0.47
	1 = Bought at Liquor/Grocery Store (CABPLACE=1)	132	0.23
	2 = Bought at a Restaurant/Bar/Club (CABPLACE=2)	50	0.09
	3 = Bought at a Concert/Sports/Event (CABPLACE=3).....	4	0.01
	4 = No PM Alc/21+/Prsn/No Pay, Buy (See comment above).....	57576	99.21

A respondent was assigned a value of UADBUND=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 and bought it at a store, restaurant, bar, club, or event, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUNDAG=89, 91, 93, 99).

<i>(CABUNDAG)</i>	Len : 1 RC-AGE PERSON WHO PURCHASED ALC FOR UNDERAGE DRINKER	Freq	Pct
<u>UADBUND</u>	. = Unknown (Otherwise).....	271	0.47
	1 = Under Age 21 (CABUNDAG=1).....	13	0.02
	2 = Aged 21 or Older (CABUNDAG=2)	25	0.04
	3 = No PM Alc/21+/Plce/No Pay, Buy (See comment above).....	57725	99.47

A respondent was assigned a value of UADCAG=5 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 but bought it themselves (CAGVWHO=89, 91, 93, 99).

<i>(CAGVWHO)</i>	Len : 1 RC-WHO PURCHASED UNDERAGE DRINKER MOST RECENT ALCOHOL	Freq	Pct
<u>UADCAG</u>	. = Unknown (Otherwise).....	284	0.49
	1 = Parent or Guardian (CAGVWHO=1).....	24	0.04
	2 = Another Family Member Aged 21 or Older (CAGVWHO=2).....	40	0.07
	3 = Someone Not Related Aged 21 or Older (CAGVWHO=3).....	226	0.39
	4 = Someone Under the Age of 21 (CAGVWHO=4).....	46	0.08
	5 = No PM Alc/21+/No Pay/Buy Self (See comment above).....	57414	98.93

The following variable, UADFWHO, was assigned missing if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFWHO=8 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89, 91, 93, 99).

<i>(CAFRESP2, CAFREWHO)</i>	Len : 1 RC-WHO GAVE UNDERAGE DRINKER MOST RECENT ALCOHOL	Freq	Pct
<u>UADFWHO</u>	. = Unknown (See comment above)	359	0.62
	1 = Parent or Guardian (CAFREWHO=1,11)	299	0.52
	2 = Another Family Member, 21 or Older (CAFREWHO=2,12).....	254	0.44
	3 = Someone Not Related, 21 or Older (CAFREWHO=3,13).....	431	0.74
	4 = Someone Under the Age of 21 (CAFREWHO=4,14)	197	0.34
	5 = Took From My Home (CAFREWHO=5,15)	143	0.25
	6 = Took From Someone Else's Home (CAFREWHO=6,16)	34	0.06
	7 = Some Other Way (CAFREWHO=7 & CAFRESP2=7-43)	109	0.19
	8 = No PM Alc/Aged 21+/Pay (See comment above).....	56208	96.85

RECODED CONSUMPTION OF ALCOHOL

The following variable, UADFRD, was assigned a negative response if a respondent indicated receiving their most recent alcohol not from a friend (CAFREWHO=1-6, 11-16) or from some other person besides a friend (CAFREWHO=7 & CAFRESP2=7, 8-21, 23-42). A missing was assigned if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFRD=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89,91,93,99).

(CAFRESP2, CAFREWHO)

UADFRD Len : 1 RC-MOST RECENT ALCOHOL FROM FRIEND, UNSPEC AGE/METHOD

	Freq	Pct
. = Unknown (See comment above).....	359	0.62
1 = Got From a Friend (CAFREWHO=7 & CAFRESP2=22,43).....	38	0.07
2 = Not From a Friend (See comment above).....	1429	2.46
3 = No PM Alc/Aged 21+/Pay (See comment above).....	56208	96.85

NOTE: The following six variables define specific drugs used at the same time or within a couple hours of the respondent's last alcohol use.

(CADRKMARJ)

CADRKMARJ2

Len : 1 RC-USED MARIJUANA WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	524	0.90
0 = No (CADRKMARJ=6,81,83,89,91,93,99).....	54576	94.04
1 = Yes (CADRKMARJ=1,5).....	2934	5.06

(CADRKCOCN)

CADRKCOCN2

Len : 1 RC-USED COCAINE WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	56	0.10
0 = No (CADRKCOCN=6,81,83,89,91,93,99).....	57887	99.75
1 = Yes (CADRKCOCN=1,5).....	91	0.16

(CADRKHERN)

CADRKHERN2

Len : 1 RC-USED HEROIN WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	25	0.04
0 = No (CADRKHERN=6,81,83,89,91,93,99).....	57992	99.93
1 = Yes (CADRKHERN=1,5).....	17	0.03

(CADRKHALL)

CADRKHALL2

Len : 1 RC-USED HALLUCINOGENS WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	107	0.18
0 = No (CADRKHALL=6,81,83,89,91,93,99).....	57893	99.76
1 = Yes (CADRKHALL=1,5).....	34	0.06

(CADRKINHL)

CADRKINHL2

Len : 1 RC-USED INHALANTS WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	45	0.08
0 = No (CADRKINHL=6,81,83,89,91,93,99).....	57969	99.89
1 = Yes (CADRKINHL=1,5).....	20	0.03

(CADRKMETH)

CADRKMETH2

Len : 1 RC-USED METHAMPHETAMINE WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	41	0.07
0 = No (CADRKMETH=6,81,83,89,91,93,99).....	57906	99.78
1 = Yes (CADRKMETH=1,5).....	87	0.15

EMERGING ISSUES

EMERGING ISSUES

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

Do you think you ever had a problem with your own drug or alcohol use?

<i>(CA15)</i> <u>CASUPROB</u> ¹	Len : 2 THINK EVER HAD PROBLEM WITH OWN DRUG OR ALCOHOL USE	Freq	Pct
1 = Yes.....		5268	9.08
2 = No.....		40115	69.12
85 = BAD DATA Logically assigned		6	0.01
94 = DON'T KNOW		115	0.20
97 = REFUSED		98	0.17
98 = BLANK (NO ANSWER)		1689	2.91
99 = LEGITIMATE SKIP.....		10743	18.51

At this time do you consider yourself to be in recovery or recovered from your own problem with drugs or alcohol use?

<i>(CA16)</i> <u>CASURCVR</u> ¹	Len : 2 THINK IN RECOVERY FROM DRUG OR ALCOHOL PROBLEM	Freq	Pct
1 = Yes.....		3676	6.33
2 = No.....		1572	2.71
85 = BAD DATA Logically assigned		5	0.01
94 = DON'T KNOW		15	0.03
97 = REFUSED		5	0.01
98 = BLANK (NO ANSWER)		1903	3.28
99 = LEGITIMATE SKIP.....		50858	87.63

Do you think you ever had a problem with your own mental health?

<i>(CA17)</i> <u>CAMHPROB</u> ¹	Len : 2 THINK EVER HAD PROBLEM WITH OWN MENTAL HEALTH	Freq	Pct
1 = Yes.....		13766	23.72
2 = No.....		31591	54.44
85 = BAD DATA Logically assigned		6	0.01
94 = DON'T KNOW		126	0.22
97 = REFUSED		111	0.19
98 = BLANK (NO ANSWER)		1691	2.91
99 = LEGITIMATE SKIP.....		10743	18.51

At this time do you consider yourself to be in recovery or recovered from your own mental health problem?

<i>(CA18)</i> <u>CAMHRCVR</u> ¹	Len : 2 THINK IN RECOVERY FROM MENTAL HEALTH PROBLEM	Freq	Pct
1 = Yes.....		8757	15.09
2 = No.....		4918	8.47
85 = BAD DATA Logically assigned		5	0.01
94 = DON'T KNOW		75	0.13
97 = REFUSED		15	0.03
98 = BLANK (NO ANSWER)		1930	3.33
99 = LEGITIMATE SKIP.....		42334	72.95

EMERGING ISSUES

This next question is about kratom, which can come in forms such as powder, pills, or leaf.

Have you ever, even once, used kratom?

<i>(KA01)</i>		Freq	Pct
<u>KRATEVER</u>	Len : 2 EVER USED KRATOM		
1 = Yes.....	979	1.69	
2 = No.....	54966	94.71	
85 = BAD DATA Logically assigned	12	0.02	
94 = DON'T KNOW	224	0.39	
97 = REFUSED	105	0.18	
98 = BLANK (NO ANSWER)	1748	3.01	

How long has it been since you last used kratom?

<i>(KALAST3)</i>		Freq	Pct
<u>KRATREC</u>	Len : 2 TIME SINCE LAST USED KRATOM		
1 = Within the past 30 days.....	169	0.29	
2 = More than 30 days ago but within the past 12 mos	186	0.32	
3 = More than 12 months ago	609	1.05	
9 = Used at some point in the lifetime LOG ASSN.....	15	0.03	
85 = BAD DATA Logically assigned	10	0.02	
91 = NEVER USED KRATOM.....	54966	94.71	
98 = BLANK (NO ANSWER)	2079	3.58	

The next questions are about vaping with e-cigarettes or other vaping devices. These devices might also be called vape pens, personal vaporizers, or mods. People can vape nicotine or tobacco, marijuana, flavoring, or other substances.

Have you ever, even once, vaped anything with an e-cigarette or other vaping device?

<i>(VPANYLIF)</i>		Freq	Pct
<u>VAPANYEV</u>	Len : 2 EVER VAPED ANYTHING WITH E-CIG OR OTHER VAPING DEVICE		
1 = Yes.....	11875	20.46	
2 = No.....	44185	76.14	
85 = BAD DATA Logically assigned	12	0.02	
94 = DON'T KNOW	86	0.15	
97 = REFUSED	116	0.20	
98 = BLANK (NO ANSWER)	1760	3.03	

How long has it been since you last vaped anything with an e-cigarette or other vaping device?

<i>(VPANYREC)</i>		Freq	Pct
<u>VAPANYREC</u>	Len : 2 TIME SINCE LAST VAPED ANYTHING		
1 = Within the past 30 days.....	4723	8.14	
2 = More than 30 days ago but within the past 12 mos	2391	4.12	
3 = More than 12 months ago	4735	8.16	
8 = Used at some point in the past 12 mos LOG ASSN.....	2	0.00	
9 = Used at some point in the lifetime LOGICALLY ASSIGNED.....	21	0.04	
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.01	
85 = BAD DATA Logically assigned	11	0.02	
91 = NEVER VAPED ANYTHING	44185	76.14	
98 = BLANK (NO ANSWER)	1963	3.38	

EMERGING ISSUES

The next questions are about vaping nicotine or tobacco.

Have you ever, even once, vaped nicotine or tobacco with an e-cigarette or other vaping device?

(VPNILIF)

VAPNICEVR

Len : 2 EVER VAPED NICOTINE OR TOBACCO WITH E-CIG OR VAPING DEVICE

	Freq	Pct
1 = Yes.....	8951	15.42
2 = No.....	2876	4.96
85 = BAD DATA Logically assigned.....	11	0.02
91 = NEVER VAPED ANYTHING.....	44185	76.14
94 = DON'T KNOW.....	37	0.06
97 = REFUSED.....	8	0.01
98 = BLANK (NO ANSWER).....	1966	3.39

How long has it been since you last vaped nicotine or tobacco with an e-cigarette or other vaping device?

(VPNIRECA, VPNIRECB)

VAPNICREC

Len : 2 TIME SINCE LAST VAPED NICOTINE OR TOBACCO

	Freq	Pct
1 = Within the past 30 days.....	3567	6.15
2 = More than 30 days ago but within the past 12 mos	1635	2.82
3 = More than 12 months ago	3732	6.43
9 = Used at some point in the lifetime LOGICALLY ASSIGNED.....	15	0.03
19 = Used more than 30 days ago LOG ASSN	2	0.00
85 = BAD DATA Logically assigned.....	11	0.02
91 = NEVER VAPED NICOTINE OR TOBACCO.....	47061	81.09
98 = BLANK (NO ANSWER).....	2011	3.47

The next questions are about vaping marijuana.

Have you ever, even once, vaped marijuana with a vaping device?

(VPMJLIF)

VAPMRJEVR

Len : 2 EVER VAPED MARIJUANA WITH VAPING DEVICE

	Freq	Pct
1 = Yes.....	6640	11.44
2 = No.....	5209	8.98
85 = BAD DATA Logically assigned.....	11	0.02
91 = NEVER VAPED ANYTHING.....	44185	76.14
94 = DON'T KNOW.....	13	0.02
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	1969	3.39

How long has it been since you last vaped marijuana with a vaping device?

(VPMJRECA, VPMJRECB)

VAPMRJREC

Len : 2 TIME SINCE LAST VAPED MARIJUANA

	Freq	Pct
1 = Within the past 30 days.....	1915	3.30
2 = More than 30 days ago but within the past 12 mos	1762	3.04
3 = More than 12 months ago	2952	5.09
9 = Used at some point in the lifetime LOGICALLY ASSIGNED.....	8	0.01
19 = Used more than 30 days ago LOG ASSN	3	0.01
85 = BAD DATA Logically assigned.....	11	0.02
91 = NEVER VAPED MARIJUANA.....	49394	85.11
98 = BLANK (NO ANSWER)	1989	3.43

EMERGING ISSUES

The next questions are about vaping flavoring.

Have you ever, even once, vaped only flavoring without nicotine or other substances added?

<i>(VPFLIF)</i>	<u>VAPFLVEVR</u>	Len : 2 EVER VAPED ONLY FLAVORING WITHOUT NICOTINE/SUBSTANCE	Freq	Pct
1 = Yes.....			4346	7.49
2 = No.....			7453	12.84
85 = BAD DATA Logically assigned.....			10	0.02
91 = NEVER VAPED ANYTHING			44185	76.14
94 = DON'T KNOW			67	0.12
97 = REFUSED			4	0.01
98 = BLANK (NO ANSWER)			1969	3.39

How long has it been since you last vaped only flavoring?

<i>(VPFLRECA, VPFLRECB)</i>	<u>VAPFLVREC</u>	Len : 2 TIME SINCE LAST VAPED ONLY FLAVORING	Freq	Pct
1 = Within the past 30 days.....			852	1.47
2 = More than 30 days ago but within the past 12 mos			806	1.39
3 = More than 12 months ago			2680	4.62
9 = Used at some point in the lifetime LOGICALLY ASSIGNED.....			7	0.01
19 = Used more than 30 days ago LOG ASSN			1	0.00
85 = BAD DATA Logically assigned.....			10	0.02
91 = NEVER VAPED ONLY FLAVORING			51638	88.98
98 = BLANK (NO ANSWER)			2040	3.52

The next question is about synthetic marijuana or fake weed, also called K2 or Spice. Have you ever, even once, used synthetic marijuana or fake weed?

<i>(SMLIF)</i>	<u>SYNMRJEVR</u>	Len : 2 EVER USED SYNTHETIC MARIJUANA	Freq	Pct
1 = Yes.....			1428	2.46
2 = No.....			54606	94.09
85 = BAD DATA Logically assigned.....			11	0.02
94 = DON'T KNOW			111	0.19
97 = REFUSED			107	0.18
98 = BLANK (NO ANSWER)			1771	3.05

How long has it been since you last used synthetic marijuana or fake weed?

<i>(SMREC)</i>	<u>SYNMRJREC</u>	Len : 2 TIME SINCE LAST USED SYNTHETIC MARIJUANA	Freq	Pct
1 = Within the past 30 days.....			54	0.09
2 = More than 30 days ago but within the past 12 mos			81	0.14
3 = More than 12 months ago			1289	2.22
9 = Used at some point in the lifetime LOGICALLY ASSIGNED.....			4	0.01
85 = BAD DATA Logically assigned			10	0.02
91 = NEVER USED SYNTHETIC MARIJUANA.....			54606	94.09
98 = BLANK (NO ANSWER)			1990	3.43

The next question is about synthetic stimulants that people use to get high, also called "bath salts" or flakka.

Have you ever, even once, used these synthetic stimulants?

<i>(SMLIF)</i>	<u>SYNSTMEVR</u>	Len : 2 EVER USED SYNTHETIC STIMULANTS	Freq	Pct
1 = Yes.....			153	0.26
2 = No.....			55908	96.34
85 = BAD DATA Logically assigned			10	0.02
94 = DON'T KNOW			91	0.16
97 = REFUSED			98	0.17
98 = BLANK (NO ANSWER)			1774	3.06

EMERGING ISSUES

How long has it been since you last used these synthetic stimulants, also called "bath salts" or flakka?

<i>(SSREC)</i> <u>SYNSTMREC</u>	Len : 2 TIME SINCE LAST USED SYNTHETIC STIMULANTS	Freq	Pct
1 = Within the past 30 days.....		20	0.03
2 = More than 30 days ago but within the past 12 mos		12	0.02
3 = More than 12 months ago		117	0.20
9 = Used at some point in the lifetime LOGICALLY ASSIGNED.....		4	0.01
85 = BAD DATA Logically assigned.....		9	0.02
91 = NEVER USED SYNTHETIC STIMULANTS.....		55908	96.34
98 = BLANK (NO ANSWER)		1964	3.38

IMPUTED EMERGING ISSUES

IMPUTED EMERGING ISSUES

(KRATEVER, KRATREC)

IRKRATREC Len : 1 KRATOM RECENCY - IMPUTATION REVISED

1 = Within the past 30 days.....	
2 = More than 30 days ago but within the past 12 mos	
3 = More than 12 months ago	
9 = NEVER USED KRATOM	

Freq	Pct
182	0.31
195	0.34
645	1.11
57012	98.24

(KRATEVER, KRATREC)

IIRKRATREC Len : 1 KRATOM RECENCY - IMPUTATION INDICATOR

1 = Questionnaire data	
3 = Statistically imputed data - lifetime use imputed	
4 = Statistically imputed data - edited recency = 9.....	

Freq	Pct
55930	96.37
2089	3.60
15	0.03

(VAPANYEV, VAPANYREC)

IRVAPANYREC Len : 1 ANY VAPING RECENCY - IMPUTATION REVISED

1 = Within the past 30 days.....	
2 = More than 30 days ago but within the past 12 mos	
3 = More than 12 months ago	
9 = NEVER VADED ANYTHING	

Freq	Pct
4939	8.51
2479	4.27
4956	8.54
45660	78.68

(VAPANYEV, VAPANYREC)

IIVAPANYREC Len : 1 ANY VAPING RECENCY - IMPUTATION INDICATOR

1 = Questionnaire data	
2 = Logically assigned data.....	
3 = Statistically imputed data - lifetime use imputed	
4 = Statistically imputed data - edited recency = 9.....	
5 = Statistically imputed data - edited recency = 8.....	

Freq	Pct
56034	96.55
3	0.01
1974	3.40
21	0.04
2	0.00

(VAPNICEVR, VAPNICREC)

IRVAPNICREC Len : 1 NICOTINE OR TOBACCO VAPING RECENCY - IMPUTATION REVISED

1 = Within the past 30 days.....	
2 = More than 30 days ago but within the past 12 mos	
3 = More than 12 months ago	
9 = NEVER VADED NICOTINE OR TOBACCO	

Freq	Pct
3656	6.30
1701	2.93
3996	6.89
48681	83.88

(VAPNICEVR, VAPNICREC)

IIVAPNICREC Len : 1 NICOTINE OR TOBACCO VAPING RECENCY - IMPUTATION INDICATOR

1 = Questionnaire data	
3 = Statistically imputed data - lifetime use imputed	
4 = Statistically imputed data - edited recency = 9.....	
6 = Statistically imputed data - edited recency = 19.....	

Freq	Pct
55995	96.49
2022	3.48
15	0.03
2	0.00

(IRMJRC, VAPMRJEVR, VAPMRJREC)

IRVAPMRJREC Len : 1 MARIJUANA VAPING RECENCY - IMPUTATION REVISED

1 = Within the past 30 days.....	
2 = More than 30 days ago but within the past 12 mos	
3 = More than 12 months ago	
9 = NEVER VADED MARIJUANA.....	

Freq	Pct
1955	3.37
1815	3.13
3160	5.45
51104	88.06

(MJREC, VAPMRJEVR, VAPMRJREC)

IIVAPMRJREC Len : 1 MARIJUANA VAPING RECENCY - IMPUTATION INDICATOR

1 = Questionnaire data	
3 = Statistically imputed data - lifetime use imputed	
4 = Statistically imputed data - edited recency = 9.....	
6 = Statistically imputed data - edited recency = 19.....	

Freq	Pct
56981	98.19
1042	1.80
8	0.01
3	0.01

IMPUTED EMERGING ISSUES

(VAPFLVEVR, VAPFLVREC)

IRVAPFLVREC Len : 1 ONLY FLAVORING VAPING RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	868	1.50
2 = More than 30 days ago but within the past 12 mos	835	1.44
3 = More than 12 months ago	2842	4.90
9 = NEVER VADED ONLY FLAVORING	53489	92.17

(VAPFLVEVR, VAPFLVREC)

IIVAPFLVREC Len : 1 ONLY FLAVORING VAPING RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55976	96.45
3 = Statistically imputed data - lifetime use imputed	2050	3.53
4 = Statistically imputed data - edited recency = 9.....	7	0.01
6 = Statistically imputed data - edited recency = 19.....	1	0.00

(SYNMRJEVR, SYNMRJREC)

IRSYNMRJREC Len : 1 SYNTHETIC MARIJUANA RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	57	0.10
2 = More than 30 days ago but within the past 12 mos	88	0.15
3 = More than 12 months ago	1354	2.33
9 = NEVER USED SYNTHETIC MARIJUANA.....	56535	97.42

(SYNMRJEVR, SYNMRJREC)

IISYNMRJREC Len : 1 SYNTHETIC MARIJUANA RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56030	96.55
3 = Statistically imputed data - lifetime use imputed	2000	3.45
4 = Statistically imputed data - edited recency = 9.....	4	0.01

(SYNSTMEVR, SYNSTMREC)

IRSYNSTMREC Len : 1 SYNTHETIC STIMULANTS RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	23	0.04
2 = More than 30 days ago but within the past 12 mos	15	0.03
3 = More than 12 months ago	125	0.22
9 = NEVER USED SYNTHETIC STIMULANTS.....	57871	99.72

(SYNSTMEVR, SYNSTMREC)

IISYNSTMREC Len : 1 SYNTHETIC STIMULANTS RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56057	96.59
3 = Statistically imputed data - lifetime use imputed	1973	3.40
4 = Statistically imputed data - edited recency = 9.....	4	0.01

RECODED EMERGING ISSUES

RECODED EMERGING ISSUES

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from three of the preceding sections: Recoded Drug Use, Emerging Issues, or Imputed Emerging Issues.

<i>(CASUPROB)</i>	Len : 1 RC-PERCEIVED EVER HAD DRUG OR ALCOHOL USE PROBLEM	Freq	Pct
<u>CASUPROB</u>	. = Aged 12-17/Unknown (Otherwise).....	12651	21.80
	0 = No (CASUPROB=2)	40115	69.12
	1 = Yes (CASUPROB=1).....	5268	9.08

<i>(CASUPROB2, CASURCVR)</i>	Len : 1 RC-PERCEIVED RECOVERY FROM DRUG OR ALCOHOL USE PROBLEM		
<u>RCVYSUBPRB</u>	. = Aged 12-17/Unknown (Otherwise).....	Freq	Pct
	0 = No/No Problem (CASURCVR=2 OR CASUPROB2=0).....	12671	21.83
	1 = Yes (CASURCVR=1).....	41687	71.83
		3676	6.33

<i>(CAMHPROB)</i>	Len : 1 RC-PERCEIVED EVER HAD A MENTAL HEALTH ISSUE	Freq	Pct
<u>CAMHPROB</u>	. = Aged 12-17/Unknown (Otherwise).....	12677	21.84
	0 = No (CAMHPROB=2)	31591	54.44
	1 = Yes (CAMHPROB=1).....	13766	23.72

<i>(CAMHPROB2, CAMHRCVR)</i>	Len : 1 RC-PERCEIVED RECOVERY FROM MENTAL HEALTH ISSUE	Freq	Pct
<u>RCVYMHPRB</u>	. = Aged 12-17/Unknown (Otherwise).....	12768	22.00
	0 = No/No Issue (CAMHRCVR=2 OR CAMHPROB2=0)	36509	62.91
	1 = Yes (CAMHRCVR=1).....	8757	15.09

NOTE: The following three variables pertain to the receipt of medication-assisted treatment (MAT). Starting with the 2021 NSDUH, revisions to skip logic increased the number of respondents routed to MAT questions.

<u>ALMATYR2</u>	Len : 1 RC-RECEIVED ALCOHOL MEDICATION-ASSISTED TRT - PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	57970	99.89
	1 = Yes.....	64	0.11

<u>OPMATYR2</u>	Len : 1 RC-RECEIVED OPIOID MEDICATION-ASSISTED TRT - PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	57835	99.66
	1 = Yes.....	199	0.34

<i>(ALMATYR2, OPMATYR2)</i>	Len : 1 RC-RECEIVED ALCOHOL OR OPIOID MED-ASSISTED TRT - PAST YEAR	Freq	Pct
<u>ALOPMATYR</u>	0 = No/Unknown (Otherwise).....	57778	99.56
	1 = Yes (ALMATYR2=1 or OPMATYR2=1).....	256	0.44

<i>(IRKRATREC)</i>	Len : 1 RC-KRATOM - EVER USED	Freq	Pct
<u>KRATOMFLAG</u>	0 = Never used (IRKRATREC = 9).....	57012	98.24
	1 = Ever used (IRKRATREC = 1-3).....	1022	1.76

<i>(IRKRATREC)</i>	Len : 1 RC-KRATOM - PAST YEAR USE	Freq	Pct
<u>KRATOMYR</u>	0 = Did not use in the past year (IRKRATREC = 3,9).....	57657	99.35
	1 = Used within the past year (IRKRATREC = 1,2).....	377	0.65

RECODED EMERGING ISSUES

<i>(IRKRATREC)</i>			
<u>KRATOMMON</u>	Len : 1 RC-KRATOM - PAST MONTH USE		
	0 = Did not use in the past month (IRKRATREC= 2-3,9)	Freq	Pct
	1 = Used within the past month (IRKRATREC = 1).....	57852	99.69
		182	0.31
<i>(IRVAPANYREC)</i>			
<u>VAPANYFLAG</u>	Len : 1 RC-ANY VAPING - EVER USED		
	0 = Never used (IRVAPANYREC = 9)	Freq	Pct
	1 = Ever used (IRVAPANYREC = 1-3)	45660	78.68
		12374	21.32
<i>(IRVAPANYREC)</i>			
<u>VAPANYYR</u>	Len : 1 RC-ANY VAPING - PAST YEAR USE		
	0 = Did not use in the past year (IRVAPANYREC = 3,9)	Freq	Pct
	1 = Used within the past year (IRVAPANYREC = 1,2)	50616	87.22
		7418	12.78
<i>(IRVAPANYREC)</i>			
<u>VAPANYMON</u>	Len : 1 RC-ANY VAPING - PAST MONTH USE		
	0 = Did not use in the past month (IRVAPANYREC= 2-3,9).....	Freq	Pct
	1 = Used within the past month (IRVAPANYREC = 1).....	53095	91.49
		4939	8.51
<i>(IRVAPNICREC)</i>			
<u>VAPNICFLAG</u>	Len : 1 RC-NICOTINE OR TOBACCO VAPING - EVER USED		
	0 = Never used (IRVAPNICREC = 9).....	Freq	Pct
	1 = Ever used (IRVAPNICREC = 1-3).....	48681	83.88
		9353	16.12
<i>(IRVAPNICREC)</i>			
<u>VAPNICYR</u>	Len : 1 RC-NICOTINE OR TOBACCO VAPING - PAST YEAR USE		
	0 = Did not use in the past year (IRVAPNICREC = 3,9)	Freq	Pct
	1 = Used within the past year (IRVAPNICREC = 1,2)	52677	90.77
		5357	9.23
<i>(IRVAPNICREC)</i>			
<u>VAPNICMON</u>	Len : 1 RC-NICOTINE OR TOBACCO VAPING - PAST MONTH USE		
	0 = Did not use in the past month (IRVAPNICREC= 2-3,9)	Freq	Pct
	1 = Used within the past month (IRVAPNICREC = 1).....	54378	93.70
		3656	6.30
<i>(TOBFLAG, VAPNICFLAG)</i>			
<u>TOBNVAPFLAG</u>	Len : 1 RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - EVER USED		
	0 = Never Used (All source variables = 0).....	Freq	Pct
	1 = Ever Used (Any source variable = 1).....	28060	48.35
		29974	51.65
<i>(TOBYR, VAPNICYR)</i>			
<u>TOBNVAPYR</u>	Len : 1 RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - PAST YEAR USE		
	0 = Did not use in the past year (All source variables = 0)	Freq	Pct
	1 = Used within the past year (Any source variable = 1).....	43236	74.50
		14798	25.50
<i>(TOBMON, VAPNICMON)</i>			
<u>TOBNVAPMON</u>	Len : 1 RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - PAST MONTH USE		
	0 = Did not use in the past month (All source variables = 0)	Freq	Pct
	1 = Used within the past month (Any source variable = 1)	46415	79.98
		11619	20.02

RECODED EMERGING ISSUES

(TOBMON, VAPNICMON)

TOBVAPONL Len : 1 RC-VAPING / TOBACCO PRODUCTS ONLY - PAST MONTH USE

1 = Vaped nic but no use of tob prod (VAPNICMON=1 and TOBMON=0).....
 2 = Vaped nicotine and used tob prod (VAPNICMON=1 and TOBMON=1).....
 3 = Used tob prod but did not vape nic(VAPNICMON=0 and TOBMON=1).....
 4 = Did not use tob prod or vape nic (VAPNICMON=0 and TOBMON=0).....

Freq	Pct
2063	3.55
1593	2.74
7963	13.72
46415	79.98

(IRVAPFLVREC)

VAPFLVFLAG

Len : 1 RC-ONLY FLAVORING VAPING - EVER USED

0 = Never used (IRVAPFLVREC = 9),
 1 = Ever used (IRVAPFLVREC = 1-3)

Freq	Pct
53489	92.17
4545	7.83

(TOBCIGONL, VAPNICMON)

TOBCIGVAP

Len : 1 RC-VAPING AND CIG/NONCIG TOBACCO COMBINATIONS-PAST MON USE

1 = Vaped nic & used cigs as only tob VAPNICMON=1 & TOBCIGONL=1,
 2 = Vaped nic & used cigs & other tob VAPNICMON=1 & TOBCIGONL=2,
 3 = Vaped nic & used toba but not cigs VAPNICMON=1 & TOBCIGONL=3,
 4 = Did not both vape nic & use tob VAPNICMON=0 or TOBCIGONL=4.....

Freq	Pct
929	1.60
323	0.56
341	0.59
56441	97.26

(IRVAPFLVREC)

VAPFLVYR

Len : 1 RC-ONLY FLAVORING VAPING - PAST YEAR USE

0 = Did not use in the past year (IRVAPFLVREC = 3,9),
 1 = Used within the past year (IRVAPFLVREC = 1,2)

Freq	Pct
56331	97.07
1703	2.93

(IRVAPFLVREC)

VAPFLVMON

Len : 1 RC-ONLY FLAVORING VAPING - PAST MONTH USE

0 = Did not use in the past month (IRVAPFLVREC= 2-3,9),
 1 = Used within the past month (IRVAPFLVREC = 1)

Freq	Pct
57166	98.50
868	1.50

(IRVAPMRJREC)

VAPMRJFLAG

Len : 1 RC-MARIJUANA VAPING - EVER USED

0 = Never used (IRVAPMRJREC = 9),
 1 = Ever used (IRVAPMRJREC = 1-3)

Freq	Pct
51104	88.06
6930	11.94

(IRVAPMRJREC)

VAPMRJYR

Len : 1 RC-MARIJUANA VAPING - PAST YEAR USE

0 = Did not use in the past year (IRVAPMRJREC = 3,9),
 1 = Used within the past year (IRVAPMRJREC = 1,2)

Freq	Pct
54264	93.50
3770	6.50

(IRVAPMRJREC)

VAPMRJMON

Len : 1 RC-MARIJUANA VAPING - PAST MONTH USE

0 = Did not use in the past month (IRVAPMRJREC= 2-3,9),
 1 = Used within the past month (IRVAPMRJREC = 1)

Freq	Pct
56079	96.63
1955	3.37

(MRJMON, VAPMRJMON)

MRJMONVAP

Len : 1 RC-MRJ VAPE, MRJ USE BUT NOT VAPE, OR NO MRJ USE - PAST MON

1 = Vaped marijuana (VAPMRJMON=1),
 2 = Used mrj but did not vape mrj (MRJMON=1 and VAPMRJMON=0).....
 3 = Did not use marijuana (MRJMON=0)

Freq	Pct
1955	3.37
6495	11.19
49584	85.44

RECODED EMERGING ISSUES

(VAPANYMON, VAPFLVMON, VAPMRJMON, VAPNICMON)

VAPTYPEMON Len : 1 RC-VAPED NICOTINE, MARIJUANA, AND/OR FLAVORING - PAST MONTH

	Freq	Pct
1 = Nic, not mrj or flv (VAPNICMON=1 & VAPMRJMON=0 & VAPFLVMON=0)	2137	3.68
2 = Mrj, not nic or flv (VAPNICMON=0 & VAPMRJMON=1 & VAPFLVMON=0)	858	1.48
3 = Flv, not nic or mrj (VAPNICMON=0 & VAPMRJMON=0 & VAPFLVMON=1)	124	0.21
4 = Nic & mrj, not flv (VAPNICMON=1 & VAPMRJMON=1 & VAPFLVMON=0)	812	1.40
5 = Nic & flv, not mrj (VAPNICMON=1 & VAPMRJMON=0 & VAPFLVMON=1)	459	0.79
6 = Mrj & flv, not nic (VAPNICMON=0 & VAPMRJMON=1 & VAPFLVMON=1)	37	0.06
7 = Nic & mrj & flv (VAPNICMON=1 & VAPMRJMON=1 & VAPFLVMON=1)	248	0.43
8 = Vaped but not nic, mrj, or flv (Otherwise)	264	0.45
9 = Did not vape in past month (VAPANYMON=0)	53095	91.49

(VAPTYPEMON)

VAPNUMTYPE

Len : 1 RC-NUM OF TYPE SUBSTANCES VAPED (NIC/MRJ/FLV) - PAST MONTH

	Freq	Pct
1 = One of nicotine/marijuana/flavoring (VAPTYPEMON=1,2,3)	3119	5.37
2 = Two of nicotine/marijuana/flavoring (VAPTYPEMON=4,5,6)	1308	2.25
3 = All three of nicotine/marijuana/flavoring (VAPTYPEMON=7)	248	0.43
4 = Vaped, but not nicotine/marijuana/flavoring (VAPTYPEMON=8)	264	0.45
5 = Did not vape in past month (VAPTYPEMON=9)	53095	91.49

(IRSYNMRJREC)

SYNMRJFLAG

Len : 1 RC-SYNTHETIC MARIJUANA - EVER USED

	Freq	Pct
0 = Never used (IRSYNMRJREC = 9)	56535	97.42
1 = Ever used (IRSYNMRJREC = 1-3)	1499	2.58

(IRSYNMRJREC)

SYNMRJYR

Len : 1 RC-SYNTHETIC MARIJUANA - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSYNMRJREC = 3,9)	57889	99.75
1 = Used within the past year (IRSYNMRJREC = 1,2)	145	0.25

(IRSYNMRJREC)

SYNMRJMON

Len : 1 RC-SYNTHETIC MARIJUANA - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRSYNMRJREC= 2-3,9)	57977	99.90
1 = Used within the past month (IRSYNMRJREC = 1)	57	0.10

(IRSYNSTMREC)

SYNSTMFLAG

Len : 1 RC-SYNTHETIC STIMULANTS - EVER USED

	Freq	Pct
0 = Never used (IRSYNSTMREC = 9)	57871	99.72
1 = Ever used (IRSYNSTMREC = 1-3)	163	0.28

(IRSYNSTMREC)

SYNSTMYR

Len : 1 RC-SYNTHETIC STIMULANTS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSYNSTMREC = 3,9)	57996	99.93
1 = Used within the past year (IRSYNSTMREC = 1,2)	38	0.07

(IRSYNSTMREC)

SYNSTMMON

Len : 1 RC-SYNTHETIC STIMULANTS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRSYNSTMREC= 2-3,9)	58011	99.96
1 = Used within the past month (IRSYNSTMREC = 1)	23	0.04

MARKET INFORMATION FOR MARIJUANA

MARKET INFORMATION FOR MARIJUANA

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

Now think about the last time you used marijuana. How did you get this marijuana?

(MJE01) <u>MMGETMJ</u> ¹	Len : 2 HOW DID YOU GET LAST MARIJUANA USED	Freq	Pct
1 = I bought or paid for it.....	6830	11.77	
2 = I traded something else for it.....	232	0.40	
3 = I got it from someone for free or shared someone else's	4220	7.27	
4 = I grew it myself.....	266	0.46	
85 = BAD DATA Logically assigned	14	0.02	
91 = NEVER USED MARIJUANA	32487	55.98	
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32	
94 = DON'T KNOW	50	0.09	
97 = REFUSED	126	0.22	
98 = BLANK (NO ANSWER)	853	1.47	

How long has it been since you last bought any marijuana?

(MJE02) <u>MMBTREC1</u> ¹	Len : 2 TIME SINCE YOU LAST BOUGHT MARIJUANA	Freq	Pct
1 = Within past 30 days -- that is, since [DATEFILL]	3893	6.71	
2 = More than 30 days ago, but within the past 12 mos	2278	3.93	
3 = More than 12 months ago	626	1.08	
85 = BAD DATA Logically assigned	4	0.01	
91 = NEVER USED MARIJUANA	32487	55.98	
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32	
94 = DON'T KNOW	11	0.02	
97 = REFUSED	96	0.17	
98 = BLANK (NO ANSWER)	955	1.65	
99 = LEGITIMATE SKIP.....	4728	8.15	

During the past 12 months, that is, since [DATEFILL], did you buy any marijuana?

(MJE03) <u>MMBTPYR</u> ¹	Len : 2 BOUGHT MARIJUANA PAST 12 MONTHS	Freq	Pct
1 = Yes.....	933	1.61	
2 = No.....	3860	6.65	
85 = BAD DATA Logically assigned	10	0.02	
91 = NEVER USED MARIJUANA	32487	55.98	
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32	
94 = DON'T KNOW	21	0.04	
97 = REFUSED	80	0.14	
98 = BLANK (NO ANSWER)	857	1.48	
99 = LEGITIMATE SKIP.....	6830	11.77	

How long has it been since you last bought any marijuana?

(MJE04) <u>MMBTREC2</u> ¹	Len : 2 TIME SINCE YOU LAST BOUGHT MARIJUANA	Freq	Pct
1 = Within past 30 days -- that is, since [DATEFILL]	312	0.54	
2 = More than 30 days ago, but within the past 12 mos	616	1.06	
91 = NEVER USED MARIJUANA	32487	55.98	
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32	
94 = DON'T KNOW	1	0.00	
97 = REFUSED	79	0.14	
98 = BLANK (NO ANSWER)	893	1.54	
99 = LEGITIMATE SKIP.....	10690	18.42	

MARKET INFORMATION FOR MARIJUANA

During the past 30 days, that is, since [DATEFILL], on how many days did you buy marijuana?

<i>(MJE05)</i>	<u>MMBT30DY</u> ¹	Len : 2 # DAYS BOUGHT MARIJUANA PAST 30 DAYS	Freq	Pct
RANGE = 1 - 30.....			4159	7.17
85 = BAD DATA Logically assigned.....			3	0.01
91 = NEVER USED MARIJUANA.....			32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12956	22.32
94 = DON'T KNOW.....			32	0.06
97 = REFUSED.....			109	0.19
98 = BLANK (NO ANSWER).....			908	1.56
99 = LEGITIMATE SKIP.....			7380	12.72

The last time you bought any marijuana, did you buy it from a store or dispensary?

<i>(MJE05B)</i>	<u>MMBTDISP</u>	Len : 2 BUY LAST MARIJUANA FROM STORE OR DISPENSARY	Freq	Pct
1 = Yes.....			4152	7.15
2 = No.....			3567	6.15
3 = Yes LOGICALLY ASSIGNED.....			2	0.00
85 = BAD DATA Logically assigned.....			5	0.01
91 = NEVER USED MARIJUANA.....			32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12956	22.32
94 = DON'T KNOW.....			9	0.02
97 = REFUSED.....			105	0.18
98 = BLANK (NO ANSWER).....			959	1.65
99 = LEGITIMATE SKIP.....			3792	6.53

NOTE: Starting with the 2020 NSDUH, the following variables MMBJOINT, MMBLOOSE, and MMBOTHER replace variable MMJNTLOO that was created for the 2002 through 2014 and 2018 through 2019 NSDUHs. Beginning with the 2020 survey, the format of MJE06 was revised so respondents could select all answer choices that apply to them including a new response option, resulting in a new edited variable created for each response option. Therefore, these variables are not considered comparable to the variable created in 2019 and earlier years.

Think about the last time you bought marijuana. Did you buy marijuana that had already been rolled into joints, marijuana that was in loose form, or marijuana that was in some other form?

<i>(MJE061)</i>	<u>MMBJOINT</u>	Len : 2 LAST MARIJUANA BOUGHT IN JOINTS	Freq	Pct
1 = Yes.....			1229	2.12
2 = No (not entered).....			6467	11.14
85 = BAD DATA Logically assigned.....			3	0.01
91 = NEVER USED MARIJUANA.....			32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12956	22.32
94 = DON'T KNOW.....			8	0.01
97 = REFUSED.....			119	0.21
98 = BLANK (NO ANSWER).....			973	1.68
99 = LEGITIMATE SKIP.....			3792	6.53

<i>(MJE062)</i>	<u>MMBLOOSE</u>	Len : 2 LAST MARIJUANA BOUGHT IN LOOSE FORM	Freq	Pct
1 = Yes.....			5041	8.69
2 = No (not entered).....			2655	4.57
85 = BAD DATA Logically assigned.....			2	0.00
91 = NEVER USED MARIJUANA.....			32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12956	22.32
94 = DON'T KNOW.....			8	0.01
97 = REFUSED.....			119	0.21
98 = BLANK (NO ANSWER).....			974	1.68
99 = LEGITIMATE SKIP.....			3792	6.53

MARKET INFORMATION FOR MARIJUANA

(MJE063)
MMBOTHER

Len : 2 LAST MARIJUANA BOUGHT IN OTHER FORM

	Freq	Pct
1 = Yes.....	2774	4.78
2 = No (not entered).....	4922	8.48
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	8	0.01
97 = REFUSED	119	0.21
98 = BLANK (NO ANSWER)	976	1.68
99 = LEGITIMATE SKIP.....	3792	6.53

NOTE: Starting with the 2020 NSDUH, the following variables MMJNTNUM1, MMJNPCTB1, MMJNPCAT1, MMLSUNIT1, MMLSGMS1, MMLS10GM1, MMLSOZS1, MMLSLBS1, MMLSPCTB1, and MMLSPCAT1 replace variables MMJNTNUM, MMJNPCTB, MMJNPCAT, MMLSUNIT, MMLSGMS, MMLS10GM, MMLSOZS, MMLSLBS, MMLSPCTB, and MMLSPCAT that were created for the 2002 through 2014 and 2018 through 2019 NSDUHs. Due to the impact from changes to previous questions, these variables are not considered comparable to the variables created in 2019 and earlier years.

How many joints did you buy the last time you bought marijuana?

(MJE07)
MMJNTNUM1¹

Len : 3 # MARIJUANA JOINTS BOUGHT LAST TIME

	Freq	Pct
RANGE = 1 - 211	1221	2.10
985 = BAD DATA Logically assigned	3	0.01
991 = NEVER USED MARIJUANA	32487	55.98
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
994 = DON'T KNOW	7	0.01
997 = REFUSED	120	0.21
998 = BLANK (NO ANSWER).....	981	1.69
999 = LEGITIMATE SKIP.....	10259	17.68

How much did you pay for the joints/joint you bought this last time?

(MJE08)
MMJNPCTB1¹

Len : 2 AMOUNT PAID FOR LAST MARIJUANA JOINTS BOUGHT

	Freq	Pct
1 = Less than \$5.00.....	126	0.22
2 = \$5.00 to \$10.99	347	0.60
3 = \$11.00 to \$20.99.....	329	0.57
4 = \$21.00 to \$50.99	278	0.48
5 = \$51.00 to \$100.99	87	0.15
6 = \$101.00 to \$150.99	20	0.03
7 = \$151.00 to \$200.99	6	0.01
8 = \$201.00 to \$250.99	6	0.01
9 = \$251.00 to \$300.99	1	0.00
10 = \$301.00 to \$500.99	2	0.00
11 = \$501.00 to \$1000.99	1	0.00
12 = More than \$1000.99.....	6	0.01
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	15	0.03
97 = REFUSED	124	0.21
98 = BLANK (NO ANSWER)	981	1.69
99 = LEGITIMATE SKIP.....	10259	17.68

MARKET INFORMATION FOR MARIJUANA

More specifically, which of these categories includes the price you paid for the joint/joints you bought this last time?

(MJE08, MJE09, MJE10, MJE11, MJE12, MJE13)

MMJNPCT1¹ Len : 3 PRICE CATEGORY OF LAST MARIJUANA JOINTS BOUGHT

	Freq	Pct
1 = Less than \$5.00.....	126	0.22
2 = \$5.00 to \$10.99.....	347	0.60
3 = \$11.00 to \$20.99.....	329	0.57
40 = \$21.00 to \$50.99 (No further detail).....	3	0.01
41 = \$21.00 to \$30.99.....	149	0.26
42 = \$31.00 to \$40.99.....	81	0.14
43 = \$41.00 to \$50.99.....	45	0.08
51 = \$51.00 to \$60.99.....	50	0.09
52 = \$61.00 to \$70.99.....	14	0.02
53 = \$71.00 to \$80.99.....	13	0.02
54 = \$81.00 to \$90.99.....	6	0.01
55 = \$91.00 to \$100.99.....	4	0.01
60 = \$101.00 to \$150.99 (No further detail).....	1	0.00
61 = \$101.00 to \$110.99.....	10	0.02
62 = \$111.00 to \$120.99.....	3	0.01
63 = \$121.00 to \$130.99.....	3	0.01
64 = \$131.00 to \$140.99.....	1	0.00
65 = \$141.00 to \$150.99.....	2	0.00
70 = \$151.00 to \$200.99.....	6	0.01
80 = \$201.00 to \$250.99.....	6	0.01
90 = \$251.00 to \$300.99.....	1	0.00
101 = \$301.00 to \$350.99.....	2	0.00
120 = \$951.00 to \$1000.99.....	1	0.00
121 = More than \$1000.99.....	6	0.01
985 = BAD DATA Logically assigned.....	3	0.01
991 = NEVER USED MARIJUANA.....	32487	55.98
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
994 = DON'T KNOW.....	15	0.03
997 = REFUSED.....	124	0.21
998 = BLANK (NO ANSWER).....	981	1.69
999 = LEGITIMATE SKIP.....	10259	17.68

Now we want to know how much marijuana in loose form you bought the last time you bought marijuana.

Do you want to give your answer in grams, ounces, or pounds?

(MJE14)

MMLSUNIT1¹

Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME: GRMS,OZ,LBS

	Freq	Pct
1 = Grams.....	3553	6.12
2 = Ounces.....	1388	2.39
3 = Pounds.....	39	0.07
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED MARIJUANA.....	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW.....	33	0.06
97 = REFUSED.....	147	0.25
98 = BLANK (NO ANSWER).....	982	1.69
99 = LEGITIMATE SKIP.....	6447	11.11

The last time you bought marijuana, how many grams did you buy?

(MJE15)

MMLSGMS1¹

Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME - GRAMS

	Freq	Pct
1 = At least 1 but less than 5 grams.....	2113	3.64
2 = At least 5 but less than 10 grams.....	1016	1.75
3 = 10 grams or more.....	407	0.70
91 = NEVER USED MARIJUANA.....	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW.....	11	0.02
97 = REFUSED.....	153	0.26
98 = BLANK (NO ANSWER).....	1017	1.75
99 = LEGITIMATE SKIP.....	7874	13.57

MARKET INFORMATION FOR MARIJUANA

How many grams of marijuana did you buy?

(MJE16)
MMLS10GM1¹ Len : 3 AMT OF MARIJUANA BOUGHT LAST TIME - OVER 10 GRAMS

	Freq	Pct
RANGE = 10 - 50	400	0.69
991 = NEVER USED MARIJUANA	32487	55.98
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
994 = DONT KNOW	5	0.01
997 = REFUSED	155	0.27
998 = BLANK (NO ANSWER).....	1028	1.77
999 = LEGITIMATE SKIP.....	11003	18.96

The last time you bought marijuana, how many ounces did you buy?

(MJE17)
MMLSOZS1¹ Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME - OUNCES

	Freq	Pct
1 = At least 1/8, but less than 1/4 of an ounce.....	263	0.45
2 = At least 1/4 but less than 1/3 of an ounce.....	168	0.29
3 = At least 1/3 but less than 1/2 of an ounce.....	59	0.10
4 = At least 1/2 but less than 1 ounce.....	326	0.56
5 = At least 1 but less than 5 ounces	517	0.89
6 = At least 5 but less than 10 ounces	18	0.03
7 = At least 10 but less than 16 ounces	25	0.04
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DONT KNOW	7	0.01
97 = REFUSED	152	0.26
98 = BLANK (NO ANSWER)	1015	1.75
99 = LEGITIMATE SKIP.....	10039	17.30

The last time you bought marijuana, how many pounds did you buy?

(MJE18)
MMLSLBS1¹ Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME - POUNDS

	Freq	Pct
1 = At least 1 but less than 2 pounds.....	22	0.04
2 = At least 2 but less than 3 pounds.....	2	0.00
3 = At least 3 but less than 4 pounds.....	3	0.01
4 = At least 4 but less than 5 pounds.....	1	0.00
5 = 5 or more pounds	10	0.02
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
97 = REFUSED	148	0.26
98 = BLANK (NO ANSWER)	1017	1.75
99 = LEGITIMATE SKIP.....	11388	19.62

MARKET INFORMATION FOR MARIJUANA

How much did you pay for the marijuana you bought this last time?

(MJE20)

MMLSPCTB1¹

Len : 2 AMOUNT PAID FOR MARIJUANA BOUGHT LAST TIME

	Freq	Pct
1 = Less than \$5.00.....	103	0.18
2 = \$5.00 to \$10.99	360	0.62
3 = \$11.00 to \$20.99	643	1.11
4 = \$21.00 to \$50.99	1644	2.83
5 = \$51.00 to \$100.99	1105	1.90
6 = \$101.00 to \$150.99	454	0.78
7 = \$151.00 to \$200.99	264	0.45
8 = \$201.00 to \$250.99	167	0.29
9 = \$251.00 to \$300.99	76	0.13
10 = \$301.00 to \$500.99	66	0.11
11 = \$501.00 to \$1000.99	32	0.06
12 = More than \$1000.99.....	30	0.05
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	49	0.08
97 = REFUSED	166	0.29
98 = BLANK (NO ANSWER)	983	1.69
99 = LEGITIMATE SKIP.....	6447	11.11

MARKET INFORMATION FOR MARIJUANA

More specifically, which of these categories includes the price you paid for the marijuana you bought this last time?

(MJE20, MJE21, MJE22, MJE23, MJE24, MJE25)

MMLSPCAT1¹ Len : 3 PRICE CATEGORY OF LAST LOOSE MARIJUANA BOUGHT

	Freq	Pct
1 = Less than \$5.00.....	103	0.18
2 = \$5.00 to \$10.99	360	0.62
3 = \$11.00 to \$20.99	643	1.11
40 = \$21.00 to \$50.99 (No further detail)	5	0.01
41 = \$21.00 to \$30.99	544	0.94
42 = \$31.00 to \$40.99	640	1.10
43 = \$41.00 to \$50.99	455	0.78
50 = \$51.00 to \$100.99 (No further detail).....	6	0.01
51 = \$51.00 to \$60.99	402	0.69
52 = \$61.00 to \$70.99	198	0.34
53 = \$71.00 to \$80.99	183	0.32
54 = \$81.00 to \$90.99	91	0.16
55 = \$91.00 to \$100.99	225	0.39
60 = \$101.00 to \$150.99 (No further detail).....	3	0.01
61 = \$101.00 to \$110.99	138	0.24
62 = \$111.00 to \$120.99	101	0.17
63 = \$121.00 to \$130.99	87	0.15
64 = \$131.00 to \$140.99	52	0.09
65 = \$141.00 to \$150.99	73	0.13
70 = \$151.00 to \$200.99	264	0.45
80 = \$201.00 to \$250.99	167	0.29
90 = \$251.00 to \$300.99	76	0.13
101 = \$301.00 to \$350.99	27	0.05
102 = \$351.00 to \$400.99	18	0.03
103 = \$401.00 to \$450.99	11	0.02
104 = \$451.00 to \$500.99	10	0.02
110 = \$501.00 to \$1000.99 (No further detail).....	1	0.00
111 = \$501.00 to \$550.99	9	0.02
112 = \$551.00 to \$600.99	4	0.01
114 = \$651.00 to \$700.99	5	0.01
115 = \$701.00 to \$750.99	2	0.00
116 = \$751.00 to \$800.99	2	0.00
117 = \$801.00 to \$850.99	5	0.01
118 = \$851.00 to \$900.99	2	0.00
120 = \$951.00 to \$1000.99	2	0.00
121 = More than \$1000.99.....	30	0.05
985 = BAD DATA Logically assigned.....	2	0.00
991 = NEVER USED MARIJUANA	32487	55.98
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
994 = DON'T KNOW	49	0.08
997 = REFUSED	166	0.29
998 = BLANK (NO ANSWER).....	983	1.69
999 = LEGITIMATE SKIP.....	6447	11.11

MARKET INFORMATION FOR MARIJUANA

NOTE: Starting with the 2020 NSDUH, the following variables MMBUYWHO1, MMBPLACE1, MMBPLOSP2, and MMBATJOB1 replace variables MMBUYWHO, MMBPLACE, MMBPLOSP, and MMBATJOB that were created for the 2002 through 2014 and 2018 through 2019 NSDUHs. Beginning with the 2020 survey, a criterion was added to the skip logic governing the administration of questions MJE26, MJE27, and MJE28 causing respondents who reported buying their last marijuana from a store or dispensary (MJE05b=1) to be skipped out of these questions. In addition, respondents are routed to MJE27SP based on the response to MJE27. Therefore, these variables are not considered comparable to variables created in 2019 and earlier years.

The last time you bought marijuana, who did you buy it from?

(MJE26)
[MMBUYWHO1](#)¹ Len : 2 WHO SOLD YOU LAST MARIJUANA BOUGHT

	Freq	Pct
1 = A friend.....	2547	4.39
2 = A relative or family member.....	276	0.48
3 = Someone I had just met or didn't know well	644	1.11
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	17	0.03
97 = REFUSED	184	0.32
98 = BLANK (NO ANSWER)	975	1.68
99 = LEGITIMATE SKIP.....	7944	13.69

The last time you bought marijuana, where were you when you bought it?

(MJE27)
[MMPLACE1](#)¹ Len : 2 WHERE YOU WERE LAST TIME BOUGHT MARIJUANA

	Freq	Pct
1 = Inside a public bldg, such as a store, restaurant.....	123	0.21
2 = Inside a school building	21	0.04
3 = Outside on school property	32	0.06
4 = Inside a home, apartment, or dorm.....	1823	3.14
5 = Outside in a public area, such as a parking lot	794	1.37
6 = Some other place.....	362	0.62
11 = Inside a public building LOGICALLY ASSIGNED	34	0.06
14 = Inside a home, apartment, or dorm LOG ASSN.....	150	0.26
15 = Outside in a public area LOGICALLY ASSIGNED.....	118	0.20
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	25	0.04
97 = REFUSED	188	0.32
98 = BLANK (NO ANSWER)	975	1.68
99 = LEGITIMATE SKIP.....	7944	13.69

MARKET INFORMATION FOR MARIJUANA

(MJE27SC)
MMBPLOSP2¹

Len : 2 OTHER PLACE BOUGHT MJ THE LAST TIME

	Freq	Pct
1 = Inside a public bldg (eg store/restaurant/arena).....	34	0.06
4 = Inside a home, apartment, or dorm.....	150	0.26
5 = Outside in public area (eg parkng lot/street/park)	118	0.20
6 = Some other place.....	10	0.02
7 = At respondent's workplace	11	0.02
8 = At a party, location not specified	5	0.01
9 = From friend(s)/family; no other information	9	0.02
12 = In a car/motor vehicle; owner or location unspcf'd	24	0.04
14 = Outside on private property (home, yard, apt).....	28	0.05
15 = Medical marijuana dispensary/club.....	2	0.00
24 = Individual/person; otherwise unspecified.....	5	0.01
25 = In a hotel/motel room (or public area unspecfd)	4	0.01
28 = In public; outside or inside unspecified.....	4	0.01
29 = Mailed/shipped to me.....	9	0.02
70 = Specific city/state/country or vacation	51	0.09
85 = BAD DATA Logically assigned	67	0.12
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	56	0.10
97 = REFUSED	265	0.46
98 = BLANK (NO ANSWER)	5154	8.88
99 = LEGITIMATE SKIP.....	6585	11.35

The last time you bought marijuana were you at work at your job or business?

(MJE28)
MMBATJOB1¹

Len : 2 AT JOB OR BUSINESS LAST TIME BOUGHT MARIJUANA

	Freq	Pct
1 = Yes.....	90	0.16
2 = No.....	2960	5.10
3 = Do not work at a job or business.....	426	0.73
85 = BAD DATA Logically assigned	2	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	15	0.03
97 = REFUSED	124	0.21
98 = BLANK (NO ANSWER)	938	1.62
99 = LEGITIMATE SKIP.....	8034	13.84

The last time you bought marijuana, where did you buy it?

(MJE29)
MMBCLOSE¹

Len : 2 HOW NEAR YOU WHEN BOUGHT MARIJUANA LAST TIME

	Freq	Pct
1 = Near where you are now living	4399	7.58
2 = Somewhere else	3225	5.56
85 = BAD DATA Logically assigned	5	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	24	0.04
97 = REFUSED	170	0.29
98 = BLANK (NO ANSWER)	976	1.68
99 = LEGITIMATE SKIP.....	3792	6.53

MARKET INFORMATION FOR MARIJUANA

Did you sell any of the marijuana you bought this last time?

<i>(MJE30)</i>	<u>MMSELL</u> ¹	Len : 2 SELL ANY MARIJUANA BOUGHT LAST TIME	Freq	Pct
1 = Yes.....			200	0.34
2 = No.....			7492	12.91
85 = BAD DATA Logically assigned.....			5	0.01
91 = NEVER USED MARIJUANA.....			32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12956	22.32
94 = DON'T KNOW.....			8	0.01
97 = REFUSED.....			118	0.20
98 = BLANK (NO ANSWER).....			976	1.68
99 = LEGITIMATE SKIP.....			3792	6.53

Did you give away or share any of the marijuana you bought this last time?

<i>(MJE31)</i>	<u>MMBGIVE</u> ¹	Len : 2 GIVE AWAY/SHARE MARIJUANA BOUGHT LAST TIME	Freq	Pct
1 = Yes.....			2724	4.69
2 = No.....			4965	8.56
85 = BAD DATA Logically assigned.....			4	0.01
91 = NEVER USED MARIJUANA.....			32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12956	22.32
94 = DON'T KNOW.....			9	0.02
97 = REFUSED.....			121	0.21
98 = BLANK (NO ANSWER).....			976	1.68
99 = LEGITIMATE SKIP.....			3792	6.53

During the past 12 months, that is, since [DATEFILL], did you trade something for marijuana?

<i>(MJE32)</i>	<u>MMTRADE</u> ¹	Len : 2 TRADED SOMETHING FOR MARIJUANA PAST 12 MOS	Freq	Pct
1 = Yes.....			52	0.09
2 = No.....			3631	6.26
91 = NEVER USED MARIJUANA.....			32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12956	22.32
97 = REFUSED.....			76	0.13
98 = BLANK (NO ANSWER).....			893	1.54
99 = LEGITIMATE SKIP.....			7939	13.68

During the past 30 days, that is, since [DATEFILL], did you trade something for marijuana?

<i>(MJE33)</i>	<u>MMTRD30D</u> ¹	Len : 2 TRADED SOMETHING FOR MARIJUANA PAST 30 DAYS	Freq	Pct
1 = Yes.....			17	0.03
2 = No.....			35	0.06
91 = NEVER USED MARIJUANA.....			32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12956	22.32
97 = REFUSED.....			75	0.13
98 = BLANK (NO ANSWER).....			894	1.54
99 = LEGITIMATE SKIP.....			11570	19.94

MARKET INFORMATION FOR MARIJUANA

How long has it been since you last traded something for marijuana?

(MJE34)

MMTRDREC¹

Len : 2 TIME SINCE LAST TRADED SOMETHING FOR MARIJUANA

1 = Within past 30 days -- that is, since [DATEFILL]
2 = More than 30 days ago, but within the past 12 mos
3 = More than 12 months ago
85 = BAD DATA Logically assigned
91 = NEVER USED MARIJUANA
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....
94 = DON'T KNOW
97 = REFUSED
98 = BLANK (NO ANSWER)
99 = LEGITIMATE SKIP.....

Freq	Pct
18	0.03
111	0.19
40	0.07
10	0.02
32487	55.98
12956	22.32
3	0.01
79	0.14
951	1.64
11379	19.61

During the past 30 days, that is, since [DATEFILL], on how many days did you trade something for marijuana?

(MJE35)

MMT30FRQ¹

Len : 2 # DAYS TRADED FOR MARIJUANA PAST 30 DAYS

RANGE = 1 - 30
91 = NEVER USED MARIJUANA
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....
97 = REFUSED
98 = BLANK (NO ANSWER)
99 = LEGITIMATE SKIP.....

Freq	Pct
35	0.06
32487	55.98
12956	22.32
75	0.13
968	1.67
11513	19.84

NOTE: Starting with the 2020 NSDUH, the following variables MMTJOINT, MMTLOOSE, and MMTOTHER replace variable MMTJNTLS that was created for the 2002 through 2014 and 2018 through 2019 NSDUHs. Beginning with the 2020 survey, the format of MJE36 was revised so respondents could select all answer choices that apply to them including a new response option, resulting in a new edited variable created for each response option. Therefore, these variables are not considered comparable to the variable created in 2019 and earlier years.

Think about the last time you traded something for marijuana. Did you get marijuana that had already been rolled into joints, marijuana that was in loose form, or marijuana in some other form?

(MJE361)

MMTJOINT

Len : 2 LAST MARIJUANA TRADED FOR IN JOINTS

1 = Yes.....
2 = No (not entered).....
91 = NEVER USED MARIJUANA
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....
94 = DON'T KNOW
97 = REFUSED
98 = BLANK (NO ANSWER)
99 = LEGITIMATE SKIP.....

Freq	Pct
35	0.06
142	0.24
32487	55.98
12956	22.32
1	0.00
78	0.13
968	1.67
11367	19.59

(MJE362)

MMTLOOSE

Len : 2 LAST MARIJUANA TRADED FOR IN LOOSE FORM

1 = Yes.....
2 = No (not entered).....
85 = BAD DATA Logically assigned
91 = NEVER USED MARIJUANA
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....
94 = DON'T KNOW
97 = REFUSED
98 = BLANK (NO ANSWER)
99 = LEGITIMATE SKIP.....

Freq	Pct
126	0.22
51	0.09
10	0.02
32487	55.98
12956	22.32
1	0.00
78	0.13
958	1.65
11367	19.59

MARKET INFORMATION FOR MARIJUANA

(MJE363)
MMTOTHER

Len : 2 LAST MARIJUANA TRADED FOR IN OTHER FORM

	Freq	Pct
1 = Yes.....	29	0.05
2 = No (not entered).....	148	0.26
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	1	0.00
97 = REFUSED	78	0.13
98 = BLANK (NO ANSWER)	968	1.67
99 = LEGITIMATE SKIP.....	11367	19.59

NOTE: Starting with the 2020 NSDUH, the following variables MMTJNTNM1, MMTJWRCB1, MMTJWRTH1, MMTLGMS1, MMTLOZS1, MMTLWRCB1, MMTLWRTH1 and MMTUNIT1 replace variables MMTJNTNM, MMTJWRCB, MMTJWRTH, MMTLGMS, MMTLOZS, MMTLWRCB, MMTLWRTH, and MMTUNIT that were created for the 2002 through 2014 and 2018 through 2019 NSDUHs. Due to the impact from changes to previous questions, these variables are not considered comparable to the variables created in 2019 and earlier years.

How many joints did you get the last time you traded something for marijuana?

(MJE37)
MMTJNTNM1¹

Len : 3 # MARIJUANA JOINTS TRADED FOR LAST TIME

	Freq	Pct
RANGE = 1 - 9.....	34	0.06
991 = NEVER USED MARIJUANA	32487	55.98
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
994 = DON'T KNOW	1	0.00
997 = REFUSED	75	0.13
998 = BLANK (NO ANSWER).....	972	1.67
999 = LEGITIMATE SKIP.....	11509	19.83

How much do you think the marijuana in these joints/this joint was worth?

(MJE38)
MMTJWRCB1¹

Len : 2 AMOUNT WORTH LAST MARIJUANA JOINTS TRADED FOR

	Freq	Pct
1 = Less than \$5.00.....	8	0.01
2 = \$5.00 to \$10.99	12	0.02
3 = \$11.00 to \$20.99	4	0.01
4 = \$21.00 to \$50.99	2	0.00
5 = \$51.00 to \$100.99	5	0.01
6 = \$101.00 to \$150.99	2	0.00
7 = \$151.00 to \$200.99	2	0.00
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
97 = REFUSED	75	0.13
98 = BLANK (NO ANSWER)	972	1.67
99 = LEGITIMATE SKIP.....	11509	19.83

More specifically, which of these categories includes the price you think the marijuana in these joints/this joint was worth?

(MJE38, MJE39, MJE40, MJE41, MJE42, MJE43)
MMTJWRTH1¹

Len : 3 PRICE CATEGORY OF LAST MARIJUANA JOINTS TRADED FOR

	Freq	Pct
1 = Less than \$5.00.....	8	0.01
2 = \$5.00 to \$10.99	12	0.02
3 = \$11.00 to \$20.99	4	0.01
42 = \$31.00 to \$40.99	1	0.00
43 = \$41.00 to \$50.99	1	0.00
51 = \$51.00 to \$60.99	4	0.01
53 = \$71.00 to \$80.99	1	0.00
61 = \$101.00 to \$110.99	1	0.00
62 = \$111.00 to \$120.99	1	0.00
70 = \$151.00 to \$200.99	2	0.00
991 = NEVER USED MARIJUANA	32487	55.98
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
997 = REFUSED	75	0.13
998 = BLANK (NO ANSWER).....	972	1.67
999 = LEGITIMATE SKIP.....	11509	19.83

MARKET INFORMATION FOR MARIJUANA

Now we want to know how much marijuana in loose form you got the last time you traded something for marijuana.

Do you want to give your answer in grams, ounces, or pounds?

(MJE44)

MMTLUNIT1¹

Len : 2 AMT OF MARIJUANA TRADED FOR LAST TIME: GRMS,OZ,LBS

	Freq	Pct
1 = Grams	58	0.10
2 = Ounces	64	0.11
3 = Pounds	3	0.01
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	1	0.00
97 = REFUSED	75	0.13
98 = BLANK (NO ANSWER)	962	1.66
99 = LEGITIMATE SKIP.....	11418	19.67

The last time you traded something for marijuana, how many grams did you get?

(MJE45)

MMTLGMS1¹

Len : 2 AMT OF MARIJUANA TRADED FOR LAST TIME - GRAMS

	Freq	Pct
1 = At least 1 but less than 5 grams.....	40	0.07
2 = At least 5 but less than 10 grams.....	11	0.02
3 = 10 grams or more	7	0.01
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
97 = REFUSED	75	0.13
98 = BLANK (NO ANSWER)	973	1.68
99 = LEGITIMATE SKIP.....	11485	19.79

The last time you traded something for marijuana, how many ounces did you get?

(MJE47)

MMTLOZS1¹

Len : 2 AMT OF MARIJUANA TRADED FOR LAST TIME - OUNCES

	Freq	Pct
1 = At least 1/8, but less than 1/4 of an ounce.....	7	0.01
2 = At least 1/4 but less than 1/3 of an ounce.....	44	0.08
3 = At least 1/3 but less than 1/2 of an ounce.....	4	0.01
4 = At least 1/2 but less than 1 ounce.....	1	0.00
5 = At least 1 but less than 5 ounces	4	0.01
6 = At least 5 but less than 10 ounces	1	0.00
7 = At least 10 but less than 16 ounces	1	0.00
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
97 = REFUSED	77	0.13
98 = BLANK (NO ANSWER)	963	1.66
99 = LEGITIMATE SKIP.....	11479	19.78

MARKET INFORMATION FOR MARIJUANA

How much do you think the marijuana you got this last time was worth?

(MJE50)

MMTLWRCB1¹

Len : 2 AMOUNT THE LAST MARIJUANA TRADED FOR WAS WORTH

	Freq	Pct
1 = Less than \$5.00.....	18	0.03
2 = \$5.00 to \$10.99.....	45	0.08
3 = \$11.00 to \$20.99.....	24	0.04
4 = \$21.00 to \$50.99.....	13	0.02
5 = \$51.00 to \$100.99.....	11	0.02
6 = \$101.00 to \$150.99	3	0.01
7 = \$151.00 to \$200.99	1	0.00
8 = \$201.00 to \$250.99	2	0.00
10 = \$301.00 to \$500.99	1	0.00
11 = \$501.00 to \$1000.99	2	0.00
12 = More than \$1000.99.....	1	0.00
85 = BAD DATA Logically assigned.....	10	0.02
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	4	0.01
97 = REFUSED	76	0.13
98 = BLANK (NO ANSWER)	962	1.66
99 = LEGITIMATE SKIP.....	11418	19.67

More specifically, which of these categories includes the price you think the marijuana you got this last time was worth?

(MJE50, MJE51, MJE52, MJE53, MJE54, MJE55)

MMTLWRTH1¹

Len : 3 PRICE CATEGORY OF LAST LOOSE MARIJUANA TRADED FOR

	Freq	Pct
1 = Less than \$5.00.....	18	0.03
2 = \$5.00 to \$10.99.....	45	0.08
3 = \$11.00 to \$20.99.....	24	0.04
41 = \$21.00 to \$30.99	4	0.01
42 = \$31.00 to \$40.99	6	0.01
43 = \$41.00 to \$50.99	3	0.01
51 = \$51.00 to \$60.99	4	0.01
52 = \$61.00 to \$70.99	2	0.00
53 = \$71.00 to \$80.99	2	0.00
55 = \$91.00 to \$100.99	3	0.01
61 = \$101.00 to \$110.99	1	0.00
64 = \$131.00 to \$140.99	1	0.00
65 = \$141.00 to \$150.99	1	0.00
70 = \$151.00 to \$200.99	1	0.00
80 = \$201.00 to \$250.99	2	0.00
104 = \$451.00 to \$500.99	1	0.00
111 = \$501.00 to \$550.99	1	0.00
120 = \$951.00 to \$1000.99	1	0.00
121 = More than \$1000.99.....	1	0.00
985 = BAD DATA Logically assigned.....	10	0.02
991 = NEVER USED MARIJUANA	32487	55.98
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
994 = DON'T KNOW	4	0.01
997 = REFUSED	76	0.13
998 = BLANK (NO ANSWER).....	962	1.66
999 = LEGITIMATE SKIP.....	11418	19.67

The last time you traded something for marijuana, who did you get it from?

(MJE56)

MMTRDWHO¹

Len : 2 WHO GAVE YOU LAST MARIJUANA TRADED FOR

	Freq	Pct
1 = A friend.....	109	0.19
2 = A relative or family member.....	62	0.11
3 = Someone I had just met or didn't know well	43	0.07
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	7	0.01
97 = REFUSED	82	0.14
98 = BLANK (NO ANSWER)	951	1.64
99 = LEGITIMATE SKIP.....	11327	19.52

MARKET INFORMATION FOR MARIJUANA

The last time you traded something for marijuana, where were you when you got it?

(MJE57)

MMTPLACE¹

Len : 2 WHERE YOU WERE LAST TIME TRADED FOR MARIJUANA

	Freq	Pct
1 = Inside a public bldg, such as a store, restaurant.....	27	0.05
2 = Inside a school building	36	0.06
3 = Outside on school property	7	0.01
4 = Inside a home, apartment, or dorm.....	59	0.10
5 = Outside in a public area, such as a parking lot	27	0.05
6 = Some other place.....	27	0.05
11 = Inside a public building LOGICALLY ASSIGNED.....	4	0.01
12 = Inside a school building LOGICALLY ASSIGNED	2	0.00
14 = Inside a home, apartment, or dorm LOG ASSN.....	12	0.02
15 = Outside in a public area LOGICALLY ASSIGNED.....	12	0.02
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	7	0.01
97 = REFUSED	83	0.14
98 = BLANK (NO ANSWER)	951	1.64
99 = LEGITIMATE SKIP.....	11327	19.52

(MJE57SC)

MMTPLOS²¹

Len : 2 OTHER PLACE TRADED FOR MJ THE LAST TIME

	Freq	Pct
1 = Inside a public bldg (eg store/restaurant/arena).....	4	0.01
2 = Inside a school building	2	0.00
4 = Inside a home, apartment, or dorm.....	12	0.02
5 = Outside in public area (eg parkng lot/street/park)	12	0.02
6 = Some other place.....	6	0.01
70 = Specific city/state/country or vacation	3	0.01
85 = BAD DATA Logically assigned	11	0.02
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	4	0.01
97 = REFUSED	86	0.15
98 = BLANK (NO ANSWER)	968	1.67
99 = LEGITIMATE SKIP.....	11483	19.79

The last time you traded something for marijuana, where did you get it?

(MJE58)

MMTCLOSE¹

Len : 2 HOW NEAR YOU WHEN TRADED FOR MARIJUANA LAST TIME

	Freq	Pct
1 = Near where you are now living	61	0.11
2 = Somewhere else	154	0.27
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	5	0.01
97 = REFUSED	83	0.14
98 = BLANK (NO ANSWER)	951	1.64
99 = LEGITIMATE SKIP.....	11327	19.52

The last time you traded something for marijuana, did you keep it all for yourself?

(MJE59)

MMTKEEP¹

Len : 2 KEEP ALL OF LAST MARIJUANA TRADED FOR

	Freq	Pct
1 = Yes.....	86	0.15
2 = No.....	132	0.23
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	4	0.01
97 = REFUSED	81	0.14
98 = BLANK (NO ANSWER)	951	1.64
99 = LEGITIMATE SKIP.....	11327	19.52

MARKET INFORMATION FOR MARIJUANA

Did you sell any of the marijuana you got this last time?

(MJE60)

MMTSELL¹

Len : 2 SELL ANY MARIJUANA YOU TRADED FOR LAST TIME

	Freq	Pct
1 = Yes.....	2	0.00
2 = No.....	130	0.22
85 = BAD DATA Logically assigned.....	10	0.02
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
97 = REFUSED	81	0.14
98 = BLANK (NO ANSWER)	955	1.65
99 = LEGITIMATE SKIP.....	11413	19.67

Did you give away any of the marijuana you got this last time?

(MJE61)

MMTGIVE¹

Len : 2 GIVE AWAY ANY MARIJUANA YOU TRADED FOR LAST TIME

	Freq	Pct
1 = Yes.....	32	0.06
2 = No.....	100	0.17
85 = BAD DATA Logically assigned.....	10	0.02
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
97 = REFUSED	81	0.14
98 = BLANK (NO ANSWER)	955	1.65
99 = LEGITIMATE SKIP.....	11413	19.67

The last time you grew marijuana, did you keep it all for yourself?

(MJE62)

MMGKEEP¹

Len : 2 KEEP ALL MARIJUANA LAST TIME YOU GREW IT

	Freq	Pct
1 = Yes.....	113	0.19
2 = No.....	64	0.11
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
97 = REFUSED	75	0.13
98 = BLANK (NO ANSWER)	960	1.65
99 = LEGITIMATE SKIP.....	11379	19.61

Did you sell any of the marijuana you grew this last time?

(MJE63)

MMGSELL¹

Len : 2 SELL ANY MARIJUANA LAST TIME YOU GREW IT

	Freq	Pct
1 = Yes.....	9	0.02
2 = No.....	55	0.09
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
97 = REFUSED	75	0.13
98 = BLANK (NO ANSWER)	960	1.65
99 = LEGITIMATE SKIP.....	11492	19.80

The last time you grew marijuana, did you give any of it away for free?

(MJE64)

MMGGIVE¹

Len : 2 GIVE AWAY ANY MARIJUANA LAST TIME YOU GREW IT

	Freq	Pct
1 = Yes.....	38	0.07
2 = No.....	25	0.04
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
97 = REFUSED	76	0.13
98 = BLANK (NO ANSWER)	960	1.65
99 = LEGITIMATE SKIP.....	11492	19.80

MARKET INFORMATION FOR MARIJUANA

The last time you got marijuana for free, who did you get it from?

(MJE65)
MMFREWHO¹ Len : 2 WHO GAVE YOU LAST FREE MARIJUANA

	Freq	Pct
1 = A friend.....	2385	4.11
2 = A relative or family member.....	807	1.39
3 = Someone I had just met or didn't know well	145	0.25
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	8	0.01
97 = REFUSED	117	0.20
98 = BLANK (NO ANSWER)	960	1.65
99 = LEGITIMATE SKIP.....	8169	14.08

The last time you got marijuana for free, where were you when you got it?

(MJE66)
MMFPLACE¹ Len : 2 WHERE WERE YOU LAST TIME GOT FREE MARIJUANA

	Freq	Pct
1 = Inside a public bldg, such as a store, restaurant.....	79	0.14
2 = Inside a school building	24	0.04
3 = Outside on school property	24	0.04
4 = Inside a home, apartment, or dorm.....	2425	4.18
5 = Outside in a public area, such as a parking lot	273	0.47
6 = Some other place.....	281	0.48
11 = Inside a public building LOGICALLY ASSIGNED	14	0.02
14 = Inside a home, apartment, or dorm LOG ASSN.....	128	0.22
15 = Outside in a public area LOGICALLY ASSIGNED.....	83	0.14
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	17	0.03
97 = REFUSED	114	0.20
98 = BLANK (NO ANSWER)	960	1.65
99 = LEGITIMATE SKIP.....	8169	14.08

(MJE66SC)
MMFPLOS² Len : 2 OTHER PLACE GOT MJ FOR FREE THE LAST TIME

	Freq	Pct
1 = Inside a public bldg (eg store/restaurant/arena).....	14	0.02
4 = Inside a home, apartment, or dorm.....	128	0.22
5 = Outside in public area (eg parkng lot/street/park)	83	0.14
6 = Some other place.....	10	0.02
7 = At respondent's workplace	7	0.01
8 = At a party, location not specified	26	0.04
9 = From friend(s)/family; no other information	11	0.02
11 = In someone else's car/mtr vhcle;location not spfd	4	0.01
12 = In a car/motor vehicle; owner or location unspcfed	23	0.04
14 = Outside on private property (home, yard, apt).....	34	0.06
15 = Medical marijuana dispensary/club.....	5	0.01
17 = On a boat/raft/yacht/water vessel	4	0.01
22 = At concert/festival/sports event; location unspc	4	0.01
23 = A building; otherwise unspecified.....	11	0.02
25 = In a hotel/motel room (or public area unspcfed)	6	0.01
70 = Specific city/state/country or vacation	27	0.05
85 = BAD DATA Logically assigned	33	0.06
91 = NEVER USED MARIJUANA	32487	55.98
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12956	22.32
94 = DON'T KNOW	36	0.06
97 = REFUSED	152	0.26
98 = BLANK (NO ANSWER)	979	1.69
99 = LEGITIMATE SKIP.....	10994	18.94

MARKET INFORMATION FOR MARIJUANA

The last time you got marijuana for free, where did you get it?

(MJE67) MMFCLOSE¹ Len : 2 HOW NEAR YOU WHEN YOU GOT LAST FREE MARIJUANA

1 = Near where you are now living.....	
2 = Somewhere else	
91 = NEVER USED MARIJUANA	
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
1608	2.77
1725	2.97
32487	55.98
12956	22.32
17	0.03
109	0.19
963	1.66
8169	14.08

The last time you got marijuana for free, did you keep it all for yourself?

(MJE68) MMFKEEP¹ Len : 2 KEEP ALL MARIJUANA GOT LAST TIME FOR FREE

1 = Yes.....	
2 = No.....	
91 = NEVER USED MARIJUANA	
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
807	1.39
2547	4.39
32487	55.98
12956	22.32
9	0.02
94	0.16
965	1.66
8169	14.08

Did you sell any of the marijuana you got this last time?

(MJE69) MMFSELL¹ Len : 2 SELL ANY MARIJUANA GOT LAST TIME FOR FREE

1 = Yes.....	
2 = No.....	
91 = NEVER USED MARIJUANA	
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
10	0.02
2537	4.37
32487	55.98
12956	22.32
94	0.16
974	1.68
8976	15.47

Did you give away any of the marijuana you got this last time?

(MJE70) MMFGIVE¹ Len : 2 GIVE AWAY ANY MARIJUANA GOT LAST TIME FOR FREE

1 = Yes.....	
2 = No.....	
91 = NEVER USED MARIJUANA	
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	
94 = DON'T KNOW	
97 = REFUSED	
98 = BLANK (NO ANSWER)	
99 = LEGITIMATE SKIP.....	

Freq	Pct
683	1.18
1857	3.20
32487	55.98
12956	22.32
3	0.01
97	0.17
975	1.68
8976	15.47

INTERVIEW INFORMATION

INTERVIEW INFORMATION

<u>LANGVER</u>	Len : 2 LANGUAGE VERSION		
1 = English.....		Freq	Pct
2 = Spanish		56368	97.13
		1666	2.87
<u>QUARTER</u>	Len : 1 QUARTER INDICATOR		
1 = Quarter 1.....		Freq	Pct
2 = Quarter 2.....		11151	19.21
3 = Quarter 3.....		17179	29.60
4 = Quarter 4.....		16243	27.99
		13461	23.20
<u>GQTYPE2</u>	Len : 1 TYPE OF GROUP QUARTER		
= Not a Group Quarter		Freq	Pct
C = College Dorm.....		57976	99.90
O = Other.....		49	0.08
		9	0.02

DEMOGRAPHICS

DEMOCRAPHICS

NOTE: After a respondent has entered his/her birthdate in the first part of the questionnaire, he/she has multiple opportunities to change his/her age in response to consistency checks throughout the questionnaire. It is therefore possible for the age recorded by the respondent at the beginning of the questionnaire to be different than the age at the end of the questionnaire. The final age variable is determined using these two constituent age variables, in addition to the age calculated from the raw birthdate and the final edited interview date, the age entered in the questionnaire roster (if it exists), and the pre-interview screener age.

<u>AGE3</u>	Len : 2 RECODE - FINAL EDITED AGE	Freq	Pct
1 = Respondent is 12 or 13 years old		3654	6.30
2 = Respondent is 14 or 15 years old		3579	6.17
3 = Respondent is 16 or 17 years old		3510	6.05
4 = Respondent is between 18 and 20 years old.....		4908	8.46
5 = Respondent is between 21 and 23 years old.....		5369	9.25
6 = Respondent is 24 or 25 years old		3702	6.38
7 = Respondent is between 26 and 29 years old.....		4065	7.00
8 = Respondent is between 30 and 34 years old.....		5523	9.52
9 = Respondent is between 35 and 49 years old.....		12561	21.64
10 = Respondent is between 50 and 64 years old.....		5725	9.86
11 = Respondent is 65 years old or older		5438	9.37

How many times have you been married?

<i>(QD08)</i> <u>NOMARR2</u>	Len : 2 NUMBER OF TIMES MARRIED	Freq	Pct
1 = One time		20808	35.85
2 = Two or more times.....		5229	9.01
94 = DON'T KNOW		8	0.01
97 = REFUSED		35	0.06
98 = BLANK (NO ANSWER)		1	0.00
99 = LEGITIMATE SKIP.....		31953	55.06

Have you ever been in the United States Armed Forces?

<i>(QD09)</i> <u>SERVICE</u>	Len : 2 EVER BEEN IN THE US ARMED FORCES	Freq	Pct
1 = Yes.....		2699	4.65
2 = No.....		46242	79.68
85 = BAD DATA Logically assigned		17	0.03
97 = REFUSED		4	0.01
98 = BLANK (NO ANSWER)		1	0.00
99 = LEGITIMATE SKIP.....		9071	15.63

Are you currently on active duty in the United States Armed Forces, are you in a Reserve component, or are you now separated or retired from the military?

<i>(QD10)</i> <u>MILSTAT</u>	Len : 2 CURRENT MILITARY STATUS	Freq	Pct
2 = In a reserves component.....		192	0.33
3 = Now separated/retired from reserves/active duty		2501	4.31
85 = BAD DATA Logically assigned		17	0.03
94 = DON'T KNOW		4	0.01
97 = REFUSED		6	0.01
98 = BLANK (NO ANSWER)		1	0.00
99 = LEGITIMATE SKIP.....		55313	95.31

DEMOGRAPHICS

Have you ever served on active duty in the United States Armed Forces or Reserve components? Active duty does not include training for the Reserves or National Guard, but does include activation, for example, for a national emergency or military conflict.

(QD10A)
ACTDEVER

Len : 2 EVER ON ACTIVE DUTY IN US MILITARY/RESERV

	Freq	Pct
1 = Yes.....	2108	3.63
2 = No.....	590	1.02
85 = BAD DATA Logically assigned.....	17	0.03
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1	0.00
99 = LEGITIMATE SKIP.....	55313	95.31

When did you serve on active duty in the United States Armed Forces or Reserve components? Just give me the number or numbers from the card.

(QD10B1)
ACTD2001

Len : 2 SEPTEMBER 2001 OR LATER

	Freq	Pct
1 = Yes.....	845	1.46
2 = No (not entered).....	1257	2.17
85 = BAD DATA Logically assigned.....	17	0.03
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	8	0.01
99 = LEGITIMATE SKIP.....	55903	96.33

(QD10B2)
ACTD9001

Len : 2 AUG 1990 TO AUG 2001 (INCLUDING PERSIAN GULF WAR)

	Freq	Pct
1 = Yes.....	523	0.90
2 = No (not entered).....	1579	2.72
85 = BAD DATA Logically assigned.....	17	0.03
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	8	0.01
99 = LEGITIMATE SKIP.....	55903	96.33

(QD10B3)
ACTD7590

Len : 2 MAY 1975 TO JULY 1990

	Freq	Pct
1 = Yes.....	475	0.82
2 = No (not entered).....	1627	2.80
85 = BAD DATA Logically assigned.....	17	0.03
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	8	0.01
99 = LEGITIMATE SKIP.....	55903	96.33

(QD10B4)
ACTDVIET

Len : 2 VIETNAM ERA (MARCH 1961 TO APRIL 1975)

	Freq	Pct
1 = Yes.....	657	1.13
2 = No (not entered).....	1444	2.49
85 = BAD DATA Logically assigned.....	18	0.03
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	8	0.01
99 = LEGITIMATE SKIP.....	55903	96.33

DEMOGRAPHICS

(QD10B5, QD10B6, QD10B7, QD10B8, QD10B9)
ACTDPRI Len : 2 ANY TIME BEFORE VIETNAM ERA (MARCH 1961)

	Freq	Pct
1 = Yes.....	133	0.23
2 = No (not entered).....	1966	3.39
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	3	0.01
98 = BLANK (NO ANSWER).....	4	0.01
99 = LEGITIMATE SKIP.....	55903	96.33

Did you ever serve on active duty in the United States Armed Forces or Reserve components in a military combat zone or an area where you drew imminent danger pay or hostile fire pay?

(QD10C)
COMBATPY Len : 2 EVER IN COMBAT ZONE ON ACTIVE DUTY

	Freq	Pct
1 = YES	851	1.47
2 = NO	1255	2.16
85 = BAD DATA Logically assigned	17	0.03
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	4	0.01
99 = LEGITIMATE SKIP.....	55903	96.33

This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?

(QD12)
HEALTH Len : 2 OVERALL HEALTH

	Freq	Pct
1 = Excellent.....	13030	22.45
2 = Very good.....	21931	37.79
3 = Good.....	16870	29.07
4 = Fair.....	5348	9.22
5 = Poor.....	836	1.44
94 = DON'T KNOW	11	0.02
97 = REFUSED	8	0.01

How many times in the past 12 months have you moved? Please include moves from one residence to another within the same city/town as well as those from one city/town to another.

(QD13)
MOV SIN PYR2 Len : 3 # TIMES MOVED PAST 12 MONTHS- RECODED

	Freq	Pct
0 = 0 time.....	42194	72.71
1 = One time	8897	15.33
2 = Two times	3109	5.36
3 = Three or more times.....	1293	2.23
985 = BAD DATA Logically assigned	43	0.07
994 = DON'T KNOW	431	0.74
997 = REFUSED	267	0.46
998 = BLANK (NO ANSWER).....	1800	3.10

People are different in their sexual attraction to other people. Which statement best describes your feelings?

(QD62)
SEXATRACT Len : 2 SEXUAL ATTRACTION

	Freq	Pct
1 = I am only attracted to opposite sex.....	35554	61.26
2 = I am mostly attracted to opposite sex	4346	7.49
3 = I am equally attracted to males and females.....	2374	4.09
4 = I am mostly attracted to same sex	715	1.23
5 = I am only attracted to same sex	1066	1.84
6 = I am not sure	1041	1.79
85 = BAD DATA Logically assigned	15	0.03
94 = DON'T KNOW	99	0.17
97 = REFUSED	294	0.51
98 = BLANK (NO ANSWER)	1787	3.08
99 = LEGITIMATE SKIP.....	10743	18.51

DEMOGRAPHICS

Which one of the following do you consider yourself to be?

<i>(QD63)</i> <u>SEXIDENT</u>	Len : 2 SEXUAL IDENTITY	Freq	Pct
1 = Heterosexual, that is, straight.....		39751	68.50
2 = Lesbian or Gay.....		1334	2.30
3 = Bisexual		3792	6.53
85 = BAD DATA Logically assigned		15	0.03
94 = DON'T KNOW		238	0.41
97 = REFUSED		370	0.64
98 = BLANK (NO ANSWER)		1791	3.09
99 = LEGITIMATE SKIP.....		10743	18.51

How well do you speak English?

<i>(QD55)</i> <u>SPEAKENGL</u>	Len : 2 HOW WELL SPEAK ENGLISH	Freq	Pct
1 = Very well		50596	87.18
2 = Well		4036	6.95
3 = Not well		1035	1.78
4 = Not at all		362	0.62
85 = BAD DATA Logically assigned		44	0.08
94 = DON'T KNOW		50	0.09
97 = REFUSED		77	0.13
98 = BLANK (NO ANSWER)		1834	3.16

Do you have difficulty seeing, even when wearing glasses or contact lenses?

<i>(SEE)</i> <u>LVLDIFSEE2</u>	Len : 2 LEVEL OF DIFFICULTY SEEING EVEN WITH GLASSES	Freq	Pct
1 = No Difficulty.....		41870	72.15
2 = Some difficulty		12448	21.45
3 = A lot of difficulty or cannot do at all.....		1580	2.72
85 = BAD DATA Logically assigned		44	0.08
94 = DON'T KNOW		139	0.24
97 = REFUSED		115	0.20
98 = BLANK (NO ANSWER)		1838	3.17

Do you have difficulty hearing, even when using hearing aids?

<i>(HEAR)</i> <u>LVLDIFHEAR2</u>	Len : 2 LEVEL OF DIFFICULTY HEARING EVEN WITH HEARING AIDS	Freq	Pct
1 = No Difficulty.....		48543	83.65
2 = Some difficulty		6415	11.05
3 = A lot of difficulty or cannot do at all.....		861	1.48
85 = BAD DATA Logically assigned		44	0.08
94 = DON'T KNOW		204	0.35
97 = REFUSED		125	0.22
98 = BLANK (NO ANSWER)		1842	3.17

Do you have difficulty walking or climbing steps?

<i>(WALK)</i> <u>LVLDIFWALK2</u>	Len : 2 LEVEL OF DIFFICULTY WALKING OR CLIMBING STEPS	Freq	Pct
1 = No Difficulty.....		48932	84.32
2 = Some difficulty		5672	9.77
3 = A lot of difficulty or cannot do at all.....		1348	2.32
85 = BAD DATA Logically assigned		44	0.08
94 = DON'T KNOW		90	0.16
97 = REFUSED		102	0.18
98 = BLANK (NO ANSWER)		1846	3.18

DEMOGRAPHICS

Do you have difficulty remembering or concentrating?

(HEAR, MEM)
LVLDIFMEM2 Len : 2 LEVEL OF DIFFICULTY REMEMBERING OR CONCENTRATING

	Freq	Pct
1 = No Difficulty.....	35610	61.36
2 = Some difficulty	16703	28.78
3 = A lot of difficulty or cannot do at all.....	3625	6.25
85 = BAD DATA Logically assigned	44	0.08
94 = DON'T KNOW	96	0.17
97 = REFUSED	109	0.19
98 = BLANK (NO ANSWER)	1847	3.18

Do you have difficulty with self-care, such as washing all over or dressing?

(CARE)
LVLDIFCARE2 Len : 2 LEVEL OF DIFFICULTY WITH SELF-CARE

	Freq	Pct
1 = No Difficulty.....	51181	88.19
2 = Some difficulty	3815	6.57
3 = A lot of difficulty or cannot do at all.....	935	1.61
85 = BAD DATA Logically assigned	44	0.08
94 = DON'T KNOW	102	0.18
97 = REFUSED	104	0.18
98 = BLANK (NO ANSWER)	1853	3.19

Using your usual language, do you have difficulty communicating, for example understanding or being understood?

(COMM)
LVLDIFCOMM2 Len : 2 LEVEL OF DIFFICULTY COMMUNICATING USING YOUR USUAL LANGUAGE

	Freq	Pct
1 = No Difficulty.....	49022	84.47
2 = Some difficulty	5933	10.22
3 = A lot of difficulty or cannot do at all.....	958	1.65
85 = BAD DATA Logically assigned	44	0.08
94 = DON'T KNOW	122	0.21
97 = REFUSED	95	0.16
98 = BLANK (NO ANSWER)	1860	3.21

IMPUTED DEMOGRAPHICS

IMPUTED DEMOGRAPHICS

Beginning with the 2002 survey, missing values for the gender question (QD01) were no longer permitted. Thus, no imputation was required. This variable has the prefix 'IR', which stands for 'Imputation Revised', only for the sake of consistency with data sets from earlier surveys.

<i>(QD01)</i> <u>IRSEX</u>	Len : 1 IMPUTATION REVISED GENDER	Freq	Pct
	1 = Male.....	26391	45.48
	2 = Female	31643	54.52

NOTE: The variable IRMARIT reflects the move of the marital status questions from self-administration in 2015 back to interviewer administration in 2016. This variable is considered to be comparable with corresponding variables in 2002 to 2014 (when this question also was interviewer-administered) but is not considered to be comparable with the marital status variable IRMARITSTAT in 2015. Analytic goals should be considered prior to pooling or comparing marital status data from 2015 with data from other years.

<u>IRMARIT</u>	Len : 2 IMPUTATION REVISED MARITAL STATUS	Freq	Pct
	1 = Married	19778	34.08
	2 = Widowed.....	1416	2.44
	3 = Divorced or Separated	4875	8.40
	4 = Never Been Married.....	26519	45.70
	99 = LEGITIMATE SKIP Respondent is <= 14 years old	5446	9.38

<u>IIMARIT</u>	Len : 1 IMPUTATION INDICATOR MARITAL STATUS	Freq	Pct
	1 = Marital status from questionnaire.....	52557	90.56
	3 = Marital status statistically imputed.....	31	0.05
	9 = LEGITIMATE SKIP Respondent is <= 14 years old	5446	9.38

<u>IREDUHIGHST2</u>	Len : 2 EDUCATION - RECODED IMPUTATION REVISED	Freq	Pct
	1 = Fifth grade or less grade completed	826	1.42
	2 = Sixth grade completed	1832	3.16
	3 = Seventh grade completed	1898	3.27
	4 = Eighth grade completed	2254	3.88
	5 = Ninth grade completed.....	2382	4.10
	6 = Tenth grade completed.....	2361	4.07
	7 = Eleventh or Twelfth grade completed, no diploma	3552	6.12
	8 = High school diploma/GED.....	11278	19.43
	9 = Some college credit, but no degree	9953	17.15
	10 = Associate's degree (for example, AA, AS).....	4316	7.44
	11 = College graduate or higher.....	17382	29.95

<u>IIEDUHIGHST2</u>	Len : 1 EDUCATION INDICATOR - IMPUTATION INDICATOR	Freq	Pct
	1 = Education from questionnaire	57947	99.85
	3 = Education statistically imputed	87	0.15

RECODED DEMOGRAPHICS

RECODED DEMOGRAPHICS

		Freq	Pct
<i>(AGE3)</i> <u>CATAGE</u>	Len : 1 RC-AGE CATEGORY		
1 = 12-17 Years Old.....		10743	18.51
2 = 18-25 Years Old.....		13979	24.09
3 = 26-34 Years Old.....		9588	16.52
4 = 35 or Older.....		23724	40.88
<i>(AGE3)</i> <u>CATAG2</u>	Len : 1 RC-AGE CATEGORY RECODE (3 LEVELS)		
1 = 12-17 Years Old.....		10743	18.51
2 = 18-25 Years Old.....		13979	24.09
3 = 26 or Older.....		33312	57.40
<i>(AGE3)</i> <u>CATAG3</u>	Len : 1 RC-AGE CATEGORY RECODE (5 LEVELS)		
1 = 12-17 Years Old.....		10743	18.51
2 = 18-25 Years Old.....		13979	24.09
3 = 26-34 Years Old.....		9588	16.52
4 = 35-49 Years Old.....		12561	21.64
5 = 50 or Older.....		11163	19.24
<i>(AGE3)</i> <u>CATAG6</u>	Len : 1 RC-AGE CATEGORY RECODE (6 LEVELS)		
1 = 12-17 Years Old.....		10743	18.51
2 = 18-25 Years Old.....		13979	24.09
3 = 26-34 Years Old.....		9588	16.52
4 = 35-49 Years Old.....		12561	21.64
5 = 50-64 Years Old.....		5725	9.86
6 = 65 or Older.....		5438	9.37
<i>(AGE3)</i> <u>CATAG7</u>	Len : 1 RC-AGE CATEGORY RECODE (7 LEVELS)		
1 = 12-13 Years Old.....		3654	6.30
2 = 14-15 Years Old.....		3579	6.17
3 = 16-17 Years Old.....		3510	6.05
4 = 18-20 Years Old.....		4908	8.46
5 = 21-25 Years Old.....		9071	15.63
6 = 26-34 Years Old.....		9588	16.52
7 = 35 or Older.....		23724	40.88
<i>(AGE3)</i> <u>PREGAGE2</u>	Len : 1 RC-PREGNANCY AGE CATEGORY RECODE		
1 = 15-17 Years Old.....		5297	9.13
2 = 18-25 Years Old.....		13979	24.09
3 = 26-44 Years Old.....		18437	31.77
4 = Otherwise (12-14, 45 or Older).....		20321	35.02
<i>(AGE3)</i> <u>DRVINAGE</u>	Len : 1 RC-DUI AGE CATEGORY RECODE		
1 = 16-25 Years Old.....		17489	30.14
2 = 26 or Older.....		33312	57.40
3 = Otherwise (12-15 Years Old).....		7233	12.46

RECODED DEMOGRAPHICS

<i>(AGE3)</i>	<u>DRVINDETAG</u>	Len : 1 RC-DUI DETAILED AGE CATEGORY RECODE	Freq	Pct
		1 = 16-20 Years Old.....	8418	14.51
		2 = 21-25 Years Old.....	9071	15.63
		3 = 26 or Older.....	33312	57.40
		4 = Otherwise (12-15 Years Old).....	7233	12.46
<i>(CATAGE, IRSEX)</i>	<u>SEXAGE</u>	Len : 1 RC-COMBINED GENDER BY AGE CATEGORY INDICATOR	Freq	Pct
		1 = Males Aged 12-17 (IRSEX=1 and CATAGE=1).....	5490	9.46
		2 = Females Aged 12-17 (IRSEX=2 and CATAGE=1)	5253	9.05
		3 = Males Aged 18-25 (IRSEX=1 and CATAGE=2).....	6403	11.03
		4 = Females Aged 18-25 (IRSEX=2 and CATAGE=2)	7576	13.05
		5 = Otherwise.....	33312	57.40
<u>NEWRACE2</u>		Len : 1 RC-RACE/HISPANICITY RECODE (7 LEVELS)	Freq	Pct
		1 = NonHisp White	34791	59.95
		2 = NonHisp Black/Afr Am	6743	11.62
		3 = NonHisp Native Am/AK Native	587	1.01
		4 = NonHisp Native HI/Other Pac Isl	226	0.39
		5 = NonHisp Asian	3234	5.57
		6 = NonHisp more than one race.....	2524	4.35
		7 = Hispanic.....	9929	17.11
<i>(IRSEX, NEWRACE2)</i>	<u>SEXRACE</u>	Len : 1 RC-COMBINED GENDER BY RACE INDICATOR	Freq	Pct
		1 = Male, White, Not Hisp (IRSEX=1 and NEWRACE2=1).....	15896	27.39
		2 = Female, White, Not Hisp (IRSEX=2 and NEWRACE2=1)	18895	32.56
		3 = Male, Black, Not Hisp (IRSEX=1 and NEWRACE2=2).....	2983	5.14
		4 = Female, Black, Not Hisp (IRSEX=2 and NEWRACE2=2).....	3760	6.48
		5 = Male, Hispanic (IRSEX=1 and NEWRACE2=7).....	4428	7.63
		6 = Female, Hispanic (IRSEX=2 and NEWRACE2=7).....	5501	9.48
		7 = Male or Female, Other Races (Otherwise).....	6571	11.32
<i>(IREDUHIGHST2)</i>	<u>EDUHIGHCAT</u>	Len : 1 RC-EDUCATION CATEGORIES	Freq	Pct
		1 = Less high school (IREDUHIGHST2=1-7 & AGE3=4-11).....	4473	7.71
		2 = High school grad (IREDUHIGHST2=8 & AGE3=4-11)	11189	19.28
		3 = Some coll/Assoc Dg (IREDUHIGHST2=9-10 & AGE3=4-11).....	14251	24.56
		4 = College graduate (IREDUHIGHST2=11 & AGE3=4-11).....	17378	29.94
		5 = 12 to 17 year olds (AGE3=1-3).....	10743	18.51
<i>(HEALTH)</i>	<u>HEALTH2</u>	Len : 1 RC-OVERALL HEALTH RECODE	Freq	Pct
		. = Unknown (Otherwise).....	19	0.03
		1 = Excellent (HEALTH=1)	13030	22.45
		2 = Very Good (HEALTH=2).....	21931	37.79
		3 = Good (HEALTH=3).....	16870	29.07
		4 = Fair/Poor (HEALTH=4,5).....	6184	10.66

EDUCATION

EDUCATION

NOTE: EDUSCHLGO takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. EDUSCHLGO was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.

The next questions are about school. By 'school', we mean elementary school, junior high or middle school, high school, or a college or university. Please include home schooling as well. Do you go to school?

If you are on a holiday or break from school, such as spring break or summer vacation, but plan to return when the break is over, please answer yes.

(QD17, QD17A, QD17B)

EDUSCHLGO Len : 2 NOW GOING TO SCHOOL

	Freq	Pct
1 = Yes.....	16860	29.05
2 = No.....	38576	66.47
11 = Yes (EDUSKPMON = 30).....	31	0.05
85 = BAD DATA Logically assigned.....	41	0.07
94 = DON'T KNOW	306	0.53
97 = REFUSED	302	0.52
98 = BLANK (NO ANSWER)	1918	3.30

What grade or year of school are you now attending?

What grade or year of school will you be attending when your vacation is over?

(QD18)

EDUSCHGRD2

Len : 2 WHAT GRADE IN NOW/WILL BE IN

	Freq	Pct
1 = 5th Grade or lower	43	0.07
2 = 6th Grade	500	0.86
3 = 7th Grade	1475	2.54
4 = 8th Grade	1648	2.84
5 = 9th Grade	1707	2.94
6 = 10th Grade	1628	2.81
7 = 11th Grade	1512	2.61
8 = 12th Grade	1530	2.64
9 = College or university/1st year	1538	2.65
10 = College or university/2nd Year, 3rd year	2260	3.89
11 = College or university/4th Year, 5th or higher year	2379	4.10
98 = BLANK (NO ANSWER)	3238	5.58
99 = LEGITIMATE SKIP.....	38576	66.47

Are you a full-time student or a part-time student?

Will you be a full-time student or a part-time student?

(QD19)

EDUFULPAR

Len : 2 FULL OR PART TIME

	Freq	Pct
1 = FULL-TIME	13943	24.03
2 = PART-TIME.....	2356	4.06
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	302	0.52
97 = REFUSED	266	0.46
98 = BLANK (NO ANSWER)	2587	4.46
99 = LEGITIMATE SKIP.....	38576	66.47

EDUCATION

During the past 30 days, that is, from [DATEFILL] up to and including today, how many whole days of school did you miss because you were sick or injured? Please do not include days you missed because you stayed home with a sick child or other family member.

(QD20)
EDUSCKMON

Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SICK

	Freq	Pct
RANGE = 1 - 30.....	3445	5.94
0 = None	8289	14.28
85 = BAD DATA Logically assigned	4	0.01
90 = SCHOOL NOT IN SESSION	1828	3.15
94 = DON'T KNOW	342	0.59
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	3160	5.45
99 = LEGITIMATE SKIP.....	40932	70.53

What is your best estimate of the number of whole days of school you missed because you were sick or injured during the past 30 days?

(QD20DKRE)
EDUSCKEST

Len : 2 BEST ESTIMATE # DAYS MISSED BECAUSE SICK OR INURED

	Freq	Pct
1 = 0 days.....	89	0.15
2 = 1 day	24	0.04
3 = 2 days.....	27	0.05
4 = 3 to 5 days.....	52	0.09
5 = 6 or more days	32	0.06
6 = School was not in session during the past 30 days.....	26	0.04
94 = DON'T KNOW	111	0.19
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	3164	5.45
99 = LEGITIMATE SKIP.....	54494	93.90

NOTE: EDUSCKCOM is a recoded variable that incorporates data from EDUSCKMON (if respondents reported a valid number of days that they missed school in QD20 or they reported that school was not in session) or EDUSCKEST (if respondents were asked question QD20DKRE because they answered QD20 as "don't know" or "refused"). If respondents reported in QD20DKRE that they missed school on "3 to 5 days" or on "6 or more days," then EDUSCKCOM was assigned the value at the midpoint in the range (i.e., 4 days or 18 days, respectively).

(QD20, QD20DKRE)
EDUSCKCOM

Len : 2 RC - HOW MANY DAYS MISSED SCHOOL FROM SICK (COMBINED)

	Freq	Pct
RANGE = 0 - 30.....	11958	20.61
90 = SCHOOL NOT IN SESSION	1854	3.19
94 = DON'T KNOW	111	0.19
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	3164	5.45
99 = LEGITIMATE SKIP.....	40932	70.53

During the past 30 days, that is since [DATEFILL], how many whole days did you miss because you skipped or "cut" or just didn't want to be there? Please do not include days you missed because you stayed home with a sick child or other family member.

(QD21)
EDUSKPMON

Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SKIPPING

	Freq	Pct
RANGE = 1 - 30.....	2319	4.00
0 = None	9510	16.39
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	219	0.38
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	3161	5.45
99 = LEGITIMATE SKIP.....	42786	73.73

EDUCATION

What is your best estimate of the number of whole days of school you missed because you skipped or 'cut' or just didn't want to be there during the past 30 days?

<i>(QD21DKRE)</i>	Len : 2 BEST ESTIMATE # DAYS MISSED BECAUSE SKIPPED OR CUT	Freq	Pct
1 = 0 days.....		82	0.14
2 = 1 day		12	0.02
3 = 2 days.....		13	0.02
4 = 3 to 5 days.....		13	0.02
5 = 6 or more days		14	0.02
94 = DON'T KNOW		97	0.17
97 = REFUSED		22	0.04
98 = BLANK (NO ANSWER)		3166	5.46
99 = LEGITIMATE SKIP.....		54615	94.11

NOTE: EDUSKPCOM is a recoded variable that incorporates data from EDUSKPMON (if respondents reported a valid number of days that they missed school in QD21) or EDUSKPEST (if respondents were asked question QD21DKRE because they answered QD21 as "don't know" or "refused"). If respondents reported in QD21DKRE that they missed school on "3 to 5 days" or on "6 or more days," then EDUSKPCOM was assigned the value at the midpoint in the range (i.e., 4 days or 18 days, respectively).

<i>(QD21, QD21DKRE)</i>	Len : 2 RC - HOW MANY DAYS MISSED SCHOOL FROM SKIPPING (COMBINED)	Freq	Pct
RANGE = 0 - 30.....		11963	20.61
94 = DON'T KNOW		97	0.17
97 = REFUSED		22	0.04
98 = BLANK (NO ANSWER)		3166	5.46
99 = LEGITIMATE SKIP.....		42786	73.73

For this question, please consider only the family members listed below, whether or not they live with you.

- Your spouse
- Your unmarried partner
- Your mother
- Your father
- Your son or sons
- Your daughter or daughters
- Your brother or brothers
- Your sister or sisters

Please include only these family members, whether they are biological, step or adoptive. Are any of these family members currently serving in the United States military? Press F2 to see and hear a definition of "military."

<i>(QD10D)</i>	MILTFAMILY	Len : 2 ANY IMMEDIATE FAMILY CURRENTLY IN US MILITARY	Freq	Pct
1 = Yes.....		4478	7.72	
2 = No.....		50974	87.83	
85 = BAD DATA Logically assigned		93	0.16	
94 = DON'T KNOW		312	0.54	
97 = REFUSED		254	0.44	
98 = BLANK (NO ANSWER)		1923	3.31	

<i>(QD10E1, QD10E2)</i>	MILTSPPAR	Len : 2 SPOUSE OR PARTNER IN MILITARY	Freq	Pct
1 = Yes.....		1033	1.78	
2 = No.....		2584	4.45	
85 = BAD DATA Logically assigned		56	0.10	
94 = DON'T KNOW		513	0.88	
97 = REFUSED		301	0.52	
98 = BLANK (NO ANSWER)		2573	4.43	
99 = LEGITIMATE SKIP.....		50974	87.83	

EDUCATION

*(QD10E3, QD10E4)*MILTPARNT

Len : 2 FATHER OR MOTHER IN MILITARY

	Freq	Pct
1 = Yes.....	746	1.29
2 = No.....	2865	4.94
85 = BAD DATA Logically assigned.....	75	0.13
94 = DON'T KNOW	513	0.88
97 = REFUSED	301	0.52
98 = BLANK (NO ANSWER)	2560	4.41
99 = LEGITIMATE SKIP.....	50974	87.83

*(QD10E5, QD10E6)*MILTCHLDR

Len : 2 SON OR DAUGHTER IN MILITARY

	Freq	Pct
1 = Yes.....	595	1.03
2 = No.....	3001	5.17
85 = BAD DATA Logically assigned.....	96	0.17
94 = DON'T KNOW	513	0.88
97 = REFUSED	301	0.52
98 = BLANK (NO ANSWER)	2554	4.40
99 = LEGITIMATE SKIP.....	50974	87.83

*(QD10E7, QD10E8)*MILTSIBLN

Len : 2 SISTER OR BROTHER IN MILITARY

	Freq	Pct
1 = Yes.....	1506	2.60
2 = No.....	2111	3.64
85 = BAD DATA Logically assigned.....	49	0.08
94 = DON'T KNOW	513	0.88
97 = REFUSED	301	0.52
98 = BLANK (NO ANSWER)	2580	4.45
99 = LEGITIMATE SKIP.....	50974	87.83

RECODED EDUCATION

RECODED EDUCATION

(AGE3, EDUFULPAR, EDUSCHGRD2, EDUSCHLGO)

ENRCOLLFT2 Len : 1 RC-COLLEGE ENROLLMENT-FULL TIME

1 = Full Time College Student Aged 18-22
2 = Other Persons Aged 18-22
3 = Unknwn Enrollment or not College Aged.....

Freq	Pct
2910	5.01
5145	8.87
49979	86.12

(AGE3, EDUFULPAR, EDUSCHGRD2, EDUSCHLGO)

ENRCOLLST2 Len : 1 RC-COLLEGE ENROLLMENT

1 = Full Time College Student Aged 18-22
2 = Part Time College Student Aged 18-22
3 = Not Enrolled Aged 18-22.....
4 = Other Persons Aged 18-22
5 = Unknwn Enrollment or not College Aged.....

Freq	Pct
2910	5.01
598	1.03
3763	6.48
784	1.35
49979	86.12

EMPLOYMENT

EMPLOYMENT

(WRK35WKUS, WRKDPSTWK, WRKDPSTYR, WRKEFFORT, WRKRSNJOB, WRKRSNNOT)
WRKSTATWK2 Len : 2 WORK SITUATION IN PAST WEEK - RECODE

	Freq	Pct
1 = Worked at full-time job, past week	20691	35.65
2 = Worked at part time job, past week.....	6689	11.53
3 = Has job or volunteer worker, did not work past wk	2926	5.04
4 = Unemployed/on layoff, looking for work.....	2559	4.41
5 = Disabled.....	1738	2.99
6 = Keeping house full-time.....	2211	3.81
7 = In school/training.....	3385	5.83
8 = Retired	4467	7.70
9 = Does not have a job, some other reason	5555	9.57
98 = BLANK (NO ANSWER)	2367	4.08
99 = LEGITIMATE SKIP.....	5446	9.38

The next questions are about working. Did you work at a job or business at any time last week? By last week, I mean the week beginning on Sunday, [STARTDATE] and ending on Saturday, [ENDDATE].

(QD26)
WRKDPSTWK Len : 2 WORK AT JOB LAST WEEK

	Freq	Pct
1 = Yes.....	27432	47.27
2 = No.....	22794	39.28
4 = No LOGICALLY ASSIGNED	42	0.07
85 = BAD DATA Logically assigned	24	0.04
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	105	0.18
97 = REFUSED	219	0.38
98 = BLANK (NO ANSWER)	1972	3.40
99 = LEGITIMATE SKIP.....	5445	9.38

Even though you did not work at any time last week, did you have a job or business?

(QD27)
WRKHADJOB Len : 2 DID YOU HAVE A JOB OR BUSINESS

	Freq	Pct
1 = Yes.....	2973	5.12
2 = No.....	19755	34.04
4 = No LOGICALLY ASSIGNED	42	0.07
85 = BAD DATA Logically assigned	18	0.03
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	29	0.05
97 = REFUSED	251	0.43
98 = BLANK (NO ANSWER)	2088	3.60
99 = LEGITIMATE SKIP.....	32877	56.65

How many hours did you work last week at all jobs or businesses?

(QD28)
WRKDHRSWK2 Len : 3 HOW MANY HOURS WORKED LAST WEEK

	Freq	Pct
RANGE = 1 - 60	26538	45.73
61 = 61 or more.....	710	1.22
985 = BAD DATA Logically assigned	4	0.01
994 = DON'T KNOW	133	0.23
997 = REFUSED	266	0.46
998 = BLANK (NO ANSWER).....	2101	3.62
999 = LEGITIMATE SKIP.....	28282	48.73

EMPLOYMENT

Do you usually work 35 hours or more per week at all jobs or businesses?

<i>(QD29)</i> <u>WRK35WKUS</u>	Len : 2 USUALLY WORK 35 OR MORE HRS PER WEEK	Freq	Pct
1 = Yes.....		22210	38.27
2 = No.....		8132	14.01
85 = BAD DATA Logically assigned		4	0.01
94 = DON'T KNOW		36	0.06
97 = REFUSED		272	0.47
98 = BLANK (NO ANSWER)		2137	3.68
99 = LEGITIMATE SKIP.....		25243	43.50

Which one of these reasons best describes why you did not work last week?

<i>(QD30)</i> <u>WRKRSNNOT</u>	Len : 3 REASON FOR NOT WORKING AT JOB - PAST WK	Freq	Pct
1 = On vacation/sick/furlough/strike/oth temp absence.....		912	1.57
2 = On layoff and not looking for work		82	0.14
3 = On layoff and looking for work		98	0.17
4 = Waiting to report to a new job		157	0.27
5 = Self-employed and did not have business last week.....		404	0.70
6 = Going to school/training		361	0.62
7 = Some other reason.....		918	1.58
994 = DON'T KNOW		26	0.04
997 = REFUSED		264	0.45
998 = BLANK (NO ANSWER).....		2118	3.65
999 = LEGITIMATE SKIP.....		52694	90.80

Which one of these reasons best describes why you did not have a job or business last week?

<i>(QD31)</i> <u>WRKRSNJOB</u>	Len : 3 REASON FOR NOT HAVING A JOB - PAST WK	Freq	Pct
1 = Looking for work.....		3392	5.84
2 = On layoff and not looking for work		566	0.98
3 = Keeping house or caring for children full time.....		2213	3.81
4 = Going to school/training		3385	5.83
5 = Retired		4468	7.70
6 = Disabled for work		1738	2.99
7 = Didn't want a job.....		1166	2.01
8 = Some other reason.....		2659	4.58
985 = BAD DATA Logically assigned		18	0.03
989 = LEGITIMATE SKIP Logically assigned		1	0.00
994 = DON'T KNOW		100	0.17
997 = REFUSED		343	0.59
998 = BLANK (NO ANSWER).....		2135	3.68
999 = LEGITIMATE SKIP.....		35850	61.77

During the past 30 days, did you make specific efforts to find work? Include any contacts you made with anyone about a job, sending out resumes or applications, placing or answering ads. Do not include only reading job ads.

<i>(QD32)</i> <u>WRKEFFORT</u>	Len : 2 PAST 30 DAYS, MAKE EFFORT TO FIND WORK	Freq	Pct
1 = Yes.....		2464	4.25
2 = No.....		918	1.58
94 = DON'T KNOW		6	0.01
97 = REFUSED		348	0.60
98 = BLANK (NO ANSWER)		2252	3.88
99 = LEGITIMATE SKIP.....		52046	89.68

EMPLOYMENT

Now, think about the past 12 months, from [DATEFILL] through today. Did you work at a job or business at any time during the past 12 months?

(QD33)
WRKDPSTYR Len : 2 PAST 12 MOS, WORKED AT ANY JOB

	Freq	Pct
1 = Yes.....	4784	8.24
2 = No.....	15029	25.90
85 = BAD DATA Logically assigned.....	20	0.03
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	123	0.21
97 = REFUSED.....	238	0.41
98 = BLANK (NO ANSWER).....	1989	3.43
99 = LEGITIMATE SKIP.....	35850	61.77

Have you been self-employed at any time during the past 12 months?

(QD34)
WRKSELFEM Len : 2 PAST 12 MOS, SELF EMPLOYED

	Freq	Pct
1 = Yes.....	5023	8.66
2 = No.....	29682	51.15
5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	404	0.70
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW.....	44	0.08
97 = REFUSED.....	266	0.46
98 = BLANK (NO ANSWER).....	2136	3.68
99 = LEGITIMATE SKIP.....	20475	35.28

How many different employers, including yourself, have you had in the past 12 months?

(QD35, QD36)
WRKNUMJOB2 Len : 2 PAST 12 MOS, HOW MANY EMPLOYERS

	Freq	Pct
1 = One.....	24646	42.47
2 = Two.....	7256	12.50
3 = Three.....	1922	3.31
4 = Four or more.....	974	1.68
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW.....	244	0.42
97 = REFUSED.....	373	0.64
98 = BLANK (NO ANSWER).....	2140	3.69
99 = LEGITIMATE SKIP.....	20475	35.28

During the past 12 months, was there ever a time when you did not have at least one job or business?

(QD37)
WRKNJBPYR Len : 2 PAST 12 MOS, TIME WITH NO JOB

	Freq	Pct
1 = Yes.....	6028	10.39
2 = No.....	24291	41.86
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW.....	41	0.07
97 = REFUSED.....	284	0.49
98 = BLANK (NO ANSWER).....	2128	3.67
99 = LEGITIMATE SKIP.....	25258	43.52

In how many weeks during the past 12 months did you not have at least one job or business?

(QD38)
WRKNJBWKS Len : 2 HOW MANY WKS W/O JOB IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 52.....	5668	9.77
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW.....	280	0.48
97 = REFUSED.....	318	0.55
98 = BLANK (NO ANSWER).....	2172	3.74
99 = LEGITIMATE SKIP.....	49549	85.38

EMPLOYMENT

In what year did you last work at a job or business?

(QD39A)

WRKLASTYR2

Len : 4 WHAT YEAR LAST WORKED

	Freq	Pct
RANGE = 1983 - 2021	14298	24.64
1982 = 1982 or earlier.....	120	0.21
9985 = BAD DATA Logically assigned	40	0.07
9989 = LEGITIMATE SKIP Logically assigned	1	0.00
9991 = NEVER WORKED AT A JOB OR BUSINESS.....	4600	7.93
9994 = DON'T KNOW	499	0.86
9997 = REFUSED	258	0.44
9998 = BLANK (NO ANSWER).....	2368	4.08
9999 = LEGITIMATE SKIP.....	35850	61.77

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?

(QD40)

WRKSICKMO

Len : 2 # DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	7003	12.07
0 = None	23033	39.69
85 = BAD DATA Logically assigned	61	0.11
94 = DON'T KNOW	213	0.37
97 = REFUSED	324	0.56
98 = BLANK (NO ANSWER)	2157	3.72
99 = LEGITIMATE SKIP.....	25243	43.50

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there? Please do not include days you missed because of a planned vacation or days that you stayed home with a sick child or other family member.

(QD41)

WRKSKIPMO

Len : 2 # DAYS SKIPPED WORK PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	3835	6.61
0 = None	26239	45.21
85 = BAD DATA Logically assigned	20	0.03
94 = DON'T KNOW	195	0.34
97 = REFUSED	341	0.59
98 = BLANK (NO ANSWER)	2161	3.72
99 = LEGITIMATE SKIP.....	25243	43.50

At your workplace, is there a written policy about employee use of alcohol or drugs?

(QD43)

WRKDRGPOL

Len : 2 WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE

	Freq	Pct
1 = Yes.....	22762	39.22
2 = No.....	6731	11.60
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	828	1.43
97 = REFUSED	304	0.52
98 = BLANK (NO ANSWER)	2162	3.73
99 = LEGITIMATE SKIP.....	25243	43.50

EMPLOYMENT

Does this policy cover only alcohol, only drugs, or both alcohol and drugs?

(QD44)

WRKDRLGALB

Len : 2 DID POLICY COVER ALCOHOL, DRUGS, OR BOTH

	Freq	Pct
1 = Only alcohol	196	0.34
2 = Only drugs	1295	2.23
3 = Both alcohol and drugs	21020	36.22
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	240	0.41
97 = REFUSED	312	0.54
98 = BLANK (NO ANSWER)	2993	5.16
99 = LEGITIMATE SKIP.....	31974	55.10

At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?

(QD45)

WRKDRGEDU

Len : 2 AT WORK, GIVEN EDUCATION ON DRUGS/ALC

	Freq	Pct
1 = Yes.....	10345	17.83
2 = No.....	19638	33.84
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	331	0.57
97 = REFUSED	308	0.53
98 = BLANK (NO ANSWER)	2165	3.73
99 = LEGITIMATE SKIP.....	25243	43.50

Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?

(QD46)

WRKDRGHLP

Len : 2 ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK

	Freq	Pct
1 = Yes.....	15285	26.34
2 = No.....	13551	23.35
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	1460	2.52
97 = REFUSED	311	0.54
98 = BLANK (NO ANSWER)	2180	3.76
99 = LEGITIMATE SKIP.....	25243	43.50

Does your workplace ever test its employees for alcohol use?

(QD47)

WRKTSTALC

Len : 2 WORKPLACE TESTS FOR ALCOHOL USAGE

	Freq	Pct
1 = Yes.....	6098	10.51
2 = No.....	23305	40.16
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	899	1.55
97 = REFUSED	302	0.52
98 = BLANK (NO ANSWER)	2183	3.76
99 = LEGITIMATE SKIP.....	25243	43.50

Does your workplace ever test its employees for drug use?

(QD48)

WRKTSTDRC

Len : 2 WORKPLACE TESTS FOR DRUG USAGE

	Freq	Pct
1 = Yes.....	12085	20.82
2 = No.....	17446	30.06
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	766	1.32
97 = REFUSED	305	0.53
98 = BLANK (NO ANSWER)	2185	3.77
99 = LEGITIMATE SKIP.....	25243	43.50

EMPLOYMENT

Does your workplace test its employees for drug or alcohol use as part of the hiring process?

<i>(QD49)</i> <u>WRKTSTHIR</u>	Len : 2 TEST FOR DRUG/ALC AS HIRING PROCESS	Freq	Pct
1 = Yes.....		10356	17.84
2 = No.....		1786	3.08
85 = BAD DATA Logically assigned		4	0.01
94 = DON'T KNOW		58	0.10
97 = REFUSED		298	0.51
98 = BLANK (NO ANSWER)		2981	5.14
99 = LEGITIMATE SKIP.....		42551	73.32

Does your workplace test its employees for drug or alcohol use on a random basis?

<i>(QD50)</i> <u>WRKTSTRDM</u>	Len : 2 TEST ON RANDOM BASIS	Freq	Pct
1 = Yes.....		6586	11.35
2 = No.....		5351	9.22
85 = BAD DATA Logically assigned		4	0.01
94 = DON'T KNOW		260	0.45
97 = REFUSED		299	0.52
98 = BLANK (NO ANSWER)		2983	5.14
99 = LEGITIMATE SKIP.....		42551	73.32

According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?

<i>(QD51)</i> <u>WRKTST1ST</u>	Len : 2 WHAT HAPPENS FIRST TIME CAUGHT	Freq	Pct
1 = Handled on indiv basis/policy does not spec what		4514	7.78
2 = Employee is fired.....		3984	6.86
3 = Employee is referred for treatment or counseling		2073	3.57
4 = Nothing happens		70	0.12
5 = Something else happens.....		534	0.92
85 = BAD DATA Logically assigned		4	0.01
94 = DON'T KNOW		999	1.72
97 = REFUSED		316	0.54
98 = BLANK (NO ANSWER)		2989	5.15
99 = LEGITIMATE SKIP.....		42551	73.32

Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process?

<i>(QD52)</i> <u>WRKOKPREH</u>	Len : 2 WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE	Freq	Pct
1 = More likely		7321	12.62
2 = Less likely.....		4061	7.00
3 = Would it make no difference to you.....		18760	32.33
85 = BAD DATA Logically assigned		4	0.01
94 = DON'T KNOW		147	0.25
97 = REFUSED		302	0.52
98 = BLANK (NO ANSWER)		2196	3.78
99 = LEGITIMATE SKIP.....		25243	43.50

Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis?

<i>(QD53)</i> <u>WRKOKRAND</u>	Len : 2 WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY	Freq	Pct
1 = More likely		5881	10.13
2 = Less likely.....		6405	11.04
3 = Would make no difference.....		17852	30.76
85 = BAD DATA Logically assigned		4	0.01
94 = DON'T KNOW		140	0.24
97 = REFUSED		306	0.53
98 = BLANK (NO ANSWER)		2203	3.80
99 = LEGITIMATE SKIP.....		25243	43.50

IMPUTED EMPLOYMENT

IMPUTED EMPLOYMENT

The following variable, IRWRKSTAT, replaces EMPSTATY that was created from 2001 to 2014. In 2015 employment questions moved from being interviewer-administered to being self-administered through ACASI. The name changes for employment variables reflect the break in comparability.

<i>(WRKSTATWK2)</i>			Freq	Pct
<u>IRWRKSTAT</u>	Len : 2	EMPLOYMENT STATUS - IMPUTATION REVISED		
1 = Employed full time			23222	40.01
2 = Employed part time.....			8419	14.51
3 = Unemployed			3407	5.87
4 = Other (incl. not in labor force)			17540	30.22
99 = 12-14 year olds			5446	9.38

<i>(WRKSTATWK2)</i>			Freq	Pct
<u>IWRKSTAT</u>	Len : 1	EMPLOYMENT STATUS - IMPUTATION INDICATOR		
1 = Employment status from questionnaire.....			50159	86.43
3 = Employment statistically imputed.....			2429	4.19
9 = 12-14 years old			5446	9.38

<i>(WRKSTATWK2)</i>			Freq	Pct
<u>I2WRKSTAT</u>	Len : 1	EMPLOYMENT STATUS - DETAILED IMPUTATION INDICATOR		
1 = Employment status from questionnaire.....			50159	86.43
3 = Emp. statistically imputed (unrestricted).....			2367	4.08
4 = Emp. stat. imp. (restr. to full-time or part-time).....			62	0.11
9 = 12-14 years old			5446	9.38

IRWRKSTAT18 is a recode of IRWRKSTAT and AGE3. Respondents aged 12-17 are assigned a skip code, regardless of their answers to the employment status questions.

<i>(AGE3, IRWRKSTAT)</i>			Freq	Pct
<u>IRWRKSTAT18</u>	Len : 2	EMPLOYMENT STATUS 18+ - IMPUTATION REVISED		
1 = Employed full time			22947	39.54
2 = Employed part time.....			7001	12.06
3 = Unemployed			2896	4.99
4 = Other (incl. not in labor force)			14447	24.89
99 = 12-17 year olds			10743	18.51

<i>(AGE3, IWRKSTAT)</i>			Freq	Pct
<u>IWRKSTAT18</u>	Len : 1	EMPLOYMENT STATUS 18+ - IMPUTATION INDICATOR		
1 = Employment status from questionnaire.....			44975	77.50
3 = Employment statistically imputed.....			2316	3.99
9 = 12-17 years old			10743	18.51

<i>(AGE3, II2WRKSTAT)</i>			Freq	Pct
<u>II2WRKST18</u>	Len : 1	EMPLOYMENT STATUS 18+ - DETAILED IMPUTATION INDICATOR		
1 = Employment status from questionnaire.....			44975	77.50
3 = Emp. statistically imputed (unrestricted).....			2265	3.90
4 = Emp. stat. imp. (restr. to full-time or part-time).....			51	0.09
9 = 12-17 years old			10743	18.51

HOUSEHOLD COMPOSITION (ROSTER)

HOUSEHOLD COMPOSITION (ROSTER)

NOTE: Starting from 2003, the following variable, EDFAM18, replaced the variable IRFAM18 (the imputation-revised indicator for having family members in the household aged 18 or older). Prior to 2003, the edited proxy variables were created using IRFAM18. However in 2003, the procedures for creating the edited proxy variables changed due to changes in the proxy questions in the questionnaire. The new procedures required an edited form of this indicator.

EDFAM18 Len : 2 RC-EDITED INDICATOR: FAMILY IN HH 18 OR OLDER

	Freq	Pct
0 = R has other family members >=18	45177	77.85
1 = R does not have other family members >=18.....	10514	18.12
98 = UNKNOWN	2343	4.04

(FRELAT10, FRELAT11, FRELAT12, FRELAT13, FRELAT14, FRELAT15, FRELAT16, FRELAT17, FRELAT18, FRELAT19, FRELAT20, FRELAT21, FRELAT22, FRELAT23, FRELAT24, FRELAT25, FRELATO2, FRELATO3, FRELATO4, FRELATO5, FRELATO6, FRELATO7, FRELATO8, FRELATO9, FRELATON)

IMOTHER Len : 1 RC-MOTHER IN HH

	Freq	Pct
1 = R is 12-17, mother in hh	9770	16.83
2 = R is 12-17, no mother in hh.....	901	1.55
3 = R is 12-17, don't know whether mother is in hh.....	72	0.12
4 = R is 18 or older	47291	81.49

(MRELAT10, MRELAT11, MRELAT12, MRELAT13, MRELAT14, MRELAT15, MRELAT16, MRELAT17, MRELAT18, MRELAT19, MRELAT20, MRELAT21, MRELAT22, MRELAT23, MRELAT24, MRELAT25, MRELATO2, MRELATO3, MRELATO4, MRELATO5, MRELATO6, MRELATO7, MRELATO8, MRELATO9, MRELATON)

IFATHER Len : 1 RC-FATHER IN HH

	Freq	Pct
1 = R is 12-17, father in hh	7837	13.50
2 = R is 12-17, no father in hh	2826	4.87
3 = R is 12-17, don't know whether father is in hh.....	80	0.14
4 = R is 18 or older	47291	81.49

NRCH17_2 Len : 1 RECODED # R's CHILDREN < 18 IN HOUSEHOLD

	Freq	Pct
RANGE = 0 - 2	52542	90.54
. = Missing	2651	4.57
3 = 3 or more.....	2841	4.90

IRHHSIZ2 Len : 1 RECODE - IMPUTATION-REVISED # PERSONS IN HH

	Freq	Pct
1 = One person in household.....	6828	11.77
2 = Two people in household.....	14961	25.78
3 = Three people in household.....	12000	20.68
4 = Four people in household.....	12596	21.70
5 = Five people in household	6643	11.45
6 = 6 or more people in household	5006	8.63

IHHHSIZ2 Len : 1 IRHHSIZ2-IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55652	95.90
3 = Statistically imputed data.....	2382	4.10

IRKI17_2 Len : 1 RECODE - IMPUTATION-REVISED # KIDS AGED<18 IN HH

	Freq	Pct
1 = No children under 18	29737	51.24
2 = One child under 18.....	11004	18.96
3 = Two children under 18.....	10056	17.33
4 = Three or more children under 18.....	7237	12.47

IIKI17_2 Len : 1 IRKI17_2-IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55365	95.40
2 = Logically assigned data.....	374	0.64
3 = Statistically imputed data.....	2295	3.95

HOUSEHOLD COMPOSITION (ROSTER)

	Len : 1 REC - IMPUTATION-REVISED # OF PER IN HH AGED>=65	Freq	Pct
1 = No people 65 or older in household	48299	83.23	
2 = One person 65 or older in household	5968	10.28	
3 = Two or more people 65 or older in household.....	3767	6.49	
<u>IHH65_2</u>	Len : 1 IRHH65_2-IMPUTATION INDICATOR	Freq	Pct
1 = Questionnaire data	55367	95.40	
2 = Logically assigned data.....	592	1.02	
3 = Statistically imputed data.....	2075	3.58	

COVID-19

Since the beginning of the COVID-19 pandemic, how much, if at all, has COVID-19 negatively affected your emotional or mental health?

(COV1) <u>CONEGMH</u>	Len : 2 HOW COVID-19 NEGATIVELY AFFECTED MENTAL HEALTH	Freq	Pct
1 = Not at all	17698	30.50	
2 = A little.....	16373	28.21	
3 = Some.....	11571	19.94	
4 = Quite a bit	6397	11.02	
5 = A lot.....	3465	5.97	
85 = BAD DATA Logically assigned	27	0.05	
94 = DON'T KNOW	235	0.40	
97 = REFUSED	207	0.36	
98 = BLANK (NO ANSWER)	2061	3.55	

How much, if at all, has the COVID-19 pandemic affected the amount of alcohol you drink?

(COV2) <u>COALCUSE</u>	Len : 2 HOW COVID-19 AFFECTED AMOUNT OF ALCOHOL DRANK	Freq	Pct
1 = I drink much less than before the COVID-19 pandemic	6406	11.04	
2 = I drink a little less than before the COVID-19 pandemic	2769	4.77	
3 = I drink about the same as before the COVID-19 pandemic.....	18179	31.32	
4 = I drink a little more than before the COVID-19 pandemic.....	3899	6.72	
5 = I drink much more than before the COVID-19 pandemic	1090	1.88	
85 = BAD DATA Logically assigned	9	0.02	
91 = NEVER USED ALCOHOL.....	16302	28.09	
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6899	11.89	
94 = DON'T KNOW	518	0.89	
97 = REFUSED	380	0.65	
98 = BLANK (NO ANSWER)	1583	2.73	

How much, if at all, has the COVID-19 pandemic affected your drug use other than alcohol?

By drugs we mean cannabis, which includes marijuana and hashish, cocaine, methamphetamine, heroin, fentanyl, hallucinogens, such as LSD, and prescription medications including benzodiazepines such as Xanax and Ativan, stimulants such as Ritalin and Adderall, and opioids such as hydrocodone or oxycodone.

(COV3) <u>CODRGUSE</u>	Len : 2 HOW COVID-19 AFFECTED DRUG USE	Freq	Pct
1 = I use much less than before the COVID-19 pandemic	6338	10.92	
2 = I use a little less than before the COVID-19 pandemic	905	1.56	
3 = I use about the same as before the COVID-19 pandemic.....	11426	19.69	
4 = I use a little more than before the COVID-19 pandemic.....	1707	2.94	
5 = I use much more than before the COVID-19 pandemic	857	1.48	
83 = DID NOT USE DRUGS IN THE PAST 12 MOS Logically assigned.....	197	0.34	
85 = BAD DATA Logically assigned	24	0.04	
91 = NEVER USED DRUGS	17957	30.94	
93 = DID NOT USE DRUGS IN THE PAST 12 MOS	14140	24.37	
94 = DON'T KNOW	1498	2.58	
97 = REFUSED	1090	1.88	
98 = BLANK (NO ANSWER)	1895	3.27	

How often have you had serious financial worries because of the COVID-19 pandemic?

(COV4) <u>COFINANC</u>	Len : 2 HOW OFTEN HAD SERIOUS FINANCIAL WORRIES DUE TO COVID-19	Freq	Pct
1 = All the time	4692	8.08	
2 = Nearly all the time	3269	5.63	
3 = Some of the time.....	12471	21.49	
4 = Rarely	12284	21.17	
5 = Never	22513	38.79	
85 = BAD DATA Logically assigned	27	0.05	
94 = DON'T KNOW	423	0.73	
97 = REFUSED	262	0.45	
98 = BLANK (NO ANSWER)	2093	3.61	

COVID-19

Because of the COVID-19 pandemic in the U.S., did you experience any of the following in your access to mental health treatment?

Appointments moved from in-person to telehealth?

(COV6A)

COMHTELE

Len : 2 MENTAL HLTH APPTS MOVED TO TELEHEALTH DUE TO COVID-19

	Freq	Pct
1 = Yes.....	11629	20.04
2 = No.....	18761	32.33
3 = Does not apply.....	24724	42.60
85 = BAD DATA Logically assigned.....	26	0.04
94 = DON'T KNOW.....	506	0.87
97 = REFUSED.....	275	0.47
98 = BLANK (NO ANSWER).....	2113	3.64

Delays or cancellations in appointments?

(COV6B)

COMHAPTDL

Len : 2 DELAYS/CANCELLATIONS IN MENTAL HLTH APPTS DUE TO COVID-19

	Freq	Pct
1 = Yes.....	10394	17.91
2 = No.....	21288	36.68
3 = Does not apply.....	23485	40.47
85 = BAD DATA Logically assigned.....	26	0.04
94 = DON'T KNOW.....	471	0.81
97 = REFUSED.....	256	0.44
98 = BLANK (NO ANSWER).....	2114	3.64

Delays in getting prescriptions?

(COV6C)

COMHRXDL

Len : 2 DELAYS GETTING MENTAL HLTH PRESCRIPTIONS DUE TO COVID-19

	Freq	Pct
1 = Yes.....	3818	6.58
2 = No.....	26217	45.18
3 = Does not apply.....	25133	43.31
85 = BAD DATA Logically assigned.....	26	0.04
94 = DON'T KNOW.....	471	0.81
97 = REFUSED.....	255	0.44
98 = BLANK (NO ANSWER).....	2114	3.64

Unable to access needed care resulting in moderate to severe impact on health?

(COV6D)

COMHSVHLT

Len : 2 LACK OF MNTL HLTH CARE CAUSED IMPACT TO HLTH DUE TO COVID-19

	Freq	Pct
1 = Yes.....	2754	4.75
2 = No.....	26937	46.42
3 = Does not apply.....	25420	43.80
85 = BAD DATA Logically assigned.....	25	0.04
94 = DON'T KNOW.....	525	0.90
97 = REFUSED.....	259	0.45
98 = BLANK (NO ANSWER).....	2114	3.64

Because of the COVID-19 pandemic in the U.S., did you experience any of the following in your access to substance use treatment?

Appointments moved from in-person to telehealth?

(COV7A)

COSUTELE

Len : 2 SUB USE TRMT APPTS MOVED TO TELEHEALTH DUE TO COVID-19

	Freq	Pct
1 = Yes.....	4192	7.22
2 = No.....	16710	28.79
3 = Does not apply.....	34178	58.89
85 = BAD DATA Logically assigned.....	25	0.04
94 = DON'T KNOW.....	518	0.89
97 = REFUSED.....	274	0.47
98 = BLANK (NO ANSWER).....	2137	3.68

COVID-19

Delays or cancellations in appointments?

(COV7B)
COSUAPTDL Len : 2 DELAYS/CANCELLATIONS IN SUB USE TRMT APPTS DUE TO COVID-19

	Freq	Pct
1 = Yes.....	3986	6.87
2 = No.....	17387	29.96
3 = Does not apply.....	33723	58.11
85 = BAD DATA Logically assigned.....	25	0.04
94 = DON'T KNOW.....	510	0.88
97 = REFUSED.....	266	0.46
98 = BLANK (NO ANSWER).....	2137	3.68

Delays in getting prescriptions?

(COV7C)
COSURXDL Len : 2 DELAYS GETTING SUB USE TRMT PRESCRIPTIONS DUE TO COVID-19

	Freq	Pct
1 = Yes.....	1847	3.18
2 = No.....	19039	32.81
3 = Does not apply.....	34206	58.94
85 = BAD DATA Logically assigned.....	25	0.04
94 = DON'T KNOW.....	515	0.89
97 = REFUSED.....	265	0.46
98 = BLANK (NO ANSWER).....	2137	3.68

Unable to access needed care resulting in moderate to severe impact on health?

(COV7D)
COSUSVHLT Len : 2 LACK OF SUB USE TRMT CAUSED IMPACT TO HLTH DUE TO COVID-19

	Freq	Pct
1 = Yes.....	1376	2.37
2 = No.....	19187	33.06
3 = Does not apply.....	34497	59.44
85 = BAD DATA Logically assigned.....	25	0.04
94 = DON'T KNOW.....	534	0.92
97 = REFUSED.....	278	0.48
98 = BLANK (NO ANSWER).....	2137	3.68

Because of the COVID-19 pandemic in the U.S., did you experience any of the following in your access to medical care?

Appointments moved from in-person to telehealth?

(COV8A)
COHCTELE Len : 2 MEDICAL APPTS MOVED TO TELEHEALTH DUE TO COVID-19

	Freq	Pct
1 = Yes.....	15610	26.90
2 = No.....	24468	42.16
3 = Does not apply.....	14993	25.83
85 = BAD DATA Logically assigned.....	25	0.04
94 = DON'T KNOW.....	516	0.89
97 = REFUSED.....	273	0.47
98 = BLANK (NO ANSWER).....	2149	3.70

Delays or cancellations in appointments?

(COV8B)
COHCAPTDL Len : 2 DELAYS/CANCELLATIONS IN MEDICAL APPTS DUE TO COVID-19

	Freq	Pct
1 = Yes.....	13443	23.16
2 = No.....	26791	46.16
3 = Does not apply.....	14838	25.57
85 = BAD DATA Logically assigned.....	25	0.04
94 = DON'T KNOW.....	527	0.91
97 = REFUSED.....	260	0.45
98 = BLANK (NO ANSWER).....	2150	3.70

COVID-19

Delays in getting prescriptions?

*(COV8C)*COHCRXDL

Len : 2 DELAYS GETTING MEDICAL PRESCRIPTIONS DUE TO COVID-19

	Freq	Pct
1 = Yes.....	4507	7.77
2 = No.....	33452	57.64
3 = Does not apply.....	17124	29.51
85 = BAD DATA Logically assigned.....	25	0.04
94 = DON'T KNOW	515	0.89
97 = REFUSED	261	0.45
98 = BLANK (NO ANSWER)	2150	3.70

Unable to access needed care resulting in moderate to severe impact on health?

*(COV8D)*COHCSVHLT

Len : 2 LACK OF MED CARE CAUSED IMPACT TO HLTH DUE TO COVID-19

	Freq	Pct
1 = Yes.....	2782	4.79
2 = No.....	34242	59.00
3 = Does not apply	18028	31.06
85 = BAD DATA Logically assigned	25	0.04
94 = DON'T KNOW	543	0.94
97 = REFUSED	264	0.45
98 = BLANK (NO ANSWER)	2150	3.70

RECODED COVID-19*(CONEGMH)*COCLNEGMH

Len : 1 RC-COLLAPSED HOW COVID-19 NEGATIVELY AFFECTED MENTAL HLTH

	Freq	Pct
. = Unknown (Otherwise).....	2530	4.36
1 = Not at all (CONEGMH=1).....	17698	30.50
2 = A little or some (CONEGMH=2,3).....	27944	48.15
3 = Quite a bit or a lot (CONEGMH=4,5).....	9862	16.99

*(COALCUSE)*COCLALCUSE

Len : 1 RC-COLLAPSED HOW COVID-19 AFFECTED AMOUNT ALCOHOL DRANK

	Freq	Pct
. = Unknown/No PY Alcohol Use (Otherwise).....	25691	44.27
1 = Drink much less or little less (COALCUSE=1,2)	9175	15.81
2 = Drink about the same (COALCUSE=3).....	18179	31.32
3 = Drink a little more or much more (COALCUSE=4,5)	4989	8.60

*(CODRGUSE)*COCLDRGUSE

Len : 1 RC-COLLAPSED HOW COVID-19 AFFECTED DRUG USE

	Freq	Pct
. = Unknown/No PY Drug Use (Otherwise).....	36801	63.41
1 = Use much less or little less (CODRGUSE=1,2)	7243	12.48
2 = Use about the same (CODRGUSE=3).....	11426	19.69
3 = Use little more or much more (CODRGUSE=4,5)	2564	4.42

*(COFINANC)*COCLFINANC

Len : 1 RC-COLLAPSE HOW OFTEN SERIOUS FINANCIAL WORRIES DUE COVID

	Freq	Pct
. = Unknown (Otherwise).....	2805	4.83
1 = All or nearly all the time (COFINANC=1,2)	7961	13.72
2 = Some of the time or rarely (COFINANC=3,4).....	24755	42.66
3 = Never (COFINANC=5)	22513	38.79

*(COMHTELE)*COMHTELE2

Len : 1 RC-MENTAL HEALTH APPTS MOVED TO TELEHEALTH DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise).....	2920	5.03
1 = Yes (COMHTELE=1).....	11629	20.04
2 = No (COMHTELE=2).....	18761	32.33
3 = Does not apply (COMHTELE=3).....	24724	42.60

*(COMHAPTDL)*COMHAPTDL2

Len : 1 RC-DELAYS/CANCELLATIONS IN MENTAL HLTH APPTS DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise).....	2867	4.94
1 = Yes (COMHAPTDL=1)	10394	17.91
2 = No (COMHAPTDL=2).....	21288	36.68
3 = Does not apply (COMHAPTDL=3).....	23485	40.47

*(COMHRXDL)*COMHRXDL2

Len : 1 RC-DELAYS GETTING MENTAL HLTH PRESCRIPTIONS DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise).....	2866	4.94
1 = Yes (COMHRXDL=1)	3818	6.58
2 = No (COMHRXDL=2).....	26217	45.18
3 = Does not apply (COMHRXDL=3).....	25133	43.31

*(COMHSVHLT)*COMHSVHLT2

Len : 1 RC-LACK MNTL HLTH CARE CAUSED IMPACT TO HLTH DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise).....	2923	5.04
1 = Yes (COMHSVHLT=1)	2754	4.75
2 = No (COMHSVHLT=2).....	26937	46.42
3 = Does not apply (COMHSVHLT=3).....	25420	43.80

RECODED COVID-19

<i>(COSUTELE)</i>	Len : 1 RC-SUB USE TRT APPTS MOVED TO TELEHEALTH DUE TO COVID-19	Freq	Pct
<i>COSUTELE2</i>	. = Unknown (Otherwise).....	2954	5.09
	1 = Yes (COSUTELE=1).....	4192	7.22
	2 = No (COSUTELE=2)	16710	28.79
	3 = Does not apply (COSUTELE=3)	34178	58.89
<i>(COSUAPTDL)</i>	Len : 1 RC-DELAYS/CANCELLATIONS IN SUB USE TRT APPTS DUE COVID-19	Freq	Pct
<i>COSUAPTDL2</i>	. = Unknown (Otherwise).....	2938	5.06
	1 = Yes (COSUAPTDL=1).....	3986	6.87
	2 = No (COSUAPTDL=2).....	17387	29.96
	3 = Does not apply (COSUAPTDL=3)	33723	58.11
<i>(COSURXDL)</i>	Len : 1 RC-DELAYS GETTING SUB USE TRT PRESCRIPTIONS DUE COVID-19	Freq	Pct
<i>COSURXDL2</i>	. = Unknown (Otherwise).....	2942	5.07
	1 = Yes (COSURXDL=1).....	1847	3.18
	2 = No (COSURXDL=2).....	19039	32.81
	3 = Does not apply (COSURXDL=3)	34206	58.94
<i>(COSUSVHLT)</i>	Len : 1 RC-LACK OF SUB USE TRT CAUSED IMPACT TO HLTH DUE COVID-19	Freq	Pct
<i>COSUSVHLT2</i>	. = Unknown (Otherwise).....	2974	5.12
	1 = Yes (COSUSVHLT=1).....	1376	2.37
	2 = No (COSUSVHLT=2).....	19187	33.06
	3 = Does not apply (COSUSVHLT=3)	34497	59.44
<i>(COHCTELE)</i>	Len : 1 RC-MED CARE APPOINTMENTS MOVED TO TELEHEALTH DUE COVID-19	Freq	Pct
<i>COHCTELE2</i>	. = Unknown (Otherwise).....	2963	5.11
	1 = Yes (COHCTELE=1)	15610	26.90
	2 = No (COHCTELE=2).....	24468	42.16
	3 = Does not apply (COHCTELE=3)	14993	25.83
<i>(COHCAPTDL)</i>	Len : 1 RC-DELAYS/CANCELLATIONS IN MED CARE APPTS DUE TO COVID-19	Freq	Pct
<i>COHCAPTDL2</i>	. = Unknown (Otherwise).....	2962	5.10
	1 = Yes (COHCAPTDL=1)	13443	23.16
	2 = No (COHCAPTDL=2).....	26791	46.16
	3 = Does not apply (COHCAPTDL=3)	14838	25.57
<i>(COHCRXDL)</i>	Len : 1 RC-DELAYS GETTING MEDICAL CARE PRESCRIPTIONS DUE COVID-19	Freq	Pct
<i>COHCRXDL2</i>	. = Unknown (Otherwise).....	2951	5.08
	1 = Yes (COHCRXDL=1)	4507	7.77
	2 = No (COHCRXDL=2).....	33452	57.64
	3 = Does not apply (COHCRXDL=3)	17124	29.51
<i>(COHCSVHLT)</i>	Len : 1 RC-LACK OF MED CARE CAUSED IMPACT TO HEALTH DUE COVID-19	Freq	Pct
<i>COHCSVHLT2</i>	. = Unknown (Otherwise).....	2982	5.14
	1 = Yes (COHCSVHLT=1)	2782	4.79
	2 = No (COHCSVHLT=2).....	34242	59.00
	3 = Does not apply (COHCSVHLT=3)	18028	31.06

PROXY INFORMATION

PROXY INFORMATION

PRXRETRY was created starting in 2014 and indicates whether respondents younger than 18 selected another proxy if their previously selected proxy was unavailable.

(QP03A) <u>PRXRETRY</u>	Len : 2 SELECTED PROXY UNAVAILABLE, OTHER PROXY AVAILABLE?	Freq	Pct
2 = No.....		1201	2.07
94 = DON'T KNOW		161	0.28
97 = REFUSED		69	0.12
98 = BLANK (NO ANSWER)		3105	5.35
99 = LEGITIMATE SKIP.....		53498	92.18

(HASJOIN) <u>PRXYDATA</u>	Len : 2 IS PROXY ANSWERING INSURANCE/INCOME QS	Freq	Pct
1 = Yes.....		13565	23.37
2 = No.....		74	0.13
94 = DON'T KNOW		170	0.29
97 = REFUSED		74	0.13
98 = BLANK (NO ANSWER)		3110	5.36
99 = LEGITIMATE SKIP (Respondent answering)		41041	70.72

HEALTH INSURANCE

HEALTH INSURANCE

The next questions are about [SAMPLE MEMBER POSS] health insurance coverage and the kinds and amounts of income that [SAMPLE MEMBER] and other people in your family receive. This information will help in planning health care services and finding ways to lower costs of care.

NOTE: Beginning in 2003, respondents under the age of 65 who reported that they were covered by Medicare were asked to confirm their answer.

Several government programs provide medical care or help pay medical bills.

Medicare is a health insurance program for people aged 65 and older and for certain people with disabilities. Is [SAMPLE MEMBER A] covered by Medicare?

(QHI01, QHI01V)

MEDICARE

Len : 2 COVERED BY MEDICARE

	Freq	Pct
1 = Yes.....	6520	11.23
2 = No.....	48484	83.54
94 = DON'T KNOW	312	0.54
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	2651	4.57

NOTE: The variable CAIDCHIP was created from responses to the first question shown below for respondents who were aged 20 or older. For respondents who were aged 12 to 19, CAIDCHIP was created from responses to the two questions shown below. This variable replaces the variable MEDICAID that was present in prior years. Beginning in 2003, respondents aged 65 or older who reported that they were covered by Medicaid were asked to confirm their answer.

Medicaid is a public assistance program that pays for medical care for people with low income and people with disabilities. The Medicaid program in [STATE FILL] is also called [MEDIFILL]. Medicaid may also be called Medical Assistance.

Is [SAMPLE MEMBER A] covered by Medicaid?

Is [SAMPLE MEMBER A] currently covered by [CHIPFILL]?

(QHI02, QHI02A, QHI02V)

CAIDCHIP

Len : 2 COVERED BY MEDICAID/CHIP

	Freq	Pct
1 = Yes.....	12973	22.35
2 = No.....	41847	72.11
85 = BAD DATA Logically assigned.....	95	0.16
94 = DON'T KNOW	394	0.68
97 = REFUSED	59	0.10
98 = BLANK (NO ANSWER)	2666	4.59

There are certain programs that cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.

Is [SAMPLE MEMBER A] currently covered by TRICARE, or CHAMPUS, CHAMPVA, the VA, or military health care?

(QHI03)

CHAMPUS

Len : 2 COV BY TRICARE, CHAMPUS, CHAMPVA, VA, MILITARY

	Freq	Pct
1 = Yes.....	2413	4.16
2 = No.....	52680	90.77
94 = DON'T KNOW	211	0.36
97 = REFUSED	54	0.09
98 = BLANK (NO ANSWER)	2676	4.61

HEALTH INSURANCE

Private health insurance can be obtained through work, such as through an employer, union, or professional association, by paying premiums directly to a health insurance company, or by purchasing a plan through the Health Insurance Marketplace. It includes coverage by a health maintenance organization or HMO, fee for service plans, and single service plans.

Is [SAMPLE MEMBER A] currently covered by private health insurance?

(QHI06)

PRVHLTIN

Len : 2 COVERED BY PRIVATE INSURANCE

	Freq	Pct
1 = Yes.....	33496	57.72
2 = No.....	21361	36.81
94 = DON'T KNOW	406	0.70
97 = REFUSED	88	0.15
98 = BLANK (NO ANSWER)	2683	4.62

Was [SAMPLE MEMBER POSS] private health insurance obtained through work, such as through an employer, union, or professional association? It can be through any family member's employment, not just [SAMPLE MEMBER POSS] employment.

(QHI07)

GRPHLTIN

Len : 2 PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION

	Freq	Pct
1 = Yes.....	29337	50.55
2 = No.....	4071	7.01
94 = DON'T KNOW	77	0.13
97 = REFUSED	98	0.17
98 = BLANK (NO ANSWER)	3090	5.32
99 = LEGITIMATE SKIP (PRVHLTIN = 2)	21361	36.81

Does [SAMPLE MEMBER POSS] private health insurance include coverage for treatment for any of the following conditions?

Alcohol abuse or alcoholism?

(QHI08)

HLTINALC

Len : 2 ALCOHOL ABUSE OR ALCOHOLISM

	Freq	Pct
1 = Yes.....	19432	33.48
2 = No.....	6258	10.78
94 = DON'T KNOW	7780	13.41
97 = REFUSED	104	0.18
98 = BLANK (NO ANSWER)	3099	5.34
99 = LEGITIMATE SKIP (PRVHLTIN = 2)	21361	36.81

Drug abuse?

(QHI09)

HLTINDRG

Len : 2 DRUG ABUSE

	Freq	Pct
1 = Yes.....	19448	33.51
2 = No.....	6354	10.95
94 = DON'T KNOW	7668	13.21
97 = REFUSED	104	0.18
98 = BLANK (NO ANSWER)	3099	5.34
99 = LEGITIMATE SKIP (PRVHLTIN = 2)	21361	36.81

Mental or emotional problems?

(QHI10)

HLTINMNT

Len : 2 MENTAL OR EMOTIONAL DIFFICULTIES

	Freq	Pct
1 = Yes.....	25085	43.22
2 = No.....	4300	7.41
94 = DON'T KNOW	4090	7.05
97 = REFUSED	99	0.17
98 = BLANK (NO ANSWER)	3099	5.34
99 = LEGITIMATE SKIP (PRVHLTIN = 2)	21361	36.81

HEALTH INSURANCE

Is [SAMPLE MEMBER A] currently covered by any kind of health insurance, that is, any policy or program that provides or pays for medical care?

(QHII1)

HLTINNOS

Len : 2 COVERED BY HEALTH INSUR (NOT OTHERWISE SPECIFIED)

	Freq	Pct
1 = Yes.....	1342	2.31
2 = No.....	4898	8.44
94 = DON'T KNOW	31	0.05
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	2654	4.57
99 = LEGITIMATE SKIP.....	49098	84.60

During the past 12 months, that is from [DATE FILL] through today, was there any time when [SAMPLE MEMBER] did not have any kind of health insurance or coverage?

(QHII3)

HLCNOTYR

Len : 2 ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS

	Freq	Pct
1 = Yes.....	2549	4.39
2 = No.....	47192	81.32
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW	96	0.17
97 = REFUSED	123	0.21
98 = BLANK (NO ANSWER)	3171	5.46
99 = LEGITIMATE SKIP.....	4898	8.44

During the past 12 months, that is from [DATE FILL] through today, about how many months [were you/was SAMPLE MEMBER] without any kind of health insurance or coverage?

(QHII4)

HLCNOTMO

Len : 2 PAST 12 MOS, HOW MANY MOS W/O COVERAGE

	Freq	Pct
RANGE = 1 - 12	2530	4.36
94 = DON'T KNOW	15	0.03
97 = REFUSED	127	0.22
98 = BLANK (NO ANSWER)	3272	5.64
99 = LEGITIMATE SKIP.....	52090	89.76

About how long has it been since (SAMPLE MEMBER) last had any kind of health coverage?

(QHII5)

HLCLAST

Len : 2 TIME SINCE LAST HAD HEALTH CARE COVERAGE

	Freq	Pct
1 = Within the past 6 months	871	1.50
2 = More than 6 months ago, but within the past year.....	509	0.88
3 = More than 1 year ago, but within the past 3 years.....	1015	1.75
4 = More than 3 years ago.....	1182	2.04
5 = Never had coverage	1182	2.04
94 = DON'T KNOW	95	0.16
97 = REFUSED	149	0.26
98 = BLANK (NO ANSWER)	3151	5.43
99 = LEGITIMATE SKIP.....	49880	85.95

HEALTH INSURANCE

Which of the reasons on this card is the main reason why [SAMPLE MEMBER] stopped being covered by health insurance?

<i>(QHII7)</i> <u>HLLOSRSN</u>	Len : 2 MAIN REASON STOPPED COVERED BY HEALTH INSURANCE	Freq	Pct
1 = Pers in family w/health ins lost job/chng employer.....	605	1.04	
2 = Lost Medicaid/Med Assist b/c new job/increased income	268	0.46	
3 = Lost Medicaid/Med Assist some other reason.....	263	0.45	
4 = Cost is too high/can't afford premiums	913	1.57	
5 = Became ineligible because of age or leaving school	337	0.58	
6 = Employer does not offer coverage, or not eligible	241	0.42	
7 = Got divorced or separated from person w/insurance	41	0.07	
8 = Death of spouse or parent	18	0.03	
9 = Insurance company refused coverage	26	0.04	
10 = Don't need it.....	244	0.42	
11 = Received Medicaid/med insur only while pregnant	82	0.14	
12 = Some other reason.....	529	0.91	
85 = BAD DATA Logically assigned	5	0.01	
94 = DON'T KNOW	80	0.14	
97 = REFUSED	165	0.28	
98 = BLANK (NO ANSWER)	3155	5.44	
99 = LEGITIMATE SKIP.....	51062	87.99	

Which of the reasons on this card describe why [SAMPLE MEMBER] never had health insurance coverage?

<i>(QHII8)</i> <u>HLNVCOST</u>	Len : 2 COST TOO HIGH	Freq	Pct
1 = Response entered	440	0.76	
6 = Response not entered	727	1.25	
94 = DON'T KNOW	11	0.02	
97 = REFUSED	114	0.20	
98 = BLANK (NO ANSWER)	3243	5.59	
99 = LEGITIMATE SKIP.....	53499	92.19	

<i>(QHII8)</i> <u>HLNOFFER</u>	Len : 2 EMPLOYER DOESN'T OFFER	Freq	Pct
1 = Response entered	137	0.24	
6 = Response not entered	1030	1.77	
94 = DON'T KNOW	11	0.02	
97 = REFUSED	114	0.20	
98 = BLANK (NO ANSWER)	3243	5.59	
99 = LEGITIMATE SKIP.....	53499	92.19	

<i>(QHII8)</i> <u>HLNVREF</u>	Len : 2 INSURANCE COMPANY REFUSED COVERAGE	Freq	Pct
1 = Response entered	25	0.04	
6 = Response not entered	1142	1.97	
94 = DON'T KNOW	11	0.02	
97 = REFUSED	114	0.20	
98 = BLANK (NO ANSWER)	3243	5.59	
99 = LEGITIMATE SKIP.....	53499	92.19	

<i>(QHII8)</i> <u>HLNVNEED</u>	Len : 2 DON'T NEED IT	Freq	Pct
1 = Response entered	285	0.49	
6 = Response not entered	882	1.52	
94 = DON'T KNOW	11	0.02	
97 = REFUSED	114	0.20	
98 = BLANK (NO ANSWER)	3243	5.59	
99 = LEGITIMATE SKIP.....	53499	92.19	

HEALTH INSURANCE

(QHII8)
HLNVSOR

Len : 2 NEVER HAD HLTH INS SOME OTHER REASON

	Freq	Pct
1 = Response entered	384	0.66
6 = Response not entered	783	1.35
94 = DON'T KNOW	11	0.02
97 = REFUSED	114	0.20
98 = BLANK (NO ANSWER)	3243	5.59
99 = LEGITIMATE SKIP.....	53499	92.19

IMPUTED HEALTH INSURANCE

IMPUTED HEALTH INSURANCE

(MEDICARE)			
<u>IRMEDICR</u>	Len : 1 MEDICARE - IMPUTATION REVISED		
	1 = Yes, respondent does have Medicare	Freq	Pct
	2 = No, respondent does not have Medicare	6834	11.78
		51200	88.22
(MEDICARE)			
<u>IIMEDICR</u>	Len : 1 MEDICARE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	3 = Statistically imputed data.....	55004	94.78
		3030	5.22
(CAIDCHIP)			
<u>IRMCDCHP</u>	Len : 1 MEDICAID/CHIP - IMPUTATION REVISED		
	1 = Yes, respondent does have Medicaid/CHIP	Freq	Pct
	2 = No, respondent does not have Medicaid/CHIP	13667	23.55
		44367	76.45
(CAIDCHIP)			
<u>IIMCDCHP</u>	Len : 1 MEDICAID/CHIP - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	3 = Statistically imputed data.....	54820	94.46
		3214	5.54
(CHAMPUS)			
<u>IRCHMPUS</u>	Len : 1 CHAMPUS - IMPUTATION REVISED		
	1 = Yes, R has Tricare, Champus, VA, Military health.....	Freq	Pct
	2 = No, R doesn't have Tricare, Chmps, VA, Military health.....	2535	4.37
		55499	95.63
(CHAMPUS)			
<u>IICHMPUS</u>	Len : 1 CHAMPUS - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	3 = Statistically imputed data.....	55093	94.93
		2941	5.07
(PRVHLTIN)			
<u>IRPRVHLT</u>	Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION REVISED		
	1 = Yes, R does have private health insurance	Freq	Pct
	2 = No, R does not have private health insurance	35396	60.99
		22638	39.01
(PRVHLTIN)			
<u>IIPRVHLT</u>	Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	3 = Statistically imputed data.....	54857	94.53
		3177	5.47

IMPUTED HEALTH INSURANCE

A respondent is eligible for the other health insurance question if they satisfied the following conditions.

- (1) Not covered by Medicare (IRMEDICR=2)
- (2) Not covered by Medicaid/CHIP (IRMCDCHP=2)
- (3) Not covered by Tricare, Champus, ChampVA, VA, or Military (IRCHMPUS=2)
- (4) Not covered by private insurance (IRPRVHLT=2)

Otherwise, they are not eligible and IROTHHLT=99.

*(ANYHLT12, CAIDCHIP, CHAMPUS, IRCHMPUS, IRMCDCHP, IRMEDICR, IRPRVHLT, MEDICARE, PRVHLTIN)
IROTHHLT* Len : 2 OTHER HEALTH INSURANCE - IMPUTATION REVISED

	Freq	Pct
1 = Yes, R is covered by other health insurance.....	1476	2.54
2 = No, R is not covered by other health insurance.....	5394	9.29
99 = LEGITIMATE SKIP.....	51164	88.16

*(ANYHLT12, CAIDCHIP, CHAMPUS, IRCHMPUS, IRMCDCHP, IRMEDICR, IRPRVHLT, MEDICARE, PRVHLTIN)
IIOTHHLT* Len : 1 OTHER HEALTH INSURANCE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	6240	10.75
3 = Statistically imputed data.....	3256	5.61
9 = LEGITIMATE SKIP.....	48538	83.64

RECODED HEALTH INSURANCE

RECODED HEALTH INSURANCE

NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) reported that the respondent was covered by all of the following: Medicare, Medicaid, the Children's Health Insurance Program (if aged 12 to 19), military health care, and private health insurance. The variable HLCALL99 also is a created "flag" variable that indicates when respondents were reported to be covered by Medicare, Medicaid, military health care, and private health insurance. This HLCALL99 variable is comparable to HLCALLFG in 1999, when these four types of health insurance were the only types of current coverage that were asked about in the interview.

<u>HLCALLFG</u>	Len : 2 FLAG IF EVERY FORM OF HEALTH INS REPORTED	Freq	Pct
	1 = Answered yes to all current health insurance Qs.....	34	0.06
	98 = BLANK (NO ANSWER)	58000	99.94

<u>HLCALL99</u>	Len : 2 YES TO MEDICARE/MEDICAID/CHAMPUS/PRVHLTIN	Freq	Pct
	1 = Yes.....	34	0.06
	98 = BLANK (NO ANSWER)	58000	99.94

NOTE: The following variable, ANYHTL12, was created from the source variables MEDICARE, CAIDCHIP, CHAMPUS, PRVHLTIN, and HLTINNOS.

<i>(CAIDCHIP, CHAMPUS, HLTINNOS, MEDICARE, PRVHLTIN)</i>	<u>ANYHTL12</u>	Len : 2 COVERED BY ANY HEALTH INSURANCE - RECODE
--	-----------------	--

Freq	Pct
49880	85.95
4898	8.44
465	0.80
110	0.19
2681	4.62

For IRINSUR4, a respondent is classified as having any health insurance (IRINSUR4=1) if they satisfied ANY of the following conditions.

- (1) Covered by Medicare (IRMEDICR=1)
- (2) Covered by Medicaid/CHIP (IRMCDCHP=1)
- (3) Covered by Tricare, Champus, ChampVA, VA, or Military (IRCHMPUS=1)
- (4) Covered by private insurance (IRPRVHLT=1)
- (5) Covered by other health insurance (IROTHHHLT=1)

A respondent is classified as NOT having any health insurance (IRINSUR4=2) if they meet EVERY one of the following conditions

- (1) Not covered by Medicare (IRMEDICR=2)
- (2) Not covered by Medicaid/CHIP (IRMCDCHP=2)
- (3) Not covered by Tricare, Champus, ChampVA, VA, or Military (IRCHMPUS=2)
- (4) Not covered by private insurance (IRPRVHLT=2)
- (5) Not covered by other health insurance (IROTHHHLT=2)

<i>(IRCHMPUS, IRMCDCHP, IRMEDICR, IROTHHHLT, IRPRVHLT)</i>	<u>IRINSUR4</u>	Len : 1 RC-OVERALL HEALTH INSURANCE - IMPUTATION REVISED
--	-----------------	--

Freq	Pct
52640	90.71
5394	9.29

<i>(IRCHMPUS, IRMCDCHP, IRMEDICR, IROTHHHLT, IRPRVHLT)</i>	<u>IIINSUR4</u>	Len : 1 RC-OVERALL HEALTH INSURANCE - IMPUTATION INDICATOR
--	-----------------	--

Freq	Pct
54778	94.39
3256	5.61

<i>(IRCHMPUS, IRMEDICR, IROTHHHLT)</i>	<u>OTHINS</u>	Len : 1 RC-HEALTH INSURANCE OTHER THAN PRIVATE, MEDICAID/CHIP
--	---------------	---

Freq	Pct
10221	17.61
47813	82.39

INCOME

INCOME

NOTE: The order changed between 2015 and 2016 for the questions corresponding to CELLWRKNG and CELLNOTCL. In 2015, the question corresponding to CELLNOTCL appeared first. Review of the data for 2015 and 2016 suggested that any decreases in reports of coverage by telephones other than cell phones between 2015 and 2016 is likely to be attributable to overall declines in landline telephone coverage in the general population.

Do you or anyone at this address have a working cell phone?

(CELL2)		Freq	Pct
<u>CELLWRKNG</u>	Len : 2 WORKING CELL PHONE		
1 = Yes.....		53376	91.97
2 = No.....		1631	2.81
94 = DON'T KNOW		30	0.05
97 = REFUSED		121	0.21
98 = BLANK (NO ANSWER)		2876	4.96

Is there at least one telephone at this address that is not a cell phone?

(CELL1)		Freq	Pct
<u>CELLNOTCL</u>	Len : 2 NOT A CELL PHONE		
1 = Yes.....		13487	23.24
2 = No.....		41542	71.58
94 = DON'T KNOW		46	0.08
97 = REFUSED		79	0.14
98 = BLANK (NO ANSWER)		2880	4.96

IMPUTED INCOME

IMPUTED INCOME

<u>IRFAMSOC</u>	Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION REVISED		Freq	Pct
	1 = Yes.....		10448	18.00
	2 = No.....		47586	82.00
<u>IIFAMSOC</u>	Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION INDICATOR		Freq	Pct
	1 = Questionnaire data		54671	94.21
	3 = Statistically imputed data.....		3363	5.79
<u>IRFAMSSI</u>	Len : 1 FAM RECEIVE SSI - IMPUTATION REVISED		Freq	Pct
	1 = Yes.....		3853	6.64
	2 = No.....		54181	93.36
<u>IIFAMSSI</u>	Len : 1 FAM RECEIVE SSI - IMPUTATION INDICATOR		Freq	Pct
	1 = Questionnaire data		54621	94.12
	3 = Statistically imputed data.....		3413	5.88
<u>IRFSTAMP</u>	Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION REVISED		Freq	Pct
	1 = Yes.....		9928	17.11
	2 = No.....		48106	82.89
<u>IIFSTAMP</u>	Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION INDICATOR		Freq	Pct
	1 = Questionnaire data		54786	94.40
	3 = Statistically imputed data.....		3248	5.60
<u>IRFAMPMT</u>	Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION REVISED		Freq	Pct
	1 = Yes.....		1192	2.05
	2 = No.....		56842	97.95
<u>IIFAMPMT</u>	Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION INDICATOR		Freq	Pct
	1 = Questionnaire data		54587	94.06
	3 = Statistically imputed data.....		3447	5.94
<u>IRFAMSVC</u>	Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION REVISED		Freq	Pct
	1 = Yes.....		1373	2.37
	2 = No.....		56661	97.63
<u>IIFAMSVC</u>	Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION INDICATOR		Freq	Pct
	1 = Questionnaire data		54789	94.41
	3 = Statistically imputed data.....		3245	5.59
<i>(IRFAMPMT, IRFAMSVC)</i>				
<u>IRWELMOS</u>	Len : 2 NO OF MONTHS ON WELFARE - IMPUTATION REVISED		Freq	Pct
	RANGE = 1 - 12		2265	3.90
	99 = LEGITIMATE SKIP.....		55769	96.10

IMPUTED INCOME

<u>IWELMOS</u>	Len : 1 NO OF MONTHS ON WELFARE - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	2098	3.62
	3 = Statistically imputed data.....	3599	6.20
	9 = LEGITIMATE SKIP.....	52337	90.18
 <u>IRPINC3</u>	 Len : 2 RECODE -RESP TOT INCOME - IMPUTATION REVISED	 Freq	 Pct
	1 = Less than \$10,000 (Including Loss).....	21956	37.83
	2 = \$10,000 - \$19,999	8137	14.02
	3 = \$20,000 - \$29,999	5712	9.84
	4 = \$30,000 - \$39,999	4718	8.13
	5 = \$40,000 - \$49,999	3909	6.74
	6 = \$50,000 - \$74,999	5937	10.23
	7 = \$75,000 or more.....	7665	13.21
 <u>IPINC3</u>	 Len : 1 RECODE - RESP TOT INCOME - IMPUTATION INDICATOR	 Freq	 Pct
	1 = Questionnaire data	53091	91.48
	3 = Statistically imputed data.....	4943	8.52
 <u>IRFAMIN3</u>	 Len : 1 RECODE - TOT FAM INCOME - IMPUTATION REVISED	 Freq	 Pct
	1 = Less than \$10,000 (Including Loss).....	4448	7.66
	2 = \$10,000 - \$19,999	5528	9.53
	3 = \$20,000 - \$29,999	5196	8.95
	4 = \$30,000 - \$39,999	5132	8.84
	5 = \$40,000 - \$49,999	5280	9.10
	6 = \$50,000 - \$74,999	8640	14.89
	7 = \$75,000 or more.....	23810	41.03
 <u>IIFAMIN3</u>	 Len : 1 RECODE - TOT FAM INCOME - IMPUTATION INDICATOR	 Freq	 Pct
	1 = Questionnaire data	50712	87.38
	3 = Statistically imputed data.....	7322	12.62



RECODED INCOME

RECODED INCOME

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or imputed variables from the two preceding sections.

The following variable, GOVTPROG, was created by examination of these government assistance program variables: Supplemental Security Income (IRFAMSSI), food stamps (IRFSTAMP), cash assistance (IRFAMPMT), and non-cash assistance (IRFAMSVC).

(IRFAMPMT, IRFAMSSI, IRFAMSVC, IRFSTAMP)

GOVTPROG Len : 1 RC-PARTICIPATED IN ONE OR MORE GOVT ASSIST PROGRAMS

		Freq	Pct
1 = Yes (Any source variable=1)		12212	21.04
2 = No (All source variables=2).....		45822	78.96

INCOME

Len : 1 RC-TOTAL FAMILY INCOME RECODE

		Freq	Pct
1 = Less than \$20,000		9976	17.19
2 = \$20,000 - \$49,999		15608	26.89
3 = \$50,000 - \$74,999		8640	14.89
4 = \$75,000 or More		23810	41.03

The following variable, POVERTY3, indicates a person's family income relative to poverty thresholds. The U.S. Census Bureau assigns a poverty threshold for each combination of family size and number of children in the household. To be at 100% of the poverty threshold is equivalent to having a family income that is the same as the poverty threshold. A poverty level less than 100% indicates having a family income less than the poverty threshold and therefore defined by the Federal government as living in poverty. A poverty level greater than 100% indicates having a family income greater than the poverty threshold. The previously created variable POVERTY2, was created using the recoded version of family income that had a top-coded level of \$100,000 or more. Starting in 2015, the finer income questions were revised to expand the top level to include the responses \$100,000 - \$149,999 and \$150,000 or more. The variable POVERTY3 account for these additional income levels through the use of the finer family income variable. Despite these changes, POVERTY3 is considered comparable with POVERTY2.

POVERTY3 was created for each individual based on their poverty threshold (determined by their age, family size, the number of children in the household, and total family income). Since NSDUH only collects categorical values of family income, for each level of income, the midpoint of each range was assigned as the effective family income. The highest level of income, \$150,000 or more, was assigned a value of \$180,000. Prior to the questionnaire change in 2015 that expanded the top level of income categories, the highest level of income was \$100,000 or more and the assigned family income was \$120,000. Family income was divided by the poverty threshold and multiplied by 100 to show family income as a percentage of the federal poverty threshold. Respondents aged 18 to 22 currently living in a college dormitory (GQTYPE2='C') were set to system missing and do not have a valid value for this variable.

POVERTY3

Len : 1 RC-POVERTY LEVEL (% OF US CENSUS POVERTY THRESHOLD)

		Freq	Pct
. = Persons Aged 18-22 in a College Dorm (See comment above).....		44	0.08
1 = Living in Poverty (See comment above).....		9965	17.17
2 = Income Up to 2X Fed Pov Thresh (See comment above)		11130	19.18
3 = Income More Than 2X Fed Pov Thresh (See comment above).....		36895	63.57

COUNTY

GEOGRAPHIC**COUNTY**

The variable PDEN10 is based on 2010 Census data and the December 2009 Core Based Statistical Area classifications provided by the Office of Management and Budget (OMB).

PDEN10	Len : 1 POPULATION DENSITY 2010 - THREE LEVELS	Freq	Pct
	1 = Segment in a CBSA with 1 million or more persons.....	24643	42.46
	2 = Segm. in a CBSA with fewer than 1 million persons.....	29488	50.81
	3 = Segment not in a CBSA.....	3903	6.73

NOTE: COUTYP4 is recoded based on the 2013 Rural/Urban Continuum Codes.

COUTYP4	Len : 1 COUNTY METRO/NONMETRO STATUS (2013 3-LEVEL)	Freq	Pct
	1 = Large Metro	25956	44.73
	2 = Small Metro	21883	37.71
	3 = Nonmetro.....	10195	17.57

SEGMENT

SEGMENT

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a 'majority' AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN102. MAIIN102 is based on 2010 census data.

MAIIN102	Len : 1 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT	Freq	Pct
1 = Segment in an American Indian area	865	1.49	
2 = Segment not in an American Indian area	57169	98.51	

BLOCK

BLOCK

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

The variable AIIND102 is based on 2010 census data and is defined by mapping the census block in which a respondent resides to the 2010 census file.

AIIND102	Len : 1 AMER INDIAN AREA INDICATOR	Freq	Pct
	1 = Census block in an American Indian area.....	849	1.46
	2 = Census block not in an American Indian area.....	57185	98.54

SAMPLE WEIGHTING AND ESTIMATION VARS

SAMPLE WEIGHTING AND ESTIMATION VARS

[ANALWT_C](#) Len : 8 FIN PRSN-LEVEL SMPLE WGHT

[VESTR_C](#) Len : 5 ANALYSIS STRATUM

[VEREP](#) Len : 2 ANALYSIS REPLICATE

INDEX

INDEX

<u>AALTMDE</u>	490	<u>ADWRIMP</u>	470	<u>AMYLNIT</u>	53
<u>ACOUNMDE</u>	489	<u>ADWRJINO</u>	475	<u>ANALWT_C</u>	645
<u>ACTD2001</u>	602	<u>ADWRJITT</u>	475	<u>ANURSMDE</u>	489
<u>ACTD7590</u>	602	<u>ADWRLOSE</u>	473	<u>ANYEDUC3</u>	443
<u>ACTD9001</u>	602	<u>ADWRLSIN</u>	472	<u>ANYHLT12</u>	637
<u>ACTDEVER</u>	602	<u>ADWRLSL2</u>	474	<u>ANYMHED2</u>	516
<u>ACTDPRI</u>	603	<u>ADWRNOGD</u>	476	<u>ANYMHIN2</u>	515
<u>ACTDVIET</u>	602	<u>ADWRPLSR</u>	472	<u>ANYMHOUT</u>	515
<u>AD_MDEA1</u>	476	<u>ADWRPREG</u>	473	<u>ANYMHovR</u>	517
<u>AD_MDEA2</u>	476	<u>ADWRPROB</u>	471	<u>ANYNDLREC</u>	188
<u>AD_MDEA3</u>	477	<u>ADWRSLEP</u>	474	<u>ANYNEDEVER</u>	188
<u>AD_MDEA4</u>	477	<u>ADWRSLNO</u>	475	<u>ANYNSMH</u>	516
<u>AD_MDEA5</u>	477	<u>ADWRSLOW</u>	475	<u>ANYSANSMH</u>	516
<u>AD_MDEA6</u>	477	<u>ADWRSMOR</u>	474	<u>ANYSEDME</u>	516
<u>AD_MDEA7</u>	477	<u>ADWRTHOT</u>	475	<u>ANYSMH2</u>	515
<u>AD_MDEA8</u>	477	<u>ADWRWRTH</u>	476	<u>AOMDMDE</u>	488
<u>ADCOUNS</u>	483	<u>AGE3</u>	601	<u>AOMHMDE</u>	489
<u>ADDPDISC</u>	468	<u>AHBCHMDE</u>	489	<u>AOTHMDE</u>	489
<u>ADDPLSIN</u>	469	<u>AHLMDE</u>	490	<u>APPDRGMON</u>	194
<u>ADDPROB</u>	470	<u>AIIND102</u>	644	<u>APPDRGMON2</u>	196
<u>ADDPR2WK</u>	469	<u>AIRDUSEVER</u>	143	<u>APSY1MDE</u>	488
<u>ADDPREV</u>	468	<u>AIRDUSTER</u>	55	<u>APSY2MDE</u>	488
<u>ADDSCEV</u>	468	<u>AKSSLR6WRST</u>	464	<u>ARELMDE</u>	489
<u>ADDSSLIN</u>	469	<u>AL30EST</u>	20	<u>ARGUPAR</u>	439
<u>ADFAMDOC</u>	482	<u>ALBSTWAY</u>	19	<u>ARXMDEYR</u>	488
<u>ADHERBAL</u>	483	<u>ALCAGLST</u>	321	<u>ASDSHOM2</u>	486
<u>ADLOSEV</u>	468	<u>ALCBNG30D</u>	21	<u>ASDSREL2</u>	486
<u>ADLSI2WK</u>	469	<u>ALCDAYS</u>	20	<u>ASDSSOC2</u>	486
<u>ADNURSE</u>	483	<u>ALCEVER</u>	17	<u>ASDSWRK2</u>	486
<u>ADOCMDE</u>	488	<u>ALCFLAG</u>	129	<u>ASOCMDE</u>	489
<u>ADOTHDOC</u>	482	<u>ALCMDAYS</u>	159	<u>ASTHMAAGE</u>	392
<u>ADOTHHLP</u>	484	<u>ALCMFU</u>	18	<u>ASTHMAEVR</u>	386
<u>ADOTHMHP</u>	483	<u>ALCMLU</u>	322	<u>ASTHMANOW</u>	392
<u>ADPB2WK</u>	479	<u>ALCMON</u>	129	<u>ATXMDEYR</u>	488
<u>ADPBAGE</u>	479	<u>ALCNUMDKPM</u>	162	<u>AUALACUP</u>	409
<u>ADPBBDLYA</u>	478	<u>ALCREC</u>	18	<u>AUALCHIR</u>	409
<u>ADPBINTF</u>	478	<u>ALCTRY</u>	17	<u>AUALHERB</u>	409
<u>ADPBNUM</u>	479	<u>ALCUS30D</u>	20	<u>AUALHLIN</u>	410
<u>ADPBRMBR</u>	478	<u>ALCYDAYS</u>	158	<u>AUALINET</u>	410
<u>ADPSDAYS</u>	481	<u>ALCYFU</u>	17	<u>AUALMASG</u>	410
<u>ADPSHMG</u>	480	<u>ALCYLU</u>	321	<u>AUALOTH</u>	410
<u>ADPSRELS</u>	481	<u>ALCYR</u>	129	<u>AUALOTS2</u>	411
<u>ADPSSOC</u>	481	<u>ALCYRBFR</u>	331	<u>AUALRELG</u>	410
<u>ADPSWORK</u>	480	<u>ALCYRTOT</u>	18	<u>AUALSGRP</u>	410
<u>ADPSYCH</u>	482	<u>ALDAYPMO</u>	19	<u>AUALTYR</u>	409
<u>ADPSYMD</u>	482	<u>ALDAYPWK</u>	19	<u>AUINAHSP</u>	396
<u>ADRELIB</u>	483	<u>ALDAYPYR</u>	19	<u>AUINMEDU</u>	395
<u>ADRJ12MO</u>	484	<u>ALDYSFG</u>	20	<u>AUINPGEN</u>	395
<u>ADRJHLP</u>	484	<u>ALFQFLG</u>	18	<u>AUINPSYH</u>	395
<u>ADRJNOW</u>	484	<u>ALMATYR2</u>	578	<u>AUINPYR</u>	395
<u>ADSEEDOC</u>	482	<u>ALOPMATYR</u>	578	<u>AUINRESD</u>	396
<u>ADSMMMDEA</u>	478	<u>ALTOTFG</u>	18	<u>AUINSFAC</u>	396
<u>ADSOCWRK</u>	483	<u>AMDEIMP</u>	486	<u>AUMHTELYR</u>	405
<u>ADTMTHLP</u>	485	<u>AMDELT</u>	485	<u>AUMHTELYR2</u>	412
<u>ADTMJNOW</u>	484	<u>AMDETDXRX</u>	488	<u>AUMOTVYR</u>	411
<u>ADWRAGE</u>	471	<u>AMDEYR</u>	485	<u>AUNMAHS2</u>	397
<u>ADWRCHR</u>	470	<u>AMHINP2</u>	412	<u>AUNMCLN2</u>	402
<u>ADWRCONC</u>	476	<u>AMHOUTP4</u>	412	<u>AUNMDOC2</u>	401
<u>ADWRDCSN</u>	476	<u>AMHRX2</u>	412	<u>AUNMDTM2</u>	402
<u>ADWRDEPR</u>	471	<u>AMHSVTP4</u>	413	<u>AUNMMED2</u>	396
<u>ADWRDIET</u>	473	<u>AMHTXAND4</u>	413	<u>AUNMMEN2</u>	401
<u>ADWRDISC</u>	471	<u>AMHTXND2</u>	413	<u>AUNMOTO2</u>	402
<u>ADWRDST</u>	470	<u>AMHTXRC4</u>	412	<u>AUNMPGE2</u>	396
<u>ADWRELES</u>	472	<u>AMHTXYR4</u>	413	<u>AUNMPSY2</u>	396
<u>ADWREMR</u>	472	<u>AMIPY</u>	465	<u>AUNMRES2</u>	397
<u>ADWRENRG</u>	474	<u>AMIRSUD5ANY</u>	467	<u>AUNMSFA2</u>	397
<u>ADWRGAIN</u>	472	<u>AMISUD5ANY</u>	466	<u>AUNMTHE2</u>	401
<u>ADWRGNL2</u>	473	<u>AMISUD5ANYO</u>	467	<u>AUOPCLNC</u>	400
<u>ADWRGROW</u>	473	<u>AMISUDSMIS</u>	466	<u>AUOPDOC</u>	400
<u>ADWRHRS</u>	469	<u>AMYLNIEVER</u>	142	<u>AUOPDTMT</u>	400

INDEX

<u>AUOPMENT</u>	400	<u>BNGDRKMON</u>	140	<u>CCBSTWAY</u>	28
<u>AUOPOTOP</u>	400	<u>BNGDRMDAYS</u>	161	<u>CCDAYPMO</u>	28
<u>AUOPTER</u>	400	<u>BOOKED</u>	308	<u>CCDAYPWK</u>	28
<u>AUOPTYR</u>	399	<u>BZOANYR</u>	135	<u>CCDAYPYR</u>	28
<u>AUOPYRS2</u>	401	<u>BZONMYR</u>	137	<u>CCFQFLG</u>	27
<u>AUPINEMP</u>	398	<u>CABINGAGE</u>	565	<u>CCTOTFG</u>	27
<u>AUPINFM2</u>	399	<u>CABINGEVR</u>	565	<u>CDCGMO</u>	140
<u>AUPINFRE</u>	399	<u>CABINGFLG</u>	564	<u>CDNOCGMO</u>	140
<u>AUPINMCD</u>	398	<u>CABINGMFU</u>	566	<u>CDUFLAG</u>	139
<u>AUPINMCR</u>	398	<u>CABINGYFU</u>	565	<u>CELLNOTCL</u>	638
<u>AUPINMIL</u>	398	<u>CABLADDER</u>	387	<u>CELLWRKNG</u>	638
<u>AUPINOFM</u>	397	<u>CABLOLEULYM</u>	387	<u>CG30EST</u>	6
<u>AUPINPHI</u>	397	<u>CABPLACE</u>	561	<u>CGR30BR2</u>	15
<u>AUPINPRV</u>	399	<u>CABREAST</u>	388	<u>CGR30USE</u>	14
<u>AUPINPUB</u>	398	<u>CABUNDAG</u>	561	<u>CGRAGLST</u>	320
<u>AUPINREH</u>	398	<u>CABUYFRE</u>	560	<u>CGRFLAG</u>	128
<u>AUPINSLF</u>	397	<u>CABUYWHO</u>	561	<u>CGRMDAYS</u>	159
<u>AUPOPAMT</u>	404	<u>CACERVIX</u>	388	<u>CGRMON</u>	128
<u>AUPOPEMP</u>	403	<u>CACOLNRECT</u>	388	<u>CGRYR</u>	128
<u>AUPOPFRE</u>	404	<u>CADRBAR</u>	559	<u>CHAMPUS</u>	630
<u>AUPOPMCD</u>	403	<u>CADRCAR</u>	558	<u>CHMNDLREC</u>	188
<u>AUPOPMCR</u>	403	<u>CADREVNT</u>	559	<u>CI30EST</u>	14
<u>AUPOPMIL</u>	403	<u>CADRHOME</u>	559	<u>CIG100LF</u>	10
<u>AUPOPMOS</u>	404	<u>CADRKCOCN</u>	563	<u>CIG1PACK</u>	161
<u>AUPOPOFM</u>	402	<u>CADRKCOCN2</u>	570	<u>CIG30AV</u>	6
<u>AUPOPPHI</u>	402	<u>CADRKDROUG</u>	563	<u>CIG30BR2</u>	7
<u>AUPOPPR</u>	404	<u>CADRKHALL</u>	564	<u>CIG30MEN</u>	8
<u>AUPOPPUB</u>	403	<u>CADRKHALL2</u>	570	<u>CIG30MLN</u>	8
<u>AUPOPREH</u>	403	<u>CADRKHERN</u>	563	<u>CIG30RO2</u>	9
<u>AUPOPSLF</u>	402	<u>CADRKHERN2</u>	570	<u>CIG30TPE</u>	8
<u>AURXYR</u>	405	<u>CADRKHINL</u>	564	<u>CIG30USE</u>	5
<u>AUUNBUSY</u>	407	<u>CADRKHINL2</u>	570	<u>CIGAGE</u>	9
<u>AUUNCfid</u>	406	<u>CADRKMARJ</u>	563	<u>CIGAGLST</u>	317
<u>AUUNCMIT</u>	406	<u>CADRKMARJ2</u>	570	<u>CIGAREVR</u>	12
<u>AUUNCOST</u>	405	<u>CADRKMETH</u>	564	<u>CIGARMFU</u>	13
<u>AUUNENUF</u>	406	<u>CADRKMETH2</u>	570	<u>CIGARMLU</u>	321
<u>AUUNFOUT</u>	407	<u>CADRLAST</u>	558	<u>CIGARREC</u>	13
<u>AUUNHNDL</u>	407	<u>CADROTH</u>	560	<u>CIGARTRY</u>	12
<u>AUUNJOB</u>	406	<u>CADROTHM</u>	559	<u>CIGARYFU</u>	13
<u>AUUNMTYR</u>	405	<u>CADROTS2</u>	560	<u>CIGARYLU</u>	320
<u>AUUNNBR</u>	405	<u>CADRPEOP</u>	558	<u>CIGAVGD</u>	162
<u>AUUNNCOV</u>	406	<u>CADRPUBL</u>	559	<u>CIGAVGM</u>	162
<u>AUUNNHLP</u>	407	<u>CADRSCHL</u>	560	<u>CIGAVOID</u>	203
<u>AUUNNOND</u>	407	<u>CAESOPSTOM</u>	388	<u>CIGCragp</u>	202
<u>AUUNNTSP</u>	407	<u>CAFRESP2</u>	562	<u>CIGCRAVE</u>	202
<u>AUUNRIM2</u>	408	<u>CAFREWHO</u>	562	<u>CIGDLLST</u>	318
<u>AUUNSOR</u>	408	<u>CAGALLIVPAN</u>	388	<u>CIGDLMFU</u>	10
<u>AUUNWHER</u>	406	<u>CAGVMONY</u>	561	<u>CIGDLMLU</u>	319
<u>AVGGRADE</u>	438	<u>CAGVWHO</u>	562	<u>CIGDLYFU</u>	9
<u>BKARSON</u>	310	<u>CAIDCHIP</u>	630	<u>CIGDLYLU</u>	318
<u>BKBURGL</u>	309	<u>CAKIDNEY</u>	388	<u>CIGDLYMO</u>	9
<u>BKDRUG</u>	311	<u>CALARYLUNG</u>	389	<u>CIGEVER</u>	4
<u>BKDRUNK</u>	310	<u>CAMELANOM</u>	389	<u>CIGFLAG</u>	128
<u>BKDRVINF</u>	310	<u>CAMHPROB</u>	571	<u>CIGFNLSK</u>	203
<u>BKFRAUD</u>	311	<u>CAMHPROB2</u>	578	<u>CIGINCRS</u>	206
<u>BKLARCNY</u>	309	<u>CAMHRCVR</u>	571	<u>CIGINCTL</u>	203
<u>BKMVTHFT</u>	308	<u>CAMOUTTHRO</u>	389	<u>CIGINFLU</u>	205
<u>BKOTH</u>	311	<u>CANCEREVR</u>	387	<u>CIGIRTBL</u>	202
<u>BKOTHOF2</u>	312	<u>CANCERYR</u>	390	<u>CIGLOTMR</u>	206
<u>BKPOSTOB</u>	310	<u>CAOTHER2</u>	387	<u>CIGMDAYS</u>	159
<u>BKROB</u>	310	<u>CAOVARY</u>	389	<u>CIGMFU</u>	5
<u>BKSEXNR</u>	311	<u>CAPROSTEST</u>	389	<u>CIGMLU</u>	318
<u>BKSMASLT</u>	309	<u>CASKINDK</u>	390	<u>CIGMON</u>	128
<u>BKSRVIOL</u>	309	<u>CASKINOTH</u>	389	<u>CIGNMCHG</u>	205
<u>BLNT30C1</u>	199	<u>CASUPROB</u>	571	<u>CIGNOINF</u>	206
<u>BLNT30C2</u>	199	<u>CASUPROB2</u>	578	<u>CIGOFRSM</u>	4
<u>BLNT30DY</u>	198	<u>CASURCVR</u>	571	<u>CIGPDAY</u>	161
<u>BLNTAGE</u>	197	<u>CATAG2</u>	607	<u>CIGPLANE</u>	204
<u>BLNTEVER</u>	197	<u>CATAG3</u>	607	<u>CIGREC</u>	5
<u>BLNTMFU</u>	198	<u>CATAG6</u>	607	<u>CIGREGDY</u>	204
<u>BLNTNOMJ</u>	200	<u>CATAG7</u>	607	<u>CIGREGNM</u>	205
<u>BLNTREC</u>	198	<u>CATAGE</u>	607	<u>CIGREGWK</u>	204
<u>BLNTYFU</u>	197	<u>CATHYROID</u>	390	<u>CIGRNOUT</u>	204
<u>BLRECFL2</u>	198	<u>CAUTERUS</u>	390	<u>CIGSATIS</u>	206
<u>BMI2</u>	394	<u>CC30EST</u>	29		

INDEX

<u>CIGSVLHR</u>	205	<u>COSUSVHLT</u>	625	<u>ECSTMOAGE</u>	50
<u>CIGTRY</u>	4	<u>COSUSVHLT2</u>	628	<u>ECSTMOAGL</u>	328
<u>CIGWAKE</u>	207	<u>COSUTELE</u>	624	<u>ECSTMOFLAG</u>	132
<u>CIGWILYR</u>	4	<u>COSUTELE2</u>	628	<u>ECSTMOLLY</u>	39
<u>CIGYFU</u>	4	<u>COUTYP4</u>	642	<u>ECSTMOMFU</u>	51
<u>CIGYLU</u>	317	<u>CR30EST</u>	33	<u>ECSTMOMLU</u>	329
<u>CIGYR</u>	128	<u>CRAKREC</u>	31	<u>ECSTMOMON</u>	132
<u>CIGYRBFR</u>	331	<u>CRBSTWAY</u>	32	<u>ECSTMOREC</u>	51
<u>CIRROSAGE</u>	391	<u>CRDAYPMO</u>	32	<u>ECSTMOYFU</u>	51
<u>CIRROSEVR</u>	386	<u>CRDAYPWK</u>	32	<u>ECSTMOYLU</u>	328
<u>CLEFLU</u>	53	<u>CRDAYPYR</u>	32	<u>ECSTMOYR</u>	132
<u>CLEFLUEVER</u>	142	<u>CRFQFLG</u>	31	<u>EDFAM18</u>	621
<u>CLINVST</u>	517	<u>CRKAGE</u>	30	<u>EDUD5PNRMIS</u>	290
<u>CNSANYR</u>	135	<u>CRKAGLST</u>	323	<u>EDUD5PNRUNM</u>	290
<u>CNSNMMON</u>	138	<u>CRKEVER</u>	30	<u>EDUD5SEDMIS</u>	291
<u>CNSNMYR</u>	138	<u>CRKFLAG</u>	130	<u>EDUD5SEDUNM</u>	291
<u>COALCUSE</u>	623	<u>CRKMDAYS</u>	160	<u>EDUD5STMMIS</u>	291
<u>COCAGE</u>	26	<u>CRKMFU</u>	31	<u>EDUD5STMUNM</u>	291
<u>COAGLST</u>	322	<u>CRKMLU</u>	324	<u>EDUD5TRQMIS</u>	290
<u>COCEVER</u>	26	<u>CRKMON</u>	130	<u>EDUD5TRQUNM</u>	290
<u>COCLFLAG</u>	130	<u>CRKUS30A</u>	33	<u>EDUFULPAR</u>	609
<u>COCLALCUSE</u>	627	<u>CRKYDAYS</u>	158	<u>EDUHIGHCAT</u>	608
<u>COCLDRGUSE</u>	627	<u>CRKYFU</u>	30	<u>EDUSCHGRD2</u>	609
<u>COCLFINANC</u>	627	<u>CRKYLU</u>	323	<u>EDUSCHLGO</u>	609
<u>COCLNEGMH</u>	627	<u>CRKYR</u>	130	<u>EDUSCKCOM</u>	610
<u>COCMDAYS</u>	160	<u>CRKYRTOT</u>	31	<u>EDUSCKEST</u>	610
<u>COCMFU</u>	27	<u>CRTOTFG</u>	31	<u>EDUSCKMON</u>	610
<u>COCLMLU</u>	323	<u>DAMTFXFLAG</u>	132	<u>EDUSKPCOM</u>	611
<u>COCMON</u>	130	<u>DAMTFXMON</u>	132	<u>EDUSKPEST</u>	611
<u>COCNEDEVER</u>	188	<u>DAMTFXRREC</u>	52	<u>EDUSKPMON</u>	610
<u>COCNEEDL</u>	178	<u>DAMTFXYR</u>	132	<u>EIBINGAGE</u>	566
<u>COCREC</u>	27	<u>DCIGMON</u>	140	<u>EIBINGMFU</u>	566
<u>COCUS30A</u>	29	<u>DIABETEAG</u>	391	<u>EIBINGYFU</u>	566
<u>COCYDAYS</u>	158	<u>DIABETEVR</u>	385	<u>ENRLCOLLFT2</u>	613
<u>COCYFU</u>	26	<u>DIFGETCOC</u>	193	<u>ENRLCOLLST2</u>	613
<u>COCYLU</u>	322	<u>DIFGETCRK</u>	193	<u>ETHER</u>	54
<u>COCYR</u>	130	<u>DIFGETHER</u>	193	<u>ETHEREVER</u>	142
<u>COCYRBFR</u>	332	<u>DIFGETLSD</u>	193	<u>FDOCANGR</u>	530
<u>COCYRTOT</u>	27	<u>DIFGETMRJ</u>	192	<u>FDOCBRK</u>	530
<u>CODRGUSE</u>	623	<u>DIFOBTCC</u>	196	<u>FDOCDPR</u>	529
<u>COFINANC</u>	623	<u>DIFOBTCR</u>	196	<u>FDOCEAT</u>	530
<u>COHCAPTDL</u>	625	<u>DIFOBTER</u>	196	<u>FDOCFEA</u>	530
<u>COHCAPTDL2</u>	628	<u>DIFOBTLS</u>	196	<u>FDOCFILE</u>	530
<u>COHCRXDL</u>	626	<u>DIFOBTMRJ</u>	196	<u>FDOCFMLY</u>	530
<u>COHCRXDL2</u>	628	<u>DMTAMTFXY</u>	39	<u>FDOCFRND</u>	530
<u>COHCSVHLT</u>	626	<u>DRPRVME3</u>	442	<u>FDOCMEND</u>	531
<u>COHCSVHLT2</u>	628	<u>DRVINAGE</u>	607	<u>FDOCOTH2</u>	531
<u>COHCTELE</u>	625	<u>DRVINALCO</u>	313	<u>FDOCOTPP</u>	530
<u>COHCTELE2</u>	628	<u>DRVINALCO2</u>	315	<u>FDOCSCHL</u>	530
<u>COLDMEDS</u>	174	<u>DRVINALDRG</u>	315	<u>FELTMARKR</u>	54
<u>COLDREC</u>	174	<u>DRVINALON</u>	314	<u>FENTANYR</u>	66
<u>COLDYR1</u>	175	<u>DRVINCOCN</u>	313	<u>FENTNMYR</u>	78
<u>COLDYR2</u>	176	<u>DRVINDETAG</u>	608	<u>FILEDATE</u>	3
<u>COLDYR3</u>	176	<u>DRVINDRG</u>	315	<u>FLTMRKEVER</u>	142
<u>COLDYR4</u>	177	<u>DRVINDROTMJ</u>	315	<u>FOSTVST</u>	517
<u>COLDYR5</u>	177	<u>DRVINHALL</u>	313	<u>FRDADLY2</u>	441
<u>COMBATPY</u>	603	<u>DRVINHERN</u>	313	<u>FRDMEVR2</u>	441
<u>COMHAPTDL</u>	624	<u>DRVINHNL</u>	314	<u>FRDMJMON</u>	441
<u>COMHAPTDL2</u>	627	<u>DRVINMARJ</u>	313	<u>FRDPCIG2</u>	441
<u>COMHRXDL</u>	624	<u>DRVINMARJ2</u>	315	<u>FTNDDEPND</u>	207
<u>COMHRXDL2</u>	627	<u>DRVINMETH</u>	314	<u>FUALC18</u>	163
<u>COMHSVHLT</u>	624	<u>DSTCHR12</u>	447	<u>FUALC21</u>	163
<u>COMHSVHLT2</u>	627	<u>DSTCHR30</u>	445	<u>FUCD218</u>	162
<u>COMHTELE</u>	624	<u>DSTEFF12</u>	447	<u>FUCD221</u>	162
<u>COMHTELE2</u>	627	<u>DSTEFF30</u>	445	<u>FUCGR18</u>	162
<u>CONDLREC</u>	178	<u>DSTHOP12</u>	446	<u>FUCGR21</u>	163
<u>CONEGMH</u>	623	<u>DSTHOP30</u>	444	<u>FUCIG18</u>	162
<u>COPDAGE</u>	391	<u>DSTNGD12</u>	447	<u>FUCIG21</u>	162
<u>COPDEVER</u>	386	<u>DSTNGD30</u>	445	<u>FUCOC18</u>	163
<u>COSUAPTDL</u>	625	<u>DSTNRV12</u>	446	<u>FUCOC21</u>	163
<u>COSUAPTDL2</u>	628	<u>DSTNRV30</u>	444	<u>FUCRK18</u>	163
<u>COSUIPLNYR</u>	452	<u>DSTRST12</u>	446	<u>FUCRK21</u>	164
<u>COSUITHNK</u>	452	<u>DSTRST30</u>	444	<u>FUECSTMO18</u>	164
<u>COSURXDL</u>	625	<u>DSTWORST</u>	445	<u>FUECSTMO21</u>	165
<u>COSURXDL2</u>	628	<u>DYTXVST</u>	517	<u>FUHALLUC18</u>	164

INDEX

FUHALLUC21	164	HALLUCYFQ	46	HRNDLREC	180
FUHER18	164	HALLUCYFU	45	HRSMKREC	178
FUHER21	164	HALLUCYR	131	HRSNFREC	179
FUINHAL18	165	HALLYRLST	325	HRTCONDAG	390
FUINHAL21	165	HALTOTFG	46	HRTCONDEV	385
FULSD18	164	HEALTH	603	HRTCONDYR	391
FULSD21	164	HEALTH2	608	HRTOTFG	35
FUMETHAM18	165	HEOTNDL	180	HTANSWER	379
FUMETHAM21	165	HEOTOTH	180	HTINCHE2	379
FUMJ18	163	HEOTSMK	179	HVYDRKMON	140
FUMJ21	163	HEOTSNF	179	IFATHER	621
FUPCP18	164	HEOTSP	180	II2ALCFM	114
FUPCP21	164	HEPBCAGE	391	II2ALCFY	110
FUPNPNRM18	165	HEPBCEVER	386	II2ALCRC	101
FUPNPNRM21	165	HER30USE	36	II2CGRFM	113
FUSEDNM18	166	HERAGE	34	II2CGRRC	100
FUSEDNM21	166	HERAGLST	324	II2CIGFM	113
FUSMKLSS18	163	HEREVER	34	II2CIGRC	100
FUSMKLSS21	163	HERFLAG	130	II2COCFM	115
FUSTMNM18	165	HERMDAYS	160	II2COCFY	111
FUSTMNM21	166	HERMFU	35	II2COCRC	102
FUTRQNM18	165	HERMLU	325	II2CRKFM	115
FUTRQNM21	165	HERMON	131	II2CRKFY	111
GAS	53	HERNEDEVER	188	II2CRKRC	103
GASEVER	142	HERNEEDL	179	II2HERFM	116
GHB	177	HERPNRYR	138	II2HERFY	111
GHBFLAG	189	HERREC	35	II2HERRC	103
GHBMON	189	HERSMOEVER	189	II2LSDRC	104
GHBREC	177	HERSMOKE	178	II2MJFM	115
GHBRYR	189	HERSNEVER	189	II2MJFY	110
GLUE	53	HERSNIFF	179	II2MJRC	102
GLUEEVER	142	HERYDAYS	158	II2PCPRC	104
GNNDCLEN	186	HERYFU	34	II2WRKST18	620
GNNDGET2	186	HERYLU	324	II2WRKSTAT	620
GNNDLSH1	185	HERYR	131	IIACAGE	119
GNNDLSH2	186	HERYRTOT	35	IIALCBNG30D	114
GNNDREUS	185	HIGHBPAGE	393	IIALCFM	114
GOVTPROG	641	HIGHBPENV	387	IIALCFY	110
GQTYPE2	600	HIGHBPMED	392	IIALCRC	101
GRPCNSL2	442	HIVAIDSAG	392	IIALCYFU	120
GRPHLTIN	631	HIVAIDSEV	386	IIAMDEIMP	487
GRSKBNGDLY	196	HLCALL99	637	IIAMDELT	487
GRSKBNGWK	196	HLCALLFG	637	IIAMDEYR	487
GRSKCIGPKD	195	HLCLAST	632	IIBZOANYR	107
GRSKCOCMON	195	HLCNOTMO	632	IIBZONMYR	109
GRSKCOCWK	195	HLCNOTYR	632	IICD2YFU	118
GRSKHERTRY	195	HLLOSRSN	633	IICDUAGE	118
GRSKHERWK	195	HLNCOST	633	IICGRAGE	119
GRSKLSDTRY	195	HLNVNEED	633	IICGRFM	113
GRSKLSDWK	196	HLNOFFR	633	IICGRRC	100
GRSKMRJMON	195	HLNVREF	633	IICGRYFU	119
GRSKMRJWK	195	HLNVSOR	634	IICHMPUS	635
HALFQFLG	46	HLTINALC	631	IICIGAGE	118
HALLAGLST	325	HLTINDRG	631	IICIGFM	113
HALLDYPMO	47	HLTINMNT	631	IICIGRC	100
HALLDYPWK	47	HLTINNOS	632	IICIGYFU	118
HALLDYSYR	47	HOMEVST	518	IICOCAGE	120
HALLEASWY	47	HOSPVST	517	IICOCFM	115
HALLMOLST	326	HPALCAMT	383	IICOCFY	110
HALLNDAYPM	160	HPALCCUT	384	IICOCRC	102
HALLNDAYYR	159	HPALCFRQ	384	IICOCYFU	120
HALLUC30E	48	HPALCNOT	384	IICOSUPLNYR	461
HALLUC30N	48	HPALCPRB	384	IICOSUTHNK	461
HALLUCAGE	45	HPALCTX	384	IICOSUTRYR	462
HALLUCEVR	45	HPDRGTTALK	385	IICRKAGE	121
HALLUCFLAG	131	HPQTTOB	383	IICRKFM	115
HALLUCMFU	46	HPUSEALC	382	IICRKFY	111
HALLUCMON	131	HPUSEDRG	382	IICRKRC	102
HALLUCOT1	41	HPUSETOB	382	IICRKYFU	121
HALLUCOT2	43	HR30EST	37	IIDAMTFXREC	105
HALLUCOT3	44	HRBSTWAY	36	IIDSTCHR12	456
HALLUCOT4	44	HRDAYPMO	36	IIDSTCHR30	455
HALLUCOT5	45	HRDAYPWK	36	IIDSTEFF12	457
HALLUCOTH	40	HRDAYPYR	36	IIDSTEFF30	455
HALLUCREC	46	HRFQFLG	35	IIDSTHOP12	456

INDEX

<u>IIDSTHOP30</u>	454	<u>IIPC PAGE</u>	122	<u>IIVAPNICREC</u>	576
<u>IIDSTNGD12</u>	457	<u>IIPC PRC</u>	104	<u>IIWELMOS</u>	640
<u>IIDSTNGD30</u>	455	<u>IIPCPYFU</u>	123	<u>IIRWKSTAT</u>	620
<u>IIDSTNRV12</u>	456	<u>IIPINC3</u>	640	<u>IIRWKSTAT18</u>	620
<u>IIDSTNRV30</u>	454	<u>IIPPLF</u>	101	<u>ILLALCFLG</u>	141
<u>IIDSTRST12</u>	456	<u>IIPIPMN</u>	101	<u>ILLALCMON</u>	140
<u>IIDSTRST30</u>	454	<u>IIPMNICDEP</u>	208	<u>ILLANDALC</u>	141
<u>IIDSTWORST</u>	455	<u>IIPNRANYREC</u>	106	<u>ILLEMFLAG</u>	139
<u>IECSTMOAGE</u>	123	<u>IIPNRNM30FQ</u>	117	<u>ILLEMMON</u>	139
<u>IECSTMOREC</u>	104	<u>IIPNRNMAGE</u>	125	<u>ILLEMYR</u>	139
<u>IECSTMOYFU</u>	123	<u>IIPNRNMINIT</u>	124	<u>ILLFLAG</u>	138
<u>IEDUHIGHST2</u>	606	<u>IIPNRNMREC</u>	107	<u>ILLMON</u>	139
<u>IIFAMIN3</u>	640	<u>IIPNRNMYFU</u>	125	<u>ILLORALC</u>	141
<u>IIFAMPMT</u>	639	<u>IIPRVHLT</u>	635	<u>ILLYR</u>	139
<u>IIFAMSOC</u>	639	<u>IIPYSEV5ALC</u>	296	<u>ILTTOBALCFG</u>	140
<u>IIFAMSSI</u>	639	<u>IIPYSEV5COC</u>	297	<u>ILTTOBALCMN</u>	140
<u>IIFAMSVC</u>	639	<u>IIPYSEV5HAL</u>	297	<u>ILTTOBALCYR</u>	140
<u>IIFENTANYYR</u>	106	<u>IIPYSEV5HER</u>	297	<u>IMOTHER</u>	621
<u>IIFENTNMYR</u>	108	<u>IIPYSEV5INH</u>	298	<u>IMP CONCN</u>	448
<u>IIFSTAMP</u>	639	<u>IIPYSEV5MRJ</u>	296	<u>IMP DYFRQ</u>	451
<u>IIGHBREC</u>	187	<u>IIPYSEV5MTH</u>	297	<u>IMPGOUT</u>	448
<u>IHalluc30N</u>	116	<u>IIPYUD5ALC</u>	292	<u>IMPGOUTM</u>	448
<u>IHallucage</u>	122	<u>IIPYUD5COC</u>	292	<u>IMPHHLD</u>	449
<u>IHallucrec</u>	103	<u>IIPYUD5HAL</u>	293	<u>IMPHHLD M</u>	450
<u>IHallucyfq</u>	112	<u>IIPYUD5HER</u>	293	<u>IMPPEOP</u>	448
<u>IHallucyfu</u>	122	<u>IIPYUD5INH</u>	293	<u>IMPPEOP M</u>	449
<u>IHerage</u>	121	<u>IIPYUD5MRJ</u>	292	<u>IMPREMEM</u>	447
<u>IHerfm</u>	116	<u>IIPYUD5MTH</u>	294	<u>IMP RESP</u>	450
<u>IHerfy</u>	111	<u>IISALVIAREC</u>	105	<u>IMPRESPM</u>	450
<u>I Herrc</u>	103	<u>IISEDANYREC</u>	107	<u>IMPSOC</u>	449
<u>IHerfyu</u>	121	<u>IISEDNM30FQ</u>	117	<u>IMPSOC M</u>	449
<u>IHH65_2</u>	622	<u>IISEDNMAGE</u>	127	<u>IMPWEEKS</u>	451
<u>IHHSIZ2</u>	621	<u>IISEDNMINIT</u>	125	<u>IMPWORK</u>	450
<u>IIMP CONCN</u>	457	<u>IISEDNMREC</u>	109	<u>IMPY DAYS</u>	451
<u>IIMP GOUT</u>	458	<u>IISEDNMYFU</u>	127	<u>INCOME</u>	641
<u>IIMP GOUTM</u>	458	<u>IISEVPNRMIS</u>	298	<u>INHAL30ES</u>	61
<u>IIMPHHLD</u>	459	<u>IISEVPNRUNM</u>	298	<u>INHAL30N</u>	61
<u>IIMPHHLD M</u>	459	<u>IIEVSEDMIS</u>	300	<u>INHALAGE</u>	58
<u>IIMPPEOP</u>	458	<u>IIEVSEDU NM</u>	300	<u>INHALEVER</u>	58
<u>IIMPPEOP M</u>	458	<u>IIEVSTMMIS</u>	299	<u>INHAL FLAG</u>	133
<u>IIMPREMEM</u>	457	<u>IIEVSTMUNM</u>	299	<u>INHALMFU</u>	59
<u>IIMPRESP</u>	460	<u>IIEVTRQMIS</u>	298	<u>INHALMON</u>	133
<u>IIMPRESPM</u>	460	<u>IIEVTRQUNM</u>	299	<u>INHALOT1</u>	56
<u>IIMPSOC</u>	459	<u>IISMKLSS30N</u>	113	<u>INHALOT2</u>	57
<u>IIMPSOC M</u>	459	<u>IISMKLSSREC</u>	101	<u>INHALOT3</u>	57
<u>IIMPWORK</u>	460	<u>IISMKLSSTRY</u>	119	<u>INHALOT4</u>	57
<u>IINHAL30N</u>	116	<u>IISMKLSSYFU</u>	119	<u>INHALOTS</u>	57
<u>IINHALAGE</u>	123	<u>IISTMANYREC</u>	107	<u>INHALOTH</u>	55
<u>IINHALREC</u>	105	<u>IISTNM30FQ</u>	117	<u>INHALREC</u>	59
<u>IINHALYfq</u>	112	<u>IISTMN MAGE</u>	127	<u>INHALYFQ</u>	59
<u>IINHALYfu</u>	124	<u>IISTMNMINIT</u>	125	<u>INHALYFU</u>	58
<u>IINSUR4</u>	637	<u>IISTMNREC</u>	108	<u>INHALYR</u>	133
<u>IIKETMINREC</u>	104	<u>IISTMNMYFU</u>	126	<u>INHDYP MO</u>	60
<u>IIKI17_2</u>	621	<u>IISUICTHNK</u>	460	<u>INHDYPW K</u>	60
<u>IIKRATREC</u>	576	<u>IISUIPLAN YR</u>	461	<u>INHDYSYR</u>	60
<u>IILSDAGE</u>	122	<u>IISUITTRYR</u>	461	<u>INHEASWY</u>	60
<u>IILSDRC</u>	103	<u>IISYNMRJREC</u>	577	<u>INHFQFLG</u>	59
<u>IILSDYFU</u>	122	<u>IISYNSTMREC</u>	577	<u>INHLAGLST</u>	329
<u>IIMARIT</u>	606	<u>IITRQANYREC</u>	106	<u>INHLMOLST</u>	330
<u>IIMCDCHP</u>	635	<u>IITRQN M30FQ</u>	117	<u>INHLYRLST</u>	329
<u>IMEDICR</u>	635	<u>IITRQN MAGE</u>	126	<u>INHNDA YPM</u>	160
<u>IMETHAM30N</u>	116	<u>IITRQN MINIT</u>	124	<u>INHNDA YYR</u>	159
<u>IMETHAMAGE</u>	124	<u>IITRQN MREC</u>	108	<u>INHOSPYR</u>	380
<u>IMETHAMREC</u>	105	<u>IITRQNMYFU</u>	126	<u>INHTOTFG</u>	59
<u>IMETHAMYFQ</u>	112	<u>IIUD5PNRMIS</u>	294	<u>IRALCAGE</u>	119
<u>IMETHAMYFU</u>	124	<u>IIUD5PNRUNM</u>	294	<u>IRALCBNG30D</u>	114
<u>IIMJAGE</u>	120	<u>IIUD5SEDUM</u>	295	<u>IRALCFM</u>	114
<u>IIMJFM</u>	114	<u>IIUD5STMMIS</u>	295	<u>IRALCFY</u>	110
<u>IIMJFY</u>	110	<u>IIUD5STMUNM</u>	295	<u>IRALCRC</u>	101
<u>IIMJRC</u>	102	<u>IIUD5TRQMIS</u>	294	<u>IRALCYFU</u>	119
<u>IIMJYFU</u>	120	<u>IIUD5TRQUNM</u>	295	<u>IRAMDEIMP</u>	487
<u>IINPCOLDREC</u>	187	<u>IIVAPANYREC</u>	576	<u>IRAMDELT</u>	487
<u>IOTHHLT</u>	636	<u>IIVAPFLVREC</u>	577	<u>IRAMDEYR</u>	487
<u>IIOXCNANYYR</u>	106	<u>IIVAPMRJREC</u>	576	<u>IRBZOANYYR</u>	107
<u>IIOXCNMYR</u>	108			<u>IRBZONMYR</u>	109

INDEX

<u>IRCD2YFU</u>	118	<u>IRIMPWORK</u>	460	<u>IRSMKLSSREC</u>	101
<u>IRCDUAGE</u>	118	<u>IRINHAL30N</u>	116	<u>IRSMKLSSTRY</u>	119
<u>IRCGRAGE</u>	118	<u>IRINHALAGE</u>	123	<u>IRSMKLSSYFU</u>	119
<u>IRCGRFM</u>	113	<u>IRINHALREC</u>	105	<u>IRSTMANYREC</u>	107
<u>IRCGRRC</u>	100	<u>IRINHALYFQ</u>	112	<u>IRSTMNM30FQ</u>	117
<u>IRCGRYFU</u>	119	<u>IRINHALYFU</u>	123	<u>IRSTMNMAGE</u>	126
<u>IRCHMPUS</u>	635	<u>IRINSUR4</u>	637	<u>IRSTMNMINIT</u>	125
<u>IRCIGAGE</u>	118	<u>IRKETMINREC</u>	104	<u>IRSTMNMREC</u>	108
<u>IRCIGFM</u>	113	<u>IRKII7_2</u>	621	<u>IRSTMNNMYFU</u>	126
<u>IRCIGRC</u>	100	<u>IRKRATREC</u>	576	<u>IRSUICTHNK</u>	460
<u>IRCIGYFU</u>	118	<u>IRLSDAGE</u>	122	<u>IRSUIPLANR</u>	461
<u>IRCOCAGE</u>	120	<u>IRLSDRC</u>	103	<u>IRSUITTRYR</u>	461
<u>IRCOCFM</u>	115	<u>IRLSDYFU</u>	122	<u>IRSYNMRJREC</u>	577
<u>IRCOCFY</u>	110	<u>IRMARIT</u>	606	<u>IRSYNSTMREC</u>	577
<u>IRCOCRC</u>	102	<u>IRMCDCHP</u>	635	<u>IRTRQANYREC</u>	106
<u>IRCOCYFU</u>	120	<u>IRMEDICR</u>	635	<u>IRTRQNM30FQ</u>	117
<u>IRCSUPLNYR</u>	461	<u>IRMETHAM30N</u>	116	<u>IRTRQNMAGE</u>	126
<u>IRCSUITHNK</u>	461	<u>IRMETHAMAGE</u>	124	<u>IRTRQNMINIT</u>	124
<u>IRCSUITTRYR</u>	461	<u>IRMETHAMREC</u>	105	<u>IRTRQNMREC</u>	108
<u>IRCRKAGE</u>	121	<u>IRMETHAMYFQ</u>	112	<u>IRTRQNMFYU</u>	126
<u>IRCRKFM</u>	115	<u>IRMETHAMYFU</u>	124	<u>IRUD5PNRMIS</u>	294
<u>IRCRKFY</u>	111	<u>IRMJAGE</u>	120	<u>IRUD5PNRUNM</u>	294
<u>IRCRKRC</u>	102	<u>IRMJFM</u>	114	<u>IRUD5SEDMIS</u>	295
<u>IRCRKYFU</u>	121	<u>IRMJFY</u>	110	<u>IRUDSSEDUNM</u>	295
<u>IRDAMTFXREC</u>	105	<u>IRMJRC</u>	102	<u>IRUD5STMMIS</u>	295
<u>IRDSTCHR12</u>	456	<u>IRMJYFU</u>	120	<u>IRUD5STMUNM</u>	295
<u>IRDSTCHR30</u>	454	<u>IRNPCCOLDRREC</u>	187	<u>IRUD5TROMIS</u>	294
<u>IRDSTEFF12</u>	457	<u>IROTHHILT</u>	636	<u>IRUD5TROUNM</u>	294
<u>IRDSTEFF30</u>	455	<u>IROXCNANYR</u>	106	<u>IRVAPANYREC</u>	576
<u>IRDSTHOP12</u>	456	<u>IROXCNMYR</u>	108	<u>IRVAPFLVREC</u>	577
<u>IRDSTHOP30</u>	454	<u>IRPCPAGE</u>	122	<u>IRVAPMRJREC</u>	576
<u>IRDSTNGD12</u>	457	<u>IRPCPRC</u>	104	<u>IRVAPNICREC</u>	576
<u>IRDSTNGD30</u>	455	<u>IRPCPYFU</u>	123	<u>IRWELMOS</u>	639
<u>IRDSTNRV12</u>	455	<u>IRPINC3</u>	640	<u>IRWRKSTAT</u>	620
<u>IRDSTNRV30</u>	454	<u>IRPIPLF</u>	100	<u>IRWRKSTAT18</u>	620
<u>IRDSTRST12</u>	456	<u>IRPIPMM</u>	101	<u>KETMINESK</u>	39
<u>IRDSTRST30</u>	454	<u>IRPMNICDEP</u>	208	<u>KETMINFLAG</u>	132
<u>IRDSTWORST</u>	455	<u>IRPNRANYREC</u>	106	<u>KETMINMON</u>	132
<u>IRECSTMOAGE</u>	123	<u>IRPNRNM30FQ</u>	117	<u>KETMINREC</u>	52
<u>IRECSTMOREC</u>	104	<u>IRPNRNMAGE</u>	125	<u>KETMINYR</u>	132
<u>IRECSTMOYFU</u>	123	<u>IRPNRNMINIT</u>	124	<u>KIDNYDSAG</u>	392
<u>IREDUHIGHST2</u>	606	<u>IRPNRNMREC</u>	107	<u>KIDNYDSEV</u>	386
<u>IRFAMIN3</u>	640	<u>IRPNRNMFYU</u>	125	<u>KRATEVER</u>	572
<u>IRFAMPMT</u>	639	<u>IRPRVHLT</u>	635	<u>KRATOMFLAG</u>	578
<u>IRFAMSOC</u>	639	<u>IRPYSEV5ALC</u>	296	<u>KRATOMMON</u>	579
<u>IRFAMSSI</u>	639	<u>IRPYSEV5COC</u>	296	<u>KRATOMYR</u>	578
<u>IRFAMSVC</u>	639	<u>IRPYSEV5HAL</u>	297	<u>KRATREC</u>	572
<u>IRFENTANYR</u>	106	<u>IRPYSEV5HER</u>	297	<u>KSSLR6MAX</u>	463
<u>IRFENTNMYR</u>	108	<u>IRPYSEV5INH</u>	298	<u>KSSLR6MON</u>	463
<u>IRFSTAMP</u>	639	<u>IRPYSEV5MRJ</u>	296	<u>KSSLR6MONED</u>	452
<u>IRGBREC</u>	187	<u>IRPYSEV5MTH</u>	297	<u>KSSLR6YR</u>	463
<u>IRHALLUC30N</u>	116	<u>IRPYUD5ALC</u>	292	<u>KSSLR6YRED</u>	453
<u>IRHALLUCAGE</u>	121	<u>IRPYUD5COC</u>	292	<u>LANGVER</u>	600
<u>IRHALLUCREC</u>	103	<u>IRPYUD5HAL</u>	293	<u>LGAS</u>	54
<u>IRHALLUCYFQ</u>	111	<u>IRPYUD5HER</u>	293	<u>LGASEVER</u>	142
<u>IRHALLUCYFU</u>	122	<u>IRPYUD5INH</u>	293	<u>LMIPY</u>	465
<u>IRHERAGE</u>	121	<u>IRPYUD5MRJ</u>	292	<u>LMMIPY</u>	466
<u>IRHERFM</u>	115	<u>IRPYUD5MTH</u>	293	<u>LMMISUD5ANY</u>	467
<u>IRHERFY</u>	111	<u>IRSALVIAREC</u>	105	<u>LMMISUD5MIS</u>	467
<u>IRHERRC</u>	103	<u>IRSEDANYREC</u>	107	<u>LSD</u>	38
<u>IRHERYFU</u>	121	<u>IRSEDNM30FQ</u>	117	<u>LSDAGE</u>	48
<u>IRHH65_2</u>	622	<u>IRSEDNMAGE</u>	127	<u>LSDAGLST</u>	326
<u>IRHHSIZ2</u>	621	<u>IRSEDNMINIT</u>	125	<u>LSDFLAG</u>	131
<u>IRIMPCONCN</u>	457	<u>IRSEDNMREC</u>	109	<u>LSDMFU</u>	49
<u>IRIMPGOUT</u>	458	<u>IRSEDNMFYU</u>	127	<u>LSDMLU</u>	327
<u>IRIMPGOUTM</u>	458	<u>IRSEVPNRMIS</u>	298	<u>LSDMON</u>	131
<u>IRIMPHHLD</u>	459	<u>IRSEVPNRUNM</u>	298	<u>LSDREC</u>	49
<u>IRIMPHHLD</u>	459	<u>IRSEVSEDMIS</u>	299	<u>LSDYFU</u>	48
<u>IRIMPPEOP</u>	458	<u>IRSEVSEDUNM</u>	300	<u>LSDYLU</u>	326
<u>IRIMPPEOPM</u>	458	<u>IRSEVSTMMIS</u>	299	<u>LSDYR</u>	131
<u>IRIMPREMEM</u>	457	<u>IRSEVSTMUNM</u>	299	<u>LVLDIFCARE2</u>	605
<u>IRIMPRESP</u>	460	<u>IRSEVTRQMIS</u>	298	<u>LVLDIFCOMM2</u>	605
<u>IRIMPRESPM</u>	460	<u>IRSEVTRQUNM</u>	299	<u>LVLDIFHEAR2</u>	604
<u>IRIMPSOC</u>	459	<u>IRSEX</u>	606	<u>LVLDIFMEM2</u>	605
<u>IRIMPSOCM</u>	459	<u>IRSMKLSS30N</u>	113	<u>LVLDIFSEE2</u>	604

INDEX

LVLDIFWALK2	604	MJDAY30A	25	MRJAGLST	316
MAIIN102	643	MJEVER	22	MRJFLAG	130
MDEIMPY	556	MJFQFLG	24	MRJMDAYS	160
MEDICARE	630	MJMFU	23	MRJMLU	317
MEDMJALL	200	MJONLYFLAG	139	MRJMON	130
MEDMJPA2	201	MJONLYMON	139	MRJMONVAP	580
MEDMJYR	200	MJONLYYYR	139	MRJYDAYS	158
MEFQFLG	63	MJREC	23	MRJYLU	316
MESC	38	MJYFU	22	MRJYR	130
MESCEVER	141	MJYRTOT	23	MRJYRBFR	316
METHAGLST	330	MMBATJOB1	590	MRTOTFG	23
METHAM30E	65	MMBCLOSE	590	MTHNEDEVER	189
METHAM30N	65	MMBGIVE	591	MXMJPNLT	314
METHAMAGE	62	MMBJOINT	583	NDFLTXALC	374
METHAMEVR	62	MMBLOOSE	583	NDFLTXILAL	375
METHAMFLAG	133	MMBOOTHER	584	NDFLTXILL	375
METHAMMFU	63	MMBPLACE1	589	NDMORTALC	340
METHAMMON	133	MMBPLOSSP2	590	NDMORTCOC	340
METHAMREC	63	MMSELL	591	NDMORTHAL	340
METHAMYFQ	63	MMBT30DY	583	NDMORTHER	340
METHAMYFU	62	MMBTDISP	583	NDMORTINH	341
METHAMYR	133	MMBTPYR	582	NDMORTMRJ	340
METHDYPMO	64	MMBTRECI	582	NDMORTMTH	341
METHDYPWK	64	MMBTREC2	582	NDMORTOTH	341
METHDYSYR	64	MMBUYWHO1	589	NDMORTPNR	341
METHEASWY	64	MMFCLOSE	599	NDMORTSED	341
METHMOLST	331	MMFGIVE	599	NDMORTSTM	341
METHNDAYPM	160	MMFKEEP	599	NDMORTTRO	341
METHNDAYYR	159	MMFPLACE	598	NDMORTXYR	340
METHNDLRC	181	MMFPLOSS2	598	NDMRDKWHR	351
METHNEEDL	180	MMFREWHO	598	NDMREFRFT	349
METHYRLST	330	MMFSELL	599	NDMRFNDOU	352
METOTFG	63	MMGETMJ	582	NDMRHANDL	351
MHLCLNC4	414	MMGGIVE	597	NDMRJOBNG	351
MHLDOC4	414	MMGKEEP	597	NDMRIMIMPT	352
MHLDLMT4	414	MMGSELL	597	NDMRNBRNG	351
MHLMNT4	414	MMIPY	465	NDMRNOCOV	350
MHLOTH4	415	MMJNPCAT1	585	NDMRNOHLP	351
MHLSCHL4	415	MMJNPCTB1	584	NDMRNONED	351
MHLTHER4	414	MMJNTNUM1	584	NDMRNOTPY	350
MHPDEMP4	416	MMLS10GM1	586	NDMRNSTOP	350
MHPDFRE4	416	MMLSGMS1	585	NDMRNTIME	352
MHPDMCD4	416	MMLSLBS1	586	NDMRROTRSN	352
MHPDMCR4	416	MMLSOZS1	586	NDMRPFULL	350
MHPDML4	416	MMLSPCAT1	588	NDMRRTSPHR	350
MHPDOFM4	415	MMLSPCTB1	587	NDMRWANTD	350
MHPDPHI4	416	MMLSUNIT1	585	NDSSDEPND	207
MHPDPRV4	416	MMT30FRQ	592	NDTRNDKWHR	377
MHPDPUB4	416	MMTCLOSE	596	NDTRNFNDOU	378
MHPDREH4	416	MMTGIVE	597	NDTRNHANDL	377
MHPDSL4	415	MMTJNTNM1	593	NDTRNJOBNG	377
MHRCFID2	417	MMTJOINT	592	NDTRNMIMPT	378
MHRCMIT2	417	MMTJWRCB1	593	NDTRNNBRNG	377
MHRCOST2	417	MMTJWRTH1	593	NDTRNNOCOV	376
MHRCOVID	418	MMTKEEP	596	NDTRNNOHLP	377
MRENUF2	417	MMTLGMS1	594	NDTRNNONED	377
MHRFOUT2	418	MMTLOOSE	592	NDTRNNOTPY	376
MHRHAND2	418	MMTLOZS1	594	NDTRNNSTOP	377
MHRJOBS2	417	MMTUNIT1	594	NDTRNNTIME	377
MHRNBRSS2	417	MMTLWRCB1	595	NDTRNPFULL	377
MHRNCOV2	417	MMTLWRTH1	595	NDTRNTSPHR	376
MHRNOHP2	418	MMTOOTHER	593	NDTRNWANTD	376
MHRNOND2	418	MMTPLACE	596	NDTXDKWHR	347
MHRSOOTH2	419	MMTPLOSS2	596	NDTXEFFRT	346
MHRTIME2	418	MMTRADE	591	NDTXEFILAL	375
MHRTRAN2	418	MMTRD30D	591	NDTXEFTALC	375
MHRWHER2	417	MMTRDREC	592	NDTXEFTILL	375
MICATPY	466	MMTRDWHO	595	NDTXFNDOU	349
MILSTAT	601	MMTSELL	597	NDTXHANDL	348
MILTCHLDR	612	MOV SIN PYR2	603	NDTXJOBNG	348
MILTFAMILY	611	MR30EST	25	NDTXMIMPT	349
MILTPARNT	612	MRB TWAY	24	NDTXNBRNG	347
MILTSIBLN	612	MRDAYPMO	24	NDTXNOCOV	346
MILTSPPAR	611	MRDAYPWK	24	NDTXNOHLP	348
MJAGE	22	MRDAYPYR	24	NDTXNONED	348

INDEX

<u>NDTXNOTP</u>	346	<u>PCP</u>	38	<u>PRVDRG02</u>	442
<u>NDTXNSTOP</u>	347	<u>PCPAGE</u>	49	<u>PRVHLTIN</u>	631
<u>NDTXNTIME</u>	348	<u>PCPAGLST</u>	327	<u>PRXRETRY</u>	629
<u>NDTXOTRSN</u>	349	<u>PCPFLAG</u>	131	<u>PRXYDATA</u>	629
<u>NDTXPFULL</u>	347	<u>PCPMFU</u>	50	<u>PSILCY</u>	39
<u>NDXTXTSPHR</u>	346	<u>PCPMLU</u>	328	<u>PSILCYEVER</u>	141
<u>NDTXWANTD</u>	347	<u>PCPMON</u>	132	<u>PSYANYFLAG</u>	135
<u>NDTXYOTH1</u>	345	<u>PCPREC</u>	50	<u>PSYANYRR</u>	135
<u>NDTXYOTH2</u>	345	<u>PCPYFU</u>	50	<u>PSYCHFLAG</u>	138
<u>NDTXYOTH3</u>	345	<u>PCPYLU</u>	327	<u>PSYCHMON</u>	138
<u>NDTXYOTH4</u>	345	<u>PCPYR</u>	131	<u>PSYCHYR</u>	138
<u>NDTXYOTH5</u>	345	<u>PDEN10</u>	642	<u>PYUD5ALC</u>	288
<u>NDTXYRADG</u>	339	<u>PEYOTE</u>	38	<u>PYUD5COC</u>	288
<u>NDTXYRALC</u>	342	<u>PEYOTEEVER</u>	141	<u>PYUD5HAL</u>	289
<u>NDTXYRCOC</u>	342	<u>PIPE30DY</u>	16	<u>PYUD5HER</u>	289
<u>NDTXYRHAL</u>	343	<u>PIPEVER</u>	16	<u>PYUD5INH</u>	289
<u>NDTXYRHIER</u>	342	<u>PIPFLAG</u>	128	<u>PYUD5MRJ</u>	288
<u>NDTXYRINH</u>	343	<u>PIPMON</u>	128	<u>PYUD5MTH</u>	289
<u>NDTXYRMRJ</u>	342	<u>PMNICDEP</u>	207	<u>QUARTER</u>	600
<u>NDTXYRMTH</u>	343	<u>PNRANYFLAG</u>	134	<u>QUESTID2</u>	3
<u>NDTXYROTH</u>	344	<u>PNRANYLIF</u>	66	<u>RCVMHASPTX4</u>	419
<u>NDTXYRPNR</u>	343	<u>PNRANYREC</u>	66	<u>RCVMHNSPTX4</u>	419
<u>NDTXYRSED</u>	344	<u>PNRANYYR</u>	134	<u>RCVMHOSPTX4</u>	419
<u>NDTXYRSTM</u>	344	<u>PNRMAINRSN</u>	167	<u>RCVSPTXNMH4</u>	419
<u>NDTXYRTRQ</u>	344	<u>PNRNDAYPM</u>	161	<u>RCVYMHPRB</u>	578
<u>NEWRACE2</u>	608	<u>PNRNM30AL</u>	73	<u>RCVYSUBPRB</u>	578
<u>NITOXID</u>	54	<u>PNRNM30D</u>	72	<u>RESIDVST</u>	517
<u>NITOXIEVER</u>	142	<u>PNRNM30ES</u>	73	<u>RKFQDBLT</u>	194
<u>NMERTMT2</u>	380	<u>PNRNM30FQ</u>	72	<u>RKFQPBLT</u>	194
<u>NMNGTHS2</u>	381	<u>PNRNMAGE</u>	72	<u>RLGATTD</u>	443
<u>NMVSOEEST</u>	381	<u>PNRNMFLAG</u>	136	<u>RLGDCSN</u>	443
<u>NMVSOPT2</u>	381	<u>PNRNMINIT</u>	71	<u>RLGFRND</u>	443
<u>NOBOOKY2</u>	308	<u>PNRNMLAS1</u>	75	<u>RLGIMPT</u>	443
<u>NOMARR2</u>	601	<u>PNRNMLI</u>	70	<u>RSKBNGDLY</u>	192
<u>NONABOVEEV</u>	387	<u>PNRNMMFU</u>	72	<u>RSKBNGWK</u>	192
<u>NOSPT5YRAL</u>	376	<u>PNRNMMON</u>	136	<u>RSKCIGPKD</u>	190
<u>NPCOLDFLAG</u>	189	<u>PNRNMREC</u>	71	<u>RSKCOCMON</u>	191
<u>NPCOLDMON</u>	189	<u>PNRNMYFU</u>	72	<u>RSKCOCWK</u>	192
<u>NPCOLDYR</u>	189	<u>PNRNMYR</u>	136	<u>RSKHERRTRY</u>	191
<u>NRCH17_2</u>	621	<u>PNRNORXFG</u>	78	<u>RSKHERWK</u>	191
<u>OPIANYR</u>	135	<u>PNRRSDGFX</u>	77	<u>RSKLSDTRY</u>	191
<u>OPINMMON</u>	138	<u>PNRRSEMET</u>	76	<u>RSKLSDWK</u>	191
<u>OPINMYR</u>	138	<u>PNRRSEXPT</u>	76	<u>RSKMRJMON</u>	190
<u>OPMATYR2</u>	578	<u>PNRRSHIGH</u>	76	<u>RSKMRJWK</u>	190
<u>OTCFLAG</u>	177	<u>PNRRSHOOK</u>	77	<u>RSKYFQDGR</u>	194
<u>OTDGNDLA</u>	182	<u>PNRRSMAIN</u>	78	<u>RSKYFQTES</u>	194
<u>OTDGNDLB</u>	183	<u>PNRRSOTRS2</u>	77	<u>RSNMRJMO</u>	199
<u>OTDGNDLC</u>	184	<u>PNRRSPAN</u>	75	<u>RSNOMRJ</u>	199
<u>OTDGNDLD</u>	184	<u>PNRRSRELX</u>	76	<u>RVMHVRASPTX4</u>	420
<u>OTDGNDLE</u>	185	<u>PNRSSLEP</u>	76	<u>RVMHVRNSPTX4</u>	420
<u>OTDGNDLRC</u>	185	<u>PNRRSSOR</u>	77	<u>RVMHVROSPTX4</u>	419
<u>OTDGNEDL</u>	181	<u>PNRWYGAMT</u>	73	<u>RVSPTXNMHVR4</u>	420
<u>OTHAEREVER</u>	143	<u>PNRWYLNGR</u>	74	<u>RXALPRANY</u>	146
<u>OTHAEROS</u>	55	<u>PNRWYNQRX</u>	73	<u>RXALPRMIS</u>	153
<u>OTHINS</u>	637	<u>PNRWYOFNT</u>	74	<u>RXAMMEANY</u>	147
<u>OTHRPNRANY</u>	145	<u>PNRWYOTWY</u>	74	<u>RXAMMEMIS</u>	155
<u>OTHRPNRMIS</u>	153	<u>POVERTY3</u>	641	<u>RXAMPHANY</u>	148
<u>OTHRSEDANY</u>	150	<u>PRALDLY2</u>	440	<u>RXAMPHMIS</u>	155
<u>OTHRSEDMIS2</u>	157	<u>PRBSOLV2</u>	442	<u>RXANORANY</u>	148
<u>OTHRSTMAN</u>	148	<u>PRCHORE2</u>	439	<u>RXANORMIS</u>	156
<u>OTHRSTMMIS</u>	156	<u>PREG</u>	394	<u>RXBARBANY</u>	150
<u>OTHRTRQANY</u>	147	<u>PREG2</u>	394	<u>RXBARBMIS</u>	158
<u>OTHRTRQOMIS</u>	155	<u>PREGAGE2</u>	607	<u>RXBUPRANY</u>	144
<u>OXCNANYR</u>	66	<u>PREGNANT</u>	379	<u>RXBUPRMIS</u>	151
<u>OXCNNMAGE</u>	70	<u>PREGPGM2</u>	442	<u>RXBZOSANY</u>	149
<u>OXCNNMMFU</u>	71	<u>PREVIOL2</u>	442	<u>RXBZOSMIS</u>	157
<u>OXCNNMYFU</u>	70	<u>PRGDJOB2</u>	439	<u>RXBZOTANY</u>	145
<u>OXCNNMYR</u>	70	<u>PRLMTTV2</u>	439	<u>RXBZOTMIS</u>	153
<u>OXYCNANYR</u>	134	<u>PRMJEV2</u>	440	<u>RXCLONANY</u>	146
<u>OXYCNNMYR</u>	136	<u>PRMJMO</u>	440	<u>RXCLONMIS</u>	154
<u>PARCHKHW</u>	438	<u>PROB</u>	315	<u>RXCODEANY</u>	144
<u>PARHLPHW</u>	439	<u>PROBATON</u>	312	<u>RXCODEMIS</u>	151
<u>PARLMTSN</u>	439	<u>PRPKCIG2</u>	440	<u>RXYCLANY</u>	147
<u>PAROL</u>	315	<u>PRPROUD2</u>	439	<u>RXYCLMIS</u>	154
<u>PAROLREL</u>	312	<u>PRTALK3</u>	442	<u>RXDEMEANY</u>	145

INDEX

<u>RXDEMEMIS</u>	152	<u>SEDWYLNGR</u>	96	<u>SNRLGSVC</u>	422
<u>RXDIAZANY</u>	146	<u>SEDWYNORX</u>	96	<u>SNYATTAK</u>	421
<u>RXDIAZMIS</u>	154	<u>SEDWYOFN</u>	96	<u>SNYSELL</u>	421
<u>RXESZOANY</u>	149	<u>SEDWYOTWY</u>	97	<u>SNYSTOLE</u>	421
<u>RXESZOMIS</u>	157	<u>SERVICE</u>	601	<u>SOLVENEVER</u>	142
<u>RXFLURANY</u>	150	<u>SEVYRPNRANY</u>	306	<u>SOLVENT</u>	54
<u>RXHYDCANY</u>	143	<u>SEVYRSEDANY</u>	307	<u>SOMHANGR</u>	523
<u>RXHYDCMIS</u>	150	<u>SEVYRSTMANY</u>	307	<u>SOMHBRK</u>	522
<u>RXHYDMANY</u>	145	<u>SEVYRTRQANY</u>	307	<u>SOMHDPR</u>	522
<u>RXHYDMMIS</u>	152	<u>SEXAGE</u>	608	<u>SOMHEAT</u>	523
<u>RXLORAANY</u>	146	<u>SEXTRACT</u>	603	<u>SOMHFEA</u>	522
<u>RXLORAMIS</u>	153	<u>SEXIDENT</u>	604	<u>SOMHFITE</u>	523
<u>RXMORPANY</u>	144	<u>SEXRACE</u>	608	<u>SOMHFMLY</u>	523
<u>RXMORPMIS</u>	151	<u>SHSWANGR</u>	528	<u>SOMHFRND</u>	524
<u>RXMRLXANY</u>	146	<u>SHSWBRK</u>	528	<u>SOMHMEND</u>	524
<u>RXMRLXMISS</u>	154	<u>SHSWDPR</u>	528	<u>SOMHOOTH2</u>	525
<u>RXMTDNANY</u>	145	<u>SHSWEAT</u>	528	<u>SOMHOTPP</u>	524
<u>RXMTDNMIS</u>	152	<u>SHSWFEA</u>	528	<u>SOMHSCHL</u>	524
<u>RXMTHPANY</u>	148	<u>SHSWFITE</u>	528	<u>SPAINEVER</u>	143
<u>RXMTHPMIS</u>	156	<u>SHSWFMLY</u>	529	<u>SPDPSTMON</u>	463
<u>RXOXCOANY</u>	143	<u>SHSWFRND</u>	529	<u>SPDPSTYR</u>	463
<u>RXOXCOMIS</u>	151	<u>SHSWMEND</u>	529	<u>SPEAKENGL</u>	604
<u>RXOXYMAN</u>	144	<u>SHSWOTH2</u>	529	<u>SPINVST2</u>	518
<u>RXOXYMMIS</u>	152	<u>SHSWOTPP</u>	529	<u>SPOUTVST</u>	518
<u>RXPROVANY</u>	148	<u>SHWSWSCHL</u>	529	<u>SPPAINT</u>	55
<u>RXPROVMIS</u>	156	<u>SIMHANG2</u>	520	<u>SRCCLFRPNR</u>	173
<u>RXSOMAANY</u>	147	<u>SIMHBRK2</u>	519	<u>SRCCLFRSED</u>	173
<u>RXSOMAMIS</u>	154	<u>SIMHDPR2</u>	519	<u>SRCCLFRSTM</u>	173
<u>RXTEMAANY</u>	150	<u>SIMHEAT2</u>	520	<u>SRCCLFRTRO</u>	173
<u>RXTRAMANY</u>	144	<u>SIMHFEA2</u>	519	<u>SRCFRPNRM</u>	172
<u>RXTRAMMIS</u>	151	<u>SIMHFIT2</u>	520	<u>SRCFRSEDNM</u>	172
<u>RXTRIAANY</u>	149	<u>SIMHFML2</u>	520	<u>SRCFRSTMMN</u>	172
<u>RXZALEANY</u>	149	<u>SIMHFRD2</u>	521	<u>SRCFRTRQNM</u>	172
<u>RXZOHYANY</u>	143	<u>SIMHMEN2</u>	521	<u>SRCPNRNM2</u>	171
<u>RXZOHYMIS</u>	150	<u>SIMHOTH3</u>	522	<u>SRCSEDNM2</u>	171
<u>RXZOLPANY</u>	149	<u>SIMHOTP2</u>	521	<u>SRCSTMNM2</u>	171
<u>RXZOLPMIS</u>	157	<u>SIMHSCH2</u>	521	<u>SRCTRQNM2</u>	171
<u>SALVIADIV</u>	39	<u>SMHANGR2</u>	526	<u>STDANYYR</u>	385
<u>SALVIAFLAG</u>	133	<u>SMHBRK2</u>	525	<u>STMANYFLAG</u>	134
<u>SALVIAMON</u>	133	<u>SMHDPR2</u>	525	<u>STMANYLIF</u>	68
<u>SALVIAREC</u>	52	<u>SMHEAT2</u>	526	<u>STMANYREC</u>	68
<u>SALVIAYR</u>	133	<u>SMHFEA2</u>	525	<u>STMANYYYR</u>	134
<u>SCHFELT</u>	438	<u>SMHFITE2</u>	526	<u>STMMAINRSN</u>	169
<u>SEDANYFLAG</u>	134	<u>SMHFMLY2</u>	526	<u>STMNDAYPM</u>	161
<u>SEDANYLIF</u>	69	<u>SMHFRND2</u>	527	<u>STMNDLREC</u>	89
<u>SEDANYREC</u>	69	<u>SMHMEND2</u>	527	<u>STMNDLYR</u>	89
<u>SEDANYYYR</u>	135	<u>SMHOTH3</u>	528	<u>STMNM30AL</u>	88
<u>SEDMAINRSN</u>	170	<u>SMHOTPP2</u>	527	<u>STMNM30D</u>	87
<u>SEDNDAYPM</u>	161	<u>SMHSCHL2</u>	527	<u>STMNM30ES</u>	88
<u>SEDNM30AL</u>	96	<u>SMHVST2</u>	519	<u>STMNM30FQ</u>	87
<u>SEDNM30D</u>	95	<u>SMIPPPY</u>	464	<u>STMNMAGE</u>	86
<u>SEDNM30ES</u>	95	<u>SMIPY</u>	465	<u>STMNMFLAG</u>	136
<u>SEDNM30FQ</u>	95	<u>SMIRSUD5ANY</u>	467	<u>STMNMINIT</u>	86
<u>SEDNMAGE</u>	94	<u>SMISUD5ANY</u>	466	<u>STMNLMLAS1</u>	90
<u>SEDNMFFLAG</u>	137	<u>SMISUD5ANYO</u>	467	<u>STMNLMLIF</u>	86
<u>SEDNMINIT</u>	94	<u>SMISUD5MIS</u>	466	<u>STMNMMFU</u>	87
<u>SEDNMLAST</u>	97	<u>SMKAGLAST</u>	319	<u>STMNMMON</u>	137
<u>SEDNMLIF</u>	94	<u>SMKLSMDAYS</u>	159	<u>STMNMREC</u>	86
<u>SEDNMMFU</u>	95	<u>SMKLSS30E</u>	12	<u>STMNMYFU</u>	87
<u>SEDNMMON</u>	137	<u>SMKLSS30N</u>	12	<u>STMNMYR</u>	137
<u>SEDNMREC</u>	94	<u>SMKLSSEVR</u>	10	<u>STMNORXFG</u>	93
<u>SEDNMYFU</u>	95	<u>SMKLSSFLAG</u>	128	<u>STMRSALRT</u>	91
<u>SEDNMYR</u>	137	<u>SMKLSSMFU</u>	11	<u>STMRSCONC</u>	90
<u>SEDNORXFG</u>	99	<u>SMKLSSMON</u>	129	<u>STMRSDFGX</u>	91
<u>SEDRSDGFX</u>	98	<u>SMKLSSREC</u>	11	<u>STMRESEXPT</u>	91
<u>SEDRSEMOT</u>	98	<u>SMKLSSTRY</u>	10	<u>STMRSHIGH</u>	91
<u>SEDRSEXPT</u>	97	<u>SMKLSSYFU</u>	11	<u>STMRSHOOK</u>	92
<u>SEDRSHIGH</u>	98	<u>SMKLSSYR</u>	129	<u>STMRSMAIN</u>	92
<u>SEDRSHOOK</u>	98	<u>SMKMOLAST</u>	320	<u>STMRSOTRS2</u>	92
<u>SEDRSMAIN</u>	99	<u>SMKYRLAST</u>	319	<u>STMRSSOR</u>	92
<u>SEDRSOTRS2</u>	99	<u>SMMIPY</u>	465	<u>STMRSSTDY</u>	91
<u>SEDRSRELX</u>	97	<u>SNFAMJEV</u>	421	<u>STMRSWGH</u>	90
<u>SEDRSSLEP</u>	98	<u>SNRLDCSN</u>	422	<u>STMWYGAMT</u>	88
<u>SEDRSSOR</u>	99	<u>SNRLFRND</u>	422	<u>STMWYLNGR</u>	89
<u>SEDWYGAMT</u>	96	<u>SNRLGIMP</u>	422	<u>STMWYNORX</u>	88

INDEX

<u>STMWYOFN</u>	88	<u>TRQRSSOR</u>	84	<u>TXYROTHAD</u>	339
<u>STMWYOTWY</u>	89	<u>TRQWYGAMT</u>	81	<u>TXYROTHER</u>	338
<u>STNDALC</u>	438	<u>TRQWLNGR</u>	82	<u>TXYROTHSP2</u>	338
<u>STNDDNK</u>	438	<u>TRQWYNORX</u>	81	<u>TXYROUTAD</u>	335
<u>STNDSCIG</u>	438	<u>TRQWYOFN</u>	81	<u>TXYROUTAL</u>	371
<u>STNDSMJ</u>	438	<u>TRQWYOTWY</u>	82	<u>TXYROUTIL</u>	372
<u>SUICTHNK</u>	451	<u>TXCURRENT</u>	339	<u>TXYROUTPT</u>	335
<u>SUIPLANVR</u>	452	<u>TXEVRRCVD</u>	333	<u>TXYROUTPT2</u>	373
<u>SVBZOANYR</u>	69	<u>TXEVRRCVD2</u>	365	<u>TXYRPRIAD</u>	337
<u>SVBZONMYR</u>	99	<u>TXFGADAGE</u>	363	<u>TXYRPRIAL</u>	371
<u>SYNMRJEVR</u>	574	<u>TXFGALAGE</u>	362	<u>TXYRPRIIL</u>	372
<u>SYNMRJFLAG</u>	581	<u>TXFGDGAGE</u>	363	<u>TXYRPRISEN</u>	337
<u>SYNMRJMON</u>	581	<u>TXLTPYCURRSP</u>	370	<u>TXYRPRISEN2</u>	373
<u>SYNMRJREC</u>	574	<u>TXLTPYEMPL</u>	360	<u>TXYRRECVD</u>	333
<u>SYNMRJYR</u>	581	<u>TXLTPYEMPL2</u>	368	<u>TXYRRECVD2</u>	365
<u>SYNSTMEVR</u>	574	<u>TXLTPYFREE</u>	360	<u>TXYRRESAD</u>	335
<u>SYNSTMFLAG</u>	581	<u>TXLTPYHINS</u>	358	<u>TXYRRESAL</u>	371
<u>SYNSTMMON</u>	581	<u>TXLTPYHINS2</u>	367	<u>TXYRRESIL</u>	372
<u>SYNSTMREC</u>	575	<u>TXLTPYMCAD</u>	359	<u>TXYRRESOV</u>	334
<u>SYNSTMYR</u>	581	<u>TXLTPYMCAD2</u>	367	<u>TXYRRESOV2</u>	373
<u>TALKPROB</u>	441	<u>TXLTPYMCRE</u>	358	<u>TXYRSLFAD</u>	337
<u>TCHGJOB</u>	438	<u>TXLTPYMCRE2</u>	367	<u>TXYRSLFAL</u>	371
<u>TELEAPTYR</u>	381	<u>TXLTPYMNPCL2</u>	353	<u>TXYRSLFHPI</u>	337
<u>TELEAPTYR2</u>	394	<u>TXLTPYOTHR2</u>	360	<u>TXYRSLFHPI2</u>	373
<u>THERVST</u>	518	<u>TXLTPYPUBL</u>	359	<u>TXYRSLFIL</u>	372
<u>TOBALCFLG</u>	141	<u>TXLTPYPUBL2</u>	367	<u>TXYRSPALC</u>	368
<u>TOBALCMN</u>	141	<u>TXLTPYSVNG</u>	359	<u>TXYRSPILAL</u>	370
<u>TOBALCYR</u>	141	<u>TXLTPYSVNG2</u>	367	<u>TXYRSPILL</u>	368
<u>TOBCIGONL</u>	129	<u>TXLTYDAYS2</u>	358	<u>TXYRTELE</u>	338
<u>TOBCIGVAP</u>	580	<u>TXLTYOCOM2</u>	357	<u>TXYRTELE2</u>	373
<u>TOBFLAG</u>	129	<u>TXND5ILALMIS</u>	374	<u>TXYRTELEAL</u>	372
<u>TOBMON</u>	129	<u>TXND5ILLMIS</u>	374	<u>TXYRTELEIL</u>	373
<u>TOBNVAPFLAG</u>	579	<u>TXND5YRALC</u>	374	<u>TXYRUSEADB</u>	334
<u>TOBNVAPMON</u>	579	<u>TXNR5ILALMIS</u>	376	<u>TXYRUSEALC</u>	353
<u>TOBNVAPYR</u>	579	<u>TXNR5ILLMIS</u>	376	<u>TXYRUSECNS</u>	367
<u>TOBVAPONL</u>	580	<u>TXRCVDREC</u>	352	<u>TXYRUSECOC</u>	354
<u>TOBYR</u>	129	<u>TXSHGALDB</u>	363	<u>TXYRUSECOC2</u>	366
<u>TQSDANYFLG</u>	135	<u>TXSHGFLAG</u>	364	<u>TXYRUSEHAL</u>	354
<u>TQSDANYR</u>	135	<u>TXSHGWENT</u>	363	<u>TXYRUSEHAL2</u>	366
<u>TQSDNMFLAG</u>	137	<u>TXYALDAAG</u>	362	<u>TXYRUSEHER</u>	354
<u>TQSDNMMON</u>	137	<u>TXYALDDAG</u>	362	<u>TXYRUSEHER2</u>	366
<u>TQSDNMYR</u>	137	<u>TXYALODAG</u>	361	<u>TXYRUSEINH</u>	355
<u>TRBZ0ANYR</u>	67	<u>TXYALODRG</u>	361	<u>TXYRUSEINH2</u>	366
<u>TRBZONMYR</u>	85	<u>TXYALONAG</u>	361	<u>TXYRUSEMAIN2</u>	357
<u>TRIMEST</u>	394	<u>TXYDROAAG</u>	362	<u>TXYRUSEMRJ</u>	354
<u>TRQANYFLAG</u>	134	<u>TXYDROALC</u>	362	<u>TXYRUSEMRJ2</u>	366
<u>TRQANYLIF</u>	67	<u>TXYDRONAG</u>	361	<u>TXYRUSEMTH</u>	355
<u>TRQANYREC</u>	67	<u>TXYRALC</u>	365	<u>TXYRUSEMTH2</u>	366
<u>TRQANYYR</u>	134	<u>TXYRALNIL</u>	365	<u>TXYRUSEOPI</u>	367
<u>TRQMAINRSN</u>	168	<u>TXYRDRPAD</u>	336	<u>TXYRUSEOTH</u>	356
<u>TRQNDAYPM</u>	161	<u>TXYRDRPAL</u>	371	<u>TXYRUSEPNR</u>	355
<u>TRQNM30AL</u>	81	<u>TXYRDRPIL</u>	372	<u>TXYRUSEPNR2</u>	366
<u>TRQNM30D</u>	80	<u>TXYRDRPRV</u>	336	<u>TXYRUSEPSY</u>	367
<u>TRQNM30ES</u>	80	<u>TXYRDRPRV2</u>	373	<u>TXYRUSESED</u>	356
<u>TRQNM30FQ</u>	80	<u>TXYREMRAD</u>	336	<u>TXYRUSESED2</u>	366
<u>TRQNMAGE</u>	79	<u>TXYREMRAL</u>	371	<u>TXYRUSESTM</u>	356
<u>TRQNMFLAG</u>	136	<u>TXYREMRGN</u>	336	<u>TXYRUSESTM2</u>	366
<u>TRQNMINIT</u>	79	<u>TXYREMGN2</u>	373	<u>TXYRUSETRQ</u>	355
<u>TRQNMLAS1</u>	82	<u>TXYREMRL</u>	372	<u>TXYRUSETRQ2</u>	366
<u>TRQNMLIF</u>	79	<u>TXYRERDRG</u>	339	<u>TXYRUSETRSD</u>	367
<u>TRQNMMFU</u>	80	<u>TXYRERNUM2</u>	339	<u>TXYSILANAL</u>	370
<u>TRQNMMON</u>	136	<u>TXYRHOSAD</u>	334	<u>TXYSPALNIL</u>	369
<u>TRQNMREC</u>	79	<u>TXYRHOSAL</u>	371	<u>TXYSPILNAL</u>	370
<u>TRQNMYFU</u>	80	<u>TXYRHOSIL</u>	372	<u>UADBAR</u>	567
<u>TRQNMYR</u>	136	<u>TXYRHOSOV</u>	334	<u>UADBUND</u>	569
<u>TRQNORXFG</u>	85	<u>TXYRHOSOV2</u>	373	<u>UADBWHO</u>	568
<u>TRQRSDGFX</u>	84	<u>TXYRILANAL</u>	365	<u>UADCAG</u>	569
<u>TRQRSEMOT</u>	84	<u>TXYRILL</u>	365	<u>UADCAR</u>	567
<u>TRQRSEXPT</u>	83	<u>TXYRILNAL</u>	365	<u>UADEVNT</u>	567
<u>TRQRSHIGH</u>	83	<u>TXYRMHCAD</u>	336	<u>UADFRD</u>	570
<u>TRQRSHOOK</u>	84	<u>TXYRMHCAL</u>	371	<u>UADFWHO</u>	569
<u>TRQRSMAIN</u>	85	<u>TXYRMHCIL</u>	372	<u>UADHOME</u>	567
<u>TRQRSOTRS2</u>	85	<u>TXYRMHCOP</u>	335	<u>UADMONY</u>	568
<u>TRQRRELX</u>	83	<u>TXYRMHCOP2</u>	373	<u>UADOTHM</u>	567
<u>TRQRSSLEP</u>	83	<u>TXYRONDTX</u>	360	<u>UADOTSP2</u>	568

INDEX

UADPAID.....	568	UDCCAVWSTIM.....	233	UDHEWORKPRB.....	237
UADPEOP.....	567	UDCCFMLYCTD.....	230	UDHEWSHSTOP.....	235
UADPLACE.....	569	UDCCFMLYPRB.....	230	UDINFMLYCTD.....	248
UADPUBL.....	567	UDCCGETHURT.....	230	UDINFMLYPRB.....	248
UADROTH.....	568	UDCCHLTHCTD.....	229	UDINGETHURT.....	249
UADSCHL.....	568	UDCCHLTHPRB.....	228	UDINHLTHCTD.....	247
UD5ALNILANY.....	306	UDCCLESSEFF.....	227	UDINHLTHPRB.....	247
UD5ALNIMIS.....	306	UDCCLRGAMTS.....	226	UDINLESSEFF.....	246
UD5ALNILUNM.....	306	UDCCMNTLCRD.....	229	UDINLRGAMTS.....	245
UD5CNSANY.....	303	UDCCMNTLPRB.....	229	UDINMNTLCRD.....	247
UD5CNSMIS.....	303	UDCCNEEDMOR.....	227	UDINMNTLPRB.....	247
UD5CNSNUM.....	303	UDCCNOTSTOP.....	228	UDINNEEDMOR.....	246
UD5HRPNRANY.....	302	UDCCSTOPACT.....	229	UDINNOTSTOP.....	246
UD5HRPNRMIS.....	302	UDCCSTRURGE.....	227	UDINSTOPACT.....	248
UD5HRPNRUNM.....	302	UDCCTIMEGET.....	226	UDINSTRURGE.....	245
UD5IEMANY.....	304	UDCCTIMEUSE.....	226	UDINTIMEGET.....	245
UD5IEMMIS.....	304	UDCCTRYSTOP.....	228	UDINTIMEUSE.....	245
UD5IEMUNM.....	304	UDCCWANTBAD.....	227	UDINTRYSTOP.....	246
UD5ILAALANY.....	305	UDCCWDREAM.....	231	UDINWANTBAD.....	245
UD5ILAALMIS.....	305	UDCCWDFBLU.....	231	UDINWORKPRB.....	248
UD5ILAALUNM.....	305	UDCCWDHNGRY.....	232	UDINWSHSTOP.....	246
UD5ILALANY.....	304	UDCCWDSITST.....	232	UDMEA VOIDWD.....	254
UD5ILALMIS.....	304	UDCCWDSLEEP.....	231	UDMEA VWCOCN.....	255
UD5ILLANY.....	303	UDCCWDTIRED.....	231	UDMEA VWMETH.....	254
UD5ILLMIS.....	303	UDCCWORKPRB.....	230	UDMEA WOTHR.....	255
UD5ILLUNM.....	303	UDCCWSHSTOP.....	228	UDMEAVWSTIM.....	255
UD5ILNALANY.....	305	UDHAFLYCTD.....	244	UDMEFMLYCTD.....	253
UD5ILNALMIS.....	305	UDHAFLYPRB.....	244	UDMEFMLYPRB.....	252
UD5ILNALUNM.....	305	UDHAGETHURT.....	244	UDMEGETHURT.....	253
UD5OPIANY.....	302	UDHAHLTHCTD.....	243	UDMEHLTHCTD.....	251
UD5OPIMIS.....	302	UDHAHLTHPRB.....	242	UDMEHLTHPRB.....	251
UD5OPIUNM.....	302	UDHALESSEFF.....	242	UDMELESSEFF.....	250
UD5PSYANY.....	301	UDHALRGAMTS.....	241	UDMELRGAMTS.....	249
UD5PSYMIS.....	301	UDHAMNTLCRD.....	243	UDMEMNTLCRD.....	252
UD5PSYUNM.....	301	UDHAMNTLPRB.....	243	UDMEMNTLPRB.....	251
UD5TRQSDANY.....	301	UDHANEEDMOR.....	241	UDMENEEDMOR.....	250
UD5TRQSDMIS.....	301	UDHANOTSTOP.....	242	UDMENOTSTOP.....	250
UD5TRQSDUNM.....	301	UDHASTOPACT.....	243	UDMESTOPACT.....	252
UDALAVOIDWD.....	216	UDHAISTRURGE.....	241	UDMESTRURGE.....	250
UDALAVWALCO.....	216	UDHATIMEGET.....	241	UDMETIMEGET.....	249
UDALAVWOTHR.....	217	UDHATIMEUSE.....	240	UDMETIMEUSE.....	249
UDALAVWSVTR.....	216	UDHATTRYSTOP.....	242	UDMETRYSTOP.....	250
UDALBLCKCTD.....	212	UDHAWORKPRB.....	244	UDMEWANTBAD.....	249
UDALBLCKOUT.....	212	UDHAWSHSTOP.....	242	UDMEWDDREAM.....	253
UDALFMLYCTD.....	214	UDHEAVOIDWD.....	239	UDMEWDFBLU.....	253
UDALFMLYPRB.....	213	UDHEAVWHERN.....	240	UDMEWDHNGRY.....	254
UDALGETHURT.....	214	UDHEAVWOTHR.....	240	UDMEWDSITST.....	254
UDALHLTHCTD.....	211	UDHEAVWPNRL.....	240	UDMEWDSLEEP.....	254
UDALHLTHPRB.....	211	UDHEFMLYCTD.....	237	UDMEWDTIRED.....	253
UDALLESSEFF.....	210	UDHEFMLYPRB.....	237	UDMEWORKPRB.....	252
UDALLRGAMTS.....	209	UDHEGETHURT.....	237	UDMEWSHSTOP.....	251
UDALMNTLCRD.....	212	UDHEHLTHCTD.....	236	UDMJAVVOIDWD.....	225
UDALMNTLPRB.....	212	UDHEHLTHPRB.....	235	UDMJAVVMARI.....	225
UDALNEEDMOR.....	210	UDHELESSEFF.....	235	UDMJAVWOTHR.....	226
UDALNOTSTOP.....	211	UDHELRGAMTS.....	234	UDMJFMLYCTD.....	222
UDALSTOPACT.....	213	UDHEMNTLCRD.....	236	UDMJFMLYPRB.....	221
UDALSTRURGE.....	210	UDHEMNTLPRB.....	236	UDMJGETHURT.....	222
UDALTIMEGET.....	209	UDHENEEDMOR.....	234	UDMJHLTHCTD.....	220
UDALTIMEUSE.....	209	UDHENOTSTOP.....	235	UDMJHLTHPRB.....	219
UDALTRYSTOP.....	210	UDHESTOPACT.....	236	UDMJLESSEFF.....	218
UDALWANTBAD.....	209	UDHESTRURGE.....	234	UDMJLRGAMTS.....	217
UDALWDFLANX.....	216	UDHETIMEGET.....	234	UDMJMNTLCRD.....	220
UDALWDHALUC.....	215	UDHETIMEUSE.....	233	UDMJMNTLPRB.....	220
UDALWDSITST.....	215	UDHETRYSTOP.....	235	UDMJNEEDMOR.....	218
UDALWDSLEEP.....	215	UDHEWANTBAD.....	234	UDMJNOTSTOP.....	219
UDALWDSWEAT.....	214	UDHEWDRCRAMP.....	238	UDMJSTOPACT.....	221
UDALWDTRMBL.....	214	UDHEWDDIARR.....	239	UDMJSTRURGE.....	218
UDALWDVOMIT.....	215	UDHEWDFEVER.....	239	UDMJTIMEGET.....	217
UDALWORKPRB.....	213	UDHEWDFBLU.....	238	UDMJTIMEUSE.....	217
UDALWSHSTOP.....	211	UDHEWDRUNNY.....	238	UDMJTRYSTOP.....	219
UDCCAVOIDWD.....	232	UDHEWDLSLEEP.....	239	UDMJWANTBAD.....	218
UDCCAVWCOCN.....	232	UDHEWDSWEAT.....	238	UDMJWDANGRY.....	222
UDCCAVWMETH.....	233	UDHEWDVOMIT.....	238	UDMJWDAPPET.....	223
UDCCAVWOTHR.....	233	UDHEWDYAWNS.....	239	UDMJWDCHILL.....	225
				UDMJWDDPRS.....	223

INDEX

<u>UDMJWDFFEVER</u>	224	<u>UDSVAVWSVTR</u>	287	<u>VAPMRJYR</u>	580
<u>UDMJWDFLANX</u>	222	<u>UDSVFMLYCTD</u>	284	<u>VAPNICEVR</u>	573
<u>UDMJWDHEDAC</u>	225	<u>UDSVFMLYPRB</u>	284	<u>VAPNICFLAG</u>	579
<u>UDMJWDSHAKE</u>	224	<u>UDSVGETHURT</u>	285	<u>VAPNICMON</u>	579
<u>UDMJWDSITST</u>	223	<u>UDSVHLTHCTD</u>	282	<u>VAPNICREC</u>	573
<u>UDMJWDSLEEP</u>	223	<u>UDSVHLTHPRB</u>	282	<u>VAPNICYR</u>	579
<u>UDMJWDSTMCH</u>	224	<u>UDSVLESSEFF</u>	281	<u>VAPNUMTYPE</u>	581
<u>UDMJWDSSWEAT</u>	224	<u>UDSVLRGAMTS</u>	280	<u>VAPTYPEMEN</u>	581
<u>UDMJWORKPRB</u>	221	<u>UDSMNTLCTD</u>	283	<u>VEREP</u>	645
<u>UDMJWSHSTOP</u>	219	<u>UDSMNTLPRB</u>	283	<u>VESTR C</u>	645
<u>UDPRAVOIDWD</u>	263	<u>UDSVNEEDMOR</u>	281	<u>WHODASDAED</u>	453
<u>UDPRAVWHERN</u>	263	<u>UDSVNOTSTOP</u>	282	<u>WHODASDASC</u>	464
<u>UDPRAVWOTHR</u>	263	<u>UDSVSTOPACT</u>	283	<u>WHODASSCED</u>	453
<u>UDPRAVWPNRL</u>	263	<u>UDSVSTRURGE</u>	281	<u>WHODASTOTSC</u>	464
<u>UDPRFMLYCTD</u>	260	<u>UDSVTIMEGET</u>	280	<u>WRK35WKUS</u>	615
<u>UDPRFMLYPRB</u>	260	<u>UDSVTIMEUSE</u>	280	<u>WRKDHRSWK2</u>	614
<u>UDPRGETHURT</u>	260	<u>UDSVTRYSTOP</u>	281	<u>WRKDPSWK</u>	614
<u>UDPRHLTHCTD</u>	258	<u>UDSVWANTBAD</u>	280	<u>WRKDPSYR</u>	616
<u>UDPRHLTHPRB</u>	258	<u>UDSVWDFLANX</u>	286	<u>WRKDRGALB</u>	618
<u>UDPRLESSEFF</u>	257	<u>UDSVWDHALUC</u>	286	<u>WRKDGEDU</u>	618
<u>UDPRLRGAMTS</u>	256	<u>UDSVWDSITST</u>	286	<u>WRKDRGHLP</u>	618
<u>UDPRMNTLCTD</u>	259	<u>UDSVWDSLEEP</u>	285	<u>WRKDRGPOL</u>	617
<u>UDPRMNTLPRB</u>	258	<u>UDSVWDSWEAT</u>	285	<u>WRKEFFORT</u>	615
<u>UDPRNEEDMOR</u>	257	<u>UDSVWDTRMBL</u>	285	<u>WRKHADJOB</u>	614
<u>UDPRNOTSTOP</u>	257	<u>UDSVWDVOMIT</u>	286	<u>WRKLASTYR2</u>	617
<u>UDPRSTOPACT</u>	259	<u>UDSVWORKPRB</u>	284	<u>WRKNJBPYR</u>	616
<u>UDPRSTRURGE</u>	256	<u>UDSVWSHSTOP</u>	282	<u>WRKNJBWKS</u>	616
<u>UDPRTIMEGET</u>	256	<u>UDTRAVOIDWD</u>	271	<u>WRKNUMJOB2</u>	616
<u>UDPRTIMEUSE</u>	255	<u>UDTRAVWALCO</u>	271	<u>WRKOKPREH</u>	619
<u>UDPRTRYSTOP</u>	257	<u>UDTRAVWOTHR</u>	271	<u>WRKOKRAND</u>	619
<u>UDPRWANTBAD</u>	256	<u>UDTRAVWSVTR</u>	271	<u>WRKRSNJOB</u>	615
<u>UDPRWDCRAMP</u>	261	<u>UDTRFMLYCTD</u>	268	<u>WRKRSNNOT</u>	615
<u>UDPRWDDIARR</u>	262	<u>UDTRFMLYPRB</u>	268	<u>WRKSELFEM</u>	616
<u>UDPRWFDFEVER</u>	262	<u>UDTRGETHURT</u>	269	<u>WRKSICKMO</u>	617
<u>UDPRWDFLBLU</u>	260	<u>UDTRHLTHCTD</u>	266	<u>WRKSKIPMO</u>	617
<u>UDPRWDRUNNY</u>	261	<u>UDTRHLTHPRB</u>	266	<u>WRKSTATWK2</u>	614
<u>UDPRWDSLEEP</u>	262	<u>UDTRLESSEFF</u>	265	<u>WRKTST1ST</u>	619
<u>UDPRWDSWEAT</u>	261	<u>UDTRLRGAMTS</u>	264	<u>WRKTSTALC</u>	618
<u>UDPRWDVOMIT</u>	261	<u>UDTRMNTLCTD</u>	267	<u>WRKTSTDRC</u>	618
<u>UDPRWDYAWN</u>	262	<u>UDTRMNTLPRB</u>	267	<u>WRKTSTHIR</u>	619
<u>UDPRWORKPRB</u>	259	<u>UDTRNEEDMOR</u>	265	<u>WRKTSTRDM</u>	619
<u>UDPRWSHSTOP</u>	258	<u>UDTRNOTSTOP</u>	266	<u>WTANSWER</u>	380
<u>UDSTAVIDWD</u>	278	<u>UDTRSTOPACT</u>	267	<u>WTPOUND2</u>	380
<u>UDSTAVWCOCN</u>	279	<u>UDTRSTRURGE</u>	265	<u>YALTMDE</u>	555
<u>UDSTAVWMETH</u>	279	<u>UDTRTIMEGET</u>	264	<u>YCLIN</u>	514
<u>UDSTAVWOTHR</u>	279	<u>UDTRTIMEUSE</u>	264	<u>YCOUNMDE</u>	554
<u>UDSTAVWSTIM</u>	279	<u>UDTRTRYSTOP</u>	265	<u>YDAYTRT</u>	514
<u>UDSTFMLYCTD</u>	276	<u>UDTRWANTBAD</u>	264	<u>YDOCMD</u>	553
<u>UDSTFMLYPRB</u>	276	<u>UDTRWDFLANX</u>	270	<u>YEATNDYR</u>	423
<u>UDSTGETHURT</u>	277	<u>UDTRWDHALUC</u>	270	<u>YEOMACT</u>	434
<u>UDSTHLTHCTD</u>	274	<u>UDTRWDVOMIT</u>	270	<u>YEDECLAS</u>	435
<u>UDSTHLTHPRB</u>	274	<u>UDTRWORKPRB</u>	268	<u>YEDEGLR</u>	435
<u>UDSTLESSEFF</u>	273	<u>UDTRWSHSTOP</u>	266	<u>YEDESPCL</u>	435
<u>UDSTLRGAMTS</u>	272	<u>UDTRNEEDMOR</u>	265	<u>YEDGPRGP</u>	433
<u>UDSTMNTLCTD</u>	275	<u>UDTRNOTSTOP</u>	266	<u>YEFAIACT</u>	434
<u>UDSTMNTLPRB</u>	275	<u>UDTRSTOPACT</u>	267	<u>YEFLADLY</u>	431
<u>UDSTNEEDMOR</u>	273	<u>UDTRSTRURGE</u>	265	<u>YEFMJEVR</u>	431
<u>UDSTNOTSTOP</u>	274	<u>UDTRTIMEUSE</u>	264	<u>YEJMJMO</u>	431
<u>UDSTSTOPACT</u>	275	<u>UDTRTRYSTOP</u>	265	<u>YEFPKCIG</u>	431
<u>UDSTSTRURGE</u>	273	<u>UDTRWANTBAD</u>	264	<u>YEGALDLY</u>	431
<u>UDSTTIMEGET</u>	272	<u>UDTRWDVOMIT</u>	270	<u>YEGMJEVR</u>	430
<u>UDSTTIMEUSE</u>	272	<u>UDTRWORKPRB</u>	268	<u>YEGMIMQ</u>	430
<u>UDSTTRYSTOP</u>	273	<u>UDTRWSHSTOP</u>	266	<u>YEGPKCIG</u>	430
<u>UDSTWANTBAD</u>	272	<u>UDYR5PNRANY</u>	306	<u>YEHMSLYR</u>	423
<u>UDSTWDDREAM</u>	277	<u>UDYR5SEDANY</u>	306	<u>YELSTGRD</u>	424
<u>UDSTWDFLBLU</u>	277	<u>UDYR5STMANY</u>	306	<u>YEOTHACT</u>	435
<u>UDSTWDHNGRY</u>	278	<u>UDYR5TRQANY</u>	306	<u>YEPALDLY</u>	430
<u>UDSTWDSITST</u>	278	<u>VAPANYEVR</u>	572	<u>YPECHKHW</u>	426
<u>UDSTWDSLEEP</u>	278	<u>VAPANYFLAG</u>	579	<u>YPECHOIRE</u>	426
<u>UDSTWDTIRED</u>	277	<u>VAPANYMON</u>	579	<u>YPEGDJOB</u>	427
<u>UDSTWORKPRB</u>	276	<u>VAPANYREC</u>	572	<u>YPEHLPHW</u>	426
<u>UDSTWSHSTOP</u>	274	<u>VAPANYYYR</u>	579	<u>YEPLMTSN</u>	427
<u>UDSVAVIDWD</u>	287	<u>VAPFLVEVR</u>	574	<u>YEPLMTTV</u>	426
<u>UDSVAVWALCO</u>	287	<u>VAPFLVFLAG</u>	580	<u>YEPMJEV</u>	429
<u>UDSVAVWOTHR</u>	287	<u>VAPFLVMON</u>	580	<u>YEPMJMO</u>	430
		<u>VAPFLVREC</u>	574		
		<u>VAPFLVYR</u>	580		
		<u>VAPMRJEVR</u>	573		
		<u>VAPMRJFLAG</u>	580		
		<u>VAPMRJMON</u>	580		
		<u>VAPMRJREC</u>	573		

INDEX

YEPPKCIG.....	429	YO_MDEA8.....	543	YOWRSLOW.....	541
YEPPROUD.....	427	YOATTAK2.....	440	YOWRSMOR.....	540
YEPRBSLV.....	433	YOCOUNS.....	548	YOWRTHOT.....	541
YEPRGSTD.....	434	YODPDISC.....	534	YOWWRTH.....	542
YEPTDNG.....	433	YODPLSIN.....	535	YPED.....	514
YEPVNTYR.....	436	YODPPROB.....	536	YPSY1MDE.....	553
YERLDCSN.....	436	YODPR2WK.....	535	YPSY2MDE.....	553
YERLFRND.....	437	YODPREV.....	534	YRELMDE.....	554
YERLGIMP.....	436	YODSCEV.....	534	YRESID.....	514
YERLGSVC.....	436	YODSL SIN.....	535	YRXMDEYR.....	553
YESCHACT.....	434	YODSMMDE.....	544	YSDSHOME.....	555
YESCHFLT.....	423	YOFAMDOC.....	547	YSDSOVRL.....	556
YESCHIMP.....	424	YOFIGHT2.....	439	YSDSREL.....	556
YESCHINT.....	424	YOGRPFT2.....	439	YSDSSOC.....	556
YESCHWRK.....	423	YOHERBAL.....	549	YSDSWRK.....	555
YESLFHLP.....	433	YOHGUN2.....	440	YSHSW.....	515
YESTSALC.....	425	YOLOSEV.....	534	YSOCMDE.....	553
YESTSCIG.....	425	YOLIS2WK.....	535	YSPEC.....	515
YESTSDNK.....	425	YOMDMDE.....	553	YSPTXNMH.....	531
YESTSMJ	425	YOMHMDE.....	554	YTHACT2.....	442
YETCGJOB.....	424	YONURSE.....	548	YTHER.....	514
YETLKBGF.....	432	YOOTHDOC.....	547	YTXMDEYR.....	553
YETLKNON.....	432	YOOTHHLP.....	549	YUCOSUPLN.....	513
YETLKOTA.....	432	YOOTHMHP.....	548	YUCOSUPLN2.....	533
YETLKP AR.....	432	YOPB2WK.....	545	YUCOSUITHK.....	512
YETLKSOP.....	432	YOPBAGE.....	544	YUCOSUITHK2.....	532
YEVIOPRV.....	433	YOPBDLYA.....	544	YUDYANGR.....	498
YEYARGUP.....	427	YOPBINTF.....	544	YUDYBKRU.....	498
YEYATTAK.....	429	YOPBNUM.....	545	YUDYDEPR.....	498
YEYFGTGP.....	428	YOPBRMBR.....	544	YUDYEATP.....	498
YEYFGTSW.....	428	YOPSDAYS.....	547	YUDYFEAR.....	498
YEYHGUN.....	428	YOPSHMGT.....	545	YUDYFITE.....	498
YESELL.....	428	YOPSRELS.....	546	YUDYFMLY.....	499
YEYSTOLE.....	429	YOPSSOC.....	546	YUDYFRND.....	499
YFLADLY2.....	441	YOPSWORK.....	546	YUDYOTPP.....	499
YFLMJMO.....	441	YOPSYCH.....	548	YUDYSCHL.....	499
YFLPKCG2.....	440	YOPSYMD.....	548	YUDYSOR.....	499
YFLTMRJ2.....	441	YORELIG.....	549	YUDYTXN2.....	497
YFOST.....	514	YORX12MO.....	549	YUDYTXYR.....	497
YHBCMDE.....	554	YORXHLP.....	550	YUFCANGR.....	496
YHLT MDE.....	554	YORXNOW.....	549	YUFCARN2.....	495
YHOME.....	514	YOSEEDOC.....	547	YUFCARYR.....	495
YHOSP.....	514	YOSELL2.....	440	YUFCBKRU.....	496
YJAIL.....	515	YOSOCWRK.....	548	YUFCDEPR.....	495
YMDEAUD5YR.....	551	YOSTOLE2.....	440	YUFCEATP.....	496
YMDEHARX.....	555	YOTHMDE.....	554	YUFCFEAR.....	496
YMDEHPQ.....	555	YOTMTHLP.....	550	YUFCFITE.....	496
YMDEHPRX.....	555	YOTMTNOW.....	549	YUFCFMLY.....	496
YMDEIMAD5YR.....	556	YOWRAGE.....	537	YUFCFRND.....	497
YMDELT.....	551	YOWRCHR.....	536	YUFCOTPP.....	497
YMDERSUD5ANY.....	552	YOWRCONC.....	542	YUFCSCHL.....	497
YMDERXO2.....	555	YOWRD CSN.....	542	YUFCSOR.....	497
YMDESUD5ANYO.....	552	YOWRDEPR.....	537	YUFDANGR.....	507
YMDESUD5MISO.....	552	YOWRDIET.....	539	YUfdbkru.....	507
YMDETXRX.....	553	YOWRD ISC.....	537	YUFDDEPR.....	507
YMDEYR.....	551	YOWRDST.....	536	YUFD EATP.....	507
YMHASPTX.....	532	YOWRELES.....	538	YUFD FEAR.....	507
YMHNSPTX.....	531	YOWREMOR.....	538	YUFD FITE.....	508
YMHOSPTX.....	531	YOWREN RRG.....	540	YUFD FMLY.....	508
YMHVRNSPTX.....	532	YOWRGAIN.....	538	YUFD FRND.....	508
YMHVROSPTX.....	532	YOWRGNL2.....	539	YUFD OCN2.....	507
YMIMI5YANY.....	556	YOWRGROW.....	539	YUFD OCYR.....	506
YMIMSS5YANY.....	557	YOWRHRS.....	535	YUFD OTPP.....	508
YMIMSS5YMIS.....	557	YOWRIMP.....	536	YUFD SCHL.....	508
YMIUD5YANY.....	552	YOWRJINO.....	541	YUFD SOR.....	508
YMSUD5YANY.....	552	YOWRJITT.....	541	YUHOANGR.....	492
YMSUD5YMIS.....	552	YOWRLOSE.....	539	YUHOBKRU.....	491
YNURSMDE.....	554	YOWRL SIN.....	538	YUHODEPR.....	491
YO_MDEA1.....	542	YOWRL SL2.....	540	YUHOEATP.....	492
YO_MDEA2.....	542	YOWRN OG D.....	542	YUHOFEAR.....	491
YO_MDEA3.....	543	YOWRPLSR.....	538	YUHOFITE.....	492
YO_MDEA4.....	543	YOWRPREG.....	539	YUHOFMLY.....	492
YO_MDEA5.....	543	YOWRPROB.....	537	YUHOF RND.....	492
YO_MDEA6.....	543	YOWRSLEP.....	540	YUHOOTPP.....	492
YO_MDEA7.....	543	YOWRSLNO.....	541	YUHOSCHL.....	493

INDEX

<u>YUHOSOR</u>	493	<u>YUTPSOR</u>	504
<u>YUHOSPN2</u>	491	<u>YUTPSTN2</u>	502
<u>YUHOSPYR</u>	491	<u>YUTPSTYR</u>	502
<u>YUIHANGR</u>	505		
<u>YUIHBKRU</u>	505		
<u>YUIHDEPR</u>	504		
<u>YUIHEATP</u>	505		
<u>YUIHFEAR</u>	505		
<u>YUIHFITE</u>	505		
<u>YUIHFMLY</u>	505		
<u>YUIHFRND</u>	506		
<u>YUIHOTPP</u>	506		
<u>YUIHSCHL</u>	506		
<u>YUIHSOR</u>	506		
<u>YUIHTPN2</u>	504		
<u>YUIHTPYR</u>	504		
<u>YUJVDTN2</u>	511		
<u>YUJVDTON</u>	511		
<u>YUJVDTYR</u>	512		
<u>YUMHANGER</u>	500		
<u>YUMHBKRU</u>	500		
<u>YUMHCRN2</u>	500		
<u>YUMHCRYR</u>	499		
<u>YUMHDEPR</u>	500		
<u>YUMHEATP</u>	500		
<u>YUMHFEAR</u>	500		
<u>YUMHFITE</u>	501		
<u>YUMHFMLY</u>	501		
<u>YUMHFRND</u>	501		
<u>YUMHOTPP</u>	501		
<u>YUMHSCHL</u>	501		
<u>YUMHSOR</u>	501		
<u>YUMHTELYR</u>	512		
<u>YUMHTELYR2</u>	516		
<u>YURSANGER</u>	494		
<u>YURSBKRU</u>	494		
<u>YURSDEPR</u>	493		
<u>YURSEATP</u>	494		
<u>YURSFEAR</u>	493		
<u>YURSFITE</u>	494		
<u>YURSFMLY</u>	494		
<u>YURSFRND</u>	494		
<u>YURSIDN2</u>	493		
<u>YURSIDYR</u>	493		
<u>YURSOTPP</u>	495		
<u>YURSSCHL</u>	495		
<u>YURSSOR</u>	495		
<u>YUSCEMYR</u>	511		
<u>YUSCPGYR</u>	511		
<u>YUSUIPLN</u>	513		
<u>YUSUIPLNYR</u>	533		
<u>YUSUITHK</u>	512		
<u>YUSUITHKYR</u>	532		
<u>YUSWANGER</u>	510		
<u>YUSWBKRU</u>	509		
<u>YUSWDEPR</u>	509		
<u>YUSWEATP</u>	509		
<u>YUSWFEAR</u>	509		
<u>YUSWFITE</u>	510		
<u>YUSWFMLY</u>	510		
<u>YUSWFRND</u>	510		
<u>YUSWOTPP</u>	510		
<u>YUSWSCHL</u>	510		
<u>YUSWSCYR</u>	509		
<u>YUSWSOR</u>	511		
<u>YUTPANGER</u>	503		
<u>YUTPBKRU</u>	502		
<u>YUTPDEPR</u>	502		
<u>YUTPEATP</u>	503		
<u>YUTPFEAR</u>	502		
<u>YUTPFITE</u>	503		
<u>YUTPFMLY</u>	503		
<u>YUTPFRND</u>	503		
<u>YUTPOTPP</u>	503		
<u>YUTPSCHL</u>	504		
 Codebook Creation Date: 10/6/2022	659		

INDEX

Appendix A

Drug Codes for Open-Ended Questions

The final drug codes for the 2021 National Survey on Drug Use and Health (NSDUH) were created from answers that respondents specified for use, misuse,¹ or treatment (including perceived need for treatment) for substances other than those that respondents were asked about directly in the interview. These responses are often referred to in NSDUH as “OTHER, Specify” data. Respondents in the 2021 NSDUH could specify (a) use in their lifetime of other hallucinogens or inhalants; (b) misuse in the past 12 months of other prescription drugs (pain relievers, tranquilizers, stimulants, or sedatives); (c) use of a needle in their lifetime to inject other drugs besides cocaine, heroin, or methamphetamine; (d) other substances for which they felt they needed treatment in the past 12 months; and (e) other substances for which they last received treatment in the past 12 months or for which they were currently receiving treatment.

This appendix does not include the codes for cough and cold medications mentioned in the special drugs section (edited variables COLDYR1 through COLDYR5) or for drugs mentioned in the consumption of alcohol section for medication-assisted treatment (edited variables ALMATOTHSP1 through ALMATOTHSP3 and OPMATOTHSP1 through OPMATOTHSP3). The cough and cold medicine and medication-assisted treatment codes are unique to those measures.

The substance use questions in NSDUH underwent a major redesign in 1999, and the prescription drug questions underwent a major redesign in 2015, greatly expanding the number of specific prescription drugs asked about in the interview.

Drug codes 101-199 and 1001-1999 represent sedatives, codes 201-299 and 2001-2999 represent tranquilizers, codes 301-399 and 3001-3999 represent stimulants, codes 401-499 and 4001-4999 represent pain relievers, codes 501-599 and 5001-5999 represent inhalants, and codes 601-699 and 6001-6999 represent hallucinogens. Opiates, not otherwise specified in the 401-499 and 4001-4999 code series (for example, heroin, speedball, and black tar heroin), are grouped in the 701-799 series. Drugs that do not fall in the above classifications are represented by the 801-899 and 8001-8999 code series.

Drugs are sorted by drug code in this appendix. Data users who know the name of a drug or part of a drug’s name can search for that drug in the electronic codebook using the appropriate search function (e.g., Ctrl-F for .docx files in Microsoft Word or PDF files in Adobe Acrobat if using a computer with a Windows operating system). Listed below are guidelines for online searching of the electronic appendix for drug codes.

- Do not require searches to be case sensitive. For example, searching for the term “bromo” will take data users to code 698 (2C-B, Bromo mescaline, Nexus), in which “Bromo” is capitalized, and code 6173 (2,5-dimethoxy-4-bromoamphetamine, Brolamfetamine, DOB), in which “bromo” is not capitalized.
- Search for alternate text strings if an initial search does not identify the code being sought. For example, code 698 includes the text string “2C-B.” In a search that is not case sensitive, code 698 will not be identified by searching for “2cb” without the

¹ Misuse of prescription drugs also has been referred to in NSDUH as “nonmedical” use. Since 2015, misuse of prescription drugs has been defined as use “in any way a doctor did not direct you to use it/them.” Examples of misuse provided to respondents include (a) use without a prescription of your own; (b) use in greater amounts, more often, or longer than directed; or (c) use in any other way not directed by a doctor.

hyphen or for “2-cb” instead of “2c b.” However, code 698 will be identified by shortening the search to “2c” or by searching for an alternative text string, such as “bromo.”

- Please be aware when searching for drug codes that some drugs are very similar in nomenclature or spelling. For example, the code level definitions for 2,5-Dimethoxy-4-methylphenethylamine (code 6154) and 2,5 Dimethoxy-4-methyl**thiophenethylamine** (code 6159) differ only in terms of the “thio” text for code 6159. These two codes will be identified in searches for “dimethoxy,” “methyl,” or “phenethylamine.” Data users could therefore incorrectly choose the drug corresponding to code 6154 when they intended to find the drug corresponding to code 6159, or vice versa. Therefore, data users are encouraged to examine all results from a search to avoid choosing an incorrect code from a similarly named drug.

Table A.1 Numeric Listing of Drug Codes for Open-Ended Questions, 2021 NSDUH Computer-Assisted Interviewing

Code	Definition	Code	Definition
101	Butisol	172	Dream Ease <OTC>
102	Buticaps	173	Wafers
103	Amytal	174	Ambien [see also 1501]
104	Mebaral	176	Melatonin <OTC>
105	Placidyl, Ethchlorvynol	177	Bean
106	Doriden	179	Water tee [sic]
107	Noludar	180	Tylenol PM <OTC>
108	Nembutal	181	Excedrin PM <OTC>
109	Seconal	182	Melzone
110	Tuinal	184	Red and blues
111	Dalmane [see also 1502]	186	Butalbital
112	Restoril [see also 1503]	187	Belladonna plant/flower/root, deadly nightshade
113	Halcion [see also 1504]	188	Prosom
114	Amobarbital	189	Sonata, Zaleplon
115	Phenobarbital	190	Dormin <OTC>
116	Methaqualone, Sopor, Quaalude [see also 138]	191	Blues
117	Chloral hydrate, Noctec	194	Quiet World <OTC>
118	Pentobarbital, Pentothal, Sodium pentothal, Thiopental	195	Lotusate, Talbutal
119	Secobarbital	196	Simply Sleep <OTC>
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	197	Topamax
121	USED SEDATIVE, DON'T KNOW NAME	198	Seducaps
122	Over-the-counter sleep aid; not specified <OTC>	201	Valium [see also 2506]
123	Unisom <OTC>	202	Librium [see also 2507]
124	Yellow jackets	203	Limbitor [see also 276]
126	Sominex <OTC>	204	Menrium
127	Nytol <OTC>	205	Serax [see also 2508]
128	Nervine <OTC>	206	Tranxene
129	Reds	207	Ativan [see also 2503]
130	Promethazine	208	Centrax
132	Sleepettes <OTC>	209	Xanax [see also 2501, 2502]
137	7-14	210	Paxipam
138	Mandrax, Mandrix [see also 116]	211	BuSpar [see also 2511]
139	Black widows	212	Miltown [see also 220]
142	Belladonna	213	Equanil [see also 220]
145	Red devil(s)	214	Deprol
146	Bentyl, Dicyclomine	215	Vistaril [see also 2512]
152	Eskabarb	216	Atarax [see also 2512]
153	Luminal	217	Durrax
154	Alurate	219	SK-Lygen
156	Sodium barbital	220	Meprobamate
157	Barbiturates	221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED
159	Octanox	222	USED TRANQUILIZER, DON'T KNOW NAME
163	Blue meanies	223	Methocarbamol
164	Yellow zombies	229	Librax
171	NyQuil <OTC>	234	Flexeril [see also 2509]
		237	Midazolam

Code	Definition
242	Equagesic
246	Klonopin [see also 2504, 2505]
260	PCB
266	Verstran
268	Rohypnol, Flunitrazepam, roche, roofies
276	Limbitrol DS [see also 203]
278	Benzodiazepines
281	Blue ringer
288	Baclofen
290	Metaxalone, Skelaxin
296	Novoxepam
297	Cafia
301	Dexedrine
302	Dexamyl
303	Eskatrol
304	Benzedrine
305	Biphetamine
306	Desoxyn
307	Tenuate [see also 3505]
308	Tepanil
309	Didrex [see also 3504]
310	Plegine
311	Preludin
312	Ionamin
313	Adipex-P [see also 3507]
314	Pondimin, Fenfluramine
315	Voranil
316	Sanorex
317	Mazanor
318	Ritalin [see also 3502]
319	Cylert
320	Dextroamphetamine
321	Methedrine
322	Methamphetamine ("ice" or "crank"), Meth [see also 3126]
323	Obedrin-L.A.
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED
325	USED STIMULANT, DON'T KNOW NAME
326	White cross
327	Black beauties, black beauty
328	Pink hearts
329	Bird's eggs, robin's eggs, speckled eggs
330	Blue birds, blue jays, blue robins, speckled bird
331	Blancs, whites
332	Ephedrine
333	357 Magnum, Magnum 44 <OTC>
334	Crossroads, cross tops

Code	Definition
336	Diet pills
337	White molly
339	Amphetamines, otherwise unspecified
341	Pink roses
342	Purple hearts
344	Bennies
345	Black molly
346	Marax
347	Phenylpropanolamine
348	Crystal
349	Phendimetrazine [see also 3506]
351	Cathinone, cat, khat, q'at
353	No-Doz <OTC>
354	Vivarin <OTC>
355	Crystal meth
356	Dexies
357	Heart-shaped black pills
358	20/20
359	Criss cross
360	Rainbow speed
363	Bam(s)
364	Pseudoephedrine <OTC>
366	Duromine
368	Peanut butter crank
374	Christmas tree(s)
376	TAC
377	Albuterol
379	Hearts
380	Pink ladies
381	P.O.T.C.
382	Footballs, pink footballs, purple footballs
383	Pre-Sate
384	Little crosses
385	Little pink ones
386	Herbal ecstasy
388	Pink lemon
390	Max Alert
394	Debs
395	Black cats
396	Black RJs, RJ8
398	Pink crosses
401	Darvon
402	Dolene
403	SK-65
404	Wygesic
405	Levo-Dromoran
406	Percodan
407	Demerol [see also 4511]
408	Dilauidid, Hydromorphone
409	Tylenol with Codeine, Tylenol 3, Tylenol 4

Code	Definition
410	Phenaphen with Codeine, Phenaphen 3
411	Talwin
412	Talwin NX
413	Talacen
414	Propoxyphene
415	Codeine pills [see also 4506]
416	Anileridine
417	Morphine
418	Methadone [see also 4512]
419	Stadol, Stadol NS
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED
421	USED PAIN RELIEVER, DON'T KNOW NAME
422	Motrin
423	Percocet
424	Fioricet
425	Advil <OTC>
426	Fiorinal
427	Darvocet, Darvocet-N
429	Frost 222
430	Aspirin, Ecotrin, Empirin <OTC>
431	Tylox
432	Rufen
433	Paregoric
434	Vicodin [see also 4501, 4502, 4503, 4504]
435	Tylenol, Tylenol Extra-Strength <OTC>
436	Bufferin <OTC>
438	Anaprox, Naprosyn, Naproxen, Naxen
439	222, Canadian 222
442	Ibuprofen
443	Diflunisal, Dolobid
444	Aspirin with Codeine, Empirin 3, Empirin 4
445	Norgesic Forte
447	Synalgos, Synalgos DC
450	Acetaminophen, including non- Tylenol brands <OTC>
453	Organidin with Codeine
454	Novocain, Procaine
455	Fiorinal with Codeine
457	T's and blues, tee's and b's, tops and bottoms
458	Mepergan, Mepergan Fortis
462	Norflex, Orphenadrine
465	Fentanyl [see also 4508, 4509]
466	Midol <OTC>
467	Tolectin
468	Excedrin <OTC>
469	Leritine

Code	Definition
470	Cafergot
471	Butazolidin
472	Indocin, Indomethacin
473	Pyridium
476	Duradrin, Isocom, Midrin
477	Melumbrina, Neo-Melumbrina
478	Nogirtronia
480	Robitussin AC with Codeine
481	Acular, Dolac, Ketonolac tromethamine, Torradlo
487	Ariel
490	Nalbuphine, Nubain
491	PDR
495	Red cross
496	Ultram
498	Mefenamic acid, Ponstan, Ponstel
499	Aleve <OTC>
501	Gasoline or lighter fluids
502	Spray paints
503	Other aerosol sprays
504	Shoeshine liquid, glue, or toluene; Super Glue; rubber cement; airplane or model glue; chemical glue
505	Lacquer thinner or other paint solvents
506	Amyl nitrite, "poppers," locker room odorizer, "rush," isobutyl nitrate, bolt
507	Halothane, ether, or other anesthetics; chloroform
508	Nitrous oxide, "whippets," dentist gas
509	Correction fluids, degreasers, cleaning fluids, Liquid Paper [see also 524], K2r spot remover, Typewash
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED
511	Markers, felt-tip pens, ink pens, Sharpies
512	Incense
516	CHC, chlorofluorocarbon, Freon, refrigerant
517	Toluol
518	Acetone, nail polish remover
519	Helium
520	Old paint, paint
521	Propane [see also 525, 544]
522	Liquid TV (MTV), TV tuner, TV11Y
523	Matches
524	White-Out [see also 509]
525	Butane [see also 521, 544]
526	Nail polish
527	Phenyl nitrate
528	Whipped-cream can
529	Moth balls

Code	Definition
531	Candy, powdered candy, sugar
533	Window sealant
534	Deodorant [see also 827]
536	Fire halt
537	Air horn, boat horn, condensed horn
539	ScotchGard
540	PAM
541	Binaca
542	Brasso, lens cleaner, spirits of ammonia, smelling salts
543	Liquid oxygen, oxygen
544	Lighter gases, not specified [see also 521, 525]
545	Car tailpipe exhaust fumes, Carbon monoxide, CO, gasoline motor exhaust fumes
546	Leather protector, suede protector
548	Cologne, isopropanol vapors, rubbing alcohol, perfume
550	Methyl chloride
551	Oven cleaner
553	Pixie sticks
554	Insect killer (e.g., Raid)
555	Chillers
556	Energine
557	Hagwash [sic], Hogwash
558	Kool Aid
559	LOLOY
560	Dishwashing detergent, laundry detergent, soap
561	Amputee gas cleanser
562	Ban apple gas
563	Acetylene
564	Electric contact cleaner
565	Trichloroethane
566	Smoked tea from Lipton tea bag
567	Pertussin spray
568	Tally
569	Peganento
571	Black jack
572	Etam
573	Furniture polish
574	Tornado
576	C.A.T.
577	Rave runners
580	Medusa
582	WD-40
585	TCL
586	Carbon from empty soft drink bottle
587	Mineral ice
588	Antifreeze
589	Tire shine/tire cleaner
590	Canned air, compressed air

Code	Definition
591	Air brush propellant, air brush cartridge
592	Computer air duster, computer cleaner, dust-off, dust X
594	Starting fluid
595	Chlorine
596	Femo clay
597	Trichloronitrate
598	Ethylene dichloride
599	Potpourri
601	LSD ("acid") [see also 618]
602	Peyote
603	Mescaline
604	Psilocybin (mushrooms), sclerotia, shrooms
605	PCP ("angel dust," phencyclidine)
606	"Ecstasy" (MDMA), X-TC, "X"
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED
609	Jimson weed
610	Crystal T
611	Greens
612	Happy stick, sherm, sherman, shermstick
613	Duckweed
614	MDA, Methylenedioxymethamphetamine
615	Homemade drugs
616	DET, Dimethyltryptamine, DMT
617	Morning glory seeds, morning glory tendrils, ricea
618	Acid paper, blotter (acid) [see also 601]
619	Tic
620	Blue dragon
621	Red dragon
622	Microdot(s), green microdot, purple microdot
623	Mickey, mickey mouse club, mickey mousers
624	Orange sunshine, sunshine, yellow sunshine
625	Window, window pane, 4-way pane, 4-way
626	Jet fuel
627	Hawaiian wood rose, Hawaiian Woodrose seeds
628	Hawaiian rosebud seed tea
629	Rocket Fuel
630	Black Owsley
631	Purple Owsley
633	Mr. Natural
634	Unicorn

Code	Definition
635	Ginseng seeds, ginseng weed
636	DOM, STP
637	Purple haze
639	Nutmeg, Mace
640	Purple pyramid
642	Pink Floyd
643	Mount queen, queen
645	Thai stick
648	Designer drugs
650	Datura stramonium, daytura, thorn apple
651	Mellow Yellow
652	ALD-52
653	Cricket, cricketshit
654	Eve
655	Flying elephant
656	Mars
657	Orange barrel
658	Special K, Ketamine
659	Boat
660	Bufofenin ,Toad, toad licking
662	Kanepolin
663	Animal tranquilizer, horse tranquilizer
664	Purple fingers
665	Paniolis
666	Zonick
668	Yellow tiny pills
669	Stropharia
670	Monkey dust
672	Suncrush
673	Orange
674	Pee-pope
677	Skunk II
678	Banana peels
679	Hell bells
681	Lovely
682	Kif
686	Spider in my feet
687	Spray
688	AMP
690	RID
691	Maximum impact
693	Lemon drops
695	Angel's trumpet, floripondio
698	2C-B, Bromo mescaline, Nexus
699	BOHA-49B
701	OTHER Opiates, NOT OTHERWISE SPECIFIED
702	Heroin
703	Opium, otherwise unspecified
704	Dope

Code	Definition
705	Speedball (heroin + cocaine)
706	Smack
707	Black tar heroin
709	Poppy
710	Laudanum, opium tincture
711	Shirka
801	OTHER Drugs, NOT OTHERWISE SPECIFIED
802	THC, cannabinol, marinol, tetrahydrocannabinol
803	Marijuana, MarrJane [sic], Mary Jane, MJ, pot, weed, hemp
804	Hashish
805	Cocaine, coca, cocaina, coke, perico, Coca
806	Crack, rock
807	Alcohol, beer, ethanol, EtOH, pink champagne
808	All of the ones I've tried
809	Pills
810	Freebase
812	Cigars
813	Cigarettes, tobacco (type unspecified)
814	Caffeine <OTC>
815	Coffee <OTC>
816	Smokeless tobacco, snuff, chewing tobacco
817	Hard stuff
818	Nicotine
819	Inderal, Propranolol
820	Penicillin
821	Amoxicillin, Ampicillin, Pentrexyl
822	Rabbit tobacco
824	Steroids
825	Theo-Dur
826	Alupent
827	Aluminum chloride [see also 534]
828	Tetracycline
829	Robitussin DM <OTC>
830	Mad bull
831	Honey oil
832	Primo
833	Bone
834	Loveboat
836	Antabuse
837	Paris 400
840	Over-the-counter cough medicine (contents unspecified) <OTC>
841	Allerest <OTC>, Contac <OTC>
843	Antihistamine, cold medicine, cold tablets <OTC>
844	Blood pressure medication

Code	Definition
846	Erythromycin
847	GHB, NSC, gamma hydroxybutyrate
848	Liquid vitamin, vitamin pills <OTC>
849	Monosodium glutamate (MSG) <OTC>
850	Slack
852	Formaldehyde, wak [sic], whack (embalming fluid)
854	Juice
857	Wicki stick
858	Antibiotic
865	Diuretics, water pills
866	Boomers
867	Boron
873	Contraceptives, Feratal, Mircette, Ortho Novum,
874	Premarin
875	Buds
876	Glass
877	Methazolamide
880	Frios
881	YLOALE
883	Dextromethorphan hydrobromide <OTC>
884	Snow
885	Drixoral <OTC>
886	Spanish fly
891	Famotidine, Pepcid
892	Carafate, Sucralfate
893	Estrogen
894	Depakene, Depakote, Valproic acid
895	Tagamet, Cimetidine
896	Catapres, Clonidine
897	Synthroid, Levothyroxine
898	Propylene
899	Bromophen
900	Not a drug
900	Non-drug reason given for a drug
1001	Benadryl, Diphenhydramine <OTC>
1003	Donnatal
1004	Valerian <OTC>
1005	Imovane, Zopiclone
1006	Oxcarbazepine, Trileptal
1007	Robitussin P.M. <OTC>
1008	Rohr 714, Rorer 714
1009	Mogadon
1010	Diprivan
1011	Eszopiclone, Lunesta
1012	Brevital
1013	Ambien CR
1014	Tylenol Flu Nighttime <OTC>

Code	Definition
1015	Wild lettuce
1016	Phenazepam
1017	Rozerem
1018	Advil PM <OTC>
1019	Donormyl <OTC>
1022	Atropine
1023	Relaxen <OTC>
1024	Homemade sedative
1025	Acetaminophen P.M., including non-Tylenol brands <OTC>
1026	Moon drops <OTC>
1027	ZzzQuil <OTC>
1028	Dormidina
1029	Sleep-Eze <OTC>
1030	Alteril <OTC>
1031	Zolfresh
1032	Aleve pm <OTC>
1033	Promethazine DM
1034	Topiramate
1501	Zolpidem [see also 174]
1502	Flurazepam [see also 111]
1503	Temazepam [see also 112]
1504	Triazolam [see also 113]
2001	Soma [see also 2510]
2002	Muscle relaxers
2003	Zanies, zannies, zans, zany bars
2004	Bromazepam, Lexilium, Lexomil, Lexotan, Lexotanil
2006	Chlorzoxazone
2007	R2
2008	747
2009	Inapsine
2010	Buscopan, Espacil
2013	Hyoscyamine, Levsin
2014	Robaxisal
2015	Flexodin
2016	Xanax XR
2017	Motival
2018	4 Bar, Quad Bar
2019	Soma Compound
2022	Tetrazepam
2023	Tandrilax
2024	Muscoril, Myoril, Neoflax, Thiocolchicoside
2025	Clobazam
2026	Sedoxil
2027	Homemade tranquilizers
2028	Maolate, Chlorphenesin, Musil
2029	Etizolam
2030	Versed
2031	Rivotril
2032	Flualprazolam

Code	Definition
2033	Chlorodiazepam. Diclazepam
2501	Alprazolam [see also 209]
2502	Xanax bars [see also 209]
2503	Lorazepam [see also 207]
2504	Clonazepam [see also 246]
2505	Clonazepam product, otherwise unspecified [see also 246]
2506	Diazepam [see also 201]
2507	Chlordiazepoxide HCl [see also 202]
2508	Oxazepam [see also 205]
2509	Cyclobenzaprine [see also 234]
2510	Carisoprodol [see also 2001]
2511	Buspirone [see also 211]
2512	Hydroxyzine [see also 215, 216]
3001	Brown and clear
3002	Pep ups
3003	Primatene tablets <OTC>
3004	Black Cadillac
3006	Green amps
3007	Nasal inhalant
3008	Miniwhtes
3009	Ephedrone, Methcathinone
3010	KOOD12
3011	Escalation
3012	Stud 100, stud the rock
3013	Tweek
3014	Uptime
3015	Fen-Phen (fenfluramine and phentermine)
3017	Dayquil <OTC>
3018	Up-johns
3019	Peppies
3020	White powder
3021	Blue balls
3023	Adderall
3024	Yohimbe
3025	Moles [sic]
3027	Energy pills
3028	Blackbirds
3029	Soccerballs
3030	Red hearts
3031	Brethine, Bricanyl, Terbutaline
3032	Heads up
3033	Metabolife <OTC>
3034	Speckleberry
3035	Blacks
3036	Ripped fuel <OTC>
3038	Obenil
3039	Theophed
3040	Hyper pills
3041	Desbutal
3042	30-30

Code	Definition
3043	Brown bodies
3044	Caffeine pills <OTC>
3045	Stay awakes <OTC>
3047	Sudafed <OTC>
3048	Diet Pep <OTC>
3049	Truck driver's speed
3050	Mini thins
3051	Betel nut, beetlenut
3052	Speed; otherwise unspecified
3053	Maxair, Pirbuterol
3054	Up your gas <OTC>
3055	Clenbuterol
3056	Xenadrine <OTC>
3057	Diet Fuel <OTC>
3058	Metabolift <OTC>
3059	Metabolize and Save <OTC>
3060	Hydroxycut <OTC>
3061	Metab-O-Lite <OTC>
3062	Homemade stimulants
3063	Dymetadrine <OTC>
3064	Ephedra, Ma Huang
3065	MA-300 <OTC>
3066	Alert Blue and Clear <OTC>
3068	Mini Two-way Action <OTC>
3069	DextroStat
3070	Synatan
3071	Adipokinetix <OTC>
3072	Purple Blast <OTC>
3073	Over-the-counter diet pill; otherwise unspecified <OTC>
3074	Stay Trim <OTC>
3075	Inibex
3076	Norephedrine <OTC>
3077	Concerta
3078	Blue and clears
3080	Meridia, Sibutramine
3081	P2P, Phenyl-2-propanone
3082	Fat burner; not otherwise specified
3083	Redotex
3084	Cartwheels
3085	Thermo Carb <OTC>
3086	Adderall XR
3088	Super Stingers <OTC>
3089	Christina, Tina
3090	Provigil [see also 3508]
3091	Black bombers
3092	Metadate CD
3093	Supercaps
3094	Focalin [see also 3503]
3095	LoCarb Turbo <OTC>
3096	Yaba
3097	Bamadex
3098	Zantrex 3 <OTC>

Code	Definition
3099	Asenlix, Clobenzorex
3100	Over-the-counter stimulant; not otherwise specified <OTC>
3101	Dexitac Stay Alert Stimulant. <OTC>
3102	Methylin
3103	RedLine. <OTC>
3104	Slimquick. <OTC>
3105	Affinato
3106	Sedalmerck
3107	Guarana. <OTC>
3109	Dietrex <OTC>
3110	Dexfenfluramine, Redux
3111	Vyvanse
3113	Levophed bitartrate, Norepinephrine
3114	Ritalin LA, Ritalin SR
3115	Isomethcptene
3116	4-MCC, 4-methylmethcathinone, MCAT, Mephedrone
3117	Methedrone
3119	MDPV, Methylene dioxy pyrovalerone
3120	DetoxaTrim <OTC>
3122	Nuvigil
3123	Adrafinil, Olmifon
3124	Focalin XR
3125	3, 4-Ethylenedioxy-N-methylamphetamine, EDMA, MDMC
3126	Pervitin [see also 322]
3127	4-FMA, 4-Fluoromethamphetamine
3128	Jet-Alert <OTC>
3129	JavaSLIM green coffee extract <OTC>
3130	IFA-Norex
3131	5-MAPB
3132	4-FA, 4-Fluoroamphetamine, 4-FMP
3133	5-APB
3134	SuperHD <OTC>
3135	Evekeo
3136	4-MEC, 4-Methylcathinone
3137	3-Fluorophenmetrazine, 3-FPH, 3-FPM, PAL-593
3138	2-CA, 2-Chloroamphetamine
3139	2-FMA, 2-Fluoromethamphetamine
3140	2-FA, 2-Fluoroamphetamine
3141	Cotempla XR-ODT
3187	Greenies
3188	Anorex, Leptoprin <OTC>
3189	BetaLean <OTC>
3190	Primatene Mist <OTC>
3501	Amphetamine/dextroamphetamine salts
3502	Methylphenidate [see also 318]
3503	Dexmethylphenidate [see also 3094]
3504	Benzphetamine [see also 309]

Code	Definition
3505	Diethylpropion [see also 307]
3506	Bontril [see also 349]
3507	Phentermine [see also 313]
3508	Modafinil [see also 3090]
4001	Actron, Ketoprofen, Orudis, Oruvail
4002	Imitrex, Sumatriptan
4005	Etodolac, Lodine
4007	Happy pills
4008	Brown gel pills
4009	Smilies
4011	Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol
4013	Fenoprofen, Nalfron
4018	Nuprin <OTC>
4022	Buprenex
4023	Pamprin <OTC>
4024	Reynol [sic]
4025	Viserol [sic]
4026	Ventrex [sic]
4027	Rorer
4028	Arthrotec
4029	Feldine, Piroxicam
4030	Triple "S"
4031	Cough syrup/medicine with Codeine
4033	Vicoprofen
4034	Lilly red
4035	Nabumetone, Relafin
4036	Stagesic
4037	MS Contin [see also 4507]
4038	Propacet
4039	Daypro, Oxyprozin
4040	Ridaura
4041	Maxalt, Rizatriptan
4042	M-33
4043	Tramadol
4044	Hydrocodone
4045	Dolgic, Phrenilin Forte, Sedapap
4046	Oxycodone [see also 4505]
4047	Roxicet
4048	Motrin IB <OTC>
4049	Headache power <OTC>
4050	Percogesic <OTC>
4051	Celebrex
4052	Endocet
4053	Codydramol
4054	Zomax
4055	Viox
4056	Cataflam, Diclofenac, Voltaren
4057	Mejoral
4058	Totem poles
4059	Zomig, Zolmitriptan
4060	Ansaid, Flurbiprofen, Majezik

Code	Definition
4061	Oramorph SR
4062	Iophen-C Liquid
4063	Naprelan
4064	Epidrin
4065	Roxicodone
4067	OxyContin
4068	Roxilox
4069	Benflogin
4070	Flexagen <OTC>
4071	Syncol
4072	Oxycet
4073	Temgesic
4074	Provil <OTC>
4075	Disalcid, Salflex, Salsalate
4076	Over-the-counter pain reliever; not otherwise specified <OTC>
4077	Tee's
4078	Spasmoproxyn
4079	Anbesol <OTC>
4080	Morphidex
4081	Avamigran
4082	Analgin, Dipyrone, Metamizol, Metamizole, Novalgin, Prodolin
4083	Ultracet
4084	Aktren
4085	Advil Migraine <OTC>
4086	Parafon Forte
4087	Torbugesic/Torbutrol (veterinary butorphanol) [see also 419]
4088	Synthetic heroin
4089	Brompton's solution/mixture
4090	Dorixina
4091	K4
4092	Pain reliever lotion, rub; not specified
4093	Tylex, Solpadeine
4094	Tombstones
4095	Dihydrocodeine
4096	Bextra, Valdecoxib
4097	Tussionex
4098	Banamine
4099	Anacin <OTC>
4100	Excedrin Migraine <OTC>
4101	Myprodol
4102	Meloxicam, Mobic
4103	Terpin Hydrate with Codeine
4104	Dolo-Neurobion
4105	Hydrocodone with APAP; otherwise unspecified
4106	Atroveran
4107	Panlor
4108	Homemade analgesics

Code	Definition
4109	Suboxone
4110	Avinza
4111	Clinoril, Sulinac
4112	Saridone
4113	Cosanyl
4114	Nimesulide
4115	Pantopon
4116	Phenergan with Codeine, promethazine with Codeine
4117	Oxy-IR
4118	Sufenta, Sufentanil
4119	Buprenorphine
4120	Opana [see also 4510]
4121	Dorflex
4122	Combiflam
4123	Dolorex
4124	Relpax
4125	Hycodan, Hydromet, Tussigon
4126	Panafen Plus
4127	Panadeine
4128	Ibuprofen 200 mg/Children's ibuprofen <OTC>
4129	Naproxen Sodium 220 mg <OTC>
4130	Dalgan, Dezocine
4131	Diconal, Dipipanone
4132	Embeda
4133	Tramadol extended release
4134	Ultram ER
4135	Arcoxia, Etoricoxib
4136	Sedalmex <OTC>
4137	Nucynta, Tapentadol
4138	Sprix
4139	Bute tabs, Phenylbutazone
4140	Opana ER (extended release)
4141	Alfenta, Alfentanil
4142	Remifentanil
4143	Vicotuss
4144	Bancap HC
4145	Daprisal
4146	Traumeel <OTC>
4147	Bio Electro pain reliever <OTC>
4148	Butrans transdermal system/patch
4149	Pain patch, otherwise unspecified
4150	Subutex
4151	Acetaminophen; more than max dosage reported <OTC>
4152	Flanid
4153	Morphine extended release
4154	Musflex <OTC>
4155	Numorphone
4156	Apranax
4157	Profinal
4158	Naratriptan

Code	Definition
4159	Aspirin and caffeine tablets/pills <OTC>
4160	Hysingla ER
4161	U-47700
4162	Oxymorphone extended release
4163	Belbuca
4164	Synthetic opioid; otherwise unspecified
4501	Lortab [see also 434]
4502	Norco [see also 434]
4503	Lorcet [see also 434]
4504	Anexsia [see also 434]
4505	Oxycodone product, otherwise unspecified [see also 4046]
4506	Codeine, not in pill form [see also 415]
4507	Kadian [see also 4037]
4508	Duragesic [see also 465]
4509	Sublimaze [see also 465]
4510	Oxymorphone [see also 4120]
4511	Meperidine [see also 407]
4512	Dolophine [see also 418]
5001	Bleach
5003	Methane
5004	Ink print, paper
5005	Cobra rush
5006	Brake fluid
5007	Fly nap
5008	R-R
5011	Ozone
5012	Negros
5013	Lebel 12
5014	Spray O Buzz
5015	MCH
5016	Masking tape, tape adhesive
5017	Oil, lubricant, grease; otherwise unspecified
5018	B-12 (Spanish)
5019	Melted plastic
5020	Wet cement
5021	Octane booster
5022	Carbon dioxide, CO ₂ , CO ₂ tank, cryogenic cleaning spray, dry ice blasting, dry ice hits
5023	Double eagle
5024	Candle, citronella candle
5025	Lime salt
5026	Silly putty
5027	Benzene
5028	Carburetor cleaner, engine cleaner
5029	Floor wax

Code	Definition
5030	Polyurethane (spray, liquid, compound)
5031	Naphtha
5032	Nitrogen
5033	Sur-noxem
5034	Hippie crack
5035	Brake cleaner
5036	Wart remover
5037	Wood filler, wood putty
5038	Tywall
5039	Acetate
5040	Methanol, wood alcohol
5042	Fuels other than gasoline
5043	Carbona
5044	Powdered cleansers; e.g. Ajax, Comet, Boraxo
5045	Cleaner; not otherwise specified
5046	Glass/window cleaner
5047	Tetrafluoroethylene
5048	MEK, Methyl ethyl ketone
5049	Hand sanitizer; contents unspecified
5050	Burned rubber
5051	Hair chemicals
5052	Silly String
5053	Electric parts cleaner, electronics cleaner
5054	Gum freezer, gum remover
5055	PVC
5056	Eucalyptus oil
5057	Argon
5058	Sealers/sealants; type unspecified
5059	Transmission fluid
5060	Crayons
5061	Lip balm, lip gloss
5062	Amazing Elastic Plastic
5063	Drano/drain cleaner; aerosol unspecified
5064	Erasers
5065	Nail polish dryer, quick drying treatment for nails
5066	Simply Green
5067	Wet Ones wipes
5068	Smoke from a fire
5069	Febreze
5070	Silicone
5071	Purell
5072	Air blast
5073	Goof off
5074	Floor wax stripper
5075	Pine-sol
5076	Water/stain repellent; type unspecified
5077	Resistol
5078	Axe body spray

Code	Definition
5079	Shellac
5080	Tetrachloroethene
5081	Photographic development fluid
5082	Chalk dust
5083	Ethyl chloride
5084	Dry cleaning fluid/solvent
5085	Toilet bowl hook-ons
5086	Dry Fab
5087	Tennis balls, ping pong balls
5088	Jungle juice
5089	Tattoo Goo Color Guard Spray
5090	PVC Cleaner
5091	Germ-X
5092	Burning/ignited permanent marker
5093	Goo Gone
5094	Scotch Brite
5095	"The Works" shower cleaner
5096	Hemp rope
5097	Lysol; aerosol unspecified
5098	Axe/Axe deodorant; aerosol unspecified
5099	HydroCide
5100	TCE, Trichlorethylene
5101	Difluoroethane
5102	Xylene; otherwise unspecified
5103	Shoe dye
5104	Shoe cleaner; otherwise unspecified
5105	Sulfur; otherwise unspecified
5106	Carbon tetrachloride
5107	Alcanfor, camphor
5108	Tag body spray
5109	Tinactin antifungal spray
5110	Graffiti eraser
5111	Homemade napalm
5112	Lotion (body, hand); contents unspecified
5113	Disinfectant; contents unspecified
5114	Green gas propellant
5115	Polish; contents unspecified
5116	Vinegar
5117	Turpentine
5118	Spray adhesive
5119	Battery acid
5120	Ignition spray
5121	Tetrafluoroethane
5122	Leather cleaner
5123	Fixative
5124	Bromine
5125	Difluoromethane
5126	Rubber rejuvenator
5127	Airsoft propellant
5128	Floor sealer
5129	Smoke bomb

Code	Definition
5130	Glow stick
5169	Baking soda
5131	Hunting/fishing deodorizer
5132	Chewing gum remover
5133	Air conditioner cleaner
5134	Cosmetics/makeup
5135	Rubber roof remover
5136	WariActiv
5137	Handi Wipes
5138	Glade Plugins
5139	Hydrazine hydrate
5140	Rat shampoo
5141	Gun smoke, gun powder
5142	Dryer sheets, fabric softener
5143	Toilet bowl cleaner
5144	Tires
5145	Phosphorus
5146	Rocol PR Spray
5147	Glycerin
5148	Hand sanitizer/cleaner; alcohol-based
5149	Sanitizer; type unspecified
5150	Nail strengthener
5151	Dichloromethane
5152	Sawdust
5153	Breaking Styrofoam (to release gas)
5154	Latex/latex glove
5155	Levmetamfetamine <OTC>
5156	Liquid air
5157	Spam in a plastic bag
5158	Alcohol dye
5159	Gas/fuel cleaner/treatment
5170	Baby powder
5171	Mouthwash
5172	Shampoo
5173	Tire inflator/sealer; aerosol unspecified
5174	Belt dressing
5175	Acetylene chloride
6001	Collapsing little birds
6003	Cocahina
6004	Hallucinogen seeds
6005	Sassafras, Sassafras tea
6006	Super X
6007	Bathtub
6008	8-Ball
6010	Atropa belladonna (flower)
6012	Cloud 9, cloud 13
6013	Lion's tail, wild dagga
6014	Indo
6015	Crysta
6016	Nas
6017	Meesha

Code	Definition
6019	Black dust, black duct [sic]
6021	Snake bite kit (anti-venom)
6022	Tequila worm, agave worm
6023	Euphoria
6024	Blue Jesus
6025	Yellow jell
6026	KJ
6027	Judyfly
6028	Laced flower
6029	DXM
6030	Root
6031	Strychnine
6032	TSP
6033	Ramstein
6034	Pigface
6035	Campana (flower)
6036	Coco weed
6037	Fry
6038	Triplets, trips
6039	Blue Hawaii
6040	Dank
6041	Leaky leak
6042	Super K
6043	Diviner's sage, Salvia divinorum
6044	Gel caps, gel tabs
6045	Blackboards
6046	Aquafoot
6048	Dex
6049	Locoseeds, locoweed seeds
6050	High roller
6051	Tryptamine, not otherwise specified
6052	Acrylic resin
6053	Toothpicks
6054	Spiny apples
6055	Liberty caps
6056	Wet
6057	Silk
6058	Purple life
6059	Satan flower
6060	Ololiuhqui
6061	5-MeO-DMT
6062	Madderwort, wormwood
6063	Foxglove
6064	Marigold buttons
6065	3CPO
6066	Purple rain
6067	Venus
6068	Blue ice
6069	Peach
6070	DTP
6071	Sinicuichi
6072	JUNO

Code	Definition
6073	Rolls
6074	LSA
6075	Trinity
6076	Lemon 714
6077	San Pedro
6078	Trumpet flowers/seeds; type unspecified
6079	Sugar cubes
6080	Purple passion
6081	Shabu
6083	CCC, "Triple C," C3 <OTC>
6084	Devil dust
6085	Dips
6086	Flakes
6087	Ibogaine
6088	Brugmansia
6089	Cake
6090	Heaven
6091	Ergot, rye mold
6092	TCP
6093	Mitsubishi
6094	Mushrooms, specifically not psilocybin
6095	Super cool, super kool
6096	Bananadine
6097	Banana slug slime
6098	Dust; not otherwise specified
6099	Kathmandu Temple Kiff
6100	2C-T-7, T7, blue mystic
6101	Alice in Wonderland
6102	Absinthe
6103	Ayahuasca, Yage, Yahe
6104	Tish
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT
6106	Paramethoxyamphetamine, PMA
6107	Ambrosia
6108	Gorilla biscuits
6109	2, 5-Dimethoxyamphetamine, DMA
6110	Mad dog
6111	Syrian rue
6112	2C-T-2
6113	Candy flip
6114	Molly; not otherwise specified
6115	Foxy
6116	Nepenthes
6117	Dragon (with color; not blue/red)
6118	Adrenochrome
6119	Scoop
6120	Lucky seven
6121	Cactus; specifically not peyote
6122	MDMA
6123	Mighty Quinn

Code	Definition
6124	Mormon tea
6125	MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I
6127	Skittles
6128	Henbane
6129	Beaner
6130	5-MeO-DiPT, foxy methoxy
6131	Mandrakes
6132	Amanita mushrooms, fly agaric, Muscimol
6133	Acorus calamus, sweet flag
6134	Anadenanthrea colubrina, cohoba, vilca, yopo
6135	5-MeO-AMT
6136	Spook
6137	Harmaline
6138	2,5-Dimethoxy-4-ethylphenethylamine, 2C-E
6139	2,5-Dimethoxy-4-chlorophenethylamine, 2C-C
6140	MiPT, N-Methyl-N-isopropyltryptamine
6141	Dipropyltryptamine, DPT
6142	Snake venom
6143	2C-X
6144	Di-isopropyl-tryptamine, DiPT
6145	Scooby snacks
6146	5-MeO; otherwise unspecified
6147	Phenethylamines; otherwise unspecified
6148	Mimosa tree bark
6149	Tiletamine
6150	Mantis root
6151	Matrix
6152	Cigarette dipped in embalming fluid
6153	Asthmador
6154	2,5-Dimethoxy-4-methylphenethylamine, 2C-D
6155	5-MeO-T, 5-Methoxytryptamine
6156	TMA, Trimethoxyamphetamine
6157	Taters
6158	Mulberry seeds/plant
6159	2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T
6160	Wacky Weed
6161	Thujone
6162	4-MeO-DMT
6163	Devil's trumpet
6164	Tenocyclidine
6165	PMMA, Paramethoxymethamphetamine

Code	Definition
6166	BZP, Benzylpiperazine
6167	4-HO-DMT, Psilocin
6168	2,5-Dimethoxy-4-iodoamphetamine, DOI
6169	2,5-Dimethoxy-4-chloroamphetamine, DOC
6170	Moonflower/pod; otherwise unspecified
6171	4-Acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT
6172	2,5-Dimethoxy-4-(2-fluoroethylthio)phenethylamine, 2C-T-21
6173	2,5-dimethoxy-4-bromoamphetamine, Brolamfetamine, DOB
6174	bk-MDMA, Methylene
6175	4-Hydroxy-N,N-diisopropyltryptamine, 4-HO-DiPT, Iprocin
6176	3C-Bromo-Dragonfly, DOB-Dragonfly
6177	4-Acetoxy-DiPT, 4-Acetoxy-N,N-diisopropyltryptamine
6178	4-Acetoxy-DMT
6179	4-HO-HiPT, 4-HO-MiPT, 4-Hydroxy-MiPT, 4-Hydroxy-N-methyl-N-isopropyltryptamine
6180	2C-BCB, TCB-2
6181	4-HO-MET, 4-Hydroxy-N-methyl-N-ethyltryptamine
6182	2C-P, 4-Propyl-2,5-dimethoxyphenethylamine
6183	5-MeO-DALT, N,N-diallyl-5-methoxytryptamine
6184	Orange peels
6185	25I-NBOMe, BOM-CI, Cimbi-5, NBOMe-2C-I
6186	3-MeO-2-Oxo-PCE, MXE, Methoxetamine
6187	Mugwort
6188	25B-NBOMe, NBOMe-2C-B
6189	25C-NBOMe, NBOMe-2C-C
6190	2,5-Dimethoxy-4-fluorobenzaldehyde, 2C-F
6191	CI-400, Eticyclidine, PCE
6192	5-MeO-MiPT, 5-methoxy-N-methyl-N-isopropyltryptamine
6193	Fungus; otherwise specified
6194	MDMA derivative; otherwise unspecified
6195	LSZ, Lysergic acid 2,4-dimethylazetidide
6196	Changa
6198	5,6-methylenedioxy-2-aminoindane, MDAI

Code	Definition
6199	LAH, LSH, Lysergic acid hydroxyethylamide
6200	6-allyl-6-nor-LSD, AL-LAD
6201	4-HO-DET, 4-Hydroxy-N,N diethyltryptamine, CZ-74, Ethocin
6202	4-Acetoxy-MET, 4-AcO-MET, Metacetin
6203	NBOMe; otherwise unspecified
6204	Hallucinogen from toothpaste
6205	Owsley, white owsley
6206	Blue Egyptian lotus, blue lotus
6207	2C-B-Fly, 2C-Bromo-Fly
6208	3-Methoxyphencyclidine, 3-MeO-PCP
6209	1P-LSD
6210	Beta-keto 2C-B, Bk-2C-B
6211	6-MAPB
6212	3-Mephedrone, 3-Methylmethcathinone, 3-MMC
6213	Synthetic LSD/acid; otherwise unspecified
6214	Synthetic mescaline; otherwise unspecified
6215	Synthetic mushrooms; otherwise unspecified
6216	4-Acetoxy-N-methyl-N-isopropyltryptamine, 4-AcO-MiPT
6217	25D-NBOMe, NBOME-2C-D
6218	2,3,4-Trimethoxyamphetamine, TMA-2
6219	Hallucinogenic honey; type unspecified
6220	ETH-LAD
6221	Amatoxin-containing mushrooms; otherwise unspecified
6222	Jekem, Jenkem
6223	3-HO-PCP, 3-Hydroxyphencyclidine
6224	Red canary grass
6225	DCK, Deschloroketamine
6226	E-EAPB
6227	4-Acetoxy-N,N-Diethyltryptamine, 4-AcO-DET
6228	Synthetic hallucinogen; otherwise unspecified
6229	LSD analogue; otherwise unspecified
6230	Ketamine analogue; otherwise unspecified
6231	Mescaline analogue; otherwise unspecified
6232	2-FDCK, 2-Fluorodeschloroketamine, Fluoroketamine
6233	Hawthorn berries
6234	Sniffing/smelling cat urine
6235	Drinking diesel fuel

Code	Definition
6236	NBOH; otherwise unspecified
6237	Datura inoxia
6501	Ketaset
8001	Robitussin elixir
8002	Zantac
8003	Yesca
8004	Guaifenesin
8005	Imodium AD <OTC>
8006	Laxative <OTC>
8007	Gabapentin, Neurontin
8008	Antidepressant; type unspecified
8009	Allergy pills/antihistamine; type unspecified
8010	Zyrtec, Cetirizine <OTC>
8011	Herb, flower, plant; type unspecified
8012	Coricidin <OTC>
8013	Maalox <OTC>
8014	Throat spray/lozenge; type unspecified <OTC>
8015	Bengay <OTC>
8016	Icy Hot <OTC>
8017	Buscapina
8018	Claritromicina
8019	Azithromycin, Z-pack, Zithromax
8020	Allegra, Altiva
8021	Cipro, Ciprofloxacin, Cliloxam
8022	Creatine <OTC>
8023	Myoflex <OTC>
8024	Asthma inhaler, asthma medication, bronchial dilators
8025	Alavert D, Claritin D, or similar <OTC>
8026	Powder
8027	Alavert, Claritin, Loratadine <OTC>
8028	Bactine <OTC>
8029	Flexall <OTC>
8030	Tums <OTC>
8031	Sugar pills
8032	Prilosec, Mopral
8033	Heart medication; type unspecified
8034	Nutri-calm <OTC>
8035	Prednisone
8036	Norvasc
8037	Thermochrome 5000 <OTC>
8038	Coldact
8039	Kaopectate <OTC>
8040	Trioxsalen
8041	Garlic, garlic oil, garlic tablets <OTC>
8042	Alka Seltzer <OTC>
8043	Accolate
8044	Cephalexin, Keflex
8045	Gas-X, Mylicon <OTC>

Code	Definition
8046	Slim Fast <OTC>
8047	Pepcid AC <OTC>
8048	Theophylline
8049	Sorbitol
8050	Tavist D <OTC>
8051	Sinex <OTC>
8052	Bactrim, Septra
8053	Dristan <OTC>
8054	Beclovent, Beconase, Vanceril
8055	Flonase
8056	Vicks VapoRub/inhaler <OTC>
8057	Natacyn, Natamycin ophthalmic
8058	Cough medicine/syrup; type unspecified
8059	Peroxyl <OTC>
8060	Blue nitro
8061	Entex LA
8062	Mylanta <OTC>
8063	Heparin
8064	Triaminic <OTC>
8065	Tylenol Cold Medication <OTC>
8066	Sildenafil, Viagra
8067	Testosterone
8068	Hemorrhoid cream
8069	Decadron, Dexamethasone
8070	Advil Cold and Sinus <OTC>
8071	Augmentin
8072	Deca-Durabolin, Nandrolone decanoate
8073	Deconamine
8074	Fansidar
8075	Effergin <OTC>
8076	Sanzolol, Stanazolol, Winstrol
8077	Azmacort
8078	Vitamin K
8079	Insulin
8080	Depotrone
8081	Primobolan
8082	Robinul
8083	Testosterone cypronate
8085	Anti-psychotics/schizophrenic; type unspecified
8086	Provera
8087	Benzocaine
8088	Dianabol
8089	Sustanol <OTC>
8090	Sustanon, Sostenon
8091	Benzedrex <OTC>
8092	Decaderm
8093	Stacker 2, Stacker 3, <OTC>
8094	Pepto Bismol <OTC>
8095	Over-the-counter asthma pills; not specified <OTC>

Code	Definition
8096	Thermicore <OTC>
8097	Tizanidine, Zanaflex
8098	Potassium chloride
8099	Somatech
8100	Kava Kava <OTC>
8101	Colace <OTC>
8102	Nasacort <OTC>
8103	Testosterona 200, Testosterone 300
8104	Thermadrene <OTC>
8105	Sustiva
8106	Methoxy-7 <OTC>
8107	Diovan, Valsartan
8108	Atenonol
8109	Apple cider and vinegar pills <OTC>
8110	Over-the-counter drug/pills; type unspecified <OTC>
8111	Silver chloride
8112	hCG, Human Chorionic Gonadotropin
8113	Test 250, Test 400 <OTC>
8114	Lidocaine
8115	Vicks 44 <OTC>
8116	Herbal Ease <OTC>
8117	Hydrocortisone
8118	Smoking; not otherwise specified
8119	Regal medicated oil
8120	Difulcan
8121	Invirase
8122	Trenbol
8123	Tylenol Sinus <OTC>
8124	Deca-diabolin
8125	Comtrex <OTC>
8126	Valtrex
8127	Damiana <OTC>
8128	Glucosamine <OTC>
8129	Equipoise, Equipoise
8130	Zantac 75 <OTC>
8131	Acacia Gum, carbisol <OTC>
8132	D-bol, Liquid D-bol
8133	Mega Teen <OTC>
8134	Glucophage, Metformin
8135	Verapamil
8136	Montekulast, Singulair
8137	5-HTP, 5-Hydroxytryptophan <OTC>
8138	Chlorphenamine maleate, Chlorpheniramine maleate, Piriton <OTC>
8139	Chloroquine, Nivaquine
8140	Anamine
8141	Gamma butyrolactone, GBL
8142	Conex Plus
8143	Mycelex
8144	Clarinex, Desloratadine

Code	Definition
8145	Cooking extracts (vanilla, lemon, etc.) <OTC>
8146	Tabcin <OTC>
8147	Tylenol Flu <OTC>
8148	Met-Rx <OTC>
8149	Desenfriol <OTC>
8150	Biolex wound gel <OTC>
8151	Flu shot; otherwise unspecified
8152	Thermogenics; otherwise unspecified <OTC>
8153	Nexium
8154	Beta Blocker; otherwise unspecified
8155	Telithromycin
8156	Flumethasone
8157	Colirio
8158	Lipitor
8159	Loperamide, Virola
8160	Eprosartan, Teveten
8161	Echinacea <OTC>
8162	Prevacid
8163	Ditropan
8164	Testosterone propionate
8165	Anavar
8166	White girl
8167	T3, Tri-iodothyronine
8168	Fluoride
8169	TheraFlu <OTC>
8170	Muscle stimulator spray; contents unspecified
8171	Dietary supplements; otherwise unspecified
8172	Cortisone
8173	Chlorhexidine, Exidine
8174	Betadine, Efodine, Iodine <OTC>
8175	CortiSlim <OTC>
8176	TrimSpa <OTC>
8177	Face/body cleanser; contents unspecified
8178	Norateen
8179	Artemesia
8180	Avonex
8181	Corgard
8182	Clindamycin
8183	St. John's Wort <OTC>
8184	Ondansetron, Periset, Zofran
8185	Pro Plus <OTC>
8186	Lomotil
8187	Xylocaine
8188	Anadrol
8189	Furosemide, Lasix
8190	Benegal
8191	L-Dopa

Code	Definition
8192	Delsym, Dextromethorphan polistirex <OTC>
8193	Pertussin <OTC>
8194	Afrin <OTC>
8195	Anti-seizures; type unspecified
8196	Hirudoid
8197	Chronic
8198	Handle bars
8199	Neurobion
8200	Dan(s), Dan Dan(s); no other information
8201	Watson(s); no other information
8202	Intal
8203	Bar; otherwise unspecified
8204	Phloroglucinol, Spasfon
8205	Tylenol Allergy <OTC>
8206	Delatestryl, Testosterone enanthate
8207	Terpin Hydrate
8208	Romilar, form unspecified
8209	Red Bull Energy Drink <OTC>
8210	Mylan(s); no other information
8211	Precose
8212	Finaplix Gold, Trembolona QV75, Trenbolone
8213	Ranitidine
8214	Robo, Robo tripping
8215	Yager's liniment <OTC>
8216	Red Dawn GHR Release <OTC>
8217	Anti-diarrhea medication; type unspecified
8218	Attention deficit disorder meds; type unspecified [added in 2006; changed to code 8229 beginning in 2007]
8219	A & D ointment <OTC>
8220	Lavender <OTC>
8221	Omnadren
8222	Protein-based weight gain product, type unspecified
8223	Chocolate
8224	Oxytocin, Pitocin, Syntocinon
8225	Cymbalta, Duloxetine
8226	Bitrex
8227	Sativa; otherwise unspecified
8228	Boldo
8229	ADHD/ADD medication; otherwise unspecified
8230	Advair
8231	Tussin medication, no other information
8232	Rat/rodent poison; contents unspecified
8233	Keppra, Levetiracetam
8234	Lamisil

Code	Definition
8235	Benzonatate, Tessalon
8236	Lyrica, Pregabalin
8237	Kratom
8238	Decongestant; type unspecified
8239	Drotaverine, Drotin
8240	Lamictal, Lamotrigine
8241	Chemotherapy; drug unspecified
8242	Albucid
8243	Guaifex
8244	Superdrol <OTC>
8245	Human growth hormone (HGH)
8246	Phenoxyl
8247	Abilify, Aripiprazole
8248	Nano Vapor <OTC>
8249	DMG, N,N-Dimethylglycine HCl <OTC>
8250	Boldenone
8251	Orange oil
8252	Humatrope
8253	Pancof
8254	Green hornet
8255	Sulfuride
8256	Phenylephrine <OTC>
8257	Hoodia product/supplement <OTC>
8258	Vivonex <OTC>
8259	Rolaids <OTC>
8260	Dextromine <OTC>
8261	Chlorophyll <OTC>
8262	Green tea/green tea supplement <OTC>
8263	Stimulin <OTC>
8264	Lipozene <OTC>
8265	Apresoline, Hydralazine
8266	Alka Seltzer Plus <OTC>
8267	Quinine
8268	Protonix
8269	Acai berry supplement (pill, powder, liquid) <OTC>
8270	No-Xplode <OTC>
8271	Catnip <OTC>
8272	Tri Tren 150, Triple Trenbolone Blend
8273	Goofballs
8274	Terramycin
8275	Obesitol, Safflower oil <OTC>
8276	Bitter grass, Calea zacatechichi, Dream herb <OTC>
8277	XL-3 <OTC>
8278	Bufo toxin
8279	Coumadin, Warfarin
8280	MucinexDM <OTC>
8281	Antiseptic; contents unspecified
8282	Saline solution, salt, sodium chloride <OTC>

Code	Definition
8283	Synthetic cannabinoids (e.g., K2, Spice, JWH-018)
8284	Desvenlafaxine, Prestiq
8285	Mirapex, Pramipexole
8286	Advant, Atacand, Candesartan
8287	CP 55, 940
8288	Azor
8289	Ear drops; contents unspecified
8290	Dependal-M, Furazolidone, Furoxone
8291	Ritz and Ts, Ts and rits, Ts and Rs
8292	Cigarettes baked/smoked with toothpaste
8293	Lean (Promethazine with codeine mixed with Sprite)
8294	Stevia <OTC>
8295	Tenex
8296	Acetazolamide, Diamox
8297	TussiCaps
8298	Jack3d <OTC>
8299	Broncolin <OTC>
8300	Zylortim <OTC>
8301	Bath salts/synthetic cathinone; otherwise unspecified
8303	Zicam <OTC>
8304	Phenphedrine <OTC>
8305	Anti-anxiety medication; type unspecified
8306	Flu medication; no other information
8307	ExtenZe <OTC>
8308	Devil's club
8309	Mucinex <OTC>
8310	DMAA, Methylhexanamine
8311	Zombie Matter
8312	Intuniv
8313	Medithane
8314	Cloud 10 Ultra
8315	Synthetic cannabis; otherwise unspecified
8316	Piracetam
8317	Namenda
8318	AM-2201
8319	Methotrexate
8320	Abraxane
8321	Botanical Slimming <OTC>
8322	Horny goat weed
8323	Benzathine benzylpenicillin, Penadur
8324	Lamb's ear
8325	Drostanolone propionate, Masteron
8326	Dalay
8327	7H
8328	Metamine
8329	Artane, Parkopan

Code	Definition
8330	Bipolar disorder medication; type unspecified
8331	Diophenyl-T
8332	Myristicin
8333	Moringa
8334	OxyElite Pro
8335	Metatabs
8336	Peridan
8337	Collagen
8338	Bumex, Bumetanide, Burinex
8339	Tukol <OTC>
8340	Picot <OTC>
8341	Apokyn, Apomorphine, Ixense, Spontane, Uprima
8342	Nalone, Naloxone, Narcan
8343	Agapanthus, Lily of the Nile
8344	Taurine
8345	Dolo-Doceplex D
8346	Duralex
8347	Chamomile
8348	Methenamine
8349	BCAA powder <OTC>
8350	Maqui
8351	6-APB, Benzo Fury
8352	Lisinopril
8353	Hormone; otherwise unspecified
8354	MitoQ <OTC>
8355	EPO, Erythropoietin
8356	Tigan, Trimethobenzamide
8357	Bronkaid <OTC>
8358	Kanna powder, sceletium tortuosum
8359	Sarsaparilla
8360	Piperazine; otherwise unspecified
8361	Januvia
8362	Doxycycline
8363	Cavedilol
8364	Pantoprazole
8365	Pen vaporizer; contents unspecified
8366	Omeprazole
8367	Peptides; otherwise unspecified
8368	alpha-PVP, alpha-Pyrrolidinopentiophenone
8369	Ivory Caps <OTC>
8370	Memory 2000 <OTC>
8371	Effexor XR
8372	Zonegran, zonisamide
8373	Electronic cigarette
8374	5-hour Energy <OTC>
8375	Frova
8376	Treximet
8377	New Skin <OTC>
8378	AcipHex
8379	Dabs/dabbing

Code	Definition
8380	Adequan
8381	Vapor/vaping/vape juice; contents/route of use unspecified
8382	Hydroxychloroquine, Plaquenil
8383	Edex
8384	Latuda
8385	Belsomra
8386	Acyclovir
8387	Fexidine
8388	BPC-157
8389	CBD/hemp oil/edibles/vape (not marijuana) <OTC>
8390	Monistat <OTC>
8391	Simvastatin, Zocor
8392	Cerebrolysin
8393	Cytotec, Misoprostol
8394	Magnesium chloride <OTC>
8395	Olbas oil <OTC>
8396	Triamcinolone
8397	Monster Energy drink <OTC>
8398	Tea tree oil <OTC>
8399	Lovenox
8400	Tetanus vaccine
8401	Tussin DM <OTC>
8402	Garcina cambogia <OTC>
8403	Sukrol <OTC>
8404	DL-Phenylalanine, L-Phenylalanine <OTC>
8405	Mytocin, Mytomycin
8406	Xyrem
8407	Campho-Phenique <OTC>
8408	Tianeptine
8409	Noroxin
8410	GHRP, Growth hormone-releasing peptide
8411	Tamiflu
8412	Thyroid medication; otherwise unspecified
8413	Ketalar [see also 658 and 6501]
8416	L-Carnitine <OTC>
8417	Basuco, coca paste, paco
8418	Cytomel, Liothyronine
8419	Pedialyte <OTC>
8420	Apixaban, Eliquis
8421	Thalidomide, Thalomid
8422	Flagyl, Metronidazole
8423	Achyranthes aspera, devil's horsewhip
8424	Duexis
8425	Rapé (shamanic snuff)
8426	TriMix
8427	Energy drink; product unspecified
8428	Dexmedetomidine, Precedex
8429	Supradol

Code	Definition
8430	Batrachotoxin; source unspecified
8431	Tea; type or contents unspecified
8432	Cefazolin
8433	Vancomycin
8434	Naltrexone
8435	Probiotics
8436	Phenibut
8437	Methylamine
8438	Ts and Bs
8439	Cilipin
8440	MiraLAX <OTC>
8441	Zyn pouches (nicotine pouch)
8442	Cannabis product; otherwise unspecified
8443	zubsolv (buprenorphine/naloxone); sublingual
8444	1-Phenethyl-4-piperidone, NPP
8445	L-Tyrosine <OTC>
8446	Edibles, not otherwise specified
8501	Haldol, Haloperidol
8502	Dimetapp <OTC>
8503	Dilantin
8504	Actifed <OTC>
8505	Quetiapine, Seroquel
8506	Mysoline]
8507	Promazine
8508	Meclizine
8509	Triavil
8510	Desyrel, Trazodone hydrochloride
8511	Stelazine, Trifluoperazine HCl
8512	Thorazine
8513	Amitriptyline, Elavil
8514	Compazine, Prochlorperazine
8515	Mellaril
8516	Trilafon, Perphenazine
8517	Imipramine
8518	Lithium carbonate, Lithonate
8519	Prozac, Fluoxetine
8520	Etrafon
8521	Tryptophan
8522	Adapin, Doxepin, Sinequan
8523	Asendin

Code	Definition
8524	Aventyl, Nortab, Nortriptyline, Pamelor
8525	Zestril
8526	Desipramine, Norpramin
8527	Prolixin
8528	Vivactil
8529	Marezine
8530	Sertraline hydrochloride, Zoloft
8531	Loxitane
8532	Clozapine, Clozaril
8533	Paroxetine, Paxil
8534	Tofranil
8535	Risperdal, Risperadol, Risperidone
8536	Olanzapine, Zyprexa
8537	Celexa, Citalopram
8538	Serzone
8539	Anafranil, Clomipramine
8540	Fluvoxamine, Luvox
8541	Mirtazapine, Remeron
8542	Acepromazine, PromAce
8543	Nitroglycerine
8544	Cogentin
8545	Dimenhydrinate, Dramamine, sea/motion sickness pill <OTC>
8546	Scopolamine
8547	Seroquel XR
8548	Insidon, Opipramol
8549	Escitalopram, Lexapro
8550	Geodon, Ziprasidone
8551	Invega
8552	Lidone, Moban, Molindone
8553	Bupropion, Wellbutrin, Zyban
8554	Effexor
8555	Spancap
8556	Orlistat, Xenical
8557	Strattera
8558	Wellbutrin XL
8559	alli weight loss pills <OTC>
8560	Obitrol
8561	Akineton, Biperiden
8562	Flarex
8563	Suprax

Appendix B

Consolidated Drug OTHER, Specify Tables

Table B.1 Tabulation of Overall Drug OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
105	Placidyl, Ethchlorvynol	1	0.05
108	Nembutal	1	0.05
109	Seconal	4	0.19
110	Tuinal	3	0.14
115	Phenobarbital	2	0.10
116	Methaqualone, Sopor, Quaalude	3	0.14
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	5	0.24
123	Unisom <OTC>	1	0.05
126	Sominex <OTC>	1	0.05
127	Nytol <OTC>	1	0.05
130	Promethazine	1	0.05
145	Red devil(s)	1	0.05
157	Barbiturates	3	0.14
171	NyQuil <OTC>	2	0.10
174	Ambien	8	0.38
186	Butalbital	1	0.05
187	Belladonna plant/flower/root, deadly nightshade	2	0.10
201	Valium	7	0.34
207	Ativan	2	0.10
209	Xanax	29	1.39
211	BuSpar	1	0.05
216	Atarax	1	0.05
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	5	0.24
223	Methocarbamol	1	0.05
234	Flexeril	1	0.05
246	Klonopin	4	0.19
278	Benzodiazepines	1	0.05
288	Baclofen	2	0.10
306	Desoxyn	2	0.10
311	Preludin	2	0.10
318	Ritalin	8	0.38
322	Methamphetamine (“ice” or “crank”), Meth	59	2.83
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.05
327	Black beauties, black beauty	1	0.05
339	Amphetamines, otherwise unspecified	1	0.05
348	Crystal	1	0.05

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
353	No-Doz <OTC>	1	0.05
355	Crystal meth, crystal methamphetamine	2	0.10
377	Albuterol	3	0.14
382	Footballs, purple footballs	1	0.05
407	Demerol	5	0.24
408	Dilaudid, Hydromorphone	49	2.35
417	Morphine	42	2.02
418	Methadone	5	0.24
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	21	1.01
422	Motrin	3	0.14
423	Percocet	14	0.67
424	Fioricet	2	0.10
425	Advil <OTC>	54	2.59
430	Aspirin, Ecotrin, Empirin <OTC>	8	0.38
434	Vicodin	4	0.19
435	Tylenol, Tylenol Extra-Strength <OTC>	91	4.37
438	Anaprox, Naprosyn, Naproxen, Naxen	7	0.34
442	Ibuprofen	46	2.21
450	Acetaminophen, incl. non-Tylenol brands <OTC>	4	0.19
458	Mepergan, Mepergan Fortis	1	0.05
462	Norflex, Orphenadrine	1	0.05
465	Fentanyl	20	0.96
466	Midol <OTC>	1	0.05
468	Excedrin <OTC>	1	0.05
481	Acular, Dolac, Ketorolac tromethamine, Toradol	2	0.10
499	Aleve <OTC>	20	0.96
501	Gasoline or lighter fluids	8	0.38
503	Other aerosol sprays	21	1.01
504	Shoeshine liquid, glue, or toluene	10	0.48
506	Amyl nitrite, "poppers," locker room odorizer, "rush"	11	0.53
507	Halothane, ether, or other anesthetics; chloroform	4	0.19
508	Nitrous oxide, "whippets," dentist gas	24	1.15
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	10	0.48
511	Markers, felt-tip pens, ink pens	11	0.53
516	CHC, chlorofluorocarbon, freon, refrigerant	27	1.30
518	Acetone, nail polish remover	5	0.24

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
519	Helium	19	0.91
520	Old paint, paint	4	0.19
521	Propane	1	0.05
523	Matches	1	0.05
524	White-Out	3	0.14
526	Nail polish	3	0.14
528	Whipped-cream can	9	0.43
529	Moth balls	1	0.05
531	Candy, powdered candy, sugar	3	0.14
534	Deodorant	2	0.10
537	Air horn, canned air horn, condensed horn	2	0.10
539	Scotch-Gard	8	0.38
540	PAM	3	0.14
542	Brasso, lens cleaner, spirits of ammonia	5	0.24
543	Liquid oxygen, oxygen	2	0.10
546	Leather or suede protector, aerosol unspecified	1	0.05
548	Cologne, isopropanol vapors, rubbing alcohol	6	0.29
551	Oven cleaner	1	0.05
560	Dishwashing detergent, laundry detergent, soap	1	0.05
573	Furniture polish	1	0.05
592	Computer air duster, computer cleaner, dust-off	4	0.19
599	Potpourri	3	0.14
601	LSD (“acid”)	52	2.50
602	Peyote	3	0.14
603	Mescaline	3	0.14
604	Psilocybin (mushrooms), sclerotia, shrooms	60	2.88
605	PCP (“angel dust,” phencyclidine)	6	0.29
606	“Ecstasy” (MDMA), X-TC, “X”	12	0.58
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	58	2.78
609	Jimson weed	1	0.05
612	Happy stick, sherm, sherman, shermstick	1	0.05
614	MDA, Methyleneoxy amphetamine	8	0.38
616	DET, Dimethyltryptamine, DMT	10	0.48
617	Morning glory seeds, morning glory tendrils, ricea	9	0.43
618	Acid paper, blotter (acid)	3	0.14
622	Microdot(s), green microdot, purple microdot	5	0.24

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
624	Orange sunshine, sunshine, yellow sunshine	1	0.05
625	Window, window pane, 4-way pane, 4-way	3	0.14
627	Hawaiian wood rose, Hawaiian Woodrow seeds	3	0.14
636	DOM, STP	1	0.05
637	Purple haze	3	0.14
639	Nutmeg, Mace	6	0.29
648	Designer drugs	3	0.14
650	Datura stramonium, daytura, thorn apple	6	0.29
658	Special K, Ketamine	17	0.82
660	Bufofenin, toad, toad licking	2	0.10
663	Animal tranquilizer, horse tranquilizer	1	0.05
673	Orange	1	0.05
678	Banana peels	1	0.05
690	RID	1	0.05
698	2C-B, Bromo mescaline, Nexus	37	1.78
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	7	0.34
702	Heroin	48	2.30
703	Opium, otherwise unspecified	2	0.10
704	Dope	1	0.05
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	32	1.54
802	THC, cannabinol, marinol, tetrahydrocannabinol	2	0.10
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	22	1.06
804	Hashish	2	0.10
805	Cocaine, coca, cocaina, coke, perico	38	1.82
806	Crack, rock	16	0.77
807	Alcohol, beer, ethanol, EtOH, pink champagne	10	0.48
809	Pills	2	0.10
814	Caffeine <OTC>	1	0.05
818	Nicotine	3	0.14
820	Penicillin	3	0.14
824	Steroids	4	0.19
829	Robitussin DM <OTC>	7	0.34
848	Liquid vitamin, vitamin pills <OTC>	2	0.10
852	Formaldehyde, wak, whack (embalming fluid)	2	0.10
857	Wicki stick	1	0.05
858	Antibiotic	1	0.05

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
883	Dextromethorphan hydrobromide <OTC>	17	0.82
885	Drixoral <OTC>	1	0.05
900	Not a drug	5	0.24
1001	Benadryl, Diphenhydramine <OTC>	25	1.20
1501	Zolpidem	1	0.05
1503	Temazepam	1	0.05
2001	Soma	1	0.05
2002	Muscle relaxers	2	0.10
2029	Etizolam	1	0.05
2030	Versed	1	0.05
2503	Lorazepam	1	0.05
2506	Diazepam	2	0.10
2509	Cyclobenzaprine	3	0.14
2512	Hydroxyzine	9	0.43
3017	Dayquil <OTC>	1	0.05
3023	Adderall	19	0.91
3051	Betel nut, beetlenut	1	0.05
3052	Speed, otherwise unspecified	6	0.29
3060	Hydroxycut <OTC>	1	0.05
3077	Concerta	2	0.10
3111	Vyvanse	1	0.05
3116	4-MCC, 4-methylmethcathinone, MCAT, Mephedrone	1	0.05
3122	Nuvigil	1	0.05
3141	Cotempla XR-ODT	1	0.05
3508	Modafinil	3	0.14
4002	Imitrex, Sumatriptan	3	0.14
4011	Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol	1	0.05
4031	Cough medicine with Codeine	1	0.05
4035	Nabumetone, Relafen	1	0.05
4037	MS Contin	1	0.05
4041	Maxalt, Rizatriptan	2	0.10
4043	Tramadol	4	0.19
4044	Hydrocodone	4	0.19
4046	Oxycodone	38	1.82
4047	Roxicet	2	0.10
4051	Celebrex	2	0.10

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
4056	Cataflam, Diclofenac, Voltaren	1	0.05
4065	Roxicodone	9	0.43
4067	OxyContin	37	1.78
4073	Temgesic	1	0.05
4082	Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	1	0.05
4091	K4	1	0.05
4102	Mobic, Meloxicam	2	0.10
4109	Suboxone	26	1.25
4116	Phenergan with codeine, promethazine with codeine	1	0.05
4119	Buprenorphine	1	0.05
4120	Opana	19	0.91
4150	Subutex	4	0.19
4163	Belbuca	1	0.05
4501	Lortab	3	0.14
4502	Norco	6	0.29
4505	Oxycodone product, unspecified	13	0.62
4507	Kadian	1	0.05
4510	Oxymorphone	2	0.10
5001	Bleach	1	0.05
5004	Ink print, paper	1	0.05
5021	Octane booster	2	0.10
5030	Polyurethane (spray, liquid, compound)	1	0.05
5042	Fuels other than gasoline	2	0.10
5043	Carbona	2	0.10
5045	Cleaner, not otherwise specified	2	0.10
5049	Hand sanitizer/cleaner, contents unspecified	8	0.38
5053	Electrical parts cleaner, electronics cleaner	4	0.19
5069	Febreze	1	0.05
5076	Water/stain repellant, type unspecified	1	0.05
5104	Shoe cleaner, otherwise unspecified	1	0.05
5151	Dichloromethane	1	0.05
5152	Sawdust	1	0.05
5153	Breaking Styrofoam (to release gas)	1	0.05
5154	Latex/latex glove	1	0.05
5155	Levmetamfetamine <OTC>	1	0.05
5156	Liquid air	1	0.05

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
5157	Spam in a plastic bag	1	0.05
5158	Alcohol dye	1	0.05
5172	Shampoo	2	0.10
6005	Sassafras, sassafras tea	8	0.38
6008	8-Ball	1	0.05
6029	DXM	30	1.44
6043	Diviner's sage, Salvia divinorum	1	0.05
6048	Dex	1	0.05
6056	Wet	1	0.05
6061	5-MeO-DMT	2	0.10
6062	Madderwort, wormwood	1	0.05
6071	Sinicuichi	1	0.05
6074	LSA	22	1.06
6077	San Pedro	2	0.10
6083	CCC, "Triple C," C3 <OTC>	9	0.43
6087	Ibogaine	1	0.05
6088	Brugmansia	2	0.10
6100	2C-T-7, T7, blue mystic	4	0.19
6102	Absinthe	3	0.14
6103	Ayahuasca, Yahe	26	1.25
6114	Molly, not otherwise specified	5	0.24
6118	Adrenochrome	1	0.05
6121	Cactus; specifically not peyote or unspecified	2	0.10
6122	MMDA	1	0.05
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I	28	1.34
6127	Skittles	1	0.05
6130	5-MeO-DiPT, foxy methoxy	1	0.05
6132	Amanita mushrooms, fly agaric, muscimol	1	0.05
6134	Anadenanthrea colubrina, cohoba, vilca	1	0.05
6135	5-MeO-AMT	1	0.05
6137	Harmaline	1	0.05
6138	2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	26	1.25
6140	MiPT, N-methyl-N-isopropyltryptamine	1	0.05
6141	DPT, Dipropyltryptamine	2	0.10
6146	5-MeO, otherwise unspecified	1	0.05
6171	4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	6	0.29

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
6173	2,5-dimethoxy-4-bromoamphetamine, DOB	3	0.14
6181	4-HO-MET, 4-Hydroxy-N-methyl-N-ethytryptamine	1	0.05
6182	2C-P, 4-Propyl-2,5-dimethoxyphenethylamine	8	0.38
6185	25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	26	1.25
6186	3-MeO-2-Oxo-PCE, MXE, Methoxetamine	4	0.19
6189	25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	2	0.10
6200	AL-LAD, 6-allyl-6-nor-LSD	1	0.05
6202	4-Acetoxy-MET, 4-AcO-MET, Metacetin	1	0.05
6203	NBOMe; otherwise unspecified	6	0.29
6206	Blue Egyptian lotus, blue lotus	1	0.05
6209	1P-LSD	2	0.10
6220	ETH-LAD	3	0.14
6222	Jekem, Jenkem	2	0.10
6225	DCK, Deschloroketamine	3	0.14
6228	Synthetic hallucinogen; otherwise unspecified	1	0.05
6229	LSD analogue; otherwise unspecified	1	0.05
6232	2-FDCK, 2-Fluorodeschloroketamine, Fluoroketamine	1	0.05
6237	Datura inoxia	1	0.05
8002	Zantac	1	0.05
8007	Gabapentin, Neurontin	8	0.38
8008	Antidepressant, type unspecified	1	0.05
8009	Allergy pills/shot/antihistamine, type unspcfld	1	0.05
8012	Coricidin <OTC>	5	0.24
8016	Icy Hot <OTC>	1	0.05
8024	Asthma inhaler, asthma medication, bronchial dilator	4	0.19
8035	Prednisone	2	0.10
8044	Cephalexin, Keflex	1	0.05
8056	Vicks VapoRub/inhaler <OTC>	3	0.14
8058	Cough medicine/syrup, type unspecified	7	0.34
8067	Testosterone	8	0.38
8072	Deca-Durabolin, Nandrolone decanoate	1	0.05
8079	Insulin	2	0.10
8083	Testosterone cypronate	1	0.05
8097	Tizanidine, Zanaflex	3	0.14
8110	Over-the-counter drug/pills, type unspecified	1	0.05
8113	Test 250, Test 400 <OTC>	2	0.10

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
8137	5-HTP, 5-hydroxytryptophan <OTC>	1	0.05
8184	Ondansetron, Periset, Zofran	1	0.05
8202	Intal, Nasalcrom	1	0.05
8203	Bar, otherwise unspecified	1	0.05
8206	Delatestryl, Testosterone enanthate	1	0.05
8212	Finaplix Gold, Trembolona QV75, Trenbolone	1	0.05
8214	Robo, robo tripping	2	0.10
8224	Oxytocin, Pitocin, Syntocinon	1	0.05
8236	Lyrica, Pregabalin	1	0.05
8237	Kratom	4	0.19
8245	Human growth hormone (HGH)	2	0.10
8247	Abilify, Aripiprazole	1	0.05
8280	Mucinex-DM <OTC>	1	0.05
8282	Saline solution, salt, sodium chloride <OTC>	1	0.05
8283	Synthetic cannabinoids (eg, K2, Spice, JWH-018)	18	0.86
8293	Lean (Promethazine w/codeine mixed w/Sprite)	3	0.14
8301	Bath salts/synthetic cathinone; otherwise unspcfcd	5	0.24
8315	Synthetic cannabis/cannabinoid, otherwise unspcfcd	3	0.14
8368	alpha-PVP, alpha-Pyrrolidinopentiophenone	1	0.05
8373	Electronic cigarette	3	0.14
8374	5-hour Energy <OTC>	5	0.24
8379	Dabs/dabbing/dab pen	2	0.10
8381	Vapor/vape juice; route of use unspecified	11	0.53
8389	CBD/hemp oil/edibles/vape (not marijuana) <OTC>	3	0.14
8406	Xyrem	1	0.05
8427	Energy drink; product unspecified	2	0.10
8428	Dexmedetomidine, Precedex	1	0.05
8429	Supradol	1	0.05
8430	Batrachotoxin; source unspecified	1	0.05
8438	Ts and Bs	1	0.05
8439	Cilipin	1	0.05
8440	MiraLAX <OTC>	1	0.05
8446	Edibles, not otherwise specified	2	0.10
8503	Dilantin	2	0.10
8505	Quetiapine, Seroquel	5	0.24
8510	Desyrel, Trazodone hydrochloride	16	0.77

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
8513	Amitriptyline, Elavil	1	0.05
8519	Prozac, Fluoxetine	1	0.05
8522	Adapin, Doxepin, Sinequan	1	0.05
8530	Sertraline hydrochloride, Zoloft	4	0.19
8541	Mirtazapine, Remeron	2	0.10
8545	Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	3	0.14
8546	Scopolamine	1	0.05
8549	Escitalopram, Lexapro	1	0.05
8553	Bupropion, Wellbutrin, Zyban	4	0.19
8554	Effexor	1	0.05

Table B.2 Tabulation of Inhalant OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Inhalant Drugs Specified
322	Methamphetamine (“ice” or “crank”), Meth	1	0.43
327	Black beauties, black beauty	1	0.43
377	Albuterol	3	1.29
501	Gasoline or lighter fluids	4	1.72
503	Other aerosol sprays	17	7.30
504	Shoeshine liquid, glue, or toluene	3	1.29
506	Amyl nitrite, “poppers,” locker room odorizer, “rush”	8	3.43
507	Halothane, ether, or other anesthetics; chloroform	3	1.29
508	Nitrous oxide, “whippits,” dentist gas	7	3.00
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	8	3.43
511	Markers, felt-tip pens, ink pens	11	4.72
516	CHC, chlorofluorocarbon, freon, refrigerant	27	11.59
518	Acetone, nail polish remover	5	2.15
519	Helium	19	8.15
520	Old paint, paint	3	1.29
521	Propane	1	0.43
523	Matches	1	0.43
524	White-Out	3	1.29
526	Nail polish	3	1.29
528	Whipped-cream can	9	3.86
529	Moth balls	1	0.43
531	Candy, powdered candy, sugar	3	1.29
534	Deodorant	2	0.86
537	Air horn, canned air horn, condensed horn	2	0.86
539	Scotch-Gard	7	3.00
540	PAM	3	1.29
542	Brasso, lens cleaner, spirits of ammonia	5	2.15
543	Liquid oxygen, oxygen	2	0.86
546	Leather or suede protector, aerosol unspecified	1	0.43
548	Cologne, isopropanol vapors, rubbing alcohol	6	2.58
551	Oven cleaner	1	0.43
560	Dishwashing detergent, laundry detergent, soap	1	0.43
573	Furniture polish	1	0.43
592	Computer air duster, computer cleaner, dust-off	1	0.43
599	Potpourri	2	0.86
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	1	0.43

Table B.2 Tabulation of Inhalant OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Inhalant Drugs Specified
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	5	2.15
818	Nicotine	2	0.86
900	Not a drug	1	0.43
5001	Bleach	1	0.43
5004	Ink print, paper	1	0.43
5021	Octane booster	2	0.86
5030	Polyurethane (spray, liquid, compound)	1	0.43
5042	Fuels other than gasoline	2	0.86
5043	Carbona	2	0.86
5045	Cleaner, not otherwise specified	2	0.86
5049	Hand sanitizer/cleaner, contents unspecified	8	3.43
5053	Electrical parts cleaner, electronics cleaner	2	0.86
5069	Febreze	1	0.43
5076	Water/stain repellant, type unspecified	1	0.43
5104	Shoe cleaner, otherwise unspecified	1	0.43
5151	Dichloromethane	1	0.43
5152	Sawdust	1	0.43
5153	Breaking Styrofoam (to release gas)	1	0.43
5154	Latex/latex glove	1	0.43
5155	Levmetamfetamine <OTC>	1	0.43
5156	Liquid air	1	0.43
5157	Spam in a plastic bag	1	0.43
5158	Alcohol dye	1	0.43
5172	Shampoo	2	0.86
6222	Jekem, Jenkem	2	0.86
8024	Asthma inhaler, asthma medication, bronchial dilator	4	1.72
8056	Vicks VapoRub/inhaler <OTC>	3	1.29
8373	Electronic cigarette	1	0.43
8379	Dabs/dabbing/dab pen	1	0.43
8381	Vapor/vape juice; route of use unspecified	3	1.29
8446	Edibles, not otherwise specified	1	0.43

Table B.3 Tabulation of Hallucinogen OTHER, Species

Drug Code	Drug Name	Number of Times Mentioned in OTHER Species	Percentage of All Hallucinogen Drugs Specified
116	Methaqualone, Sopor, Quaalude	3	0.42
145	Red devil(s)	1	0.14
157	Barbiturates	1	0.14
171	NyQuil <OTC>	1	0.14
174	Ambien	4	0.56
187	Belladonna plant/flower/root, deadly nightshade	2	0.28
209	Xanax	2	0.28
322	Methamphetamine (“ice” or “crank”), Meth	7	0.98
355	Crystal meth, crystal methamphetamine	2	0.28
423	Percocet	2	0.28
501	Gasoline or lighter fluids	4	0.56
503	Other aerosol sprays	4	0.56
504	Shoeshine liquid, glue, or toluene	7	0.98
506	Amyl nitrite, “poppers,” locker room odorizer, “rush”	3	0.42
507	Halothane, ether, or other anesthetics; chloroform	1	0.14
508	Nitrous oxide, “whippets,” dentist gas	17	2.38
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	2	0.28
520	Old paint, paint	1	0.14
539	Scotch-Gard	1	0.14
592	Computer air duster, computer cleaner, dust-off	3	0.42
599	Potpourri	1	0.14
601	LSD (“acid”)	44	6.15
602	Peyote	3	0.42
603	Mescaline	3	0.42
604	Psilocybin (mushrooms), sclerotia, shrooms	60	8.39
605	PCP (“angel dust,” phencyclidine)	3	0.42
606	“Ecstasy” (MDMA), X-TC, “X”	3	0.42
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	57	7.97
609	Jimson weed	1	0.14
612	Happy stick, sherm, sherman, shermstick	1	0.14
614	MDA, Methylenedioxy amphetamine	7	0.98
616	DET, Dimethyltryptamine, DMT	9	1.26
617	Morning glory seeds, morning glory tendrils, ricea	9	1.26
618	Acid paper, blotter (acid)	3	0.42
622	Microdot(s), green microdot, purple microdot	5	0.70
624	Orange sunshine, sunshine, yellow sunshine	1	0.14

Table B.3 Tabulation of Hallucinogen OTHER, Species (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER Species	Percentage of All Hallucinogen Drugs Specified
625	Window, window pane, 4-way pane, 4-way	3	0.42
627	Hawaiian wood rose, Hawaiian Woodrow seeds	3	0.42
636	DOM, STP	1	0.14
637	Purple haze	3	0.42
639	Nutmeg, Mace	6	0.84
648	Designer drugs	3	0.42
650	Datura stramonium, daytura, thorn apple	6	0.84
658	Special K, Ketamine	2	0.28
660	Bufofenin, toad, toad licking	2	0.28
673	Orange	1	0.14
678	Banana peels	1	0.14
698	2C-B, Bromo mescaline, Nexus	37	5.17
703	Opium, otherwise unspecified	2	0.28
802	THC, cannabinol, marinol, tetrahydrocannabinol	1	0.14
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	5	0.70
804	Hashish	1	0.14
805	Cocaine, coca, cocaine, coke, perico	1	0.14
806	Crack, rock	1	0.14
809	Pills	2	0.28
818	Nicotine	1	0.14
829	Robitussin DM <OTC>	7	0.98
852	Formaldehyde, wak, whack (embalming fluid)	2	0.28
857	Wicki stick	1	0.14
883	Dextromethorphan hydrobromide <OTC>	15	2.10
885	Drixoral <OTC>	1	0.14
900	Not a drug	1	0.14
1001	Benadryl, Diphenhydramine <OTC>	4	0.56
1501	Zolpidem	1	0.14
3017	Dayquil <OTC>	1	0.14
3023	Adderall	1	0.14
3051	Betel nut, beetlenut	1	0.14
3052	Speed, otherwise unspecified	1	0.14
3116	4-MCC, 4-methylmethcathinone, MCAT, Mephedrone	1	0.14
4046	Oxycodone	1	0.14
4502	Norco	1	0.14
5053	Electrical parts cleaner, electronics cleaner	2	0.28

Table B.3 Tabulation of Hallucinogen OTHER, Species (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER Species	Percentage of All Hallucinogen Drugs Specified
6005	Sassafras, sassafras tea	8	1.12
6008	8-Ball	1	0.14
6029	DXM	30	4.20
6043	Diviner's sage, Salvia divinorum	1	0.14
6048	Dex	1	0.14
6056	Wet	1	0.14
6061	5-MeO-DMT	2	0.28
6062	Madderwort, wormwood	1	0.14
6071	Sinicuichi	1	0.14
6074	LSA	22	3.08
6077	San Pedro	2	0.28
6083	CCC, "Triple C," C3 <OTC>	9	1.26
6087	Ibogaine	1	0.14
6088	Brugmansia	2	0.28
6100	2C-T-7, T7, blue mystic	4	0.56
6102	Absinthe	3	0.42
6103	Ayahuasca, Yahe	26	3.64
6114	Molly, not otherwise specified	1	0.14
6118	Adrenochrome	1	0.14
6121	Cactus; specifically not peyote or unspecified	2	0.28
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I	28	3.92
6127	Skittles	1	0.14
6130	5-MeO-DiPT, foxy methoxy	1	0.14
6132	Amanita mushrooms, fly agaric, muscimol	1	0.14
6134	Anadenanthera colubrina, cohoba, vilca	1	0.14
6135	5-MeO-AMT	1	0.14
6137	Harmaline	1	0.14
6138	2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	26	3.64
6140	MiPT, N-methyl-N-isopropyltryptamine	1	0.14
6141	DPT, Dipropyltryptamine	2	0.28
6146	5-MeO, otherwise unspecified	1	0.14
6171	4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	6	0.84
6173	2,5-dimethoxy-4-bromoamphetamine, DOB	3	0.42
6181	4-HO-MET, 4-Hydroxy-N-methyl-N-ethytryptamine	1	0.14
6182	2C-P, 4-Propyl-2,5-dimethoxyphenethylamine	8	1.12
6185	25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	26	3.64

Table B.3 Tabulation of Hallucinogen OTHER, Species (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER Species	Percentage of All Hallucinogen Drugs Specified
6186	3-MeO-2-Oxo-PCE, MXE, Methoxetamine	4	0.56
6189	25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	2	0.28
6200	AL-LAD, 6-allyl-6-nor-LSD	1	0.14
6202	4-Acetoxy-MET, 4-AcO-MET, Metacetin	1	0.14
6203	NBOMe; otherwise unspecified	6	0.84
6206	Blue Egyptian lotus, blue lotus	1	0.14
6209	1P-LSD	2	0.28
6220	ETH-LAD	3	0.42
6225	DCK, Deschloroketamine	3	0.42
6228	Synthetic hallucinogen; otherwise unspecified	1	0.14
6229	LSD analogue; otherwise unspecified	1	0.14
6232	2-FDCK, 2-Fluorodeschloroketamine, Fluoroketamine	1	0.14
6237	Datura inoxia	1	0.14
8012	Coricidin <OTC>	5	0.70
8058	Cough medicine/syrup, type unspecified	7	0.98
8110	Over-the-counter drug/pills, type unspecified	1	0.14
8137	5-HTP, 5-hydroxytryptophan <OTC>	1	0.14
8202	Intal, Nasalcrom	1	0.14
8214	Robo, robo tripping	2	0.28
8237	Kratom	3	0.42
8280	Mucinex-DM <OTC>	1	0.14
8283	Synthetic cannabinoids (eg, K2, Spice, JWH-018)	18	2.52
8293	Lean (Promethazine w/codeine mixed w/Sprite)	3	0.42
8301	Bath salts/synthetic cathinone; otherwise unspcfd	1	0.14
8315	Synthetic cannabis/cannabinoid, otherwise unspcfd	3	0.42
8368	alpha-PVP, alpha-Pyrrolidinopentiophenone	1	0.14
8379	Dabs/dabbing/dab pen	1	0.14
8381	Vapor/vape juice; route of use unspecified	2	0.28
8389	CBD/hemp oil/edibles/vape (not marijuana) <OTC>	3	0.42
8427	Energy drink; product unspecified	1	0.14
8430	Batrachotoxin; source unspecified	1	0.14
8446	Edibles, not otherwise specified	1	0.14
8545	Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	3	0.42
8546	Scopolamine	1	0.14

Table B.4 Tabulation of Pain Reliever OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER Specifies	Percentage of All Pain Reliever Drugs Specified
130	Promethazine	1	0.31
186	Butalbital	1	0.31
207	Ativan	1	0.31
209	Xanax	6	1.84
234	Flexeril	1	0.31
278	Benzodiazepines	1	0.31
288	Baclofen	1	0.31
318	Ritalin	1	0.31
339	Amphetamines, otherwise unspecified	1	0.31
408	Dilauidid, Hydromorphone	1	0.31
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	14	4.29
422	Motrin	3	0.92
423	Percocet	5	1.53
424	Fioricet	1	0.31
425	Advil <OTC>	51	15.64
430	Aspirin, Ecotrin, Empirin <OTC>	8	2.45
434	Vicodin	3	0.92
435	Tylenol, Tylenol Extra-Strength <OTC>	88	26.99
438	Anaprox, Naprosyn, Naproxen, Naxen	7	2.15
442	Ibuprofen	46	14.11
450	Acetaminophen, incl. non-Tylenol brands <OTC>	4	1.23
462	Norflex, Orphenadrine	1	0.31
466	Midol <OTC>	1	0.31
468	Excedrin <OTC>	1	0.31
481	Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.31
499	Aleve <OTC>	20	6.13
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.31
858	Antibiotic	1	0.31
1001	Benadryl, Diphenhydramine <OTC>	5	1.53
2001	Soma	1	0.31
2002	Muscle relaxers	2	0.61
2506	Diazepam	1	0.31
2509	Cyclobenzaprine	1	0.31
3023	Adderall	2	0.61
4002	Imitrex, Sumatriptan	3	0.92
4031	Cough medicine with Codeine	1	0.31

Table B.4 Tabulation of Pain Reliever OTHER, Species (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER Species	Percentage of All Pain Reliever Drugs Specified
4035	Nabumetone, Relafen	1	0.31
4041	Maxalt, Rizatriptan	2	0.61
4043	Tramadol	3	0.92
4044	Hydrocodone	1	0.31
4051	Celebrex	2	0.61
4056	Cataflam, Diclofenac, Voltaren	1	0.31
4082	Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	1	0.31
4102	Mobic, Meloxicam	2	0.61
4109	Suboxone	1	0.31
4116	Phenergan with codeine, promethazine with codeine	1	0.31
4163	Belbuca	1	0.31
4501	Lortab	2	0.61
4502	Norco	4	1.23
8002	Zantac	1	0.31
8007	Gabapentin, Neurontin	7	2.15
8016	Icy Hot <OTC>	1	0.31
8035	Prednisone	1	0.31
8044	Cephalexin, Keflex	1	0.31
8236	Lyrica, Pregabalin	1	0.31
8429	Supradol	1	0.31
8439	Cilipin	1	0.31
8440	MiraLAX <OTC>	1	0.31
8530	Sertraline hydrochloride, Zoloft	2	0.61

Table B.5 Tabulation of Stimulant OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER Specifies	Percentage of All Stimulant Drugs Specified
353	No-Doz <OTC>	1	4.55
435	Tylenol, Tylenol Extra-Strength <OTC>	1	4.55
3023	Adderall	1	4.55
3060	Hydroxycut <OTC>	1	4.55
3077	Concerta	1	4.55
3111	Vyvanse	1	4.55
3122	Nuvigil	1	4.55
3141	Cotempla XR-ODT	1	4.55
3508	Modafinil	3	13.64
8035	Prednisone	1	4.55
8374	5-hour Energy <OTC>	5	22.73
8427	Energy drink; product unspecified	1	4.55
8530	Sertraline hydrochloride, Zoloft	1	4.55
8549	Escitalopram, Lexapro	1	4.55
8553	Bupropion, Wellbutrin, Zyban	1	4.55
8554	Effexor	1	4.55

Table B.6 Tabulation of Sedative OTHER, Species

Drug Code	Drug Name	Number of Times Mentioned in OTHER Species	Percentage of All Sedative Drugs Specified
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	3	4.55
123	Unisom <OTC>	1	1.52
126	Sominex <OTC>	1	1.52
127	Nytol <OTC>	1	1.52
171	NyQuil <OTC>	1	1.52
174	Ambien	2	3.03
201	Valium	1	1.52
209	Xanax	2	3.03
216	Atarax	1	1.52
246	Klonopin	2	3.03
424	Fioricet	1	1.52
425	Advil <OTC>	1	1.52
435	Tylenol, Tylenol Extra-Strength <OTC>	1	1.52
1001	Benadryl, Diphenhydramine <OTC>	16	24.24
2509	Cyclobenzaprine	2	3.03
2512	Hydroxyzine	7	10.61
4043	Tramadol	1	1.52
8097	Tizanidine, Zanaflex	1	1.52
8406	Xyrem	1	1.52
8505	Quetiapine, Seroquel	4	6.06
8510	Desyrel, Trazodone hydrochloride	13	19.70
8513	Amitriptyline, Elavil	1	1.52
8522	Adapin, Doxepin, Sinequan	1	1.52
8541	Mirtazapine, Remeron	1	1.52

Table B.7 Tabulation of Special Drugs OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER Specifies	Percentage of All Special Drugs Specified
105	Placidyl, Ethchlorvynol	1	0.17
108	Nembutal	1	0.17
109	Seconal	4	0.69
110	Tuinal	3	0.52
115	Phenobarbital	2	0.35
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.17
157	Barbiturates	2	0.35
174	Ambien	1	0.17
201	Valium	5	0.86
207	Ativan	1	0.17
209	Xanax	11	1.90
246	Klonopin	2	0.35
306	Desoxyn	2	0.35
311	Preludin	2	0.35
318	Ritalin	7	1.21
322	Methamphetamine (“ice” or “crank”), Meth	42	7.25
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.17
348	Crystal	1	0.17
382	Footballs, purple footballs	1	0.17
407	Demerol	5	0.86
408	Dilaudid, Hydromorphone	47	8.12
417	Morphine	41	7.08
418	Methadone	3	0.52
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	6	1.04
423	Percocet	7	1.21
434	Vicodin	1	0.17
458	Mepergan, Mepergan Fortis	1	0.17
465	Fentanyl	12	2.07
481	Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.17
601	LSD (“acid”)	8	1.38
605	PCP (“angel dust,” phencyclidine)	1	0.17
606	“Ecstasy” (MDMA), X-TC, “X”	9	1.55
614	MDA, Methylenedioxymethamphetamine	1	0.17
658	Special K, Ketamine	15	2.59
663	Animal tranquilizer, horse tranquilizer	1	0.17
690	RID	1	0.17

Table B.7 Tabulation of Special Drugs OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER Specifies	Percentage of All Special Drugs Specified
702	Heroin	38	6.56
704	Dope	1	0.17
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	26	4.49
802	THC, cannabinol, marinol, tetrahydrocannabinol	1	0.17
805	Cocaine, coca, cocaina, coke, perico	33	5.70
806	Crack, rock	11	1.90
807	Alcohol, beer, ethanol, EtOH, pink champagne	2	0.35
820	Penicillin	3	0.52
824	Steroids	4	0.69
848	Liquid vitamin, vitamin pills <OTC>	2	0.35
2030	Versed	1	0.17
2506	Diazepam	1	0.17
3023	Adderall	15	2.59
3052	Speed, otherwise unspecified	5	0.86
3077	Concerta	1	0.17
4011	Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol	1	0.17
4037	MS Contin	1	0.17
4044	Hydrocodone	3	0.52
4046	Oxycodone	35	6.04
4047	Roxicet	2	0.35
4065	Roxicodone	8	1.38
4067	OxyContin	36	6.22
4073	Temgesic	1	0.17
4091	K4	1	0.17
4109	Suboxone	19	3.28
4119	Buprenorphine	1	0.17
4120	Opana	19	3.28
4150	Subutex	4	0.69
4501	Lortab	1	0.17
4505	Oxycodone product, unspecified	13	2.25
4507	Kadian	1	0.17
4510	Oxymorphone	2	0.35
6114	Molly, not otherwise specified	4	0.69
6122	MMDA	1	0.17
8009	Allergy pills/shot/antihistamine, type unspcfed	1	0.17
8067	Testosterone	8	1.38

Table B.7 Tabulation of Special Drugs OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER Specifies	Percentage of All Special Drugs Specified
8072	Deca-Durabolin, Nandrolone decanoate	1	0.17
8079	Insulin	2	0.35
8083	Testosterone cypronate	1	0.17
8113	Test 250, Test 400 <OTC>	2	0.35
8184	Ondansetron, Periset, Zofran	1	0.17
8206	Delatestryl, Testosterone enanthate	1	0.17
8212	Finaplix Gold, Trembolona QV75, Trenbolone	1	0.17
8224	Oxytocin, Pitocin, Syntocinon	1	0.17
8245	Human growth hormone (HGH)	2	0.35
8282	Saline solution, salt, sodium chloride <OTC>	1	0.17
8301	Bath salts/synthetic cathinone; otherwise unspcfed	3	0.52
8428	Dexmedetomidine, Precedex	1	0.17
8438	Ts and Bs	1	0.17
8503	Dilantin	2	0.35
8553	Bupropion, Wellbutrin, Zyban	3	0.52

Table B.8 Tabulation of Tranquilizer OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER Specifies	Percentage of All Tranquilizer Drugs Specified
201	Valium	1	3.70
209	Xanax	3	11.11
211	BuSpar	1	3.70
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	5	18.52
223	Methocarbamol	1	3.70
288	Baclofen	1	3.70
425	Advil <OTC>	1	3.70
435	Tylenol, Tylenol Extra-Strength <OTC>	1	3.70
1503	Temazepam	1	3.70
2029	Etizolam	1	3.70
2512	Hydroxyzine	2	7.41
8007	Gabapentin, Neurontin	1	3.70
8097	Tizanidine, Zanaflex	2	7.41
8247	Abilify, Aripiprazole	1	3.70
8505	Quetiapine, Seroquel	1	3.70
8510	Desyrel, Trazodone hydrochloride	2	7.41
8530	Sertraline hydrochloride, Zoloft	1	3.70
8541	Mirtazapine, Remeron	1	3.70

Table B.9 Tabulation of Treatment OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER Specifies	Percentage of All Treatment Drugs Specified
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.86
174	Ambien	1	0.86
209	Xanax	5	4.31
322	Methamphetamine (“ice” or “crank”), Meth	9	7.76
408	Dilaudid, Hydromorphone	1	0.86
417	Morphine	1	0.86
418	Methadone	2	1.72
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	1	0.86
425	Advil <OTC>	1	0.86
465	Fentanyl	8	6.90
605	PCP (“angel dust,” phencyclidine)	2	1.72
616	DET, Dimethyltryptamine, DMT	1	0.86
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	7	6.03
702	Heroin	10	8.62
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	6	5.17
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	11	9.48
804	Hashish	1	0.86
805	Cocaine, coca, cocaina, coke, perico	4	3.45
806	Crack, rock	4	3.45
807	Alcohol, beer, ethanol, EtOH, pink champagne	8	6.90
814	Caffeine <OTC>	1	0.86
883	Dextromethorphan hydrobromide <OTC>	2	1.72
900	Not a drug	3	2.59
2503	Lorazepam	1	0.86
4046	Oxycodone	2	1.72
4065	Roxicodone	1	0.86
4067	OxyContin	1	0.86
4109	Suboxone	6	5.17
4502	Norco	1	0.86
8008	Antidepressant, type unspecified	1	0.86
8203	Bar, otherwise unspecified	1	0.86
8237	Kratom	1	0.86
8301	Bath salts/synthetic cathinone; otherwise unspcfld	1	0.86
8373	Electronic cigarette	2	1.72
8381	Vapor/vape juice; route of use unspecified	6	5.17
8510	Desyrel, Trazodone hydrochloride	1	0.86
8519	Prozac, Fluoxetine	1	0.86

Appendix C

Tobacco Brand Codes for Open-Ended Questions

The final tobacco brand codes were created from listings of brands that appeared on the computer screen(s) corresponding to that particular type of tobacco, or from answers that respondents specified, if they indicated use of “a brand not on this list.” For each tobacco product (cigarettes and cigars), the available responses in the contiguous order of appearance on the screen (based on the 1999 through 2004 computer-assisted interviewing instruments) were used to initially create each tobacco product group. Although the tobacco brands that appeared on the screens for respondents changed beginning in 2005 for cigarettes, snuff, and cigars, the editing and coding procedures in this survey year continued to use existing codes that had been developed prior to 2005. For example, American Spirit cigarettes became the first brand on the screen for question CG11 in 2005 (“The next questions are about the brand of cigarettes you smoke—the brand is the name that is on the pack. During the past 30 days, what brand of cigarettes did you smoke most often?”). For consistency with prior years, however, mention of American Spirit cigarettes continues to retain a code of 161, even though CG11=1 (with this answer verified in question CG13) would indicate that the respondent smoked American Spirit cigarettes most often in the past 30 days.

In addition, questions about smokeless tobacco brands have not been included in the questionnaire since 2015. However, if respondents in 2015 or later years specify a chewing tobacco or snuff brand in connection with the questions for cigarette and cigar brands, then the reported brand would be assigned the relevant chewing tobacco or snuff code shown in this appendix. Beginning with the 2022 questionnaire, questions about cigarette and cigar brands will also be discontinued.

Tobacco brand codes 100-199 and 1000-1999 represent cigarette brands, codes 200-299 and 2000-2999 represent chewing tobacco brands, codes 300-399 and 3000-3999 represent snuff brands, and codes 400-499 and 4000-4999 represent cigar brands. Additional codes were added to each group list as needed. Miscellaneous tobacco and non-tobacco groups are represented by the 500-599, 600-699, 700-799, and 800-899 series.

For tobacco brands that respondents could choose from a list, no distinction was made in the coding between situations where respondents chose that particular brand from the list, and those where respondents reported use of “a brand not on this list” and then specified use of that brand. In addition, there was no distinction between particulars such as menthol, light, or full-flavor varieties in the coding. In addition, the coding considered situations where respondents might specify a brand that corresponded to a different type of tobacco. For example, if a brand of little cigars was specified as a brand of “cigarettes,” then the reported brand of “cigarettes” was assigned a code in the 400 or 4000 series, corresponding to cigars.

Since 2019, the alphabetical listing of tobacco brand code definitions has been discontinued from this appendix. Data users who know the name of a tobacco brand or part of a tobacco brand’s name can search for that brand in the electronic codebook using the appropriate search function (e.g., Ctrl-F for .docx files in Microsoft Word or PDF files in Adobe Acrobat). Listed below are guidelines for online searching of the electronic appendix for tobacco brand codes.

- Do not require searches to be case sensitive. For example, doing a case-sensitive search for “De ” (i.e., capital “D” and letter “e,” followed by a space) will identify codes 469 (Hoya De Monterrey) and 472 (Hoya De Nicaragua) but not codes 4038 (Flor de Oliva Grand Cameroon) or 4189 (Memoria de Cuba). Similarly, using a case-sensitive search for “Aura” will not identify code 1425 (aura) because the brand name does not use capital letters.
- When searching for tobacco brands that include one or more numbers as part of their brand name, please be aware that the search results could identify numeric codes of other tobacco brands. For example, doing a search for “305” will identify codes 1139 (305’s cigarettes) and 4458 (305’s cigars). The search will also identify numeric codes for the following other tobacco brands: 1305 (DJ Mix), 305 (Kodiak), and 4305 (Guatemalan cigars; brand unspecified).
- “Roll-your-own” brands of loose cigarette tobacco can be identified by searching for “roll-your-own” without data users needing to know an exact brand name.
- Search for alternate text strings if an initial search does not identify the code being sought. For example, code 1329 is for Smoker’s Choice cigarettes. In a search that is not case sensitive, code 1329 will not be identified by searching for “smokers” without the apostrophe. However, code 1329 can be identified by shortening the search to “smoker” or by searching to an alternative text string, such as “choice.”
- Please be aware when searching for tobacco brand codes that different kinds of tobacco products can have the same brand name. For example, code 1086 is for Smoker Friendly cigarettes, code 4155 is for Smoker Friendly cigars, and code 548 is for Smoker Friendly pipe tobacco.

**Table C.1 Numeric Listing of Tobacco Brand Codes for Open-Ended Questions, 2021
NSDUH Computer-Assisted Interviewing**

Code	Definition	Code	Definition
Cigarette Brands			
101	Basic	149	Pyramid
102	Benson & Hedges	150	Raleigh
103	Cambridge	151	Richland
104	Camel	152	Saratoga
105	Capri	153	Satin
106	Carlton	154	State Express
107	Doral	155	Sterling
108	Forsyth	156	Style
109	GPC	157	Tareyton
110	Kent	158	Top (roll-your-own)
111	Kool	159	Triumph
112	Marlboro	160	True
113	Merit	161	American Spirit cigarettes
114	Misty	162	Austin
115	Monarch	163	Bali Hai cigarettes
116	Montclair	164	Bali-Shag (roll-your-own)
117	More	165	Best Buy cigarettes
118	Newport	166	Bidis; brand unspecified
119	Pall Mall	167	Black Death
120	Parliament	168	Brandon
121	Private Label	169	Bronson
122	Salem	170	Cartier
123	Vantage	171	Checkers
124	Viceroy	172	Cimarron
125	Virginia Slims	173	Clove; brand unspecified
126	Winston	174	Dave's
127	Alpine	175	Djarum cigarettes
128	Barclay	176	Drum (roll-your-own)
129	Belair	177	Du Maurier
130	Best Value	178	Dunhill cigarettes
131	Bristol	179	Eagle
132	Bugler (roll-your-own)	180	Export A
133	Century	181	Fiesta cigarettes
134	Chesterfield	182	First Choice
135	Commander	183	First Class
136	Covington	184	Gauloises
137	Eve	185	Generic cigarettes; brand unspecified
138	Harley Davidson	186	Gold Coast
139	Jasmine	187	Gudang Guram
140	Lark	188	Gunsmoke
141	L & M	189	Hi-Value
142	Lucky Strike	190	Jacks
143	Magna	191	Jester (roll-your-own)
144	Maverick	192	Kailas Bidis
145	Max	193	Kamel Red
146	Now	194	Legend cigarettes
147	Old Gold	195	Malibu
148	Player's Clipper	196	Mainstreet

Code	Definition
197	Marker
198	Medallion
199	Meridian
1001	Nat Sherman cigarettes
1002	Omaha
1003	Piel Roja
1004	Planet
1005	Private Stock
1006	Quality Smokes
1007	Rally
1008	Rave
1009	Rollrich (roll-your-own)
1010	Rothman
1011	Sampoerna
1012	Seven Stars/Mild Sevens
1013	Slim Price
1014	Sobranie
1015	Springwater Vanilla
1016	Summit
1017	Sundance
1018	USA Gold
1019	Vegas cigarettes
1020	Waves
1021	Yours
1022	Bailey
1023	Sport
1024	Prime
1025	Ultra Buy
1026	Bull Durham cigarettes
1027	Mustang
1028	Value; brand unspecified
1029	Tourney
1030	BV Bonus Value
1031	House Blend
1032	American Spirit rolling tobacco
1033	Hollywood
1034	Cardinal
1035	Cherokee cigarettes
1036	Courier
1037	DTC
1038	Samson (roll-your-own)
1039	Lewiston
1040	Smokin Joes cigarettes
1041	Sonoma
1042	Tall
1043	Tempo
1044	Worth
1045	Turkish Specials
1046	Delicados cigarettes
1047	New York New York cigarettes
1048	Carnival
1049	Honey B's cigarettes

Code	Definition
1050	USA
1051	Belmont
1052	Premium One
1053	Wills
1054	Omar Sharif
1055	Geronimo
1056	Black Clove
1057	Sovereign
1058	Gitane
1059	Krakatoa Kretek
1060	Kuta Kretek
1061	Signature
1062	Sincerely Yours
1063	Fantasia
1064	Seneca, cigarette company brand unspecified
1065	Splash
1066	John Player
1067	Amsterdam Shag (roll-your-own)
1068	Superkings
1069	Zig-Zag (roll-your-own)
1070	Value Time
1071	Value & Quality
1072	Chaparral
1073	Grand
1074	Khrong Thip
1075	Star cigarettes
1076	Highway
1077	Prince (Denmark)
1078	Brentwood
1079	Amsterdamer (roll-your-own)
1080	Monaco
1081	Sebring
1082	Tahoe
1083	Liggett Select
1084	Image
1085	Special
1086	Smoker Friendly cigarettes
1087	Virginian
1088	Marlin
1089	Grand Prix
1090	Gold
1091	Dreams
1092	Native
1093	Roger
1094	Shield
1095	Patriot
1096	Sweet Afton
1097	Winner
1098	Sher Bidi
1099	Pilot
1100	Kite (roll-your-own)
1101	Jakarta

Code	Definition
1102	Impala
1103	Popular
1104	Canyon
1105	Sixty-1
1106	Niagara
1107	Palace cigarettes
1108	Nobel cigarettes
1109	Boots
1110	Eclipse
1111	Epic
1112	Kentucky's Best
1113	Sweet Dreams
1114	Scotch Buy
1115	Montana
1116	Revenge
1117	American
1118	Kingsport
1119	Express 555
1120	Durant
1121	Quality
1122	Boston
1123	CT
1124	Focus
1125	Silk Cut
1126	GT-One
1127	Amazone Guarana
1128	Double Diamond cigarettes
1129	Goldlight
1130	Class A
1131	Alas
1132	Natural Blend
1133	Golden Lights
1134	Bronco
1135	Silva Thins
1136	Bonus Value
1137	Craven "A"
1138	Tucson
1139	305's cigarettes
1140	Golden Virginia (roll-your-own)
1141	Market
1142	Move
1143	Putter
1144	Arbo (roll-your-own)
1145	Coronas cigarettes
1146	Optiva
1147	Westport
1148	Chocolate Dreams
1149	Victory
1150	Parisiennes
1151	Faros
1152	X-tra
1153	Marathon

Code	Definition
1154	Carlyle
1155	Capitol
1156	Chancellor
1157	Matinee
1158	Maxim
1159	Mundail
1160	Nise
1162	Tough Guy
1163	Backard
1164	Dynamic
1165	Scenic 101
1166	Davidoff cigarettes
1167	Sago
1168	Jade
1169	Omni
1170	McClintock (roll-your-own)
1171	Astra
1172	Campton
1173	Lobo
1174	Unify
1175	Caster
1176	Cowboys
1177	Silvers
1178	Charter
1179	Quest
1180	Berkeley
1181	Darshan
1182	Golden Beach
1183	Redbull (roll-your-own)
1184	Sky Dancer
1185	Esquire
1186	Always Save
1187	Old Holborn (roll-your-own)
1188	Silverton
1189	A-One Bidi
1190	Beacon
1191	Derby
1192	Old Hillside (roll-your-own)
1193	MVP
1194	Infinity
1195	White Rhino
1196	Generals cigarettes
1197	Columbus Classic
1198	Homer
1199	Larson
1200	Old Kentucky
1201	All Star
1202	Competidora
1203	Kingsley
1204	American Diamond
1205	First USA/First US
1206	Stoker's (roll-your-own)

Code	Definition
1207	Canadian Natural (roll-your-own)
1208	Havana cigarettes
1209	Lookout (roll-your-own)
1210	Colt cigarettes
1211	Echo cigarettes
1212	Euro
1213	Iceberg (roll-your-own)
1214	Midnight Special (roll-your-own)
1215	Ridgeway
1216	Romy
1217	Smokers Warehouse (roll-your-own)
1218	G-Smoke
1219	The Brave
1220	GP Club
1221	Cheyenne cigarettes
1222	Gold Crest
1223	Axis
1224	Primo
1225	Bridgeport
1226	Citation
1227	Gambler (roll-your-own)
1228	Circle Z
1229	Goldflake
1230	Peter Stuyvesant
1231	MCD
1232	Sandia
1233	Ronhill
1234	Opal
1235	Farmer's Gold (roll-your-own)
1236	Bao-dao
1237	Omar
1238	Way
1239	Nova
1240	Gold Rush cigarettes
1241	Bison
1242	10/20
1243	Liberty cigarettes
1244	Liberty Gold
1245	Smoke 1
1246	Southern Classics
1247	Buffalo cigarettes
1248	Desert Sun
1249	Classic Canadian (roll-your-own)
1250	Hava Club
1251	Kingston
1252	Lotto
1253	Montego
1254	Tracker
1255	Value Pride
1256	Black Diamond
1257	Rex, company brand unspecified
1258	SingleStick (roll-your-own)

Code	Definition
1259	Tex
1260	Nevada
1261	Poker
1262	Bishop
1263	Storm
1264	Knights
1265	Exact
1266	Claremont
1267	Cobra
1268	Decade
1269	D Best One
1270	Southern Cross
1271	Fred
1272	Royals cigarettes
1273	Philip Morris cigarette; brand unspecified
1274	Classic
1275	Kentucky Smooth (roll-your-own)
1276	Fortuna
1277	Berley
1278	Bracar
1279	Business Club
1280	Bridgeton
1281	Dimitrino Shepherds Hotel
1282	Sonic
1283	Golden Harvest (roll-your-own)
1284	Honor
1285	Baisha
1286	Lakes
1287	Wild Horse cigarettes
1288	Yukon
1289	4 Aces (roll-your-own)
1290	Peter Jackson
1291	Southern Harvest (roll-your-own)
1292	Silver Eagle
1293	Sunny
1294	CTC Select
1295	Appu Bidis
1296	King Mountain
1297	Echo rolling tobacco
1298	Danish Export rolling tobacco
1299	Premis
1300	Karelia
1301	Raison
1302	Texan
1303	White Horse
1304	Ace
1305	DJ Mix
1306	Blackjack (roll-your-own)
1307	Heron
1308	Peter Stokkebye (roll-your-own)
1309	Teton (roll-your-own)
1310	Union

Code	Definition
1311	D & R Tobacco (roll-your-own)
1312	Buckeye's Best (roll-your-own)
1313	Criss Cross (roll-your-own)
1314	Premier (roll-your-own)
1315	Embassy
1316	Rubios
1317	Complete
1318	Signal cigarettes
1319	VB
1320	1839 cigarettes
1321	Riverside
1322	Bohem Cigar No. 6 (Korean)
1323	Rave rolling tobacco
1324	Kentucky Select (roll-your-own)
1325	Black Hawk
1326	Exeter
1327	American Hero
1328	Sheriff
1329	Smoker's Choice cigarettes
1330	Yu Xi
1331	Feelings
1332	GP
1333	Belomorkanal
1334	Eco
1335	Good stuff (roll-your-own)
1336	Roseman
1337	Amber leaf (roll-your-own)
1338	Baron
1339	Huanghelou
1340	Palermo
1341	Galaxy Pro
1342	Rich
1343	Zhonghua
1344	Edgefield
1345	S & M cigarette; brand unspecified
1346	Largo cigarettes
1347	Dihao
1348	Fontana
1349	Ohm (roll-your-own)
1350	Victoria
1351	Bright
1352	Esse
1353	D & R Windsail Platinum (roll-your-own)
1354	Silver Cloud
1355	Fortune
1356	Bond Street
1357	Hongmei
1358	Golden Bay
1359	Timeless Time
1360	Zhongnanhai
1361	Time
1362	Great Country

Code	Definition
1363	Wills Classic
1364	Furongwang
1365	Golden Deer
1366	Caravan
1367	Zen cigarettes
1368	Smokin Joes (roll-your-own)
1369	Kiss
1370	Majestic
1371	Pioneer
1372	Wings
1373	Yunyan
1374	Senate
1375	Golden Leaf cigarettes
1376	Crown
1377	Cayuga
1378	Double Happiness (Shuang Xi)
1379	Wuyeshen
1380	Cohiba cigarettes
1381	Boss
1382	Tip Top
1383	Vinataba
1384	Pride
1385	American Harvest (roll-your-own)
1386	Allure
1387	Hope
1388	President cigarettes
1389	Pinnacle
1390	Texas Roll 'Em (roll-your-own)
1391	West
1392	Chunghwa
1393	Black and Gold
1394	American Legend
1395	American Eagle
1396	24/7
1397	Jackpot cigarettes
1398	Kentucky, cigarette company brand unspecified
1399	Pine
1400	Largo rolling tobacco
1401	Suyan
1402	Mac Baren rolling tobacco
1403	Comme II Faut C
1404	Wild Bill's (roll-your-own)
1405	Golden Gate
1406	Bahman
1407	Roxwell cigarettes
1408	Hot Rod tubes (roll-your-own)
1409	Mevius
1410	Mexican cigarette; brand unspecified
1411	Cutters Choice (roll-your-own)
1412	Traffic
1413	Criollos

Code	Definition
1414	Point
1415	London Export (roll-your-own)
1416	Smoker's Best cigarettes
1417	Heron No. 33 Black
1418	Vogue
1419	Nanjing
1420	THIS (Korean)
1421	L Ducat, LD
1422	31
1423	Manitou
1424	Hongtashan
1425	aura
1426	Pueblo
1427	Ararat cigarettes
1428	Gator
1429	303 (Bangladeshi)
1430	Japanese cigarettes; brand unspecified
1431	Zen (roll-your own)
1432	Chinese cigarettes; brand unspecified
1433	Rainier
1434	Nashville
1435	Glamour
1436	Ashima
1437	Palmetto
1438	Denim cigarettes
1439	Sands
1440	Lider
1441	Moro rolling tobacco (roll-your-own)
1998	Roll-your-own cigarette; brand otherwise unspecified
1999	Cigarette; brand otherwise unspecified

Cheating Tobacco Brands

201	Beech-Nut
202	Chattanooga Chew
203	Day's Work
204	Granger
205	H.B. Scott
206	Levi Garrett
207	Red Fox
208	Red Man chewing tobacco
209	Taylor's Pride
210	Totems
211	Work Horse
212	Apple Jack
213	Ball Park
214	Best Buy chewing tobacco
215	Big Leaf
216	Blackbull

Code	Definition
217	Bowie
218	Cannonball
219	Durango
220	Lancaster
221	Mail Pouch
222	Morgan's
223	Peachy Big Leaf
224	Rough Country
225	Trophy
226	WB
227	Havana Blossom
228	Southern Pride
229	Union Workman
230	Stoker chewing tobacco
231	Cottonboll
232	Apple Plug tobacco
233	Bloodhound Thick Plug
234	Red Horse
235	King B
236	J. D. Blend
237	Our Pride
238	Big Red
239	Tinsley
240	Amish
241	Tennessee Chew
242	Black Maria
243	Mammoth Cave
244	Oliver Twist
245	Warren County
246	Kuber Khaini
247	Cumberland Twist
248	Star chewing tobacco
249	Good Bite
250	Tulsi
251	Wild Duck twist
252	Country Blend
253	Kentucky King Twist
254	Gatlinburlier
255	Iqmik
256	White Mule Twist
257	Old Domestic
258	Budhalal
259	Big Mountain chewing tobacco
260	Snake River
261	RMD Gutka (chewing tobacco with betel nut)
262	Black Mountain
263	Baba 120
264	Chaini Khaini
2998	Homemade chewing tobacco
2999	Chewing tobacco; brand otherwise unspecified

Code	Definition
Snuff Brands	
301	Copenhagen
302	Gold River
303	Happy Days
304	Hawken
305	Kodiak
306	Redwood
307	Silver Creek
308	Skoal
309	Timber Wolf
310	Bruton
311	Cooper
312	Cougar
313	Dental
314	Honey Bee snuff
315	Navy
316	Red Seal
317	Rooster
318	Square
319	Tops snuff
320	Tube Rose
321	Garrett snuff
322	Peach
323	Mint snuff
324	Ralph's snuff
325	Renegades
326	Kayak
327	CC Sweet
328	Ozona
329	Dean Swift
330	Extreme
331	Sequoia
332	Grizzly
333	President snuff
334	Honest Scotch
335	McChrystals
336	Wilsons
337	General snuff
338	Longhorn
339	Dr. Rumney's
340	Stonewall
341	Husky
342	Manikchand
343	Baba 120 [see also 263]
344	Railroad Mills
345	Revel
346	Samuel Gawith
347	Skruf Stark
348	Taboka
349	Camel Snus
350	Red Bull snuff
351	Red Man snuff

Code	Definition
352	Göteborgs Rapé Snus
353	Packard's Club
354	Knox
355	Marlboro Snus
356	Thunder
357	Roda Lacket
358	Toque
359	Carhart's Choice Sweet Scotch
360	Eight Brothers
361	Silver Dollar
362	Klondike
363	Stoker's snuff
364	American Bison
365	Buttercup
366	Good Money
3998	Homemade snuff/smokeless tobacco
3999	Snuff; brand otherwise unspecified
Cigar Brands	
401	Antonio y Cleopatra
402	Backwoods
403	Bering
404	Black & Mild
405	Captain Black
406	Casa Silva
407	Cuesta-Rey
408	Dutch Masters
409	El Producto
410	Erik Filter
411	Garcia y Vega
412	Havatampa
413	King Edward
414	La Corona
415	Little Nippers
416	Macanudos
417	Muriel
418	Partagas
419	Phillies
420	Rigoletto
421	Robert Burns
422	Roi-Tan
423	Swisher Sweets
424	Tijuana Smalls
425	Universal
426	White Owl
427	William Penn
428	Winchester
429	Al Capone
430	Arango Sportsman
431	Arturo Fuente
432	Ashton
433	Astral

Code	Definition
434	Baccarat
435	Balmoral
436	Ben Franklin
437	Blackstone
438	Blair
439	Blunts; brand unspecified
440	Butera
441	Cherry Blend
442	Churchill; brand unspecified
443	Cohiba cigars
444	Cojimar
445	Corona; brand unspecified
446	Cortina
447	Cremosa Cubanos
448	Cuban cigars; brand unspecified
449	Cubana; brand unspecified
450	Dannemann
451	Davidoff cigars
452	Don Diego
453	Don Jose
454	Don Lino
455	Don Rene
456	Don Sebastian
457	Don Tomas
458	Dunhill cigars
459	Dutch Treats
460	El Rey del Mundo
461	Fonseca
462	Grenadiers
463	Griffin's
464	H. Upmann
465	Habana/Havana; brand unspecified
466	Habana Gold
467	Henry Clay
468	Hobo
469	Hoya De Monterrey
470	Hugo Cassar
471	Infiesta
472	Joya De Nicaragua
473	Jr Ultimate
474	King
475	La Aurora
476	La Gloria Cubana
477	La Tradicion
478	La Unica
479	La Flor Dominicana
480	Las Cabrillas
481	Lone Wolf
482	Martinez y Cia
483	Mi Cubano
484	Middleton Cherry Blend
485	Monero

Code	Definition
486	Montecristo
487	Oliveros
488	Optimo
489	Opus X
490	Padron
491	Parodi Cella
492	Primetime little cigars
493	Prince Albert cigars
494	Punch
495	Puros Indios
496	Romeo y Julieta
497	Royal Jamaica
498	Schimmelpennick
499	Stag
4001	Sweets; brand unspecified
4002	Tampa; brand unspecified
4003	Te Amo
4004	Temple Hall
4005	Thompson
4006	Tiparillo
4007	Wolf Brothers
4008	Lars Tetens
4009	Bahia
4010	Big Butt
4011	Tobacco Place
4012	Five Star
4013	Cubita
4014	Avanti
4015	Windsor
4016	Dominican cigars; brand unspecified
4017	Rum Runner
4018	Nat Sherman cigars
4019	J.R. Tobacco
4020	Onyx
4021	Credo; brand unspecified
4022	Excalibur
4023	John T's
4024	Sierra Sweets
4025	Middleton Gold and Mild
4026	Habana Black and Gold
4027	Nicaraguan cigars; brand unspecified
4028	Casa Blanca
4029	Celestino Vega
4030	Felipe Gregorio
4031	Playboy
4032	Montesino
4033	Diamond Crown
4034	La Fontana
4035	Muniemaker
4036	La Finca
4037	V Centennial

Code	Definition
4038	Flor de Oliva Grand Cameroon
4039	Palace cigars
4040	Reas
4041	Miami Suites
4042	R & J Famous
4043	Rosa Cuba
4044	Zino
4045	Havana Honey
4046	Monte Carlo
4047	Delicados cigars
4048	Travis Club
4049	Purofino
4050	Fuente
4051	Avo
4052	Carl Upmann
4053	Bolivar
4054	Acid
4055	La Diva
4056	Thomas Hinds
4057	Perfecto Garcia
4058	Denobili
4059	VM Santana
4060	Honduran cigars; brand unspecified
4061	Jamaican cigars; brand unspecified
4062	Ducados
4063	Topper
4064	Djarum cigarillos
4065	Franco
4066	New York cigars
4067	United States cigars; brand unspecified
4068	Caribbean Rounds
4069	Leon Jimenes
4070	Montecruz
4071	Miflin's Choice
4072	K. Hansotia Gurkha [see also 4562]
4073	Dos Reinas
4074	Arizona
4075	Napa
4076	Key West
4077	Caoba
4078	Flor Cabana
4079	Montoya
4080	Quirantes
4081	Royales
4082	Papayo
4083	C.A.O.
4084	Tatiana
4085	Supre Sweets
4086	Dos Hombres
4087	El Cordoba
4088	Don Guillermo
4089	Las Vegas

Code	Definition
4090	Caribbean Petites
4091	Tamayo & Pareto
4092	Hemingway
4093	Cabanas
4094	Canaria D'Oro
4095	Ben Bay Crystals
4096	Black Jack cigars
4097	Cusano
4098	La Primadora
4099	Meharis
4100	Madrigal Habana
4101	Ornelas
4102	Tamboril
4103	Keep Moving
4104	Villiger
4105	Belinda
4106	Habanos
4107	Por Larranaga
4108	Don Antonio
4109	Don Pablo
4110	Drew Estates
4111	Joya del Rey
4112	Maria Mancini
4113	Olor
4114	Plasencia
4115	Porfirio
4116	Sosa
4117	Robusto; brand unspecified
4118	Vegas cigars
4119	Marsh Wheeling
4120	Alternativos
4121	Columbian cigars; brand unspecified
4122	George Burns
4123	Cameo
4124	Panetella; brand unspecified
4125	Carinos
4126	Don Mateo
4127	Hamiltons
4128	Panter
4129	Hoja
4130	Smokin Joes cigars
4131	Moyorga
4132	El Gozo
4133	De Graaff
4134	John Hay
4135	Sinatra
4136	Markers Mark
4137	Luiz Martinez
4138	Havana Blend
4139	La Paloma
4140	Saint Luis Rey
4141	Carbonell

Code	Definition
4142	Caballeros
4143	La Palma de Oro
4144	Hula girl
4145	Calixto Lopez
4146	Argos
4147	Aurora
4148	Brazilian cigars; brand unspecified
4149	Jose Marti
4150	Quintero
4151	Ramrod
4152	Reveria
4153	Mendez y Lopez
4154	New Orleans
4155	Smoker Friendly cigars
4156	Ritemeester
4157	Victor Sinclair
4158	Island Collection
4159	Don Alberto
4160	Santa Damiana
4161	Craftsman's Bench
4162	Don Yeyo
4163	Romero
4164	Vega Fina
4165	Cinco Vegas
4166	Dona Flora
4167	La Guardia
4168	National
4169	Alcazar
4170	OneOff
4171	Camacho
4172	J.T.
4173	La Surina
4174	Natural cigars
4175	Perdomo
4176	Primo Del Rey
4177	Heather Phillips
4178	Royal Blunt EZ Tube
4179	Colt cigars
4180	Matacan
4181	Cuban Bullet
4182	Farias
4183	Sancho Panza
4184	Helix
4185	El Toro
4186	Remedios
4187	1886 Queens
4188	898
4189	Memoria de Cuba
4190	Little Havana
4191	Havana Gold
4192	Smoker's Choice little cigars
4193	Belmondo

Code	Definition
4194	La Floridita
4195	Double Corona, brand unspecified
4196	San Andres
4197	Blender's Gold
4198	Cifuentes
4199	Cuban Delights
4200	El Rico Habano
4201	Gonzalez y Martinez
4202	Hacienda
4203	Omega
4204	Tres Hermanos
4205	Viajante, brand unspecified
4206	Demitasse, brand unspecified
4207	Racer little cigars
4208	Habano Primero
4209	Heaven
4210	Occidental
4212	Diesel
4213	Mantequilla
4214	Sir Elliot's
4215	Bauza
4216	Carlos Torano
4217	Roly
4218	Jad
4219	Gold Rush
4220	Old Port cigarillos
4221	Cordova
4222	Dirt
4223	La Perla Habana
4224	Jose Benito
4225	Tueros
4226	Crystal
4227	El Dente
4228	FX Smith
4229	Indian Tabac
4230	Candlelight
4231	Jose Girbes
4232	Sweet Outlaws
4233	Castros Cuban
4234	Don Juan
4235	Natural Root
4236	Hat's Off little cigars
4237	Rocky Patel's
4238	Royal Cubans
4239	Lauro's
4240	Little Cigar Factory
4241	Guantanamera
4242	Pom Pom cigarillos
4243	Dean's Lil' Cigars
4244	Diablo
4245	Oliva O
4246	Fink

Code	Definition
4247	Don Kiki
4248	Hector Hernandez
4249	Mexican cigars; brand unspecified
4250	La Aroma de Cuba
4251	Murillo
4252	Don Rex
4253	Rushmore
4254	Spirit of Cuba
4255	Sweet Daddies
4256	Wise Guys
4257	Phillip & King – Cuban rejects
4258	Don Elliott
4259	Alvaro
4260	Don Elias
4261	Joya del Jefe Centennial Reserve
4262	El Presidente
4263	Torano Exodus
4264	Costa Rican cigars; brand unspecified
4265	Cheyenne little cigars
4266	Java
4267	Don Lugo
4268	EverMore
4269	Trinidad
4270	Don Augusto
4271	Don Dominguez
4272	Jose Gener
4273	Dominico
4274	Dutch Delights
4275	Mr. B
4276	Holland cigars; brand unspecified
4277	Licenciados
4278	Gispert
4279	Randello X
4280	Graycliff
4281	Roughneck
4282	Vendetta little cigars
4283	Supreme Blend little cigars
4284	Muriel Sweets little cigars
4285	Royal Hawaiian
4286	Casillas
4287	Dark Horse little cigars
4288	Boaz little cigars
4289	Cupido
4290	Moonshine Crooks
4291	M1 cigars
4292	Derringer little cigars
4293	Ibold
4294	Smokin Joes little cigars
4295	Santa Fe little cigars
4296	Kingpin
4297	Padilla
4298	Vaquero little cigars

Code	Definition
4299	Nording
4300	Fat Rum
4301	La Corona Whiffs
4302	Mike Ditka
4303	Vigilante Esteban Carrera
4304	Flor de Jardin
4305	Guatemalan cigars; brand unspecified
4306	Red Buck little cigars
4307	Black Cat
4308	Stampede little cigars
4309	Isla Del Sol
4310	JR Alternatives
4311	Kahlua (Drew Estates)
4312	Golden Harvest little cigars
4313	Richwood little cigars
4314	True Blunt
4315	El Cuno
4316	Czech Republic or Slovakia cigars; brand unspecified
4317	Amish cigars
4318	Iguana
4319	Winston Churchill by Davidoff
4320	Tusker
4321	Puerto Rican cigars; brand unspecified
4322	Black & Tan
4323	Courvoisier
4324	Haitian cigars; brand unspecified
4325	Ethiopian cigars; brand unspecified
4326	La Habanera
4327	Chinese cigars; brand unspecified
4328	Remington little cigars
4329	Cuban Honeys
4330	5 Vegas
4331	La Rica
4332	Jose L. Piedra
4333	Casino Gold
4334	Bucanero El Capitan
4335	Professor Sila
4336	Clints
4337	Philippine cigars; brand unspecified
4338	Hawaiian cigars; brand unspecified
4339	Payne-Mason
4340	Savannah Bulldog
4341	BluntVille
4342	Tony Alvarez
4343	El Sol
4344	Kristoff
4345	De Nobili
4346	Liberty cigars; brand unspecified
4347	Game
4348	José “Pepin” Garcia Benchmade

Code	Definition
4349	El Baton
4350	Double Diamond cigars
4351	Vieux Carre
4352	Nestor Reserve
4353	Hatuey
4354	Murano
4355	Quorum
4356	Topstone
4357	NUb
4358	Bodyshot little cigars
4359	Puerto Rico 965
4360	Director's Club little cigars
4361	Good Times
4362	Rico Suave
4363	Don Pepin
4364	J. Fuego
4365	El Metador
4366	Wrangler little cigars
4367	Clipper little cigars
4368	i80 cigars
4369	Rum River Crooks
4370	Vieja Hacienda
4371	The Repeater
4372	Hombre little cigars
4373	Juicy
4374	El Verso
4375	1839 cigars
4376	Smoker's Best cigars
4377	Wall Street
4378	Cardenas
4379	Torino
4380	Cuban Rounds
4381	S.T. Dupont
4382	Mephisto
4383	El Imperio
4384	Holt's
4385	Liga Privada
4386	Maroma
4387	Trend
4388	Ambrosia
4389	El Salvadoran cigars; brand unspecified
4390	JW little cigars
4391	Zig-Zag cigarillos
4392	Swedish cigars, brand unspecified
4393	Argentinean cigars, brand unspecified
4394	Duque
4395	Happy Times superillos cigarillos
4396	Island Blendz
4397	Jenuwine Dominican Selection
4398	Neos
4399	Bali Hai cigars

Code	Definition
4400	Cain
4401	Happy Hour
4402	Venezuelan cigars; brand unspecified
4403	Bahama Mama
4404	Nica Libre
4405	Brick House
4406	Casa Magna
4407	Cibao
4408	M & R Vintage Reserve
4409	Tabak Especial
4410	Wild Horse cigars
4411	Alec Bradley
4412	Da Vinci
4413	Calle Ocho
4414	Dark Hawk little cigars
4415	Straight Up
4416	Nobel cigars
4417	Gambler cigars
4418	Maverick Quick Draw
4419	Room 101
4420	Entourage
4421	A. Turrent
4422	Bandidos
4423	Chisum little cigars
4424	Caribbean cigars; brand unspecified
4425	Gran Habano
4426	U.S. Army Limited Edition
4427	Real A.L. Pedro
4428	Great Wall
4429	K.A. Kendall's 7-20-4
4430	Nat Cicco
4431	OHM little cigars
4432	JM's Dominican
4433	El Primer Mundo
4434	38 Special little cigars
4435	Nestor Miranda
4436	Man O' War
4437	La Herencia Cubana Oscuro Fuerte
4438	Kickback
4439	Millennium
4440	Ave Maria
4441	Ecuadorian cigars; brand unspecified
4442	White Cat
4443	Speedway
4444	Action little cigars
4445	Erik Natural
4446	Free Cuba
4447	Hampton Arms
4448	Maribel
4449	Golden Valley filtered cigars
4450	Don Cicero

Code	Definition
4451	Consuegra
4452	Piano Fuerte
4453	Tampa Sweethearts
4454	Criss Cross cigars
4455	Talon
4456	Don Pedro
4457	Signal cigars
4458	305's cigars
4459	Beach Palm little cigars
4460	Cuban Twist
4461	Navarro
4462	Piper's
4463	Starbuzz
4464	Sweet Jane
4465	Tatuaje
4466	Good Days Factory Rejects
4467	Indian cigars; brand unspecified
4468	Blue Sparrow
4469	Vargas
4470	Lex12
4471	Trader Jacks
4472	7-20-4 Dogwalker
4473	Island
4474	Splitarillos
4475	Marco V
4476	Seneca cigar
4477	Verdadero Organic
4478	Buffalo cigars
4479	Iron Horse
4480	Oro Cubano
4481	Trivo cigarillos
4482	Weston
4483	Flor de las Antillas
4484	Show
4485	Foundry
4486	No. 99 Factory Throwouts
4487	Kismet Fortune
4488	Cuba Libre
4489	Rustlers
4490	Sparrow little cigars
4491	San Vicente
4492	Aquitaine
4493	Zig Zag wraps
4494	Porto Real
4495	Carbon Copy Cubans
4496	Jackpot
4497	Don Julio
4498	Hammer & Sickle
4499	El Fuego
4500	Illusione
4501	American cigars; brand unspecified
4502	Delicioso

Code	Definition
4503	East Coast Roller
4504	Krome
4505	Santiago Fuerte
4506	Legend cigars
4507	Cherokee little cigars
4508	Nectar little cigar
4509	RHUM
4510	Casa de Garcia
4511	John Black little cigars
4512	Don Gonzalez
4513	My Father
4514	Rock-A-Feller
4515	E.P Carrillo
4516	AKA, American Kick Ass
4517	Jericho Hill
4518	GTO cigar
4519	GTO cigarillo
4520	Criss-Cross filtered cigars
4521	Goodies cigarillos
4522	Cosa Nostra cigarillos
4523	Crux
4524	Cornerstone little cigars
4525	Brahma Black
4526	Brioso
4527	Ignacio Haya
4528	Via Havanna
4529	Palmar Arriba
4530	Russian cigars; brand unspecified
4531	Regius
4532	Six Zero
4533	Deco Drive
4534	Platinum Blunt Wrap
4535	Cigar International
4536	French cigars; brand unspecified
4537	Asylum 13
4538	Recluse
4539	Flor de Tamboril
4540	Clipper cigarillos
4541	1876 Reserve
4542	Island Prince
4543	Pinar del Rio
4544	Vision Hunter little cigars
4545	Guy & Lady Barrell
4546	Big Babe
4547	Rodriquez
4548	Fronto King
4549	Dreams cigars
4550	Cuban Crafters
4551	Dominican Prime
4552	St Maarten, brand unspecified
4553	Tabacalera
4554	Aging Room

Code	Definition
4555	Mark Twain
4556	Los Blancos
4557	Isabela
4558	Big mountain little cigars
4559	Factory Throwouts
4560	QuickDraw
4561	Grabba Leaf wraps
4562	Gurkha Hudson Bay [see also 4072]
4563	Cherrybomb cigarillos
4564	Clove cigarillo/cigar; brand unspecified
4565	Leaf by Oscar
4566	Donnie Chulo
4567	Ugly Coyote
4568	Hi-Fi cigarillos
4569	Litto Gomez Diez
4570	Grand Marnier
4571	Argyle
4572	Warfighter
4573	El Mejor
4574	Hot Skull Fronto Leaf
4575	Nectar
4576	German cigars; brand unspecified
4577	Caldwell
4578	504 goodies
4579	Ararat cigars
4580	Torano
4581	Wessex Gold Brick
4582	Crowned Heads
4583	Perla del Mar
4584	Surrogates
4585	RoMa Craft
4586	Westport little cigars
4587	Warped
4588	Café Crème
4589	Duran
4590	Eighty5 by Ocho Cinco
4591	Devil's Weed
4592	Don Lucas
4593	Battleground
4594	Dominican Selection
4595	Crazy Alice
4596	Zelo de Cuba
4597	Toscano
4598	Night Owl
4599	Blue Mountain Cigars (BMC)
4600	Kauai
4601	Cuban Castaways
4602	Goodman's little cigars
4603	Hype cigarillos
4604	Don Rafael
4605	Davtian
4606	City Life

Code	Definition
4607	CI Legends
4608	Chilean cigar; brand unspecified
4609	Brighton's Best
4610	Bella little cigars
4611	Blue Grass
4612	Southern Draw
4613	Charter Oak
4614	Montero 1939
4615	Fallen Angel
4616	Japanese cigars; brand unspecified
4617	Alta Gracia
4618	Cavalier Geneve
4619	Tabacart
4620	Panama Jack
4621	San Lotano
4622	New Cuba
4623	La Gianna
4624	Privada
4625	General Grant
4626	Fiesta cigarillos
4627	Foundation
4628	High Hemp wraps
4629	Frontier
4630	Cigar pod; contents unspecified
4631	John Bull
4632	Aruban cigars; brand unspecified
4633	Pappy Van Winkle
4634	La Imperiosa
4635	The Traveler
4636	A.J. Fernandez
4637	Eiroa
4638	Kentucky Cheroots
4639	Elogio
4640	Vivaldi
4641	Capo
4642	Aladino
4643	Clementine
4644	Hawaiian Breeze
4645	Cornelius & Anthony
4646	Flor de Pita
4647	A2
4648	Martinez
4997	Little cigars; brand otherwise unspecified
4998	Homemade cigars
4999	Cigar/cigarillo; brand otherwise unspecified

Pipe Tobacco or Miscellaneous Tobacco

501	Prince Albert tobacco
502	Sir Walter Raleigh tobacco
503	Velvet tobacco
504	Bighorn tobacco

Code	Definition
505	Hookah tobacco/tobacco in hookah
506	Smoker's Pride
507	Red River
508	Southern Steel
509	Three Sails
510	Good Stuff pipe tobacco
511	Red Cap pipe tobacco
512	Sillems pipe tobacco
513	Largo pipe tobacco
514	Carpenter's Cut pipe tobacco
515	Smoker's Best pipe tobacco
516	Five Brothers pipe tobacco
517	4 Aces pipe tobacco
518	Bull Durham pipe tobacco
519	Buoy pipe tobacco
520	Smokin' G pipe tobacco
521	Bacco pipe tobacco
522	Sparrow pipe tobacco
523	Kentucky Select pipe tobacco
524	Gambler pipe tobacco
525	1839 pipe tobacco
526	Rio pipe tobacco
527	Dark Horse pipe tobacco
528	Direct Buy
529	L.J. Peretti
530	Tin Star
531	Six Nations
532	Cherokee pipe tobacco
533	Stanwell
534	Al Fakher
535	Fader's Tobacco
536	Action pipe tobacco
537	High Card pipe tobacco
538	American Club pipe tobacco
539	Privateer (Deal Deal) pipe tobacco
540	Roxwell pipe tobacco
541	OHM Blue pipe tobacco
542	752 pipe tobacco
543	Mixture No. 79
544	Half & half pipe tobacco
545	Wild Horse pipe tobacco
546	Daughter and Ryan Three Sails pipe tobacco
547	Signal pipe tobacco
548	Smoker Friendly pipe tobacco
549	Ash & Ember pipe tobacco
550	Ryback pipe tobacco
551	Dokha
552	Fumari
553	American Blend pipe tobacco
554	Ten Pointer pipe tobacco
555	Golden Leaf pipe tobacco
556	Gold Star hookah tobacco

Code	Definition
557	Big Rock pipe tobacco
558	Bell's Three Nuns pipe tobacco
559	Cheyenne pipe tobacco
560	Hot Rod pipe tobacco
561	Backwoods pipe tobacco
5999	Pipe tobacco; brand otherwise unspecified
Miscellaneous Classifications	
601	Homegrown
701	Marijuana
702	Cocaine
703	Coca leaves
704	Betel nut
705	Permanent marker
706	Aerosol spray
707	Carburetor cleaner
708	Heroin
709	Meth, Methamphetamine ("ice" or "crank")
710	Over-the-counter drug
711	Rubbing alcohol and peroxide
712	Hemp or CBD-based personal care product
801	Nicorette
802	Honey Rose herbal cigarettes
803	Herbal cigarette, not otherwise specified
804	Ecstacy herbal cigarettes
805	Smokey Mountain herbal snuff
806	Herbal Gold herbal cigarettes
807	Ariva tobacco lozenge
808	Herbal Dreams cigarettes
809	Evo electronic cigarette
810	Electronic/smokeless cigarette; otherwise unspecified
811	Raven-E
812	Modern Vapor
813	Logic
814	blu
815	Real Deal
816	Halo
817	Volcano
818	Mistic
819	NJOY
820	Flavorz by Joe E Liquids
821	Rio
822	Ecto
823	V2
824	Vuse Vibe
825	MarkTen

Code	Definition
826	Premium
827	T4
828	21st Century Smoke
829	RY4 Smooth e Liquid
830	B&M electronic cigarettes
831	Rebel electronic cigarettes
832	JUUL
833	Nirdosh herbal cigarettes
834	Ruthless
835	Bouncing Betty
836	Vaporz
837	Hemp/CBD cigarettes: brand unspecified
838	naked100
839	Ignite CBD vape pen/cartridge
840	BIDI stick/vapor pen
841	PUFF bar
842	Koi CBD vape juice
843	qiwi CBG hemp cigarettes
844	Hyde
845	fume
846	HQD
847	Chief Stix hemp cigarettes
848	Bang
849	Oregon Originals CBD vape pen/cartridge

Appendix D

Nicotine Dependence and Substance Use Disorder

D.1 Introduction

The 2021 National Survey on Drug Use and Health (NSDUH) included questions that were designed to measure dependence on nicotine (cigarettes) and drug¹ or alcohol use disorder. Drug or alcohol use disorder is also referred to as substance use disorder (SUD). This appendix includes information on the definitions, comparability, and coding specifications of the variables that measure nicotine dependence and SUD. The variable specifications are provided for nicotine dependence and SUD, respectively, within separate sections of this appendix.

D.1.1 Nicotine (Cigarette) Dependence and SUD Measures

For nicotine (cigarettes), questions pertaining to dependence were based on criteria from the Nicotine Dependence Syndrome Scale (NDSS; Shiffman et al., 1995; Shiffman et al., 2004) and the Fagerstrom Test of Nicotine Dependence (FTND; Fagerstrom, 1978; Heatherton et al., 1991). These criteria were first used to measure nicotine dependence in NSDUH in 2003.

For substances other than nicotine, which include alcohol, marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, prescription pain relievers, prescription tranquilizers, prescription stimulants, and prescription sedatives, the 2021 questionnaire included SUD questions based on the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition (DSM-5; American Psychiatric Association, 2013). Although SUD variables based on the DSM-5 criteria were created and included on the 2020 NSDUH data file as well, additional respondents were eligible to receive the SUD questions beginning in 2021. Specifically, respondents who reported use but not misuse of prescription drugs in the past year were asked questions about their substance use and could be classified as having an SUD based on those responses beginning in 2021.

The additional data from users but not misusers of prescription drugs led to the creation of new SUD outcome variables beginning in 2021. SUD outcome variables are available on the 2021 data file that are based on data from (1) misusers of prescription drugs, (2) users but not misusers of prescription drugs, and (3) any users of prescription drugs (i.e., the combination of the first two outcomes). The version of SUD variables based on data from any users of prescription drugs was the primary version of SUD used to generate estimates presented in the *Results from the 2021 National Survey on Drug Use and Health: Detailed Tables* (Center for Behavioral Health Statistics and Quality [CBHSQ], 2022c) and in the *Key Substance Use and Mental Health Indicators in the United States: Results from the 2021 National Survey on Drug Use and Health* report (CBHSQ, 2022b). The version of SUD variables based on data from people who misused prescription drugs were also used to produce estimates presented in the 2021 Detailed Tables and 2021 Key Substance Use and Mental Health Indicators report. The version of SUD variables based on people who used but did not misuse prescription drugs were not used for estimates presented in the 2021 Detailed Tables, but this version was used to produce estimates displayed in the 2021 Key Substance Use and Mental Health Indicators report. More information on the three versions of

¹ Drugs include marijuana (including vaping), cocaine (including crack), heroin, hallucinogens, inhalants, methamphetamine, and any use of prescription psychotherapeutic drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives).

SUD variables is available later in this appendix in Sections D.3.8 through D.3.11 and in Section D.4.

D.1.2 SUD Severity Measures

For substances other than nicotine, in addition to being used to classify respondents with an SUD, the DSM-5 criteria questions included in the 2021 NSDUH can also be used to classify the severity of an SUD. The severity of an SUD according to DSM-5 criteria is determined by the number of individual criteria recorded as positive for a particular substance (or category of substances).

- People were classified as having an SUD of mild severity if they met two or three SUD criteria for that substance.
- People were classified as having an SUD of moderate severity if they met four or five SUD criteria for that substance.
- People were classified in the severe SUD category if they met six or more SUD criteria for that substance.

As with the other SUD variables described in D.1.1, multiple versions of the SUD severity variables are available, which are based on whether the severity variable incorporates data for any users of prescription drugs or misusers of prescription drugs.

D.1.3 2021 NSDUH Comparability

Because of coronavirus disease 2019 (COVID-19), the 2021 NSDUH used multimode data collection, in which respondents completed the survey via the web or in person in eligible locations.² As discussed in Chapter 6 of the *2021 National Survey on Drug Use and Health (NSDUH): Methodological Summary and Definitions* report (CBHSQ, 2022a), methodological investigations led to the conclusion that estimates based on multimode data collection in 2021 are not comparable with estimates from 2020 or prior years. Therefore, national reports and tables for the 2021 NSDUH present estimates from 2021 only.

It is not recommended to make comparisons of 2021 data with prior years of NSDUH data or to pool 2021 data with prior years of NSDUH data for analyses. Differences in estimates between 2021 and prior years may be attributable to multimode data collection in 2021 rather than actual changes in the civilian, noninstitutionalized population of the United States during the COVID-19 pandemic.

D.2 Nicotine (Cigarette) Dependence

The 2021 NSDUH computer-assisted interviewing questions designed to assess nicotine (cigarette) dependence were based on the NDSS and the FTND. To identify patterns of nicotine (cigarette) dependence within the 2021 NSDUH data, indicator variables were created to measure dependence on nicotine through the use of cigarettes. Respondents were classified as being

² Eligibility of areas for in-person data collection was determined by state- and county-level COVID-19 metrics collected by Johns Hopkins University (Center for Systems Science and Engineering, Johns Hopkins University, 2021).

dependent if they met either the NDSS or the FTND criteria for dependence. There was no change in the questions or variables definitions for nicotine (cigarette) dependence for the 2021 NSDUH.

D.2.1 Nicotine Dependence Syndrome Scale (NDSS)

The conceptual roots of the NDSS are similar to those behind the concept of dependence based on the *Diagnostic and Statistical Manual of Mental Disorders*, 4th edition (DSM-IV; American Psychiatric Association, 1994; Edwards & Gross, 1976). The 2021 NSDUH contains 19 NDSS questions that address five aspects of dependence:

1. Smoking drive (compulsion to smoke driven by nicotine craving and withdrawal)
 - a. After not smoking for a while, you need to smoke in order to feel less restless and irritable (CIGIRTLB)
 - b. When you don't smoke for a few hours, you start to crave cigarettes (CIGCRAVE)
 - c. You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control (CIGCRAGP)
 - d. You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time (CIGINCTL)
 - e. You sometimes worry that you will run out of cigarettes (CIGRNOUT)
2. Nicotine tolerance
 - a. Since you started smoking, the amount you smoke has increased (CIGINCRS)
 - b. Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied (CIGSATIS)
 - c. Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything (CIGLOTMR)
3. Continuous smoking
 - a. You smoke cigarettes fairly regularly throughout the day (CIGREGDY)
 - b. You smoke about the same amount on weekends as on weekdays (CIGREGWK)
 - c. You smoke just about the same number of cigarettes from day to day (CIGREGNM)
 - d. It's hard to say how many cigarettes you smoke per day because the number often changes (CIGNMCHG)
 - e. It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later (CIGSVLHR)
4. Behavioral priority (preferring smoking over other reinforcing activities)
 - a. You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them (CIGAVOID)
 - b. There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke (CIGFNLKE)
 - c. Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke (CIGPLANE)
5. Stereotypy (fixed patterns of smoking)
 - a. Do you have any friends who do not smoke cigarettes (CIGFNSMK)
 - b. The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example (CIGINFLU)

- c. Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others (CIGNOINF).

Each of these five domains can be assessed as separate measures, but an average score across all domains also can be obtained for overall nicotine dependence (Shiffman et al., 2004). In accordance with the scoring methods described by Shiffman and colleagues, the NDSS algorithm for calculating this average score was based on the respondent's answers to 17 of the 19 questions listed above. The items regarding nonsmoking friends (4b - CIGFNLKE and 5a - CIGFNSMK) were excluded due to higher item nonresponse rates.

Responses to items CIGIRTBL, CIGCRAVE, CIGCRAGP, CIGAVOID, CIGPLANE, CIGRNOUT, CIGREGDY, CIGREGWK, CIGREGNM, CIGNOINF, CIGINCRS, CIGSATIS, and CIGLOTMR were coded from 1 to 5, where

1=Not at all true,
2=Slightly true,
3=Moderately true,
4=Very true, and
5=Extremely true.

Responses to items CIGINCTL, CIGNMCHG, CIGSVLHR, and CIGINFLU were reverse coded from 5 to 1, where

5=Not at all true,
4=Slightly true,
3=Moderately true,
2=Very true, and
1=Extremely true.

For respondents who reported smoking cigarettes in the past month, the total NDSS score was calculated as the sum of the recoded responses to the previous 17 questions. A respondent was classified as nicotine dependent, NDSSDEPND=1, if the total NDSS score was greater than or equal to 46.75 (corresponding to an average score of 2.75), regardless of whether any of the 17 NDSS questions were missing. If a respondent provided a response to all 17 questions and the total NDSS score was less than 46.75, then the respondent was determined to be nondependent, NDSSDEPND=0, based on the NDSS. If a respondent was missing at least 1 of the 17 questions but the sum of the nonmissing items plus the number of questions with missing data multiplied by 5 was less than 46.75, then the respondent was also determined to be nondependent, NDSSDEPND=0, based on the NDSS. Otherwise, NDSSDEPND was set to missing for past month users of cigarettes. The average NDSS threshold of 2.75 was derived by the scale developers by examining the distribution of scores in other samples of smokers who were administered the NDSS, including a contrast of scores obtained for nondependent smokers (chippers) versus heavy smokers (Shiffman et al., 1994).

D.2.2 Fagerstrom Test of Nicotine Dependence (FTND)

The FTND is a multi-item measure of dependence, but much of its ability to determine dependent smokers derives from a single item assessing how soon after waking smokers have their first cigarette (Heatherton et al., 1989). Because most nicotine is cleared from the bloodstream overnight, smokers typically wake in nicotine deprivation, and rapid movement to smoke is considered a sign of dependence. Respondents who reported smoking cigarettes in the past month were classified as nicotine dependent based on the FTND, FTNDDEPND=1, if the first cigarette smoked was within 30 minutes of waking up on the days they smoked (CIGWAKE=1 or 2). Past month users of cigarettes who reported smoking their first cigarette more than 30 minutes after waking up on the days they smoked (CIGWAGE=3 or 4) were determined to be nondependent, FTNDDEPND=0, based on the FTND. Otherwise, FTNDDEPND was set to missing for past month users of cigarettes.

D.2.3 Overall Nicotine (Cigarette) Dependence

Using both the NDSS and the FTND measures, respondents were classified as having nicotine (cigarette) dependence in the past month, PMNICDEP=1, if they met either the NDSS (NDSSDEPND=1) or FTND (FTNDDEPND=1) criteria for dependence. A past month cigarette user was determined to be nondependent in the past month if NDSSDEPND=0 and FTNDDEPND=0. Otherwise, nicotine dependence status was unknown for past month cigarette users.

Starting with the 2021 NSDUH, missing values in the composite recode, PMNICDEP, were replaced using statistical imputation. The imputed variable for nicotine dependence, IRPMNICDEP, was used to create estimates presented in the 2021 Detailed Tables (CBHSQ, 2022c). For more information on the imputation of nicotine dependence, see the *2021 National Survey on Drug Use and Health (NSDUH) Methodological Resource Book, Section 10: Editing and Imputation Report* (CBHSQ, forthcoming).

D.3 SUD

Beginning in 2021, all respondents received SUD questions that were based on the DSM-5. Missing values for the SUD and SUD severity measures for alcohol, marijuana, cocaine, heroin, inhalants, hallucinogens, methamphetamine, pain relievers, stimulants, sedatives, and tranquilizers were replaced with valid response categories using statistical imputation. However, the individual criteria variables were not imputed and may contain missing values.

This section describes the recodes for the individual SUD measures. Listed below are the definitions used for each of the individual SUD measures along with the corresponding severity variable names. Specific notes about any inconsistency issues for each measure are also included. Additional variables that were created using a combination of these individual SUD measures are described in Section D.4 and are also listed in the body of the codebook.

D.3.1 ALCOHOL

To be classified with alcohol use disorder, IRPYUD5ALC, a respondent must have met two or more of the following alcohol criteria in the past year. More specifically, respondents with

two or three criteria are considered to have “mild” disorder (IRPYSEV5ALC=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5ALC=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5ALC=3).

- (1) Ended up drinking alcohol many times in larger amounts or for a longer time than intended (UDALLRGAMTS=1)
- (2) One or more times tried and was unable to cut down or stop drinking alcohol or wished could cut down or stop drinking alcohol (UDALNOTSTOP=1 or UDALWSHSTOP=1)
- (3) Spent a great deal of time drinking alcohol, feeling its effects, or getting over the effects of drinking, or trying to get alcohol (UDALTIMEGET=1 or UDALTIMEUSE=1)
- (4) Wanted to use alcohol so badly could not think of anything else (UDALWANTBAD=1) or had a strong urge to use alcohol (UDALSTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family (UDALWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using alcohol (UDALFMLYPRB=1) and continued to use alcohol even though it often caused arguments or problems with family or friends (UDALFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of alcohol use (UDALSTOPACT=1)
- (8) Repeatedly got into situations where drinking alcohol increased your chances of getting physically hurt (UDALGETHURT=1)
- (9) Continued to use alcohol even though it was causing problems with emotions, mental health, or physical health, or drinking gave you repeated blackouts (UDALMNTLCTD=1 or UDALHLTHCTD=1 or UDALBLCKCTD=1)
- (10) Needed to drink a lot more alcohol to get the desired feeling, or drinking the same amount had less of an effect (UDALNEEDMOR=1 or UDALLESSEFF=1)
- (11) Reported experiencing two or more alcohol withdrawal symptoms after alcohol use was cut back or stopped or used the same or similar substance to avoid having alcohol withdrawal symptoms during the past 12 months. Symptoms include (i) sweating or feeling that heart was beating fast (UDALWDSWEAT =1); (ii) having hands tremble (UDALWDTRMBL =1); (iii) having trouble sleeping (UDALWDSLEEP =1); (iv) vomiting or feeling nauseous (UDALWDVOMIT =1); (v) seeing, hearing, or feeling things that were not really there (UDALWDHALUC =1); (vi) feeling like could not sit still (UDALWDSITST =1); (vii) feeling anxious (UDALWDFLANX =1); and (viii) having seizures or fits (UDALWDSZURE =1). Substances used to avoid withdrawal symptoms included alcohol (UDALAVWALCO =1) or prescription sedatives, tranquilizers, sleeping pills, or downers (UDALAVWWSVTR =1).

Note: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

D.3.2 MARIJUANA

To be classified with marijuana use disorder, IRPYUD5MRJ, a respondent must have met two or more of the following marijuana criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5MRJ=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5MRJ=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5MRJ=3).

- (1) Ended up using marijuana many times in larger amounts or for a longer time than intended (UDMJLRGAMTS=1)
- (2) One or more times tried and was unable to cut down or stop using marijuana or wished could cut down or stop using marijuana (UDMJNOTSTOP=1 or UDMJWSHSTOP=1)
- (3) Spent a great deal of time using marijuana, feeling its effects, or getting over the effects, or trying to get marijuana (UDMJTIMEGET=1 or UDMJTIMEUSE=1)
- (4) Wanted to use marijuana so badly could not think of anything else (UDMJWANTBAD=1) or had a strong urge to use marijuana (UDMJSTRURGE =1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family (UDMJWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using marijuana (UDMFMLYPRB=1) and continued to use marijuana even though it often caused arguments or problems with family or friends (UDMFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of marijuana use (UDMJSTOPACT=1)
- (8) Repeatedly got into situations where using marijuana increased your chances of getting physically hurt (UDMJGETHURT=1)
- (9) Continued to use marijuana even though it was causing problems with emotions, mental health, or physical health (UDMJMNTLCTD=1 or UDMJHLTHCTD =1)
- (10) Needed to use marijuana a lot more to get the desired feeling, or use of the same amount had less of an effect (UDMJNEEDMOR=1 or UDMJLESSEFF=1)
- (11) Reported experiencing three or more marijuana withdrawal symptoms after marijuana use was cut back or stopped or used the same or similar substance to avoid having marijuana withdrawal symptoms during the past 12 months. Symptoms include

(i) feeling irritable or angry (UDMJWDANGRY=1); (ii) feeling anxious or nervous (UDMJWDFLANX=1); (iii) having trouble sleeping (UDMJWDSLEEP=1); (iv) losing your appetite or losing weight without trying to (UDMJWDAPPET=1); (v) feeling like you couldn't sit still (UDMJWDSITST=1); (vi) feeling depressed (UDMJWDDEPRS=1); and experiencing at least one for the following physical symptoms: stomach ache (UDMJWDSTMCH=1), shaking or tremors (UDMJWDSHAKE=1), sweating (UDMJWDSWEAT=1), fever (UDMJWDFEVER=1), chills (UDMJWDCHILL=1), or headache (UDMJWDHEDAC=1). Substances used to avoid withdrawal symptoms included marijuana, hashish, or another cannabis product (UDMJAVVMARJ=1).

Note: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

D.3.3 COCAINE

To be classified with cocaine use disorder, IRPYUD5COC, a respondent must have met two or more of the following cocaine criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5COC=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5COC=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5COC=3).

- (1) Ended up using cocaine many times in larger amounts or for a longer time than intended (UDCCLRGAMTS =1)
- (2) One or more times tried and was unable to cut down or stop using cocaine or wished could cut down or stop using cocaine (UDCCNOTSTOP=1 or UDCCWSHSTOP=1)
- (3) Spent a great deal of time using cocaine, feeling its effects, or getting over the effects, or trying to get cocaine (UDCCTIMEGET=1 or UDCCTIMEUSE=1)
- (4) Wanted to use cocaine so badly could not think of anything else (UDCCWANTBAD=1) or had a strong urge to use cocaine (UDCCSTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family (UDCCWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using cocaine (UDCCFMLYPRB=1) and continued to use cocaine even though it often caused arguments or problems with family or friends (UDCCFMLYCTD=1)

- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of cocaine use (UDCCSTOPACT=1)
- (8) Repeatedly got into situations where using cocaine increased your chances of getting physically hurt (UDCCGETHURT=1)
- (9) Continued to use cocaine even though it was causing problems with emotions, mental health, or physical health (UDCCMNTLCTD=1 or UDCCHLTHCTD =1)
- (10) Needed to use cocaine a lot more to get the desired feeling, or use of the same amount had less of an effect (UDCCNEEDMOR =1 or UDCCLESSEFF=1)
- (11) Reported at least one of the following: (1) feeling blue or down when trying to stop or cut down using cocaine (UDCCWDFLBLU =1) as well as experiencing two or more additional cocaine withdrawal symptoms (listed below) after cocaine use was cut back or stopped; or (2) having used the same or similar substance to avoid having cocaine withdrawal symptoms during the past 12 months. Symptoms include (i) feeling tired or exhausted (UDCCWDTIRED =1), (ii) having bad dreams (UDCCWDDREAM =1), (iii) having trouble sleeping or sleeping more than normal (UDCCWDSLEEP =1), (iv) feeling hungry more often (UDCCWDHNGRY =1), and (v) feeling either very slowed down or like could not sit still (UDCCWDSITST =1). Substances used to avoid withdrawal symptoms included cocaine (UDCAVWCOCN=1), methamphetamine (UDCAVWMETH=1), or prescription stimulants or uppers (UDCAVWSTIM=1).

Note: Respondents could answer the cocaine use disorder questions if they reported injecting cocaine with a needle in the past year in the special drugs section, even if they reported not using cocaine in the past year in the cocaine section. Thus, situations may exist where respondents were classified as having a cocaine use disorder, even though they had not used cocaine in the past year according to the imputed recency variable (IRCOCRC).

D.3.4 HEROIN

To be classified with heroin use disorder, IRPYUD5HER, a respondent must have met two or more of the following heroin criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5HER=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5HER=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5HER=3).

- (1) Ended up using heroin many times in larger amounts or for a longer time than intended (UDHELRGAMTS =1)
- (2) One or more times tried and was unable to cut down or stop using heroin or wished could cut down or stop using heroin (UDHENOTSTOP=1 or UDHEWSHSTOP=1)
- (3) Spent a great deal of time using heroin, feeling its effects, or getting over the effects, or trying to get heroin (UDHETIMEGET=1 or UDHETIMEUSE=1)
- (4) Wanted to use heroin so badly could not think of anything else (UDHEWANTBAD=1) or had a strong urge to use heroin (UDHESTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job

- getting suspended, expelled, or dropping out of school
- failing to take care of family
(UDHEWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using heroin (UDHEFMLYPRB=1) and continued to use heroin even though it often caused arguments or problems with family or friends (UDHEFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of heroin use (UDHESTOPACT=1)
- (8) Repeatedly got into situations where using heroin increased your chances of getting physically hurt (UDHEGETHURT=1)
- (9) Continued to use heroin even though it was causing problems with emotions, mental health, or physical health (UDHEMNTLCTD=1 or UDHEHLTHCTD=1)
- (10) Needed to use heroin a lot more to get the desired feeling, or use of the same amount had less of an effect (UDHENEEDMOR=1 or UDHELESSEFF=1)
- (11) Reported experiencing three or more heroin withdrawal symptoms after heroin use was cut back or stopped or used the same or similar substance to avoid having heroin withdrawal symptoms during the past 12 months. Symptoms include (i) feeling kind of blue or down (UDHEWDFLBLU=1); (ii) vomiting or feeling nauseous (UDHEWDVOMIT=1); (iii) having cramps or muscle aches (UDHEWDCRAMP=1); (iv) having teary eyes or a runny nose (UDHEWDRUNNY=1); (v) feeling sweaty, having enlarged eye pupils, or having body hair standing up on skin (UDHEWDSWEAT=1); (vi) having diarrhea (UDHEWDDIARR=1); (vii) yawning (UDHEWDYAWN=1); (viii) having a fever (UDHEWDFEVER=1); and (ix) having trouble sleeping (UDHEWDSLEEP=1). Substances used to avoid withdrawal symptoms included heroin (UDHEAVWHERN=1) or prescriptions pain relievers (UDHEAVWPNRL=1).

Note: Respondents could answer the heroin use disorder questions if they reported injecting with a needle, smoking, sniffing, or snorting heroin in the past year in the special drugs section, even if they reported not using heroin in the past year in the heroin section. Thus, situations may exist where respondents were classified as having a heroin use disorder, even though they had not used heroin in the past year according to the imputed recency variable (IRHERRC).

D.3.5 HALLUCINOGENS

To be classified with hallucinogen use disorder, IRPYUD5HAL, a respondent must have met two or more of the following hallucinogen criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5HAL=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5HAL=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5HAL=3).

- (1) Ended up using hallucinogens many times in larger amounts or for a longer time than intended (UDHALRGAMTS =1)

- (2) One or more times tried and was unable to cut down or stop using hallucinogens or wished could cut down or stop using hallucinogens (UDHANOTSTOP=1 or UDHAWSHSTOP=1)
- (3) Spent a great deal of time using hallucinogens, feeling its effects, or getting over the effects, or trying to get hallucinogens (UDHATIMEGET=1 or UDHATIMEUSE=1)
- (4) Wanted to use hallucinogens so badly could not think of anything else (UDHAWANTBAD=1) or had a strong urge to use hallucinogens (UDHASTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family (UDHAWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using hallucinogens (UDHAFMLYPRB=1) and continued to use hallucinogens even though it often caused arguments or problems with family or friends (UDHAFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of hallucinogen use (UDHASTOPACT=1)
- (8) Repeatedly got into situations where using hallucinogens increased your chances of getting physically hurt (UDHAGETHURT=1)
- (9) Continued to use hallucinogens even though it was causing problems with emotions, mental health, or physical health (UDHAMNTLCTD=1 or UDHAHLTHCTD=1)
- (10) Needed to use hallucinogens a lot more to get the desired feeling, or use of the same amount had less of an effect (UDHANEEDMOR=1 or UDHALESSEFF=1)

D.3.6 INHALANTS

To be classified with inhalant use disorder, IRPYUD5INH, a respondent must have met two or more of the following inhalant criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5INH=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5INH=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5INH=3).

- (1) Ended up using inhalants many times in larger amounts or for a longer time than intended (UDINLRGAMTS =1)
- (2) One or more times tried and was unable to cut down or stop using inhalants or wished could cut down or stop using inhalants (UDINNOTSTOP=1 or UDINWSHSTOP=1)
- (3) Spent a great deal of time using inhalants, feeling its effects, or getting over the effects, or trying to get inhalants (UDINTIMEGET=1 or UDINTIMEUSE=1)
- (4) Wanted to use inhalants so badly could not think of anything else (UDINWANTBAD=1) or had a strong urge to use inhalants (UDINSTRURGE =1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job

- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family
(UDINWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using inhalants (UDINFMLYPRB=1) and continued to use inhalants even though it often caused arguments or problems with family or friends (UDINFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of inhalant use (UDINSTOPACT=1)
- (8) Repeatedly got into situations where using inhalants increased your chances of getting physically hurt (UDINGETHURT=1)
- (9) Continued to use inhalants even though it was causing problems with emotions, mental health, or physical health (UDINMNTLCTD=1 or UDINHLTHCTD=1)
- (10) Needed to use inhalants a lot more to get the desired feeling, or use of the same amount had less of an effect (UDINNEEDMOR=1 or UDINLESSEFF=1)

D.3.7 METHAMPHETAMINE

To be classified with methamphetamine use disorder, IRPYUD5MTH, a respondent must have met two or more of the following methamphetamine criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5MTH=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5MTH=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5MTH=3).

- (1) Ended up using methamphetamine many times in larger amounts or for a longer time than intended (UDMELRGAMTS =1)
- (2) One or more times tried and was unable to cut down or stop using methamphetamine or wished could cut down or stop using methamphetamine (UDMENOTSTOP=1 or UDMESHSTOP=1)
- (3) Spent a great deal of time using methamphetamine, feeling its effects, or getting over the effects, or trying to get methamphetamine (UDMETIMEGET=1 or UDMETIMEUSE=1)
- (4) Wanted to use methamphetamine so badly could not think of anything else (UDMEWANTBAD=1) or had a strong urge to use methamphetamine (UDMESTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family
(UDMEWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using methamphetamine (UDMEFMLYPRB=1) and continued to use methamphetamine even though it often caused arguments or problems with family or friends (UDMEFMLYCTD=1)

- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of methamphetamine use (UDMESTOPACT=1)
- (8) Repeatedly got into situations where using methamphetamine increased your chances of getting physically hurt (UDMEGETHURT=1)
- (9) Continued to use methamphetamine even though it was causing problems with emotions, mental health, or physical health (UDMEMNTLCTD=1 or UDMEHLTHCTD=1)
- (10) Needed to use methamphetamine a lot more to get the desired feeling, or use of the same amount had less of an effect (UDMENEEDMOR=1 or UDMELESSEFF=1)
- (11) Reported at least one of the following: (1) feeling blue or down when trying to stop or cut down using methamphetamine (UDMEWDFLBLU=1) as well as experiencing two or more additional methamphetamine withdrawal symptoms (listed below) after methamphetamine use was cut back or stopped; or (2) having used the same or similar substance to avoid having methamphetamine withdrawal symptoms during the past 12 months. Symptoms include (i) feeling tired or exhausted (UDMEWDTIRED=1), (ii) having bad dreams (UDMEWDDREAM=1), (iii) having trouble sleeping or sleeping more than normal (UDMEWDSLEEP=1), (iv) feeling hungry more often (UDMEWDHNGRY=1), and (v) feeling either very slowed down or like could not sit still (UDMEWDSITST=1). Substances used to avoid withdrawal symptoms included methamphetamine (UDMEA VWMETH=1), cocaine or crack (UDMEA VWCOCN=1), or prescription stimulants or uppers (UDMEA VWSTIM=1).

Note: Respondents could answer the methamphetamine use disorder questions if they reported injecting methamphetamine with a needle in the past year in the special drugs section, even if they reported not using methamphetamine in the past year in the methamphetamine section. Thus, situations may exist where respondents were classified as having a methamphetamine use disorder, even though they had not used methamphetamine in the past year according to the imputed recency variable (IRMETHAMREC).

D.3.8 PRESCRIPTION PAIN RELIEVERS

Past year misusers of prescription pain relievers are classified with prescription pain reliever use disorder (IRUD5PNRMIS=1) if they met two or more of the following prescription pain reliever criteria in the past year. More specifically, past year misusers with two or three criteria are considered to have “mild” disorder (IRSEVPNRMIS=1); past year misusers with four or five criteria are considered to have “moderate” disorder (IRSEVPNRMIS=2); and past year misusers with six or more criteria are considered to have “severe” disorder (IRSEVPNRMIS=3). For past year users but not misusers of prescription pain relievers, the number of positive criteria required to classify a respondent with disorder (IRUD5PNRUNM) and to define disorder severity (IRSEVPNRUNM) are the same as for past year misusers. However, criteria 10 and 11 in the list below do not apply to respondents who used but did not misuse prescription drugs in the past year because tolerance and withdrawal can occur as normal physiological adaptations when people use these prescription drugs appropriately under medical supervision. Two additional recodes that include data from all past year users of prescription pain relievers, UDYR5PNRANY and SEVYRPNRANY, are also included on the data file. For past year misusers, UDYR5PNRANY and SEVYRPNRANY will equal IRUD5PNRMIS and IRSEVPNRMIS, respectively. For past

year users but not misusers, UDYR5PNRANY and SEVYRPNRANY will equal IRUD5PNRUNM and IRSEVPNRUNM, respectively.

- (1) Ended up using pain relievers many times in larger amounts or for a longer time than intended (UDPRLRGAMTS =1)
- (2) One or more times tried and was unable to cut down or stop using pain relievers or wished could cut down or stop using pain relievers (UDPRNOTSTOP=1 or UDPRWSHSTOP=1)
- (3) Spent a great deal of time using pain relievers, feeling its effects, or getting over the effects, or trying to get pain relievers (UDPRTIMEGET=1 or UDPRTIMEUSE=1)
- (4) Wanted to use pain relievers so badly could not think of anything else (UDPRWANTBAD=1) or had a strong urge to use pain relievers (UDPRSTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family (UDPRWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using pain relievers (UDPRFMLYPRB=1) and continued to use pain relievers even though it often caused arguments or problems with family or friends (UDPRFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of pain reliever use (UDPRSTOPACT=1)
- (8) Repeatedly got into situations where using pain relievers increased your chances of getting physically hurt (UDPRGETHURT=1)
- (9) Continued to use pain relievers even though it was causing problems with emotions, mental health, or physical health (UDPRMINTLCTD=1 or UDPRHLTHCTD=1)
- (10) Needed to use pain relievers a lot more to get the desired feeling, or use of the same amount had less of an effect (UDPRNEEDMOR=1 or UDPRLSSEFF=1)
- (11) Reported experiencing three or more pain reliever withdrawal symptoms after pain reliever use was cut back or stopped or used the same or similar substance to avoid having pain reliever withdrawal symptoms during the past 12 months. Symptoms include (i) feeling kind of blue or down (UDPRWDFLBLU=1); (ii) vomiting or feeling nauseous (UDPRWDVOMIT =1); (iii) having cramps or muscle aches (UDPRWDCRAMP =1); (iv) having teary eyes or a runny nose (UDPRWDRUNNY =1); (v) feeling sweaty, having enlarged pupils, or having body hair standing up on skin (UDPRWDSWEAT =1); (vi) having diarrhea (UDPRWDDIARR =1); (vii) yawning (UDPRWDYAWNS =1); (viii) having a fever (UDPRWDFEVER =1); and (ix) having trouble sleeping (UDPRWDSLEEP =1). Substances used to avoid withdrawal symptoms included prescription pain relievers (UDPRAVWPNRL=1) or heroin (UDPRAVWHERN=1).

D.3.9 PRESCRIPTION TRANQUILIZERS

Past year misusers of prescription tranquilizers are classified with prescription tranquilizer use disorder (IRUD5TRQMIS=1) if they met two or more of the following prescription tranquilizer criteria in the past year. More specifically, past year misusers with two or three criteria are considered to have “mild” disorder (IRSEVTRQMIS=1); past year misusers with four or five criteria are considered to have “moderate” disorder (IRSEVTRQMIS=2); and past year misusers with six or more criteria are considered to have “severe” disorder (IRSEVTRQMIS=3). For past year users but not misusers of prescription tranquilizers, the number of positive criteria required to classify a respondent with disorder (IRUD5TRQUNM) and to define disorder severity (IRSEVTRQUNM) are the same as for past year misusers. However, criteria 10 and 11 in the list below do not apply to respondents who used but did not misuse prescription drugs in the past year because tolerance and withdrawal can occur as normal physiological adaptations when people use these prescription drugs appropriately under medical supervision. Two additional recodes that include data from all past year users of prescription tranquilizers, UDYR5TRQANY and SEVYRTRQANY, are also included on the data file. For past year misusers, UDYR5TRQANY and SEVYRTRQANY will equal IRUD5TRQMIS and IRSEVTRQMIS, respectively. For past year users but not misusers, UDYR5TRQANY and SEVYRTRQANY will equal IRUD5TRQUNM and IRSEVTRQUNM, respectively.

- (1) Ended up using tranquilizers many times in larger amounts or for a longer time than intended (UDTRLRGAMTS =1)
- (2) One or more times tried and was unable to cut down or stop using tranquilizers or wished could cut down or stop using tranquilizers (UDTRNOTSTOP=1 or UDTRWSHSTOP=1)
- (3) Spent a great deal of time using tranquilizers, feeling its effects, or getting over the effects, or trying to get tranquilizers (UDTRTIMEGET=1 or UDTRTIMEUSE=1)
- (4) Wanted to use tranquilizers so badly could not think of anything else (UDTRWANTBAD=1) or had a strong urge to use tranquilizers (UDTRSTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family (UDTRWORKPRB =1)
- (6) Problems with family or friends that were caused or made worse by using tranquilizers (UDTRFMLYPRB =1) and continued to use tranquilizers even though it often caused arguments or problems with family or friends (UDTRFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of tranquilizer use (UDTRSTOPACT=1)
- (8) Repeatedly got into situations where using tranquilizers increased your chances of getting physically hurt (UDTRGETHURT=1)
- (9) Continued to use tranquilizers even though it was causing problems with emotions, mental health, or physical health (UDTRMNTLCTD=1 or UDTRHLTHCTD=1)

- (10) Needed to use tranquilizers a lot more to get the desired feeling, or use of the same amount had less of an effect (UDTRNEEDMOR=1 or UDTRLESSEFF=1)
- (11) Reported experiencing two or more tranquilizer withdrawal symptoms after tranquilizer use was cut back or stopped or used the same or similar substance to avoid having tranquilizer withdrawal symptoms during the past 12 months. Symptoms include (i) sweating or feeling that your heart was beating fast (UDTRWDSWEAT =1); (ii) having your hands tremble (UDTRWDTRMBL =1); (iii) having trouble sleeping (UDTRWDSLEEP =1); (iv) vomiting or having an upset stomach (UDTRWDVOMIT =1); (v) seeing, hearing, or feeling things that weren't really there (UDTRWDHALUC =1); (vi) feeling like you couldn't sit still (UDTRWDSITST =1); feeling anxious (UDTRWDFLANX =1); having seizures or fits (UDTRWDSURE =1). Substances used to avoid withdrawal symptoms included prescription tranquilizers, sedatives, downers, or sleeping pills (UDTRAVWSVTR =1) or alcohol (UDTRAVWALCO =1).

D.3.10 PRESCRIPTION STIMULANTS

Past year misusers of prescription stimulants are classified with prescription stimulant use disorder (IRUD5STMISMIS=1) if they met two or more of the following prescription stimulant criteria in the past year. More specifically, past year misusers with two or three criteria are considered to have "mild" disorder (IRSEVSTMISMIS=1); past year misusers with four or five criteria are considered to have "moderate" disorder (IRSEVSTMISMIS=2); and past year misusers with six or more criteria are considered to have "severe" disorder (IRSEVSTMISMIS=3). For past year users but not misusers of prescription stimulants, the number of positive criteria required to classify a respondent with disorder (IRUD5STMUNM) and to define disorder severity (IRSEVSTMUNM) are the same as for past year misusers. However, criteria 10 and 11 in the list below do not apply to respondents who used but did not misuse prescription drugs in the past year because tolerance and withdrawal can occur as normal physiological adaptations when people use these prescription drugs appropriately under medical supervision. Two additional recodes that include data from all past year users of prescription stimulants, UDYR5STMANY and SEVYRSTMANY, are also included on the data file. For past year misusers, UDYR5STMANY and SEVYRSTMANY will equal IRUD5STMISMIS and IRSEVSTMISMIS, respectively. For past year users but not misusers, UDYR5STMANY and SEVYRSTMANY will equal IRUD5STMUNM and IRSEVSTMUNM, respectively.

- (1) Ended up using stimulants many times in larger amounts or for a longer time than intended (UDSTLRGAMTS=1)
- (2) One or more times tried and was unable to cut down or stop using stimulants or wished could cut down or stop using stimulants (UDSTNOTSTOP=1 or UDSTWSHSTOP=1)
- (3) Spent a great deal of time using stimulants, feeling its effects, or getting over the effects, or trying to get stimulants (UDSTTIMEGET=1 or UDSTTIMEUSE=1)
- (4) Wanted to use stimulants so badly could not think of anything else (UDSTWANTBAD=1) or had a strong urge to use stimulants (UDSTSTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job

- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family
(UDSTWORKPRB =1)
- (6) Problems with family or friends that were caused or made worse by using stimulants (UDSTFMLYPRB=1) and continued to use stimulants even though it often caused arguments or problems with family or friends (UDSTFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of stimulant use (UDSTSTOPACT=1)
- (8) Repeatedly got into situations where using stimulants increased your chances of getting physically hurt (UDSTGETHURT=1)
- (9) Continued to use stimulants even though it was causing problems with emotions, mental health, or physical health (UDSTMNTLCTD=1 or UDSTHLTHCTD=1)
- (10) Needed to use stimulants a lot more to get the desired feeling, or use of the same amount had less of an effect (UDSTNEEDMOR=1 or UDSTLESSEFF=1)
- (11) Reported at least one of the following: (1) feeling blue or down when trying to stop or cut down using stimulants (UDSTWDFLBLU=1) as well as experiencing two or more additional stimulant withdrawal symptoms after stimulant use was cut back or stopped; or (2) having used the same or similar substance to avoid having stimulant withdrawal symptoms (listed below) during the past 12 months. Symptoms include (i) feeling tired or exhausted (UDSTWDTIRED =1), (ii) having bad dreams (UDSTWDDREAM =1), (iii) having trouble sleeping or sleeping more than normal (UDSTWDSLEEP =1), (iv) feeling hungry more often (UDSTWDHNGRY =1), and (v) feeling either very slowed down or like could not sit still (UDSTWDSITST =1). Substances used to avoid withdrawal symptoms included prescription stimulants or uppers (UDSTAVWSTIM =1), cocaine or crack (UDSTAVWCOCN =1), or methamphetamine (UDSTAVWMETH =1).

D.3.11 PRESCRIPTION SEDATIVES

Past year misusers of prescription sedatives are classified with prescription sedative use disorder (IRUD5SEDMIS=1) if they met two or more of the following prescription sedative criteria in the past year. More specifically, past year misusers with two or three criteria are considered to have “mild” disorder (IRSEVSEDMIS=1); past year misusers with four or five criteria are considered to have “moderate” disorder (IRSEVSEDMIS=2); and past year misusers with six or more criteria are considered to have “severe” disorder (IRSEVSEDMIS=3). For past year users but not misusers of prescription sedatives, the number of positive criteria required to classify a respondent with disorder (IRUD5SEDUNM) and to define disorder severity (IRSEVSEDUNM) are the same as for past year misusers. However, criteria 10 and 11 in the list below do not apply to respondents who used but did not misuse prescription drugs in the past year because tolerance and withdrawal can occur as normal physiological adaptations when people use these prescription drugs appropriately under medical supervision. Two additional recodes that include data from all past year users of prescription sedatives, UDYR5SEDANY and SEVYRSEDANY, are also included on the data file. For past year misusers, UDYR5SEDANY and SEVYRSEDANY will equal IRUD5SEDMIS and IRSEVSEDMIS, respectively. For past year users but not misusers, UDYR5SEDANY and SEVYRSEDANY will equal IRUD5SEDUNM and IRSEVSEDUNM, respectively.

- (1) Ended up using sedatives many times in larger amounts or for a longer time than intended (UDSVLRGAMTS =1)
- (2) One or more times tried and was unable to cut down or stop using sedatives or wished could cut down or stop using sedatives (UDSVNOTSTOP=1 or UDSVWSHSTOP=1)
- (3) Spent a great deal of time using sedatives, feeling its effects, or getting over the effects, or trying to get sedatives (UDSVTIMEGET=1 or UDSVTIMEUSE=1)
- (4) Wanted to use sedatives so badly could not think of anything else (UDSVWANTBAD =1) or had a strong urge to use sedatives (UDSVSTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family (UDSVWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using sedatives (UDSVFMLYPRB=1) and continued to use sedatives even though it often caused arguments or problems with family or friends (UDSVFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of sedative use (UDSVSTOPACT=1)
- (8) Repeatedly got into situations where using sedatives increased your chances of getting physically hurt (UDSVGETHURT=1)
- (9) Continued to use sedatives even though it was causing problems with emotions, mental health, or physical health (UDSVMNTLCTD=1 or UDSVHLTHCTD=1)
- (10) Needed to use sedatives a lot more to get the desired feeling, or use of the same amount had less of an effect (UDSVNEEDMOR=1 or UDSVLESSEFF=1)
- (11) Reported experiencing two or more sedative withdrawal symptoms after sedative use was cut back or stopped or used the same or similar substance to avoid having sedative withdrawal symptoms during the past 12 months. Symptoms include
 - (i) sweating or feeling that heart was beating fast (UDSVWDSWEAT =1); (ii) having hands tremble (UDSVWDTRMBL =1); (iii) having trouble sleeping or sleeping more than normal (UDSVWDSLEEP =1); (iv) vomiting or feeling nauseous (UDSVWDVOMIT =1); (v) seeing, hearing, or feeling things that were not really there (UDSVWDHALUC =1); (vi) feeling like could not sit still (UDSVWDSITST =1); (vii) feeling anxious (UDSVWDFLANX =1); and (viii) having seizures or fits (UDSVWDSZURE =1). Substances used to avoid withdrawal symptoms included prescription sedatives, tranquilizers, sleeping pills, or downers (UDSVAVWSVTR =1), or alcohol (UDSVAVWALCO =1).

D.4 SUD Summary Measures

The Drug Use Disorder version of SUD was created beginning in 2021 and incorporates data from respondents with *any use* of prescription drugs (i.e., misuse or use without misuse). This version of SUD was used to produce the primary measures of SUD for the 2021 Detailed Tables (CBHSQ, 2022c) and 2021 Key Substance Use and Mental Health Indicators report (CBHSQ, 2022b). Another version of SUD incorporates data from respondents whose use of prescription drugs was *misuse*. This version of SUD was labeled Illicit Drug Use Disorder. Both Drug Use

Disorder and Illicit Drug Use Disorder are available on the 2021 data file. Prior to 2021, the only version of SUD available on the data files was Illicit Drug Use Disorder (i.e., the version based on misuse) because people who used but did not misuse prescription drugs were not asked the questions that collected SUD data. An additional variable for SUD was created in 2021 that was based on people who used but did not misuse prescription drugs. This variable, along with the version based on misuse, are combined to create the version of SUD based on any use of prescription drugs.

Summary indicators of overall SUD (i.e., disorder, no disorder) based on DSM-5 criteria were created using combinations of SUD variables described in previous sections. [Tables D.1](#) to [D.3](#) include the summary variable names, the substance for which use disorder is being described, and a short description of each variable. To be classified as having SUD for a summary variable, a respondent must have been classified as having a disorder of at least one of the corresponding substances included in the summary measure. The variables used to create each summary measure can be found in the main body of the codebook.

[Table D.1](#) includes the version of the summary variables that end with “UNM.” These variables incorporate prescription drug use disorder from respondents who were users but not misusers of prescription drugs. These variables were used to produce estimates in the 2021 Key Substance Use and Mental Health Indicators report (CBHSQ, 2022b) but are not used to produce estimates for the 2021 Detailed Tables (CBHSQ, 2022c). [Table D.2](#) includes the version of the summary variables that end with “MIS.” These variables incorporate prescription drug use disorder from respondents who misused prescription drugs. This version of the variable is used to create estimates of use disorder based on the misuse of substances, including Illicit Drug Use Disorder. Estimates for Illicit Drug Use Disorder are reported in the 2021 Detailed Tables and 2021 Key Substance Use and Mental Health Indicators report. [Table D.3](#) includes the version of the summary variables that end with “ANY.” These variables incorporate prescription drug use disorder data from respondents who were users of prescription drugs, regardless of whether they misused prescription drugs. These versions of the SUD variables are used to create use disorder estimates based on any use of prescription drugs, including Drug Use Disorder. Estimates for Drug Use Disorder are the primary SUD estimates reported in the 2021 Detailed Tables and 2021 Key Substance Use and Mental Health Indicators report.

Table D.1 Summary SUD Variables that Incorporate Prescription Drug Use Disorder from Respondents Who Used but Did Not Misuse (UNM) Prescription Drugs

Summary UNM SUD Variable Name	SUD	Description
UD5ILLUNM	Drugs	Drug use disorder including prescription drug use disorder due to the use but not misuse of prescription drugs
UD5IEMUNM	Drugs Other than Marijuana	Drugs other than marijuana use disorder including prescription drug use disorder due to the use but not misuse of prescription drugs
UD5ILALUNM	Drugs or Alcohol	Drug use disorder including prescription drug use disorder due to the use but not misuse of prescription drugs, or alcohol use disorder
UD5PSYUNM	Prescription Psychotherapeutics	Prescription psychotherapeutic use disorder including prescription drug use disorder due to the use but not misuse of prescription drugs
UD5TRQSDUNM	Prescription Tranquilizers or Sedatives	Prescription tranquilizer or sedative use disorder including prescription tranquilizer or sedative use disorder due to the use but not misuse of tranquilizers or sedatives
UD5OPIUNM	Opioids	Opioid use disorder including prescription pain reliever use disorder due to the use but not misuse of pain relievers
UD5CNSUNM	Central Nervous System Stimulants	Central nervous system stimulant use disorder including prescription stimulant use disorder due to the use but not misuse of stimulants
UD5ILAALUNM	Both Drugs and Alcohol	Drug use disorder including prescription drug use disorder due to the use but not misuse of prescription drugs, and alcohol use disorder
UD5ILNALUNM	Drugs Only (No Alcohol)	Drug use disorder including prescription drug use disorder due to the use but not misuse of prescription drugs, and no alcohol use disorder
UD5ALNILUNM	Alcohol Only (No Drugs)	Alcohol use disorder, and no drug use disorder including prescription drug use disorder due to the use but not misuse of prescription drugs

Table D.2 Summary SUD Variables that Incorporate Prescription Drug Use Disorder from Respondents Who Misused Prescription Drugs

Summary Misuse SUD Variable Name	SUD	Description
UD5ILLMIS	Illicit Drugs	Illicit drug use disorder including prescription drug use disorder due to the misuse of prescription drugs
UD5IEMMIS	Illicit Drugs Other than Marijuana	Illicit drugs other than marijuana use disorder including prescription drug use disorder due to the misuse of prescription drugs
UD5ILALMIS	Illicit Drugs or Alcohol	Illicit drug use disorder including prescription drug use disorder due to the misuse of prescription drugs, or alcohol use disorder
UD5PSYMMIS	Prescription Psychotherapeutics	Prescription psychotherapeutic use disorder including prescription drug use disorder due to the misuse of prescription drugs
UD5TRQSDMIS	Prescription Tranquilizers or Sedatives	Prescription tranquilizer or sedative use disorder including prescription tranquilizer or sedative use disorder due to the misuse of prescription drugs
UD5OPIMIS	Prescription Opioids	Prescription opioid use disorder including prescription pain reliever use disorder due to the misuse of pain relievers
UD5CNSMIS	Central Nervous System Stimulants	Central nervous system stimulant use disorder including prescription stimulant use disorder due to the misuse of stimulants
UD5ILAALMIS	Both Illicit Drugs and Alcohol	Illicit drug use disorder including prescription drug use disorder due to the misuse of prescription drugs, and alcohol use disorder
UD5ILNALMIS	Illicit Drugs Only (No Alcohol)	Illicit drug use disorder including prescription drug use disorder due to the misuse of prescription drugs, and no alcohol use disorder
UD5ALNILMIS	Alcohol Only (No Illicit Drugs)	Alcohol use disorder, and no illicit drug use disorder including prescription drug use disorder due to the misuse of prescription drugs

Table D.3 Summary SUD Variables that Incorporate Prescription Drug Use Disorder from Respondents with Any Use of Prescription Drugs

Summary Any Use SUD Variable Name	SUD	Description
UD5ILLANY	Drugs	Drug use disorder including prescription drug use disorder due to any use of prescription drugs
UD5IEMANY	Drugs Other than Marijuana	Drugs other than marijuana use disorder including prescription drug use disorder due to any use of prescription drugs
UD5ILALANY	Drugs or Alcohol	Drug use disorder including prescription drug use disorder due to any use of prescription drugs, or alcohol use disorder
UD5PSYANY	Prescription Psychotherapeutics	Prescription psychotherapeutic use disorder including prescription drug use disorder due to any use of prescription drugs
UD5TRQSDANY	Prescription Tranquilizers or Sedatives	Prescription tranquilizer or sedative use disorder including prescription tranquilizer or sedative use disorder due to any use of tranquilizers or sedatives
UD5OPIANY	Prescription Opioids	Prescription opioid use disorder including prescription pain reliever use disorder due to any use of pain relievers
UD5CNSANY	Central Nervous System Stimulants	Central nervous system stimulant use disorder including prescription stimulant use disorder due to any use of stimulants
UD5ILAALANY	Both Drugs and Alcohol	Drug use disorder including prescription drug use disorder due to any use of prescription drugs, and alcohol use disorder
UD5ILNALANY	Drugs Only (No Alcohol)	Drug use disorder including prescription drug use disorder due to any use of prescription drugs, and no alcohol use disorder
UD5ALNILANY	Alcohol Only (No Drugs)	Alcohol use disorder, and no drug use disorder including prescription drug use disorder due to any use of prescription drugs

References

- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.).
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.).
- Center for Behavioral Health Statistics and Quality. (2022a). *2021 National Survey on Drug Use and Health: Methodological summary and definitions*. Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2022b). *Key substance use and mental health indicators in the United States: Results from the 2021 National Survey on Drug Use and Health* (HHS Publication No. PEP22-07-01-005, NSDUH Series H-57). Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2022c). *Results from the 2021 National Survey on Drug Use and Health: Detailed tables*. Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (forthcoming). *2021 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 10: Editing and imputation report*. Substance Abuse and Mental Health Services Administration.
- Center for Systems Science and Engineering, Johns Hopkins University. (2021). *Coronavirus resource center: Global map: COVID-19 dashboard*. <https://coronavirus.jhu.edu/map.html>
- Edwards, G., & Gross, M. M. (1976). Alcohol dependence: Provisional description of a clinical syndrome. *British Medical Journal*, 1(6017), 1058-1061.
- Fagerstrom, K. O. (1978). Measuring degree of physical dependence to tobacco smoking with reference to individualization of treatment. *Addictive Behaviors*, 3(3-4), 235-241.
- Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., & Fagerstrom, K. O. (1991). The Fagerstrom Test for Nicotine Dependence: A revision of the Fagerstrom Tolerance Questionnaire. *British Journal of Addiction*, 86(9), 1119-1127.
- Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., Rickert, W., & Robinson, J. (1989). Measuring the heaviness of smoking: Using self-reported time to the first cigarette of the day and number of cigarettes smoked per day. *British Journal of Addiction*, 84(7), 791-799.
- Shiffman, S., Hickcox, M., Gnys, M., Paty, J. A., & Kassel, J. D. (1995, March). *The Nicotine Dependence Syndrome Scale: Development of a new measure*. Poster presented at the annual meeting of the Society for Research on Nicotine and Tobacco, San Diego, CA.

Shiffman, S., Paty, J. A., Kassel, J. D., Gnys, M., & Zettler-Segal, M. (1994). Smoking behavior and smoking history of tobacco chippers. *Experimental and Clinical Psychopharmacology*, 2, 126-142.

Shiffman, S., Waters, A. J., & Hickcox, M. (2004, April). The Nicotine Dependence Syndrome Scale: A multi-dimensional measure of nicotine dependence. *Nicotine and Tobacco Research*, 6(2), 327-348.

Appendix E

Recoded Mental Health

E.1 Introduction

The 2021 National Survey on Drug Use and Health (NSDUH) included a “mental health” section of the questionnaire that was designed to provide data on various mental health measures for adults aged 18 or older, such as serious psychological distress (SPD), mental illness (i.e., any mental illness [AMI], serious mental illness [SMI], moderate mental illness [MMI], serious or moderate mental illness [SMMI], low [i.e., mild] mental illness [LMI], and low or moderate mental illness [AMI excluding SMI; LMMI]), and suicidal ideation and behavior (i.e., thoughts, plans, and attempts).

Estimates of past year and past month SPD, past year mental illness, and past year suicidal ideation and behavior including past year suicidal ideation and behavior because of coronavirus disease 2019 (COVID-19) are presented in the *Results from the 2021 National Survey on Drug Use and Health: Detailed Tables* (Center for Behavioral Health Statistics and Quality [CBHSQ], 2022c). These measures, except SPD, also are presented in the *Key Substance Use and Mental Health Indicators in the United States: Results from the 2021 National Survey on Drug Use and Health* report (CBHSQ, 2022b).

This appendix includes details on the creation of the mental illness measures. Guidance regarding analysis of these measures, including weighting and variance estimation information, is also provided in this appendix. Details on the variables used to create the mental illness measures are included in the main body of the codebook.

E.2 2021 NSDUH Comparability

Because of the COVID-19 pandemic, the 2021 NSDUH used multimode data collection, in which respondents could complete the survey via the web or, in eligible locations,¹ in person. As discussed in Chapter 6 of the *2021 National Survey on Drug Use and Health (NSDUH): Methodological Summary and Definitions* report (CBHSQ, 2022a), analysis led to the conclusion that 2021 estimates are not comparable with estimates from 2020 or prior years. Therefore, national reports and tables for the 2021 NSDUH present estimates from 2021 only.

It is not recommended to compare 2021 data with prior years of NSDUH data or to pool 2021 NSDUH data with prior years for analyses. Differences in estimates between 2021 and prior years may be because of multimode data collection in 2021 rather than actual changes in the civilian, noninstitutionalized population of the United States during the COVID-19 pandemic.

E.3 Mental Illness Measures

Past year mental illness estimates found in tables and reports published for the 2021 NSDUH were based on a prediction model for mental illness developed using the 2008 data from the Mental Health Surveillance Study (MHSS). The 2008 model was created from a randomly selected subsample of approximately 1,500 adults in 2008 who had completed the NSDUH interview. Respondents were recruited for a follow-up clinical interview consisting of a

¹ Eligibility of areas for in-person data collection was determined by state- and county-level COVID-19 metrics collected by Johns Hopkins University (Center for Systems Science and Engineering, Johns Hopkins University, 2021).

diagnostic assessment for mental disorders.² In order to determine the optimal scale for measuring functional impairment in NSDUH, roughly half of the adult respondents were assigned to receive an abbreviated eight-item version of the World Health Organization Disability Assessment Schedule (WHODAS; Novak et al., 2010), and the other half were assigned to receive the Sheehan Disability Scale (SDS; Leon et al., 1997). The WHODAS was chosen as the impairment scale to be administered in the 2009 and subsequent NSDUHs (Office of Applied Studies, 2009). For more information on the 2008 MHSS design and analysis, see Colpe et al. (2009) and Office of Applied Studies (2009). Information about the 2008 model is available in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings* (CBHSQ, 2013) and in Section 3.4.7 of the 2020 Methodological Summary and Definitions report (CBHSQ, 2021).

Based on the accumulated MHSS clinical data collected from 2008 to 2012, however, the Substance Abuse and Mental Health Services Administration (SAMHSA) determined the 2008 model had some important shortcomings not detected in the original model fitting because of the small sample of clinical interview respondents in 2008. Specifically, estimates of SMI and AMI among young adults based on the 2008 model were higher than the estimates for this age group based on the clinical interview data. In addition, improvements were needed in the weighting procedures for the MHSS clinical data to account better for undercoverage and nonresponse. Only NSDUH respondents in 2008 who answered their surveys in English were eligible for the clinical follow-up, and people with mental illness appeared to be more likely to participate in the follow-up.

Because of these concerns, SAMHSA fit a more accurate model using combined 2008-2012 clinical data for the 2012 model. To reduce bias and improve prediction, mental health-related variables and an age variable were added to the model. In addition, to protect against potential coverage and nonresponse error, alternatives for the weights were applied to the clinical sample data for the model development.

E.3.1 SMI Prediction Model

The 2012 model is a weighted logistic regression prediction model for mental illness. The response variable Y was defined so that $Y = 1$ when an SMI diagnosis was positive based on the clinical interview; otherwise, $Y = 0$. If \mathbf{x} is a vector of realized explanatory variables, then the response probability $\pi = \Pr(Y = 1 | \mathbf{x})$ can be estimated using a weighted logistic regression model. Details about the 2012 prediction model for SMI are included below. For further technical details on the 2012 prediction models, see the *2012 National Survey on Drug Use and Health: Methodological Resource Book (Section 16a, 2012 Mental Health Surveillance Study: Design and Estimation Report)* (CBHSQ, 2014).

E.3.2 2012 Model

The 2012 SMI prediction model was fit with data from 4,912 WHODAS MHSS respondents from 2008 through 2012, excluding the one case from 2008 and the one case from

² Structured Clinical Interview for the DSM-IV-TR Axis I Disorders, Research Version, Non-patient Edition (SCID-I/NP); clinical interviews would require the use of a diagnostic assessment to identify mental disorders according to criteria based on the 5th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-5; American Psychiatric Association, 2013; First et al., 2002).

2009 that were dropped because of data errors. The final WHODAS calibration model for the 2012 prediction model for SMI was determined as

$$\text{logit}(\hat{\pi}) = \log[\hat{\pi} / (1 - \hat{\pi})] = -5.972664 + 0.0873416X_k + 0.3385193X_w + 1.9552664X_s + 1.1267330X_m + 0.1059137X_a$$

where $\hat{\pi}$ refers to an estimate of the SMI response probability π .

The covariates came from the main NSDUH interview data and were statistically imputed:

- X_k = Alternative Past Year K6 Score (*AKSSLR6WRST*): Past year maximum K6 score of less than 8 recoded as 0; past year maximum K6 score of 8 to 24 recoded as 1 to 17.
- X_w = Alternative WHODAS Score (*WHODASDASC*): WHODAS item score of less than 2 recoded as 0; WHODAS item score of 2 to 3 recoded as 1, then summed for a score ranging from 0 to 8.
- X_s = Serious Thoughts of Suicide in the Past Year (*IRSUICTHNK*): Coded as 1 if “Yes”; coded as 0 otherwise.
- X_m = Past Year MDE (*IRAMDEYR*): Coded as 1 if the criteria for past year major depressive episode (MDE) were met;³ coded as 0 otherwise.
- X_a = Recoded Age (*AGE1830*)⁴: Coded as age minus 18 if aged 18 to 30; coded as 12 otherwise.

[Table E.1](#) displays the WHODAS model specifications for the 2012 SMI prediction model.

Table E.1 Final 2012 WHODAS SMI Prediction Model

Final 2012 Model: AKSSLR6WRST + WHODASDASC + IRSUICTHNK + IRAMDEYR + AGE1830						
Term	Beta	Beta SE	T-statistic	P-value	DF	Wald P-value
Intercept	-5.9727	0.3201	-18.6586	0.0000		
AKSSLR6WRST	0.0873	0.0248	3.5247	0.0009	1	0.0009
WHODASDASC	0.3385	0.0349	9.7034	0.0000	1	0.0000
IRSUICTHNK	1.9553	0.2164	9.0342	0.0000	1	0.0000
IRAMDEYR	1.1267	0.2196	5.1308	0.0000	1	0.0000
AGE1830	0.1059	0.0244	4.3380	0.0001	1	0.0001

DF = degrees of freedom, SE = standard error, SMI = serious mental illness, WHODAS = abbreviated eight-item World Health Organization Disability Assessment Schedule.

The formula for the predicted probability of SMI (SMIPPPY) using the model parameter estimates in [Table E.1](#) (but expressed with more decimal points) is as follows:

³ In this situation, the past year MDE measure is from the main NSDUH interview (i.e., not from the Structured Clinical Interview for DSM-IV [SCID]). See Section 3.4.7 in the 2021 Methodological Summary and Definitions (CBHSQ, 2022a).

⁴ The age variable (AGE1830) is excluded from the file due to disclosure risk.

$$SMIPPPY = 1/(1 + \exp[-(-5.972664 + 0.0873416 * AKSSLR6WRST + 0.3385193 * WHODASDASC + 1.9552664 * IRSUICTHNK + 1.1267330 * IRAMDEYR + 0.1059137 * AGE1830)]).$$

Using the predicted probability of SMI (SMIPPPY), a cut point probability of 0.260573529 was determined so that any respondent with an SMI probability greater than or equal to the cut point was predicted to be SMI positive (SMIPY=1); otherwise, the respondent was predicted to be SMI negative (SMIPY=0). The cut point was chosen so that the weighted numbers of false positives and false negatives in the MHSS dataset were as close to equal as possible. The predicted SMI status for all adult NSDUH respondents was used to compute prevalence estimates of SMI. The estimates of the parameters of the SMI prediction model displayed in the equation are shown in [Table E.1](#).

A second cut point probability of 0.0192519810 was determined so that any respondent with an SMI probability greater than or equal to the cut point was predicted to be positive for AMI (AMIPY=1), and the remainder were predicted to be negative for AMI (AMIPY=0). The second cut point was chosen so that the weighted numbers of AMI false positives and false negatives were as close to equal as possible. The 2021 tables and reports show estimates for AMI, SMI, and AMI excluding SMI.

E.4 Analysis Variables and Weighting

All of the covariate variables used in the SMI prediction model as shown in [Table E.1](#) are included on the 2021 data file. [Table E.2](#) displays the 2021 mental illness variables used to create the estimates in the 2021 Detailed Tables (CBHSQ, 2022c). [Table E.2](#) also displays combination mental illness in variables with the past year substance use disorder (SUD) variables. See the Nicotine Dependence and Substance Use Disorder appendix for more information on the SUD variables.

Table E.2 Mental Illness Variable Names: NSDUH, 2021

Mental Illness Variable Name	Variable Label
SMIPY	RC-IMP SMI IND (1/0) BASED ON PREDICTED SMI PROB PY
SMIPPPY	RC-IMP PREDICTED SERIOUS MENTAL ILLNESS PROB PY
SMMIPY	RC-IMP SMMI IND (1/0) BASED ON PREDICTED SMI PROB PY
AMIPY	RC-IMP AMI IND (1/0) BASED ON PREDICTED SMI PROB PY
MMIPY	RC-IMP MOD MI IND (1/0) BASED ON PRED SMI PROB PY
LMIPY	RC-IMP MILD MI IND (1/0) BASED ON PRED SMI PROB PY
MICATPY	RC-IMP CATEGORICAL MI INDICATOR PY
AMISUD5MIS ¹	RC-IMP AMI AND SUB USE DISORDER - PAST YEAR-DSM-5 – MIS
SMISUD5MIS ¹	RC-IMP SMI AND SUB USE DISORDER - PAST YEAR-DSM-5 – MIS

NOTE: Mental illness aligns with criteria from the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition (DSM-5; American Psychiatric Association, 2013), and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder (SUD). Serious mental illness (SMI) is a subset of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness variables are based on a predictive model and are not direct measures of diagnostic status.

¹ Co-occurring mental illness variables and the SUD variables based on DSM-5 were created. For more information on the DSM-5 SUD variables, see the 2021 Nicotine Dependence and Substance Use Disorder codebook appendix.

Beginning in 2021, the variables used in the prediction model were all statistically imputed, so these variables had no missing data for 2021. Estimates for mental illness in the past year were created for 2021 using the standard analysis weight (ANALWT_C) and the variance estimation variables (VESTR_C and VEREP).

E.5 Limitations in Using the Mental Illness Variables in Analyses

The predicted mental illness variables that were derived from the 2012 model were examined to determine how they were associated with the mental health predictor variables in the 2012 model. It was found that the 2012 model significantly overestimated the proportion of adults aged 18 or older with SMI (and those with AMI) who had suicidal thoughts in the past year and also the proportion of adults who had MDE in the past year. Therefore, it is recommended that the mental illness variables derived from the 2012 model should not be used when analyzing past year suicidal thoughts, past year MDE, or other associated variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, or lifetime MDE). Similarly, it is recommended that model-based mental illness variables should not be used in conjunction with the Kessler-6 (K6) variables (including SPD) or WHODAS variables in any analyses. For details, see the *Estimating Mental Illness among Adults in the United States: Revisions to the 2008 Estimation Procedures* report (CBHSQ, 2015).

E.6 Standard Errors for Mental Illness Measures

Standard errors for SMI estimates (and, likewise, estimates for AMI, SMMI, and AMI excluding SMI) were computed using the NSDUH dichotomous variables without taking into account any variance introduced through using a model based on the clinical subsample data. This ignores the added error resulting from fitting the 2012 SMI model, which can be very large (see the 2012 MHSS Design and Estimation Report; CBHSQ, 2014). These *conditional* standard errors (conditional on the model predictions being correct) are useful when making comparisons across subpopulations (except those involved in modeling) within years because the errors due to model fitting are nearly the same across the estimates being compared.

However, caution is advised when these mental illness measures are used as explanatory variables within a regression analysis because the resulting estimated regression coefficients often will be biased toward zero (Carroll et al., 2006). Stated another way, values of the regression coefficients for these mental illness variables are likely to be attenuated. Consequently, situations in which AMI or specific levels of mental illness (e.g., SMI) are true predictors of a dependent variable of interest in the population may not be significant predictors in regression models that use these variables. If a statistically significant association is identified between these mental illness variables and the dependent variable, however, one can be more confident that this truly is a significant association.

References

- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.).
- Carroll, R. J., Ruppert, D., Stefanski, L. A., & Crainiceanu, C. M. (2006). *Measurement error in nonlinear models: A modern perspective*, 2nd ed. Chaoman & Hall/CRC.
- Center for Behavioral Health Statistics and Quality. (2013). *Results from the 2012 National Survey on Drug Use and Health: Mental health findings* (HHS Publication No. SMA 13-4805, NSDUH Series H-47). <https://www.samhsa.gov/data/report/results-2012-national-survey-drug-use-and-health-mental-health-findings>
- Center for Behavioral Health Statistics and Quality. (2014). *2012 National Survey on Drug Use and Health: Methodological resource book (Section 16a, 2012 Mental Health Surveillance Study: Design and estimation report)*. <https://www.samhsa.gov/data/report/2012-nsduh-mental-health-surveillance-study-design-and-estimation-report>
- Center for Behavioral Health Statistics and Quality. (2015). *Estimating mental illness among adults in the United States: Revisions to the 2008 estimation procedures*. <https://www.samhsa.gov/data/report/2012-nsduh-estimating-mental-illness-among-adults-united-states-revisions-2008-estimation>
- Center for Behavioral Health Statistics and Quality. (2021). *2020 National Survey on Drug Use and Health (NSDUH): Methodological summary and definitions*. <https://www.samhsa.gov/data/report/2020-methodological-summary-and-definitions>
- Center for Behavioral Health Statistics and Quality. (2022a). *2021 National Survey on Drug Use and Health (NSDUH): Methodological summary and definitions*. Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2022b). *Key substance use and mental health indicators in the United States: Results from the 2021 National Survey on Drug Use and Health* (HHS Publication No. PEP22-07-01-005, NSDUH Series H-57). Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2022c). *Results from the 2021 National Survey on Drug Use and Health: Detailed tables*. Substance Abuse and Mental Health Services Administration.
- Center for Systems Science and Engineering, Johns Hopkins University. (2021). *Coronavirus resource center: Global map: COVID-19 dashboard*. <https://coronavirus.jhu.edu/map.html>
- Colpe, L. J., Epstein, J. F., Barker, P. R., & Gfroerer, J. C. (2009). Screening for serious mental illness in the National Survey on Drug Use and Health (NSDUH). *Annals of Epidemiology*, 19(3), 210-211.

- First, M. B., Spitzer, R. L., Gibbon, M., & Williams, J. B. W. (2002). *Structured Clinical Interview for DSM-IV-TR Axis I Disorders, Research Version, Non-patient Edition (SCID-I/NP)*. New York State Psychiatric Institute, Biometrics Research.
- Leon, A. C., Olfson, M., Portera, L., Farber, L., & Sheehan, D. V. (1997). Assessing psychiatric impairment in primary care with the Sheehan Disability Scale. *International Journal of Psychiatry in Medicine*, 27(2), 93-105. <https://doi.org/10.2190/t8em-c8yh-373n-1uwd>
- Novak, S. P., Colpe, L. J., Barker, P. R., & Gfroerer, J. C. (2010). Development of a brief mental health impairment scale using a nationally representative sample in the USA. *International Journal of Methods in Psychiatric Research*, 19(Suppl. 1), 49-60.
- Office of Applied Studies. (2009). *2008 National Survey on Drug Use and Health: Methodological resource book (Section 16, Measuring serious mental illness with the NSDUH: Results of 2008 12-month analysis)*. Substance Abuse and Mental Health Services Administration.

Appendix F

Recoded Adolescent Depression Variable Documentation

F.1 Introduction

The 2021 National Survey on Drug Use and Health (NSDUH) computer-assisted interviewing (CAI) instrumentation included two modules, the adult depression module and the adolescent depression module, which were designed to measure whether respondents had experienced a major depressive episode (MDE) in their lifetime and past year. Additional questions to assess impairment levels caused by MDE and treatment received for depression were included at the end of each MDE module.

The NSDUH CAI questions designed to assess MDE symptoms were based on the criteria in the 5th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-5; American Psychiatric Association, 2013). More specifically, MDE questions for adults were adapted from the depression section of the National Comorbidity Survey-Replication (NCS-R; Harvard School of Medicine, 2005), and questions for youths were adapted from the depression section of the National Comorbidity Survey-Adolescent (NCS-A; Harvard School of Medicine, 2005). To make the modules developmentally appropriate for youths, there are minor wording differences in a few questions between the adult and youth modules. People were classified as having had a lifetime MDE if they had five or more of nine symptoms for MDE in the same 2-week period in their lifetime, in which at least one of the symptoms was a depressed mood or loss of interest or pleasure in daily activities. People were classified as having MDE in the past year if they had a lifetime MDE and a period of time in the past 12 months when they felt depressed or lost interest or pleasure in daily activities for 2 weeks or longer, while also having some of the other symptoms for lifetime MDE.

Estimates of depression are presented in the *Results from the 2021 National Survey on Drug Use and Health: Detailed Tables* (Center for Behavioral Health Statistics and Quality [CBHSQ], 2022c) and in the *Key Substance Use and Mental Health Indicators in the United States: Results from the 2021 National Survey on Drug Use and Health* report (CBHSQ, 2022b).

Starting in 2021, the adult depression variables were imputed. Information about the adult depression variables can be found in the main codebook text and in Section 3.4.7 of the *2021 National Survey on Drug Use and Health (NSDUH): Methodological Summary and Definitions* report (CBHSQ, 2022a). The youth depression variables are not imputed. This appendix provides youth MDE variable specifications and analysis and weighting information. A flowchart ([Figure F.1](#)) is included to provide details regarding the routing logic leading up to the MDE questions specifying which youth respondents were asked the MDE questions and were classified as having MDE.

F.2 2021 NSDUH Comparability

Because of the coronavirus disease 2019 (COVID-19) pandemic, the 2021 NSDUH used multimode data collection, in which respondents could complete the survey via the web or, in eligible locations,¹ in person. As discussed in Chapter 6 of the 2021 Methodological Summary and Definitions report (CBHSQ, 2022a), analysis led to the conclusion that 2021 estimates are

¹ Eligibility of areas for in-person data collection was determined by state- and county-level COVID-19 metrics collected by Johns Hopkins University (Center for Systems Science and Engineering, Johns Hopkins University, 2021).


not comparable with estimates from 2020 or prior years. Therefore, national reports and tables for the 2021 NSDUH present estimates from 2021 only.

It is not recommended to compare 2021 data with prior years of NSDUH data or to pool 2021 NSDUH data with prior years for analyses. Differences in estimates between 2021 and prior years may be because of multimode data collection in 2021 rather than actual changes in the civilian, noninstitutionalized population of the United States during the COVID-19 pandemic.

F.3 MDE Variable Specifications

In the adolescent depression module of NSDUH, respondents aged 12 to 17 were asked a series of introductory questions to determine whether they had a worst period of time where they experienced feeling sad, empty, depressed, discouraged, or a loss of interest. If respondents fit certain criteria based on the routing logic found in these introductory questions, then they were asked the questions related to the nine attributes (symptoms) of MDE. To demonstrate which respondents were actually asked the MDE attributes questions based on these introductory questions, a flowchart using the youth questions is included as [Figure F.1](#). The questions shown in the flowchart refer to the youth depression-associated question name from the CAI instrument specifications as well as the corresponding edited variable name to assist users in mapping the information back to the CAI.

Figure F.1 Routing Logic Prior to Youth Major Depressive Episode (MDE) Attribute Questions



The questions showing the nine attributes of MDE refer to the worst period of time the respondent has had that stood out in the respondent's mind, or, if the respondent did not recall a worst period of time, the questions refer to the most recent period of time when the respondent experienced any or all of the following: sadness, discouragement, or lack of interest in most things. These questions were asked once a youth respondent was routed through the CAI as indicated in the flowchart. **It should be noted that no exclusions were made for MDE caused by medical illness, bereavement, or substance use disorders.**

The coding specifications below for all recoded MDE variables include in parentheses both the youth depression-associated question name from the CAI instrument specifications and the corresponding edited variable name to assist users in mapping the information back to the CAI.

Respondents were classified with lifetime MDE (YMDELT=1) if they had at least five of the nine attributes where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (DSMMDEAY/YODSMMDE=1). Respondents were classified with not having lifetime MDE (YMDELT=2) if they met either of these conditions:

1. Reported experiencing fewer than five out of the nine criteria used to classify youths as having had MDE in their lifetime (DSMMDEAY/YODSMMDE=2).
2. If the number of criteria is unknown (DSMMDEAY/YODSMMDE=94, 97, and 98) and the respondent reported at least one of the following:
 - a. Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (YDS21/YODPREV =2); discouraged about how things were going in life (YDS22/YODSCEV =2); and lost interest in most things usually enjoyable (YDS23/YOLOSEV =2).
 - b. Experienced the feelings in (a), but they did not last most of the day, nearly every day for 2 weeks or longer (YD09/YOLSI2WK=2) or (YD12/YODPR2WK=2).
 - c. Experienced the feelings in (a) most of the day, nearly every day for 2 weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (YD16/YOWRHRS=1).
 - d. Experienced the feelings in (a) most of the day, nearly every day for 2 weeks or longer for at least an hour during those times when mood was most severe and frequent, but emotional distress was mild (YD17/YOWRDST=1); there was never a time when emotional distress was so severe that respondent could not be cheered up (YD18/YWRCHR=4); and there was never a time when emotional distress was so severe that respondent could not carry out daily activities (YD19/YWRIMP=4).
 - e. Experienced the feelings in (a) most of the day, nearly every day for 2 weeks or longer for at least an hour and the severe distress was more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (YD21/YODPPROB=2).

Respondents who were classified with lifetime MDE (YMDELT=1) and who reported that during the past 12 months they had a period of depression lasting 2 weeks or longer, while also having some of the other symptoms mentioned (YOPB2WK=1), were classified as having past year depression (YMDEYR=1). Respondents with no lifetime MDE (YMDELT=2) or respondents with lifetime MDE (YMDELT=1) but no period of depression lasting 2 weeks or longer while having other symptoms (YOPB2WK=2) were classified as not having past year MDE (YMDEYR=2). Otherwise, respondents were classified as system missing for lifetime or past year MDE if they had unknown depression information and/or they were aged 18 or older.

Respondents with lifetime MDE and respondents with recurrent thoughts of death or recurrent suicide ideation (D_MDEA9Y/YO_MDEA9²=1), regardless of MDE classification, were guided through the remainder of the depression module. Because of this second criterion, variables for treatment of depression may have values for respondents who were not classified as having lifetime MDE. If the subpopulation of interest is respondents with lifetime MDE or past year MDE, these restrictions should be implemented in the analysis using the appropriate variables. Users who are interested in the suicide ideation data³ from the depression modules should also be aware of the routing logic shown in [Figure F.1](#) because only a subset of respondents are asked the suicide-related questions.

F.4 MDE with Severe Impairment Variable Specifications

The Sheehan Disability Scale (SDS) is used to measure impairment due to emotions, nerves, or mental health. Respondents classified as having had MDE in the past year were then asked questions from the SDS to measure the level of functional impairment in major life activities reported to be caused by the MDE in the past 12 months (Leon et al., 1997).

The youth SDS measures mental health-related impairment in four major life activities or role domains: (1) cause problems with your chores at home, (2) cause problems with your ability to do well at school or work, (3) cause problems with your ability to get along with your family during that time, and (4) cause problems with your ability to have a social life during that time. These four questions are assessed on a 0 to 10 visual analog scale with categories of “no interference” (0), “mild” (1-3), “moderate” (4-6), “severe” (7-9), and “very severe” (10).

The four SDS role domain variables (YOPSHMGT, YOPSWORK, YOPSRELS, and YOPSSOC, respectively) were recoded as follows: no interference = 1, mild = 2, moderate = 3, severe = 4, and very severe = 5. A maximum impairment score, YSDSOVRL, was then defined as the single highest severity level of role impairment across all four recoded SDS role domains (YSDSHOME, YSDSWRK, YSDSREL, and YSDSSOC). Youths with past year MDE (YMDEYR=1) and ratings greater than or equal to 7 on the original SDS scale (YSDSOVRL=4 or 5) were considered to have severe role impairment (MDEIMPY=1). Respondents aged 12 to 17 were classified as system missing if they had unknown impairment information for all four

² The recurrent thoughts of death or recurrent suicide ideation variable (YO_MDEA9) is excluded from the file due to disclosure risk.

³ The youth suicide estimates presented in the 2021 Detailed Tables (CBHSQ, 2022c) are from the youth mental health service utilization module data, not the adolescent depression suicide module data.

SDS domain variables, were not asked the question due to routing logic, and/or they were aged 18 or older.

F.5 Analysis Weights and Variance Estimation Variables

Estimates for lifetime and past year MDE and MDE with severe impairment were created for 2021 using the standard analysis weight (ANALWT_C) and the variance estimation variables (VESTR_C and VEREP).

References

- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.).
- Center for Behavioral Health Statistics and Quality. (2022a). *2021 National Survey on Drug Use and Health (NSDUH): Methodological summary and definitions*. Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2022b). *Key substance use and mental health indicators in the United States: Results from the 2021 National Survey on Drug Use and Health* (HHS Publication No. PEP22-07-01-005, NSDUH Series H-57). Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2022c). *Results from the 2021 National Survey on Drug Use and Health: Detailed tables*. Substance Abuse and Mental Health Services Administration.
- Center for Systems Science and Engineering, Johns Hopkins University. (2021). *Coronavirus resource center: Global map: COVID-19 dashboard*.
<https://coronavirus.jhu.edu/map.html>
- Harvard School of Medicine. (2005). *Home page: National Comorbidity Survey (NCS)*. [Web page]. <https://www.hcp.med.harvard.edu/ncs/>
- Leon, A. C., Olfson, M., Portera, L., Farber, L., & Sheehan, D. V. (1997). Assessing psychiatric impairment in primary care with the Sheehan Disability Scale. *International Journal of Psychiatry in Medicine*, 27(2), 93-105.

Appendix G

Sample SUDAAN®, SAS®, and Stata Code and Public Use File Estimates

G.1 Introduction

This appendix provides several examples of SUDAAN® (and sometimes SAS® and Stata) code for generating estimates (means and totals along with the standard errors [SEs]), performing statistical tests of differences for means, calculating confidence intervals, and fitting linear or logistic regression models. Additionally, tables showing some estimates for alcohol use, tobacco product use, and serious mental illness are included, using the 2021 National Survey on Drug Use and Health (NSDUH) public use file (PUF). PUF users can ensure that the 2021 PUF data are downloaded correctly, or that code is implemented correctly, by replicating estimates in these tables. Note that the examples in this appendix are created using variable names and data from the NSDUH PUF; however, some variable names may differ when using the NSDUH restricted-use file (RUF). Also note that the estimates in these tables may differ from the estimates in the *Results from the 2021 National Survey on Drug Use and Health: Detailed Tables*,¹ which are based on RUF data. As noted in the 2021 PUF codebook introduction at <https://datafiles.samhsa.gov/>, users are encouraged to apply precision-based suppression rules to estimates from the PUF.

The exhibit number for each example and a description of the example are provided in [Table G.1](#).

Table G.1 Summary of SUDAAN®, Stata, and SAS® Exhibits

SUDAAN Exhibit	Stata Exhibit	SAS Exhibit	Description
G.1	G.2	G.3	Produces estimates (including means, totals, and the respective standard errors)
G.4	G.5	G.6	Calculates the standard errors of totals produced in Exhibits G.1 to G.3 for domains forced to match their respective U.S. Census Bureau population estimates through poststratification during the weighting process
G.7			Performs statistical tests of differences between means
G.8			Calculates a confidence interval using estimates produced in Exhibit G.1
G.9			Calculates percentages and the associated standard errors
G.10			Performs logistic regression (for binary response variables)
G.11			Performs regression analysis (for continuous response variables)

NOTE: An empty cell indicates that no SAS or Stata example is provided for that specific topic.

G.2 Guide for Defining Options for Analyzing NSDUH Data

Before running SUDAAN procedures, the input dataset must be sorted by the nesting variables (VESTR_C and VEREP),² or the NOTSORTED option must be used for SUDAAN to create an internal copy of the input dataset properly sorted by the nesting variables. The SUDAAN procedure DESCRIPT can then be run to produce unweighted sample sizes and weighted (using ANALWT_C for the 2021 PUF) sample sizes, means, totals, SEs of means and totals, and *p* values for testing the differences between means and totals.

¹ Center for Behavioral Health Statistics and Quality. (2022). *Results from the 2021 National Survey on Drug Use and Health: Detailed tables*. Substance Abuse and Mental Health Services Administration.

² VESTR_C = variance estimation (pseudo) stratum, and VEREP = variance estimation (pseudo) replicate within stratum.

Because of coronavirus disease 2019 (COVID-19), the 2021 NSDUH used multimode data collection, in which respondents completed the survey via the web or in person in eligible locations. Methodological investigations led to the conclusion that estimates based on multimode data collection in 2021 are not comparable with estimates from 2020 or prior years. For more details, see Chapter 6 of the *2021 National Survey on Drug Use and Health (NSDUH): Methodological Summary and Definitions*.³

The SAS procedure SURVEYMEANS is used in [Exhibit G.3](#) (shown grouped with [Exhibits G.1](#) and [G.2](#) later in this appendix). Note that SAS also uses VESTR_C and VEREP as nesting variables; however, as previously noted, the data do not need to be sorted.

The options described in the following sections are specified within the SUDAAN and SAS examples to correctly produce estimates using NSDUH data. Stata and SAS commands can be run without the data being sorted; however, it should be noted that Stata code is case sensitive.

G.3 Design

Because of NSDUH's complex sample design, estimates are calculated using a method in SUDAAN that is unbiased for linear statistics. This method is based on multistage clustered sample designs where the first-stage (primary) sampling units are drawn with replacement. In SUDAAN, a user must specify DESIGN=WR (meaning with replacement). Note that with Stata and SAS, the design does not need to be indicated because the svyset command in Stata and the SURVEYMEANS procedure in SAS use Taylor linearized variance estimation as a default.

G.4 Nesting Variables

The NSDUH nesting variables (VESTR_C and VEREP) are used to capture explicit stratification and to identify clustering with the NSDUH data, which are needed to compute the variance estimates correctly. Two replicates per year were defined within each variance stratum (VESTR_C). In SUDAAN, users must use the NEST statement within one of the appropriate SUDAAN procedures. In the NEST statement, the variance stratum variable should be listed first, followed by the primary sampling unit variable; that is, the VESTR_C variable should be listed first, followed by the VEREP variable. In SAS, users must use the STRATA and CLUSTER statements within one of the appropriate SAS procedures. VESTR_C should be listed in the STRATA statement, and VEREP should be listed in the CLUSTER statement. The NEST statement in SUDAAN and the STRATA and CLUSTER statements in SAS will need to be used each time one of the appropriate SUDAAN or SAS procedures are used, respectively. In Stata, the nesting variables are specified in the svyset command.

G.5 Degrees of Freedom

The degrees of freedom (DDF in SUDAAN and dof in Stata) are 60 for the 2002 to 2013 NSDUH national estimates and 50 for the 2014 NSDUH and onward national estimates under the new sampling design established in the 2014 NSDUH. When combining any set of years of data (i.e., 2018 and 2019), the degrees of freedom remain the same as if the set were a single

³ Center for Behavioral Health Statistics and Quality. (2022). *2021 National Survey on Drug Use and Health: Methodological summary and definitions*. Substance Abuse and Mental Health Services Administration.

year (e.g., 50 for national estimates) when these years are part of the same sample design. When combining a pair of years with different degrees of freedom (i.e., 2013 and 2014), the specific number of degrees of freedom can be computed by counting the unique values of VESTR_C or VESTR. For example, when producing estimates by combining data for 2018 and 2019, DDF=50 can be used because the sample design remained the same across those 2 years. When combining data for 2013 and 2014, DDF=110 because the sample design changed in 2014. Note that 2021 data should not be combined with data from prior years.

When comparing estimates in two domains with different degrees of freedom, researchers should err on the conservative side and use the smaller degrees of freedom. For example, when comparing 2013 estimates with 2014 estimates, use DDF=50. For details about degrees of freedom, see Chapter 6 in the *2020 National Survey on Drug Use and Health Methodological Resource Book, Section 13: Statistical Inference Report*.⁴ To specify the degrees of freedom in SUDAAN, the DDF = option on the procedure statement is used. This option should be used each time one of the appropriate SUDAAN procedures is used to ensure correct calculations. The provided SAS exhibits do not include testing or calculation of confidence intervals; therefore, options for specifying degrees of freedom are not shown. In Stata, the degrees of freedom are specified as a design option in the svyset command, “dof(50).”

G.6 Design Effect

The option DEFT4 within SUDAAN provides the correct measure of variance inflation due to stratification (or blocking), clustering, and unequal weighting in NSDUH estimation. The design effect cannot be output directly from the SURVEYMEANS procedure in SAS.

G.7 Examples of SUDAAN, SAS, and Stata Code

G.7.1 Generation of Estimates

[Exhibits G.1](#) through [G.3](#) demonstrate how to compute estimates for past month alcohol use by gender using (1) the SUDAAN DESCRIPT procedure, (2) the Stata svy: mean and svy: total commands, and (3) the SAS SURVEYMEANS procedure, respectively. The SUDAAN example includes code to compute the prevalence estimate (MEAN), SE of the mean (SEMEAN), weighted sample size (WSUM), unweighted sample size (NSUM), weighted total (TOTAL), and SE of the total (SETOTAL). The Stata svy: mean and svy: total commands and the SAS SURVEYMEANS procedure will produce the same estimates. Whether the SETOTAL is taken directly from SUDAAN or from Stata or SAS code depends on whether the specified domain (i.e., gender in this example) is among those forced to match their respective U.S. Census Bureau population estimates through the weight calibration process. For details about calculating the SE of totals, see the Variance Estimation of Estimated Numbers of Individuals section of the 2021 PUF codebook introduction at <https://datafiles.samhsa.gov/>. For examples of code to calculate the SEs of totals, see Section G.7.2 on Standard Errors of the Totals.

⁴ Center for Behavioral Health Statistics and Quality. (2022). *2020 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 13: Statistical inference report*.
<https://www.samhsa.gov/data/report/nsduh-2020-statistical-inference-report>

Exhibit G.1 SUDAAN DESCRIPT Procedure (Mean Estimate and Standard Error Generation by Gender)

```

PROC SORT DATA=DATANAME; /*SAS code to sort output dataset by Nesting Variables*/
BY VESTR_C VEREP;
RUN;

PROC DESCRIPT DATA=DATANAME DDF=50 DESIGN=WR FILETYPE=SAS DEFT4;
/*Alternatively, the DDF may change if using data combined across several years*/
NEST VESTR_C VEREP;
WEIGHT ANALWT_C; /*Standard single-year, PUF person-level analysis weight.
Alternatively, a created pooled weight could be used here to produce annual averages
based on combined years of data.*/
VAR ALCMON; /*Past month alcohol use analysis variable*/
SUBGROUP IRSEX;
/*Gender variable, where male=1 & female=2*/
LEVELS 2;
TABLES IRSEX; /*by gender*/

PRINT WSUM NSUM MEAN SEMEAN TOTAL SETOTAL / REPLACE STYLE=NCHS;
OUTPUT WSUM MEAN SEMEAN TOTAL SETOTAL NSUM DEFFMEAN /REPLACE
NSUMFMT=F8.0 WSUMFMT=F12.0 MEANFMT=F15.10 SEMEANFMT=F15.10 DEFFMEANFMT=F15.10
TOTALFMT=F12.0 SETOTALFMT=F12.0 FILENAME="OUT.SUDFILE";

TITLE "ESTIMATES OF PAST MONTH ALCOHOL USE BY GENDER";
RUN;

```

Note: The following CLASS statement could be used in place of SUBGROUP and LEVELS statements in the above example:

```
CLASS IRSEX;
```

Note: See Section G.7.2 on Standard Errors of the Totals and [Exhibit G.4](#) in this appendix for information on the correct calculation of standard errors of the total.

Exhibit G.2 Stata COMMANDS svy: mean and svy: total (Mean Estimate and Standard Error Generation by Gender)

```

use using ".\\dataname.dta", clear

/*Ensure all variables are lower case*/
rename *, lower

/*ID Nesting variables (VESTR_C and VEREP) and weight variable (ANALWT_C - standard
single-year, person-level analysis weight).*/
svyset verep [pw=analwt_c], strata(vestr_c) dof(50)

gen total_out=.
gen setotal=.
gen mean_out=.
gen semean=.
gen nsum=.
gen wsum=.
gen deffmean=.

```

(continued)

Exhibit G.2 Stata COMMANDS svy: mean and svy: total (Mean Estimate and Standard Error Generation by Gender) (continued)

```

/*Estimated means of past month alcohol use by gender*/

/*Gender variable, where male=1 & female=2*/
svy: mean alcmon, over(irsex)
matrix M=e(b) /*Store mean estimates in matrix M*/
matrix S=e(V) /*Store variances in matrix S*/
matrix N=e(_N) /*Store sample sizes in matrix N*/
matrix W=e(_N_subp) /*Store weighted sample sizes in matrix W*/

estat effects, deff srssubpop/*Obtain design effect*/
matrix D=e(deff) /*Store design effect in matrix D*/

/*Extract values stored in the M, S, N, W, and D matrices defined above to the mean_out, semean, nsum, wsum, and deffmean variables. The loop ensures that the appropriate values are extracted for each value of gender.*/
forvalues j=1/2 { /* number of gender categories*/
    replace mean_out=(M[1,`j']) if irsex==`j'
    replace semean=(sqrt(S[`j`,`j'])) if irsex==`j'
    replace nsum=(N[1,`j']) if irsex==`j'
    replace wsum=(W[1,`j']) if irsex==`j'
    replace deffmean=(D[1,`j']) if irsex==`j'
}

/*Estimated Totals*/
svy: total alcmon, over(irsex)

matrix M=e(b) /*Store total estimates in matrix M*/
matrix S=e(V) /*Store variances in matrix S*/

/*Extract values stored in the M and S matrices defined above to the total_out and setotal variables. The loop ensures that the appropriate values are extracted for value of gender.*/
forvalues j=1/2 { /* number of gender categories*/
    replace total_out=(M[1,`j']) if irsex==`j'
    replace setotal=(sqrt(S[`j`,`j'])) if irsex==`j'
}

keep wsum mean_out semean total_out setotal nsum deffmean irsex

duplicates drop irsex, force /*keep one record per subpopulation
of interest*/

```

(continued)

Exhibit G.2 Stata COMMANDS svy: mean and svy: total (Mean Estimate and Standard Error Generation by Gender) (continued)

```
/*Format wsum, mean_out, semean, total_out, setotal, nsum, and deffmean variables to control appearance in output.*/  
  
format wsum %-12.0fc  
format mean_out %-15.10f  
format semean %-15.10f  
format total_out %-12.0fc  
format setotal %-12.0fc  
format nsum %-8.0fc  
format deffmean %-15.10f  
  
/*Estimates of past month alcohol use by year and gender*/  
list irsex wsum nsum mean_out semean total_out setotal
```

Note: See Section G.7.2 on Standard Errors of the Totals and [Exhibit G.5](#) in this appendix for information on the correct calculation of standard errors of the total.

Exhibit G.3 SAS SURVEYMEANS Procedure (Mean Estimate and Standard Error Generation by Gender)

```
TITLE "ESTIMATES OF PAST MONTH ALCOHOL USE BY GENDER";  
PROC SURVEYMEANS DATA=DATANAME SUMWGT NOBS MEAN SUM;  
STRATA VESTR_C; /*Nesting variable - strata*/  
CLUSTER VEREP; /*Nesting variable - PSU*/  
WEIGHT ANALWT_C; /*Standard single-year, PUF person-level analysis weight.  
Alternatively, a created pooled weight could be used here to produce annual averages  
based on combined years of data.*/  
VAR ALCMON; /*Past month alcohol use analysis variable*/  
DOMAIN IRSEX; /*Gender*/  
/*Gender variable, where male=1 & female=2*/  
ODS OUTPUT DOMAIN=OUT.SASFILE;  
RUN;
```

Note: See Section G.7.2 on Standard Errors of the Totals and [Exhibit G.6](#) in this appendix for information on the correct calculation of standard errors of the total.

G.7.2 Standard Errors of the Totals

The SE for the mean (or proportion) is obtained directly from SUDAAN and SAS in the output variables SEMEAN ([Exhibit G.1](#)) and STDERR ([Exhibit G.3](#)), respectively, and the SEMEAN is calculated in Stata by taking the square root of the variance ([Exhibit G.2](#)). However, to compute the SE of the totals, NSDUH implements different methods depending on whether the specified domain (i.e., gender in this example) is forced to match its respective U.S. Census Bureau population estimates through poststratification during the weighting process. For those domains that are free of sampling error, an alternative SE estimation method to using SUDAAN is applied to estimate the SE of the totals. In the Variance Estimation of Estimated Numbers of Individuals section of the 2021 PUF codebook introduction at <https://datafiles.samhsa.gov/>, [Table G.1](#) lists the demographic domains that use the alternative SE estimation method. For these domains (e.g., forced to match the U.S. Census Bureau population estimates), the SE of the total is calculated as SETOTAL (SE of controlled domain) = WSUM (weighted sample size) ×

SEMEAN (SE for the mean/proportion). For all other domains (e.g., those not forced to match the U.S. Census Bureau population estimates), the SE of the total is obtained directly from SUDAAN and SAS in the output variables SETOTAL and STDDEV, respectively. Because gender is one of the domains that uses the alternative SE estimation method, the SE of the totals would not be taken directly from the examples in [Exhibits G.1](#) through [G.3](#), but rather would be computed using the formula shown in [Exhibits G.4](#) through [G.6](#). Note that the formula is the same in [Exhibits G.4](#) through [G.6](#). [Exhibit G.1](#) shows SUDAAN code, [Exhibits G.2](#) and [G.5](#) use Stata code, and [Exhibits G.3](#), [G.4](#), and [G.6](#) use SAS code.

Exhibit G.4 SAS Code Based on SUDAAN Output (Calculation of Standard Error [SE] of Totals Using the Alternative SE Estimation Method)

```

DATA ESTIMATE;
SET OUT.SUDFILE; /*input the output file from above SUDAAN procedure*/
/****************/
Define SETOTAL for gender because it is a domain forced to match its respective U.S. Census Bureau population estimates.
In the SUDAAN procedure in Exhibit G.1, IRSEX is in the subgroup Statement with 2 levels indicated. Therefore, values for 0=total males & females, 1=males, and 2=females are automatically produced.
/****************/
IF IRSEX IN (0,1,2) THEN SETOTAL=WSUM*SEMEAN;

RUN;

```

Exhibit G.5 Stata Code Based on Stata Output (Calculation of Standard Error [SE] of Totals Using the Alternative SE Estimation Method)

```

generate setotal2=wsum*semean
replace setotal = setotal2 if inlist(irsex,1,2)
/*Note, Stata does not automatically produce overall estimates, i.e., irsex=0*/

```

Exhibit G.6 SAS Code Based on SAS Output (Calculation of Standard Error [SE] of Totals Using the Alternative SE Estimation Method)

```

DATA SASEST;
SET OUT.SASFILE; /*input the output file from above SAS procedure */

IF IRSEX IN (1,2) THEN SETOTAL=SUMWGT*STDERR;
/*Note, SAS does not automatically produce overall estimates, i.e., irsex=0*/

RUN;

```

G.7.3 Statistical Tests of Differences

Significance tests can be conducted on differences of prevalence estimates between two domains. For the SUDAAN example, testing of differences requires a separate PROC DESCRIPT run from the initial DESCRIPT run ([Exhibit G.1](#)) that produces the corresponding gender-specific estimates. Tests of differences can be generated using DESCRIPT's CONTRAST, PAIRWISE, or DIFFVAR statements. The SUDAAN example ([Exhibit G.7](#)) uses the DIFFVAR statement to test for differences of means between males and females of past month alcohol use estimates for all people aged 12 or older.

Exhibit G.7 SUDAAN DESCRIPT Procedure (Tests of Differences)

```
PROC DESCRIPT DATA=DATANAME DDF=50 DESIGN=WR FILETYPE=SAS;
/*Alternatively, the DDF may change if using data combined across several years*/
NEST VESTR_C VEREP;
WEIGHT ANALWT_C;
VAR ALCMON;
SUBGROUP IRSEX;
LEVELS 2;
DIFFVAR IRSEX=(1 2) / NAME="MALES vs FEMALES";
PRINT WSUM NSUM MEAN SEMEAN T_MEAN P_MEAN /
    REPLACE STYLE=NCHS;
OUTPUT WSUM MEAN SEMEAN NSUM T_MEAN P_MEAN /
    REPLACE
    NSUMFMT=F8.0 WSUMFMT=F12.0 MEANFMT=F15.10 SEMEANFMT=F15.10 FILENAME="OUT.SUDTESTS";
TITLE "TESTS OF DIFFERENCES IN ESTIMATES OF PAST MONTH ALCOHOL BETWEEN MALES AND
FEMALES";
RUN;
```

Note: The following CLASS statement could be used in place of SUBGROUP and LEVELS statements in the above examples:
CLASS IRSEX;

When one or more contrasts are specified in SUDAAN, as in the DIFFVAR statement mentioned earlier, the output variable MEAN becomes the contrast mean where the number assigned to the output variable, CONTRAST, represents the tests in order of appearance in the SUDAAN code, and SEMEAN becomes the SE of the contrast mean. The examples provided earlier also output the *t*-statistic (T_MEAN) and the corresponding *p* value (P_MEAN).

G.7.4 Confidence Intervals

Confidence intervals can be calculated using means (MEAN) and SEs (SEMEAN) from PROC DESCRIPT in SUDAAN. After the means and SEs are obtained ([Exhibit G.1](#)), the code in [Exhibit G.8](#) can be used to create the 95 percent confidence intervals for means and totals.

Exhibit G.8 SAS Code Based on SUDAAN Output (Calculating a 95 Percent Confidence Interval)

```
DATA CI;
SET OUT.SUDFILE; /*output data from Exhibit G.1*/
T_QNTILE=TINV(0.975,50); /*define t-statistic*/
NUMBER=SEMEAN/(MEAN*(1-MEAN));
L=LOG(MEAN/(1-MEAN));

A=L-T_QNTILE*NUMBER;
B=L+T_QNTILE*NUMBER;

PLOWER=1/(1+EXP(-A));
PUPPER=1/(1+EXP(-B));
/*PLOWER AND PUPPER ARE THE 95% CIS ASSOCIATED WITH MEAN FROM SUDAAN*/
TLOWER=WSUM*PLOWER;
TUPPER=WSUM*PUPPER;
/*TLOWER AND TUPPER ARE THE 95% CIS ASSOCIATED WITH TOTAL FROM SUDAAN*/
RUN;
```

G.7.5 Calculating Percentages for Categories

[Exhibit G.9](#) demonstrates how to compute estimates corresponding to levels of a categorical variable. This example uses the number of days that marijuana was used in the past month among past month marijuana users. The variable that will be analyzed (MRJMDAYS) is a categorical variable with days grouped into four levels (1 = 1-2 days, 2 = 3-5 days, 3 = 6-19 days, 4 = 20+ days). Because SUDAAN now needs to estimate percentages and SEs for each level of the variable instead of computing only one estimate for the variable overall, the CATLEVEL statement is introduced, and the PERCENT and SEPERCENT keywords replace the MEAN and SEMEAN keywords.

Exhibit G.9 SUDAAN DESCRIPT Procedure (Frequency of Use; i.e., Number of Days Used Substance in the Past Month among Past Month Users)

```
PROC DESCRIPT DATA=DATANAME DDF=50 DESIGN=WR FILETYPE=SAS DEFT4;
/*Alternatively, the DDF may change if using data combined across several years*/
NEST VESTR_C VEREP;
WEIGHT ANALWT_C; /*Standard single-year, PUF person-level analysis weight*/
VAR MRJMDAYS MRJMDAYS MRJMDAYS MRJMDAYS; /*Marijuana Use frequency in the past month
variable: 1=1-2 days, 2=3-5 days, 3=6-19 days, 4=20+ days, 5=did not use marijuana in the
past month*/
CATLEVEL 1 2 3 4; /*levels of MRJMDAYS to be shown in table*/
SUBGROUP MRJMON;
/*Past month marijuana use variable, where used in past month=1 & did not use in past
month=0*/
LEVELS 1;
TABLES MRJMON; /*Tables will show percents among marijuana users*/
PRINT WSUM NSUM PERCENT SEPERCENT TOTAL SETOTAL / REPLACE STYLE=NCHS;
OUTPUT WSUM PERCENT SEPERCENT TOTAL SETOTAL NSUM / REPLACE FILENAME="OUT.SUDFILE_FREQ";
TITLE "FREQUENCY OF MARIJUANA USE BY PAST MONTH MARIJUANA USERS";
RUN;
```

G.7.6 Regression Analysis

Multiple regression analysis can be implemented via PROC RLOGISTIC for logistic regression if the outcome is a binary variable or via PROC REGRESS for linear regression if the outcome is a continuous variable in SUDAAN to study the relationship between an outcome and several covariates. Parameters estimated will primarily include regression coefficients, SEs for beta coefficients, Wald chi-square test or *t*-test, *p* values, and odds ratios (for logistic regression only). [Exhibits G.10](#) and [G.11](#) demonstrate the SUDAAN syntax for such analyses using NSDUH PUF data. For details about regression analyses using SUDAAN, see the SUDAAN operations manual.⁵

Exhibit G.10 SUDAAN RLOGIST Procedure

```
/*Association between alcohol past month use and demographic variables, recode IRMARIT=99 to
IRMARIT=5*/
PROC RLOGIST DATA=DATANAME DDF=50 DESIGN=WR FILETYPE=SAS;
/*Alternatively, the DDF may change if using data combined across several years*/
NEST VESTR_C VEREP;
WEIGHT ANALWT_C;
REFLEVEL AGE3=1 NEWRACE2 =1 INCOME=1; /*Specify Reference Level if not using the default level,
by default, the last level is the reference level*/
SUBGROUP AGE3 IRSEX NEWRACE2 IRMARIT INCOME;
LEVELS 11 2 7 5 4;
MODEL ALCMON=AGE3 IRSEX NEWRACE2 IRMARIT INCOME; /*Model Covariates*/
SETENV DECPWIDTH=6 COLWIDTH=18;
PRINT BETA="BETA" SEBETA="STDERR" DEFT="DESIGN EFFECT" T_BETA="T:BETA=0" P_BETA="P-VALUE"/
RISK=ALL TESTS=DEFAULT T_BETAFMT=F8.2 WALDCHIFMT=f6.2 ORFMT=f10.2 LOWORFMT=f10.2 UPORFMT=f10.2
DFMFT=f7.0;
OUTPUT BETA SEBETA T_BETA P_BETA / REPLACE FILENAME="OUT.MODEL_OUTPUT";
TITLE " MODEL OF ALCMON ";
RUN;
```

Exhibit G.11 SUDAAN REGRESS Procedure

```
/*Association between Body Mass Index and demographic variables, recode IRMARIT=99 to
IRMARIT=5*/
PROC REGRESS DATA=DATANAME DDF=50 DESIGN=WR FILETYPE=SAS;
/*Alternatively, the DDF may change if using data combined across several years*/
NEST VESTR_C VEREP;
WEIGHT ANALWT_C;
REFLEVEL AGE3=1 NEWRACE2 =1 INCOME=1; /*Specify Reference Level if not using the default level,
by default, the last level is the reference level*/
SUBGROUP AGE3 IRSEX NEWRACE2 IRMARIT INCOME;
LEVELS 11 2 7 5 4;
MODEL BMI2=AGE3 IRSEX NEWRACE2 IRMARIT INCOME; /*Model Covariates*/
SETENV DECPWIDTH=6 COLWIDTH=18;
PRINT BETA="BETA" SEBETA="STDERR" DEFT="DESIGN EFFECT" T_BETA="T:BETA=0" P_BETA="P-VALUE"/
TESTS=DEFAULT T_BETAFMT=F8.2 WALDCHIFMT=f6.2 DFFMT=f7.0;
OUTPUT BETA SEBETA T_BETA P_BETA / REPLACE FILENAME="OUT.MODEL_OUTPUT";
TITLE " MODEL OF BMI2 ";
RUN;
```

G.8 Examples of Selected 2021 PUF Tables

[Tables G.2](#) through [G.4](#) are examples of tables of estimates and SEs produced using the 2021 NSDUH PUF and are similar in format to the 2021 Detailed Tables.

⁵ RTI International. (2018). *SUDAAN®, Release 11.0.3* [computer software].

Table G.2 Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month: Among People Aged 12 or Older; by Demographic Characteristics, Percentages and Standard Errors, 2021 NSDUH Public Use File Estimates

Demographic Characteristic	ALCOHOL USE		BINGE ALCOHOL USE		HEAVY ALCOHOL USE	
	Estimate	SE	Estimate	SE	Estimate	SE
TOTAL	47.4	0.43	21.6	0.31	5.9	0.18
AGE						
12-17	6.9	0.52	3.8	0.38	0.4	0.11
18-25	49.7	0.87	29.2	0.70	7.2	0.41
26 or Older	51.9	0.50	22.5	0.39	6.4	0.21
GENDER						
Male	50.0	0.60	23.7	0.48	7.4	0.32
Female	44.9	0.53	19.5	0.46	4.5	0.20
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	48.7	0.46	21.3	0.36	6.2	0.19
White	52.2	0.55	22.0	0.46	6.8	0.26
Black or African American	40.9	1.12	21.4	0.99	5.2	0.50
American Indian or Alaska Native	37.8	4.11	21.3	3.33	7.9	1.95
Native Hawaiian or Other Pacific Islander	30.3	5.13	21.4	5.61	5.2	2.53
Asian	31.8	1.51	11.1	0.91	1.9	0.31
Two or More Races	44.2	2.31	26.8	2.39	5.6	1.07
Hispanic or Latino	41.6	1.20	23.0	0.81	4.7	0.42

PUF = public use file; SE = standard error that is associated with the PUF estimate.

NOTE: NSDUH PUFs are available for download at <https://datafiles.samhsa.gov/>.

NOTE: PUF estimates in this table might differ from the estimates in the “Tobacco Product and Alcohol Use” detailed tables, which are based on restricted-use data.

NOTE: Binge alcohol use is defined as drinking five or more drinks (for males) or four or more drinks (for females) on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. In 2015, the definition for females changed from five to four drinks. Heavy alcohol use is defined as binge drinking on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

NOTE: No precision-based suppression rules have been applied to this table; users are encouraged to apply appropriate suppression rules as needed.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

Table G.3 Tobacco Product Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Demographic Characteristics, Percentages and Standard Errors, 2021 NSDUH Public Use File Estimates

Demographic Characteristic	LIFETIME		PAST YEAR		PAST MONTH	
	Estimate	SE	Estimate	SE	Estimate	SE
TOTAL	56.7	0.55	24.1	0.35	19.6	0.35
GENDER						
Male	63.4	0.65	29.4	0.53	24.0	0.56
Female	50.4	0.67	19.0	0.38	15.4	0.35
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	59.6	0.56	25.3	0.43	21.0	0.41
White	65.0	0.65	26.3	0.54	21.8	0.51
Black or African American	45.9	1.01	26.0	0.90	22.2	0.90
American Indian or Alaska Native	62.9	5.48	35.2	4.06	32.1	4.08
Native Hawaiian or Other Pacific Islander	53.8	7.03	38.2	7.59	22.2	5.87
Asian	32.3	1.80	10.3	1.13	8.6	1.12
Two or More Races	57.3	1.81	27.8	2.27	24.0	2.14
Hispanic or Latino	43.6	1.13	18.4	0.67	13.2	0.64

PUF = public use file; SE = standard error that is associated with the PUF estimate.

NOTE: NSDUH PUFs are available for download at <https://datafiles.samhsa.gov/>.

NOTE: PUF estimates in this table might differ from the estimates in the “Tobacco Product and Alcohol Use” detailed tables, which are based on restricted-use data.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., snuff, dip, chewing tobacco, or snus), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use but includes past month pipe tobacco use.

NOTE: No precision-based suppression rules have been applied to this table; users are encouraged to apply appropriate suppression rules as needed.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

Table G.4 Serious Mental Illness in the Past Year: Among Adults Aged 18 or Older; by Age Group and Demographic Characteristics, Percentages and Standard Errors, 2021 NSDUH Public Use File Estimates

Demographic Characteristic	TOTAL		AGED 18-25		AGED 26-49		AGED 50+	
	Estimate	SE	Estimate	SE	Estimate	SE	Estimate	SE
TOTAL	5.5	0.20	11.4	0.45	7.0	0.29	2.5	0.26
GENDER								
Male	4.0	0.19	6.8	0.51	5.7	0.34	1.7	0.29
Female	6.9	0.32	16.0	0.82	8.3	0.44	3.3	0.43
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	5.7	0.23	12.0	0.50	7.7	0.32	2.6	0.29
White	6.1	0.26	13.5	0.60	8.7	0.46	2.7	0.32
Black or African American	4.3	0.48	6.9	0.98	5.4	0.68	2.3	0.88
American Indian or Alaska Native	8.8	2.58	20.4	6.61	6.3	2.11	5.5	4.14
Native Hawaiian or Other Pacific Islander	4.9	2.27	10.6	5.85	6.3	3.75	0.1	0.16
Asian	3.1	0.61	7.4	1.64	3.4	0.80	1.1	1.09
Two or More Races	8.1	1.12	15.4	3.02	7.9	1.63	4.0	1.64
Hispanic or Latino	4.6	0.43	9.5	0.98	4.4	0.52	2.3	0.66
HEALTH INSURANCE¹								
Private	4.5	0.19	12.2	0.66	5.6	0.33	1.5	0.19
Medicaid/CHIP ²	8.3	0.58	10.6	1.07	9.4	0.66	5.7	0.98
Other ³	4.2	0.36	12.1	1.63	13.6	1.17	2.6	0.37
No Coverage	6.1	0.58	9.0	1.08	6.8	0.81	2.1	0.73
CURRENT EMPLOYMENT								
Full-Time	4.9	0.24	10.7	0.84	5.4	0.30	2.2	0.42
Part-Time	7.2	0.55	13.1	0.82	8.8	1.11	2.0	0.73
Unemployed	8.7	0.83	12.8	1.74	9.2	1.21	4.2	2.08
Other ⁴	5.2	0.35	10.5	1.03	10.2	0.80	2.8	0.35

PUF = public use file; SE = standard error that is associated with the PUF estimate.

NOTE: NSDUH PUFs are available for download at <https://datafiles.samhsa.gov/>.

NOTE: PUF estimates in this table might differ from the estimates in the “Adult Mental Health” detailed tables, which are based on restricted-use data.

NOTE: Serious mental illness (SMI) aligns with *Diagnostic and Statistical Manual of Mental Disorders*, 4th edition (DSM-IV), criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of SMI are a subset of estimates of any mental illness (AMI) because SMI is limited to persons with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

NOTE: No precision-based suppression rules have been applied to this table; users are encouraged to apply appropriate suppression rules as needed.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children’s Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other health insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

⁴ The other employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.