Maytapi Instance Separation Proposal

Overview

A new Maytapi instance can be created for the new system while the existing instance continues to run for the old system, as long as both environments are kept separate in configuration and usage.[cite:56][cite:53] Maytapi presents each phone connection as its own API setup, and its platform supports WhatsApp features such as messaging, webhooks, and group management per connected phone and instance workflow.[cite:56][cite:53]

Current Situation

The current credentials are working for normal chat operations and message sending, but the group automation feature is not working correctly in the present project setup.[cite:53] Maytapi explicitly offers separate group-management capabilities such as creating groups, managing participants, monitoring group activity, and configuring group-related webhooks, which suggests that group automation depends on correct instance-level setup rather than only basic send-message credentials.[cite:53]

What likely happened

The most likely issue is that the existing setup is only correctly configured for basic messaging and webhook behavior, while the group-automation flow needs additional endpoint usage, permissions, webhook handling, or instance-specific configuration.[cite:56][cite:53] Maytapi documents group creation, participant control, and group message monitoring as dedicated capabilities, so a system that can send messages successfully may still fail on group automation if those parts were not fully implemented or validated in the older integration.[cite:53]

Why create a new instance

Creating a new instance for the new project helps isolate the new system from the old production flow.[cite:56] This separation reduces the chance that webhook changes, credential replacement, testing activity, or new group-automation logic will disturb the currently working chat and send-message functions in the old system.[cite:56][cite:53]

Will the old system still work?

In principle, yes: if the old system keeps using its existing credentials, webhook endpoints, and connected instance without modification, it should continue to work as it does today.[cite:56] The new system can then be connected to a different Maytapi instance so development and testing happen independently from the live environment.[cite:56][cite:53]

Safety assessment

This approach is generally safe when the following controls are maintained:[cite:56] [cite:53]

- The old and new systems use different instance credentials.[cite:56]
- Webhooks are configured carefully so one environment does not overwrite the other.[cite:56] [cite:53]
- Testing is done on the new instance first, especially for group creation and group event handling.[cite:53]
- The old instance is not re-paired, reset, or reconfigured during the rollout of the new project.[cite:56]

Important limitation

The final safety depends on one operational detail: whether the new instance uses a separate WhatsApp connection/number or whether it tries to reuse the exact same active WhatsApp session in a conflicting way. Maytapi pricing and setup are described per phone, and the platform flow is based on pairing a phone to start an instance, which indicates that instance separation is tied closely to phone-level connection management.[cite:56] [cite:53] Because of that, the cleanest and safest setup is a separate instance with its own dedicated phone connection for the new project.[cite:56]

Recommended client explanation

The client can be told the following:

> The existing Maytapi instance will remain active for the old system, so the current chat and message-sending features should continue working without interruption, provided nothing is changed in that setup.[cite:56]
> A new Maytapi instance is being created for the new project because the new system includes group automation requirements that need isolated testing and configuration.[cite:53]
> This is the safer approach because it avoids risking the currently running system while the new group features are implemented and validated.[cite:53] [cite:56]

Why this is the right approach

Using a separate instance is a standard risk-control decision in system integration work: live traffic stays on the old environment, while new or unstable functionality is built on an isolated environment first. In this case, group automation is the feature with uncertainty, so isolating it protects the business workflow that already works today.[cite:53] [cite:56]

Practical rollout plan

1. Keep the current instance unchanged for the old application.[cite:56]
2. Create and pair a new Maytapi instance for the new application.[cite:56]
3. Configure separate webhook URLs and credentials for the new project.[cite:56] [cite:53]

4. Test group creation, participant management, and group webhooks only on the new instance first.[cite:53]
5. Move the new project to production only after group automation is verified end to end.[cite:53]

Final note

Creating a new instance is a reasonable and safer approach for this case, especially when the old instance is already in use and only part of the required functionality is working today.[cite:56][cite:53] The only point that should be double-checked before implementation is the exact phone/session mapping in the Maytapi account so that the new setup does not accidentally interfere with the existing live connection.[cite:56]