


€•, f„...†‡^% Š TestRail „† Scribe[≡]
f„Š<...•ŒŒ% ••...Ž<•<
„•f„-••' f'

1

"•...•' " ^••-†•<f-~†ŒŒ%™ www.testrail.com/?utm_term=testrail&utm_cam...

2

Š†„-fŒ„• "Try TestRail"



3

Št„-fE„•E†•<~•"First Name*"„†ŠŠ•"ˆ„•fŠ<, ^TM'%0 ~†„-E-†•>

gher-Quality Faster

at TestRail

Rakuten

cisco

Ford

vmware

Get Started

14-day free trial. No credit card required.

First Name *

Last Name *

Work Email *

Phone Number

Company name *

Country *

How many users do you expect to access TestRail? *

4

Št„-fE„•E†•<~•"Last Name*"„†ŠŠ•"ˆ„•fŠ<, •...-Š-œ• ~†„-E-†•>

Get Started

14-day free trial. No credit card required.

First Name *

Last Name *

Work Email *

Phone Number

Company name *

Country *

How many users do you expect to access TestRail? *

5

Šť, -fĚ, • Ěť • < ~ • "Work Email*" „† ŠŠ•" ^ „ • fŠ<> • ~ • • „...<ĚĚ' • < Ž „ ' (•†ž†Ě< gmail)

gher-Quality -aster

st TestRail



14-day free trial. No credit card required.

First Name *

Test

Last Name *

Tester

Work Email *

name@company.com

Phone Number

Optional

Company name *

Company name

Country *

Ukraine

How many users do you expect to access TestRail? *

After signing up, we will instantly create a new TestRail Cloud account for

6

Šť, -fĚ, • Ěť • < ~ • "Company name*" „† ŠŠ•" ^ „ • • ' " •-%•' Ěť-Š' ~ť, -Ě-†•> , Ěť•...-•~ť, "GoIT"

First Name *

Test

Last Name *

Tester

Work Email *

tt7946652@gmail.com

Phone Number

Optional

Company name *

Company name

Country *

Ukraine

How many users do you expect to access TestRail? *

After signing up, we will instantly create a new TestRail Cloud account for you on our server. Already have a TestRail account you want to use? Please [contact us](#).

7

Šť_~fE_ • Et •<~ • "Country" „† Š—••...^_ • fŠ<> •...†ŸE' — Š—•†"†> <•< f•—f•'

First Name *

Test

Last Name *

Tester

Work Email *

tt7946652@gmail.com

Phone Number

Optional

Company name *

GoIT

Country *

Ukraine

How many users do you expect to access TestRail? *

After signing up, we will instantly create a new TestRail Cloud account for you on our servers.
Already have a TestRail account you want to use? Please [contact us](#).

Web Address *

8

Šť_~fE_ • Et •<~ • "How many users do you expect to access TestRail?" „† Š—••...^_ • •' " •-%•• —Et •E(%)— Š—•†"†> <•< f•—f•', Et•...—•~†", "1"

Work Email *

tt7946652@gmail.com

Phone Number

Optional

Company name *

GoIT

Country *

Ukraine

How many users do you expect to access TestRail? *

After signing up, we will instantly create a new TestRail Cloud account for you on our servers.
Already have a TestRail account you want to use? Please [contact us](#).

Web Address *

Choose a name

.testrail.io

Your account will be available under this address.

9

Šť„-fĚ„•Ě†•<~•"Web Address*"„†ŠŠ•"ˆ••"•-%••f~<Š<™†~•Ě••-™-
 ~ˆ„•...†™-~†„-Ě-†•> (™<žĚ†" <"†Šť„-†-j...-), Ě†•...-•~†", fŠ<, Ÿ™% (•<~<ŠĚ•,
 œ<•Ě†-Šť•'~†'Ěˆ†~•Ě<>)

1

After signing up, we will instantly create a new TestRail Cloud account for you on our server.
 Already have a TestRail account you want to use? Please [contact us](#).

Web Address *

Choose a name .testrail

Your account will be available under this address.

☐ I agree to the [TestRail Cloud Terms of Service](#), the [Gurock Privacy Policy](#) and the [Gurock Data Processing Agreement \("DPA"\)](#).

☐ I'd like to learn about testing best practices, what's new in the industry, and how to use TestRail more effectively. Please send me a weekly newsletter!

Gurock Software GmbH may share your information with its parent company Idera, Inc., and its affiliates company. For further details on how your data is used and stored, please review our [Privacy Policy](#)

10

Ŧˆ"™ˆ„•••†~<•<>•<~•"I agree to the TestRail Cloud Terms of Service,
 the Gurock Privacy Policy
 and the Gurock Data Processing Agreement (DPA)."

After signing up, we will instantly create a new TestRail Cloud account for you on our server.
 Already have a TestRail account you want to use? Please [contact us](#).

Web Address *

testtester111 .testrail

Your account will be available under this address.

☒ I agree to the [TestRail Cloud Terms of Service](#), the [Gurock Privacy Policy](#) and the [Gurock Data Processing Agreement \("DPA"\)](#).

☐ I'd like to learn about testing best practices, what's new in the industry, and how to use TestRail more effectively. Please send me a weekly newsletter!

Gurock Software GmbH may share your information with its parent company Idera, Inc., and its affiliates company. For further details on how your data is used and stored, please review our [Privacy Policy](#)

[Create Account](#)

11

"I'd like to learn about testing best practices, what's new in the industry, and how to use TestRail more effectively. Please send me a weekly newsletter!"

Already have a TestRail account you want to use? Please [confirm](#)

Web Address *

testtester111

Your account will be available under this address.

☒ I agree to the [TestRail Cloud Terms of Service](#), the [Gurock Privacy Policy](#) and the [Gurock Data Processing Agreement \("DPA"\)](#).

☐ I'd like to learn about testing best practices, what's new in the industry, and how to use TestRail more effectively. Please send me a weekly newsletter!

Gurock Software GmbH may share your information with its parent company and its affiliates company. For further details on how your data is used and stored, please see our [Privacy Policy](#).

[Create Account](#)

12

"Create Account"

testtester111

Your account will be available under this address.

☒ I agree to the [TestRail Cloud Terms of Service](#), the [Gurock Privacy Policy](#) and the [Gurock Data Processing Agreement \("DPA"\)](#).

☒ I'd like to learn about testing best practices, what's new in the industry, and how to use TestRail more effectively. Please send me a weekly newsletter!

Gurock Software GmbH may share your information with its parent company and its affiliates company. For further details on how your data is used and stored, please see our [Privacy Policy](#).


[Create Account](#)

13

TestRail (%œ< €• -€†' "••• ' "€¥" €-¥", ••••Š...•• ' •†•†^ " | •†™")


14

€^" •...- ' „•• ~-f„




15

Št„-fE„ • "Confirm Trial Registration" „†-† ••†' „ • " ••^~••† ¥Š-~-E •<•-
†•†' E„ f„ Š<...-„ •f%, ŠE Š~" •...-, „ •f% †Š„<™†„- E<




16


Št„-fE„ • "Skip"




17 Št, -fE, • "Skip"




18 Št, -fE, • "Done"



19 Št „fE„ • "Add Project"



20 Št „fE„ • E† • < ~ • "Name*" „† ŠŠ•" ^ „ • • ' " •-%•• f~<Š<, E†•...-•~†", "GoIT"




21

" < f „ t \$ „ • \$ ^ " T M ^ „ • ' • ^ ~ % „ • < ~ % „ "Use a single repository for all cases (recommended)"

You can post an announcement to the project overview page. This could include links to the project's issue tracker or knowledge base, for example.

☐ Show the announcement on the overview page



☒ **Use a single repository for all cases (recommended)**

A single test suite (repository) is easy to manage and flexible enough for most projects with no or few concurrent versions. You can use sections and subsections to further organize your test cases.



☐ **Use a single repository with baseline support**

Use a single test suite (repository) with the additional option to create baselines to manage multiple branches of your test cases at the same time. This is ideal if you need to test multiple project versions in parallel.

☐ **Use multiple test suites to manage cases**


22

š t „ - f £ „ • "Add Project"



☐ **Use a single repository with baseline support**

Use a single test suite (repository) with the additional option to create baselines to manage multiple branches of your test cases at the same time. This is ideal if you need to test multiple project versions in parallel.



☐ **Use multiple test suites to manage cases**


Multiple test suites can be useful to organize your test cases by functional areas and application modules on the test suite level. This is the traditional mode of TestRail and is automatically used for upgraded projects.

✓ Add Project


✗ Cancel




23 Št, -fE, • "S"




24 Št, -fE, • "TEST CASES"



25



26



← Return to Dashboard

GoIT

OVERVIEW TODO MILESTONES TEST RUNS & RESULTS TEST CASES REPORTS

Test Case

Section *

Test Cases

Template *

Test Case (Text)

Type *

Other

Automation Type

None

References

Conditions

27

28

29 $\text{š} \text{†}_{\text{—}} \text{f} \text{E}_{\text{—}} \bullet \text{"Other"}, \text{œ} \text{<} \bullet \text{Š} \text{—} \bullet \dots \text{†}_{\text{—}} \text{—} \bullet \text{—} \bullet \text{f}_{\text{—}} \text{—} \bullet \dots \text{' f'}$

TEST RUNS & RESULTS TEST CASES REPORTS

Введіть тільки обов'язкові поля

Template *
Test Case (Steps) ▼

Type *
Other ▼

Priority *
Medium

References
?

Automation Type
None ▼

30 $\text{š} \text{†}_{\text{—}} \text{f} \text{E}_{\text{—}} \bullet \text{"Functional"}$

Template *
Test Case (Steps) ▼

References
?

Type *
Other ▼

Priority *
Medium

Acceptance
Accessibility
Automated
Compatibility
Destructive
Functional
Other
Performance
Regression
Security

st cases with [C#](e.g. [C17]).

tion and the expected results. Add the first step.

What are steps?
Enter all test steps to verify this test case

31

Screenshot of the "Preconditions" section in a test case form.

Section *	Template *	Type *
Test Cases	Test Case (Steps)	Functional
Estimate	References	Automation Type
		None

Preconditions

The preconditions of this test case. Reference other test cases with [C#](e.g. [C17]).

Steps

Add steps to this test case

For every test step, enter a short description and the expected results. Add the first step.

32

Screenshot of the "Add the first step" section in a test case form.

Link Profile за наступним посиланням:
goit.global/uk/profile/qaTest

of this test case. Reference other test cases with [C#](e.g. [C17]).

Steps to this test case

For every test step, enter a short description and the expected results. [Add the first step.](#)

Buttons: ✓ Add & Next ✗ Cancel

33

.. • - Ž ^ „ • • • ... Ž - ' • ... < •

інку Profile за наступним посиланням:
[.goit.global/uk/profile/qaTest](https://goit.global/uk/profile/qaTest)

of this test case, Reference other test cases with [C#](e.g. [C17]).

	<p>Expected Result</p>
	  





34

.. • - Ž ^ „ • < ^ • ' Š † € - ' ... • - ' ~ • „ † „ " < ‡ • < • < • ... < • '

посиланням:
[aTest](#)

ther test cases with [C#](e.g. [C17]).

очи валідне значення (від 2 до 70 символів включно)

Share Import


35

©•œ< •< „...•Œ< " < " †„- œ• •...< •-, Œ†„-fŒ^„ • "Add Step" ^ < •-Ž^„ • ¥„ † < ^•' Š†Œ^
...•- ' ~•„ †„- " < Œ-¥




36

Š†„-fŒ^„ • "Add Test Case"



37

38



39 $\alpha < \bullet f, \check{S} < \dots - \dots - \mathbb{E} < \check{S} - ' \dots \bullet f, \dots - \bullet \bullet ' f, \mathbb{E} \dagger \dots - f \mathbb{E} \dots \bullet$ "Add Case"

Test Cases

Sort: Section | Filter: None

☐ Display Deleted Test C

Test Cases 1

ID	Title
C1	Можливість зберегти дані користувача заповнивши тільки обов'язкові поля

[Add Case](#) | [Add Subsection](#)

40 $\mathbb{C} \check{S} \bullet \dots \dots \mathbb{E} \dagger - \check{S} ' \dots \bullet f, \dots - \bullet \bullet ' f' \check{S} \bullet < \sim \wedge$ "Case Title"

Test Cases

Sort: Section | Filter: None

☐ Display Deleted Test C

Test Cases 1

ID	Title
C1	Можливість зберегти дані користувача заповнивши тільки обов'язкові поля

Case Title:

41 Št„-fE„•Æ†•†~<•'

123 Shared

Filter: None ☐ Display Deleted Test Cases (?) + Add

Title

Можливість зберегти дані користувача заповнивши тільки обов'язкові поля

ний тест-кейс ☐ ☒ ☐

42 a <•Š~...•"†•'Št„-„•f„-••'f,Æ†„-fE„•Æ†' <•<Æ†-Š'

Test Cases ☐ ☒ ☐


Sort: Section | Filter: None ☐ Display Deleted Test C

Test Cases 2 ☐

ID	Title
C1	Можливість зберегти дані користувача заповнивши тільки обов'язкові поля
C2	Наступний тест-кейс <input type="checkbox"/>

[Add Case](#) | [Add Subsection](#)

43 Št„-fŒ„ • "Edit"



44 Št•-Ž„ • <•-f„•f„-••' f' , f•-...†> -f• Œ† •...-~†" Š-œ• „† f••†-j ^•††> " <«¬