

Natural Language Processing for Healthcare

DU IA & Santé

Antoine RICHARD¹

¹DSN Bron, Hospices Civil de Lyon, 61 Boulevard Pinel, 69672 Bron, France
antoine.richard@chu-lyon.fr



April 11, 2024

1 Introduction

- Definitions

2 Historical overview of NLP

- Pre-computer Works
- Prior Works
- Rule-based Works
- Machine Learning-based Works
- Deep Learning-based Works

3 NLP in Healthcare context

- Healthcare NLP Problems
- Related works

4 Conclusion

1 Introduction

■ Definitions

2 Historical overview of NLP

- Pre-computer Works
- Prior Works
- Rule-based Works
- Machine Learning-based Works
- Deep Learning-based Works

3 NLP in Healthcare context

- Healthcare NLP Problems
- Related works

4 Conclusion

What is NLP ?

Natural Language Processing


A sub-domain of Artificial Intelligence, at the intersection with linguistic sciences, that aims to automatize tasks linked to natural languages

"NLP researchers aim to gather knowledge on how human beings understand and use language so that appropriate tools and techniques can be developed to make computer systems understand and manipulate natural languages to perform the desired tasks." (CHOWDHARY 2020)

NLP in Artificial Intelligence




NLP and Linguistics¹



1. **DE SAUSSURE 1916** - "Cours de Linguistique Générale"

NLP sub-topics



1 Introduction

- Definitions

2 Historical overview of NLP


- Pre-computer Works
- Prior Works
- Rule-based Works
- Machine Learning-based Works
- Deep Learning-based Works

3 NLP in Healthcare context


- Healthcare NLP Problems
- Related works

4 Conclusion


General Overview^{2 3 4 5}



2. JONES 1994 - "Natural Language Processing : A Historical Review"
3. JOHRI et al. 2021 - "Natural Language Processing : History, Evolution, and Future Work"
4. PESTOV 2018 - "A History of Machine Translation from the Cold War to Deep Learning"
5. https://en.wikipedia.org/wiki/Artificial_intelligence#History

Machine Translation - Peter Troyanskii^{9 10 11}


"Translating Machine"
patented by
Peter Troyanskii




I Я ИХІ YO	WANT ХОТЕТЬ WOLLEN QUERER	MANY МНОГО VIEL MUCHO	PERSIMMON ХЫПТА PERSIMONE CACHH
PRP, SUBJ, SINGULAR	VBP, PRESENT, SIMPLE, TRANSITIVE	JJ, DETERM, COMPARATIVE	NN5, PLURAL, COUNTABLE

9. HUTCHINS 2002 - "Two Precursors of Machine Translation : Artsrouni and Trojanskii"
10. HUTCHINS et LOVTSKII 2000 - "Petr Petrovich Troyanskii (1894–1950) : A Forgotten Pioneer of Mechanical Translation"
11. <https://machinetranslate.org/petr-trojanskii>

Encrypting & Decrypting Messages - Enigma, Colossus & Bombe^{12 13 14}



Enigma G




Colossus II



Bletchley Park's Bombe

12. [DEAVOURS et REEDS 1977](#) - "The Enigma Part I Historical Perspectives"
13. [GOOD 1979](#) - "Early Work on Computers at Bletchley"
14. [O'REGAN 2018](#) - "Colossus and Code Breaking at Bletchley Park"


Artificial Neural Networks - McCulloch & Pitts^{15 16}



1943


First Mathematical Formulation of Neural Networks by McCulloch and Pitts in Mathematical Biophysics

$$\begin{aligned} N_4(t) &::= \frac{\infty N_1(t-1) \cdot N_2(t-1) \blacktriangledown N_3(t-1) \cdot \blacktriangledown N_1(t-1)}{N_2(t-1) \cdot N_3(t-1)} \\ N_4(t) &::= \frac{\infty N_1(t-2) \cdot N_2(t-2) \blacktriangledown N_3(t-2) \cdot \blacktriangledown N_1(t-2)}{N_2(t-2) \cdot N_3(t-2)} \\ N_3(t) &::= N_2(t-2) \cdot \infty N_1(t-3) \\ N_2(t) &::= N_1(t-1) \cdot N_1(t-2) \end{aligned}$$




15. McCulloch et Pitts 1943 - "A Logical Calculus of the Ideas Immanent in Nervous Activity"
16. Russell et Norvig 2021 - "Artificial intelligence a modern approach" - 4th ed.

NLP - First Conferences




Chatterbots - The Turing Test¹⁸



17. **TURING 1950** - "Computing Machinery and Intelligence"

18. https://en.wikipedia.org/wiki/Turing_test


Pattern Matching - Regular Expressions (RegEx)



19. [KLEENE 1951](#) - "Representation of Events in Nerve Nets and Finite Automata"

20. [JOHNSON et al. 1968](#) - "Automatic Generation of Efficient Lexical Processors Using Finite State Techniques"

21. THOMPSON 1968 - "Programming Techniques : Regular Expression Search Algorithm"

Machine Translation - IBM's Russian-English Translator (1)^{22 23}

1954

The Goergetown-IBM Experiment



22. [MACDONALD 1954](#) - "Language translation by machine : a report of the first successful trial"
23. [HUTCHINS 2004](#) - "The Georgetown-IBM Experiment Demonstrated in January 1954"

Machine Translation - IBM's Russian-English Translator (2)^{24 25}

EXTRACT FROM DICTIONARY

Russian Word	English Equivalents:		1st	2nd	3rd
	I	II	Code	Code	Code
k	to	for	121	***	23
kyisloroda-	oxygen	***	***	***	00
lyishyenyi-	deprival	***	***	222	00
matyeryial-	material	***	***	***	00
mi	we	***	***	***	23
midlyi	thoughts	***	***	***	00
mnog-	many	***	***	***	00
myedj	copper	***	***	***	21
myest-	place	site	151	***	23
myexanyichyesk-	mechanical	***	***	242	00
myezhdunarodn-	international	***	***	***	00
na	on	for	121	***	23
napadyernyi-	attack	attacks	121	***	00
nauka	a science	***	***	242	00
obrabotka	processing	***	***	***	00
obyekti-	objective	objectives	121	***	00
ofitsiyer-	an officer	the officer	***	***	00
-ogo	of	***	131	***	23
-on	by	***	131	***	00
opryedyelyayet	determines	***	***	***	00
opryedyelyayetsya	is determined	***	***	***	00
optyichyesk-	optical	***	***	***	00
orudyye	gun	***	***	241	00
otdyel-	section	***	***	***	00
otdyelyenyeye	division	aquad	121	242	00
otnosheeni-	relation	the relation	151	***	00

Rules of Operational Syntax

RULE 1: REARRANGEMENT

If first code is '110', is third code associated with preceding complete word equal to '23'? If so, reverse order of appearance of words in output (i.e., word carrying '23' should follow that carrying '110')—otherwise, retain order.

In both cases English equivalent I associated with 'III' is adopted.

RULE 2: CHOICE-FOLLOWING TEXT

If first code is '221', is second code of the following complete, subdivided or partial (root or ending) word equal to '221' or '222'? If it is '221', adopt English equivalent I of word carrying '221'; if it is '222', adopt English equivalent II.

In both cases, retain order of appearance of output words.

RULE 3: CHOICE-REARRANGEMENT

If first code is '131', is third code of preceding complete word or neither portion (root or ending) of preceding substituted word equal to '23'? If so, adopt English equivalent II of word carrying '131', and retain order of appearance of words in output - if not, adopt English equivalent I and reverse order of appearance of words in output.

RULE 4: CHOICE-PREVIOUS TEXT

If first code is '141', is second code of preceding complete word or either portion (root or ending) of preceding subdivided word equal to '241' or '242'? If it is '241', adopt English equivalent I of word carrying '141'-if it is '242' adopt English equivalent II.

In both cases, retain order of appearance of words in output.

RULE 5: CHOICE-OMISSION

If first code is '151', is third code of following complete word, or either portion (root or ending) of following subdivided word equal to '25'? If so, adopt English equivalent II of word carrying '151' -if not, adopt English equivalent I.

In both cases, retain order of appearance of words in output.

RULE 6: SUBDIVISION

If first code associated with a Russian Dictionary word is '***', then adopt English equivalent 1 of alternative English language equivalents, retaining order of appearance of output with respect to previous word.

24. [MACDONALD 1954](#) - "Language translation by machine : a report of the first successful trial"
25. [HUTCHINS 2004](#) - "The Georgetown-IBM Experiment Demonstrated in January 1954"

Machine Translation - IBM's Russian-English Translator (3)^{26 27}

Input :
 \Rightarrow vyelyichyina ugla
 opryedyelyayetsya
 otnoshenyiyem
 dlyini dugi k radiusu


RUSSIAN WORD	ENGLISH EQUIVALENTS		1st	2nd	3rd	RULE NO.
	I	II	CODE	CODE	CODE	
vyelyichyina	magnitude	---	***	***	**	1
ugl-	coal	angle	121	***	25	2
-a	of	---	131	222	25	3
opryedyelyayestsa	is determined	---	***	***	**	4
otnoshyeni-	relation	the relation	151	***	**	5
-ya	by	---	131	***	**	3
dyin-	length	---	***	***	**	6
-i	of	---	131	***	25	3
dyg-	arc	---	***	***	**	6
-i	of	---	131	***	25	3
k	to	for	121	***	23	2
redyus-	radius	---	***	221	**	6
-u	to	---	131	***	**	3

Output :
Magnitude of angle \Rightarrow is determined by the \Rightarrow relation of length of arc to radius.



26. [MACDONALD 1954](#) - "Language translation by machine : a report of the first successful trial"
27. [HUTCHINS 2004](#) - "The Georgetown-IBM Experiment Demonstrated in January 1954"

NLP - A First Wave of Chatterbots



32. [BOBROW et al. 1964](#) - "Natural language input for a computer problem solving system"
33. [WEIZENBAUM 1966](#) - "ELIZA — a computer program for the study of natural language communication between man and machine"
34. [WINOGRAD 1971](#) - "Procedures as a representation for data in a computer program for understanding natural language"
35. <http://www.jabberwacky.com/j2about>
36. [WALLACE 2009](#) - "The Anatomy of A.L.I.C.E."

Chatterbots - STUDENT³⁷

Input :

If the number of customers Tom gets is twice the square of 20% of the number of advertisements he runs, and the number of advertisements is 45, then what is the number of customers Tom gets?

Patterns :

- "the square of ..."
- "... percent of ..."
- "... plus ..."
- "difference between ... and ..."
- etc.

Output :

(THE EQUATIONS TO BE SOLVED ARE)

(EQUAL X00001 (NUMBER OF CUSTOMERS TOM (GETS/VERB)))
 (EQUAL (NUMBER OF ADVERTISEMENTS (HE/PRO) RUNS) 45)
 (EQUAL (NUMBER OF CUSTOMERS TOM (GETS/VERB)) (TIMES 2
 (EXPT (TIMES .2 (NUMBER OF ADVERTISEMENTS (HE/PRO) RUNS)) 2)))
 (THE NUMBER OF CUSTOMERS TOM GETS IS 162)

Rules :


(EXPT A 2)
(TIMES B (QUOTIENT A 100))
(PLUS A B)
(MINUS A B)
etc.

37. [BOBROW et al. 1964](#) - "Natural language input for a computer problem solving system"

Chatterbots - SHRDLU³⁸ and the "blocks world"³⁹

Input :


Pick up the red block



Output :

OK

- (1) move green block
- (2) pick red block



38. WINOGRAD 1971 - "Procedures as a representation for data in a computer program for understanding natural language"

39. https://en.wikipedia.org/wiki/Blocks_world

Chatterbots - ELIZA (a.k.a., the "DOCTOR")^{40 41 42}

Rules :

(MY = YOUR 2)
(0 YOUR 0 (/FAMILY) 0)
(TELL ME MORE ABOUT YOUR FAMILY)
(WHO ELSE IN YOUR FAMILY 5)
(YOUR 4)
(WHAT ELSE COMES TO MIND WHEN
YOU THINK OF YOUR 4)
Etc.

Memory :

(ME = YOU)
(THINK DLIST(/BELIEF))
(MOM = MOTHER DLIST(/ FAMILY))
((0) (HATES))

ELIZA :

How do you do. Please tell me your problem.

YOU :

I think my mom hates me

ELIZA :

Who else in your family hates you?

YOU :


Only my mom

ELIZA :

What else comes to your mind
when you think of your mom?

40. [WEIZENBAUM 1966](#) - "ELIZA — a computer program for the study of natural language communication between man and machine"
41. [RFC439 1973](#) - "PARRY encounters the DOCTOR"
42. <https://www.masswerk.at/eliza/>

NLP - The Automatic Language Processing Advisory Committee (ALPAC) Report⁴⁴



Report's Conclusion :

Researches conducted in NLP during last decade failed to fulfil their goals

Conducted to



with
"Perceptrons"
by

MINSKY et PAPERT 1969

and

other events⁴³


The First



"AI Winter"


43. https://en.wikipedia.org/wiki/AI_winter

44. [PIERCE et al. 1966](#) - "Language and Machines : Computers in Translation and Linguistics"

Knowledge Engineering - Semantic Networks⁵⁵ and Knowledge Graphs⁵⁶


48. [SHAPIRO 1971](#) - "A net structure for semantic information storage, deduction and retrieval"
49. [SCHNEIDER 1973](#) - "Course Modularization Applied : The Interface System and Its Implications For Sequence Control and Data Analysis."
50. [WOODS 1975](#) - "What's in a link : Foundations for semantic networks"
51. [SOWA 1976](#) - "Conceptual graphs for a data base interface"
52. [BRACHMAN 1979](#) - "On the epistemological status of semantic networks"
53. [SHAPIRO 1979](#) - "The SNePS semantic network processing system"
54. [SRI NURDIATI et HOEDE 2008](#) - "25 years development of knowledge graph theory : the results and the challenge"
55. [SOWA 1992](#) - "Semantic networks"
56. [HOGAN et al. 2021](#) - "Knowledge Graphs"

Knowledge Engineering - Semantic Networks Example (2)⁵⁸



58. SOWA 1992 - "Semantic networks"

Text Generation - SCIGen^{65 66}



Router: A Methodology for the Typical Unification of Access Points and Redundancy

University of California, San Diego, La Jolla, California

Journal of Management Inquiry 20(4)

The rest of this paper is organized as follows. The authors first review the road to 1945-type rates. We then go back to work in tandem with the prior work in this area. To all these, this document also displays that even though the most recent economic expansion for the construction of capital, including capacity for both (28 + 37) million, which retained deposits can be used again, decentralized, and

References

© 2000 Blackwell Science Ltd, *Journal of Internal Medicine* 247: 395–402

11. Discussion

[illegible]

© 2000 Blackwell Science Ltd
Journal of Internal Medicine 247: 351–359

Any machine system of cryptographic techniques will clearly require the use of numerous related algorithms for the encryption of individual messages by Design 1 (A-S), via applications to be different. The question is, will there exist a set of 12 different machines? Or

Telnet users, on occasion, like to display a webmaster's IP address. Some might believe that they can find out the IP address by telnetting to the webmaster's IP address. In fact, this is not the case. The IP address is not displayed in the telnet output. The only way to find out the IP address is by using a tool like *nslookup* or *dig*.


PH 100-40004

The implementation of the approach is illustrated through an empirical analysis. Finally, we discuss some related work and future research.

65. <https://pdos.csail.mit.edu/archive/scigen/>

66. **LABBÉ et LABBÉ 2013** - "Duplicate and fake publications in the scientific literature : how many SCIngen papers in computer science?"

Knowledge Engineering - Ontologies⁷³



67. [POWERS 1984](#) - "Natural language the natural way")

68. [POWERS 1990](#) - "Goals, Issues and Directions in Machine-Learning of Natural Language and Ontology")


69. [GRUBER 1995](#) - "Toward principles for the design of ontologies used for knowledge sharing?")

70. [PAN 2009](#) - "Resource Description Framework"

71. [MUSEN 2015](#) - "The protégé project : a look back and a look forward"


72. [ANTONIOU et HARMELEN 2009](#) - "Web Ontology Language : OWL"

73. [BREITMAN, CASANOVA et TRUSZKOWSKI 2007](#) - "Ontology in Computer Science")

Knowledge Engineering - Snapshot of a part of the DBpedia ontology⁷⁴

74. [LEHMANN et al. 2015](#) - "Dbpedia—a large-scale, multilingual knowledge base extracted from wikipedia"

NLP - Statistical Approaches⁷⁷




75. [CHARNIAK 1993](#) - "Statistical Language Learning"

76. [MANNING et SCHUTZE 1999](#) - "Foundations of Statistical Natural Language Processing"

77. [MARCUS 1995](#) - "New Trends in Natural Language Processing : Statistical Natural Language Processing"

Machine Learning - General Idea



NLP - Tokenization⁸⁰

"Lorem ipsum dolor
sit amet, consectetur
adipiscing elit."

token	id
"Lorem"	42
"ipsum"	18
"dolor"	7
"sit"	180
"amet"	8104
","	2
"con#"	123
"#sectetur"	12
"a#"	101
"#dipisc#"	749
"#ing"	194
"elit"	718
""	17

$$X = \{42, 18, 7, 180, 8104, 2, 123, 12, 101, 749, 194, 718, 17\}$$

80. [MIELKE et al. 2021](#) - "Between words and characters : a brief history of open-vocabulary modeling and tokenization in nlp"

N-grams^{81 82}

"Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent facilisis justo sed nisi commodo eleifend. Donec commodo consequat justo id sollicitudin. Nunc feugiat commodo erat ac viverra. In ullamcorper gravida eros. Nullam massa metus, rutrum vitae dolor et, varius malesuada erat. Phasellus sagittis eros non ante sodales blandit a ut odio. Sed non ultrices neque. Cras euismod egestas diam ac aliquam. Donec consequat consectetur risus sit amet pretium. Nulla leo ex, interdum quis tempor in, congue vitae ex. Suspendisse potenti. Aenean eu pretium odio..."




bi-gram	count	frequency
"sit amet"	5	1.19
"ac viverra"	2	0.48
"a ex"	2	0.48
"eros Nullam"	2	0.48
"tempor in"	2	0.48
"vitae dolor"	2	0.48
"dolor et"	2	0.48
"nec scelerisque"	2	0.48

81. MANNING et SCHUTZE 1999 - "Foundations of Statistical Natural Language Processing"

82. <http://guidetodatamining.com/ngramAnalyzer/index.php>

83 84


I	S
"Lorem ipsum dolor sit amet"	"consectetur"
"Phasellus consectetur dui vitae diam faucibus"	"vitae"
"Phasellus porta fermentum lorem"	"at mattis"
"Sed eros est"	"viverra"
"Integer venenatis aliquam lectus"	"eu dapibus"
"Phasellus vitae ante vitae"	"tortor"
"Curabitur ex tellus"	"pulvinar"
"Nunc posuere vitae"	"sapien"
"In pretium cursus lacus vel"	"lobortis"
"Vestibulum augue nisl"	"ullamcorper"
"Cras convallis"	"eros"
"Nullam euismod"	"dolor"
"Fusce efficitur porta libero et"	"luctus"



83. [EMMS et LUZ 2007](#) - "Machine learning for natural language processing"

84. ZHANG et TENG 2021 - "Natural Language Processing : A Machine Learning Perspective"

NLP - First Successes of Deep Learning^{92 93}



89. ALLEN 1987 - "Several studies on natural language and back-propagation"


90. MIKKULAINEN et DYER 1991 - "Natural Language Processing With Modular Pdp Networks and Distributed Lexicon"

91. BENGIO et al. 2003 - "A Neural Probabilistic Language Model"

92. DENG et LIU 2018 - "Deep Learning in Natural Language Processing"

93. GOLDBERG 2016 - "A primer on neural network models for natural language processing"


Deep Learning - Multi-Layered Neural Networks^{94 95}



94. LECUN, BENGIO et HINTON 2015 - "Deep Learning"

95. CHARNIAK 2019 - "Introduction to Deep Learning"

Deep Learning - Long Short-Term Memory (LSTM)^{96 97}



97. [SHERSTINSKY 2020](#) - "Fundamentals of Recurrent Neural Network (RNN) and Long Short-Term Memory (LSTM) network"

Deep Learning - Word Embeddings^{98 99}

token	id
"Lorem"	42
"ipsum"	18
"dolor"	7
"sit"	180
"amet"	8104
","	2
"con#"	123
"#sectetur"	12
"a#"	101
"#dipisc#"	749
"#ing"	194
"elit"	718
""	17


unsupervised

learning




embeddings				
0.81	0.41	0.18	...	0.01
0.19	0.22	0.81	...	0.73
0.61	0.28	0.08	...	0.91
0.03	0.88	0.99	...	0.08
0.81	0.82	0.17	...	0.42
0.12	0.58	0.72	...	0.99
0.47	0.49	0.89	...	0.07
0.83	0.12	0.45	...	0.82
0.54	0.92	0.64	...	0.78
0.18	0.04	0.18	...	0.27
0.89	0.04	0.02	...	0.81
0.74	0.47	0.78	...	0.87
0.98	0.88	0.03	...	0.81

99. [ALMEIDA et XEXÉO 2023](#) - "Word Embeddings : A Survey"

Chatterbots - Microsoft's Tay¹⁰⁵ ¹⁰⁶




106. [SUÁREZ-GONZALO, MAS MANCHÓN et GUERRERO SOLÉ 2019](#) - "Tay is you : the attribution of responsibility in the algorithmic culture"

Transformers - Attention Mechanisms^{110 111}

110. [VASWANI et al. 2017](#) - "Attention is all you need"


111. <https://jalammar.github.io/illustrated-transformer/>

Transformers - Encoding and Decoding Mechanisms¹¹²




112. <https://jalammar.github.io/illustrated-transformer/>

Transformers - Family Tree¹¹³




113. [BERTHELIER, BOUTET et RICHARD 2023](#) - "Toward training NLP models to take into account privacy leakages"

LLM - Possibilities¹¹⁸




118. [MINAEE et al. 2024](#) - "Large Language Models : A Survey"



LLM - Prompt Engineering^{119 120 121 122}


119. [WEI et al. 2023](#) - "Chain-of-Thought Prompting Elicits Reasoning in Large Language Models"
120. [WANG et al. 2023](#) - "Self-Consistency Improves Chain of Thought Reasoning in Language Models"
121. [YAO et al. 2023](#) - "Tree of Thoughts : Deliberate Problem Solving with Large Language Models"
122. <https://www.promptingguide.ai/>

Prompt Engineering - Retrieval Augmented Generation (RAG)¹²⁵



125. [GAO et al. 2024](#) - "Retrieval-Augmented Generation for Large Language Models : A Survey"


Prompt Engineering - Reflexion^{126 127}



126. [SHINN et al. 2023](#) - "Reflexion : Language Agents with Verbal Reinforcement Learning"

127. <https://www.promptingguide.ai/techniques/reflexion>

NLP - Key Events Synthesis



1 Introduction

- Definitions

2 Historical overview of NLP


- Pre-computer Works
- Prior Works
- Rule-based Works
- Machine Learning-based Works
- Deep Learning-based Works

3 NLP in Healthcare context

- Healthcare NLP Problems
- Related works

4 Conclusion

~45 millions of unstructured documents
in HCL's databases



128. [PERERA et al. 2013](#) - "Challenges in Understanding Clinical Notes : Why NLP Engines Fall Short and Where Background Knowledge Can Help"

129. [ADNAN et al. 2020](#) - "Role and Challenges of Unstructured Big Data in Healthcare"

Extract Information^{130 131}




Extract

Structured Data

date	patient	disease	...	treatment
2023-02-04	810048	DT2	...	insulin
2021-12-23	180810	HChol	...	hypolip
2023-08-18	481082	DT1	...	insulin
2022-04-14	518401	DT2	...	insulin
⋮	⋮	⋮	⋮	⋮
2019-11-21	284018	HChol	...	hypolip

130. [IROJU et OLALEKE 2015](#) - "A Systematic Review of Natural Language Processing in Healthcare"
131. [MALMASI et al. 2018](#) - "Extracting Healthcare Quality Information from Unstructured Data"

Retrieve Information^{132 133}





132. [IROJU et OLALEKE 2015](#) - "A Systematic Review of Natural Language Processing in Healthcare"
133. [SIVARAJKUMAR et al. 2024](#) - "Clinical Information Retrieval : A Literature Review"

Clinical Virtual Assistants^{134 135}




134. [RICHARD et al. 2021](#) - "A virtual assistant dedicated to supporting day-to-day medical consultations"
135. [SEZGIN 2024](#) - "Redefining Virtual Assistants in Health Care : The Future With Large Language Models"

SNOMED-CT ^{138 139}

138. [CHANG et MOSTAFA 2021](#) - "The Use of SNOMED CT, 2013-2020 : A Literature Review"


139. <https://www.snomed.org/>

Clinical Transformers' Family Tree¹⁴⁰




140. [YAGNIK et al. 2024](#) - "MedLM : Exploring Language Models for Medical Question Answering Systems"

Transformers' usage in healthcare¹⁴¹




141. NERELLA et al. 2023 - "Transformers in Healthcare : A Survey"

Conversational Health Agents¹⁴²



142. [ABBASIAN et al. 2024](#) - "Conversational Health Agents : A Personalized LLM-Powered Agent Framework"

LLMs for Health Education^{143 144}

143. [SALLAM 2023](#) - "ChatGPT Utility in Healthcare Education, Research, and Practice : Systematic Review on the Promising Perspectives and Valid Concerns"
144. [WEBB 2023](#) - "Proof of Concept : Using ChatGPT to Teach Emergency Physicians How to Break Bad News"

1 Introduction

- Definitions

2 Historical overview of NLP


- Pre-computer Works
- Prior Works
- Rule-based Works
- Machine Learning-based Works
- Deep Learning-based Works

3 NLP in Healthcare context

- Healthcare NLP Problems
- Related works

4 Conclusion

Conclusion ¹⁴⁵



NLP :

- A history as long as computer science history
- Multiple approaches for multiple problems
- Recent advances achieve old dreams and open new perspectives

NLP in Health :

- Allows to treat unstructured clinical texts
- Needs to be adapted to clinical lingo
- Recent advances open the path to powerful virtual assistants

145. [COURSESTEACH 2023](#) - "Natural Language Processing (Part 1)"

76 / 76

Additional References (in French)



Gotabor - Imitation Game and Alan Turing



Underscore_ - LLMs Actualities



Monsieur Phi - About ChatGPT










R. F. Kuang - Babel



Références I

-  ABBASIAN, Mahyar et al. (jan. 2024). **Conversational Health Agents : A Personalized LLM-Powered Agent Framework**. DOI : 10.48550/arXiv.2310.02374. arXiv : 2310.02374 [cs]. (Visité le 06/02/2024).
-  ADNAN, Kiran et al. (2020). "Role and Challenges of Unstructured Big Data in Healthcare". In : **Data Management, Analytics and Innovation**. Sous la dir. de Neha SHARMA, Amlan CHAKRABARTI et Valentina Emilia BALAS. Advances in Intelligent Systems and Computing. Singapore : Springer, p. 301-323. ISBN : 978-981-329-949-8. DOI : 10.1007/978-981-32-9949-8_22.
-  ALLEN, Robert B (1987). "Several studies on natural language and back-propagation". In : **Proceedings of the IEEE First International Conference on Neural Networks**. T. 2. S 335. IEEE Piscataway, p. 341.
-  ALMEIDA, Felipe et Geraldo XEXÉO (mai 2023). **Word Embeddings : A Survey**. DOI : 10.48550/arXiv.1901.09069. arXiv : 1901.09069 [cs, stat]. (Visité le 01/02/2024).
-  ALMUTIRI, Talal et Farrukh NADEEM (2022). "Markov models applications in natural language processing : a survey". In : **Int. J. Inf. Technol. Comput. Sci** 2, p. 1-16.
-  ANTONIOU, Grigoris et Frank van HARMELEN (2009). "Web Ontology Language : OWL". en. In : **Handbook on Ontologies**. Sous la dir. de Steffen STAAB et Rudi STUDER. International Handbooks on Information Systems. Berlin, Heidelberg : Springer, p. 91-110. ISBN : 978-3-540-92673-3. DOI : 10.1007/978-3-540-92673-3_4. URL : https://doi.org/10.1007/978-3-540-92673-3_4 (visité le 11/01/2024).









Références II

-  BAZOGE, Adrien et al. (2024). **Adaptation of Biomedical and Clinical Pretrained Models to French Long Documents : A Comparative Study**. arXiv : 2402.16689 [cs.CL].
-  BENGIO, Yoshua et al. (mars 2003). "A Neural Probabilistic Language Model". In : **The Journal of Machine Learning Research** 3.null, p. 1137-1155. ISSN : 1532-4435.
-  BERHE, Aman et al. (fév. 2023). "ALIBERT : A PRETRAINED LANGUAGE MODEL FOR FRENCH BIOMEDICAL TEXT". working paper or preprint. URL : <https://hal.science/hal-03911564>.
-  BERTHELIER, Gaspard, Antoine BOUTET et Antoine RICHARD (déc. 2023). "Toward training NLP models to take into account privacy leakages". In : **BigData 2023 - IEEE International Conference on Big Data**. Sorrento, Italy : IEEE, p. 1-9. URL : <https://hal.science/hal-04299405>.
-  BLUNSOM, Philip (2007). **Structured classification for multilingual natural language processing**. University of Melbourne, Department of Computer Science et Software Engineering.
-  BOBROW, Daniel et al. (1964). "Natural language input for a computer problem solving system". Thèse de doct. Massachusetts Institute of Technology.
-  BRACHMAN, Ronald J (1979). "On the epistemological status of semantic networks". In : **Associative networks**. Elsevier, p. 3-50.








Références III

-  “Ontology in Computer Science” (2007). en. In : **Semantic Web : Concepts, Technologies and Applications**. Sous la dir. de Karin Koogan BREITMAN, Marco Antonio CASANOVA et Walter TRUSZKOWSKI. NASA Monographs in Systems and Software Engineering. London : Springer, p. 17-34. ISBN : 978-1-84628-710-7. DOI : 10.1007/978-1-84628-710-7_2. URL : https://doi.org/10.1007/978-1-84628-710-7_2 (visité le 10/01/2024).
-  BRESNAN, Joan (1982). “Control and Complementation”. In : **Linguistic Inquiry** 13.3. Publisher : The MIT Press, p. 343-434. ISSN : 0024-3892. URL : <https://www.jstor.org/stable/4178286> (visité le 11/01/2024).
-  BROWN, Peter F et al. (1990). “A Statistical Approach to Machine Translation”. In : **Computational linguistics** 16.2, p. 79-85.
-  CHANG, Eunsuk et Javed MOSTAFA (juin 2021). “The Use of SNOMED CT, 2013-2020 : A Literature Review”. In : **Journal of the American Medical Informatics Association : JAMIA** 28.9, p. 2017-2026. ISSN : 1067-5027. DOI : 10.1093/jamia/ocab084. (Visité le 06/02/2024).
-  CHARNIAK, Eugene (1993). **Statistical Language Learning**. MIT Press. ISBN : 978-0-262-53141-2.
-  — (2019). **Introduction to Deep Learning**. The MIT Press. ISBN : 978-0-262-03951-2.
-  CHOMSKY, Noam (1957). **Syntactic structures**. Mouton de Gruyter.







Références IV

-  — (jan. 1981). “On the Representation of Form and Function”. en. In : 1.1. Publisher : De Gruyter Mouton Section : The Linguistic Review, p. 3-40. ISSN : 1613-3676. DOI : 10.1515/tlir.1981.1.1.3. URL : <https://www.degruyter.com/document/doi/10.1515/tlir.1981.1.1.3/html> (visité le 11/01/2024).
-  CHOWDHARY, K. R. (2020). “Natural Language Processing”. In : **Fundamentals of Artificial Intelligence**. New Delhi : Springer India, p. 603-649. ISBN : 978-81-322-3972-7. DOI : 10.1007/978-81-322-3972-7_19. URL : https://doi.org/10.1007/978-81-322-3972-7_19.
-  COOK, Vivian (1988). **Chomsky’s universal grammar : An introduction**. John Wiley & Sons.
-  COURSESTEACH (juill. 2023). **Natural Language Processing (Part 1)**. (Visité le 07/02/2024).
-  DAUMAS, Maurice (1965). “Les machines à traduire de Georges Artsrouni”. In : **Revue d'histoire des sciences** 18.3, p. 283-302. DOI : 10.3406/rhs.1965.2427.
-  DE SAUSSURE, Ferdinand (1916). **Cours de Linguistique Générale**.
-  DEAVOURS, C. A. et James REEDS (oct. 1977). “The Enigma Part I Historical Perspectives”. In : **Cryptologia** 1.4, p. 381-391. ISSN : 0161-1194. DOI : 10.1080/0161-117791833183.
-  DENG, Li et Yang LIU (mai 2018). **Deep Learning in Natural Language Processing**. en. Google-Books-ID : y_lcDwAAQBAJ. Springer. ISBN : 978-981-10-5209-5.





Références V

-  DEVLIN, Jacob et al. (2018). "BERT : Pre-training of Deep Bidirectional Transformers for Language Understanding". In : **arXiv preprint arXiv:1810.04805**.
-  EMMS, Martin et Saturnino LUZ (sept. 2007). "Machine learning for natural language processing". In.
-  GAO, Yunfan et al. (jan. 2024). **Retrieval-Augmented Generation for Large Language Models : A Survey**. DOI : 10.48550/arXiv.2312.10997. arXiv : 2312.10997 [cs]. (Visité le 02/02/2024).
-  GAZDAR, Gerald (1985). **Generalized Phrase Structure Grammar**. en. Google-Books-ID : c7m5l0MS1W0C. Harvard University Press. ISBN : 978-0-674-34455-6.
-  GOLDBERG, Yoav (2016). "A primer on neural network models for natural language processing". In : **Journal of Artificial Intelligence Research** 57, p. 345-420.
-  GOOD, I.J. (jan. 1979). "Early Work on Computers at Bletchley". In : **Annals of the History of Computing** 1.1, p. 38-48. ISSN : 0164-1239. DOI : 10.1109/MAHC.1979.10011.
-  GRUBER, Thomas R. (nov. 1995). "Toward principles for the design of ontologies used for knowledge sharing?" In : **International Journal of Human-Computer Studies** 43.5, p. 907-928. ISSN : 1071-5819. DOI : 10.1006/ijhc.1995.1081. URL : <https://www.sciencedirect.com/science/article/pii/S1071581985710816> (visité le 11/01/2024).






Références VI

-  HOCHREITER, Sepp et Jürgen SCHMIDHUBER (nov. 1997). “Long Short-Term Memory”. In : **Neural Computation** 9.8, p. 1735-1780. ISSN : 0899-7667. DOI : 10.1162/neco.1997.9.8.1735. (Visité le 19/01/2024).
-  HOGAN, Aidan et al. (2021). “Knowledge Graphs”. In : **ACM Comput. Surv.** 54.4. ISSN : 0360-0300. DOI : 10.1145/3447772. URL : <https://doi.org/10.1145/3447772>.
-  HUANG, Kexin, Jaan ALTOSAAR et Rajesh RANGANATH (nov. 2020). **ClinicalBERT : Modeling Clinical Notes and Predicting Hospital Readmission**. DOI : 10.48550/arXiv.1904.05342. arXiv : 1904.05342 [cs]. (Visité le 06/02/2024).
-  HUANG, Lei et al. (nov. 2023). **A Survey on Hallucination in Large Language Models : Principles, Taxonomy, Challenges, and Open Questions**. DOI : 10.48550/arXiv.2311.05232. arXiv : 2311.05232 [cs]. (Visité le 02/02/2024).
-  HUTCHINS, J. (2002). “Two Precursors of Machine Translation : Artsrouni and Trojanskij”. In.
-  HUTCHINS, John et Evgenii LOVTSKII (sept. 2000). “Petr Petrovich Troyanskii (1894–1950) : A Forgotten Pioneer of Mechanical Translation”. In : **Machine Translation** 15.3, p. 187-221. ISSN : 1573-0573. DOI : 10.1023/A:1011653602669.

Références VII

-  HUTCHINS, W. John (2004). "The Georgetown-IBM Experiment Demonstrated in January 1954". In : **Machine Translation : From Real Users to Research**. Sous la dir. de Robert E. FREDERKING et Kathryn B. TAYLOR. Lecture Notes in Computer Science. Berlin, Heidelberg : Springer, p. 102-114. ISBN : 978-3-540-30194-3. DOI : 10.1007/978-3-540-30194-3_12.
-  IROJU, Olaronke G. et Janet O. OLALEKE (août 2015). "A Systematic Review of Natural Language Processing in Healthcare". In : **International Journal of Information Technology and Computer Science** 7.8, p. 44. DOI : 10.5815/ijitcs.2015.08.07. (Visité le 05/02/2024).
-  JELINEK, F., J. D. LAFFERTY et R. L. MERCER (1992). "Basic Methods of Probabilistic Context Free Grammars". en. In : **Speech Recognition and Understanding**. Sous la dir. de Pietro LAFACE et Renato DE MORI. NATO ASI Series. Berlin, Heidelberg : Springer, p. 345-360. ISBN : 978-3-642-76626-8. DOI : 10.1007/978-3-642-76626-8_35.
-  JOHNSON, Walter L. et al. (déc. 1968). "Automatic Generation of Efficient Lexical Processors Using Finite State Techniques". In : **Communications of the ACM** 11.12, p. 805-813. ISSN : 0001-0782. DOI : 10.1145/364175.364185. (Visité le 11/12/2023).







Références VIII

-  JOHRI, Prashant et al. (2021). “Natural Language Processing : History, Evolution, Application, and Future Work”. In : **Proceedings of 3rd International Conference on Computing Informatics and Networks**. Sous la dir. d'Ajith ABRAHAM, Oscar CASTILLO et Deepali VIRMANI. Lecture Notes in Networks and Systems. Singapore : Springer, p. 365-375. ISBN : 9789811597121. DOI : 10.1007/978-981-15-9712-1_31.
-  JONES, Karen Sparck (1994). “Natural Language Processing : A Historical Review”. In : **Current Issues in Computational Linguistics : In Honour of Don Walker**. Sous la dir. d'Antonio ZAMPOLLI, Nicoletta CALZOLARI et Martha PALMER. Linguistica Computazionale. Dordrecht : Springer Netherlands, p. 3-16. ISBN : 978-0-585-35958-8. DOI : 10.1007/978-0-585-35958-8_1.
-  =, et al. (juin 2023). “BERT-based Natural Language Processing Analysis of French CT Reports : Application to the Measurement of the Positivity Rate for Pulmonary Embolism”. In : **Research in Diagnostic and Interventional Imaging** 6, p. 100027. ISSN : 2772-6525. DOI : 10.1016/j.redii.2023.100027. (Visité le 06/02/2024).
-  KIRKPATRICK, James et al. (2017). “Overcoming catastrophic forgetting in neural networks”. In : **Proceedings of the national academy of sciences** 114.13, p. 3521-3526.
-  KLEENE, SC (1951). “Representation of Events in Nerve Nets and Finite Automata”. In : **Automata Studies : Annals of Mathematics Studies. Number 34** 34, p. 3.







Références IX

-  LABBÉ, Cyril et Dominique LABBÉ (2013). "Duplicate and fake publications in the scientific literature : how many SCIdgen papers in computer science ?" In : **Scientometrics** 94, p. 379-396.
-  LABRAK, Yanis et al. (2023). "DrBERT : A Robust Pre-trained Model in French for Biomedical and Clinical domains". In : **Proceedings of the 61th Annual Meeting of the Association for Computational Linguistics (ACL'23), Long Paper**. Toronto, Canada : Association for Computational Linguistics. DOI : 10.48550/arXiv.2304.00958.
-  LABRAK, Yanis et al. (2024). **BioMistral : A Collection of Open-Source Pretrained Large Language Models for Medical Domains**. arXiv : 2402.10373 [cs.CL].
-  LECUN, Yann, Yoshua BENGIO et Geoffrey HINTON (mai 2015). "Deep Learning". In : **Nature** 521.7553, p. 436-444. ISSN : 1476-4687. DOI : 10.1038/nature14539. (Visité le 31/01/2024).
-  LEE, Jinhyuk et al. (fév. 2020). "BioBERT : A Pre-Trained Biomedical Language Representation Model for Biomedical Text Mining". In : **Bioinformatics** 36.4, p. 1234-1240. ISSN : 1367-4803, 1367-4811. DOI : 10.1093/bioinformatics/btz682. arXiv : 1901.08746 [cs]. (Visité le 06/02/2024).
-  LEHMANN, Jens et al. (2015). "Dbpedia—a large-scale, multilingual knowledge base extracted from wikipedia". In : **Semantic web** 6.2, p. 167-195.

Références X

-  LI, Yunxiang et al. (juin 2023). **ChatDoctor : A Medical Chat Model Fine-Tuned on a Large Language Model Meta-AI (LLaMA) Using Medical Domain Knowledge**. arXiv:2303.14070 [cs]. DOI : 10.48550/arXiv.2303.14070. URL : <http://arxiv.org/abs/2303.14070> (visité le 09/02/2024).
-  LIU, Yupei et al. (oct. 2023). **Prompt Injection Attacks and Defenses in LLM-Integrated Applications**. DOI : 10.48550/arXiv.2310.12815. arXiv : 2310.12815 [cs]. (Visité le 02/02/2024).
-  LUO, Renqian et al. (nov. 2022). “BioGPT : Generative Pre-trained Transformer for Biomedical Text Generation and Mining”. In : **Briefings in Bioinformatics** 23.6. arXiv:2210.10341 [cs], bbac409. ISSN : 1467-5463, 1477-4054. DOI : 10.1093/bib/bbac409. URL : <http://arxiv.org/abs/2210.10341> (visité le 09/02/2024).
-  MACDONALD, Neil (1954). “Language translation by machine-a report of the first successful trial”. In : **Computers and automation** 3.2, p. 6-10.
-  MAGERMAN, David M. (juin 1995). “Statistical Decision-Tree Models for Parsing”. In : **Proceedings of the 33rd Annual Meeting on Association for Computational Linguistics**. ACL '95. USA : Association for Computational Linguistics, p. 276-283. DOI : 10.3115/981658.981695. (Visité le 15/01/2024).
-  MALMASI, Shervin et al. (avr. 2018). “Extracting Healthcare Quality Information from Unstructured Data”. In : **AMIA Annual Symposium Proceedings** 2017, p. 1243-1252. ISSN : 1942-597X. (Visité le 05/02/2024).





Références XI

-  MANNING, Christopher et Hinrich SCHUTZE (mai 1999). **Foundations of Statistical Natural Language Processing**. MIT Press. ISBN : 978-0-262-30379-8.
-  MARCUS, M (oct. 1995). "New Trends in Natural Language Processing : Statistical Natural Language Processing.". In : **Proceedings of the National Academy of Sciences** 92.22, p. 10052-10059. DOI : 10.1073/pnas.92.22.10052. (Visité le 15/01/2024).
-  MATHUR, Vinayak, Yannis STAVRAKAS et Sanjay SINGH (déc. 2016). "Intelligence analysis of Tay Twitter bot". In : **2016 2nd International Conference on Contemporary Computing and Informatics (IC3I)**, p. 231-236. DOI : 10.1109/IC3I.2016.7917966. URL : <https://ieeexplore.ieee.org/abstract/document/7917966> (visité le 01/02/2024).
-  MCCULLOCH, Warren S et Walter PITTS (1943). "A logical calculus of the ideas immanent in nervous activity". In : **The bulletin of mathematical biophysics** 5, p. 115-133.
-  MIELKE, Sabrina J et al. (2021). "Between words and characters : a brief history of open-vocabulary modeling and tokenization in nlp". In : **arXiv preprint arXiv:2112.10508**.
-  MIIKKULAINEN, Risto et Michael G. DYER (1991). "Natural Language Processing With Modular Pdp Networks and Distributed Lexicon". In : **Cognitive Science** 15.3, p. 343-399. ISSN : 1551-6709. DOI : 10.1207/s15516709cog1503_2. (Visité le 01/02/2024).







Références XII

-  MIKOLOV, Tomáš, Wen-tau YIH et Geoffrey ZWEIG (2013). “Linguistic regularities in continuous space word representations”. In : **Proceedings of the 2013 conference of the north american chapter of the association for computational linguistics : Human language technologies**, p. 746-751.
-  MINAEI, Shervin et al. (2024). **Large Language Models : A Survey**. arXiv : 2402.06196 [cs.CL].
-  MINSKY, Marvin et Seymour A. PAPERT (sept. 1969). **Perceptrons : An Introduction to Computational Geometry**. The MIT Press. ISBN : 9780262343930. DOI : 10.7551/mitpress/11301.001.0001. URL : <https://doi.org/10.7551/mitpress/11301.001.0001>.
-  MUSEN, Mark A. (juin 2015). “The protégé project : a look back and a look forward”. In : **AI Matters 1.4**, p. 4-12. DOI : 10.1145/2757001.2757003. URL : <https://doi.org/10.1145/2757001.2757003> (visité le 11/01/2024).
-  MÜLLER, Stefan et al. (oct. 2021). **Head-Driven Phrase Structure Grammar : The handbook**. Berlin : Language Science Press. ISBN : 978-3-96110-255-6. DOI : 10.5281/zenodo.5543318. URL : <https://zenodo.org/records/5543318> (visité le 11/01/2024).
-  NERELLA, Subhash et al. (juin 2023). **Transformers in Healthcare : A Survey**. DOI : 10.48550/arXiv.2307.00067. arXiv : 2307.00067 [cs]. (Visité le 06/02/2024).

Références XIII

-  O'REGAN, Gerard (2018). "Colossus and Code Breaking at Bletchley Park". In : **The Innovation in Computing Companion : A Compendium of Select, Pivotal Inventions**. Sous la dir. de Gerard O'REGAN. Cham : Springer International Publishing, p. 81-85. ISBN : 978-3-030-02619-6. DOI : 10.1007/978-3-030-02619-6_17.
-  PAN, Jeff Z. (2009). "Resource Description Framework". en. In : **Handbook on Ontologies**. Sous la dir. de Steffen STAAB et Rudi STUDER. International Handbooks on Information Systems. Berlin, Heidelberg : Springer, p. 71-90. ISBN : 978-3-540-92673-3. DOI : 10.1007/978-3-540-92673-3_3. URL : https://doi.org/10.1007/978-3-540-92673-3_3 (visité le 11/01/2024).
-  PERERA, Sujana et al. (nov. 2013). "Challenges in Understanding Clinical Notes : Why NLP Engines Fall Short and Where Background Knowledge Can Help". In : **Proceedings of the 2013 International Workshop on Data Management & Analytics for Healthcare**. DARE '13. New York, NY, USA : Association for Computing Machinery, p. 21-26. ISBN : 978-1-4503-2425-0. DOI : 10.1145/2512410.2512427. (Visité le 05/02/2024).
-  PESTOV, Ilya (mars 2018). **A History of Machine Translation from the Cold War to Deep Learning**. <https://www.freecodecamp.org/news/a-history-of-machine-translation-from-the-cold-war-to-deep-learning-f1d335ce8b5/>.







Références XIV

-  PIERCE, John R. et al. (1966). **Language and Machines : Computers in Translation and Linguistics**. Washington, DC : The National Academies Press. DOI : 10.17226/9547. URL : <https://nap.nationalacademies.org/catalog/9547/language-and-machines-computers-in-translation-and-linguistics>.
-  POLLARD, Carl et Ivan A SAG (1987). **Information-based syntax and semantics : Vol. 1 : fundamentals**. Center for the Study of Language et Information.
-  POWERS, D. M. W. (juill. 1984). "Natural language the natural way". In : **Computer Compacts 2.3**, p. 100-109. ISSN : 0167-7136. DOI : 10.1016/0167-7136(84)90088-X. URL : <https://www.sciencedirect.com/science/article/pii/016771368490088X> (visité le 11/01/2024).
-  POWERS, David MW (1990). "Goals, Issues and Directions in Machine-Learning of Natural Language and Ontology". In.
-  RADFORD, Alec et al. (2018). "Improving language understanding by generative pre-training". In.
-  RFC439 (jan. 1973). **PARRY encounters the DOCTOR**. RFC 439. DOI : 10.17487/RFC0439. URL : <https://www.rfc-editor.org/info/rfc439>.







Références XV

-  RICHARD, Antoine et al. (2021). “A virtual assistant dedicated to supporting day-to-day medical consultations”. In : **2021 IEEE 9th International Conference on Healthcare Informatics (ICHI)**. Victoria, Canada : IEEE, p. 330-338. DOI : 10.1109/ICHI52183.2021.00057. URL : <https://hal.archives-ouvertes.fr/hal-03381829>.
-  ROSENBLATT, F. (1958). “The Perceptron : A Probabilistic Model for Information Storage and Organization in the Brain”. In : **Psychological Review** 65.6, p. 386-408. ISSN : 1939-1471. DOI : 10.1037/h0042519.
-  RUSSELL, Stuart J et Peter NORVIG (2021). **Artificial intelligence a modern approach**. 4th. Hoboken : Pearson. ISBN : 978-0134610993.
-  SADOUNE, S et al. (juill. 2023). “Analyse automatique de négations pour la radiologie et autres textes cliniques en français par modèles de langage”. working paper or preprint. URL : <https://inria.hal.science/hal-04165319>.
-  SALLAM, Malik (jan. 2023). “ChatGPT Utility in Healthcare Education, Research, and Practice : Systematic Review on the Promising Perspectives and Valid Concerns”. In : **Healthcare** 11.6, p. 887. ISSN : 2227-9032. DOI : 10.3390/healthcare11060887. (Visité le 06/02/2024).
-  SCHANK, Roger C. (1972). “Conceptual Dependency : A Theory of Natural Language Understanding”. In : **Cognitive Psychology** 3.4, p. 552-631. ISSN : 0010-0285. DOI : 10.1016/0010-0285(72)90022-9.







Références XVI

-  SCHANK, Roger C et Larry TESLER (1969). "A conceptual dependency parser for natural language". In : **International Conference on Computational Linguistics COLING 1969 : Preprint No. 2.**
-  SCHANK, Roger C. et al. (1973). "MARGIE : Memory Analysis Response Generation, and Inference on English". In : **International Joint Conference on Artificial Intelligence.** URL : <https://api.semanticscholar.org/CorpusID:10812845>.
-  SCHMID, Helmut (2010). "Decision trees". In : **The Handbook of Computational Linguistics and Natural Language Processing**, p. 180-196.
-  SCHMIDT, Benedikt et al. (oct. 2018). "Industrial Virtual Assistants : Challenges and Opportunities". In : **Proceedings of the 2018 ACM International Joint Conference and 2018 International Symposium on Pervasive and Ubiquitous Computing and Wearable Computers.** UbiComp '18. New York, NY, USA : Association for Computing Machinery, p. 794-801. ISBN : 978-1-4503-5966-5. DOI : 10.1145/3267305.3274131. (Visité le 01/02/2024).
-  SCHNEIDER, Edward W (1973). "Course Modularization Applied : The Interface System and Its Implications For Sequence Control and Data Analysis.". In.
-  SEZGIN, Emre (jan. 2024). "Redefining Virtual Assistants in Health Care : The Future With Large Language Models". In : **Journal of Medical Internet Research** 26.1, e53225. DOI : 10.2196/53225. (Visité le 06/02/2024).







Références XVII

-  SHAPIRO, Stuart C (1971). **A net structure for semantic information storage, deduction and retrieval**. Rapp. tech. University of Wisconsin-Madison Department of Computer Sciences.
-  — (1979). “The SNePS semantic network processing system”. In : **Associative networks**. Elsevier, p. 179-203.
-  SHERSTINSKY, Alex (2020). “Fundamentals of Recurrent Neural Network (RNN) and Long Short-Term Memory (LSTM) network”. In : **Physica D : Nonlinear Phenomena** 404, p. 132306. ISSN : 0167-2789. DOI : <https://doi.org/10.1016/j.physd.2019.132306>. URL : <https://www.sciencedirect.com/science/article/pii/S0167278919305974>.
-  SHINN, Noah et al. (2023). **Reflexion : Language Agents with Verbal Reinforcement Learning**. arXiv : 2303.11366 [cs.AI].
-  SINGHAL, Karan et al. (août 2023). “Large language models encode clinical knowledge”. en. In : **Nature** 620.7972, p. 172-180. ISSN : 1476-4687. DOI : 10.1038/s41586-023-06291-2. URL : <https://www.nature.com/articles/s41586-023-06291-2> (visité le 09/02/2024).
-  SIVARAJKUMAR, Sonish et al. (jan. 2024). “Clinical Information Retrieval : A Literature Review”. In : **Journal of Healthcare Informatics Research**. ISSN : 2509-498X. DOI : 10.1007/s41666-024-00159-4. (Visité le 06/02/2024).








Références XVIII

-  SOWA, John F (1976). “Conceptual graphs for a data base interface”. In : **IBM Journal of Research and Development** 20.4, p. 336-357.
-  — (1992). “Semantic networks”. In : **Encyclopedia of artificial intelligence** 2. Publisher : wiley New York, p. 1493-1511.
-  SRI NURDIATI, S.N. et C. HOEDE (sept. 2008). **25 years development of knowledge graph theory : the results and the challenge**. Undefined. Memorandum 2/1876. Netherlands : University of Twente.
-  SUÁREZ-GONZALO, Sara, Lluís MAS MANCHÓN et Frederic GUERRERO SOLÉ (2019). “Tay is you : the attribution of responsibility in the algorithmic culture”. eng. In : ISSN : 1646-5954. DOI : 10.15847/obsOBS13220191432. URL : <http://repositori.upf.edu/handle/10230/42192> (visité le 01/02/2024).
-  THOMPSON, Ken (juin 1968). “Programming Techniques : Regular Expression Search Algorithm”. In : **Communications of the ACM** 11.6, p. 419-422. ISSN : 0001-0782. DOI : 10.1145/363347.363387. (Visité le 11/12/2023).
-  TULSHAN, Amrita S. et Sudhir Namdeorao DHAGE (2019). “Survey on Virtual Assistant : Google Assistant, Siri, Cortana, Alexa”. In : **Advances in Signal Processing and Intelligent Recognition Systems**. Sous la dir. de Sabu M. THAMPI et al. Communications in Computer and Information Science. Singapore : Springer, p. 190-201. ISBN : 9789811357589. DOI : 10.1007/978-981-13-5758-9_17.





Références XIX

-  TURIAN, Joseph, Lev RATINOV et Yoshua BENGIO (2010). “Word representations : a simple and general method for semi-supervised learning”. In : **Proceedings of the 48th annual meeting of the association for computational linguistics**, p. 384-394.
-  TURING, A. M. (oct. 1950). “I.—COMPUTING MACHINERY AND INTELLIGENCE”. In : **Mind** LIX.236, p. 433-460. ISSN : 0026-4423. DOI : 10.1093/mind/LIX.236.433. eprint : <https://academic.oup.com/mind/article-pdf/LIX/236/433/30123314/lix-236-433.pdf>. URL : <https://doi.org/10.1093/mind/LIX.236.433>.
-  VASWANI, Ashish et al. (2017). “Attention is all you need”. In : **Advances in neural information processing systems** 30.
-  WALLACE, Richard S. (2009). “The Anatomy of A.L.I.C.E.”. In : **Parsing the Turing Test : Philosophical and Methodological Issues in the Quest for the Thinking Computer**. Sous la dir. de Robert EPSTEIN, Gary ROBERTS et Grace BEBER. Dordrecht : Springer Netherlands, p. 181-210. ISBN : 978-1-4020-6710-5. DOI : 10.1007/978-1-4020-6710-5_13. URL : https://doi.org/10.1007/978-1-4020-6710-5_13.
-  WANG, Xuezhi et al. (mars 2023). **Self-Consistency Improves Chain of Thought Reasoning in Language Models**. DOI : 10.48550/arXiv.2203.11171. arXiv : 2203.11171 [cs]. (Visité le 02/02/2024).
-  WEBB, Jeremy J (2023). “Proof of Concept : Using ChatGPT to Teach Emergency Physicians How to Break Bad News”. In : **Cureus** 15.5.

Références XX

-  WEI, Jason et al. (jan. 2023). **Chain-of-Thought Prompting Elicits Reasoning in Large Language Models**. DOI : 10.48550/arXiv.2201.11903. arXiv : 2201.11903 [cs]. (Visité le 02/02/2024).
-  WEIZENBAUM, Joseph (1966). “ELIZA—a Computer Program for the Study of Natural Language Communication between Man and Machine”. In : **Commun. ACM** 9.1, p. 36–45. ISSN : 0001-0782. DOI : 10.1145/365153.365168. URL : <https://doi.org/10.1145/365153.365168>.
-  WINOGRAD, Terry (1971). “Procedures as a representation for data in a computer program for understanding natural language”. Thèse de doct. Massachusetts Institute of Technology.
-  WOODS, William A (1975). “What’s in a link : Foundations for semantic networks”. In : **Representation and understanding**. Elsevier, p. 35-82.
-  XU, Shuo (2018). “Bayesian Naive Bayes classifiers to text classification”. In : **Journal of Information Science** 44.1, p. 48-59.
-  YAGNIK, Niraj et al. (jan. 2024). **MedLM : Exploring Language Models for Medical Question Answering Systems**. arXiv:2401.11389 [cs]. DOI : 10.48550/arXiv.2401.11389. URL : <http://arxiv.org/abs/2401.11389> (visité le 09/02/2024).
-  YANG, Xi et al. (déc. 2022). “A Large Language Model for Electronic Health Records”. In : **npj Digital Medicine** 5.1, p. 1-9. ISSN : 2398-6352. DOI : 10.1038/s41746-022-00742-2. (Visité le 06/02/2024).

Références XXI

-  YAO, Shunyu et al. (déc. 2023). **Tree of Thoughts : Deliberate Problem Solving with Large Language Models**. DOI : 10.48550/arXiv.2305.10601. arXiv : 2305.10601 [cs]. (Visité le 02/02/2024).
-  ZHANG, Yue et Zhiyang TENG (jan. 2021). **Natural Language Processing : A Machine Learning Perspective**. en. Google-Books-ID : RSoNEAAAQBAJ. Cambridge University Press. ISBN : 978-1-108-42021-1.
-  ZHANG, Yue et al. (sept. 2023). **Siren's Song in the AI Ocean : A Survey on Hallucination in Large Language Models**. DOI : 10.48550/arXiv.2309.01219. arXiv : 2309.01219 [cs]. (Visité le 02/02/2024).
-  ZHAO, Wayne Xin et al. (2023). **A Survey of Large Language Models**. arXiv : 2303.18223 [cs.CL].