

接入 Claude Code

Claude Code 是一个运行在终端内的 AI 编程助手。

从现有安装中迁移到 DeepSeek

如果你已经安装了 Claude Code，只需修改以下环境变量，其中 API Key 在 [DeepSeek Platform](#) 获取。

Linux / Mac 用户，直接在终端中执行：

```
export ANTHROPIC_BASE_URL=https://api.deepseek.com/anthropic
export ANTHROPIC_AUTH_TOKEN=<你的 DeepSeek API Key>
export ANTHROPIC_MODEL=deepseek-v4-pro[1m]
export ANTHROPIC_DEFAULT_OPUS_MODEL=deepseek-v4-pro[1m]
export ANTHROPIC_DEFAULT_SONNET_MODEL=deepseek-v4-pro[1m]
export ANTHROPIC_DEFAULT_HAIKU_MODEL=deepseek-v4-flash
export CLAUDE_CODE_SUBAGENT_MODEL=deepseek-v4-flash
export CLAUDE_CODE_EFFORT_LEVEL=max
```

Windows 用户，在 Powershell 中执行：

```
$env:ANTHROPIC_BASE_URL="https://api.deepseek.com/anthropic"
$env:ANTHROPIC_AUTH_TOKEN="<你的 DeepSeek API Key>"
$env:ANTHROPIC_MODEL="deepseek-v4-pro[1m]"
$env:ANTHROPIC_DEFAULT_OPUS_MODEL="deepseek-v4-pro[1m]"
$env:ANTHROPIC_DEFAULT_SONNET_MODEL="deepseek-v4-pro[1m]"
$env:ANTHROPIC_DEFAULT_HAIKU_MODEL="deepseek-v4-flash"
$env:CLAUDE_CODE_SUBAGENT_MODEL="deepseek-v4-flash"
$env:CLAUDE_CODE_EFFORT_LEVEL="max"
```

配置完成后，执行（其中 `/path/to/my-project` 替换为你的项目路径）：

```
cd /path/to/my-project
```

claude

从零安装 Claude Code

1. 安装 Claude Code

- 安装 [Node.js](#) 18+。
- Windows 用户需安装 [Git for Windows](#)。
- 在命令行界面，执行以下命令安装 Claude Code：

```
npm install -g @anthropic-ai/claude-code
```

- 安装结束后，执行以下命令，若显示版本号则安装成功：

```
claude --version
```

2. 配置环境变量

Linux / Mac 用户执行以下命令配置 [DeepSeek Anthropic API](#) 环境变量，其中 API Key 在 [DeepSeek Platform](#) 获取：

```
export ANTHROPIC_BASE_URL=https://api.deepseek.com/anthropic
export ANTHROPIC_AUTH_TOKEN=<你的 DeepSeek API Key>
export ANTHROPIC_MODEL=deepseek-v4-pro[1m]
export ANTHROPIC_DEFAULT_OPUS_MODEL=deepseek-v4-pro[1m]
export ANTHROPIC_DEFAULT_SONNET_MODEL=deepseek-v4-pro[1m]
export ANTHROPIC_DEFAULT_HAIKU_MODEL=deepseek-v4-flash
export CLAUDE_CODE_SUBAGENT_MODEL=deepseek-v4-flash
export CLAUDE_CODE Effort_Level=max
```

Windows 用户执行：

```
$env:ANTHROPIC_BASE_URL="https://api.deepseek.com/anthropic"
$env:ANTHROPIC_AUTH_TOKEN="<你的 DeepSeek API Key>"
$env:ANTHROPIC_MODEL="deepseek-v4-pro[1m]"
$env:ANTHROPIC_DEFAULT_OPUS_MODEL="deepseek-v4-pro[1m]"
$env:ANTHROPIC_DEFAULT_SONNET_MODEL="deepseek-v4-pro[1m]"
$env:ANTHROPIC_DEFAULT_HAIKU_MODEL="deepseek-v4-flash"
```

```
$env:CLAUDE_CODE_SUBAGENT_MODEL="deepseek-v4-flash"
$env:CLAUDE_CODE_EFFORT_LEVEL="max"
```

3. 进入项目目录，执行 `claude` 命令，即可开始使用了。

```
cd /path/to/my-project
claude
```

```
> Write a snake game in html and run it.

I'll create a snake game in HTML and run it for you.

• Update Todos
  L □ Create snake.html file with game implementation
    □ Test the snake game in browser

• Update Todos
  L □ Create snake.html file with game implementation
    □ Test the snake game in browser

• Write(snake.html)
  L Wrote 167 lines to snake.html
    <!DOCTYPE html>
    <html lang="en">
    <head>
      <meta charset="UTF-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <title>Snake Game</title>
      <style>
        body {
          display: flex;
          justify-content: center;
          ... +157 lines (ctrl+r to expand)

• Update Todos
  L ✎ Create snake.html file with game implementation
    □ Test the snake game in browser

• Bash(open /Users/dillion/Documents/deepseek/claude-code/snake.html)
  L (No content)

• Update Todos
  L ✎ Create snake.html file with game implementation
    ✎ Test the snake game in browser

Snake game created and opened in your browser! Use arrow keys to control the snake and collect red food. The game speeds up as you score points. Press space to restart after game over.

> █
```

使用 Claude Code 的 Web Search 功能

DeepSeek API 原生支持 Claude Code 中的 Web Search 功能。在使用 Claude Code 的过程中，如果模型判断您的问题需要通过搜索功能才能满足，模型会调用 Web Search 工具，并通过 DeepSeek 提供的 API 进行搜索。因为调用 Web Search 工具会产生额外的大模型 API 请求来对获取到的搜索内容进行总结，因此会产生额外的模型 Token 费用。

下图展示了在 Claude Code 中触发 Web Search 功能的示例，用户的提问（Help me to search for best Rust tutorials）触发了 Web Search 工具的调用：

Claude Code v2.1.116
deepseek-v4-pro with high effort · API Usage Billing
~/Documents/projects/test

Help me to search for best Rust tutorials

Web Search("best Rust programming tutorials 2026")
└ Did 1 search in 25s

Web Search("best Rust learning resources for beginners 2026")
└ Did 1 search in 27s

Best Rust Tutorials & Learning Resources (2026)

Here's a curated guide to the best Rust learning resources right now.

Free Starting Points (Do These First)

1. <https://doc.rust-lang.org/book/> ("The Book") – The definitive starting point. The 3rd edition covers the Rust 2024 edition. Non-negotiable foundation.

2. <https://doc.rust-lang.org/stable/rust-by-example/> – Annotated, runnable examples for every concept.

3. <https://github.com/rust-lang/rustlings> – Small exercises to get comfortable with the compiler.

4. <https://google.github.io/comprehensive-rust/> – Google's free 4-day course (from the Android team).

Notable 2026 Addition: Microsoft Rust Training (FREE)

Microsoft recently open-sourced <https://github.com/microsoft/RustTraining> – 7 full books covering everything from bridge courses (for C/C++, C#, Python devs) through advanced topics (async Rust, type-driven correctness, engineering practices). ~6,000+ GitHub stars. Clone and read locally:

git clone <https://github.com/microsoft/RustTraining.git>

Best Books by Level

Level	Book	Focus
Beginner	The Secrets of Rust: Tools (Arundel)	Project-based, builds real tools
Beginner	Rust Programming in Easy Steps (Urwin)	Practical, self-paced, 2024 edition
Intermediate	Rust for Rustaceans (Gjengset)	Ownership deep-dives, traits, async
Intermediate	Zero to Production in Rust (Palmieri)	Build a real backend project
Advanced	Programming Rust, 2nd Ed (Blandy et al.)	Deep internals, memory layout, FFI
Advanced	The Rust Spellbook (Arundel, 2026)	Tips, tricks, and advanced techniques

Online Courses

使用 Claude Code 或者 Claude Desktop APP 时的模型映射

您在使用 Claude Code 或者 Claude Desktop APP 时，我们会对您传入的 claude 模型名进行映射：

- claude-opus 开头的模型，会映射到 deepseek-v4-pro
- claude-haiku、claude-sonnet 开头的模型，会映射到 deepseek-v4-flash

通过这样的映射，您在使用新版 Claude Desktop APP 的 developer 模式时，可以绕过 APP 对模型名的限制，只需改动 base_url 和 api_key，即可在其中接入 DeepSeek 模型。