


集成

使用 OpenClaw 连接 Kimi 模型

📄 复制页面




使用 OpenClaw 和 Kimi K2.5 API 构建跨平台 AI 智能体。按照我们的指南安装 OpenClaw 并配置您的 Kimi API 密钥，实现在 Telegram、Discord、Slack 和 WhatsApp 上的无缝聊天。



ClawdBot

×



x

Kimi

OpenClaw（前身为 Clawdbot 和 Moltbot）是一个开源的自托管 AI 智能体平台，可让您在本地运行 AI 助手。它集成了 WhatsApp、Telegram、Discord、Slack 和 Signal 等消息应用，将大语言模型连接到实际工作流程中。该平台支持多个 LLM 提供商、可扩展的技能，并让您完全掌控自己的数据和 API 密钥。


以下是如何在 OpenClaw 中使用 Kimi K2.5 模型的方法。Kimi 最新模型是 Kimi K2.6，最新模型的集成示例正在更新中。

第一步：创建 Kimi 开放平台 API Key

🚀 Kimi K2.6 模型已正式发布，长程代码编写能力更强更稳。

建议您充值50元以上升级到 tier1，以获得更流畅的使用体验。[前往充值](#)

KIMI 开放平台
创建并复制 API 密钥：[前往创建](#)



第二步：安装 OpenClaw

在终端中运行以下命令。如果您已经安装了 OpenClaw，也请执行此命令以升级 OpenClaw。

版本：强烈建议您升级到 2026.2.3 及以上版本。从 2.3 版本起，OpenClaw 已全面支持国内开放平台的 Kimi K2.5 模型选择。

```
curl -fsSL https://openclaw.ai/install.sh | bash
```

```
KIMI OpenClaw Installer
You wishes they shipped this fast.

✓ Detected: macos
➔ Existing OpenClaw installation detected
✓ Homebrew already installed
✓ Node.js v24.3.0 found
✓ Git already installed
➔ Installing OpenClaw 2026.2.2-3...
```

访问 OpenClaw 官方网站了解更多信息: <https://openclaw.ai/>

如果安装成功，您会看到以下提示：

```
🦊 OpenClaw Installer
End-to-end encrypted, Zuck-to-Zuck excluded.

✓ Detected: macos
✓ Homebrew already installed
✓ Node.js v22.18.0 found
✓ Git already installed
➔ Installing OpenClaw 2026.1.30...
✓ OpenClaw installed

🦊 OpenClaw installed successfully (2026.1.30)!
Finally unpacked. Now point me at your problems.

Config already present; running doctor...
➔ Running doctor to migrate settings...

🦊 OpenClaw 2026.1.30 (76b5208)
Your terminal just grew claws-type something and let the bot pinch the busywork.


OPENCLAW

🦊 OPENCLAW 🦊
```

选择 [yes] 并继续安装：


```
Must read: https://docs.openclaw.ai/gateway/security


I understand this is powerful and inherently risky. Continue?
[ ☒ Yes / ☐ No ]
```




第三步：设置 Kimi K2.5

- 第 1 步：Model.auth provider > 选择 Moonshot AI (Kimi K2.5)
- 第 2 步：Model AI auth method (Kimi K2.5) > 选择 Kimi API key (.cn)
- 第 3 步：Enter Moonshot API Key (.cn) > 输入您的 API Key
- 第 4 步：Default model > 保持当前 (moonshot/kimi-K2.5)







然后您会看到选择聊天工具的选项。您可以先选择 [Skip for now]:




其他配置，如 Gateway Port 设置，可以保持默认值 18789。对于 Skills 和包管理器，选择 npm 或其他选项，其余所有选项都可以选择 Yes。




对于 skills，您可以跳过此步骤，或使用空格键选择您需要的技能。



对于其余的 API 密钥，如果您没有则选择 no：




最后三个 hooks 可以启用，以执行内容指导日志和会话记录：



安装完成后，您可以自动访问 <http://127.0.0.1:18789> 打开聊天界面并开始使用。

🔥 Kimi K2.6 模型已正式发布，长程代码编写能力更强更稳。



一键安装包推荐

中国地区用户安装 OpenClaw 可能遇到网络下载缓慢的问题，推荐近期社区中好用的桌面端的 OpenClaw 一键安装包，[点此下载](#)

此页面对您有帮助吗？

👍 是

👎 否

< 组织管理最佳实践

编程工具集成 >

