




Figure 2: Mixture-of-Thought (MoT) Augmentation

and homogeneous relation awareness, we design human questions that are rich in heterogeneity. These questions contain sequences of graph tokens from different types, indicated by multiple occurrences of the <graph> token. Additionally, the human question includes pertinent auxiliary information pertaining to the target

language models: i) **Chain-of-Thought (CoT)** [35]: CoT prompts introduce intermediate steps, enabling complex reasoning and sophisticated capabilities. ii) **Tree-of-Thought (ToT)** [42]: ToT maintains a tree structure of coherent language sequences called thoughts. These thoughts serve as systematic intermediate steps for problem-solving. iii) **PanelGPT** [25]: PanelGPT incorporates panel discussions among language models, enhancing the prompt engineering process through collaboration. iv) **Generated Knowledge Prompting (GKP)** [15]: GKP involves incorporating additional knowledge into prompts for enhancement. By leveraging these techniques, our objective is to augment heterogeneous graph instructions, especially in scenarios with limited data availability.

3.3.2 Instruction Augmentation with Prior Knowledge. We utilize seven instruction augmentation strategies, each generating seven augmented instructions for every question-answer pair, incorporating the characteristics of Mixture-of-Thought (MoT). However, closed-source language models such as ChatGPT may produce incorrect answers, resulting in flawed guidance. To overcome this issue, we propose incorporating prior knowledge, specifically the