

		Ported ($n=34$)			Similar Failures ($n=43$)			New Failures ($n=13$)		
Agent	Noise	Diag.	Mitig.	E2E	Diag.	Mitig.	E2E	Diag.	Mitig.	E2E
Stratus 	☐	70.6%	83.3%	63.7%	62.8%	80.6%	58.9%	33.3%	59.0%	17.9%
	☒	58.8%	68.6%	45.1%	55.0%	64.3%	44.2%	20.5%	30.8%	10.3%
Stratus 	☐	42.2%	46.1%	27.5%	46.5%	44.2%	32.6%	15.4%	12.8%	10.3%
	☒	39.2%	49.0%	27.5%	43.1%	42.3%	30.0%	17.9%	23.1%	12.8%
Claude Code	☐	74.5%	71.6%	60.8%	81.4%	79.1%	70.5%	38.5%	74.4%	28.2%
	☒	66.7%	73.5%	52.0%	62.8%	78.3%	56.6%	51.3%	76.9%	48.7%
Codex	☐	76.5%	66.7%	57.8%	78.3%	68.2%	61.2%	25.6%	41.0%	15.4%
	☒	66.7%	66.7%	51.0%	62.8%	68.2%	50.4%	28.2%	28.2%	17.9%