

- [6] P. Hai-Nyzhnyk, "Wikidia as a universal multilingual online encyclopedia for children," *The Encyclopedia Herald of Ukraine*, vol. 14, 2022.
- [7] F. Ilievski, P. Szekely, and B. Zhang, "Cskg: The commonsense knowledge graph," *Extended Semantic Web Conference (ESWC)*, 2021.
- [8] R. Speer, J. Chin, and C. Havasi, "Conceptnet 5.5: An open multilingual graph of general knowledge," in *Proceedings of the AAAI conference on artificial intelligence*, vol. 31, no. 1, 2017.
- [9] H. Ji, P. Ke, S. Huang, F. Wei, X. Zhu, and M. Huang, "Language generation with multi-hop reasoning on commonsense knowledge graph," in *EMNLP*, 2020, pp. 725–736.
- [10] J. D. Hwang, C. Bhagavatula, R. Le Bras, J. Da, K. Sakaguchi, A. Bosselut, and Y. Choi, "(comet-) atomic 2020: On symbolic and neural commonsense knowledge graphs," in *AAAI*, vol. 35, no. 7, 2021, pp. 6384–6392.
- [11] H. Zhang, X. Liu, H. Pan, Y. Song, and C. W.-K. Leung, "Aser: A large-scale eventuality knowledge graph," in *Proceedings of the web conference 2020*, 2020, pp. 201–211.
- [12] H. Zhang, D. Khashabi, Y. Song, and D. Roth, "Transoms: from linguistic graphs to commonsense knowledge," in *IJCAI*, 2021, pp. 4004–4010.
- [13] Z. Li, X. Ding, T. Liu, J. E. Hu, and B. Van Durme, "Guided generation of cause and effect," in *IJCAI*, 2020.
- [14] O. Bodenreider, "The unified medical language system (umls): integrating biomedical terminology," *Nucleic acids research*, vol. 32, no. suppl_1, pp. D267–D270, 2004.
- [15] Y. Liu, Q. Zeng, J. Ordieres Meré, and H. Yang, "Anticipating stock market of the renowned companies: a knowledge graph approach," *Complexity*, vol. 2019, 2019.
- [16] Y. Zhu, W. Zhou, Y. Xu, J. Liu, Y. Tan *et al.*, "Intelligent learning for knowledge graph towards geological data," *Scientific Programming*, vol. 2017, 2017.
- [17] W. Choi and H. Lee, "Inference of biomedical relations among chemicals, genes, diseases, and symptoms using knowledge representation learning," *IEEE Access*, vol. 7, pp. 179 373–179 384, 2019.
- [18] F. Farazi, M. Salamanca, S. Mosbach, J. Akroyd, A. Eibeck, L. K. Aditya, A. Chadzynski, K. Pan, X. Zhou, S. Zhang *et al.*, "Knowledge graph approach to combustion chemistry and interoperability," *ACS omega*, vol. 5, no. 29, pp. 18 342–18 348, 2020.
- [19] X. Wu, T. Jiang, Y. Zhu, and C. Bu, "Knowledge graph for china's genealogy," *IEEE TKDE*, vol. 35, no. 1, pp. 634–646, 2023.
- [20] X. Zhu, Z. Li, X. Wang, X. Jiang, P. Sun, X. Wang, Y. Xiao, and N. J. Yuan, "Multi-modal knowledge graph construction and application: A survey," *IEEE TKDE*, 2022.
- [21] S. Ferrada, B. Bustos, and A. Hogan, "Imgpedia: a linked dataset with content-based analysis of wikimedia images," in *The Semantic Web-ISWC 2017*. Springer, 2017, pp. 84–93.
- [22] Y. Liu, H. Li, A. Garcia-Duran, M. Niepert, D. Onoro-Rubio, and D. S. Rosenblum, "Mmkg: multi-modal knowledge graphs," in *The Semantic Web: 16th International Conference, ESWC 2019, Portorož, Slovenia, June 2–6, 2019, Proceedings 16*. Springer, 2019, pp. 459–474.
- [23] M. Wang, H. Wang, G. Qi, and Q. Zheng, "Richpedia: a large-scale, comprehensive multi-modal knowledge graph," *Big Data Research*, vol. 22, p. 100159, 2020.
- [24] B. Shi, L. Ji, P. Lu, Z. Niu, and N. Duan, "Knowledge aware semantic concept expansion for image-text matching," in *IJCAI*, vol. 1, 2019, p. 2.
- [25] S. Shah, A. Mishra, N. Yadati, and P. P. Talukdar, "Kvqa: Knowledge-aware visual question answering," in *AAAI*, vol. 33, no. 01, 2019, pp. 8876–8884.
- [26] and N. Zhang, "Lms for knowledge graph construction and reasoning: Recent capabilities and future opportunities," *arXiv preprint arXiv:2305.13168*, 2023.
- [27] Z. Zhang, X. Liu, Y. Zhang, Q. Su, X. Sun, and B. He, "Pretraining: learning knowledge representation from pretrained language models," in *EMNLP Finding*, 2020, pp. 259–266.
- [28] A. Kumar, A. Pandey, R. Gadia, and M. Mishra, "Building knowledge graph using pre-trained language model for learning entity-aware relationships," in *2020 IEEE International Conference on Computing, Power and Communication Technologies (GUCON)*. IEEE, 2020, pp. 310–315.
- [29] X. Xie, N. Zhang, Z. Li, S. Deng, H. Chen, F. Xiong, M. Chen, and H. Chen, "From discrimination to generation: Knowledge graph completion with generative transformer," in *WWW*, 2022, pp. 162–165.
- [30] Z. Chen, C. Xu, F. Su, Z. Huang, and Y. Dou, "Incorporating structured sentences with time-enhanced bert for fully-inductive temporal relation prediction," *SIGIR*, 2023.
- [31] D. Zhu, J. Chen, X. Shen, X. Li, and M. Elhoseiny, "Minigt-4: Enhancing vision-language understanding with advanced large language models," *arXiv preprint arXiv:2304.10592*, 2023.
- [32] M. Warren, D. A. Shamma, and P. J. Hayes, "Knowledge engineering with image data in real-world settings," in *AAAI*, ser. *CEUR Workshop Proceedings*, vol. 2846, 2021.
- [33] R. Thoppilan, D. De Freitas, J. Hall, N. Shazeer, A. Kulshreshtha, H.-T. Cheng, A. Jin, T. Bos, L. Baker, Y. Du *et al.*, "Lmda: Language models for dialog applications," *arXiv preprint arXiv:2201.08239*, 2022.
- [34] Y. Sun, S. Wang, S. Feng, S. Ding, C. Pang, J. Shang, J. Liu, X. Chen, Y. Zhao, Y. Lu *et al.*, "Ernie 3.0: Large-scale knowledge enhanced pre-training for language understanding and generation," *arXiv preprint arXiv:2107.02137*, 2021.
- [35] T. Shen, Y. Mao, P. He, G. Long, A. Trischler, and W. Chen, "Exploiting structured knowledge in text via graph-guided representation learning," in *EMNLP*, 2020, pp. 8980–8994.
- [36] D. Zhang, Z. Yuan, Y. Liu, F. Zhuang, H. Chen, and H. Xiong, "E-bert: A phrase and product knowledge enhanced language model for e-commerce," *arXiv preprint arXiv:2009.02835*, 2020.
- [37] S. Li, X. Li, L. Shang, C. Sun, B. Liu, Z. Ji, X. Jiang, and Q. Liu, "Pre-training language models with deterministic factual knowledge," in *EMNLP*, 2022, pp. 11 118–11 131.
- [38] M. Kang, J. Baek, and S. J. Hwang, "Kala: Knowledge-augmented language model adaptation," in *NAACL*, 2022, pp. 5144–5167.
- [39] W. Xiong, J. Du, W. Y. Wang, and V. Stoyanov, "Pretrained encyclopedia: Weakly supervised knowledge-pretrained language model," in *ICLR*, 2020.
- [40] T. Sun, Y. Shao, X. Qiu, Q. Guo, Y. Hu, X. Huang, and Z. Zhang, "CoLAKE: Contextualized language and knowledge embedding," in *Proceedings of the 28th International Conference on Computational Linguistics*, 2020, pp. 3660–3670.
- [41] T. Zhang, C. Wang, N. Hu, M. Qiu, C. Tang, X. He, and J. Huang, "DKPLM: decomposable knowledge-enhanced pre-trained language model for natural language understanding," in *AAAI*, 2022, pp. 11 703–11 711.
- [42] J. Wang, W. Huang, M. Qiu, Q. Shi, H. Wang, X. Li, and M. Gao, "Knowledge prompting in pre-trained language model for natural language understanding," in *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, 2022, pp. 3164–3177.
- [43] H. Ye, N. Zhang, S. Deng, X. Chen, H. Chen, F. Xiong, X. Chen, and H. Chen, "Ontology-enhanced prompt-tuning for few-shot learning," in *Proceedings of the ACM Web Conference 2022*, 2022, pp. 778–787.