

# Prediction of Cephalopelvic Disproportion Using Machine Learning Based on Anthropometric Measurements

By

Anik Bhaumik

# CEPHALOPELVIC DISPROPORTION (CPD)



CPD is a pregnancy complication in which there is a size mismatch between the mother's pelvis and the head of the baby

CPD can stall or completely halt vaginal delivery, making it dangerous or impossible to have normal delivery, if an attempted vaginal delivery is unsuccessful doctors should quickly move onto a C-section

# WHAT CAUSES CEPHALOPELVIC DISPROPORTION?

- The fetus is overly large, also called **fetal macrosomia**.
- Large baby due to:
  - Hereditary factors
  - Diabetes
  - Postmaturity (still pregnant after the due date has passed)
  - Multiparity (not the first pregnancy)
- Abnormal fetal positions
- Small pelvis
- Abnormally shaped pelvis

# HOW IS CPD DIAGNOSED?

- The diagnosis of cephalopelvic disproportion is often used when labor progress is not sufficient and medical therapy such as the use of oxytocin is not successful or not attempted.
- CPD can rarely be diagnosed before labor begins if the baby is thought to be large or the mother's pelvis is known to be small.
- Ultrasound is used in estimating fetal size but not totally reliable for determining fetal weight.
- A physical examination that measures pelvic size can often be the most accurate method for diagnosing CPD. If a true diagnosis of CPD cannot be made, oxytocin is often administered to help labor progression. Alternatively, the fetal position is changed.

Listed below are several methods employed by physicians to try and assess the size of the pelvis and baby, which can help to diagnose CPD:

- **Pelvimetry by MRI:** This is used to assess the dimensions of the pelvis, determine the baby's position, and examine the soft tissues of the mother and baby.
- **Clinical pelvimetry:** This is a process used to assess the size of the birth canal using the hands and/or with a pelvimeter.
- **Ultrasound:** The baby's head and body size are measured during a routine ultrasound examination. Measurements are compared against standardized growth charts to determine the relative risk of CPD by the time of delivery.
- **X-ray or CT pelvimetry:** This is a radiographic examination used to determine the dimensions of the mother's pelvis and the diameter of the baby's head. The value of x-ray pelvimetry needs to be weighed against the risk of radiation exposure.

# METHODS USED TO DETECT CPD BEFORE HAND

The method proposes to go through and collect several Anthropometric measurements such as


- 1) Height (cm)
- 2) Foot Length (cm)
- 3) ITD (Intertrochanteric diameter)
- 4) BAD (Biacromial diameter)
- 5) TD (Transverse diagonal of sacral rhomboid)
- 6) VD (Vertical diagonal of sacral rhomboid)

Fetal weight was estimated. Differences in these measurements between the vaginal delivery and CPD groups were analyzed. The validity of these measurements in predicting CPD was analyzed by plotting Receiver Operating Characteristic curves and by logistic regression analysis.

- Pelvis type plays a critical role in CPD. There are 4 types of Pelvis which are as following:
  1. Gynecoid
  2. Android
  3. Anthropoid
  4. Platypelloid
- Android pelvis type has more tendency to cause cephalopelvic disproportion.
- We are going to determine the Pelvis type using the following parameters:
  1. ITD (Intertrochanteric diameter)
  2. BAD (Biacromial diameter)
  3. TD (Transverse diagonal of sacral rhomboid)
  4. VD (Vertical diagonal of sacral rhomboid)

# PROPOSED METHOD

- The proposed approach focuses on image processing techniques such as pre-processing, extraction, clustering and classification.
- The pre-processing is used to remove the unnecessary pixels from the image.
- The extraction is used to extract the information from the pre-processed image.
- Then clustering for making image clusters and
- Classification is used to train the clustered data set.
- The algorithm is based on filtering of MRI images(DICOM images) which is used for removing the noise over an image, segmented with filtering images, extracting the information from segmented images and getting the prediction using a trained data set.





# IMAGE PRE-PROCESSING

- The pre-processing is to improve the image quality to make it ready for further processing by removing or reducing the unrelated and surplus parts in the background of the images which are medical images that are complicated to interpret.
- It will prepare the mammogram for the next two-process feature extraction and clustering.
- The noise and high frequency components removed by filters. It does not increase image information content. The methods use considerable redundancy in images.

# EXTRACTION

- The pre-processed image is now ready to get the necessary data extracted.
- Many DICOM SOP classes contain bulk pixel data, which is usually used to represent one or more image frames (although other types of data are possible).
- In these SOP classes the pixel data is (almost) always contained in the (7FE0,0010) Pixel Data element. The only exception to this is Parametric Map Storage which may instead contain data in the (7FE0,0008) Float Pixel Data or (7FE0,0009) Double Float Pixel Data elements.
- Therefore, we are going to use this pixel data which is basically a pixel array for our further work.

# CLUSTERING

- Now that we have the pixel array for the whole dataset equipped with each patient data, we can now proceed with clustering.
- It is basically a type of unsupervised learning method. An unsupervised learning method is a method in which we draw references from datasets consisting of input data without labeled responses.
- Here, we are going to use K-means clustering which is one of the simplest and popular unsupervised machine learning algorithms.
- We are using this unsupervised algorithm to get this dataset labeled into four category which is basically the four different types of pelvis bone.

# CLASSIFICATION

- Now that we have labels decided we are going to use supervised image classification algorithm CNN(Convolutional Neural Network).
- A Convolutional Neural Network (ConvNet/CNN) is a Deep Learning algorithm which can take in an input image, assign importance (learnable weights and biases) to various aspects/objects in the image and be able to differentiate one from the other.
- The pre-processing required in a ConvNet is much lower as compared to other classification algorithms. While in primitive methods filters are hand-engineered, with enough training, ConvNets have the ability to learn these filters/characteristics.

The following are the steps involved in building a classification model(Python):

- Initialize the classifier to be used.
- Train the classifier on the training data. In scikit-learn, we use a `fit(X, y)` method to fit the model (training) for the training data. Here, `X` is the feature matrix and `y` is the target vector.
- Evaluate the classifier model. For a new observation `x`, the `predict(x)` returns the predicted label.

Types of Classification Algorithms with the accuracy we are getting (Python):

- Logistic Regression
- Naïve Bayes
- K-Nearest Neighbours
- Support Vector Machine
- Decision Tree
- Random Forest

We are going to check the accuracy for each classification algorithm and use them accordingly.

# CONVOLUTIONAL NEURAL NETWORK(CNN)

- After completing all these traditional classification we are going to use CNN to get the best accuracy.
- The convolutional neural network (CNN) is a class of deep learning neural networks.
- CNNs have an input layer, and output layer, and hidden layers. The hidden layers usually consist of convolutional layers, ReLU layers, pooling layers, and fully connected layers.

# LOGISTIC REGRESSION

	precision	recall	f1-score	support
0	1.00	1.00	1.00	10
1	0.91	1.00	0.95	10
2	1.00	1.00	1.00	8
3	1.00	0.93	0.96	14
accuracy			0.98	42
macro avg	0.98	0.98	0.98	42
weighted avg	0.98	0.98	0.98	42

97.61904761904762

# NAIVE BAYES

## Gaussian naive bayes

	precision	recall	f1-score	support
0	0.91	1.00	0.95	10
1	0.90	0.90	0.90	10
2	1.00	1.00	1.00	8
3	1.00	0.93	0.96	14
accuracy			0.95	42
macro avg	0.95	0.96	0.95	42
weighted avg	0.95	0.95	0.95	42

95.23809523809523

## Bernouli naive bayes

	precision	recall	f1-score	support
0	1.00	0.80	0.89	10
1	0.91	1.00	0.95	10
2	0.42	0.62	0.50	8
3	0.64	0.50	0.56	14
accuracy			0.71	42
macro avg	0.74	0.73	0.73	42
weighted avg	0.75	0.71	0.72	42

71.42857142857143



# K-NEAREST NEIGHBOURS

	precision	recall	f1-score	support
0	1.00	1.00	1.00	10
1	1.00	1.00	1.00	10
2	1.00	1.00	1.00	8
3	1.00	1.00	1.00	14
accuracy			1.00	42
macro avg	1.00	1.00	1.00	42
weighted avg	1.00	1.00	1.00	42
100.0				

# SUPPORT VECTOR MACHINES

	precision	recall	f1-score	support
0	1.00	1.00	1.00	10
1	0.91	1.00	0.95	10
2	1.00	1.00	1.00	8
3	1.00	0.93	0.96	14
accuracy			0.98	42
macro avg	0.98	0.98	0.98	42
weighted avg	0.98	0.98	0.98	42

97.61904761904762

# DECISION TREE

	precision	recall	f1-score	support
0	1.00	1.00	1.00	10
1	0.91	1.00	0.95	10
2	1.00	1.00	1.00	8
3	1.00	0.93	0.96	14
accuracy			0.98	42
macro avg	0.98	0.98	0.98	42
weighted avg	0.98	0.98	0.98	42

97.61904761904762

# RANDOM FOREST

	precision	recall	f1-score	support
0	1.00	1.00	1.00	10
1	0.91	1.00	0.95	10
2	1.00	1.00	1.00	8
3	1.00	0.93	0.96	14
accuracy			0.98	42
macro avg	0.98	0.98	0.98	42
weighted avg	0.98	0.98	0.98	42

97.61904761904762

# FUTURE WORK

- As these are sensitive medical images we are working on we are expecting above 95% accuracy and we are getting so. However, we need to consider this during implementing CNN.
- We also want to verify the cluster from a doctor to find out which one is Android pelvis type as Android is having more tendency to cause CPD.
- We are also targeting to make this public by making a website where anyone can give their MRI as input and we should be able to calculate the chance of having CPD.

# REFERENCES

- ❑ Anthropometric measurements as predictors of cephalopelvic disproportion by Santosh J Benjamin, Anjali B Daniel, Asha Kamath, Vani Ramkumar, Published on 5th September 2011  
<https://obgyn.onlinelibrary.wiley.com/doi/full/10.1111/j.1600-0412.2011.01267.x>
- ❑ Anthropometric measurements as predictors of cephalopelvic disproportion: Can the diagnostic accuracy be improved? by Santosh J Benjamin, Anjali B Daniel, Asha Kamath, Vani Ramkumar, published on 13th October 2013  
<https://pubmed.ncbi.nlm.nih.gov/21895610/>
- ❑ Study of anthropometric measurements to predict contracted pelvis by Deepika N, Arun Kumar and Shivagami C, Published on 17th December, 2018  
<https://www.gynaecologyjournal.com/articles/172/2-6-23-590.pdf>
- ❑ Anthropometric measurements as predictors of cephalopelvic disproportion by S. Benjamin, A. Daniel, A. Kamath, V. Ramkumar, published on 2012  
<https://www.semanticscholar.org/paper/Anthropometric-measurements-as-predictors-of-Benjamin-Daniel/0a6c5834490ce98c6f2795b0a717037fd8228011>

- ❑ Safety of Radiographic Imaging During Pregnancy by Kevin S. Toppenberg, M.d., D. Ashley Hill, M.d., And David P. Miller, Published on 1st April 1999  
<https://www.aafp.org/afp/1999/0401/p1813.html>
- ❑ Pelvimetry revisited: Analyzing cephalopelvic disproportion by Miriam S.Lenhard, Thorsten R.C. Johnson, Sabine Weckbach, Konstantin Nikolaou, Klaus Friesea, Uwe Hasbargen, Published on June 2010  
<https://www.sciencedirect.com/science/article/abs/pii/S0720048X09002423>
- ❑ Three-dimensional camera anthropometry to assess risk of cephalopelvic disproportion-related obstructed labour in Ethiopia by Lorenzo Tolentino, Mahlet Yigeremu, Sisay Teklu, Shehab Attia, Michael Weiler, Nate Frank, J. Brandon Dixon and Rudolph L. Gleason, Published on 16th August 2019  
<https://royalsocietypublishing.org/doi/full/10.1098/rsfs.2019.0036>
- ❑ <https://www.healthline.com/health/types-of-pelvis>
- ❑ <https://www.birthinginjuryhelpcenter.org/cephalopelvic-disproportion.html>
- ❑ <https://americanpregnancy.org/healthy-pregnancy/labor-and-birth/cephalopelvic-disproportion/>
- ❑ <https://www.abclawcenters.com/practice-areas/prenatal-birth-injuries/traumatic-birth-injuries/cephalopelvic-disproportion/>
- ❑ <https://www.beckerjustice.com/causes-of-birth-injury/cephalopelvic-disproportion-cpd-/>
- ❑ <https://www.urmc.rochester.edu/encyclopedia/content.aspx?contenttypeid=197&contentid=28587>

# Thank You